WASEET

وسيط

Business Requirements Document

AI-Powered Service Marketplace — Arab World

Version	Status	Date	Classification
1.0	Draft — For Review	April 2026	Confidential

1. Executive Summary

Vision Statement

Waseet is an AI-powered mobile-first web platform that connects individuals who need everyday services — repairs, tutoring, delivery, design — with qualified local providers. It eliminates the friction of informal hiring through instant AI matching, a transparent reputation system, and a freemium subscription model that aligns platform revenue with provider success.

1.1 The Problem

The Arab service economy is largely informal. Billions of dollars in everyday service transactions occur through word-of-mouth, WhatsApp groups, and personal referrals. This creates three critical pain points:

- Clients have no reliable way to discover, vet, or book qualified local providers
- Providers have no professional channel to grow their customer base or build a verifiable reputation
- No platform captures this market with AI-native tooling, a structured trust framework, or an Arabic-first UX

1.2 The Solution

Waseet solves this with five integrated product pillars that work as a system, not a list of features:

#	Pillar	Description	Phase
1	**Reputation Engine**	Star-based scoring + tiered badges that accumulate with every confirmed job — impossible to replicate outside the platform	MVP
2	**Confirm Button**	Client confirms job completion via a shareable tokenized link — triggers rating flow without requiring digital payment	MVP
3	**Loyalty Rewards**	Milestone-based discounts (20%, 30%) and free subscription months tied to lifetime job count	Phase 2
4	**In-App Chat**	Supabase Realtime chat with phone number masking until job acceptance — keeps all interaction on-platform	Phase 2
5	**Provider Dashboard**	Analytics showing earnings, peak days, hot zones, and bid win rates — data unavailable anywhere else	Phase 3

1.3 Business Model

Waseet operates on a pure subscription model. Cash payments between clients and providers happen offline after service delivery. The platform never touches transaction funds, eliminating payment processing complexity and regulatory exposure at launch.

Tier	Price / Month	Included	Target Segment
Basic	$9	3 active services, standard listing	Occasional providers
Pro	$19	10 services, priority ranking, verified badge	Full-time providers
Premium	$39	Unlimited, always top of search, analytics	Power users & agencies

2. Market Analysis

2.1 Target Market

Waseet targets the Arab world's gig and informal service economy, with a phased geographic rollout starting in Jordan (Amman), expanding to the GCC, and ultimately scaling globally to Arabic-speaking diaspora communities.

Segment	Size Indicator	Primary Need
Urban Clients	5M+ households in GCC + Levant	Trusted, fast, vetted service access
Independent Providers	2M+ skilled tradespeople & freelancers	Consistent client pipeline, professional profile
SMBs & Home Services	500K+ registered small service companies	Digital presence without tech investment

2.2 Competitive Landscape

No single competitor addresses all three dimensions — discovery, trust, and Arabic-native UX — simultaneously:

Platform	Arabic UX	Reputation	AI Pricing	Gap vs Waseet
WhatsApp / Word of mouth	Yes	None	None	No structure, no trust, no discovery
Taskrabbit / Handy	No	Partial	No	Not localized, not Arabic-first
OLX / Dubizzle	Partial	None	No	Classifieds only, no engagement layer
Upwork / Freelancer	No	Yes	No	Project-based only, not local services
Waseet (us)	Yes	Full	Yes	Purpose-built for this market

2.3 Unfair Advantages

- Arabic-first product designed for cultural norms (cash payment, phone-based trust, neighborhood loyalty)
- AI reputation scoring creates compounding retention — the longer a provider stays, the more they lose by leaving
- Zero payment processing = zero regulatory friction at launch in any Arab market
- Freemium gating converts free users at the highest-value moment: when they see a real request they cannot bid on

3. Product Requirements

3.1 User Personas

Persona A — The Client

Name	Rima, 34 — Marketing Manager, Amman
Pain Point	Wastes 2+ hours finding a trustworthy plumber via WhatsApp groups with no accountability
Goal	Post a request, receive vetted offers within minutes, confirm with one tap
Success Metric	Service booked in under 10 minutes with zero phone calls before provider selection

Persona B — The Provider

Name	Khalil, 41 — Independent Electrician, 12 years experience
Pain Point	Inconsistent income, no professional profile, clients always haggle because they cannot verify his skills
Goal	Stable monthly client flow, a verifiable score that justifies premium pricing
Success Metric	Subscription pays for itself with the first job won each month

3.2 Core User Journeys

Journey 1 — Client Posts a Request

1. Client opens app, taps 'New Request'
2. Selects category, writes description, optionally uploads photos
3. AI (Claude Vision) suggests a fair price range based on category + description
4. Request goes live — visible to all providers in the area
5. Subscribed providers submit bids; free providers see the request but cannot bid
6. Client reviews bids, reads provider Score and reviews, accepts one offer
7. In-app chat opens between client and accepted provider
8. Service is delivered, client pays provider in cash
9. Client taps 'Confirm Service' (or opens tokenized WhatsApp link)

10. Rating flow appears — 1 tap to submit stars + optional text review

Journey 2 — Provider Converts from Free to Paid

11. Provider registers, sees live requests in their area
12. Taps 'Bid' — sees subscription gate: 'Subscribe to bid on this request'
13. Views their free-tier profile vs subscribed tier comparison
14. Subscribes via Paddle / Lemonsqueezy — Pro tier $19/month
15. Immediately bids on the request that triggered conversion
16. Wins job, completes it, receives rating — Score begins accumulating

3.3 Freemium Gating Logic

The gating rule is enforced at the database level via Supabase Row Level Security — not in application code. This makes it impossible to bypass through API manipulation:

- Free providers: can view all requests, including category, area, and AI-estimated price range
- Free providers: cannot insert a row in the bids table — RLS policy rejects the request if is_subscribed = false
- First request visible to free users is always fully interactive — proves the platform works before asking for payment
- Requests 2 onwards: title and price visible, description blurred, bid button triggers upsell modal

4. Feature Specifications

4.1 Reputation Engine (Feature 1)

The reputation system is the primary retention mechanism. Every confirmed job increments a provider's lifetime_jobs counter and recalculates their Score. Tiers are awarded automatically by a PostgreSQL trigger with no manual intervention required.

Tier	Jobs Required	Platform Benefits	Visual Indicator
New	0–9 jobs	Standard listing position	No badge
Rising	10–24 jobs	+10 search rank boost	Rising star badge
Trusted	25–49 jobs	+20 boost, verified checkmark	Blue verified badge
Expert	50–99 jobs	+30 boost, featured in category	Gold expert badge
Elite	100+ jobs	Always top of search, homepage feature	Platinum elite badge

The Score is a rolling average of all client_rating values (1–5 stars) computed by the trg_update_score PostgreSQL trigger. It cannot be manually adjusted, purchased, or transferred — making it a genuine trust signal.

4.2 Confirm Button (Feature 2)

Each job record contains a unique confirm_token (UUID). After service delivery, the provider shares a pre-composed WhatsApp message containing a deep link. The client taps the link, opens the confirmation page, and presses 'Confirm'. No login required for confirmation — the token is the authentication.

- Token is single-use and expires 30 days after job creation
- Confirmation triggers: job status → 'completed', analytics update, and rating prompt
- Provider cannot self-confirm — the policy checks that confirmer is the client_id, not the provider_id

4.3 Loyalty Rewards (Feature 3)

Milestone rewards are calculated automatically by the check_loyalty_rewards() PostgreSQL function, called within the score update trigger. Rewards are logged in loyalty_events for full audit transparency:

Milestone	Reward	DB Event	Provider Notification
10 jobs	20% off next renewal	loyalty_events insert + providers.loyalty_discount = 20	In-app banner + push notification

Milestone	Reward	DB Event	Provider Notification
25 jobs	30% off + verified badge	badge_verified = true, loyalty_discount = 30	Badge appears on profile immediately
50 jobs	1 free subscription month	free_months_earned += 1	Certificate screen + social share card
100 jobs	Elite status + homepage feature	reputation_tier = 'elite'	Personalized congratulation + PR mention

4.4 In-App Chat (Feature 4)

Chat is powered by Supabase Realtime on the messages table. Phone numbers are masked until a bid is accepted — the platform facilitates negotiation without exposing personal contact information in the discovery phase. This is enforced by RLS: messages can only be inserted once a corresponding active job record exists for both participants.

- Pre-acceptance: provider and client communicate only through in-app chat on the request thread
- Post-acceptance: phone number is revealed via a single 'Reveal Contact' button logged with a timestamp
- Message types: text, image attachment, and system messages (job accepted, job confirmed, etc.)
- Read receipts tracked via is_read boolean — provider dashboard shows unread client messages

4.5 Provider Dashboard (Feature 5)

The dashboard is built from provider_analytics, which is populated by the trg_daily_analytics trigger on every confirmed job. Data available from day one of each provider's activity:

- Jobs completed this month vs last month (trend indicator)
- Estimated earnings (self-reported via a simple post-job input)
- Bid win rate: bids_won / bids_placed for the trailing 30 days
- Peak days heatmap: which days of the week generate the most confirmed jobs
- Category breakdown: which service types win most often for this specific provider
- Loyalty progress bar: jobs remaining until next milestone reward

5. Technical Architecture

5.1 Technology Stack

The stack is chosen for maximum build speed, minimum operational overhead, and zero infrastructure management at MVP stage — appropriate for a solo developer with intermediate skills:

Layer	Technology	Rationale
Frontend	Next.js 14 (App Router)	React-based, SEO-capable, mobile-first PWA. Single codebase for all screen sizes.
Styling	Tailwind CSS	Utility-first, Arabic RTL support, no separate CSS files required.
Backend / DB	Supabase (PostgreSQL)	Auth, database, Realtime, Storage — all-in-one. Free tier covers MVP scale.
Real-time	Supabase Realtime	WebSocket abstraction over PostgreSQL LISTEN/NOTIFY. No separate socket server.
AI Pricing	Claude API (claude-sonnet-4-6)	Vision + text: analyzes uploaded photos, generates price range and item description.
Payments	Paddle / Lemonsqueezy	Handles subscription billing, invoicing, and VAT for Arab markets. Simple integration.
Push Notifications	Firebase Cloud Messaging	Free, reliable push for both iOS (PWA) and Android.
Hosting	Vercel (free tier)	Zero-config Next.js deployment. Global CDN. Scales automatically.
File Storage	Supabase Storage	Service request images and provider portfolio photos. Integrated with auth.

5.2 Database Schema Overview

The complete schema is defined in a single migration file (001_complete_schema.sql) and contains 9 tables, 14 Row Level Security policies, 2 automatic triggers, and 2 custom functions. All 5 product features are accommodated from day one — no schema migrations required when activating later phases.

Table	Feature(s)	Key Columns
users	Core	id, role, phone, full_name, city
providers	F1, F3, Freemium	score, reputation_tier, is_subscribed, lifetime_jobs, loyalty_discount

Table	Feature(s)	Key Columns
requests	Core + AI	title, category, city, ai_suggested_price, status
bids	Freemium Gate	request_id, provider_id, amount, status
jobs	F1, F2	confirm_token, confirmed_by_client, client_rating, provider_rating
messages	F4	job_id, sender_id, content, msg_type, is_read
provider_analytics	F5	date, views, bids_won, jobs_done, earnings_est
loyalty_events	F3	event_type, jobs_at_event, reward_value
subscriptions	Revenue	tier, amount_paid, discount_pct, period_start, period_end

5.3 Security Model

All data access is enforced at the database layer via PostgreSQL Row Level Security. Application code cannot bypass these policies — they execute within the database engine regardless of how the API is called:

- Free providers: SELECT on requests (all open), INSERT on bids blocked unless is_subscribed = true
- Jobs: accessible only to the client_id or provider_id recorded at creation
- Messages: accessible only to participants of the parent job record
- Analytics and loyalty data: provider-own only, no cross-provider visibility
- Confirm tokens: public SELECT permitted (token = authentication), but UPDATE restricted to client_id

6. Development Roadmap

6.1 Phase 1 — Market Validation (Weeks 1–6)

Goal: Launch a working product, acquire first 50 paid providers, collect real usage data. All decisions in Phase 2 are driven by Phase 1 data.

Week	Focus	Deliverable	Success Signal
1	Foundation	Node.js + Next.js + Supabase project running locally, auth working	Login with Google succeeds
2	Core Flow	Request posting + AI price suggestion (Claude Vision API integrated)	AI returns price for uploaded photo
3	Bidding	Freemium gating live — free provider sees 'Subscribe to bid' modal	RLS blocks bid from free account
4	Trust Layer	Confirm Button + star rating flow functional end-to-end	Test job confirmed, Score updates
5	Revenue	Subscription payment via Paddle — Pro tier live and gating unlocked	First $19 payment received
6	Launch	Vercel deployment, 10-user beta test, bug fixes, WhatsApp campaign	10 real transactions on platform

6.2 Phase 2 — Retention (Weeks 7–10)

Goal: Reduce platform leakage to near zero. Activate features that make the platform irreplaceable for providers. Build only what Phase 1 data confirms users need.

- In-app chat with phone masking (Supabase Realtime — 2 weeks)
- Full reputation tier system: badges, search boost, visual tier indicators (1 week)
- Shareable confirm link for WhatsApp (tokenized URL, no login required — 1 week)

6.3 Phase 3 — Growth (Weeks 11–14)

Goal: Turn satisfied providers into active promoters. Give providers tools that make Waseet their professional home base.

- Loyalty rewards system: automated milestone detection and reward delivery
- Provider dashboard: full analytics, peak day heatmap, bid win rate
- Social share card: provider shares their Score and badge on WhatsApp / Instagram
- GCC city expansion: Dubai, Riyadh, Cairo — geographic rollout

7. Financial Projections

7.1 Revenue Model

Revenue is 100% recurring subscription from providers. Client side is permanently free. This creates a clean, predictable revenue stream tied to provider growth rather than transaction volume fluctuations.

Scenario	Paid Providers	Avg Subscription	Monthly Revenue
Conservative (Month 3)	50 providers	$15 blended avg	$750 / month
Base Case (Month 6)	200 providers	$17 blended avg	$3,400 / month
Optimistic (Month 12)	500 providers	$19 blended avg	$9,500 / month
Scale (Month 24)	2,000 providers	$22 blended avg	$44,000 / month

7.2 Operating Costs (Monthly at MVP Stage)

Service	Free Tier	Paid (at scale)
Vercel (hosting)	Free — 100GB bandwidth	$20 / month
Supabase (database + auth + realtime)	Free — 500MB DB, 2GB storage	$25 / month
Claude API (AI pricing — ~500 requests/mo)	$0 at 500 calls	~$15 / month
Firebase (push notifications)	Free — 10K messages/day	Free up to 1M/month
Paddle (subscription billing)	Free — 5% per transaction	5% of revenue
Domain + SSL	$12 / year	$12 / year
TOTAL FIXED (MVP)	$12/year	~$60 / month + 5%

At 50 paid providers ($750/month revenue), operating costs are under $60/month — an 85%+ gross margin. Break-even requires fewer than 4 paid providers at the Pro tier.

8. Risk Register

Risk	Likelihood	Impact	Mitigation Strategy
Providers transact outside platform (leakage)	High	High	5-layer retention system: in-app chat, reputation score, loyalty rewards, phone masking, and confirmation flow all incentivize staying on-platform
Cold-start: no providers = no clients	High	High	Founders personally onboard first 20 providers in one city before any client marketing. Artificial supply ensures early client satisfaction
Provider churns if early jobs are scarce	Medium	High	Free tier allows providers to observe active demand before subscribing. First month subscription is offered at 50% off to reduce commitment friction
Competitive cloning by well-funded player	Medium	Medium	Speed to market + local brand trust + accumulated reputation data create defensibility. Reputation cannot be duplicated without time
Fraud: fake reviews or shill accounts	Low	High	Confirm token is client-generated and single-use. Provider cannot self-confirm. Rating only unlocks after confirmed_by_client = true
Regulatory: payment processing concerns	Low	Medium	Waseet never holds funds. Cash payments are entirely offline. Platform is a communication and reputation tool, not a payment processor

9. Success Metrics & KPIs

9.1 North Star Metric

Monthly Confirmed Jobs

The number of jobs confirmed via the Confirm Button each month. This metric proves real value delivered, drives Score accumulation, and is the trigger for loyalty rewards and provider retention.

9.2 Key Performance Indicators

KPI	Month 3 Target	Month 6 Target	Month 12 Target
Paid providers (MRR drivers)	50	200	500
Monthly confirmed jobs (NSM)	200	1,000	5,000
Provider monthly churn rate	< 15%	< 10%	< 7%
Free-to-paid conversion rate	> 15%	> 20%	> 25%
Platform leakage rate	< 30%	< 20%	< 10%
Avg provider Score (quality)	> 4.0 / 5.0	> 4.2 / 5.0	> 4.3 / 5.0
Monthly Recurring Revenue	$750	$3,400	$9,500

10. Appendix

A. Glossary

Confirm Token	A unique UUID embedded in a shareable URL. Serves as authentication for the job confirmation flow — no login required.
Freemium Gating	The mechanism by which free providers can view requests but are blocked from bidding by a database-level RLS policy.
Leakage	When providers and clients complete transactions outside the platform, bypassing the reputation and confirmation systems.
Lifetime Jobs	The cumulative count of confirmed jobs for a provider. Never resets. Drives tier advancement and loyalty rewards.
RLS (Row Level Security)	PostgreSQL feature that enforces data access rules at the database engine level, independent of application code.
Score	A provider's rolling average rating (1.00–5.00) computed from all client_rating values across confirmed jobs.
Reputation Tier	One of five levels (New, Rising, Trusted, Expert, Elite) awarded automatically based on lifetime_jobs count.

B. Document Control

Version	Date	Author	Changes
1.0	April 2026	Product Team	Initial draft — full BRD

This document is confidential and intended solely for internal review and authorized stakeholders.

Waseet Platform | waseet.app | April 2026