Below is a running example, according to the configuration file "config1.txt". Program output is marked in yellow.

Restaurant is now open!

open 1 Alice,chp Bob,alc
order 1
Alice ordered Water
Bob ordered Beer
order 1
Bob ordered Wine
open 2 Idan,veg Elad,alc
order 2
Idan ordered Salad
Idan ordered Water
Elad ordered Beer
order 2
Idan ordered Salad
Idan ordered Water
Elad ordered Wine
move 1 2 1
status 1
Table 1 status: open
Customers:
O Alice
Orders:
Water 10NIS 0
Current Bill: 10NIS
status 2
Table 2 status: open
Customers:
<mark>2 Idan</mark>

```
3 Elad
1 Bob
Orders:
Salad 40NIS 2
Water 10NIS 2
Beer 50NIS 3
Salad 40NIS 2
Water 10NIS 2
Wine 60NIS 3
Beer 50NIS 1
Wine 60NIS 1
Current Bill: 320NIS
open 2 Jon, spc Sam, spc
Error: Table is already open
log
open 1 Alice, chp Bob, alc Completed
order 1 Completed
order 1 Completed
open 2 Idan, veg Elad, alc Completed
order 2 Completed
order 2 Completed
move 1 2 1 Completed
status 1 Completed
status 2 Completed
open 2 Error: Table is already open
closeall
Table 1 was closed. Bill 10NIS
Table 2 was closed. Bill 320NIS
```