Introduction to Machine Learning - Exercise 2 Due Date: May 20th, 2019 (there will be no extensions!)

Yossi Adi, Felix Kreuk and Joseph Keshet

May 12, 2019

1 Perceptron, SVM, and Passive Aggressive (PA)

In this exercise you will implement and compare Perceptron, SVM, and PA. You are provided with a training set of 3,286 examples where you need to classify between 3 classes.

To make things easier for you, here are the update rules for all models:

Perceptron

$$w_{t+1}^{y} = w_{t}^{y} + \eta * x$$

$$w_{t+1}^{\hat{y}} = w_{t}^{\hat{y}} - \eta * x$$

$$w_{t+1}^{i \neq \hat{y}, y} = w_{t+1}^{i \neq \hat{y}, y}$$

SVM

$$w_{t+1}^{\hat{y}} = (1 - \eta \lambda)w_t^{\hat{y}} - \eta * x$$

 $w_{t+1}^y = (1 - \eta \lambda)w_t^y + \eta * x$

$$w_{t+1}^{i \neq \hat{y}, y} = (1 - \eta \lambda) w_{t+1}^{i \neq \hat{y}, y}$$

PA

$$w_{t+1}^y = w_t^y + \tau * x$$

$$w_{t+1}^{\hat{y}} = w_t^{\hat{y}} - \tau * x$$

$$w_{t+1}^{i \neq \hat{y}, y} = w_{t+1}^{i \neq \hat{y}, y}$$

where τ is set to:

$$\tau = \frac{\ell(w, x, y)}{2 \cdot ||x||^2}$$

2 Dataset

Your data set is about Abalone age classification. In this dataset, you are provided with eight features per instance (seven of which are numerical and one is the categorial) and three labels. Labels correspond to the Abalones age. You should explore different ways to convert this categorial

attribute to a numerical one. Moreover, try different normalization techniques as well as feature selection.

A summarize of the feature description can be found in the table below:

| Name | Data Type | Meas. | Description |
|----------------|------------|-------|-----------------------------|
| Sex | nominal | - | M, F, and I (infant) |
| Length | continuous | mm | longest shell measurement |
| Diameter | continuous | mm | perpendicular to length |
| Height | continuous | mm | with meat in shell |
| Whole weight | continuous | grams | whole abalone |
| Shucked weight | continuous | grams | weight of meat |
| Viscera weight | continuous | grams | gut weight (after bleeding) |
| Shell weight | continuous | grams | after being dried |

3 Code

Your main file should be called: ex2.py

Your code should get as input three arguments. The first one will be the training examples (train_x.txt), the second one is the training labels (train_y.txt), and the third one will be the testing examples (test_x.txt), where train_x.txt and test_x.txt will have the same format. You should train 3 algorithms learned in class: Perceptron, SVM and PA (in that order). Next, you should output to the screen your predictions (only) for test_x.txt in the following format:

```
perceptron: 0, svm: 0, pa: 1
perceptron: 2, svm: 2, pa: 2
perceptron: 1, svm: 1, pa: 1
```

where each line in your output corresponds to a line in test_x.txt and the numbers represent your class predictions for classes 0,1,2. Notice, all your hyper-parameters should be hardcode, no external arguments will be provided during runtime.

4 What to submit?

You should submit the following files:

• A txt file, named details.txt with your ID and your name.

```
123456789, 987654321
ploni almoni, almoni ploni
```

• Python 3.6 code. Your main function should reside in a file called ex2.py. The main function should train all three models and output the predictions as described in 3.

- A PDF report with all the implementation details and hyper-parameters, (How did you choose the learning rate? What values did you try and how was the performance? How did you choose the lambda value for SVM? etc.).
- Part of your grade will consist of automatic checks using the Submit system. Make sure your output matches the expected output described above.
- <u>Note</u>: your code should run up to 5 minutes long. Submissions that will run longer than that, will be graded as 0.