

**ONLINE ORDERING PRODUCT SYSTEM FOR
MICHELLA'S PICK N' SHOP**

**A Thesis Proposal
Presented to the Faculty of the
Information and Communications Technology Program
STI College Malolos**

**In Partial Fulfilment
of the Requirements for the Degree
Bachelor of Science in Information Technology**

**Fernando, Isaiah John C.
Nazario, John Maverick C.
Santos, Zarina Aryss C.
Valentino, Michaella Marie B.**

January 21, 2021

ENDORSEMENT FORM FOR ORAL DEFENSE

TITLE OF RESEARCH: **Online Ordering Product System for Michella's Pick N' Shop**

NAME OF PROPONENTS: Isaiah John C. Fernando
John Maverick C. Nazario
Zarina Aryss C. Santos
Michaella Marie B. Valentino

In Partial Fulfilment of the Requirements
for the degree Bachelor of Science in Information Technology
has been examined and is recommended for Proposal Defense.

ENDORSED BY:

Mr. James Phillips S. Bolipata
Thesis Adviser

APPROVED FOR PROPOSAL DEFENSE:

Mr. Edwin S. Garcia
Thesis Coordinator

NOTED BY:

Mr. Edwin S. Garcia
Program Head

January 21, 2021

APPROVAL SHEET

This thesis proposal titled: **Online Ordering Product System for Michella's Pick N' Shop** prepared and submitted by **Isaiah John C. Fernando; John Maverick C. Nazario; Zarina Aryss C. Santos; and Michaella Marie B. Valentino**, in partial fulfilment of the requirements for the degree of Bachelor of Science in Information Technology has been examined and is recommended for acceptance an approval.

**Mr. James Phillips S. Bolipata
Thesis Adviser**

Accepted and approved by the Thesis Review Panel
in partial fulfilment of the requirements for the degree of
Bachelor of Science in Information Technology

**Mr. Edwin S. Garcia
Panel Member**

**Mr. Kim Navarro
Panel Member**

**Mr. James Ronald D. Bañez
Lead Panelist**

Noted:

**Mr. Edwin S. Garcia
Thesis Coordinator**

**Mr. Edwin S. Garcia
Program Head**

January 21, 2021

ACKNOWLEDGEMENTS

The researchers would like to thank the following:

Thesis Coordinator, Mr. Edwin S. Garcia for being there when we needed guidance and answering our questions.

Thesis adviser, Mr. James Phillips Bolipata, for guiding us through the journey of making the thesis and answering our questions.

Thesis Review Panel, for evaluating and checking thoroughly our papers before proceeding this thesis study.

To our Parents and loving guardians, thank you for always supporting us physically, emotionally, and financially, and for letting us stay to one's house to be able to finish our task. Thank you for understanding, and continuing support to complete this research work. Friends who inspired us, thank you for being there throughout this journey, it was a great pleasure working with them and extend their support even in the hardest time.

To our classmates thank you for the friendly competition and to the long nights of working and collaborating with one another. Without the long sleepless nights, we would not have finished this thesis.

ABSTRACT

Title of research: **Online Ordering Product System for Michella's Pick N' Shop**

Researchers: **Isaiah John C. Fernando**
 John Maverick C. Nazario
 Zarina Aryss C. Santos
 Michaella Marie B. Valentino

Degree: **Bachelor of Science in Information Technology**

Date of Completion: **June 2021**

Key words: **Online Ordering Product, Online Payments**

The Online Ordering System described in this document has been designed to fill a specific niche in the market by providing small shop with the ability to offer their customers an online ordering option without having to invest large amounts of time and money in having custom software designed specifically for them. The system, which was highly customizable, allows the shop employees to easily manage the site content. The website, which is the only component seen by the shop customers, is then built dynamically based on the current state of the system, so any changes made are reflected in real time. Visitors to the site, once registered, are then able to easily navigate this product, add product items to their order, and specify delivery options with only a few clicks, greatly simplifying the ordering process. Back in the shop, placed orders are promptly retrieve and displayed in an easily readable format for efficient processing. The purpose of this document is to provide in depth description of design and implementation details of the system, as well as description of all available functionality and plans for evolution. In addition, user manuals and troubleshooting tips have been include for all three components to give the reader a clear idea of intended typical use cases for the system. Having a website is a big advantage because currently most of the establishments can be accessed through the internet, even supermarkets, department store, convenience store and other stores alike are offering delivery service through their website. Having a standpoint to this type of market can give a chance to the owner to have more market and can easily reach the customers.

TABLE OF CONTENTS

	Page
Title Page	i
Endorsement Form for Oral Defense	ii
Approval Sheet	iii
Acknowledgements	iv
Abstract	v
Table of Contents	vi
List of Tables	vii
List of Figures	Viii
List of Appendices	ix
Introduction	1
Background of the problem	2
Overview of the current state of technology	2
Objectives of the study	3
Scope and limitations of the study	3
Methodology	6
Literature Review	7
Review of related literature, studies or systems	7
Synthesis	10
Michella's Pick N' Shop Online Ordering Product System	11
Results and Discussions	19
Conclusions and Recommendations	20
References	21
Appendices	22

LIST OF TABLES

Table	Page
1 Table 1 : Hardware Requirement for Programmer	14
2 Table 2 : Hardware Requirement for End User	14
3 Table 3 : Software Requirement Developer	14
4 Table 4 : Software Requirement End User	15
5 Table 5 : product	15
6 Table 6 : cart	15
7 Table 7 : useradmin	16
8 Table 8 : order	16
9 Table 9 : archorder	16
10 Table 10 : idvalid	17
11 Table 11 : users	17
12 Table 12 : useradmin	17
13 Table 13 : loyaltycard	17
14 Table 14 : archusers	18
15 Table 15 : archuseradmin	18
16 Table 16 : Gantt Chart	24
17 Table 17 : Thesis expenses	26

LIST OF FIGURES

Figure	Page
1 fig 1 : The Agile Model	6
2 fig 2 : Shopee logo	7
3 fig 3 : foodpanda	8
4 fig 4 : Lazada logo	9
5 Fig 5 : DFD level 0	12
6 Fig 6 : DFD lvl 1	12
4 fig 7 : Entity Related Diagram	13

LIST OF APPENDICES

Appendix	Page
A. Gantt chart of activities	23
B. Actual Thesis Expenses	25
C. Curriculum Vitae of Researchers	27
D. Request Letter	32
E. Transcript of Interview	34
F. User Manual	36
G. Admin Manual	41
H. Delivery Manual	48
I. Technical Manual	52
J. Survey	65
K. Group Journal Report	87
L. Group Attendance	100
M. Screen Output	102
N. Source Code	110

INTRODUCTION

Online ordering system is a process in which customers are being provided with the option of purchasing goods and services directly from the seller, in a real time environment. Online ordering is an application of internet as electronic commerce. From the business perspective, customers usually find the products more attractive, on websites, as they get all the details available there. People in large number are doing online shopping today, and it is not only because it is convenient as one can shop from home, but also because there are ample number of varieties available, with a high competition of prices, and it is easy to navigate for searching regarding any item.

In the present scenario, the biggest market for online ordering business is by the highly educated people, mostly. This system has been designed keeping in mind all the aspects such as loading the data, complexity and maintaining the security of user credentials. Following are some of the key features of our system, which distinguishes it from others: Display of all the available categories for shopping on the home page. Display all the subcategories on the home page, those are associated with any item.

Admin has the authority to add new particulars to the items list whenever needed. Permission to the administrator to remove items, anytime. Allows the admin to modify the price of each item, whenever required or felt like. Admin has the authority to update the description of each item. Permission to the admin to view information about each customer who checkouts the items list.

Online ordering makes the ordering process easier, efficient customer and order management, monitor your expenses incurred in real-time, free, and cheap marketing, better customers data, the convenience of online ordering, stay ahead of the competition, grow your bottom line. Especially this time when the pandemic hits the whole world people would choose convenience rather than going out risking their lives just to buy what they want.

Background of the problem

Just like other online store Michella's Pick N' Shop started as a small put-up business which can only be found on Facebook page of her other business. This research aims to provide a webpage that future customers can access and browse to view all available products. As the pandemic hits the entire world people choose to have a more convenient ways to buy some products that they need.

This research aims to help customers to have more convenient and hassle-free ordering without going out to your house to buy what you want to eat. Due to lockdown people are not allowed to go out from their house so many people embraced the technology to have more convenience. Technology this time have a big factor in our daily lives, communication, ordering food, checking your bank accounts, and even studying is done online with the use of the latest technology.

This research is made by the request of the client. The contents and details were provided by the client. Interview was conducted personally. All the features of the system are based upon the request of the client. The system must be user friendly, easy to use and easy to access.

Overview of the current state of the technology

The current mode of ordering in the company is through two ways, social media and through phone. Facebook is one of the primary ways the company's customers can access the products and place order. Another way is through the business's phone hotline which customers can call and order from. The business's inventory is managed through MS Excel which is also where the price of the products is determined. Advertising of the products is also brought through a Facebook page with postings of pictures and videos. The client wants to boost the sales by establishing an online based shop so it can reach the customers easier.

Objectives of the study

General Objective

The objective of this study is to provide and establish a convenient and user-friendly web application that customers of any legal age can access and order with ease and provide a good and fast service.

Specific Objectives

- To develop an online web application as requested by the client.
- To develop a log-in/registration module separately for user, amin/seller and porter.
- To create a web based online display for available product list and menu as requested by the client.
- To provide an excellent service or transaction through online web application.
- To provide an organized inventory management system for monitoring stocks and product expiration.

Scope and limitations of the study

Online ordering and reservation system will become a part of daily lives of the people staring this time as the pandemic hits the world. This system will provide all the available products and services that are available through online to the customers.

The system will be designed to improve on the method of ordering. It includes the features that can log-in, add to cart, edit order, delete order, print or save their receipt. System Administrator is fully responsible for monitoring and maintaining the website since they have access on some modules which are hidden on guest and even members such as product management, sales and inventory, reports, order management and others.

Front - end Scope

User

Login/Registration

- This is where the customer will register and sign-up for an account to access the website.
- Admin also have separate account; it can only be accessed by the assigned person some functions can only be accessed by the admin only.

My Profile/Transaction module

- The customer can access their profile, order status and history and have an edit function where they can change their shipping address and other data's.

Product Management Module

- The customer can download the pdf file of the products that are available in the website with price indicated.
- The customer can search by filtering whether what category does the customer needed. Can be filtered if soap, shampoo, can goods, etc.

Payment Module

- This is where the customer can add to cart, edit the quantity, delete the order or place order to proceed payment.
- Online payments can be paid through Credit Card using stripe API cash on delivery is also accepted.

Admin/Seller

Inventory Management System

- The admin can manage and monitor the stocks or the product that are available.

Pricing and Promotion Module

- Discounts and vouchers can be used by the next purchase of the customer and rewards can be obtained upon continues shopping.

Customer Service/Satisfaction

- We provided terms and conditions, return policy and cancellation of orders for the customer to follow incase problems occur.

Porter

Delivery Tracking

- Monitoring status of the order if it shipped out and ready to be delivered.

Back – end Scope

Admin Account

- CRUD (create, read, update, delete) user account
- CRUD admin account
- CRUD delivery account
- CRUD product item
- View Pending order to assign to delivery persons or Decline pending order
- View, Accept, and Delete Refund Orders
- View Statistics of orders, sales, expenses, and profit
- CRUD Ads on website
- CRUD discounts on website
- View, Update, Delete, Restore Archive

Delivery Account

- View assigned order of customer
- Scan QR code of customer to complete order

Limitations

- Does not track the product expiration date.
- Design display picture and words cannot be change by the admin, default pictures only.
- Web application is for online transaction only.
- No mini-POS.
- Limited statistics for sales, only shows total no filter, no monthly reports.

METHODOLOGY

Agile is a project management methodology characterized by building products that customers really want, using short cycles of work that allow for rapid production and constant revision if necessary. We choose agile scrum because it shown flexibility in the planning cycle we can always start again if something goes wrong within the process we can always start with the new plan. We can make multiple plans in case the client does not like the proposal design and functions.




Figure 1 : The Agile Model

Meet – we meet to schedule interview to the client and ask for information and documents that can be helpful for the research.

Planning - We identify the roles of each member, assign task, and plot sets of schedules of meeting and follow-up interview.

Design – we design the web page as per requirement and request of the client.

Develop - In developing our System, we used the programming software Visual Studio code and Xampp for the database, MySQL, Php and Javascript for programming language. We also Install Composer for generating PDF and other. API and stripe for credit card payment method.

Test – We ask our friends to create account and doing transaction every after completing a unit.

Evaluate – We ask every person who tested our system about their feedback.

LITERATURE REVIEW

Review of Related Literature, Studies or Systems

Shopee

<https://careers.shopee.ph/about>



Fig 2: Shopee logo

Shopee first launched in **Singapore** in 2015, and since expanded its reach to **Malaysia, Thailand, Taiwan, Indonesia, Vietnam, the Philippines**, and Brazil. It serves users in **Southeast Asia** and Taiwan to buy and sell products online it is a platform tailored for the region, providing customers with an easy, secure, and fast online shopping experience through strong payment and fulfillment support. Shopee makes shopping experience easier. You can browse the whole Shopee mall without an account, if you would like to order you must first register or create an account and provide all the information that is needed. After this when you have added to cart you can now proceed to payment procedures which allows you to choose the available delivery and payment procedure you can choose between online payment or Shopee pay or cash on delivery.

Foodpanda

<https://www.foodpanda.ph/contents/about.htm>



fig 3 : foodpanda

Food is a big part of Filipino culture where everyone enjoys eating at home and at restaurants. The Philippines has a wide variety and countless number of restaurants across the country. From local Filipino cuisine to delicious western dishes like steak and burgers, there is something for everyone. The Foodpanda group is the leading global online food delivery marketplace. Headquartered in Berlin, Germany. It operates in more than 40 countries across 5 continents. In the Philippines. Foodpanda was launched in June 2014 and has since grown to over 1,000 partner restaurants nationwide. Foodpanda allows users to conveniently discover food around their neighborhood and directly order their favorite meals online or via mobile. The delivery service brings to you a perfect combination of the coziness of your home and amazing food from nearby restaurants.

The researchers adapted the delivery sign up module on how to become a porter. The applicant can apply to become a porter by providing the required details by signing up and verifying the email address, after the admin will conduct a phone interview with the applicant which will determine if the admin will approve or deny the application.

Lazada

<https://www.lazada.com/en/about/>



fig 4: Lazada Logo

Lazada is founded in 2012, it is a Southeast Asia's leading eCommerce platform with a presence of six countries like Indonesia, Malaysia, Philippines, Singapore, Thailand, and Vietnam it is connected and diverse region through technology. In 2016 Lazada became the regional flagship of Alibaba Group and backed by Alibaba's best technology infrastructure. Just like shoppe and other online or web-based shopping website's you can browse the whole page and check the products but if you want to buy something from the page you must sign-up and provide all the information needed to have an account. Adding to cart and deleting of products in the cart is also alike. Checking out is also the same, choosing the payment type and tracking the delivery if its already ship out and being delivered by the courier.

Synthesis

This research is provided upon the request of the client, if there are some details that are the same to others, we do not have any intention to plagiarize because other data's might be the same or products can be the same. Upon researching for comparison, we use Shopee, Lazada, Zalora and other pages that can have the same description as our proposed system this site serves as an inspiration of this project. almost all online shopping sites is consisting of the store which displays the products that are available and can be bought through the website; sign-in or log in which is common to all the websites and cannot be missing in every website; the cart system where you can add to cart and add quantity, delete or edit your cart and checkout to proceed payment.

The application also offers an avenue to apply to be one of the store's delivery person, which the store calls porters. It is a simple signup and phone interview to the applicant and after is given an account. The steps to deliver is very simple the Porter will be assigned orders to deliver, then once delivered scan the Qr Code that was generated for the customer's order.

MICHELLA'S PICK N' SHOP ONLINE ORDERING PRODUCT SYSTEM

Overview of the project

The Online Ordering System described in this document has been designed to fill a specific niche in the market by providing small shop with the ability to offer their customers an online ordering shop option without having to invest large amounts of time and money in having custom software designed specifically for them. The system, which is highly customizable, allows the shop employees to easily manage the site content. The website, which is the only component seen by the shop customers, is then built dynamically based on the current state of the system, so any changes made are reflected in real time. Visitors to the site, once registered, are then able to easily navigate this product, add product items to their order, and specify delivery options with only a few clicks, greatly simplifying the ordering process. Back in the shop, placed orders are promptly retrieve and displayed in an easily readable format for efficient processing. The purpose of this document is to provide in depth description of design and implementation details of the system, as well as description of all available functionality and plans for evolution. In addition, user manuals and troubleshooting tips have been include for all three components to give the reader a clear idea of intended typical use cases for the system. This thesis is provided upon the request of the client, if there are some details that are the same to others, we do not have any intention to plagiarize because other data's might be the same or products can be the same. Upon researching for comparison, we use Shopee, Lazada, Zalora and other pages that can have the same description as our proposed system we've seen that almost all online shopping sites is consist of the store which displays the products that are available and can be bought through the website; sign-in or log in which is common to all the websites and cannot be missing in every websites; the cart system where you can add to cart and add quantity, delete or edit your cart and checkout to proceed payment.

System design specification




Fig 5 : DFD level 0




Fig 6 : DFD lvl 1




Fig 7 : Entity Related Diagram

Hardware/Software
Programmer/Developer

Hardware	Recommended	Minimum Requirements
Personal Computer / Laptop	Intel(R) Core(TM) i7-9750H CPU @ 2.60 GHz 2.59GHz	Intel(R) Celeron(R) CPU B815 1.2 GHz
Mobile phone	any phone that can access the browser.	
Screen Monitor	256 colored monitor	
Printer	any colored printer	

Table 1: Hardware Requirement for Programmer

End User

Hardware	Recommended	Minimum Requirements
Personal Computer / Laptop	Intel(R) Core(TM) i7-9750H CPU @ 2.60 GHz 2.59GHz	Intel(R) Celeron(R) CPU B815 1.2 GHz
Mobile phone	any phone that can access the browser.	
Screen Monitor	256 colored monitor	
Printer	any colored printer	

Table 2: Hardware Requirement for End User

Software Requirements

Developer

Software	Recommended	Minimum Requirements
Xampp	Xampp a.8.3 or latest version	Xampp 1.6.8
Visual Studio Code	version 1.50.1 or latest version	version 1.7.0
Google Chrome	version 89.0.4342.3 layout engine Blink 89, V8 engine 8.9	version 57.0.2987, layout engine Blink 57, v8 engine 5.7.492
Operating system	Windows 10 or latest	Windows 7
Javascript	version 1.8.5 or latest	version 1.5
PHP	version 7.0 or latest	version 5.0 or 6.0
MySQL	MySQL 8.0 or version	MySQL 5.7

Table 3: Software Requirement Developer

User

Operating System	Browser
Windows 7 or latest	Microsoft edge: latest version Microsoft Internet Explorer: latest version Google Chrome : latest version Mozilla Firefox : latest version
Android	Standard Browser, Google chrome
iPhone/Apple	Mobile Zafari, Chrome for iOS

Table 4: Software Requirement End User

Data Tables

Name	Description	Data Type
Id	User id	Int(11)
productName	name of product	varchar(100)
productPrice	price of product	varchar(100)
productImage	image of product	varchar(255)
productCode	code of product	varchar(10)
productDesc	description of product	varchar(256)
brand	brand name of product	varchar(128)
typeProd	product type	varchar(128)
feature	feature	tinyint(1)
loyalpts	loyalty points	int(11)
productStocks	number of product stocks	int(11)
origPrice	original price	varvhar(100)

Table 5 : product

Name	Description	Data Type
Id	User id	Int(11)
productName	name of product	varchar(100)
productPrice	price of product	varchar(50)
productImage	image of product	varchar(255)
productDesc	description of product	varchar(256)
qty	quantity of product	int(10)
totalPrice	total price of product	varchar(100)
productCode	code of product	varchar(10)
userName	name of user	varchar(255)
loyalpts	loyalty points	int(11)

Table 6 : cart

Name	Description	Data Type
id	user id	int(11)
userName	full name of user	varchar(128)
userUid	username of user	varchar(128)
userEmail	email address of user	varchar(128)
userPhone	user phone number	varchar(128)
userType	type of user	varchar(128)
userPwd	password of the user	varchar(128)

Table 7 : useradmin

Name	Description	Data Type
id	user id	int(11)
userName	full name of user	varchar(128)
userUid	username of user	varchar(256)
userEmail	email address of user	varchar(128)
userPhone	user phone number	varchar(128)
userAdd	address of user	varchar(255)
pmode	payment mode	varchar(50)
products	list of products	varchar(255)
amountPaid	amount paid	varchar(100)
orderCode	code of order	varchar(256)
prodCode	product code	varchar(256)
orderStatus	status of order	varchar(256)
orderDate	order date	timestamp
porter	delivery	varchar(100)

Table 8 : order

Name	Description	Data Type
id	user id	int(11)
userName	full name of user	varchar(128)
userUid	username of user	varchar(256)
userEmail	email address of user	varchar(128)
userPhone	user phone number	varchar(128)
userAdd	address of user	varchar(255)
pmode	payment mode	varchar(50)
products	list of products	varchar(255)
amountPaid	amount paid	varchar(100)
orderCode	code of order	varchar(256)
prodCode	product code	varchar(256)
orderStatus	status of order	varchar(256)
cancelDate	order date	timestamp
refund	payment refund	tinyint(1)

Table 9 : archorder

Name	Description	Data Type
id	user id	int(11)
userId	user id from user	int(11)
nameFile	file name	varchar(256)

Table 10 : idvalid

Name	Description	Data Type
userId	user id	int(11)
userName	full name of user	varchar(128)
userEmail	email address of user	varchar(128)
userUid	username of user	varchar(128)
userPhone	user phone number	varchar(128)
userAdd	address of the user	varchar(128)
userPwd	password of the user	varchar(128)
verified	verification of account	tinyint(1)
userDate	date of creating account	timestamp
userType	type of user	varchar(128)
vKey	verification key for email	varchar(128)
loyalpts	loyalty points	int(11) unsigned
profilePic	user profile picture	varchar(128)
bgPic	user background picture	varchar(128)

Table 11 : users

Name	Description	Data Type
id	user id	int(11)
userName	full name of user	varchar(128)
userUid	username of user	varchar(128)
userEmail	email address of user	varchar(128)
userPhone	user phone number	varchar(128)
userType	type of user	varchar(128)
userPwd	password of the user	varchar(128)

Table 12 : useradmin

Name	Description	Data Type
id	user id	int(11)
userId	user id from user	varchar(128)
loyalCardPts	loyalty card points	int(11)
loyalDis	loyalty card discount	varchar(128)

Table 13 : loyaltycard

Name	Description	Data Type
archid	archive id	int(11)
userId	user id	int(11)
userName	full name of user	varchar(128)
userEmail	email address of user	varchar(128)
userUid	username of user	varchar(128)
userPhone	user phone number	varchar(128)
userAdd	address of the user	varchar(128)
userPwd	password of the user	varchar(128)
verified	verification of account	tinyint(1)
userDate	date of creating account	timestamp
userType	type of user	varchar(128)
vKey	verification key for email	varchar(128)
loyalpts	loyalty points	int(11) unsigned
profilePic	user profile picture	varchar(128)
bgPic	user background picture	varchar(128)

Table 14 : archusers

Name	Description	Data Type
id	user id	int (11)
userName	full name of user	varchar(128)
userUid	username of user	varchar(128)
userEmail	email address of user	varchar(128)
userPhone	user phone number	varchar(128)
userType	type of user	varchar(128)
userPwd	password of the user	varchar(128)

Table 15 : archuseradmin

RESULTS AND DISCUSSIONS

After conducting multiple tests of the system, it's shown that the system was fully functional. No problem occurred during the trial-and-error stage of testing. The Cart system is functional, adding product is working, editing the order quantity is also working with the prices adding up when the quantity was increased and deleting the product from cart is working, there's no automatic page up for easy navigation and for the shop page is it's easy to shop for that the products are easily seen and search. Currently payment mode is working through credit card using the stripe API. The comments, suggestions, and critiques of the individuals surveyed and tested the system where a zoom used to function the store, that has been located on the desktop side. On the other hand, mobile form can be manipulated where they can use zoom themselves. Other critiques mentioned that they wanted a comment section and rating system for the products. The system was precise in terms of storing information from the users. The system was accurate in terms of information being provided. The system was efficient in supervising the clients to find easily what they are looking for. The online ordering system guides the company in handling their customer's orders. The system helps in decreasing the responsibility for calculating payments. The researchers also conducted multiple tests on the admin side of the system, and tests shown that it is fully functional.

The researchers discussed how the system will be functioning, all the given features are available that the researchers and the owner is expecting. Additional functions may be available upon upgrading the system in the next few years. Maintenance can be done by approaching the developers.

CONCLUSIONS AND RECOMMENDATIONS

In conclusion to the study that have been made the researchers realized that our system was not fully completed there are still some parts and functions that should be made but due to the limited time frame for making the system, unfortunately it was not included. The system that the researchers made currently does not track the product expiration date which can be a little bit crucial because the seller cannot sell products that are past the expiration date, the design picture and words cannot be change by the admin it is default pictures only, the system is not applicable for walk ins so the stocks can be a little problematic when it is not updated in the system, no mini POS, it has limited statistics for sales it only shows total no filter included and no monthly reports, so the sales cannot be monitored accurately. After doing this research there are things that needs to be considered like the time management as we are facing this pandemic a lot of things that limits us to do, like meeting the client frequently for asking some questions, meeting our team in developing the system consulting our adviser those things are the factors that should have considered.

To the future researchers' time may be limited but you must improve your ways in planning so that your system will not be able to experience lacking some features that can be done if the time frame is right.

REFERENCES

<https://careers.shopee.ph/about>

Russ HenneberryRuss Henneberry is the Editorial Director at Digital Marketer. He's worked on digital marketing projects for companies like CrazyEgg. (2018, February 20). 5 Reasons People Buy Products Online. Retrieved October 20, 2020, from <https://www.crazyegg.com/blog/reasons-people-buy-products-online/>

(n.d.). Retrieved December 04, 2020, from <https://www.lazada.com/en/about/>

What is Agile Methodology in Project Management? (n.d.). Retrieved December 12, 2020, from <https://www.wrike.com/project-management-guide/faq/what-is-agile-methodology-in-project-management/>

(n.d.). Retrieved December 13, 2020, from <https://www.lazada.com/en/about/>

Freeman, Mark & Freeman, Alison. (2011). Online grocery systems design through task analysis. J. Enterprise Inf. Management. 24. 440-454. 10.1108/1741039111166512.

Shuda, D. (2017, May 18). Online Ordering - Latest Trends. Retrieved December 13, 2020, from <https://restaurantengine.com/online-ordering-latest-trends/?fbclid=IwAR0ljd7kgzTeARJt9qKl6IkMQIUObZSq-6ZMPwjUZOB9LBMtylarLF01F4>

About. (n.d.). Retrieved December 16, 2020, from <https://www.foodpanda.ph/contents/about.htm>

It's the food you love, delivered. (n.d.). Retrieved December 16, 2020, from <https://www.foodpanda.ph/>

APPENDICES

Appendix A

Gantt Chart

MONTH	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	JANUARY	FEBRUARY	MARCH
ACTIVITY										
Data Gathering										
Title Proposal										
Client Visitation										
Proposal Documentation										
Title Defense										
Adviser Consultation										
Website Interface										
Log-in and Registration Module, Email Verification										
Product List and Prices										
Chapter I Documentation										
Chapter II Documentation										
Chapter III Documentation										
Chapter IV Documentation										
Chapter V Documentation										
Product Page Features										
Front-end Database										
Back-end Database										
Home Page										
Customer Checkout and Shopping Cart, payments										
Delivery module										
Store Product Module										

Table 16 : Gantt Chart

Appendix B

Actual

Thesis Expenses

THESIS EXPENSES

Quantity	Specifics	Approximate Cost	Actual Cost
2 rims	Bond paper	500	500
1 set	Ink	1000	1000
	Food expenses	1000	1000
	Travel expenses	500	500
2 copies	Book bind	1000	1000
1 cd	cd burn for system	300	300

Table 17 : Thesis expenses

Prepared by:

Isaiah John C. Fernando

John Maverick C. Nazario

Zarina Aryss C. Santos

Michaella Marie B. Valentino

Noted by:

Mary Grace C. Zacharias

Sherwin L. Nazario

Ma. Esperanza C. Santos

Lazaro I. Valentino

Approved by:

James Phillips S. Bolipata

Edwin S. Garcia

Appendix C

Curriculum Vitae

of Researchers

Curriculum Vitae of
ISAIAH JOHN CHING FERNANDO
149 B Rosario St. Guinhawa Subdivision Malolos, Bulacan
Isaiahjohn28@gmail.com
09662230352



EDUCATIONAL BACKGROUND

Level	Inclusive Dates	Name of school/ Institution
Tertiary	2017 - present	STI College Malolos
	2014 - 2015	De La Salle University, Manila
High School	2010 - 2014	Nile C. Kinnick High School
Middle School	2007-2010	Hugo A. Owens Middle School
Elementary	2002-2007	Arlington Traditional Elementary School

PROFESSIONAL OR VOLUNTEER EXPERIENCE

Inclusive Dates	Nature of Experience/ Job Title	Name and Address of Company or Organization
2015-2017	Airborne and Air Delivery Specialist	United States Marine Corps
2013-2014	Vendor	Royal Trading Company

AFFILIATIONS

Inclusive Dates	Name of Organization	Position
2019 - present	STI Malolos Student Government	IT Representative
2017 - present	Mozilla	Member / Section Representative

SKILLS

SKILLS	Level of Competency	Date Acquired
HTML CSS	Intermediate	2019
PHP	Intermediate	2020

TRAININGS, SEMINARS OR WORKSHOP ATTENDED

Inclusive Dates	Title of Training, Seminar or Workshop
2019	Beyond Ourselves Student Government Leadership Training
2018	23 RD STI National Youth Convention located

Curriculum Vitae of
JOHN MAVERICK CASILA NAZARIO
Grand Royale Subdivision Phase 3 Lot 1 Blk 22, Malolos Bulacan
jmnazario123@gmail.com
0953-451-6267



EDUCATIONAL BACKGROUND

Level	Inclusive Dates	Name of school/ Institution
Tertiary	2017-present	STI College Malolos Bulacan
Vocational/Technical	6 months 2016	TESDA Guiguinto Bulacan
High School	2010-2014	Bulihan National High School
Elementary	2004-2010	Saint Mark's School

PROFESSIONAL OR VOLUNTEER EXPERIENCE

Inclusive Dates	Nature of Experience/ Job Title	Name and Address of Company or Organization
February 2, 2019	Security Committee Member	INTRAFEST STI College Malolos Bulacan

AFFILIATIONS

Inclusive Dates	Name of Organization	Position
2017-present	Mozilla Firefox Club	Member

SKILLS

SKILLS	Level of Competency	Date Acquired
Web Programming	Intermediate	2018-present
Software Programming	Intermediate	2017-present

TRAININGS, SEMINARS OR WORKSHOP ATTENDED

Inclusive Dates	Title of Training, Seminar or Workshop
March 5,2019	STI National Youth Convention
April 11, 2019	Web Programming and Software Quality Assurance

Curriculum Vitae of
ZARINA ARYSS CAPARAS SANTOS
Purok 6 Kapitangan, Paombong Bulacan
zarinaaryss08@yahoo.com/ynah.0708@gmail.com
09422008772/044-764-9314



EDUCATIONAL BACKGROUND

Level	Inclusive Dates	Name of school/ Institution
Tertiary	2017-present	STI College Malolos Bulacan
Vocational/Technical	2014 – 2016	Bulacan State University
	2010 - 2012	Bulacan State University
High School	2008 – 2010	Victoria National Highschool
	2006 - 2008	Marcelo H. del Pilar National High School
Elementary	2000 - 2006	Victoria East Central School

PROFESSIONAL OR VOLUNTEER EXPERIENCE

Inclusive Dates	Nature of Experience/ Job Title	Name and Address of Company or Organization
December 2012	cashier	7/11 Victoria

AFFILIATIONS

Inclusive Dates	Name of Organization	Position
2017-present	Mozilla Firefox Club	Member

SKILLS

SKILLS	Level of Competency	Date Acquired
Web Programming	Intermediate	2018-present
Software Programming	Intermediate	2017-present

TRAININGS, SEMINARS OR WORKSHOP ATTENDED

Inclusive Dates	Title of Training, Seminar or Workshop
April 11, 2019	Web Programming and Software Quality Assurance
March 5, 2019	STI National Youth Convention
2018	23 RD STI National Youth Convention located
13 October 2019	Innovating IT and Research: Gearing Towards ASEAN Integration (Machine Learning)
13 October 2019	Innovating IT and Research: Gearing Towards ASEAN Integration (Augmented Reality)
13 October 2019	Innovating IT and Research: Gearing Towards ASEAN Integration (Cognitive Computing)
13 October 2019	Innovating IT and Research: Gearing Towards ASEAN Integration (IT Research Innovations)

Curriculum Vitae of
MICHAELLA MARIE BERNARDO VALENTINO
427 Purok 4 Sta Isabel Malolos Bulacan
michavalentino123@gmail.com
09355619006



EDUCATIONAL BACKGROUND

Level	Inclusive Dates	Name of school/ Institution
Tertiary	2013-present	Sti College Malolos
Vocational/Technical		
High School	2009-2013	Paombong High School
Elementary	2003-2009	Paombong Central School

PROFESSIONAL OR VOLUNTEER EXPERIENCE

Inclusive Dates	Nature of Experience/ Job Title	STI Malolos	Student	Name and Address of Company or Organization
2017-Present	Government Mozilla		Member	

AFFILIATIONS

Inclusive Dates	Name of Organization	Position

SKILLS

SKILLS	Level of Competency	Date Acquired
HTML, CSS	Novice	2019
PHP	Novice	2020

TRAININGS, SEMINARS OR WORKSHOP ATTENDED

Inclusive Dates	Title of Training, Seminar or Workshop
March 5, 2019	23 rd STI National Youth Convention

Appendix D


Request Letter



MALOLOS

Mac Arthur Hiway, Barangay Dakila
Malolos City, Bulacan
Tel. No. (044)-791-3451

October 6, 2020


Ms. Michella C. Caparas

Owner
Michella's Pick N' Shop
Km 44 Longos, Malolos Bulacan

Ma'am,

Greetings in the name of the Lord!

We, the fourth year **Bachelor of Science in Information Technology** students of **STI College Malolos** are in the process of developing **Online Ordering Product System** as a requirement of the said course.

In this connection, we would like to request your good office to be our sponsor/host company and to allow us to conduct an interview and gather data that will help us to develop our system/project. Rest assured that we will be treating the company information with the utmost confidentiality.

Your approval is greatly appreciated. Thank you very much.

Respectfully yours,


Isaiah John C. Fernando


John Maverick C. Nazario


Zarina Bryss C. Santos

Michaella Marie B. Valentino

Noted by:


Edwin S. Garcia MIT
Thesis Coordinator

Appendix E

Transcript of Interview

Client Interview

1. What are your requirements for your online store?
 - It must be user friendly and easy to access and can browse the store easily.
2. How many types of products do you have?
 - Around 8 or 10 types of products like, soap, shampoo, canned goods, etc..
3. Why do you want to have an online store?
 - To easily reach out customer and have more wider advertisement of the products to help me sell more.
4. Do you have any particular online shop that you frequently access?
 - Yes, I shop through Lazada and Shopee.
5. What are the functions that are you expecting in the online store that we are going to make for you?
 - As I shop through Shopee and Lazada, I want to have some basic functions like the customer can browse the store and see the products I'm selling and can add to cart and pay online.
6. Does the design of the store have to be grand?
 - No, I like it simpler so it would be easier to use because I'm also not that familiar in using online store, so the simpler the better.

Appendix F

USER's MANUAL

How do I login?

To log into your account, follow these steps:

Go to the Michella's Pick 'n Shop homepage (<http://michellapicknshop.com>)



If you have not yet registered you must do that first. To do so, register on the homepage by clicking the Sign In symbol link (<https://michellapicknshop.com/signin.php>). Your details will then be checked and access will be granted immediately. Click the 'Sign Up' button to create account.

Sign up

1. Enter your Full Name.
2. Enter your Phone Number.
3. Enter your Username.
4. Enter your Password.
5. Enter your Email.
6. Confirm your Password.

Or Read and Agree to the Terms and Conditions and Privacy Policy

Full Name Phone Number
Username Password
Email Confirm Password

I have Read and Agree to the Terms and Conditions and Privacy Policy

Sign Up **CANCEL**

Check the button if you Read and Agree to the Terms and Conditions and click the 'Sign Up' button.

Or Are you a Partner? [Click Here](#)

Welcome To



Your Account Has Been Verified

Fill your username and password. Click the 'Log In' button.

Once you have Sign up's successfully you may now check your email and click the 'Verify Your Account' button to verify your account. Click the 'Sign In' button once your account has been verified.

Sign in

Or Are you a Partner? [Click Here](#)


Username / Email
Password
[Forgot Password?](#)

LOGIN **CANCEL**

How do I place a new order?

To place a new order, follow these steps:

1. From the 'My Account' page, click on the 'Store' button. This will direct you to the page 'Store'. To order a specific product, click the 'select brand' or click checkbox the product you buy.
2. To add each product to the cart, click the 'add to cart' button. Repeat the process for each product you wish to add to your order.
3. A shopping cart displaying your current order will appear. You can at any stage click on the 'clear cart' or the red trash can icon to remove a product from the order. Clicking on 'Add to Cart' button will give you a more detailed view of your cart and the ability to change quantities.
4. If you wish to add product to your order you can click 'Continue Shopping' button.



Lux Dishwashing Liquid - 750ml

Tough on Grease. Millions of Hands. Dishwashing Liquid - Lemon Scent. 750ml.

PHP 115.00

Quantity: 1 20 items available

[Add to cart](#) [Buy Now](#)

Checking your order

5. On the 'Current Order' page, you will have the ability to alter item quantities. Please check these quantities thoroughly as they cannot be changed once the order is placed. If you change any of the quantities the price of the quantities will change.
6. Once you have reviewed your order and are satisfied that it is correct, click the 'Checkout' button.

Name: Micha Valentino
Email: michavalentino123@gmail.com
Phone Number: 09355619006
Delivery Address: 427 Purok 4 Sta Isabel Malolos Bulacan
Payment Type: Cash on Delivery
Order Code: micav1998_SqkzAKOWX690
Products: Lux Dishwashing Liquid - 750ml(1)
Grand Total: PHP 165.00
[Print Receipt](#)

7. On the checkout page, confirm your shipping address. Click the 'Select Payment Method' to choose if how to pay your item. And click 'Place Order' button to place your order.
8. Once you have confirmed your address details, your order quantities and shipping methods and are satisfied with the other. Click 'Place Order' button to finally submit your order.
9. At this stage you can view your order by navigating to 'My Account'.
10. To logout click on the logout link in the top navigation bar.

Your order will arrive approx 3-4 business days.
Download or remember your QR code and show it to us when we show up at your door to complete the delivery. This will also be located in your user account.



[Download QR Code](#)

How do I change my password?

In the event that you want to change your email address or password, you can do so from the 'My Account' page in the following way:

1. Click on the 'edit your password and account details' link on the 'My Account' page under the 'Place New Order' button.
2. Complete the presented form with the details you wish to alter.
3. Click on the 'Save changes' button to update your details.

What if I forget my password?

If you have forgotten your password or cannot login you will need to reset your password. Follow these instructions to reset your password:

1. Navigate to the login page by clicking on the 'Login' link in the top navigation bar.
2. Fill in your Username or Email in the presented form and click the 'Forgot Password' button.
3. Enter your email address to reset your password and click the 'Submit Request' button.
4. You will be sent an email with a link to reset your password. Click on the link and a browser window will open and present a form to reset your password.
5. Fill in your new password and confirmation.

Reset Password

An e-mail will be sent to you with instructions on how to reset your password.

address@domain.com
Pick N' Shop

Password Reset Request

This is a generic test to see if your account is vulnerable to this exploit.

We received a password reset request.

Click the button below to reset your password.

[Reset Password](#)

If you didn't make this request, you can ignore this email.

6. Once your password is successfully reset, you will proceed to the login page.

Create New Password

An e-mail will be sent to you with instructions on how to reset your password.



The image shows a user interface for creating a new password. It features two input fields: 'Enter New Password' and 'Confirm New Password', both preceded by small icons. Below these fields is a teal-colored button labeled 'RESET PASSWORD'.

Enter New Password

Confirm New Password

RESET PASSWORD

Appendix G

Admin Manual

Admin User Manual

To access the admin page you have to follow this steps:



1. First you have to go to this web address
<https://michellapicknshop.com/adminUserLogin.php>

2. Enter your username and password and select admin from the drop down menu.



If you successfully log in to your account, you can now see the main page which is the dashboard. The dashboard displays your sales, expense, and profit. The dashboard also displays how many users are registered to the website, number of pending orders, refund, porters, and the order history.

A. this is where you can manage and add users

B. this is where you can manage the store products

In managing the customers click accounts and from the drop-down menu click the customers, you can now see the users that created an account to your website. In the action section of every table coencides as follows view, edit, delete as blue, yellow and red.

By clicking this a drop down menu will show

In creating new users, you can fill out this form and click submit

If you want to view the customer details you can click this button

you can also edit the user information

here by clicking the edit button and
delete the account by clicking the
delete button

Customer Detail No. 34

Full Name: French Caparas
Username: cleyy
Email Address: caparasfrancheselle@gmail.com
Phone Number: 09168820151
Address:
Verified: True
Date Created: 2020-12-10 07:30:29
Loyalty Points: 8

[Edit](#) [Delete](#) [Cancel](#)

If you want to edit/update details click either the yellow edit button in the action section or if you are viewing the customer details just simply click the edit button the module bellow will appear.

Simply edit/update the fields bellow to your liking and submit. To exit, click cancel to be redirected to the customer account section.

Customer Detail No. 35


camille	potpotsantos814@gmail.com	88757846416
Submit	Submit	Submit
Camille Roque	New Password	
Address	Submit	
Verified	<input checked="" type="radio"/> True	<input type="radio"/> False
	Submit	Cancel

The admin account module has the same functionalities as the customer module, the admin can view, create, edit/update, and delete accounts in the module.

The screenshot displays the Admin Account module interface. On the left is a sidebar with navigation links: Dashboard, Accounts (selected), Customers, Admins, Printers, Store, More, and Developers. The main area shows a table titled "Admin Accounts" with one row: ID 1, Name Isaiyah Fernando, Username eyezayughAdmin, Type Admin, and Action buttons. A callout box points to the "Add Account" form on the right, which includes fields for Full Name, Username, Email, Phone Number, Password, and Select Account Type. Below this is a detailed view of an account named "Admin Detail No. 1" with fields: Full Name (Isaiyah Fernando), Username (eyezayughAdmin), Email Address (isaiyahjohn28@gmail.com), and Phone Number (09662210352). It also features Edit, Delete, and Cancel buttons. To the right is another "Admin Detail No. 1" view with fields for Username, Email, and Phone Number, along with Submit buttons. A second callout box points to the "Admin Detail No. 1" view, indicating where users can fill out the form and click submit.

The porter account module has the same functionalities but is slightly different in the aspect that the admin user must approve or decline the porter application.

The screenshot shows the Porter Account module. The sidebar includes Dashboard, Accounts, Store, More, and Developers. The main area features two tables: "Pending Porters" and "Available Porters". The "Pending Porters" table lists an application for "Kai Kela Loni" with ID 1, phone 09663210261, email isaiyahjohn28@gmail.com, and three action buttons (blue, green, red). The "Available Porters" table lists "Alex Sky" with ID 11, phone 09663210261, email isaiyahjohn28@gmail.com, and similar action buttons. A callout box on the left points to the "Add Account" form in the Pending Porters section, while another callout box on the right points to the "Pending Porters" table, stating: "View the porter application, and the sent picture of a valid ID, conduct phone interview, and decide whether to approve or deny porter application".



In managing the products of the store click “store” and from the drop-down menu click the “products”, you can now see all the products that currently accessible in your website.

This module like the others has the functionalities of CRUD (create, read, update, delete) with the added function of being able to generate a pdf of the product catalog and downloading and or printing it

In adding new products to the store, you can fill out this form and click submit, to add the product picture click the yellow edit button

ID	Product Name	Code	Brand	Type	Price	Action
01	Dove Body Lotion 24h And 20%	Is6	Dove	Lotion	300.00	
04	Vaseline Body Lotion - Dry Skin Repair	Is7	Vaseline	Lotion	123.00	
03	Vaseline Body Lotion - Advanced Care	Is6	Vaseline	Lotion	123.00	
02	Vaseline Body Lotion - Cacao Butter	Is5	Vaseline	Lotion	123.00	
01	Vaseline Repair Cream	Is6	Vaseline	Cream	123.00	
07	Dove Soap	Is6	Dove	Soap	123.00	
08	J&K Soap	Is6	J&K	Soap	123.00	
09	Palmolive Soap	Is6	Palmolive	Soap	123.00	

In managing customer order while in the “store” section in the drop-down menu click “orders” to view all pending, assigned, delivered, and canceled orders.

Orders are color coded, pending orders are orange, assigned orders are yellow, delivered orders are green, and canceled orders are red

To cancel an order, click the cancel order button. To print the order receipt, click the print receipt button and to download the QR code click the download QR code button.

Print Receipt
Order Code: misay1999_5q42MK090090
Delivery Address: 427 Punkit 4 Sto. Nicanor Mabini Subd.
Email: misaykinder123@gmail.com
Phone Number: 09099101000
Product: Lux Detergent Liquid - 750ml(1)
Payment Type: Cash-On Delivery
Total: php 188.00
Date Ordered: 2025-12-04 07:42:22
Cancel Order
Customer Orders Search
Pending Orders
Assigned Orders
Delivered Orders
Download QR Code

In the order module you have the option of assigning a porter to a customer order, the porter then will have the order be placed in his module to deliver the products to

The screenshot shows the 'Customer Orders' section of the Admin interface. A specific order is highlighted, showing details such as Order ID: 00000000000000000000000000000000, Delivery Address: Malolos, Bulacan, Email: ivanlyp20@gmail.com, Phone Number: 09962210352, Products: Dove 800ml Soap Original(1), Fairy Dishwashing Liquid 750ml Pink(1), Clear Men 2 in 1 Shampoo & Conditioner(1), Payment Type: Cash On Delivery, Total: PHP 398.00, Date Ordered: 2020-12-11 05:35:20, and a 'Cancel Order' button. To the right, there is a dropdown menu labeled 'Select Porter to Assign order to' with an 'Assign' button below it. A callout box points to this area with the text: 'Click the drop down to see the list of your porters, and assign an order to your porter'. Below this, another callout box contains the text: 'Select Porter to Assign order to' followed by a green 'Assign' button.

In the statistics section of the drop down you will see the summary of sales which has the sales, expense, and profit of all the orders. Then bellow that is the summary of orders which are all the successfully delivered and paid orders.



Appendix H

Delivery User Manual

Delivery User Manual

- 1) Login to your account, input your username and password and select the “Delivery” account type, then click submit



You will be redirected to the Delivery Module Homepage where you can view all customer orders. If your account type is admin then you will be able to view all customer orders, but if you are a Porter/delivery personnel then you are only able to view assigned orders that are given by the admin.


Instructions are also provided at the home page

Pending Deliveries

Instructions
1. Press "Deliver Now" button to start delivery
2. The Order Status will become "In Transit", now deliver order to customer
3. When all Products are delivered to the customer press "Scan" button
4. Scan QR Code of customer order to complete the order


Order ID: inciso298_SuperMarket
Customer Name: Mica Martinez
Customer Phone: 09123456789
Delivery Address: 427 Puntal 4 Ba Sabi Malolos Bulacan
Products: 1x Refreshing Lotion (750ml)
Payment Type: Cash On Delivery
Total Pkg (1.00)
Date Delivered: 2020-12-14 07:42:22

- 2) To start delivery press “Deliver Now” yellow button in the Pending deliveries section



Press the “Deliver Now” button to start delivery and change the order status to “In Transit”

- 3) The order status will become “In Transit”, so now deliver the order to the given address




- 4) Once all the products in the order has been delivered to the customer click the green “Scan” button
 5) Scan QR code from customer



If using iPhone use the pre-existing camera on phone to scan, if not working, on your iPhone go to SETTINGS -> CAMERA -> Scan QR Codes and turn on the setting

If on Android or any other device, simply download any free QR code scanning app and be either redirected to the success page or use the link given in the output and paste it in the URL

After scan is successful you will be redirected to this page, and the order will be successfully delivered and completed.



Appendix I

Technical Manual


Introduction

This manual provides a general information used to create the web application and the description of the following Software and hardware applications.

Installation of Software Application

Xammp

Step 1



First is go to google and search for Xammp and click the first one that appear or go to this link [Download XAMPP \(apachefriends.org\)](http://www.apachefriends.org/download.html) to automatically go to their website.

Step 2

The screenshot shows the Apache Friends Download page. In the center, there is a large heading "Download". Below it, a section titled "XAMPP for Windows" lists three versions: 7.3.26 / PHP 7.3.26, 7.4.14 / PHP 7.4.14, and 8.0.1 / PHP 8.0.1. Each entry includes a "What's Included?", "Checksum" (md5 sha1), and a "Download (64 MB)" button. To the right of the download table, there is a sidebar titled "Documentation/FAQs" which contains links to Linux, Windows, OS X, and OS X XAMPP VM FAQs. Below the sidebar, there is a section titled "Add-ons" with several small icons.

Go to Xampp for Windows and clicked the latest version to download it.

Step 3




Go to your File and go to downloads then Double-click the Xamp Application. The file should be named something like Xampp-windows-x64-7.4.5-0-VC15-installer.

Step 4




You may have to click Yes if this warning Pops-up in your screen.

Step 5




Click the Next Button.

Step 6




Select aspects of the Xampp to install. By Default, all attributes are included in your Xampp installation.

Step 7




Click the Next Button.

Step 8




Select an Installation location. Click the folder-shaped icon to the right and click a folder on your computer where you want to save it.

Step 9




Select Next to continue

Step 10




Unselect the **Learn more about bitnami for Xampp** and click next to continue.

Step 11



Click Next to Continue.

Step 12



Click Finish.

Step 13



Select Language.

Step 14



Click the Apache and the MySQL to start the Xampp.


Step 15



Go to **localhost/dashboard/** and click **phpMyAdmin** to create some SQL.


VS CODE Installer

Step 1



Go to Google then search for **VsCode** then Look for this Website then click it or go to their link [Visual Studio IDE, Code Editor, Azure DevOps, & App Center - Visual Studio \(microsoft.com\)](https://visualstudio.microsoft.com)

Step 2




Click the Visual Studio Code then click Download.

Step 3




Click the Agreement Button then continue.

Step 4




This will show then click next.

Step 5




Click next to continue

Step 6



Click the Create a Desktop Icon then click next to continue.

Step 7




Click Install to continue.

Step 8



Click Finish.

Step 9



This will pop-up after you finish installing it and you are ready to start coding.

Appendix J

Survey

SURVEY FORM

ONLINE ORDERING PRODUCT SYSTEM FOR MICHELLA'S PICK N' SHOP

Name of Respondent: Oji San Miguel	Gender: [<input checked="" type="checkbox"/>] Male [<input type="checkbox"/>] Female	Age: 23	Date: 01/15/21
Address: #465 Sto. Nino Plaridel, Bulacan	Status: [<input type="checkbox"/>] Student [<input checked="" type="checkbox"/>] Employee	Signature 	

Place a () check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.		✓			
Design – refers to the modules, interface data for the system to satisfy the requirements.	✓				
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.	✓				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.	✓				
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	✓				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	✓				
Security – the ability of the developed system to protect itself from unauthorized use or access.		✓			
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks:

Good interface. Efficient to use. And direct to the point.

SURVEY FORM

Online Ordering Product System for Michella's Pick N' Shop

Name of Respondent: Jasper Pulumbarit	Gender: [<input checked="" type="checkbox"/>] Male [<input type="checkbox"/>] Female	Age: 24	Date: 15-jan-2021
Address: mineski malolos	Status: [<input type="checkbox"/>] Student [<input checked="" type="checkbox"/>] Employee	 Signature	

Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.	✓				
Design – refers to the modules, interface data for the system to satisfy the requirements.	✓				
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.	✓				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.	✓				
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	✓				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	✓				
Security – the ability of the developed system to protect itself from unauthorized use or access.	✓				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: user-friendly yung site hnd mahirap I explore para makapag shop

SURVEY FORM

Online Ordering Product System for Michella's Pick N' Shop

Name of Respondent: Caparas, French Kiel	Gender: <input type="checkbox"/> Male <input checked="" type="checkbox"/> Female	Age: 15	Date: 2021, January 15
Address: #052 Purok 6 Kapitangan, Paombong, Bulacan	Status: <input checked="" type="checkbox"/> Student <input type="checkbox"/> Employee	Signature	

Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.		✓			
Design – refers to the modules, interface data for the system to satisfy the requirements.	✓				
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.	✓				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.		✓			
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)		✓			
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	✓				
Security – the ability of the developed system to protect itself from unauthorized use or access.	✓				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

Online Ordering Product System for Michella's Pick N' Shop

Name of Respondent: Camille Roque	Gender: <input type="checkbox"/> Male <input checked="" type="checkbox"/> Female	Age: 16	Date: 2021-01-15
Address: Palapat, Hagonoy, Bulacan	Status: <input checked="" type="checkbox"/> Student <input type="checkbox"/> Employee	Signature	

Place a () check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system performs the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.		✓			
Design – refers to the modules, interface data for the system to satisfy the requirements.	✓				
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.	✓				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.	✓				
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)		✓			
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	✓				
Security – the ability of the developed system to protect itself from unauthorized use or access.	✓				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

Online Ordering Product System for Michella's Pick N' Shop

Name of Respondent: Eisen Liam Pahati	Gender: [<input checked="" type="checkbox"/>] Male [<input type="checkbox"/>] Female	Age: 15	Date: 01/15/21
Address: Purok 5 Palapat, Hagonoy, Bulacan	Status: [<input checked="" type="checkbox"/>] Student [<input type="checkbox"/>] Employee	Signature]	

Place a () check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system performs the specific intended tasks. It also measures the correctness of the system.	√				
Completeness – the system is totally completed and it is working properly and nothing to be refined.		√			
Design – refers to the modules, interface data for the system to satisfy the requirements.		√			
Efficiency – the system's ability to complete the tasks it needs to accomplish while minimizing resources.	√				
Functionality – the system performs and functions correctly according to the design specification.		√			
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.		√			
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	√				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	√				
Security – the ability of the developed system to protect itself from unauthorized use or access.		√			
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	√				

Remarks: _____

SURVEY FORM

Online Ordering Product System for Michella's Pick N' Shop

Name of Respondent: Cristina Nazario	Gender: [] Male [/] Female	Age:25	Date: 2021/01/15
Address: Rocka Complex, Plaridel	Status: [] Student [/] Employee	Signature	

Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	/				
Completeness – the system is totally completed and it is working properly and nothing to be refined.	/				
Design – refers to the modules, interface data for the system to satisfy the requirements.	/				
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	/				
Functionality – the system performs and functions correctly according to the design specification.	/				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.	/				
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	/				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	/				
Security – the ability of the developed system to protect itself from unauthorized use or access.	/				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	/				

Remarks: User-friendly and reliable.

SURVEY FORM

Online Ordering Product System for Michella's Pick N' Shop

Name of Respondent: Jianah Dela Cruz	Gender: [] Male <input checked="" type="checkbox"/> Female	Age: 16	Date: 1-15-2021
Address: Kapitangan, Paombong, Bulacan	Status: <input checked="" type="checkbox"/> Student <input type="checkbox"/> Employee	Signature: 	

Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.		✓			
Design – refers to the modules, interface data for the system to satisfy the requirements.		✓			
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.	✓				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.		✓			
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	✓				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.		✓			
Security – the ability of the developed system to protect itself from unauthorized use or access.	✓				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

Online Ordering Product System for Michella's Pick N' Shop

Name of Respondent: Carl Ivan	Gender: <input checked="" type="checkbox"/> Male <input type="checkbox"/> Female	Age:21	Date:Jan/17/2021
Address: San Gabriel Malolos.Bulacan	Status: <input checked="" type="checkbox"/> Student <input type="checkbox"/> Employee	Signature	


Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.	✓				
Design – refers to the modules, interface data for the system to satisfy the requirements.	✓				
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.	✓				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.	✓				
Reliability –the ability of software to perform its intended functions and operations without failure (system crash)	✓				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	✓				
Security – the ability of the developed system to protect itself from unauthorized use or access.	✓				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

Online Ordering Product System for Michella's Pick N' Shop

Name of Respondent: David	Gender: <input checked="" type="checkbox"/> Male <input type="checkbox"/> Female	Age: 19	Date: 01-16-20
Address: Malolos, Bulacan	Status: <input checked="" type="checkbox"/> Student <input type="checkbox"/> Employee	Signature: 	

Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system performs the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.	✓				
Design – refers to the modules, interface data for the system to satisfy the requirements.			✓		
Efficiency – the system's ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.		✓			
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.	✓				
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)					
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	✓				
Security – the ability of the developed system to protect itself from unauthorized use or access.		✓			
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

Online Ordering Product System for Michella's Pick N' Shop

Name of Respondent: Delos Reyes, Andrew Jumaquio	Gender: [<input checked="" type="checkbox"/>] Male [<input type="checkbox"/>] Female	Age: 17	Date: 2021, January 15
Address: #15 purok 3 Kapitangan, Paombong, Bulacan	Status: [<input checked="" type="checkbox"/>] Student [<input type="checkbox"/>] Employee	Signature	

Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.	✓				
Design – refers to the modules, interface data for the system to satisfy the requirements.		✓			
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.	✓				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.	✓				
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	✓				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	✓				
Security – the ability of the developed system to protect itself from unauthorized use or access.	✓				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

Online Ordering Product System for Michella's Pick N' Shop

Name of Respondent: Anna Lian I. Fucanan	Gender: [] Male <input checked="" type="checkbox"/> Female	Age: 15	Date: January 15, 2021
Address: Northfields, Executive, Village	Status: <input checked="" type="checkbox"/> Student <input type="checkbox"/> Employee	Signature	

Place a () check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	<input checked="" type="checkbox"/>				
Completeness – the system is totally completed and it is working properly and nothing to be refined.	<input checked="" type="checkbox"/>				
Design – refers to the modules, interface data for the system to satisfy the requirements.	<input checked="" type="checkbox"/>				
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.		<input checked="" type="checkbox"/>			
Functionality – the system performs and functions correctly according to the design specification.		<input checked="" type="checkbox"/>			
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.		<input checked="" type="checkbox"/>			
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	<input checked="" type="checkbox"/>				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	<input checked="" type="checkbox"/>				
Security – the ability of the developed system to protect itself from unauthorized use or access.		<input checked="" type="checkbox"/>			
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	<input checked="" type="checkbox"/>				

Remarks: _____

SURVEY FORM
ONLINE ORDERING PRODUCT SYSTEM FOR MICHELLA'S PICK N' SHOP

Name of Respondent: Jericko Jireh Racho	Gender: [<input checked="" type="checkbox"/>] Male [<input type="checkbox"/>] Female	Age: 18	Date: 2021, January 15
Address: #37 Purok 5 Kapitangan, Paombong, Bulacan	Status: [<input checked="" type="checkbox"/>] Student [<input type="checkbox"/>] Employee	Signature	


Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.	✓				
Design – refers to the modules, interface data for the system to satisfy the requirements.	✓				
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.	✓				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.	✓				
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	✓				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	✓				
Security – the ability of the developed system to protect itself from unauthorized use or access.	✓				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: I am impressed with your work because it is a very helpful website for us to be able to pick and buy items that we want without going outside and it is more safe for us because we can avoid having physical contacts with others in this pandemic time.

SURVEY FORM

Online Ordering Product System for Michella Pick N' Shop

Name of Respondent: Grace Aragon	Gender: [] Male <input checked="" type="checkbox"/> Female	Age: 35	Date: January 21, 2021
Address: Purok 6 Kapitangan Paombong Bulacan	Status: [] Student <input checked="" type="checkbox"/> Employee	Signature 	

Place a () check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy - the system perform the specific intended tasks. It also measures the correctness of the system.	<input checked="" type="checkbox"/>				
Completeness - the system is totally completed and it is working properly and nothing to be refined.	<input checked="" type="checkbox"/>				
Design - refers to the modules, interface data for the system to satisfy the requirements.	<input checked="" type="checkbox"/>				
Efficiency - the system ability to complete the tasks it needs to accomplish while minimizing resources.	<input checked="" type="checkbox"/>				
Functionality - the system performs and functions correctly according to the design specification.		<input checked="" type="checkbox"/>			
Maintainability - the system can be restored operational status after a failure occurs or needs to improve.		<input checked="" type="checkbox"/>			
Reliability - the ability of software to perform its intended functions and operations without failure (system crash)	<input checked="" type="checkbox"/>				
Responsiveness - refers to how the software provides timely feedback to users on what it is doing.	<input checked="" type="checkbox"/>				
Security - the ability of the developed system to protect itself from unauthorized use or access.		<input checked="" type="checkbox"/>			
Usability - user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	<input checked="" type="checkbox"/>				

Remarks: _____

SURVEY FORM

Online Ordering Product System for Michella Pick N' Shop

Name of Respondent: Maricon P. Frias	Gender: [] Male <input checked="" type="checkbox"/> Female	Age: 28	Date: January 21, 2021
Address: Purok 6 Kapitangan Paombong Bulacan	Status: [] Student <input checked="" type="checkbox"/> Employee	Signature 	

Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy - the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness - the system is totally completed and it is working properly and nothing to be refined.	✓				
Design - refers to the modules, interface data for the system to satisfy the requirements.		✓			
Efficiency - the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality - the system performs and functions correctly according to the design specification.		✓			
Maintainability - the system can be restored operational status after a failure occurs or needs to improve.		✓			
Reliability - the ability of software to perform its intended functions and operations without failure (system crash)	✓				
Responsiveness - refers to how the software provides timely feedback to users on what it is doing.	✓				
Security - the ability of the developed system to protect itself from unauthorized use or access.		✓			
Usability - user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

Online Ordering Product System for Michella Pick N' Shop

Name of Respondent: john Roland Aragon	Gender: <input checked="" type="checkbox"/> Male <input type="checkbox"/> Female	Age: 32	Date: January 21, 2021
Address: Purok 6 Kapitagan Paombong Bulacan	Status: <input type="checkbox"/> Student <input checked="" type="checkbox"/> Employee	Signature 	

Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy - the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness - the system is totally completed and it is working properly and nothing to be refined.	✓				
Design - refers to the modules, interface data for the system to satisfy the requirements.	✓				
Efficiency - the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality - the system performs and functions correctly according to the design specification.	✓				
Maintainability - the system can be restored operational status after a failure occurs or needs to improve.	✓				
Reliability - the ability of software to perform its intended functions and operations without failure (system crash)	✓				
Responsiveness - refers to how the software provides timely feedback to users on what it is doing.	✓				
Security - the ability of the developed system to protect itself from unauthorized use or access.		✓			
Usability - user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

Online Ordering Product System For Michella Pick N' Shop

Name of Respondent: Joemel Vistorino	Gender: [] Male <input checked="" type="checkbox"/> Female	Age: 19	Date: January 15, 2021
Address: Hagonoy Bulacan	Status: <input checked="" type="checkbox"/> Student <input type="checkbox"/> Employee	Signature	

Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.	✓				
Design – refers to the modules, interface data for the system to satisfy the requirements.	✓				
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.	✓				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.	✓				
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)		✓			
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.		✓			
Security – the ability of the developed system to protect itself from unauthorized use or access.	✓				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

Online Ordering Product System For Michella Pick N' Shop

Name of Respondent: Ana Teresa S. De jesus	Gender: <input type="checkbox"/> Male <input checked="" type="checkbox"/> Female	Age: 18	Date: January 19, 2021
Address: San Nicolas Victoria tarlac	Status: <input checked="" type="checkbox"/> Student <input type="checkbox"/> Employee	Signature	

Place a () check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.		✓			
Design – refers to the modules, interface data for the system to satisfy the requirements.	✓				
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	✓				
Functionality – the system performs and functions correctly according to the design specification.	✓				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.		✓			
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	✓				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.		✓			
Security – the ability of the developed system to protect itself from unauthorized use or access.	✓				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

<System/Project Name and Company>

Name of Respondent: Dino Agor	Gender: <input checked="" type="checkbox"/> Male <input type="checkbox"/> Female	Age: 36	Date: January 21, 2021
Address: Purok 6 Kapitangan Paombong Bulacan	Status: <input type="checkbox"/> Student <input checked="" type="checkbox"/> Employee	Signature 	

Place a () check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	<input checked="" type="checkbox"/>				
Completeness – the system is totally completed and it is working properly and nothing to be refined.	<input checked="" type="checkbox"/>				
Design – refers to the modules, interface data for the system to satisfy the requirements.		<input checked="" type="checkbox"/>			
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	<input checked="" type="checkbox"/>				
Functionality – the system performs and functions correctly according to the design specification.		<input checked="" type="checkbox"/>			
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.	<input checked="" type="checkbox"/>				
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	<input checked="" type="checkbox"/>				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	<input checked="" type="checkbox"/>				
Security – the ability of the developed system to protect itself from unauthorized use or access.	<input checked="" type="checkbox"/>				
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	<input checked="" type="checkbox"/>				

Remarks: _____

SURVEY FORM

<System/Project Name and Company>

Name of Respondent: Xander Adrian M.Santos	Gender: [/] Male [] Female	Age:16	Date:01/21/2021
Address: San Gavino Victoria Tarlac	Status: [/] Student [] Employee	Signature	

Place a (✓) check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	✓				
Completeness – the system is totally completed and it is working properly and nothing to be refined.		✓			
Design – refers to the modules, interface data for the system to satisfy the requirements.		✓			
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.		✓			
Functionality – the system performs and functions correctly according to the design specification.		✓			
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.		✓			
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)		✓			
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.		✓			
Security – the ability of the developed system to protect itself from unauthorized use or access.		✓			
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	✓				

Remarks: _____

SURVEY FORM

Online Ordering Product System For Michella Pick N' Shop

Name of Respondent: Aris F. Santos	Gender: <input checked="" type="checkbox"/> Male <input type="checkbox"/> Female	Age: 48	Date: January 21, 2021
Address: jebel ali Dubai UAE	Status: <input type="checkbox"/> Student <input checked="" type="checkbox"/> Employee	Signature	

Place a () check mark for your response

Criteria	Excellent	Good	Average	Below Average	Needs Improvement
Accuracy – the system perform the specific intended tasks. It also measures the correctness of the system.	<input checked="" type="checkbox"/>				
Completeness – the system is totally completed and it is working properly and nothing to be refined.	<input checked="" type="checkbox"/>				
Design – refers to the modules, interface data for the system to satisfy the requirements.		<input checked="" type="checkbox"/>			
Efficiency – the system ability to complete the tasks it needs to accomplish while minimizing resources.	<input checked="" type="checkbox"/>				
Functionality – the system performs and functions correctly according to the design specification.	<input checked="" type="checkbox"/>				
Maintainability – the system can be restored operational status after a failure occurs or needs to improve.		<input checked="" type="checkbox"/>			
Reliability – the ability of software to perform its intended functions and operations without failure (system crash)	<input checked="" type="checkbox"/>				
Responsiveness – refers to how the software provides timely feedback to users on what it is doing.	<input checked="" type="checkbox"/>				
Security – the ability of the developed system to protect itself from unauthorized use or access.		<input checked="" type="checkbox"/>			
Usability – user-friendliness of the system, easy to learn and remember; visually pleasing and fun to use.	<input checked="" type="checkbox"/>				

Remarks: the system is easy to use...very nice

Survey Summary



Question	Respondents Data %				
	Male 55%	Female 45%			
Gender					
Status	Student 60%	Employee 40%			
Age	Below 18 45%	19 - 22 25%	23 - 26 5%	27 - 30 5%	31 above 20%
Criteria	Response %				
	Excellent	Good	Average	Below Avg	needs improvement
Accuracy	90%	10%			
Completeness	55%	45%			
Design	55%	40%	5%		
Efficiency	85%	15%			
Functionality	60%	40%			
Maintainability	45%	55%			
Reliability	75%	25%			
Responsiveness	70%	30%			
Security	50%	50%			
Usability	95%	5%			

Appendix k

Group Journal Report




THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARI	Member 4: VALENTINO, MICHAELLA MARIE B.	Week # 1
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours:	Duration: SEPT 7 - 13
Learning Goals for the Week: (Summary Tasks / Activities - Completed)				
CLASS START AND ENROLLMENT WEEK WAITING FOR ANNOUNCEMENTS				
Day 1 Tasks: _____				
Day 2 Tasks: _____				
Day 3 Tasks: _____				
Day 4 Tasks: _____				
Day 5 Tasks: _____				
Day 6 Tasks: _____				
Prepared by:  Thesis Group Leader / Date	Noted by:  Thesis Adviser Signature / Date	Date Submitted:  Received by:		



THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARI	Member 4: VALENTINO, MICHAELLA MARIE B.	Week # 2
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours:	Duration: SEPT 14 -20
Learning Goals for the Week: (Summary Tasks / Activities - Completed) ORIENTATION WEEK MEETING THESIS COORDINATOR				
Day 1 Tasks: _____				
Day 2 Tasks: _____				
Day 3 Tasks: _____				
Day 4 Tasks: _____				
Day 5 Tasks: _____				
Day 6 Tasks: _____				
Prepared by:  Thesis Group Leader / Date	Noted by:  Thesis Adviser Signature / Date	Date Submitted: Received by:		



THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARI	Member 4: VALENTINO, MICHAELLA MARIE B.	Week # 3
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours: 50 HOURS	Duration: SEPT 21 - 27
Learning Goals for the Week: (Summary Tasks / Activities - Completed)				
GROUP ANNOUNCEMENT, MEETING FOR POSSIBLE PROPOSAL AND ASSIGNING PARTS FOR DOCUMENTATION				
Day 1 Tasks: <u>GROUP ANNOUNCEMENT</u> CREATING GROUP CHAT FOR THESIS GROUP				
Day 2 Tasks: <u>MEETING FOR POSSIBLE TITLE PROPOSALS</u> SUGGESTING TITLES FOR PROPOSAL				
Day 3 Tasks: <u>LOOKING FOR COMPANY</u> MEETING FOR CHOOSING COMPANY				
Day 4 Tasks: <u>FINALIZING TITLE</u> CHOOSING 3 TITLES FOR PROPOSAL				
Day 5 Tasks: <u>ASSIGNING INDIVIDUAL PARTS IN THE DOCUMENTATION</u> ASSIGNING EACH TITLE TO GROUPMATES				
Day 6 Tasks: <u>COMPILING OF DOCUMENTS</u> SORTING OF ALL DOCUMENTS AND COMPILING				
Prepared by: Thesis Group Leader / Date	Noted by: Thesis Adviser Signature / Date			Date Submitted: Received by:




THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARINA ARYSS C.	Member 4: VALENTINO, MICHELLA MARIE B.	Week # 4
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours: 60 HOURS	Duration: SEPT 28 - OCT 4
Learning Goals for the Week: (Summary Tasks / Activities - Completed)				
BASIC SYSTEM FORMAT, SYSTEM FLOW, LANDING PAGE AND GATHERING OR OTHER DATA				
Day 1 Tasks: <u>BASIC FORMAT OF THE WESITE</u> CODING AND DESIGNING THE BASIC STRUCTUREAND DESIGN OF THE WEB SYSTEM				
Day 2 Tasks: <u>BASIC FLOW OF THE SYSTEM</u> DESIGNING HOW THE SYSTEM FLOWS WHEN THE USER INTERACTS WITH THE WEBPAGE				
Day 3 Tasks: <u>CONSULTING WITH THE ADVISER</u> CONSULTING ABOUT THE CLIENT AND THE PRODUCTS AND WHAT IS THE SYSTEM				
Day 4 Tasks: <u>LANDING PAGE STYLE</u> FINISHING THE LANDING PAGE FRONT AND BACK END				
Day 5 Tasks: <u>DATA GATHERING</u> GATHERING INFORMATIONS NEEDED FOR PROPOSAL AND DOCUMENTATION				
Day 6 Tasks: <u>LOGO CHECKING</u> CHECKING AND DESIGNING OF THE LOGO				
Prepared by: Thesis Group Leader / Date	Noted by: Thesis Adviser Signature / Date	Date Submitted: Received by:		



THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARI	Member 4: VALENTINO, MICHELLA MARIE B.	Week # 5
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours: 70 HOURS	Duration: OCT 5 - 11
Learning Goals for the Week: (Summary Tasks / Activities - Completed)				
SYSTEM FLOW FOR GUEST USER, SIGN IN AND CREATE ACCOUNT, FORMAT FOR GUEST PRODUCT VIEW SYSTEM FLOW FORMAT FOR ADMIN				
Day 1 Tasks: <u>DATA GATHERING</u> GATHERING OF DATA FOR TITLE PROPOSAL, CHECKING OF PRODUCTS AND CHECKING OF OTHER DETAILS SUBMITTING OF PHOTOS FOR WEBPAGE AND EDITING OF DOCUMENTATION FOR PROPOSAL				
Day 2 Tasks: <u>SYSTEM FLOW AND FORMAT FOR GUEST USER</u> CODING AND DESIGNING THE STRUCTURE OF THE GUEST USER WHEN THEY ENTER THE LANDING PAGE				
Day 3 Tasks: <u>SYSTEM FLOW FOR SIGN-IN AND CREATE ACCOUNT</u> DESIGNING AND CODING THE FLOW OF THE SIGN-IN AND CREATE ACCOUNT FOR NORMAL USERS AND RESELLERS				
Day 4 Tasks: <u>FORMAT FOR GUEST PRODUCT VIEW</u> CODING AND DESIGNING THE STRUCTURE OF THE GUEST STORE SECTION OF THE LANDING PAGE				
Day 5 Tasks: <u>TITLE DEFENSE</u>				
Day 6 Tasks: <u>SYSTEM FLOW AND FORMAT FOR ADMIN</u> DESIGNING THE SYSTEM FLOW FOR THE ADMIN ACCOUNT				
Prepared by:  Thesis Group Leader / Date	Noted by:  Thesis Adviser Signature / Date	Date Submitted: 	Received by:	



THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	ber 3: SANTOS, ZARINA AR	Member 4: VALENTINO, MICHAELLA MARIE B.	Week # 6
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours: 100 HOURS	Duration: OCT 12 - 18
Learning Goals for the Week: (Summary Tasks / Activities - Completed) USER SIGN-IN, EMAIL VERIFICATION, SECURITY, FORGOT PASSWORD AND ACCOUNT VERIFICATION				
Day 1 Tasks: <u>CODING USER SIGN-IN</u> CODING AND PARTIALY COMPLETED OF MOST OF THE FRONT END AND BASIC BACK END OF THE SIGN IN AND CREATE ACCOUNT				
Day 2 Tasks: <u>USER SIGN-IN/CREATE ACCOUNT AND EMAIL VERIFICATION</u> CODING COMPLETION OF ALL FRONT END AND BACKEND OF USER SIGNIN & CREATE ACCOUNT ALSO STARTED PARTIAL COMPLETION OF EMAIL VERIFICATION				
Day 3 Tasks: <u>EMAIL VERIFICATION AND SIGN-IN SECURITY</u> CODING COMPLETION OF NORMAL USER VERIFICATION AND BEEFING UP SIGN IN SECURITY AND BACKEND				
Day 4 Tasks: <u>SIGN-IN SECURITY AND FORGOT PASSWORD</u> CODING COMPLETION OF SIGN IN SECURITY AND COMPLETION OF FORGOT PASSWORD MODULE				
Day 5 Tasks: <u>RESELLER SIGNIN AND CREATE ACCOUNT AND VERIFICATION</u> COMPLETION OF RESELLER SIGN IN AND CREATE ACCOUNT ALONG WITH THE VERIFICATION				
Day 6 Tasks: <u>SIGN-IN AND LOGIN(FRONT-END)</u> PARTIAL COMPLETION OF FRONT-END SIGNIN AND LOGIN IN USERS VIEW				
Prepared by: Thesis Group Leader / Date	Noted by: Thesis Adviser Signature / Date			Date Submitted: Received by:



THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARINA ARYSS C.	Member 4: VALENTINO, MICHAELLA MARIE B.	Week # 7
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours: 100 HOURS	Duration: OCT 19 - 25
<p>Learning Goals for the Week: (Summary Tasks / Activities - Completed)</p> <p>PRODUCT CART SYSTEM, IMPLEMENTATION OF PRODUCT IN THE DATABASE, GROUP MEETING CREATING SEARCH FIELD AND FILTER FOR PRODUCT VIEW, CREATING USER HOME PAGE AND PRODUCT PAGES</p>				
Day 1 Tasks: <u>CREATE PRODUCT CART SYSTEM (FRONT AND BACK END)</u>				
<p>CODING OF GUEST USER VIEW PRODUCT MODULE AND PARTIAL COMPLETION OF FRONT END CART PAGE FOR USERS VIEW</p>				
Day 2 Tasks: <u>IMPLEMENTING PRODUCT INTO THE DATABASE</u>				
<p>ENTERING PRODUCTS INTO THE DATABASE</p>				
Day 3 Tasks: <u>GROUP MEETING, CREATING SEARCH FIELD AND FILTER PRODUCR VIEW</u>				
<p>GROUP MEETING AND AFTER CODING OF SEARCH FIELLD AND CREATING A FILTER PRODUCT VIEW</p>				
Day 4 Tasks: <u>CREATING USER HOME PAGE</u>				
<p>CODING AND PARTIAL COMPLETION OF FRONT END AND BACKEND OF USER HOME PAGE</p>				
Day 5 Tasks: <u>CREATING USER HOME PAGE</u>				
<p>CODING AND COMPLETION OF FRONT END AND BACKEND OF USER HOME PAGE</p>				
Day 6 Tasks: <u>PRODUCT PAGES</u>				
<p>CODING FOR PARTIAL COMPLETION OF PRODUCT PAGES FOR USERS VIEW</p>				
Prepared by: Thesis Group Leader / Date	Noted by: Thesis Adviser Signature / Date	Date Submitted: Received by:		



THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARINA ARYSS C.	Member 4: VALENTINO, MICHAELLA MARIE B.	Week # 8
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours: 100 HOURS	Duration: OCT 26 - NOV 1
<p>Learning Goals for the Week: (Summary Tasks / Activities - Completed)</p> <p>PRODUCT CHECKOUT, PAYMENT, RESELLER HOME PAGE, BUGS FIXES, QR GENERATION USER PROFILE, LOYALTY CARDS AND DISCOUNTS, ADMIN DASHBOARD PLANNING FOR DESIGN ADD TO CART JAVASCRIPT</p>				
<p>Day 1 Tasks: <u>PRODUCT CHECKOUT MODULE/DESIGNING OF RESELLER PAGE</u> DESIGNING THE FRONT END OF THE RESELLER PAGE AND PRODUCT CHECKOUT MODULE</p>				
<p>Day 2 Tasks: <u>PAYMENTS/ADD TO CART JAVASCRIPT</u> CODING FOR ADD TO CART PAGE WITH JAVASCRIPT PRODUCT PAYMENT CASH ON DELIVERY AND PICKUP</p>				
<p>Day 3 Tasks: <u>GROUP MEETING, RESELLER HOMEPAGE</u> OVERNIGHT WITH THE GROUP, CHECKING THE PROGRESS AND DESIGN OF THE WEBPAGE RESELLER HOMEPAGE AND BUG FIXES</p>				
<p>Day 4 Tasks: <u>PAYMENT QR/DOCUMENTATION PARTS</u> GENERATING OF QR AFTER PAYMENT AND SHOW PAYMENT WITH RECEIPT CHAPTER 1 AND 2 POLISHING OF DOCUMENTATION</p>				
<p>Day 5 Tasks: <u>USER PROFILE/</u> CREATING A USER PROFILE</p>				
<p>Day 6 Tasks: <u>CREATE USER PROFILE/NEWS AND ANNOUNCEMENT AND PENDING ORDERS</u> CREATING ANNOUNCEMENTS AND PENDING ORDER AND CREATING USER PROFILE</p>				
<p>Day 7 Tasks: <u>LOYALTY CARDS AND DISCOUNTS / PLANNING FOR ADMIN DASHBOARD FRONT END</u> PLANNING A DESIGN FOR ADMIN DASHBOARD, CREATING LOYALTY CARDS, DISCOUNTS , CHECKOUT AND PAYMENT</p>				
Prepared by:  Thesis Group Leader / Date	Noted by:  Thesis Adviser Signature / Date		Date Submitted: Received by:	



THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARINA ARYSS C.	Member 4: VALENTINO, MICHAELLA MARIE B.	Week # 9
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM	Group No: 4	Total Hours: 100 HOURS	Duration: OCT 26 - NOV 1	
Learning Goals for the Week: (Summary Tasks / Activities - Completed) WEB HOSTING. CREATE AND EDIT PROFILE, BUG FIXES, PDF GENERATION DELIVERY MODULE, ADMIN LOGIN, ADMIN DASHBOARD WEEKLY MEETING				
Day 1 Tasks: <u>WEB HOSTING PAGE</u> TRANFERRING THE WEB INTO WEB HOSTING SITE CAN ALREADY BE ACCESSED THROUGH MICHELLAPICKNSHOP.COM				
Day 2 Tasks: <u>CREATE EDIT PROFILE/ADMIN DASHBOARD</u> FUNCTIONS FOR CREATE AND EDIT PROFILE DESIGNING THE ADMIN DASHBOARD				
Day 3 Tasks: <u>BUG FIXES</u> MAINTENANCE				
Day 4 Tasks: <u>PDF GENERATION</u> GENERATING OF PRINTABLE AND DOWNLOADABLE RECEIPT				
Day 5 Tasks: <u>DELIVERY MODULE</u> CREATING DELIVERY MODULE WITH STATUS				
Day 6 Tasks: <u>CREATE ADMIN LOG IN/ GROUP MEETING</u> CREATIGN ADMIN LOGIN AND HOME ADDING FURTHER DETAILS GROUP MEETING				
Prepared by:  Thesis Group Leader / Date	Noted by:  Thesis Adviser Signature / Date		Date Submitted:	Received by:



THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARINA ARYSS C.	Member 4: VALENTINO, MICHAELLA MARIE B.	Week # 10
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours: 60 HOURS	Duration: NOV 9- 15
Learning Goals for the Week: (Summary Tasks / Activities - Completed) HOSTING SITE ERRORS ,DASHBOARDS ADMIN FORMAT AND DESIGN				
Day 1 Tasks: <u>HOSTING SITE/DASHBOARD</u> FIXES SITE ERRORS CODING FOR DASHBOARD				
Day 2 Tasks: <u>ADMIN FORMAT</u> MAKING THE FORMAT FOR ADMIN USER				
Day 3 Tasks: <u>ADMIN DESIGN</u> DESIGNING FOR ADMIN				
Day 4 Tasks: <u>NO POWER AND NO POWER</u>				
Day 5 Tasks: <u>NO INTERNET AND POWER</u>				
Day 6 Tasks: <u>NO INTERNET AND POWER/ WEAK INTERNET CONNECTION</u>				
Prepared by:  Thesis Group Leader / Date	Noted by: Thesis Adviser Signature / Date			Date Submitted: Received by:



THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARINA ARYSS C.	Member 4: VALENTINO, MICHAELLA MARIE B.	Week # 11
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours: 100 HOURS	Duration: Nov 16 -22
Learning Goals for the Week: (Summary Tasks / Activities - Completed) admin backend log-in, admin home design, admin home statistics, bootstrap, admin dash board log in front end				
Day 1 Tasks: <u>break</u>				
Day 2 Tasks: <u>admin backend login</u> admin back end log-in, user admin				
Day 3 Tasks: <u>admin home design</u> designing the admin home page				
Day 4 Tasks: <u>admin home statistics</u> admin statistics with graphs				
Day 5 Tasks: <u>admin log-in front end</u> admin log in				
Day 6 Tasks: <u>_</u>				
Day 7 Tasks: <u>_</u>				
Prepared by:  Thesis Group Leader / Date	Noted by:		Date Submitted: Received by:	
Thesis Adviser Signature / Date				



THESIS PROJECT - WEEKLY JOURNAL REPORT

Member 1: FERNANDO, ISAIAH JOHN C.	Member 2: NAZARIO, JOHN MAVERICK C.	Member 3: SANTOS, ZARINA ARYSS C.	Member 4: VALENTINO, MICHAELLA MARIE B.	Week # 12
Thesis Title: MICHELLA'S PICK N' SHOP ONLINE ORDERING SYSTEM		Group No: 4	Total Hours: 100 HOURS	Duration: Nov 2 - 8
Learning Goals for the Week: (Summary Tasks / Activities - Completed)				
Day 1 Tasks: <u>PRODUCT CHECKOUT MODULE/DESIGNING OF RESELLER PAGE</u>				
Day 2 Tasks: <u>PAYMENTS/ADD TO CART JAVASCRIPT</u>				
Day 3 Tasks: <u>GROUP MEETING, RESELLER HOMEPAGE</u>				
Day 4 Tasks: <u>PAYMENT QR/DOCUMENTATION PARTS</u>				
Day 5 Tasks: <u>USER PROFILE/</u> <u>CREATING A USER PROFILE</u>				
Day 6 Tasks: <u>CREATE USER PROFILE/NEWS AND ANNOUNCEMENT AND PENDING ORDERS</u>				
Day 7 Tasks: <u>LOYALTY CARDS AND DISCOUNTS / PLANNING FOR ADMIN DASHBOARD FRONT END</u>				
Prepared by:  Thesis Group Leader / Date	Noted by: Thesis Adviser Signature / Date		Date Submitted:	Received by:

Appendix L


Group Attendance

Group Members	10/2	10/9	10/16	10/21	11/6	11/24	11/28	12/1	12/12	12/13	12/14	1/2	1/3	1/4
Isaiah John Fernando														
John Maverick Nazario														
Zarina Aryss Santos														
Michaella Marie Valentino														


Table 18 : Meeting Attendance

Appendix M


Screen Output




Landing page



Log-in page



Sign up page



Home page

Store | Michella's Pick N' Shop | [michellapicknshop.com/userStore.php](#)

Filter Product

Select Brand [▼](#)

- Cinthol
- Clear
- Colgate
- Dettol
- Dove
- Elvive
- Fairy
- Himalaya
- Jif
- LifeBuoy
- Lux

Search [🔍](#)

Product List

FEATURED PRODUCTS

Elvive Shampoo & Conditioner 33% OFF - Red & White
PHP 239.00

[Add to cart](#)

Elvive Shampoo 33% OFF - Orange & Brown
PHP 239.00

[Add to cart](#)

20% OFF
Dove Body Lotion 20% Off
PHP 365.00

[Add to cart](#)

Store

Store | Michella's Pick N' Shop | [michellapicknshop.com/userStore.php](#)

STORE

Select Brand [▼](#)

- Mr. Muscle
- Nivea
- Palmolive
- Sanytol
- Vaseline

Product Category [▼](#)

- 2 in 1
- Body Wash
- Dishwashing
- Disinfectant
- Kitchen
- Lotion
- Shampoo
- Shampoo & Conditioner

Type here to search

Cinthol Antibact Soap 175g
PHP 55.00

[Add to cart](#)

Cinthol Antibact Soap 125g
PHP 38.00

[Add to cart](#)

Dettol Bath Soap Original
PHP 168.00

[Add to cart](#)

Dettol Bath Soap Cool Mint
PHP 168.00

[Add to cart](#)

Dove B/Cream Soap Original
PHP 51.00

[Add to cart](#)

Dove B/Cream Soap Coconut Milk
PHP 51.00

[Add to cart](#)


Dove B/Cream Soap Pink
PHP 51.00

[Add to cart](#)

Dove B/Cream Soap Fresh Restore
PHP 51.00

[Add to cart](#)

Products



Products 2

Screenshot of Michella's Pick N' Shop website showing the shopping cart page.


Products in your cart

Product	Name	Product Code	Price	Quantity	Total Price	
	Elvive Shampoo & Conditioner 33% OFF - Red & White	sp3	PHP 239.00	6	PHP 1,434.00	
	Dove B/Cream Soap Pink	so7	PHP 51.00	5	PHP 255.00	
	Dove B/Cream Soap Fresh Restore	so8	PHP 51.00	2	PHP 102.00	

Grand Total PHP 1,791.00 **Checkout**

M Michella's
PICK N' SHOP


Cart



Profile

A screenshot of the order history page for the same user. It displays two completed orders. Order 1 (Status: Delivered) was delivered on 2021-01-16 at 07:59:15, refuted on 2021-01-21, and had an order code of potchie123_Ch9FQ7m1kEb5. The products purchased were Elvive Shampoo & Conditioner 33% OFF - Red & White(1), Elvive Shampoo 33% OFF - Orange & Brown(1), and Dove Body Lotion 20% Off(1). The delivery address was malolos bulacan, and the price was PHP 893.00. There are buttons for 'SEND A REVIEW' and 'APPLY FOR REFUND'. Order 2 (Status: Delivered) was delivered on 2021-01-16 at 07:08:32. At the bottom, the Michella's logo is visible.

Order History



Loyalty Points

The screenshot shows the edit profile page at michellapicknshop.com/editProfile.php. The title is "Edit Profile". It features sections for "Profile Picture" and "Background Picture", each with a "Choose File" input field and a "UPLOAD" button. Below these are fields for "Username: potchie123" and "Email: ynah.0708@gmail.com". There are also tabs for "Home Address", "Billing Address", and "Delivery Address". At the bottom, there are "EDIT" and "CANCEL" buttons, and links for "Terms and Conditions" and "Privacy Policy". The Michella's logo is at the bottom center.

Edit Account

Michella's Pick N' Shop | potchic About Us | Michella's Pick N' Shop michellapicknshop.com/about.php Apps

About Us

Michella's Pick N' Shop was established last May 2020. The Shop is owned by Ms. Michella C. Caparas. The owner decided to put up the shop because she decided to go home to the Philippines for good after working overseas for about 25 years. The Shop sells imported products such as toiletries like Bath soap, Shampoo, Toothpaste, Cleaning and Beauty. The Shop is located at KM44 Longos Malolos Bulacan. The Shop is currently accessible through the laundry business of the owner.

We Strive to sell high Quality Products for you and your family

Mission: To Sell High Quality Products In The Market Place

Vision: To Provide Excellent Customer Service, To Grasp A Foothold In The Market Place



About Us

Appendix N

Source Code

About.php

```
<?php
    include "db.php" ?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <link rel="stylesheet" href="style.css">
</head>
<body>
    <form class="" method="POST">
        <div class="inputchar">
            <p>Search Patient: </p>
            <input type="text" name="search">
        </div>
        <button type="submit" name="submit-search">SEARCH</button>
    </form>
    <form action="delete.php" method="POST">
        <div class="inputchar">
            <p>Patient Name: </p>
            <input type="text" name="patname">
            <button type="submit" name="submit">DELETE</button>
        </div>
    </form>
    <table>
        <thead>
            <tr>
                <th>Patient ID</th>
                <th>Patient Name</th>
                <th>Type</th>
                <th>Amount Billed</th>
            </tr>
        </thead>
        <tbody>
            <?php
                include "db.php";
                $sql = $conn->prepare("SELECT * FROM tblpatient");
                $sql->execute();
                $result= $sql->get_result();
                while ($row = $result->fetch_assoc()) {
            ?>
                <tr>
                    <td><?= $row['patid'] ?></td>
                    <td><?= $row['patname'] ?></td>
```

```
<td><?= $row['type'] ?></td>
<td><?= $row['amt billed'] ?></td>
            </tr>
        </tbody>
        <?php
    }
?>
</table>
<?php
    include "db.php";
    if (isset($_POST['submit-search'])) {
        $search =
            mysqli_real_escape_string($conn,$_POST['search']);
        if (empty($search)) {
            echo '<h4 style="margin: 1rem 0.5rem; color: red;">No Results Found</h4>';
            exit();
        }
        $sql = "SELECT * FROM tblpatient WHERE patid LIKE '%$search%' OR patname LIKE '%$search%' OR 'type' LIKE '%$search%' OR amt billed LIKE '%$search%';";
        $res = mysqli_query($conn,$sql);
        $queryresult = mysqli_num_rows($res);
        if($queryresult>0) {
            while ($row = mysqli_fetch_assoc($res)) {
?>
                <h4 style="margin: 1rem 0.2rem;">Search: </h4>
                <table style="margin: 0 0.5rem;">
                    <thead>
                        <tr>
                            <th>Patient ID</th>
                            <th>Patient Name</th>
                            <th>Type</th>
                            <th>Amount Billed</th>
                        </tr>
                    </thead>
                    <tbody>
                        <tr>
                            <td><?= $row['patid'] ?></td>
                            <td><?= $row['patname'] ?></td>
                            <td><?= $row['type'] ?></td>
                            <td><?= $row['amt billed'] ?></td>
                        </tr>
                    </tbody>
                </table>
            <?php
```

```

        }
    }else {
        echo'<h5 style="color: red;"> No
Results Found</h5>';
    }
?>
</body>
</html>

Index.php
<!-- Programmed by: Isaiah John Ching
Fernando -->
<?php
include_once 'header.php';
if (isset($_SESSION["usertype"])) {
    header("location: index.php");
    session_unset();
    session_destroy();
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0" />
    <script
src="https://kit.fontawesome.com/824d2c43
ce.js"
        crossorigin="anonymous"
    ></script>
    <link rel="stylesheet"
href="css/style.css?v=<?php echo time();?
?>" />
    <title>Welcome to Pick N Shop</title>
</head>
<body>
    <!-- Showcase $ Nav -->
    <div id="showcase">
        <section class="v-section container">
            <div class="fullscreen-video-wrap">
                <video
                    src="img/video.mp4"
                    autoplay="true"
                    muted="ture"
                    loop="true"
                ></video>
            </div>
        </section>
    </div>
</body>
</html>

```

```

<div class="header-overlay"></div>
<div class="header-content"></div>
</section>
</div>
<!-- Order & Reseller Section -->
<section id="overview">
    <div class="box">
        <div class="col">
            <h2>ORDER</h2>
            <div class="caption">
                <p>
                    With a few clicks you can easily
access our store from the comfort
of your own home.
                </p>
                <a href="store.php"
class="btn">Click Here</a>
            </div>
            
        </div>
        <div class="col">
            <h2>BECOME A PORTER</h2>
            <div class="caption">
                <p>
                    We strive to give our customers the
best service, and you can be
                    apart of that. So come and signup to
become one of our porters.
                </p>
                <a href="signinReseller.php"
class="btn">Click Here</a>
            </div>
            
        </div>
        <div class="col">
            <h2>SIGN UP</h2>
            <div class="caption">
                <p>
                    Unlock your inner shopaholic and
sign up to enjoy the full
experience.
                </p>
                <a href="signin.php"
class="btn">Click here</a>
            </div>
            
        </div>
    </div>
</section>
<!-- store section-->

```

```

<section id="wrapper" class="skewed">
  <div class="layer bottom">
    <div class="content-wrap">
      <div class="content-body">
        <h1>Visit Our Store</h1>
        <p>
          Are you in the Malolos area? Or just
          want to adventure to our
          store? Come to our store at km 44
          McArthur hi-way Longos Malolos, Bulacan.
          We are open 9am through 5pm,
          Monday to Saturday. So come see us and
          enjoy
          our products first hand.
        </p>
      </div>
      
    </div>
  </div>
  <div class="layer top">
    <div class="content-wrap">
      <div class="content-body">
        <h1>Check out our store online</h1>
        <p>
          Convenience and the best
          experience only for our customers. With
          Loyalty
          points you can get up to 50% off
          with your next order. So check out
          our website at the comfort of your
          own home.
        </p>
      </div>
      
    </div>
  </div>
  <div class="handle"></div>
</section>
<section class="food-btn">
  <div class="box-btn">
    <a href="store.php" class="btn"><i
       class="fas fa-book-reader"></i> Store</a>
    <a
      href="https://www.facebook.com/washdayw
      ithus"
      target="_blank"
      class="btn2"
      ><i class="fab fa-facebook"></i>
    Facebook</a>
  </div>
</section>
</section>
<!-- Cart &amp; Payment Section --&gt;
&lt;section id="cart" class="card section"&gt;
  &lt;div class="container"&gt;
    &lt;div class="cart"&gt;
      &lt;div&gt;&lt;img alt="" /&gt;&lt;/div&gt;
      &lt;div&gt;
        &lt;h2&gt;Cart &amp; Payments&lt;/h2&gt;
        &lt;p&gt;
          Earn Loyalty Points with every PHP
          25.00 spent at the shop, and get Loyalty cards
          that have
          discounts up to 50% OFF of your
          next order. Sign In now and fill up your cart,
          we have payment
          methods of Cash on Delivery,
          Payment on Pickup, and Credit Card.
        &lt;/p&gt;
        &lt;p&gt;Access your cart here&lt;/p&gt;
        &lt;hr /&gt;
        &lt;a href="signin.php"&gt;&lt;i class="fas
          fa-chevron-right"&gt; Click Here&lt;/i&gt;&lt;/a&gt;
      &lt;/div&gt;
    &lt;/div&gt;
  &lt;/div&gt;
&lt;/section&gt;
&lt;?php
  include_once 'footer.php';
?&gt;
&lt;script
  src="https://code.jquery.com/jquery-
3.5.1.min.js"
  integrity="sha256-
9/aliU8dGd2tb6OSSuzixeV4y/faTqgFtohetp
hbj0="
  crossorigin="anonymous"
&gt;&lt;/script&gt;
&lt;script src="js/main-food.js"&gt;&lt;/script&gt;
&lt;/body&gt;
&lt;/html&gt;
</pre>


AdminHome.php



```

<!-- Programmed by: Isaiah John Ching
Fernando -->
<?php
session_start();
if ($_SESSION["userUid"] == null) {
 header("location: index.php");
 exit();
}

```


```

```

if($_SESSION["userType"] == "Deliver" ||
$_SESSION["userType"] == "Pending"){
    header("location:
adminUserLogin.php?error=notallowed");
    session_unset();
    session_destroy();
    exit();
}
$userId = $_SESSION["userId"];
$userUid = $_SESSION["userUid"];
$userEmail = $_SESSION["userEmail"];
$userPhone = $_SESSION["userPhone"];
$userType = $_SESSION["userType"];

if(isset($_GET['delete'])){
    $id = $_GET['delete'];

    include_once 'includes/dbh.inc.php';
    $sql = $conn->prepare("SELECT * FROM
users WHERE userId = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $userId = $row['userId'];
        $userName = $row['userName'];
        $userEmail = $row['userEmail'];
        $userUid = $row['userUid'];
        $userPhone = $row['userPhone'];
        $userAdd = $row['userAdd'];
        $userPwd = $row['userPwd'];
        $verified = $row['verified'];
        $userType = $row['userType'];
        $vKey = $row['vKey'];
        $loyalpts = $row['loyalpts'];

        $stmt = $conn->prepare("INSERT INTO
archusers
(userId,userName,userEmail,userUid,userPh
one,userAdd,userPwd,verified,userType,vK
ey,loyalpts)           VALUES
('$userId','$userName','$userEmail','$userUi
d','$userPhone','$userAdd','$userPwd','$verif
ied','$userType','$vKey','$loyalpts');");
        $stmt->execute();
        // info to send email
        $to = $userEmail;
        $subject = "Account Deletion | Michella's
Pick N' Shop";
        //html message
        $message = '
<!DOCTYPE html>

```

```

<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
    <script Src
="https://kit.fontawesome.com/824d2c43ce.j
s"
        crossorigin="anonymous"
    ></script>
    <title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family:
Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin:
auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform:
uppercase;">Michelle's</i></center>
            <center><h1 style="margin:
0px;"><a href="https://michellapicknshop.com/index.
php" style ="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px;
color: #49b7ca;"> Pick N'
Shop</i></a></h1></center>
            </div>
            <div style="font-size: 1rem; padding:
25px; background-color: #f4f4f4;
moz-border-radius: 10px; -webkit-
border-radius: 10px; border-radius: 10px; -
khtml-border-radius: 10px;
border-color: #49b7ca; border-width:
4px 1px; border-style: solid;">
                <h1 style="font-size:
22px;"><center>Your Account Has Been
Deleted</center></h1>
                <i style="font-size:
12px;"><center>This is an email sent to you
to notify you that your account has been
removed. Do not reply to this
message.</center></i>
                <p><center>Below are reasons to
why your account has been
removed</center></p>

```

```

<p><center>1) You have violated the
Terms and Conditions/Privacy
Policy</center></p>
<p><center>2) You have requested
account removal</center></p>
<p style="display: flex; justify-
content: center; margin-top:
10px;"><center>
<a href="https://michellapicknshop.com/index.
php" style="border: 1px solid #056183;
background-color: #49b7ca;
color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">Visit
Us Again</a>
</center></p>
</div>
</div>
</body>
</html>
';
// email headers
$headers = "From: Michella's Pick N' Shop
<kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-
Type:text/html; charset=UTF-8" . "\r\n";
mail($to, $subject, $message, $headers);
//delete
$del = $conn->prepare("DELETE FROM
users WHERE userId = '$userId';");
$del->execute();
header('location:
adminHome.php?users=customers');
mysqli_close($conn);
}
if(isset($_GET['admindelete'])){
$id = $_GET['admindelete'];
include_once 'includes/dbh.inc.php';
$sql = $conn->prepare("SELECT * FROM
useradmin WHERE id = '$id';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
$UserName = $row['userName'];
$userEmail = $row['userEmail'];
$userUid = $row['userUid'];
$userPhone = $row['userPhone'];
$userPwd = $row['userPwd'];
$userType = $row['userType'];
$stmt = $conn->prepare("INSERT INTO
archuseradmin
(userName,userUid,userEmail,userPhone,us
erType,userPwd)
VALUES
('$UserName','$UserUid','$userEmail','$userP
hone','$userType','$userPwd');");
$stmt->execute();
// info to send email
$to = $userEmail;
$subject = "Account Deletion | Michella's
Pick N' Shop";
//html message
$message =
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
<script
src="https://kit.fontawesome.com/824d2c43
ce.js"
crossorigin="anonymous">
</script>
<title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family:
Helvetica, arial, sans-serif;">
<div style="max-width: 600px; margin:
auto; padding: 20px;">
<div>
<center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform:
uppercase;">Michella's</i></center>
<center><h1 style="margin:
0px;"><a href="https://michellapicknshop.com/index.
php" style ="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px;
color: #49b7ca;"> Pick N'\nShop</i></a></h1></center>
</div>
<div style="font-size: 1rem; padding:
25px; background-color: #f4f4f4;
moz-border-radius: 10px; -webkit-
border-radius: 10px; border-radius: 10px; -
khtml-border-radius: 10px;

```

```

        border-color: #49b7ca; border-width: 4px 1px; border-style: solid;">
            <h1 style="font-size: 22px;"><center>Your Account Has Been Deleted</center></h1>
            <i style="font-size: 12px;"><center>This is an email sent to you to notify you that your account has been removed. Do not reply to this message.</center></i>
            <p><center>Below are reasons to why your account has been removed</center></p>
            <p><center>1) You have violated the Terms and Conditions/Privacy Policy</center></p>
            <p><center>2) You have requested account removal</center></p>
            <p style="display: flex; justify-content: center; margin-top: 10px;"><center>
                <a href="https://michellapicknshop.com/index.php" style="border: 1px solid #056183; background-color: #49b7ca; color: #fff; text-decoration: none; font-size: 16px; padding: 10px 20px;">Visit Us Again</a>
            </center></p>
        </div>
    </div>
</body>
</html>
';
// email headers
$headers = "From: Michella's Pick N' Shop <kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-Type:text/html; charset=UTF-8" . "\r\n";
mail($to, $subject, $message, $headers);
//delete
$del = $conn->prepare("DELETE FROM useradmin WHERE id = '$id';");
$del->execute();
header('location: adminHome.php?users=admin');
mysqli_close($conn);
}
if(isset($_GET['portercheck'])){
    $id = $_GET['portercheck'];
    error_reporting(-1);
    ini_set('display_errors', true);
    include_once 'includes/dbh.inc.php';
    $stmt = $conn->prepare("SELECT * FROM useradmin WHERE id = '$id';");
    $stmt->execute();
    $result = $stmt->get_result();
    while($row = $result->fetch_assoc()){
        $name = $row['userName'];
        $email = $row['userEmail'];
        // info to send email
        $to = $email;
        $subject = "Porter Application Approved | Michella's Pick N' Shop";
        //html message
        $message =
            '<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script src="https://kit.fontawesome.com/824d2c43ce.js" crossorigin="anonymous">
</script>
<title>Document</title>
</head>
<body style="color: #000; font-size: 16px; text-decoration: none; font-family: Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin: auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px; font-family: Helvetica, arial, sans-serif; letter-spacing: 2px; text-transform: uppercase;">Michella's</i></center>
            <center><h1 style="margin: 0px;"><a href="https://michellapicknshop.com/index.php" style="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px; color: #49b7ca;"> Pick N' Shop</i></a></h1></center>
        </div>
        <div style="font-size: 1rem; padding: 25px; background-color: #f4f4f4;">

```

```

        moz-border-radius: 10px; -webkit-
        border-radius: 10px; border-radius: 10px; - 
        khtml-border-radius: 10px;
            border-color: #49b7ca; border-
            width: 4px 1px; border-style: solid;">
                <h1 style="font-size:
22px;"><center>You have been approved to
be one of our porters</center></h1>
                <i style="font-size:
12px;"><center>This is an email sent to you
to notify you that your account has been
approved. Do not reply to this
message.</center></i>
                <p><center>Welcome '$name.' to
our company.</center></p>
                <p><center>We will assign orders
for you to complete</center></p>
                <p><center>In your account you
will find instructions, follow them to
complete your order</center></p>
                <p style="display: flex; justify-
content: center; margin-top:
10px;"><center>
                    <a href="https://michellapicknshop.com/admin
UserLogin.php" style="border: 1px solid
#056183; background-color: #49b7ca;
color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">Login
to your account</a>
                </center></p>
                <p><center>Or use this link <a
href="https://michellapicknshop.com/admin
UserLogin.php">https://michellapicknshop.
com/adminUserLogin.php</a></center></p
>
                <p><center>Click the link above or
copy and paste in to the url.</center></p>
            </div>
            </div>
        </body>
    </html>
';
// email headers
$headers = "From: Michella's Pick N'
Shop <kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" .
"\r\n";
$headers .= "Content-
Type:text/html;charset=UTF-8" . "\r\n";
mail($to, $subject, $message, $headers);

}
$delfile = $conn->prepare("SELECT *
FROM idvalid WHERE userId = '$id';");
$delfile->execute();
$res = $delfile->get_result();
while($rw = $res->fetch_assoc()){
    $file = $rw['nameFile'];
    $file_to_delete = "resellerID/$file";
    unlink($file_to_delete);
}
$sql = $conn->prepare("DELETE FROM
idvalid WHERE userId = '$id';");
$sql->execute();
$update = $conn->prepare("UPDATE
useradmin SET userType = 'Deliver'
WHERE id = '$id';");
$update->execute();
header('location:
adminHome.php?users=porters');
mysqli_close($conn);
}

if(isset($_GET['porterdelete'])){
    $id = $_GET['porterdelete'];
    error_reporting(-1);
    ini_set('display_errors', true);
    include_once 'includes/dbh.inc.php';
    $sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $userName = $row['userName'];
        $userEmail = $row['userEmail'];
        $userUid = $row['userUid'];
        $userPhone = $row['userPhone'];
        $userPwd = $row['userPwd'];
        $userType = $row['userType'];
        $stmt = $conn->prepare("INSERT INTO
archuseradmin
(userName,userUid,userEmail,userPhone,us
erType,userPwd) VALUES
('$userName','$userUid','$userEmail','$userP
hone','$userType','$userPwd');");
        $stmt->execute();
        // info to send email
        $to = $email;
        $subject = "Porter Account Deletion |
Michella's Pick N' Shop";
        //html message
        $message =
<!DOCTYPE html>

```

```

<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script src="https://kit.fontawesome.com/824d2c43ce.js" crossorigin="anonymous"></script>
    <title>Document</title>
</head>
<body style="color: #000; font-size: 16px; text-decoration: none; font-family: Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin: auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px; font-family: Helvetica, arial, sans-serif; letter-spacing: 2px; text-transform: uppercase;">Michelle's</i></center>
            <center><h1 style="margin: 0px;"><a href="https://michellapicknshop.com/index.php" style="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px; color: #49b7ca;"> Pick N' Shop</i></a></h1></center>
            </div>
            <div style="font-size: 1rem; padding: 25px; background-color: #f4f4f4; moz-border-radius: 10px; -webkit-border-radius: 10px; border-radius: 10px; -khtml-border-radius: 10px; border-color: #49b7ca; border-width: 4px 1px; border-style: solid;">
                <h1 style="font-size: 22px;"><center>Your Account Has Been Deleted</center></h1>
                <i style="font-size: 12px;"><center>This is an email sent to you to notify you that your account has been removed. Do not reply to this message.</center></i>
                <p><center>Below are reasons to why your account has been removed</center></p>
                <p><center>1) You have violated the Terms and Conditions/Privacy Policy</center></p>
                <p><center>2) You have requested account removal</center></p>
                <p style="display: flex; justify-content: center; margin-top: 10px;"><center>
                    <a href="https://michellapicknshop.com/index.php" style="border: 1px solid #056183; background-color: #49b7ca; color: #fff; text-decoration: none; font-size: 16px; padding: 10px 20px;">Visit Us Again</a>
                </center></p>
            </div>
        </div>
    </body>
</html>
';
// email headers
$headers = "From: Michella's Pick N' Shop <kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-Type:text/html;charset=UTF-8" . "\r\n";
mail($to, $subject, $message, $headers);
}
$del = $conn->prepare("DELETE FROM useradmin WHERE id = '$id';");
$del->execute();
header('location: adminHome.php?users=porters');
mysqli_close($conn);
}
if(isset($_GET['porterdecline'])){
    $id = $_GET['porterdecline'];
    error_reporting(-1);
    ini_set('display_errors', true);
    include_once 'includes/dbh.inc.php';
    $sql = $conn->prepare("SELECT * FROM useradmin WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $email = $row['userEmail'];
        // info to send email
        $to = $email;
}

```

```

$subject = "Decline Porter Application |  

Michelle's Pick N' Shop";  

//html message  

$message = '  

<!DOCTYPE html>  

<html lang="en">  

<head>  

<meta charset="UTF-8">  

<meta name="viewport"  

content="width=device-width, initial-  

scale=1.0">  

<script  

src="https://kit.fontawesome.com/824d2c43  

ce.js"  

crossorigin="anonymous"  

></script>  

<title>Document</title>  

</head>  

<body style="color: #000; font-size: 16px;  

text-decoration: none; font-family:  

Helvetica, arial, sans-serif;">  

<div style="max-width: 600px; margin:  

auto; padding: 20px;">  

<div>  

<center><i style="font-size: 10px;  

font-family: Helvetica, arial, sans-serif;  

letter-spacing: 2px; text-transform:  

uppercase;">Michella's</i></center>  

<center><h1 style="margin:  

0px;"><a  

href="https://michellapicknshop.com/index.  

php" style ="text-decoration: none;"><i  

class="fab fa-opencart" style="height: 50px;  

color: #49b7ca;"> Pick N'\  

Shop</i></a></h1></center>  

</div>  

<div style="font-size: 1rem; padding:  

25px; background-color: #f4f4f4;  

moz-border-radius: 10px; -webkit-  

border-radius: 10px; border-radius: 10px; -  

khtml-border-radius: 10px;  

border-color: #49b7ca; border-width:  

4px 1px; border-style: solid;">  

<h1 style="font-size:  

22px;"><center>Your Applicaiton Has Been  

Declined</center></h1>  

<i style="font-size:  

12px;"><center>This is an email sent to you  

to notify you that your application has been  

declined. Do not reply to this  

message.</center></i>
```

<p><center>Below are reasons to
why your application has been
declined</center></p>

<p><center>1) You have violated the
Terms and Conditions/Privacy
Policy</center></p>

<p><center>2) During phone
interview you gave us reasons to decline your
application</center></p>

<p style="display: flex; justify-
content: center; margin-top:
10px;"><center>
<a
href="https://michellapicknshop.com/index.
php" style="border: 1px solid #056183;
background-color: #49b7ca;
color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">Visit
Us Again
</center></p>

<p><center>Thank you for your
application</center></p>

</div>
</div>

</body>
</html>
';
// email headers
\$headers = "From: Michella's Pick N'
Shop <kaikelaloni28@gmail.com> \r\n";
\$headers .= "MIME-Version: 1.0" .
"\r\n";
\$headers .= "Content-
Type:text/html;charset=UTF-8" . "\r\n";
mail(\$to, \$subject, \$message,
\$headers);
}
\$stmt = \$conn->prepare("SELECT *
FROM idvalid WHERE userId = '\$id'");
\$stmt->execute();
\$res = \$stmt->get_result();
while(\$rw = \$res->fetch_assoc()){
\$file = \$rw['nameFile'];
\$file_to_delete = "resellerID/\$file";
unlink(\$file_to_delete);
}
\$del = \$conn->prepare("DELETE FROM
idvalid WHERE userId = '\$id'");
\$del->execute();
\$del2 = \$conn->prepare("DELETE
FROM useradmin WHERE id = '\$id'");

```

$del2->execute();
mysqli_close($conn);
header("location:
adminHome.php?users=porters");
mysqli_close($conn);
}
if(isset($_GET['proddelete'])){
    $prodid = $_GET['proddelete'];
    error_reporting(-1);
    ini_set('display_errors', true);
    include_once 'includes/dbhStore.inc.php';
    $sql   = $conn->prepare("SELECT * 
FROM product WHERE id = '$prodid';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $name = $row['productName'];
        $pprice = $row['productPrice'];
        $pimg = $row['productImage'];
        $PCODE = $row['productCode'];
        $desc = $row['productDesc'];
        $brand = $row['brand'];
        $typeProd = $row['typeProd'];
        $stock = $row['productStock'];
        $oprice = $row['origPrice'];
        $feature = $row['feature'];
        $loyalpts = $row['loyalpts'];
        $insert2 = $conn->prepare("INSERT 
INTO archproduct (productName,
productPrice, productImage, productCode,
productDesc, brand, typeProd, productStock,
origPrice, feature, loyalpts) VALUES
('$name', '$pprice', '$pimg', '$PCODE', '$desc',
'$brand', '$typeProd', '$stock', '$oprice',
'$feature', '$loyalpts');");
        if($insert2 == false){
            die('prepare() failed: ' . 
htmlspecialchars($conn->error));
        }
        $insert2->execute();
        $delete2 = $conn->prepare("DELETE 
FROM product WHERE id = '$prodid';");
        $delete2->execute();
        header("location:
adminHome.php?store=product");
        exit();
    }
    mysqli_close($conn);
}
if(isset($_GET['cancelOrder'])){
    $orderid = $_GET['cancelOrder'];
    error_reporting(-1);
    ini_set('display_errors', true);
    include 'includes/dbhStore.inc.php';
    $st = $conn->prepare("SELECT * FROM
orders WHERE id = '$orderid';");
    $st->execute();
    $re = $st->get_result();
    while ($rw = $re->fetch_assoc()) {
        $useName = $rw['userName'];
        $useUid = $rw['userUid'];
        $useEmail = $rw['userEmail'];
        $usePhone = $rw['userPhone'];
        $useAdd = $rw['userAdd'];
        $pmode = $rw['pmode'];
        $products = $rw['products'];
        $grandTotal = $rw['amountPaid'];
        $orderCode = $rw['orderCode'];
        $userAddress = $rw['userAdd'];
        $pCode = $rw['prodCode'];
        $stat = $conn->prepare("SELECT
prodCode FROM orders WHERE id =
'$orderid';");
        $stat->execute();
        $rs = $stat->get_result();
        while ($ro = $rs->fetch_assoc()) {
            $prod = $ro['prodCode'];
            $prodAr = explode(',', $prod);
            $length = count($prodAr);
            $i = 0;
            while ($length > $i) {
                $prodAr[$i];
                $prodName = explode('-', 
$prodAr[$i]);
                $trimName = trim($prodName[0]);
                $trimNum = trim($prodName[1]);
                $statem = $conn->prepare("SELECT *
FROM product WHERE productCode =
'$trimName';");
                $statem->execute();
                $rt = $statem->get_result();
                while ($rws = $rt->fetch_assoc()) {
                    $stock = $rws['productStock'];
                    $stockTots = $stock + $trimNum;
                    $sql = $conn->prepare("UPDATE
product SET productStock = '$stockTots'
WHERE productCode = '$trimName';");
                    $sql->execute();
                }
                $i++;
            }
        }
    }
}

```

```

// info to send email
$to = $useEmail;
$subject = "Order Cancelation| Michelle's
Pick N' Shop";
//html message
$message = '
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
    <script
src="https://kit.fontawesome.com/824d2c43
ce.js"
        crossorigin="anonymous"
    ></script>
    <title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family:
Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin:
auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform:
uppercase;">Michella's</i></center>
            <center><h1 style="margin:
0px;"><a
href="https://michellapicknshop.com/index.
php" style ="text-decoration: none;"><i
class="fab fa-opencart" style="height: 50px;
color: #49b7ca;"> Pick      N'
Shop</i></a></h1></center>
        </div>
        <div style="font-size: 1rem; padding:
25px; background-color: #f4f4f4;
moz-border-radius: 10px; -webkit-
border-radius: 10px; border-radius: 10px; -
khtml-border-radius: 10px;
border-color: #49b7ca; border-width:
4px 1px; border-style: solid;">
            <h1 style="font-size:
22px;"><center>Your Order Has Been
Canceled</center></h1>
            <i style="font-size:
12px;"><center>This is an email sent to you
to notify you that your order has been

```

canceled. Do not reply to this message.</center></i>

<p><center>Below are reasons to why your application has been declined</center></p>

<p><center>1) You have violated the Terms and Conditions/Privacy Policy</center></p>

<p><center>2) There was a problem with the order process and you will be sent an email or text/call</center></p>

<p style="display: flex; justify-
content: center; margin-top:
10px;"><center>

<a href="https://michellapicknshop.com/index.
php" style="border: 1px solid #056183;
background-color: #49b7ca;
color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">Visit
Us Again

</center></p>
<p><center>Thank you for your
understanding</center></p>

</div>
</div>
</body>
</html>
';

// email headers
\$headers = "From: Michella's Pick N' Shop
<kaikelaloni28@gmail.com> \r\n";
\$headers .= "MIME-Version: 1.0" . "\r\n";
\$headers .= "Content-
Type:text/html; charset=UTF-8" . "\r\n";
mail(\$to, \$subject, \$message, \$headers);
}

\$update = \$conn->prepare("UPDATE
orders SET orderStatus = 'Canceled by the
Store' WHERE id = '\$orderid');");

\$update->execute();
\$loyal = \$grandTotal/25;
include 'includes/dbh.inc.php';

\$e = \$conn->prepare("DELETE FROM
qrcode WHERE orderCode =
'\$orderCode');");

\$e->execute();
\$select = \$conn->prepare("SELECT
loyalpts FROM users WHERE userUid =
'\$userUid');");

\$select->execute();

```

$result = $select->get_result();
while($row_select      =      $result-
>fetch_assoc()){
    $pts = $row_select['loyalpts'];
    $Loyalpts = $pts - $loyal;
    $update   =  $conn->prepare("UPDATE
users SET loyalpts = '$Loyalpts' WHERE
userUid = '$userUid';");
    $update->execute();
}
mysqli_close($conn);
header("location:
adminHome.php?store=order");
exit();
}
if(isset($_GET['refundapprove'])){
    $refundid = $_GET['refundapprove'];
    include 'includes/dbhStore.inc.php';
    $sql   =  $conn->prepare("SELECT  *
FROM refundorder WHERE id =
'$refundid';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $orderCode = $row['orderCode'];
        $prodimg = $row['prodimg'];
        unlink($prodimg);
        $update = $conn->prepare("UPDATE
archorder SET orderStatus = 'Refund
Request Accepted' WHERE orderCode =
'$orderCode';");
        $update->execute();
    }
    $select = $conn->prepare("SELECT  *
FROM archorder WHERE orderCode =
'$orderCode';");
    $select->execute();
    $res = $select->get_result();
    while($rw = $res->fetch_assoc()){
        $userEmail = $rw['userEmail'];
        $userUid = $rw['userUid'];
        $userAdd = $rw['userAdd'];
        $amountPaid = $rw['amountPaid'];
        $pmode = $rw['pmode'];
    }
    // info to send email
    $to = $userEmail;
    $subject = "Approved Refund Request |
Michella's Pick N' Shop";
    /html message
    $message =

```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
    <script
src="https://kit.fontawesome.com/824d2c43
ce.js"
        crossorigin="anonymous"
    ></script>
    <title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family:
Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin:
auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform:
uppercase;">Michelle\s</i></center>
            <center><h1 style="margin:
0px;"><a
href="https://michellapicknshop.com/index.
php" style ="text-decoration: none;"><i
class="fab fa-opencart" style="height: 50px;
color: #49b7ca;"> Pick N\
Shop</i></a></h1></center>
        </div>
        <div style="font-size: 1rem; padding:
25px; background-color: #f4f4f4;
moz-border-radius: 10px; -webkit-
border-radius: 10px; border-radius: 10px; -
khtml-border-radius: 10px;
border-color: #49b7ca; border-width:
4px 1px; border-style: solid;">
            <h1 style="font-size:
22px;"><center>Your Refund Request Has
Been Approved</center></h1>
            <i style="font-size:
12px;"><center>This is an email sent to you
to notify you that refund request has been
approved. Do not reply to this
message.</center></i>
            <p><center>We will deliver your
refunded payments to you at your deliver
address:</center></p>

```

```

<p><center>'.$userAdd.'</center></p>
    <p><center>Refunded Payment: php
'.number_format($amountPaid,
2).'</center></p>
    <p style="display: flex; justify-
content: center; margin-top:
10px;"><center>
        <a
href="https://michellapicknshop.com/index.
php" style="border: 1px solid #056183;
background-color: #49b7ca;
color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">Visit
Us Again</a>
    </center></p>
    <p><center>Thank you for your
patronage</center></p>
</div>
</div>
</body>
</html>
';
// email headers
$headers = "From: Michella's Pick N' Shop
<kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-
Type:text/html;charset=UTF-8" . "\r\n";
mail($to, $subject, $message, $headers);
$pts = $amountPaid / 25;
$connect = mysqli_connect("localhost",
"u391276243_me", "rR37Vqs6@:", 
"u391276243_useraccounts");
$user = $connect->prepare("SELECT *
FROM users WHERE userUid =
'$userUid');");
$user->execute();
$resultuser = $user->get_result();
while($rowuser = $resultuser-
>fetch_assoc()){
    $loyalpts = $rowuser['loyalpts'];
    $newloyal = $loyalpts - $pts;
    $insert = $connect->prepare("UPDATE
users SET loyalpts = '$newloyal' WHERE
userUid = '$userUid';");
    $insert->execute();
}
mysqli_close($connect);

$delete = $conn->prepare("DELETE
FROM refundorder WHERE id
='$_refundid');");
$delete->execute();
mysqli_close($conn);
header("location:
adminHome.php?more=refund");
exit();
}
if(isset($_GET['refunddecline'])){
    $id = $_GET['refunddecline'];
    $sql = $conn->prepare("SELECT *
FROM refundorder WHERE id ='$id');");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $orderCode = $row['orderCode'];
        $prodimg = $row['prodimg'];
        unlink($prodimg);
        $update = $conn->prepare("UPDATE
archorder SET orderStatus = 'Delivered'
WHERE orderCode = '$orderCode');");
        $update->execute();
    }
    $select = $conn->prepare("SELECT *
FROM archorder WHERE orderCode =
'$orderCode');");
    $select->execute();
    $res = $select->get_result();
    while($rw = $res->fetch_assoc()){
        $userEmail = $rw['userEmail'];
    }
    // info to send email
    $to = $userEmail;
    $subject = "Declined Refund Request | 
Michella's Pick N' Shop";
    //html message
    $message =
    '<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
    <script
src="https://kit.fontawesome.com/824d2c43
ce.js"
        crossorigin="anonymous"
    ></script>
<title>Document</title>

```

```

</head>
<body style="color: #000; font-size: 16px; text-decoration: none; font-family: Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin: auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px; font-family: Helvetica, arial, sans-serif; letter-spacing: 2px; text-transform: uppercase;">Michelle's</i></center>
            <center><h1 style="margin: 0px;"><a href="https://michellapicknshop.com/index.php" style="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px; color: #49b7ca;"> Pick N' Shop</i></a></h1></center>
        </div>
        <div style="font-size: 1rem; padding: 25px; background-color: #f4f4f4; moz-border-radius: 10px; -webkit-border-radius: 10px; border-radius: 10px; -khtml-border-radius: 10px; border-color: #49b7ca; border-width: 4px 1px; border-style: solid;">
            <h1 style="font-size: 22px;"><center>Your Refund Request Has Been Declined</center></h1>
            <i style="font-size: 12px;"><center>This is an email sent to you to notify you that refund request has been declined. Do not reply to this message.</center></i>
            <p><center>Your refund request for your order '$orderCode.' has been declined</center></p>
            <p><center>Below are reasons why</center></p>
            <p><center>1) The picture of the product order you gave us was not enough proof, or you gave a picture that had nothing to do with the order</center></p>
            <p><center>2) The reasons or descriptions you gave were not enough proof, or had nothing to do with your order</center></p>
            <p><center>Return Policy: <a href="https://michellapicknshop.com/termcondition.php" target="_blank">Terms and Conditions</a></center></p>

```

If not stated above, please send us a refund request again

WARNING: Abusing the Refund Request Module will result in account deletion

<p style="display: flex; justify-content: center; margin-top: 10px;"><center>Visit Us Again</center></p>

<p><center>Thank you for your patronage</center></p>

</div>

</body>

</html>

';

// email headers

\$headers = "From: Michella's Pick N' Shop <kaikelaloni28@gmail.com> \r\n";

\$headers .= "MIME-Version: 1.0" . "\r\n";

\$headers .= "Content-Type:text/html;charset=UTF-8" . "\r\n";

mail(\$to, \$subject, \$message, \$headers);

\$delete = \$conn->prepare("DELETE FROM refundorder WHERE id ='\$id';");

\$delete->execute();

mysqli_close(\$conn);

header("location: adminHome.php?more=refund");

exit();

}

if(isset(\$_GET['newdelete'])){

\$id = \$_GET['newdelete'];

error_reporting(-1);

ini_set('display_errors', true);

include 'includes/dbh.inc.php';

\$sql = \$conn->prepare("SELECT * FROM news WHERE id = '\$id';");

\$sql->execute();

\$result = \$sql->get_result();

while(\$row = \$result->fetch_assoc()){

\$subj = \$row['subj'];

\$body = \$row['body'];

\$newsimg = \$row['newsImg'];

```

$insert = $conn->prepare("INSERT INTO
archnews(subj, body, newsImg)
VALUES('$subj', '$body', '$newsimg');");
$insert->execute();
$delete = $conn->prepare("DELETE
FROM news WHERE id = '$id';");
$delete->execute();
}
mysqli_close($conn);
header("location:
adminHome.php?more=message");
exit();
}
if(isset($_GET['recoverCus'])){
$id = $_GET['recoverCus'];
ini_set('display_errors', true);
include_once 'includes/dbhStore.inc.php';
include 'includes/dbh.inc.php';
$sql = $conn->prepare("SELECT * FROM
archusers WHERE archId = '$id';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
$name = $row['userName'];
$email = $row['userEmail'];
$username = $row['userUid'];
$phone = $row['userPhone'];
$pwd = $row['userPwd'];
$verified = $row['verified'];
$userType = $row['userType'];
$vKey = $row['vKey'];
$loyalpts = $row['loyalpts'];
include 'includes/functions.inc.php';
if(userExist($conn, $username) != false){
header("location:
adminHome.php?error=userexist");
exit();
} else{
$insert = $conn->prepare("INSERT
INTO users (userName, userEmail, userUid,
userPhone, userPwd, verified, userType,
vKey, loyalpts) VALUES ('$name', '$email',
'$username', '$phone', '$pwd', '$verified',
'$userType', '$vKey', '$loyalpts');");
$insert->execute();
$delete = $conn->prepare("DELETE
FROM archusers WHERE archId = '$id';");
$delete->execute();
// info to send email
$to = $email;
}
}

```

```

$subject = "Account Restored | Michelle's
Pick N' Shop";
//html message
$message =
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
<script
src="https://kit.fontawesome.com/824d2c43
ce.js"
crossorigin="anonymous">
</script>
<title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family:
Helvetica, arial, sans-serif;">
<div style="max-width: 600px; margin:
auto; padding: 20px;">
<div>
<center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform:
uppercase;">Michella's</i></center>
<center><h1 style="margin:
0px;"><a
href="https://michellapicknshop.com/index.
php" style ="text-decoration: none;"><i
class="fab fa-opencart" style="height: 50px;
color: #49b7ca;"> Pick N'
Shop</i></a></h1></center>
</div>
<div style="font-size: 1rem; padding:
25px; background-color: #f4f4f4;
moz-border-radius: 10px; -webkit-
border-radius: 10px; border-radius: 10px; -
khtml-border-radius: 10px;
border-color: #49b7ca; border-width:
4px 1px; border-style: solid;">
<h1 style="font-size:
22px;"><center>Your Account Has Been
Restored</center></h1>
<i style="font-size:
12px;"><center>This is an email sent to you
to notify you that your account has been
restored. Do not reply to this
message.</center></i>

```

```

<p><center>Your account
'$.username.' has been restored by
us</center></p>
<p><center>Come please visit us
again</center></p>
<p style="display: flex; justify-
content: center; margin-top:
10px;"><center>
    <a
        href="https://michellapicknshop.com/index.
        php" style="border: 1px solid #056183;
        background-color: #49b7ca;
        color: #fff; text-decoration: none;
        font-size: 16px; padding: 10px 20px;">Click
        Here</a>
    </center></p>
    <p><center>Thank you for your
        patronage</center></p>
    </div>
    </div>
</body>
</html>
';
// email headers
$headers = "From: Michella's Pick N' Shop
<kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-
Type:text/html;charset=UTF-8" . "\r\n";
mail($to, $subject, $message, $headers);
header("location:
adminHome.php?more=archive");
exit();
}
header("location:
adminHome.php?more=archive");
exit();
}
header("location:
adminHome.php?more=archive");
exit();
mysqli_close($conn);
}
if(isset($_GET['recoverAdm'])){
    $id = $_GET['recoverAdm'];
    include 'includes/dbh.inc.php';
    include 'includes/functions.inc.php';
    $sql = $conn->prepare("SELECT * FROM
        archuseradmin WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
}

while($row = $result->fetch_assoc()){

    $name = $row['userName'];
    $username = $row['userUid'];
    $email = $row['userEmail'];
    $phone = $row['userPhone'];
    $type = $row['userType'];
    $pwd = $row['userPwd'];
    if(adminUserExist($conn, $username) !==
        false){

        header("location:
            adminHome.php?error=userexist");
        exit();
    }else{
        $insert = $conn->prepare("INSERT
            INTO useradmin (userName, userUid,
            userEmail, userPhone, userType, userPwd)
            VALUES ('$name', '$username', '$email',
            '$phone', '$type', '$pwd');");
        $insert->execute();
        $delete = $conn->prepare("DELETE
            FROM archuseradmin WHERE id = '$id';");
        $delete->execute();
        header("location:
            adminHome.php?more=archive");
        exit();
    }
    mysqli_close($conn);
}

if(isset($_GET['recoverPort'])){

    $id = $_GET['recoverPort'];
    include 'includes/dbh.inc.php';
    $sql = $conn->prepare("SELECT * FROM
        archuseradmin WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){

        $name = $row['userName'];
        $username = $row['userUid'];
        $email = $row['userEmail'];
        $phone = $row['userPhone'];
        $type = $row['userType'];
        $pwd = $row['userPwd'];
        include 'includes/functions.inc.php';
        if(adminUserExist($conn, $username) !==
            false){

            header("location:
                adminHome.php?error=userexist");
            exit();
        }else{
    }
}

```

```

// info to send email
$to = $email;
$subject = "Account Restored | Michelle's
Pick N' Shop";

//html message
$message =
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
<script
src="https://kit.fontawesome.com/824d2c43
ce.js"
crossorigin="anonymous"
></script>
<title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family:
Helvetica, arial, sans-serif;">
<div style="max-width: 600px; margin:
auto; padding: 20px;">
<div>
<center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform:
uppercase;">Michella's</i></center>
<center><h1 style="margin:
0px;"><a href="https://michellapicknshop.com/index.
php" style ="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px;
color: #49b7ca;"> Pick N\
Shop</i></a></h1></center>
</div>

<div style="font-size: 1rem; padding:
25px; background-color: #f4f4f4;
moz-border-radius: 10px; -webkit-
border-radius: 10px; border-radius: 10px; -
khtml-border-radius: 10px;
border-color: #49b7ca; border-width:
4px 1px; border-style: solid;">
<h1 style="font-size: 22px; margin:
0; text-align: center;">Your Account Has Been
Restored</h1>
<i style="font-size: 12px; margin:
10px 0; text-align: center;">This is an email sent to you
to notify you that your account has been
restored. Do not reply to this
message.</i>
<p><center>Your Porter Account
'$username.' has been restored by
us</center></p>
<p><center>Sign in to your
account</center></p>
<p style="display: flex; justify-
content: center; margin-top:
10px;"><center>
<a href="https://michellapicknshop.com/admin
UserLogin.php" style="border: 1px solid
#056183; background-color: #49b7ca;
color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">Your
Account</a>
</center></p>
<p style="display: flex; justify-
content: center; margin-top:
10px;"><center>
<a href="https://michellapicknshop.com/index.
php" style="border: 1px solid #056183;
background-color: #49b7ca;
color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">Our
Store</a>
</center></p>
<p><center>Thank you for your
patronage</center></p>
</div>
</div>
</body>
</html>
';

// email headers
$headers = "From: Michelle's Pick N' Shop
<kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-
Type:text/html; charset=UTF-8" . "\r\n";

```

```

mail($to, $subject, $message, $headers);

$insert = $conn->prepare("INSERT
INTO useradmin (userName, userUid,
userEmail, userPhone, userType, userPwd)
VALUES ('$name', '$username', '$email',
'$phone', '$type', '$pwd');");
$insert->execute();
$delete = $conn->prepare("DELETE
FROM archuseradmin WHERE id = '$id';");
$delete->execute();
header("location:
adminHome.php?more=archive");
exit();
}
}
mysqli_close($conn);
}

if(isset($_GET['recoverNews'])){
$id = $_GET['recoverNews'];
include 'includes/dbh.inc.php';
$sql = $conn->prepare("SELECT * FROM
archnews WHERE id = '$id';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
$subj = $row['subj'];
$body = $row['body'];
$newsimg = $row['newsImg'];
$insert = $conn->prepare("INSERT INTO
news (subj, body, newsImg) VALUES
('$subj', '$body', '$newsimg');");
$insert->execute();
$delete = $conn->prepare("DELETE
FROM archnews WHERE id = '$id';");
$delete->execute();
header("location:
adminHome.php?more=archive");
exit();
}
mysqli_close($conn);
}

if(isset($_GET['recoverProd'])){
$id = $_GET['recoverProd'];
ini_set('display_errors', true);
include 'includes/dbhStore.inc.php';
$sql = $conn->prepare("SELECT * FROM
archproduct WHERE id = '$id';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
$name = $row['productName'];
$pprice = $row['productPrice'];
$pimg = $row['productImage'];
$pcode = $row['productCode'];
$desc = $row['productDesc'];
$brand = $row['brand'];
$typeProd = $row['typeProd'];
$stock = $row['productStock'];
$oprice = $row['origPrice'];
$feature = $row['feature'];
$loyalpts = $row['loyalpts'];
include 'includes/functionStore.inc.php';
if(pnameExist($conn, $name)){
header("location:
adminHome.php?error=nameexist");
exit();
}
elseif(pcodeExist($conn, $pcode)){
header("location:
adminHome.php?error=codeexist");
exit();
}
else{
$insert = $conn->prepare("INSERT
INTO product (productName, productPrice,
productImage, productCode, productDesc,
brand, typeProd, productStock, origPrice,
feature, loyalpts) VALUES ('$name',
'$pprice', '$pimg', '$pcode', '$desc', '$brand',
'$typeProd', '$stock', '$oprice', '$feature',
'$loyalpts');");
$insert->execute();
$delete = $conn->prepare("DELETE
FROM archproduct WHERE id = '$id';");
$delete->execute();
header("location:
adminHome.php?more=archive");
exit();
}
}
mysqli_close($conn);
}

if(isset($_GET['pickupOrder'])){
error_reporting(-1);
ini_set('display_errors', true);
$id = $_GET['pickupOrder'];
include 'includes/dbhStore.inc.php';
}

```

```

$sql = $conn->prepare("UPDATE orders
SET orderStatus = 'Ready for Pickup'
WHERE id = '$id';");
$sql->execute();
$stmt = $conn->prepare("SELECT *
FROM orders WHERE id = '$id';");
$stmt->execute();
$result = $stmt->get_result();
while($row = $result->fetch_assoc()){
    $email = $row['userEmail'];
    $orderCode = $row['orderCode'];
    $orderDate = $row['orderDate'];
    $date = $orderDate->format('Y-m-d-H-i-s');
}
// info to send email
$to = $email;
$subject = "Order Pickup | Michella's Pick N' Shop";

//html message
$message =
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport"
content="width=device-width, initial-scale=1.0">
    <script
src="https://kit.fontawesome.com/824d2c43ce.js"
        crossorigin="anonymous"
    ></script>
    <title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family: Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin:
auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform:
uppercase;">Michella's</i></center>
            <center><h1 style="margin:
0px;"><a href="https://michellapicknshop.com/index.php" style = "text-decoration: none;"><i

```

Pick N'

Shop</i></h1></center>

</div>

<i style="font-size: 12px;"><center>This is an email sent to you to notify you that your account **has** been restored. Do not reply to this message.</center></i> <p><center>Your Order: '\$orderCode.' is now ready for pickup</center></p> <p><center>Date Ordered: '\$date.'</center></p> <p><center>Store Address: KM44 Longos Malolos Bulacan, Philippines</center></p> <p style="display: flex; justify- content: center; margin-top: 10px;"><center> For more information about your order Click Here </center></p> <p><center>Thank you for your patronage</center></p> </div> </div> </body> </html> ';

STI College Malolos

129

```

// email headers
$headers = "From: Michella's Pick N' Shop
<kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-
Type:text/html;charset=UTF-8" . "\r\n";

mail($to, $subject, $message, $headers);
header("location:
adminHome.php?store=order");
exit();
}

if(isset($_GET['pickupSuccess'])){
    error_reporting(-1);
    ini_set('display_errors', true);
    $id = $_GET['pickupSuccess'];
    include 'includes/dbhStore.inc.php';
    $sql = $conn->prepare("SELECT * 
FROM orders WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $userName = $row['userName'];
        $userUid = $row['userUid'];
        $userEmail = $row['userEmail'];
        $userPhone = $row['userPhone'];
        $userAdd = $row['userAdd'];
        $pmode = $row['pmode'];
        $products = $row['products'];
        $amountPaid = $row['amountPaid'];
        $orderCode = $row['orderCode'];
        $prodCode = $row['prodCode'];
        $orderStatus = 'Delivered';

        $insert = $conn->prepare("INSERT
INTO archorder(userName, userUid,
userEmail, userPhone, userAdd, pmode,
products, amountPaid, orderCode, prodCode,
orderStatus) VALUES('$userName',
'$userUid', '$userEmail', '$userPhone',
'$userAdd', '$pmode', '$products',
'$amountPaid', '$orderCode', '$prodCode',
'$orderStatus')");
        $insert->execute();
        $delete = $conn->prepare("DELETE
FROM orders WHERE id = '$id';");
        $delete->execute();
        header("location:
adminHome.php?store=order");
        exit();
    }
}

```

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<link rel="stylesheet" href="css/styleAdminHome.css?v=<?php echo time(); ?>" />

<link rel="stylesheet" href="css/magnify.css?v=<?php echo time(); ?>" />

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.1/css/all.min.css" integrity="sha512-+4zCK9k+qNFUR5X+cKL9EIR+ZOhtIloNl9GIKS57V1MyNsYpYcUrUeQc9vNfzsWfV28IaLL3i96P9sdNyeRssA==" crossorigin="anonymous" />

<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.5.1/jquery.min.js" integrity="sha512-bLT0Qm9VnAYZDflyKcBaQ2gg0hSYNQrJ8RilYldYQ1FxQYoCLtUjuRuZo+fjqhx/qt1itJ0C2ejDxltZVFg==" crossorigin="anonymous"></script>

<script type="text/javascript" src="https://www.gstatic.com/charts/loader.js"></script>

<script type="text/javascript">
 google.charts.load("current", { packages: ["corechart"] });

google.charts.setOnLoadCallback(drawChart);

function drawChart() {

```

var data = [
    google.visualization.arrayToDataTable([
        ["Date", "Sales", "Expense", "Profit"],
        <?php
        include_once
        'includes/dbhStore.inc.php';
        $sql = $conn->prepare("SELECT *
FROM archorder WHERE orderStatus =
'Delivered';");
        $sql->execute();
        $result = $sql->get_result();
        while($row = $result->fetch_assoc()){
            $timestamp = strtotime($row['cancelDate']);
            $PCODE = $row['prodCode'];
            $rev = $rev + $row['amountPaid'];
            $prodAr = explode(',', $PCODE);
            $length = count($prodAr);
            $i = 0;
            while($length > $i){
                $prodAr[$i];
                $prodName = explode('-', $prodAr[$i]);
                $trimName = trim($prodName[0]);
                $stmt = $conn->prepare("SELECT
origPrice FROM product WHERE
productCode = '$trimName';");
                $stmt->execute();
                $res = $stmt->get_result();
                while($rw = $res->fetch_assoc()){
                    $expint = $expint + $rw['origPrice'];
                }
                $prof = $rev - $expint;
            }
            $i++;
        }
    ?>
    ["<?= $date = date('d-m-Y',
$timestamp);?>", "<?= $rev?>, <?=
$expint;?>, <?= $prof;?>",
<?php
}
mysqli_close($conn);
?>
]);
]

var options = {
    title: "Summary of Sales",
    curveType: "function",
    legend: { position: "bottom" },
    colors: ["#329CE7", "#E73232",
    "#097138"],
};

var chart = new
google.visualization.LineChart(
document.getElementById("curve_chart"));

chart.draw(data, options);
}

</script>
<script type="text/javascript">
    google.charts.load("current",
{packages:['corechart']});

google.charts.setOnLoadCallback(drawChar
t);

function drawChart() {
    var data = google.visualization.arrayToDataTable([
        ["Customer", "Amount Paid", { role:
"style" }],
        <?php
        error_reporting(-1);
        ini_set('display_errors', true);
        include 'includes/dbhStore.inc.php';
        $sql = $conn->prepare("SELECT *
FROM archorder WHERE orderStatus =
'Delivered' ORDER BY `archorder`.`id` DESC LIMIT 10;");
        $sql->execute();
        $result = $sql->get_result();
        while($row = $result->fetch_assoc()){

        ?>
        ["<?= $row['userUid'];?>,<?=
number_format($row['amountPaid'], 2);?>,
stroke-color: #703593; stroke-width: 4; fill-
color: #C5A5CF'],
        <?php
        }
        ?>
    ]);
}

var view = new
google.visualization.DataView(data);
view.setColumns([0, 1,
    { calc: "stringify",
        sourceColumn: 1,
        type: "string",

```

```

        role: "annotation" },
        2]);
var options = {
    title: "Summary of Orders (Last 10)",
    bar: {groupWidth: "95%"},
    legend: { position: "none" },
};
var chart = new
google.visualization.ColumnChart(document
.getElementById("columnchart_values"));
chart.draw(view, options);
}
</script>
<script type="text/javascript">
    google.charts.load('current',
{'packages':['corechart']});

google.charts.setOnLoadCallback(drawChar
t);

function drawChart() {
    var data = google.visualization.arrayToDataTable([
        ["Date", "Sales"],
        <?php
        error_reporting(-1);
        ini_set('display_errors', true);
        include_once
'includes/dbhStore.inc.php';
        $month = date('m');
        $year = date('Y');
        $sql = $conn->prepare("SELECT *
FROM archorder WHERE orderStatus =
'Delivered' AND MONTH(cancelDate) =
$month AND YEAR(cancelDate) =
'$year');");
        $sql->execute();
        $result = $sql->get_result();
        while($row = $result->fetch_assoc()){
            $timestamp =
strtotime($row['cancelDate']);
            $pcode = $row['prodCode'];
            $sale = $row['amountPaid'];
            $prodAr = explode(',', $pcode);
            $length = count($prodAr);
            $i = 0;
            while($length > $i){
                $prodAr[$i];
                $prodName = explode('-', $prodAr[$i]);
                $trimName = trim($prodName[0]);
                $stmt = $conn->prepare("SELECT
origPrice FROM prodcuct WHERE
productCode ='$trimName';");
                $stmt->execute();
                $res = $stmt->get_result();
                while($rw = $res->fetch_assoc()){
                    $expense = $rw['origPrice'];
                    $profit = $sale - $expense;
                }
                $i++;
            }
        }
    ["<?= $date = date('D M j',
$timestamp);?>", <?= $sale?>],
    <?php
    }
    mysqli_close($conn);
    ?>
});
}

var options = {
    title: 'Monthly Sales (<?=
date('F');?>)',
};
var chart = new
google.visualization.AreaChart(document.get
ElementById('chart_div'));
chart.draw(data, options);
}
</script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/j
query/3.5.1/jquery.min.js"></script>
<title>Admin | Michella's Pick N'
Shop</title>
</head>
<body>
<!-- wrapper start -->
<div class="wrapper">
<!--header menu start-->
<div class="header">
<div class="header-menu">
<div
class="title"><span>Admin</span></div>
<div class="sidebar-btn">
<i class="fas fa-bars"></i>
</div>
<?php
include 'includes/dbhStore.inc.php';

```

```

    $sql = "SELECT count(id) AS total
FROM orders WHERE orderStatus =
'Pending';";
    $result = mysqli_query($conn,$sql);
    $values
        =
mysqli_fetch_assoc($result);
    $num_rows = $values['total'];
    $sql2 = "SELECT count(id) AS total
FROM refundorder;";
    $result2 = mysqli_query($conn,$sql2);
    $values2
        =
mysqli_fetch_assoc($result2);
    $num_rows2 = $values2['total'];
    $sql4 = "SELECT count(id) AS total
FROM product WHERE productStock <
6;";
    $result4 = mysqli_query($conn,$sql4);
    $values4
        =
mysqli_fetch_assoc($result4);
    $num_rows4 = $values4['total'];
    mysqli_close($conn);
    include 'includes/dbh.inc.php';
    $sql3 = "SELECT count(userId) AS
total FROM idvalid;";
    $result3 = mysqli_query($conn,$sql3);
    $values3
        =
mysqli_fetch_assoc($result3);
    $num_rows3 = $values3['total'];
    $notif = $num_rows + $num_rows2 +
$num_rows3 + $num_rows4;
    ?>
<ul>
    <li style="display: flex;">
        <p style="color: #c42828; font-
weight: bold;"><?php
            if($notif>0){echo $notif;}
            else{echo";"}?></p>
        <a href="adminHome.php?notif"
style="margin-left: 0;"><i class="fas fa-
bell"></i></a>
        </li>
    <li>
        <a href="adminUserLogin.php"><i
class="fas fa-power-off"></i></a>
    </li>
</ul>
</div>
</div>
<!--header menu end-->
<!--sidebar start-->
<div class="sidebar">
```

```

<div class="sidebar-menu">
    <center class="profile">
        
    </center>
    <li class="item">
        <a href="adminHome.php"
class="menu-btn">
            <i class="fas fa-
desktop"><span>Dashboard</span></i>
        </a>
    </li>
    <li class="item" id="profile">
        <a href="#profile" class="menu-
btn">
            <i class="fas fa-user-circle"></i>
            ><span>
                >Accounts <i class="fas fa-
chevron-down drop-down"></i>
            </span>
        </a>
        <div class="sub-menu">
            <a href="adminHome.php?users=customers"
class="fas fa-users"><span>Customers</span></a>
            <a href="adminHome.php?users=admin"
class="fas fa-address-card"><span>Admin</span></a>
            <a href="adminHome.php?users=porters"
class="fas fa-truck-loading"><span>Porters</span></a>
        </div>
    </li>
    <li class="item" id="messages">
        <a href="#messages" class="menu-
btn">
            <i class="fas fa-
register"></i><span>
                >Store <i class="fas fa-
chevron-down drop-down"></i>
            </span>
        </a>
        <div class="sub-menu">
            <a href="adminHome.php?store=product"
class="fas fa-store"><span>Products</span></a>
        </div>
    </li>
</div>
```

```

        <a
    href="adminHome.php?store=order"><i
    class="fas fa-file-invoice-dollar"></i></a><span>Orders</span></a>
        <a
    href="adminHome.php?store=stat"><i
    class="fas fa-chart-line"></i><span>Statistics</span></a>
        </div>
    </li>
    <li class="item" id="settings">
        <a href="#settings" class="menu-btn">
            <i class="fas fa-cog"></i>
            <span>
                More <i class="fas fa-chevron-down" drop-down"></i>
            </span>
        </a>
        <div class="sub-menu">
            <a
    href="adminHome.php?more=refund"><i
    class="fas fa-hand-holding-usd"></i><span>Refund</span></a>
            <a
    href="adminHome.php?more=message"><i
    class="fas fa-envelope-open-text"></i><span>Message</span></a>
            <a
    href="adminHome.php?more=reviews"><i
    class="far fa-comments"></i><span>Reviews</span></a>
            <a
    href="adminHome.php?more=archive"><i
    class="fas fa-archive"></i><span>Archive</span></a>
        </div>
    </li>
    <li class="item">
        <a href="developer.php" class="menu-btn" target="_blank">
            <i class="fas fa-info-circle"><span> Developers</span></i>
        </a>
    </li>
</div>
</div>
<!--sidebar end-->
<!-- main container start -->
<div class="main-container">

<?php
if (isset($_GET['users'])) {
    if (( $_GET['users'] == 'customers') ) {
?
<!--customer start-->
<div class="container-user">
<!--top customer start-->
<div class="top-customer">
    <h4 class="title">Customer
Accounts</h4>
    <form action="" method="POST" class="search-form">
        <input type="text" name="search" class="search-customer" placeholder="Search">
        <button type="submit" name="submit-search" class="btn-search"><i class="fas fa-search"></i></button>
    </form>
</div>
<!--top customer end-->
<!--bottom customer start-->
<div class="bottom-customer">
    <!--add record start-->
    <div class="record-left">
        <form
action="actionAdminHome.php" method="POST" class="edit-form">
            <h4 class="title">Add
Account</h4>
            <input type="text" class="input-field" name="name" placeholder="Full
Name" />
            <input type="text" class="input-field" name="uid" placeholder="Username" />
            <input type="email" class="input-field" name="email" placeholder="Email" />
            <input type="tel" class="input-field" name="phone" placeholder="Phone
Number" />
            <input type="text" class="input-field" name="address" placeholder="Address" />
            <input type="password" class="input-field" name="pwd" placeholder="Password" />
            <button type="submit" name="submit-acc" class="submit-btn">Submit</button>
    </div>
</div>

```

```

</form>
</div>
<!--add record end-->
<!--record CRUD start-->
<div class="record-right">
    <?php
    include 'includes/dbh.inc.php';
    if (isset($_POST['submit-search'])) {
        $space = '/\s/';
        $search = mysqli_real_escape_string($conn,
$_POST['search']);
        $sql="SELECT * FROM users
WHERE userName LIKE '%$search%' OR
userUid LIKE '%$search%' OR userId LIKE
'%$search%' OR userId LIKE '%$space%' OR
userName LIKE '%$space%' OR userUid
LIKE '%$space%';";
        $result = mysqli_query($conn,
$sql);
        $queryResult = mysqli_num_rows($result);
        if ($queryResult > 0) {
            while ($row = mysqli_fetch_assoc($result)) {
                <?
                <table>
                    <thead>
                        <tr>
                            <th>ID</th>
                            <th>Name</th>
                            <th>Username</th>
                            <th>Verified</th>
                            <td colspan ="3">Action</th>
                        </tr>
                    </thead>
                    <tbody>
                        <tr>
                            <td><?= $row['userId']; ?></td>
                            <td><?= $row['userName']; ?></td>
                            <td><?= $row['userUid']; ?></td>
                            <?php
                            if ($row['verified'] == 1) {
                                echo '<td>True</td>';
                            } else {
                                echo '<td>False</td>';
                            }
                        <?
                    </tbody>
                </table>
            }
        }
    }
    <?php
    if ($row['verified'] == 1) {
        echo '<td>True</td>';
    } else {
        echo '<td>False</td>';
    }
    <?
    <td><a href="adminHome.php?usershow=<?=$row['userId']; ?>" class="btn-show" style="background-color: #D5C80E;"></a></td>
    <td><a href="adminHome.php?useredit=<?=$row['userId']; ?>" class="btn-show" style="background-color: #E01919;"></a></td>
    <td><a onclick="return confirm('Are you sure you want to delete this account?')" href="adminHome.php?delete=<?=$row['userId']; ?>" class="btn-show" style="background-color: #E01919;"></a></td>
    </tr>
    </tbody>
</table>
<?php
}
} else{
?>
<h4 style="color: red; text-align: center;">No Results Found</h4>
<?php
}
} else{
?>
<table>
    <thead>
        <tr>
            <th>ID</th>
            <th>Name</th>
            <th>Username</th>
            <th>Verified</th>
            <td colspan ="3">Action</th>
        </tr>
    </thead>
    <tbody>
        <?php
        include 'includes/dbh.inc.php';
        $sql = $conn->prepare("SELECT
* FROM `users` ORDER BY
`users`.`verified` ASC, `users`.`userId` DESC");
        $sql->execute();
        $result = $sql->get_result();
        while ($row = $result->fetch_assoc()) {
            $name = $row['userName'];
        }
    <?

```

```

?>
<tr>
<td><?= $row['userId']; ?></td>
<td><?= $row['userName']; ?></td>
?></tr>
?></td>
<td><?= $row['userUid']; ?>
<?php
if ($row['verified'] == 1) {
    echo '<td>True</td>';
} else {
    echo '<td>False</td>';
}
?>
<td><a href="adminHome.php?usershow=<?=$row['userId']; ?>" class="btn-show"><i class="far fa-eye"></i></a></td>
<td><a href="adminHome.php?useredit=<?=$row['userId']; ?>" class="btn-show" style="background: #D5C80E;"><i class="fas fa-user-edit"></i></a></td>
<td><a onclick = "return confirm('Are you sure you want to delete this account?')?" href="adminHome.php?delete=<?=$row['userId']; ?>" class="btn-show" style="background: #E01919;"><i class="fas fa-trash-alt"></i></a></td>
</tr>
<?php
}
?>
</tbody>
</table>
<?php
}
?>
</div>
<!--record CRUD end-->
</div>
<!--bottom customer end-->
</div>
<!--customer end-->
<?php
    mysqli_close($conn);
}
if (( $_GET['users'] == 'admin')) {
?>
<!--admin account start-->
<div class="container-user">
<!--top admin account start-->
<div class="top-customer">
    <h4 class="title">Admin Accounts</h4>
    <form action="" method="POST" class="search-form">
        <input type="text" name="search" class="search-customer" placeholder="Search">
        <button type="submit" name="submit-searchAdmin" class="btn-search"><i class="fas fa-search"></i></button>
    </form>
</div>
<!--top admin account end-->
<!--bottom admin account start-->
<div class="bottom-customer">
    <!--add record start-->
    <div class="record-left">
        <form action="actionAdminHome.php" method="POST" class="edit-form">
            <h4 class="title">Add Account</h4>
            <input type="text" class="input-field" name="name" placeholder="Full Name" />
            <input type="text" class="input-field" name="uid" placeholder="Username" />
            <input type="email" class="input-field" name="email" placeholder="Email" />
            <input type="tel" class="input-field" name="phone" placeholder="Phone Number" />
            <input type="password" class="input-field" name="pwd" placeholder="Password" />
            <select name="type" class="form-control">
                <option value="" selected disabled>Select Account Type</option>
                <option value="Admin">Admin</option>
                <option value="Deliver">Delivery</option>
            </select>
        </form>
    </div>
</div>

```

```

        <button type="submit"
name="submit-Adminacc" class="submit-
btn">Submit</button>
        </form>
    </div>
    <!--add record end-->
    <!--record CRUD start-->
    <div class="record-right">
        <?php
            include 'includes/dbh.inc.php';
            if (isset($_POST['submit-
searchAdmin'])) {
                $space = '/\s/';
                $search = mysqli_real_escape_string($conn,
                $_POST['search']);
                $sql="SELECT * FROM useradmin
WHERE userName LIKE '%$search%' AND
userType = 'Admin' OR userUid LIKE
'%$search%' AND userType = 'Admin' OR id
LIKE '%$search%' AND userType = 'Admin'
OR userType LIKE '%$search%' AND
userType = 'Admin' OR userType LIKE
'%$space%' AND userType = 'Admin' OR id
LIKE '%$space%' AND userType = 'Admin'
OR userName LIKE '%$space%' AND
userType = 'Admin' OR userUid LIKE
'%$space%' AND userType = 'Admin';";
                $result = mysqli_query($conn,
                $sql);
                $queryResult = mysqli_num_rows($result);

                if ($queryResult > 0) {
                    while ($row = mysqli_fetch_assoc($result)) {
                        ?>
                        <table>
                            <thead>
                                <tr>
                                    <th>ID</th>
                                    <th>Name</th>
                                    <th>Username</th>
                                    <th>Type</th>
                                    <td colspan ="3">Action</th>
                                </tr>
                            </thead>
                            <tbody>
                                <tr>
                                    <td><?= $row['id']; ?></td>
                                    <td><?= $row['userName'];
?></td>
                                    <td><?= $row['userUid'];
?></td>
                                    <td><?= $row['userType'];
?></td>
                                    <td><a href="adminHome.php?adminshow=<?=
$row['id']; ?>" class="btn-show"><i
class="far fa-eye"></i></a></td>
                                    <td><a href="adminHome.php?adminedit=<?=
$row['id']; ?>" class="btn-show"
style="background: #D5C80E;"><i
class="fas fa-user-edit"></i></a></td>
                                    <td><a onclick = "return
confirm('Are you sure you want to delete this
account?')"
href="adminHome.php?admindelete=<?=
$row['id']; ?>" class="btn-show"
style="background: #E01919;"><i
class="fas fa-trash-alt"></i></a></td>
                                </tr>
                            </tbody>
                        </table>
                        <?php
                    }
                }
                else{
                    ?>
                    <h4 style="color: red; text-align:
center;">No Results Found</h4>
                    <?php
                }
            }else{
                ?>
                <table>
                    <thead>
                        <tr>
                            <th>ID</th>
                            <th>Name</th>
                            <th>Username</th>
                            <th>Type</th>
                            <td colspan ="3">Action</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php
                            include 'includes/dbh.inc.php';
                            $sql = $conn->prepare("SELECT
* FROM `useradmin` WHERE userType =
");

```

```

'Admin' ORDER BY `useradmin`.`id` DESC");
    $sql->execute();
    $result = $sql->get_result();
    while ($row = $result->fetch_assoc()) {
        ?>
        <tr>
            <td><?= $row['id']; ?></td>
            <td><?= $row['userName']; ?></td>
            <td><?= $row['userUid']; ?></td>
            <td><?= $row['userType']; ?></td>
            <td><a href="adminHome.php?adminshow=<?=$row['id']; ?>" class="btn-show"><i class="far fa-eye"></i></a></td>
            <td><a href="adminHome.php?adminedit=<?=$row['id']; ?>" class="btn-show" style="background: #D5C80E;"><i class="fas fa-user-edit"></i></a></td>
                <td><a onclick = "return confirm('Are you sure you want to delete this account?')?" href="adminHome.php?admindelete=<?=$row['id']; ?>" class="btn-show" style="background: #E01919;"><i class="fas fa-trash-alt"></i></a></td>
                </tr>
                <?php
            }
        ?>
        </tbody>
    </table>
    <?php
    }
    ?>
</div>
<!--record CRUD end-->
</div>
<!--bottom admin account end-->
</div>
<!--admin account end-->
<?php
    }
    if ((($_GET['users'] == 'porters')) {
?
<!--porter account start-->

```

```

<div class="container-user">
    <!--top porter account start-->
    <div class="top-customer">
        <h4 class="title">Porter Accounts</h4>
        <form action="" method="POST" class="search-form">
            <input type="text" name="search" class="search-customer" placeholder="Search">
            <button type="submit" name="submit-searchPorter" class="btn-search"><i class="fas fa-search"></i></button>
        </form>
    </div>
    <!--top porter account end-->
    <!--bottom porter account start-->
    <div class="bottom-customer">
        <!--add record start-->
        <div class="record-left">
            <form action="actionAdminHome.php" method="POST" class="edit-form">
                <h4 class="title">Add Account</h4>
                <input type="hidden" name="type" value="Deliver" />
                <input type="text" class="input-field" name="name" placeholder="Full Name" />
                <input type="text" class="input-field" name="uid" placeholder="Username" />
                <input type="email" class="input-field" name="email" placeholder="Email" />
                <input type="tel" class="input-field" name="phone" placeholder="Phone Number" />
                <input type="password" class="input-field" name="pwd" placeholder="Password" />
                <button type="submit" name="submit-Deliveracc" class="submit-btn">Submit</button>
            </form>
        </div>
        <!--add record end-->
        <!--record CRUD start-->
        <div class="record-right">
            <?php

```

```

        include 'includes/dbh.inc.php';
        if (isset($_POST['submit-
searchPorter'])) {
            $space = '/\s/';
            $search = mysqli_real_escape_string($conn,
$_POST['search']);
            $sql="SELECT * FROM useradmin
WHERE userName LIKE '%$search%' AND
userType = 'Deliver' OR userUid LIKE
'%$search%' AND userType = 'Deliver' OR
id LIKE '%$search%' AND userType =
'Deliver' OR userType LIKE '%$search%'
AND userType = 'Deliver' OR userType
LIKE '%$space%' AND userType = 'Deliver'
OR id LIKE '%$space%' AND userType =
'Deliver' OR userName LIKE '%$space%'
AND userType = 'Deliver' OR userUid LIKE
'%$space%' AND userType = 'Deliver';";
            $result = mysqli_query($conn,
$sql);
            $queryResult = mysqli_num_rows($result);

            if ($queryResult > 0) {
                while ($row = mysqli_fetch_assoc($result)) {
                    ?>
                    <h4>Available Porters</h4>
                    <table>
                        <thead>
                            <tr>
                                <th>ID</th>
                                <th>Name</th>
                                <th>Username</th>
                                <th>Type</th>
                                <td colspan ="3">Action</th>
                            </tr>
                        </thead>
                        <tbody>
                            <tr>
                                <td><?= $row['id']; ?></td>
                                <td><?= $row['userName']; ?></td>
                                <td><?= $row['userUid']; ?></td>
                                <td><?= $row['userType']; ?></td>
                                <td><a href="adminHome.php?adminshow=<?=
$row['id']; ?>" class="btn-show"><i class="far fa-eye"></i></a></td>
                                <td><a href="adminHome.php?adminedit=<?=
$row['id']; ?>" class="btn-show" style="background: #D5C80E;"><i class="fas fa-user-edit"></i></a></td>
                                <td><a onclick = "return confirm('Are you sure you want to delete this account?')"
href="adminHome.php?admindelete=<?=$row['id']; ?>" class="btn-show" style="background: #E01919;"><i class="fas fa-trash-alt"></i></a></td>
                            </tr>
                        </tbody>
                    </table>
                    <?php
                }
                else{
                    ?>
                    <h4 style="color: red; text-align: center;">No Results Found</h4>
                    <?php
                }
            }else{
                ?>
                <h4>Pending Porter</h4>
                <table>
                    <thead>
                        <tr>
                            <th>ID</th>
                            <th>Name</th>
                            <th>Phone</th>
                            <th>Email</th>
                            <td colspan ="3">Action</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php
                            include 'includes/dbh.inc.php';
                            $stmt = $conn->prepare("SELECT * FROM idvalid");
                            $stmt->execute();
                            $res = $stmt->get_result();
                            while($rw = $res->fetch_assoc()){
                                $img = $rw['nameFile'];
                                $sql = $conn->prepare("SELECT * FROM `useradmin`"

```

```

WHERE userType = 'Pending' ORDER BY
`useradmin`.`id` DESC");
    $sql->execute();
    $result = $sql->get_result();
    while ($row = $result-
>fetch_assoc()) {
        ?>
        <tr>
            <td></td>
            <td><?= $row['userName']; ?></td>
            <td><?= $row['userPhone']; ?></td>
            <td><?= $row['userEmail']; ?></td>
            <td><a href="adminHome.php?porterimg=<?= $row['id']; ?>" class="btn-show"><i class="far fa-eye"></i></a></td>
            <td><a href="adminHome.php?portercheck=<?= $row['id']; ?>" class="btn-show" style="background:#3CA42F;"><i class="fas fa-check"></i></a></td>
            <td><a onclick = "return confirm('Are you sure you want to decline this applicant?')><i class="fas fa-times-circle"></i></a></td>
        </tr>
        <?php
    }
}
?>
</tbody>
</table>
<h4 style="margin-top: 2rem;">Available Porters</h4>
<table>
    <thead>
        <tr>
            <th>ID</th>
            <th>Name</th>
            <th>Username</th>
            <th>Type</th>
            <td colspan = "3">Action</th>
        </tr>
    </thead>

```

```

<tbody>
<?php
include 'includes/dbh.inc.php';
$sql = $conn->prepare("SELECT
* FROM useradmin WHERE userType =
'Deliver' ORDER BY `useradmin`.`id` DESC");
$sql->execute();
$result = $sql->get_result();
while ($row = $result-
>fetch_assoc()) {
    ?>
    <tr>
        <td><?= $row['id']; ?></td>
        <td><?= $row['userName']; ?></td>
        <td><?= $row['userUid']; ?></td>
        <td><a href="adminHome.php?portershow=<?= $row['id']; ?>" class="btn-show"><i class="far fa-eye"></i></a></td>
        <td><a href="adminHome.php?porteredit=<?= $row['id']; ?>" class="btn-show" style="background: #D5C80E;"><i class="fas fa-user-edit"></i></a></td>
        <td><a onclick = "return confirm('Are you sure you want to delete this account?')><i class="fas fa-trash-alt"></i></a></td>
    </tr>
    <?php
}
?>
</tbody>
</table>
<?php
?>
</div>
<!--record CRUD end-->
</div>
<!--bottom porter account end-->
</div>
<!--porter account end-->
<!--Product section start-->
<?php

```

```

        mysqli_close($conn);
    }
}
//store tab start
elseif(isset($_GET['store'])){
    if($_GET['store'] == "product"){
        include 'adminProduct.php';
    }
    elseif($_GET['store'] == "order"){
        include 'adminOrder.php';
    }
    elseif($_GET['store'] == "stat"){
        include 'adminStat.php';
    }
}
//store tab end
//more tab start
elseif(isset($_GET['more'])){
    if($_GET['more'] == "refund"){
        include 'adminRefund.php';
    }
    elseif($_GET['more'] == "message"){
        include 'adminMsg.php';
    }
    elseif($_GET['more'] == "reviews"){
        include 'adminReviews.php';
    }
    elseif($_GET['more'] == "archive"){
        include 'adminArchive.php';
    }
}
//more tab end
//notification start
elseif(isset($_GET['notif'])){
    include 'adminNotif.php';
}
//notification end
//Nwes start
elseif(isset($_GET['newshow'])){
    $id = $_GET['newshow'];
    include 'includes/dbh.inc.php';
    $sql = $conn->prepare("SELECT *
FROM news WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
?>
<div class="view">
    <div class="box">

```

<h3>News No. <?= \$row['id'];?></h3>

<hr>

<h5>Date Posted: <?= \$row['newsDate'];?></h5>

">

<h5>Title: <?= \$row['subj'];?></h5>

<p><center><?= \$row['body'];?></center></p>

<a href="adminHome.php?newedit=<?= \$row['id'];?>" class="view-btn">Edit

<a onclick = "return confirm('Are you sure you want to delete this account?')?" href="adminHome.php?newdelete=<?= \$row['id'];?>" class="view-btn">Delete

Cancel

</div>

</div>

<?php

}

mysqli_close(\$conn);

}>

//news edit

elseif(isset(\$_GET['newedit'])){
 \$id = \$_GET['newedit'];
 include 'includes/dbh.inc.php';
 \$sql = \$conn->prepare("SELECT *
FROM news WHERE id = '\$id';");
 \$sql->execute();
 \$result = \$sql->get_result();
 while(\$row = \$result->fetch_assoc()){
?>
<div class="view">
 <div class="box2">
 <div class="title">
 <h3>News and Announcements No. <?= \$row['id'];?></h3>

<hr>

</div>

<div class="form-edit" style="display: grid; grid-template-columns: 1fr;?>

<form action="adminActionMsg.php"

```

method="POST" enctype="multipart/form-data" class="prodImage edit-form">
    <input type="hidden" name="id" value="<?= $row['id']; ?>">
    <input type="file" name="file" style="background: inherit; color: #fff;">
    <input type="text" name="subj" class="input-field" style="margin: 0.5rem 0; padding: 0.5rem;" value="<?= $row['subj']; ?>" placeholder="Enter Title/Subject">
        <textarea name="body" col="10" row="10" style="margin: 0.5rem 0; padding: 0.5rem; height: 120px;" placeholder="Enter News or Announcement"><?= $row['body']; ?></textarea>
        <button type="submit" name="submitNews" class="btn">Update</button>
        <a href="adminHome.php?more=message" class="view-btn" style="width: 120px; height: 40px;">Cancel</a>
    </form>
</div>
</div>
</div>
<?php
    }
    }
//news end
//refund start
elseif(isset($_GET['viewRefund'])){
    $id = $_GET['viewRefund'];
    include 'includes/dbhStore.inc.php';
    $sql = $conn->prepare("SELECT * FROM refundorder WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $img = $row['prodimg'];
        $orderCode = $row['orderCode'];
        $prodDesc = $row['prodDesc'];
        $stmt = $conn->prepare("SELECT * FROM archorder WHERE orderCode = '$orderCode';");
        $stmt->execute();
        $res = $stmt->get_result();
        while($rw = $res->fetch_assoc()){
            $userName = $rw['userName'];
            $userEmail = $rw['userEmail'];
            $userPhone = $rw['userPhone'];
            $userAdd = $rw['userAdd'];
            $pmode = $rw['pmode'];
            $products = $rw['products'];
            $amountPaid = $rw['amountPaid'];
        }
    }
}
$prodDesc;?><h5>Description of Request: <?= $prodDesc;?><h5>
<h5>Full Name: <?= $userName;?><h5>
<h5>Email Address: <?= $userEmail;?><h5>
<h5>Phone Number: <?= $userPhone;?><h5>
<h5>Address: <?= $userAdd;?><h5>
<h5 style="text-align: center;">Products: <?= $products;?><h5>
<?php
if($pmode == 'cod'){
    echo '<h5>Payment Mode: Cash On Delivery<h5>';
}
elseif($pmode == 'pop'){
    echo '<h5>Payment Mode: Payment On Pickup<h5>';
}
elseif($pmode == 'credit'){
    echo '<h5>Payment Mode: Credit Card<h5>';
}
?>
<h5>Amount Paid: php <?= number_format($amountPaid, 2); ?><h5>
<a href="adminHome.php?refundapprove=<?= $id ?>" class="view-btn">Approve</a>
<a onclick = "return confirm('Are you sure you want to delete this account?')>
```

```

        href="adminHome.php?refunddecline=<?= $id;" class="view-btn">Decline</a>
            <a href="adminHome.php?more=refund" class="view-btn">Cancel</a>
                </div>
            </div>
            <?php
        }
        elseif(isset($_GET['prodshow'])) {
            $id = $_GET['prodshow'];
        ?>
        <!--product item view start-->
        <div class="view">
            <div class="box4">
                <?php
                    error_reporting(-1);
                    ini_set('display_errors', true);
                    include 'includes/dbhStore.inc.php';
                    $sql = $conn->prepare("SELECT * FROM prodcut WHERE id = '$id';");
                    $sql->execute();
                    $result = $sql->get_result();
                    while ($row = $result->fetch_assoc()) {
                        ?>
                        <h3>Product Detail No. <?= $row['id']; ?></h3>
                        <hr>
                        ">
                            <h5>Product Code: <?= $row['productCode']; ?></h5>
                            <h5>Product Name: <?= $row['productName']; ?></h5>
                            <h5 style="margin:0 1rem;"><center>Description: <?= $row['productDesc']; ?></center></h5>
                            <h5>Brand: <?= $row['brand']; ?></h5>
                            <h5>Type: <?= $row['typeProd']; ?></h5>
                            <h5>Stock: <?= $row['productStock']; ?></h5>
                            <h5>Sale Price: <?= $row['productPrice']; ?></h5>
                            <h5>Original Price: <?= $row['origPrice']; ?></h5>
                <?php
                    if($row['feature'] == 0){
                        echo'<h5>Featured: False</h5>';
                    }else{
                        echo'<h5>Featured: True</h5>';
                    }
                ?>
                <a href="adminHome.php?prodedit=<?= $row['id']; ?>" class="view-btn">Edit</a>
                    <a onclick = "return confirm('Are you sure you want to delete this account?')?" href="adminHome.php?proddelete=<?= $row['id']; ?>" class="view-btn">Delete</a>
                <a href="adminHome.php?store=product" class="view-btn">Cancel</a>
            </div>
        </div>
        <!--product item view end-->
        <!--Product Section end -->
        <?php
            mysqli_close($conn);
        }
    }
    elseif(isset($_GET['prodedit'])) {
        $id = $_GET['prodedit'];
    ?>
    <!--Product Edit Info Start-->
    <div class="view" style="background:#444;">
        <div class="box2" style="height:800px; margin-top: 12rem;">
            <?php
                include 'includes/dbhStore.inc.php';
                $sql = $conn->prepare("SELECT * FROM prodcut WHERE id = '$id';");
                $sql->execute();
                $result = $sql->get_result();
                while ($row = $result->fetch_assoc()) {
                    ?>
                    <div class="title">
                        <h3>Product Detail No. <?= $row['id']; ?></h3>
                        <hr>
                    </div>
                    <div class="form-edit" style="display: grid; grid-template-columns: 1fr;">
                        <form action="actionAdminHome.php"

```

```

method="POST" enctype="multipart/form-data" class="prodImage">
    <h5>Product Image</h5>
    <input type="hidden" name="id" value="<?= $row['id']; ?>">
    <input type="file" name="file">
    <button type="submit" name="submitImage" class="btn">Upload</button>
</form>
<form action="actionAdminHome.php" method="POST" class="edit-form">
    <input type="hidden" name="id" value="<?= $row['id']; ?>">
    <input type="text" class="input-field" name="pname" value="<?= $row['productName']; ?>" placeholder="Product Name"/>
    <button type="submit" name="productSubmit-editName" class="submit-btn">Submit</button>
</form>
<form action="actionAdminHome.php" method="POST" class="edit-form">
    <input type="hidden" name="id" value="<?= $row['id']; ?>">
    <input type="text" class="input-field" name="PCODE" value="<?= $row['productCode']; ?>" placeholder="Product Code"/>
    <button type="submit" name="productSubmit-editCode" class="submit-btn">Submit</button>
</form>
<form action="actionAdminHome.php" method="POST" class="edit-form">
    <input type="hidden" name="id" value="<?= $row['id']; ?>">
    <input type="text" class="input-field" name="pdesc" value="<?= $row['productDesc']; ?>" placeholder="Product Description"/>
    <input type="text" class="input-field" name="brand" value="<?= $row['brand']; ?>" placeholder="Brand" />
    <input type="text" class="input-field" name="type" value="<?= $row['typeProd']; ?>" placeholder="Type" />
    <input type="number" min="1" class="input-field" name="stock" value="<?= $row['productStock']; ?>" placeholder="Stock" />
    <input type="number" min="1" step="0.01" class="input-field" name="pprice" value="<?= $row['productPrice']; ?>" placeholder="Sale Price" />
    <input type="number" min="1" step="0.01" class="input-field" name="oprice" value="<?= $row['origPrice']; ?>" placeholder="Original Price" />
    <select name="feature" class="form-control">
        <option value="" selected disabled>Product Feature</option>
        <option value="True">True</option>
        <option value="False">False</option>
    </select>
    <button type="submit" name="productSubmit-editProd" class="submit-btn" style="width: 120px; height: 40px;">Submit</button>
    <a href="adminHome.php?store=product" class="view-btn" style="width: 120px; height: 40px;">Cancel</a>
</form>
</div>
</div>
</div>
<!--Product Edit Info End-->
<?php
    }
    mysqli_close($conn);
    }
    elseif (isset($_GET['portershow'])) {
        $id = $_GET['portershow'];
    ?>
<!--Porter Account View Info Start-->
<div class="view">
    <div class="box">
        <?php
            include_once 'includes/dbh.inc.php';
            $sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");
            $sql->execute();
        </?>
    </div>
</div>

```

```

        $result = $sql->get_result();
        while      ($row      =      $result-
>fetch_assoc()) {
            ?>
                <h3>Porter Detail No. <?=
$row['id'];?></h3>
                <hr>
                <h5>Full Name: <?=
$row['userName'];?></h5>
                <h5>Username: <?=
$row['userUid'];?></h5>
                <h5>Email Address: <?=
$row['userEmail'];?></h5>
                <h5>Phone Number: <?=
$row['userPhone'];?></h5>
                <a
href="adminHome.php?porteredit=<?=
$row['id']; ?>" class="view-btn">Edit</a>
                <a onclick = "return confirm('Are
you sure you want to delete this accountt?')"
href="adminHome.php?porterdelete=<?=
$row['id'];?>" class="view-btn">Delete</a>
                <a
href="adminHome.php?users=porters"
class="view-btn">Cancel</a>
            </div>
        </div>
        <!--Porter Account View Info End-->
    <?php
        mysqli_close($conn);
    }
}
elseif (isset($_GET['porterimg'])) {
    $id = $_GET['porterimg'];
?
<!--Porter Validate ID View Start-->
<div class="view">
    <div class="box3">
        <?php
            include_once 'includes/dbh.inc.php';
            $stmt = $conn->prepare("SELECT
* FROM idvalid WHERE userId = '$id';");
            $stmt->execute();
            $res = $stmt->get_result();
            while($rw = $res->fetch_assoc()){
                $img = $rw['nameFile'];
            }
            $sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");
            $sql->execute();
            $result = $sql->get_result();
        </div>
    </div>
    <!--Porter Validate ID View End-->
    <?php
        mysqli_close($conn);
    }
}
elseif (isset($_GET['adminshow'])) {
    $id = $_GET['adminshow'];
?
<!--Admin Account View Info Start-->
<div class="view">
    <div class="box">
        <?php
            include_once 'includes/dbh.inc.php';
            $sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");
            $sql->execute();
            $result = $sql->get_result();
            while      ($row      =      $result-
>fetch_assoc()) {
                ?>
                    while      ($row      =      $result-
>fetch_assoc()) {
                        ?
                            <h3>Porter Detail No. <?=
$row['id'];?></h3>
                            <hr>
                            ">
                            <h5>Full Name: <?=
$row['userName'];?></h5>
                            <h5>Username: <?=
$row['userUid'];?></h5>
                            <h5>Email Address: <?=
$row['userEmail'];?></h5>
                            <h5>Phone Number: <?=
$row['userPhone'];?></h5>
                            <a
href="adminHome.php?portercheck=<?=
$row['id']; ?>" class="view-btn">Approve</a>
                            <a onclick = "return confirm('Are
you sure you want to delete this accountt?')"
href="adminHome.php?porterdecline=<?=
$row['id'];?>" class="view-btn">Decline</a>
                            <a
href="adminHome.php?users=porters"
class="view-btn">Cancel</a>
                        </div>
                    </div>
                    <!--Admin Account View Info End-->
                    <?php
                        mysqli_close($conn);
                    }
}

```

```

        <h3>Admin Detail No. <?= $row['id']; ?></h3>
        <hr>
        <h5>Full Name: <?= $row['userName']; ?></h5>
        <h5>Username: <?= $row['userUid']; ?></h5>
        <h5>Email Address: <?= $row['userEmail']; ?></h5>
        <h5>Phone Number: <?= $row['userPhone']; ?></h5>
        <a href="adminHome.php?adminedit=<?= $row['id']; ?>" class="view-btn">Edit</a>
            <a onclick = "return confirm('Are you sure you want to delete this accountt?')"
               href="adminHome.php?admindelete=<?= $row['id']; ?>" class="view-btn">Delete</a>
        <a href="adminHome.php?users=admin" class="view-btn">Cancel</a>
        </div>
    </div>
    <!--Admin Account View Info End-->
    <?php
        mysqli_close($conn);
    }
}
elseif (isset($_GET['usershow'])) {
    $userid = $_GET['usershow'];
?
<!--customer view info start-->


<div class="box">
        <?php
            include 'includes/dbh.inc.php';
            $sql = $conn->prepare("SELECT *
FROM users WHERE userId = '$userid';");
            $sql->execute();
            $result = $sql->get_result();
            while ($row = $result->fetch_assoc()) {
?
            <h3>Customer Detail No. <?= $row['userId']; ?></h3>
            <hr>
            <h5>Full Name: <?= $row['userName']; ?></h5>
            <h5>Username: <?= $row['userUid']; ?></h5>
            <h5>Email Address: <?= $row['userEmail']; ?></h5>
            <h5>Phone Number: <?= $row['userPhone']; ?></h5>
            <?php
                if($row['verified'] == 1){
?
                    <h5>Verified: True</h5>
                <?php
                }else{
?
                    <h5>Verified: False</h5>
                <?php
                }
?
            <h5>Date Created: <?= $row['userDate']; ?></h5>
            <h5>Loyalty Points: <?= $row['loyalpts']; ?></h5>
            <a href="adminHome.php?useredit=<?= $row['userId']; ?>" class="view-btn">Edit</a>
                <a onclick = "return confirm('Are you sure you want to delete this accountt?')"
                   href="adminHome.php?delete=<?= $row['userId']; ?>" class="view-btn">Delete</a>
            <a href="adminHome.php?users=customers" class="view-btn">Cancel</a>
        </div>
    </div>
    <!--customer view info end-->
    <?php
        mysqli_close($conn);
    }
}
elseif(isset($_GET['adminedit'])){
    $id = $_GET['adminedit'];
?
<!--Admin User Edit Info Start-->


<div class="box2">
        <?php
            include_once 'includes/dbh.inc.php';
            $sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");


```

```

$sql->execute();
$result = $sql->get_result();
while ($row = $result->fetch_assoc()) {
    ?>
    <div class=title>
        <h3>Admin Detail No. <?=$row['id']; ?></h3>
        <hr>
    </div>
    <div class="form-edit">
        <form
            action="actionAdminHome.php"
            method="POST" class="edit-form">
            <input type="hidden" name="id" value="<?=$row['id']; ?>">
            <input type="text" class="input-field" name="name" value="<?=$row['userName']; ?>" placeholder="Full Name"/>
            <select name="type" class="form-control">
                <option value="" selected disabled>Select Account Type</option>
                <option value="Admin">Admin</option>
                <option value="Deliver">Delivery</option>
            </select>
            <button type="submit" name="adminSubmit-editacc" class="submit-btn">Submit</button>
        </form>
    <form
        action="actionAdminHome.php"
        method="POST" class="edit-form">
            <input type="hidden" name="id" value="<?=$row['id']; ?>">
            <input type="text" class="input-field" name="email" value="<?=$row['userEmail']; ?>" placeholder="Email"/>
            <button type="submit" name="adminSubmit-editaccEmail" class="submit-btn">Submit</button>
        </form>
    <form
        action="actionAdminHome.php"
        method="POST" class="edit-form">
            <input type="hidden" name="id" value="<?=$row['id']; ?>">
            <input type="tel" class="input-field" name="phone" value="<?=$row['userPhone']; ?>" placeholder="Phone Number"/>
            <button type="submit" name="adminSubmit-editaccPhone" class="submit-btn">Submit</button>
        </form>
    </div>
    <!--Admin User Edit Info End-->
    <?php
    }
    mysqli_close($conn);
}
elseif(isset($_GET['porteredit'])){
    $id = $_GET['porteredit'];
?>
<!--Porter User Edit Info Start-->

```

```

<div class="view" style="background:#444;">
    <div class="box2" style="height:800px; margin-top: 12rem;">
        <?php
            include_once 'includes/dbh.inc.php';
            $sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");
            $sql->execute();
            $result = $sql->get_result();
            while ($row = $result->fetch_assoc()) {
                ?>
                <div class="title">
                    <h3>Porter Detail No. <?= $row['id']; ?></h3>
                    <hr>
                </div>
                <div class="form-edit" style="display: grid; grid-template-columns: 1fr;">
                    <form action="actionAdminHome.php" method="POST" class="edit-form">
                        <input type="hidden" name="id" value="<?= $row['id']; ?>">
                        <input type="text" class="input-field" name="uid" value="<?= $row['userUid']; ?>" placeholder="Username"/>
                        <button type="submit" name="porterSubmit-editaccUid" class="submit-btn">Submit</button>
                    </form>
                    <form action="actionAdminHome.php" method="POST" class="edit-form">
                        <input type="hidden" name="id" value="<?= $row['id']; ?>">
                        <input type="email" class="input-field" name="email" value="<?= $row['userEmail']; ?>" placeholder="Email"/>
                        <button type="submit" name="porterSubmit-editaccEmail" class="submit-btn">Submit</button>
                    </form>
                    <form action="actionAdminHome.php" method="POST" class="edit-form">
                        <input type="hidden" name="id" value="<?= $row['id']; ?>">
                        <input type="hidden" name="type" value="Deliver">
                        <input type="text" class="input-field" name="name" value="<?= $row['userName']; ?>" placeholder="Full Name"/>
                        <button type="submit" name="porterSubmit-editacc" class="submit-btn">Submit</button>
                    </form>
                    <form action="actionAdminHome.php" method="POST" class="edit-form">
                        <input type="hidden" name="id" value="<?= $row['id']; ?>">
                        <input type="password" class="input-field" name="pwd" placeholder="New Password" />
                        <button type="submit" name="porterSubmit-editaccPwd" class="submit-btn" style="width: 120px; height: 40px;">Submit</button>
                    <a href="adminHome.php?users=porters" class="view-btn" style="width: 120px; height: 40px;">Cancel</a>
                    </form>
                </div>
            </div>
        <!--Porter User Edit Info End-->
        <?php
            mysqli_close($conn);
        }
        elseif(isset($_GET['useredit'])) {

```

```

        $userid = $_GET['useredit'];
    ?>
    <!--Customer Edit Info Start-->
    <div class="view" style="background:
#444;">
        <div class="box2">
            <?php
                include 'includes/dbh.inc.php';
                $sql = $conn->prepare("SELECT *
FROM users WHERE userId = '$userid';");
                $sql->execute();
                $result = $sql->get_result();
                while ($row = $result-
>fetch_assoc()) {
                    ?>
                    <div class=title>
                        <h3>Customer Detail No. <?=
$row['userId']; ?></h3>
                        <hr>
                    </div>
                    <div class="form-edit">
                        <form
                            action="actionAdminHome.php"
                            method="POST" class="edit-form">
                            <input type="hidden"
                                name="id" value="<?= $row['userId']; ?>">
                            <input type="text" class="input-
field" name="uid" value="<?=
$row['userUid']; ?>" placeholder="Username"/>
                            <button type="submit"
                                name="submit-editaccUid" class="submit-
btn">Submit</button>
                        </form>
                    <form
                        action="actionAdminHome.php"
                        method="POST" class="edit-form">
                            <input type="hidden"
                                name="id" value="<?= $row['userId']; ?>">
                            <input type="email"
                                class="input-field" name="email"
                                value="<?=
$row['userEmail']; ?>" placeholder="Email"/>
                            <button type="submit"
                                name="submit-editaccEmail" class="submit-
btn">Submit</button>
                        </form>
                    <form
                        action="actionAdminHome.php"
                        method="POST" class="edit-form">

```

<input type="hidden" name="id" value="<?= \$row['userId']; ?>">

<input type="tel" class="input-field" name="phone" value="<?= \$row['userPhone']; ?>" placeholder="Phone Number"/>

<button type="submit" name="submit-editaccPhone" class="submit-btn">Submit</button>

</form>

<form action="actionAdminHome.php" method="POST" class="edit-form">

<input type="hidden" name="id" value="<?= \$row['userId']; ?>">

<input type="text" class="input-field" name="name" value="<?= \$row['userName']; ?>" placeholder="Full Name"/>

<input type="text" class="input-field" name="address" value="<?= \$row['userAdd']; ?>" placeholder="Address"/>

<div class="radio-button">

<h4>Verified</h4>

<input type="radio" id="true" name="verified" value="1">

<label for="true">True</label>

<input type="radio" id="false" name="verified" value="0">

<label for="false">False</label>

</div>

<button type="submit" name="submit-editacc" class="submit-btn">Submit</button>

</form>

<form action="actionAdminHome.php" method="POST" class="edit-form">

<input type="hidden" name="id" value="<?= \$row['userId']; ?>">

<input type="password" class="input-field" name="pwd" placeholder="New Password" />

<button type="submit" name="submit-editaccPwd" class="submit-btn" style="width: 120px; height: 40px;">Submit</button>

```

        <a
href="adminHome.php?users=customers"
class="view-btn" style="width: 120px;
height: 40px;">Cancel</a>
        </form>
    </div>
</div>
</div>
<!--Customer Edit Info End-->
<?php
}
mysqli_close($conn);
}
else {
?>
<!--dashboard start-->
<!--top start-->
<div class="dashboard-top">

    <a
href="adminHome.php?users=customers">
        <div class="info-box"
style="background: #84C9EA;">
            <i class="fas fa-user-circle"></i>
            <p>
                <?php
                    include 'includes/dbh.inc.php';
                    $sql = "SELECT count(userId) AS
total FROM users";
                    $result = mysqli_query($conn,$sql);
                    $values
                    =
                    mysqli_fetch_assoc($result);
                    $num_rows = $values['total'];
                    if ($num_rows > 0) {
                        echo $num_rows;
                    }else {
                        echo "0";
                    }
                    mysqli_close($conn);
                ?>
            </p>
            <p>User Accounts</p>
        </div>
    </a>
    <a
href="adminHome.php?store=order">
        <div class="info-box"
style="background: #A7EA84;">
            <i class="fas fa-shopping-cart"></i>
            <p>
                <?php

```

```

include 'includes/dbhStore.inc.php';
$sql = "SELECT count(id) AS total
FROM orders WHERE orderStatus =
'Pending';";
$result = mysqli_query($conn,$sql);
$values
=
mysqli_fetch_assoc($result);
$num_rows = $values['total'];
if ($num_rows > 0) {
    echo     '<p style="color:
#DA0202;">'.$num_rows.'</p>';
}else {
    echo "0";
}
mysqli_close($conn);
?>
</p>
<p>Pending Orders</p>
</div>
</a>
<a
href="adminHome.php?more=refund">
        <div class="info-box"
style="background: #EA9E84;">
            <i class="fas fa-file-invoice-dollar"></i>
            <p>
                <?php
                    include 'includes/dbhStore.inc.php';
                    $sql = "SELECT count(id) AS total
FROM refundorder";
                    $result = mysqli_query($conn,$sql);
                    $values
                    =
                    mysqli_fetch_assoc($result);
                    $num_rows = $values['total'];
                    if ($num_rows > 0) {
                        echo     '<p style="color:
#DA0202;">'.$num_rows.'</p>';
}else {
    echo "0";
}
                    mysqli_close($conn);
                ?>
            </p>
            <p>Refund Orders</p>
        </div>
    </a>
    <a
href="adminHome.php?users=porters">
        <div class="info-box"
style="background:#C184EA;">

```

```

<i class="fas fa-truck"></i>
<p>
<?php
include 'includes/dbh.inc.php';
$sql = "SELECT count(userId) AS
total FROM idvalid;";
$result = mysqli_query($conn,$sql);
$values =
mysqli_fetch_assoc($result);
$num_rows = $values['total'];
if ($num_rows > 0) {
echo '<p style="color:
#DA0202;">'.$num_rows.'</p>';
} else {
echo "0";
}
mysqli_close($conn);
?>
</p>
<p>Pending Porters</p>
</div>
</a>
</div>
<!--top end-->
<!--bottom start-->
<div class="dashboard-bottom">
<div id="curve_chart"></div>
<div class="data">
<h5 class="title">Order History (last
10)</h5>
<hr>
<ul>
<li><p>Order
Code</p><p>Amount Paid (php)</p></li>
<?php
$mysql = new
mysqli('localhost','u391276243_user','v5mY
:@bPZJ:','u391276243_mydb') or
die(mysqli_error($mysql));
$result = $mysql->query("SELECT
* FROM archorder WHERE orderStatus =
'Delivered' ORDER BY 'id' DESC LIMIT
10;") or die($mysql->error);
while($row = $result-
>fetch_assoc()){
?>
<li><p class="summary"><?=
$row['orderCode']; ?> </p> <p> <?=
number_format($row['amountPaid'], 2);
?></p></li>
<?php
}
}

mysqli_close($mysql);
?>
</ul>
</div>
</div>
<!--bottom end-->
<!--dashboard end-->
<?php
}
?>
</div>
<!-- main container end -->
</div>
<!-- wrapper end -->
<script src="js/jquery.magnify.js"
charset="UTF-8"></script>
<script>
$(document).ready(function() {
$('.zoom').magnify();
});
</script>
<script type="text/javascript">
$(document).ready(function () {
$(".sidebar-btn").click(function () {
$(".wrapper").toggleClass("collapse");
});
});
</script>
</body>
</html>

userCart.php
<!-- Programmed by: Isaiah John Ching
Fernando -->
<?php
session_start();
if ($_SESSION["userUid"] == null) {
header("location: index.php");
exit();
}
if($_SESSION["userType"] == "Deliver" ||
$_SESSION["userType"] == "Pending"){
header("location:
adminUserLogin.php?error=notallowed");
session_unset();
session_destroy();
exit();
}
$userId = $_SESSION["userId"];
$userUid = $_SESSION["userUid"];

```

```

$userEmail = $_SESSION["userEmail"];
$userPhone = $_SESSION["userPhone"];
$userType = $_SESSION["userType"];

if(isset($_GET['delete'])){
    $id = $_GET['delete'];

    include_once 'includes/dbh.inc.php';
    $sql = $conn->prepare("SELECT * FROM
users WHERE userId = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $userId = $row['userId'];
        $userName = $row['userName'];
        $userEmail = $row['userEmail'];
        $userUid = $row['userUid'];
        $userPhone = $row['userPhone'];
        $userAdd = $row['userAdd'];
        $userPwd = $row['userPwd'];
        $verified = $row['verified'];
        $userType = $row['userType'];
        $vKey = $row['vKey'];
        $loyalpts = $row['loyalpts'];

        $stmt = $conn->prepare("INSERT INTO
archusers
(userId,userName,userEmail,userUid,userPh
one,userAdd,userPwd,verified,userType,vK
ey,loyalpts) VALUES
('$userId','$userName','$userEmail','$userUi
d','$userPhone','$userAdd','$userPwd','$verif
ied','$userType','$vKey','$loyalpts');");
        $stmt->execute();
        // info to send email
        $to = $userEmail;
        $subject = "Account Deletion | Michella's
Pick N' Shop";

        //html message
        $message = '
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
    <script>
        <!-- CSS -->
        <link href="https://kit.fontawesome.com/824d2c43
ce.js" rel="stylesheet" crossorigin="anonymous">
        <!-- JS -->
        <script src="https://kit.fontawesome.com/824d2c43
ce.js" crossorigin="anonymous">
    </script>
<title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family: Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin:
auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform: uppercase;">Michelle's</i></center>
            <center><h1 style="margin:
0px;"><a href="https://michellapicknshop.com/index.
php" style ="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px;
color: #49b7ca;"> Pick N'
Shop</i></a></h1></center>
        </div>

        <div style="font-size: 1rem; padding:
25px; background-color: #f4f4f4;
moz-border-radius: 10px; -webkit-
border-radius: 10px; border-radius: 10px; -
khtml-border-radius: 10px;
border-color: #49b7ca; border-width:
4px 1px; border-style: solid;">
            <h1 style="font-size:
22px;"><center>Your Account Has Been
Deleted</center></h1>

            <i style="font-size:
12px;"><center>This is an email sent to you
to notify you that your account has been
removed. Do not reply to this
message.</center></i>

            <p><center>Below are reasons to
why your account has been
removed</center></p>
            <p><center>1) You have violated the
Terms and Conditions/Privacy
Policy</center></p>
    </div>
</div>
</body>
</html>
';
    }
}

```

```

<p><center>2) You have requested
account removal</center></p>
<p style="display: flex; justify-
content: center; margin-top:
10px;"><center>
<a href="https://michellapicknshop.com/index.
php" style="border: 1px solid #056183;
background-color: #49b7ca;
color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">Visit
Us Again</a>
</center></p>
</div>
</div>
</body>
</html>
';

// email headers
$headers = "From: Michella's Pick N' Shop
<kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-
Type:text/html; charset=UTF-8" . "\r\n";

mail($to, $subject, $message, $headers);
//delete
$del = $conn->prepare("DELETE FROM
users WHERE userId = '$userId';");
$del->execute();
header('location:
adminHome.php?users=customers');
mysqli_close($conn);
}

}

if(isset($_GET['admindelete'])){
$id = $_GET['admindelete'];

include_once 'includes/dbh.inc.php';
$sql = $conn->prepare("SELECT * FROM
useradmin WHERE id = '$id';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
$userName = $row['userName'];
$userEmail = $row['userEmail'];
$userUid = $row['userUid'];
$userPhone = $row['userPhone'];
$userPwd = $row['userPwd'];
}

$userType = $row['userType'];

$stmt = $conn->prepare("INSERT INTO
archuseradmin
(userName,userUid,userEmail,userPhone,us
erType,userPwd)
VALUES
('$userName','$userUid','$userEmail','$userP
hone','$userType','$userPwd');");
$stmt->execute();
// info to send email
$to = $userEmail;
$subject = "Account Deletion | Michella's
Pick N' Shop";

//html message
$message =
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
<script
src="https://kit.fontawesome.com/824d2c43
ce.js"
crossorigin="anonymous">
</script>
<title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family:
Helvetica, arial, sans-serif;">
<div style="max-width: 600px; margin:
auto; padding: 20px;">
<div>
<center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform:
uppercase;">Michella's</i></center>
<center><h1 style="margin:
0px;"><a href="https://michellapicknshop.com/index.
php" style ="text-decoration: none;"><i
class="fab fa-opencart" style="height: 50px;
color: #49b7ca;"> Pick N'
Shop</i></a></h1></center>
</div>

```

```

<div style="font-size: 1rem; padding: 25px; background-color: #f4f4f4;
    moz-border-radius: 10px; -webkit-border-radius: 10px; border-radius: 10px; -khtml-border-radius: 10px;
    border-color: #49b7ca; border-width: 4px 1px; border-style: solid;">

    <h1 style="font-size: 22px;"><center>Your Account Has Been Deleted</center></h1>

    <i style="font-size: 12px;"><center>This is an email sent to you to notify you that your account has been removed. Do not reply to this message.</center></i>

    <p><center>Below are reasons to why your account has been removed</center></p>
    <p><center>1) You have violated the Terms and Conditions/Privacy Policy</center></p>
    <p><center>2) You have requested account removal</center></p>
    <p style="display: flex; justify-content: center; margin-top: 10px;"><center>
        <a href="https://michellapicknshop.com/index.php" style="border: 1px solid #056183; background-color: #49b7ca; color: #fff; text-decoration: none; font-size: 16px; padding: 10px 20px;">Visit Us Again</a>
    </center></p>
    </div>
</div>
</body>
</html>
';

// email headers
$headers = "From: Michella's Pick N' Shop <kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-Type:text/html; charset=UTF-8" . "\r\n";
mail($to, $subject, $message, $headers);

//delete
$del = $conn->prepare("DELETE FROM useradmin WHERE id = '$id';");
$del->execute();
header('location: adminHome.php?users=admin');
mysqli_close($conn);
}

if(isset($_GET['portercheck'])){
    $id = $_GET['portercheck'];
    error_reporting(-1);
    ini_set('display_errors', true);
    include_once 'includes/dbh.inc.php';
    $stmt = $conn->prepare("SELECT * FROM useradmin WHERE id = '$id';");
    $stmt->execute();
    $result = $stmt->get_result();
    while($row = $result->fetch_assoc()){
        $name = $row['userName'];
        $email = $row['userEmail'];
        // info to send email
        $to = $email;
        $subject = "Porter Application Approved | Michella's Pick N' Shop";

        //html message
        $message =
            '<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script
        src="https://kit.fontawesome.com/824d2c43ce.js"
        crossorigin="anonymous"></script>
    <title>Document</title>
</head>
<body style="color: #000; font-size: 16px; text-decoration: none; font-family: Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin: auto; padding: 20px;">
        <div>

```

```

<center><i style="font-size: 10px; font-family: Helvetica, arial, sans-serif; letter-spacing: 2px; text-transform: uppercase;">Michella's</i></center>
<center><h1 style="margin: 0px;"><a href="https://michellapicknshop.com/index.php" style="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px; color: #49b7ca;"> Pick N' Shop</i></a></h1></center>
</div>

<div style="font-size: 1rem; padding: 25px; background-color: #f4f4f4; moz-border-radius: 10px; -webkit-border-radius: 10px; border-radius: 10px; -khtml-border-radius: 10px; border-color: #49b7ca; border-width: 4px 1px; border-style: solid;">

<h1 style="font-size: 22px;"><center>You have been approved to be one of our porters</center></h1>

<i style="font-size: 12px;"><center>This is an email sent to you to notify you that your account has been approved. Do not reply to this message.</center></i>

<p><center>Welcome '$name.' to our company.</center></p>
<p><center>We will assign orders for you to complete</center></p>
<p><center>In your account you will find instructions, follow them to complete your order</center></p>
<p style="display: flex; justify-content: center; margin-top: 10px;"><center>
<a href="https://michellapicknshop.com/adminUserLogin.php" style="border: 1px solid #056183; background-color: #49b7ca; color: #fff; text-decoration: none; font-size: 16px; padding: 10px 20px;">Login to your account</a>
</center></p>
<p><center>Or use this link <a href="https://michellapicknshop.com/adminUserLogin.php">https://michellapicknshop.com/adminUserLogin.php</a></center></p>
</div>
</body>
</html>
';

// email headers
$headers = "From: Michella's Pick N' Shop <kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-Type:text/html;charset=UTF-8" . "\r\n";

mail($to, $subject, $message, $headers);
}

$delfile = $conn->prepare("SELECT * FROM idvalid WHERE userId = '$id';");
$delfile->execute();
$res = $delfile->get_result();
while($rw = $res->fetch_assoc()){
    $file = $rw['nameFile'];
    $file_to_delete = "resellerID/$file";
    unlink($file_to_delete);
}
$sql = $conn->prepare("DELETE FROM idvalid WHERE userId = '$id';");
$sql->execute();
$update = $conn->prepare("UPDATE useradmin SET userType = 'Deliver' WHERE id = '$id';");
$update->execute();
header('location: adminHome.php?users=porters');
mysqli_close($conn);
}

if(isset($_GET['porterdelete'])){
    $id = $_GET['porterdelete'];
    error_reporting(-1);
    ini_set('display_errors', true);
    include_once 'includes/dbh.inc.php';
    $sql = $conn->prepare("SELECT * FROM useradmin WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
}

```

```

while($row = $result->fetch_assoc()){
    $userName = $row['userName'];
    $userEmail = $row['userEmail'];
    $userUid = $row['userUid'];
    $userPhone = $row['userPhone'];
    $userPwd = $row['userPwd'];
    $userType = $row['userType'];

    $stmt = $conn->prepare("INSERT INTO
archuseradmin
(userName,userUid,userEmail,userPhone,us
erType,userPwd)                      VALUES
('{$userName}', '{$userUid}', '{$userEmail}', '{$userP
hone}', '{$userType}', '{$userPwd}');");
    $stmt->execute();
    // info to send email
    $to = $email;
    $subject = "Porter Account Deletion | Michella's Pick N' Shop";

    //html message
    $message =
    <!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
    <script
src="https://kit.fontawesome.com/824d2c43
ce.js"
        crossorigin="anonymous"
    ></script>
    <title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family:
Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin:
auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform:
uppercase;">Michelle's</i></center>
            <center><h1 style="margin:
0px;"><a href="https://michellapicknshop.com/index.
php" style ="text-decoration: none;"><i

```

```

class="fab fa-opencart" style="height: 50px;
color: #49b7ca;"> Pick N'
Shop</i></a></h1></center>
</div>

<div style="font-size: 1rem; padding:
25px; background-color: #f4f4f4;
moz-border-radius: 10px; -webkit-
border-radius: 10px; border-radius: 10px; -
khtml-border-radius: 10px;
border-color: #49b7ca; border-width:
4px 1px; border-style: solid;">

<h1 style="font-size:
22px;"><center>Your Account Has Been
Deleted</center></h1>

<i style="font-size:
12px;"><center>This is an email sent to you
to notify you that your account has been
removed. Do not reply to this
message.</center></i>

<p><center>Below are reasons to
why your account has been
removed</center></p>
<p><center>1) You have violated the
Terms and Conditions/Privacy
Policy</center></p>
<p><center>2) You have requested
account removal</center></p>
<p style="display: flex; justify-
content: center; margin-top:
10px;"><center>
    <a
href="https://michellapicknshop.com/index.
php" style="border: 1px solid #056183;
background-color: #49b7ca;
color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">Visit
Us Again</a>
</center></p>
</div>
</div>
</body>
</html>
';

// email headers
$headers = "From: Michella's Pick N'
Shop <kaikelaloni28@gmail.com> \r\n";

```

```

$headers .= "MIME-Version: 1.0" .
"\r\n";
$headers .= "Content-
Type:text/html; charset=UTF-8" . "\r\n";

mail($to, $subject, $message, $headers);
}

$del = $conn->prepare("DELETE FROM
useradmin WHERE id = '$id';");
$del->execute();
header('location:
adminHome.php?users=porters');
mysqli_close($conn);
}

if(isset($_GET['porterdecline'])){
$id = $_GET['porterdecline'];
error_reporting(-1);
ini_set('display_errors', true);
include_once 'includes/dbh.inc.php';
$sql = $conn->prepare("SELECT * 
FROM useradmin WHERE id = '$id';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
$email = $row['userEmail'];
// info to send email
$to = $email;
$subject = "Decline Porter Application | 
Michelle's Pick N' Shop";

//html message
$message =
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
<script
src="https://kit.fontawesome.com/824d2c43
ce.js"
crossorigin="anonymous"
></script>
<title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family:
Helvetica, arial, sans-serif;">

```

Michella's

[*Pick N' Shop*](https://michellapicknshop.com/index.php)

Your Application Has Been Declined

This is an email sent to you to notify you that your application has been declined. Do not reply to this message.

<p><center>Below are reasons to why your application has been declined</center></p>

<p><center>1) You have violated the Terms and Conditions/Privacy Policy</center></p>

<p><center>2) During phone interview you gave us reasons to decline your application</center></p>

[View Details](https://michellapicknshop.com/index.php)

```

        color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">>Visit
Us Again</a>
    </center></p>
    <p><center>Thank you for your
application</center></p>
    </div>
    </div>
</body>
</html>
';

// email headers
$headers = "From: Michella's Pick N'
Shop <kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" .
"\r\n";
$headers .= "Content-
Type:text/html;charset=UTF-8" . "\r\n";

mail($to, $subject, $message, $headers);
}
$stmt = $conn->prepare("SELECT * 
FROM idvalid WHERE userId = '$id';");
$stmt->execute();
$res = $stmt->get_result();
while($rw = $res->fetch_assoc()){
    $file = $rw['nameFile'];
    $file_to_delete = "resellerID/$file";
    unlink($file_to_delete);
}
$del = $conn->prepare("DELETE FROM
idvalid WHERE userId = '$id';");
$del->execute();
$del2 = $conn->prepare("DELETE
FROM useradmin WHERE id = '$id';");
$del2->execute();
mysqli_close($conn);
header("location:
adminHome.php?users=porters");
mysqli_close($conn);
}

if(isset($_GET['proddelete'])){
    $prodid = $_GET['proddelete'];
    error_reporting(-1);
    ini_set('display_errors', true);
    include 'includes/dbhStore.inc.php';
    $sql = $conn->prepare("SELECT * 
FROM product WHERE id = '$prodid';");
    $sql->execute();
}

$result = $sql->get_result();
while($row = $result->fetch_assoc()){
    $name = $row['productName'];
    $pprice = $row['productPrice'];
    $pimg = $row['productImage'];
    $PCODE = $row['productCode'];
    $desc = $row['productDesc'];
    $brand = $row['brand'];
    $typeProd = $row['typeProd'];
    $stock = $row['productStock'];
    $oprice = $row['origPrice'];
    $feature = $row['feature'];
    $loyalpts = $row['loyalpts'];

$insert2 = $conn->prepare("INSERT
INTO archproduct (productName,
productPrice, productImage, productCode,
productDesc, brand, typeProd, productStock,
origPrice, feature, loyalpts) VALUES
('$name', '$pprice', '$pimg', '$PCODE', '$desc',
'$brand', '$typeProd', '$stock', '$oprice',
'$feature', '$loyalpts');");
if($insert2 == false){
    die('prepare() failed: ' .
htmlspecialchars($conn->error));
}
$insert2->execute();
$delete2 = $conn->prepare("DELETE
FROM product WHERE id = '$prodid';");
$delete2->execute();
header("location:
adminHome.php?store=product");
exit();
}
mysqli_close($conn);
}

if(isset($_GET['cancelOrder'])){

$orderid = $_GET['cancelOrder'];

error_reporting(-1);
ini_set('display_errors', true);
include 'includes/dbhStore.inc.php';
$st = $conn->prepare("SELECT * FROM
orders WHERE id = '$orderid';");
$st->execute();
$re = $st->get_result();
while ($rw = $re->fetch_assoc()) {
    $useName = $rw['userName'];
    $useUid = $rw['userUid'];
}
}

```

```

$useEmail = $rw['userEmail'];
$usePhone = $rw['userPhone'];
$useAdd = $rw['userAdd'];
$emode = $rw['emode'];
$products = $rw['products'];
$grandTotal = $rw['amountPaid'];
$orderCode = $rw['orderCode'];
$userAddress = $rw['userAdd'];
$pCode = $rw['prodCode'];

$stat = $conn->prepare("SELECT
prodCode FROM orders WHERE id =
'$orderid';");
$stat->execute();
$rs = $stat->get_result();
while ($ro = $rs->fetch_assoc()) {
    $prod = $ro['prodCode'];
    $prodAr = explode(',', $prod);
    $length = count($prodAr);
    $i = 0;
    while ($length > $i) {
        $prodAr[$i];
        $prodName = explode('-', $prodAr[$i]);
        $trimName = trim($prodName[0]);
        $trimNum = trim($prodName[1]);
        $statem = $conn->prepare("SELECT *
FROM product WHERE productCode =
'$trimName';");
        $statem->execute();
        $rt = $statem->get_result();
        while ($rws = $rt->fetch_assoc()) {
            $stock = $rws['productStock'];
            $stockTots = $stock + $trimNum;
            $sql = $conn->prepare("UPDATE
product SET productStock = '$stockTots'
WHERE productCode = '$trimName';");
            $sql->execute();
        }
        $i++;
    }
}
// info to send email
$to = $useEmail;
$subject = "Order Cancellation| Michelle's
Pick N' Shop";

//html message
$message =
<!DOCTYPE html>
<html lang="en">

```

```

<head>
    <meta charset="UTF-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
    <script
src="https://kit.fontawesome.com/824d2c43
ce.js"
        crossorigin="anonymous"
    ></script>
    <title>Document</title>
</head>
<body style="color: #000; font-size: 16px;
text-decoration: none; font-family:
Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin:
auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px;
font-family: Helvetica, arial, sans-serif;
letter-spacing: 2px; text-transform:
uppercase;">Michella's</i></center>
            <center><h1 style="margin:
0px;"><a href="https://michellapicknshop.com/index.
php" style="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px;
color: #49b7ca;"> Pick N'
Shop</i></a></h1></center>
            </div>
            <div style="font-size: 1rem; padding:
25px; background-color: #f4f4f4;
moz-border-radius: 10px; -webkit-
border-radius: 10px; border-radius: 10px; -
khtml-border-radius: 10px;
border-color: #49b7ca; border-width:
4px 1px; border-style: solid;">
                <h1 style="font-size:
22px;"><center>Your Order Has Been
Canceled</center></h1>
                <i style="font-size:
12px;"><center>This is an email sent to you
to notify you that your order has been
canceled. Do not reply to this
message.</center></i>
            </div>
        </div>
    </body>

```

```

<p><center>Below are reasons to
why your application has been
declined</center></p>
<p><center>1) You have violated the
Terms and Conditions/Privacy
Policy</center></p>
<p><center>2) There was a problem
with the order proccess and you will be sent
an email or text/call</center></p>
<p style="display: flex; justify-
content: center; margin-top:
10px;"><center>
    <a
        href="https://michellapicknshop.com/index.
php" style="border: 1px solid #056183;
background-color: #49b7ca;
        color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">Visit
Us Again</a>
    </center></p>
    <p><center>Thank you for your
understanding</center></p>
</div>
</div>
</body>
</html>
';

// email headers
$headers = "From: Michella's Pick N' Shop
<kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-
Type:text/html; charset=UTF-8" . "\r\n";

mail($to, $subject, $message, $headers);
}
$update = $conn->prepare("UPDATE
orders SET orderStatus = 'Canceled by the
Store' WHERE id = '$orderid';");
$update->execute();

$loyal = $grandTotal/25;

include 'includes/dbh.inc.php';
$e = $conn->prepare("DELETE FROM
qrcode WHERE orderCode =
'$orderCode';");
$e->execute();
}

$select = $conn->prepare("SELECT
loyalpts FROM users WHERE userUid =
'$userUid';");
$select->execute();
$result = $select->get_result();
while($row_select = $result-
>fetch_assoc()){
    $pts = $row_select['loyalpts'];
    $loyalpts = $pts - $loyal;
    $update = $conn->prepare("UPDATE
users SET loyalpts = '$loyalpts' WHERE
userUid = '$userUid';");
    $update->execute();
}

mysqli_close($conn);
header("location:
adminHome.php?store=order");
exit();
}

if(isset($_GET['refundapprove'])){
    $refundid = $_GET['refundapprove'];
    include 'includes/dbhStore.inc.php';

    $sql = $conn->prepare("SELECT * FROM
refundorder WHERE id =
'$refundid';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $orderCode = $row['orderCode'];
        $prodimg = $row['prodimg'];
        unlink($prodimg);
        $update = $conn->prepare("UPDATE
archorder SET orderStatus = 'Refund
Request Accepted' WHERE orderCode =
'$orderCode';");
        $update->execute();
    }

    $select = $conn->prepare("SELECT * FROM
archorder WHERE orderCode =
'$orderCode';");
    $select->execute();
    $res = $select->get_result();
    while($rw = $res->fetch_assoc()){
        $userEmail = $rw['userEmail'];
        $userUid = $rw['userUid'];
        $userAdd = $rw['userAdd'];
        $amountPaid = $rw['amountPaid'];
        $pmode = $rw['pmode'];
    }
}

```

```

// info to send email
$to = $userEmail;
$subject = "Approved Refund Request | Michella's Pick N' Shop";

//html message
$message = '
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script
        src="https://kit.fontawesome.com/824d2c43ce.js"
        crossorigin="anonymous"
    ></script>
    <title>Document</title>
</head>
<body style="color: #000; font-size: 16px; text-decoration: none; font-family: Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin: auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px; font-family: Helvetica, arial, sans-serif; letter-spacing: 2px; text-transform: uppercase;">Michelle's</i></center>
            <center><h1 style="margin: 0px;"><a href="https://michellapicknshop.com/index.php" style="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px; color: #49b7ca;"> Pick N' Shop</i></a></h1></center>
        </div>

        <div style="font-size: 1rem; padding: 25px; background-color: #f4f4f4; moz-border-radius: 10px; -webkit-border-radius: 10px; border-radius: 10px; -khtml-border-radius: 10px; border-color: #49b7ca; border-width: 4px 1px; border-style: solid;">
            <h1 style="font-size: 24px; margin: 0; text-align: center; color: #49b7ca;">Your Refund Request Has Been Approved</h1>
            <i style="font-size: 12px; margin: 10px 0; color: #49b7ca;">This is an email sent to you to notify you that refund request has been approved. Do not reply to this message.</i>
            <p><center>We will deliver your refunded payments to you at your deliver address:</center></p>
            <p><center>' . $userAdd . '</center></p>
            <p><center>Refunded Payment: php ' . number_format($amountPaid, 2) . '</center></p>
            <p style="display: flex; justify-content: center; margin-top: 10px;"><center>
                <a href="https://michellapicknshop.com/index.php" style="border: 1px solid #056183; background-color: #49b7ca; color: #fff; text-decoration: none; font-size: 16px; padding: 10px 20px;">Visit Us Again</a>
            </center></p>
            <p><center>Thank you for your patronage</center></p>
        </div>
    </div>
</body>
</html>
';

// email headers
$headers = "From: Michella's Pick N' Shop <kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-Type:text/html; charset=UTF-8" . "\r\n";

mail($to, $subject, $message, $headers);

$pts = $amountPaid / 25;
$connect = mysqli_connect("localhost", "u391276243_me", "rR37Vqs6@:", "u391276243_useraccounts");

```

```

$User = $connect->prepare("SELECT *
FROM users WHERE userUid =
'$userUid');");
$user->execute();
$resultUser = $user->get_result();
while($rowUser = $resultUser->fetch_assoc()){
    $loyalpts = $rowUser['loyalpts'];
    $newLoyal = $loyalpts - $pts;
    $insert = $connect->prepare("UPDATE
users SET loyalpts = '$newLoyal' WHERE
userUid = '$userUid');");
    $insert->execute();
}
mysqli_close($connect);

$delete = $conn->prepare("DELETE
FROM refundorder WHERE id
= '$refundid');");
$delete->execute();
mysqli_close($conn);
header("location:
adminHome.php?more=refund");
exit();
}
if(isset($_GET['refunddecline'])){
    $id = $_GET['refunddecline'];
    $sql = $conn->prepare("SELECT *
FROM refundorder WHERE id = '$id');");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $orderCode = $row['orderCode'];
        $prodImg = $row['prodImg'];
        unlink($prodImg);
        $update = $conn->prepare("UPDATE
archorder SET orderStatus = 'Delivered'
WHERE orderCode = '$orderCode');");
        $update->execute();
    }
    $select = $conn->prepare("SELECT *
FROM archorder WHERE orderCode =
'$orderCode');");
    $select->execute();
    $res = $select->get_result();
    while($rw = $res->fetch_assoc()){
        $userEmail = $rw['userEmail'];
    }
// info to send email
$to = $userEmail;

$subject = "Declined Refund Request | Michella's Pick N' Shop";

//html message
$message = '
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script
src="https://kit.fontawesome.com/824d2c43ce.js"
crossorigin="anonymous"
></script>
<title>Document</title>
</head>
<body style="color: #000; font-size: 16px; text-decoration: none; font-family: Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin: auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px; font-family: Helvetica, arial, sans-serif; letter-spacing: 2px; text-transform: uppercase;">Michelle's</i></center>
            <center><h1 style="margin: 0px;"><a href="https://michellapicknshop.com/index.php" style="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px; color: #49b7ca;"> Pick N' Shop</i></a></h1></center>
        </div>
        <div style="font-size: 1rem; padding: 25px; background-color: #f4f4f4; moz-border-radius: 10px; -webkit-border-radius: 10px; border-radius: 10px; -khtml-border-radius: 10px; border-color: #49b7ca; border-width: 4px 1px; border-style: solid;">
            <h1 style="font-size: 22px;"><center>Your Refund Request Has Been Declined</center></h1>
        </div>
    </div>

```

```

<i style="font-size: 12px;"><center>This is an email sent to you to notify you that refund request has been declined. Do not reply to this message.</center></i>

<p><center>Your refund request for your order '$orderCode.' has been declined</center></p>
<p><center>Below are reasons why</center></p>
<p><center>1) The picture of the product order you gave us was not enough proof, or you gave a picture that had nothing to do with the order</center></p>
<p><center>2) The reasons or descriptions you gave were not enough proof, or had nothing to do with your order</center></p>
<p><center>Return Policy: <a href="https://michellapicknshop.com/termcondition.php" target="_blank">Terms and Conditions</a></center></p>
<p><center>If not stated above, please send us a refund request again</center></p>
<i><center>WARNING: Abusing the Refund Request Module will result in account deletion</center></i>
<p style="display: flex; justify-content: center; margin-top: 10px;"><center>
    <a href="https://michellapicknshop.com/index.php" style="border: 1px solid #056183; background-color: #49b7ca; color: #fff; text-decoration: none; font-size: 16px; padding: 10px 20px;">Visit Us Again</a>
</center></p>
<p><center>Thank you for your patronage</center></p>
</div>
</div>
</body>
</html>
';

// email headers
$headers = "From: Michella's Pick N' Shop <kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-Type:text/html;charset=UTF-8" . "\r\n";
mail($to, $subject, $message, $headers);

$delete = $conn->prepare("DELETE FROM refundorder WHERE id ='$id';");
$delete->execute();
mysqli_close($conn);
header("location: adminHome.php?more=refund");
exit();
}

if(isset($_GET['newdelete'])){
$id = $_GET['newdelete'];
error_reporting(-1);
ini_set('display_errors', true);
include 'includes/dbh.inc.php';
$sql = $conn->prepare("SELECT * FROM news WHERE id = '$id';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
$subj = $row['subj'];
$body = $row['body'];
$newsimg = $row['newsImg'];
$insert = $conn->prepare("INSERT INTO archnews(subj, body, newsImg) VALUES('$subj', '$body', '$newsimg');");
$insert->execute();
$delete = $conn->prepare("DELETE FROM news WHERE id = '$id';");
$delete->execute();
}
mysqli_close($conn);
header("location: adminHome.php?more=message");
exit();
}

if(isset($_GET['recoverCus'])){
$id = $_GET['recoverCus'];
ini_set('display_errors', true);
include_once 'includes/dbhStore.inc.php';
include 'includes/dbh.inc.php';
$sql = $conn->prepare("SELECT * FROM archusers WHERE archId = '$id';");
$sql->execute();
$result = $sql->get_result();
}

```

```

while($row = $result->fetch_assoc()){
    $name = $row['userName'];
    $email = $row['userEmail'];
    $username = $row['userUid'];
    $phone = $row['userPhone'];
    $pwd = $row['userPwd'];
    $verified = $row['verified'];
    $userType = $row['userType'];
    $vKey = $row['vKey'];
    $loyalpts = $row['loyalpts'];
    include 'includes/functions.inc.php';
    if(userExist($conn, $username) != false){
        header("location: adminHome.php?error=userexist");
        exit();
    }else{
        $insert = $conn->prepare("INSERT INTO users (userName, userEmail, userUid, userPhone, userPwd, verified, userType, vKey, loyalpts) VALUES ('$name', '$email', '$username', '$phone', '$pwd', '$verified', '$userType', '$vKey', '$loyalpts');");
        $insert->execute();
        $delete = $conn->prepare("DELETE FROM archusers WHERE archId = '$id';");
        $delete->execute();
        // info to send email
        $to = $email;
        $subject = "Account Restored | Michelle's Pick N' Shop";
        //html message
        $message =
            '<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script
        src="https://kit.fontawesome.com/824d2c43ce.js"
        crossorigin="anonymous"
    ></script>
    <title>Document</title>
</head>

```

<body style="color: #000; font-size: 16px; text-decoration: none; font-family: Helvetica, arial, sans-serif;">

<div style="margin: 0px;"><i class="fab fa-opencart" style="height: 50px; color: #49b7ca;"> Pick N' Shop</i></div>

<div style="font-size: 1rem; padding: 25px; background-color: #f4f4f4; moz-border-radius: 10px; -webkit-border-radius: 10px; border-radius: 10px; -khtml-border-radius: 10px; border-color: #49b7ca; border-width: 4px 1px; border-style: solid;">

<i style="font-size: 12px;"><center>This is an email sent to you to notify you that your account has been restored. Do not reply to this message.</center></i> <p><center>Your account '\$username.' has been restored by us</center></p> <p><center>Come please visit us again</center></p> <p style="display: flex; justify-content: center; margin-top: 10px;"><center> Continue Shopping</center></p>

```

        color: #fff; text-decoration: none;
font-size: 16px; padding: 10px 20px;">>Click
Here</a>
    </center></p>
    <p><center>Thank you for your
patronage</center></p>
    </div>
    </div>
</body>
</html>
';

// email headers
$headers = "From: Michella's Pick N' Shop
<kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-
Type:text/html;charset=UTF-8" . "\r\n";
mail($to, $subject, $message, $headers);
header("location:
adminHome.php?more=archive");
exit();
}
header("location:
adminHome.php?more=archive");
exit();
}
header("location:
adminHome.php?more=archive");
exit();
mysql_close($conn);
}

if(isset($_GET['recoverAdm'])){
$id = $_GET['recoverAdm'];
include 'includes/dbh.inc.php';
include 'includes/functions.inc.php';
$sql = $conn->prepare("SELECT * FROM
archuseradmin WHERE id = '$id';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
$name = $row['userName'];
$username = $row['userUid'];
$email = $row['userEmail'];
$phone = $row['userPhone'];
$type = $row['userType'];
$pwd = $row['userPwd'];
if(adminUserExist($conn, $username) !==
false){

```

```

        header("location:
adminHome.php?error=userexist");
exit();
} else{
$insert = $conn->prepare("INSERT
INTO useradmin (userName, userUid,
userEmail, userPhone, userType, userPwd)
VALUES ('$name', '$username', '$email',
'$phone', '$type', '$pwd');");
$insert->execute();
$delete = $conn->prepare("DELETE
FROM archuseradmin WHERE id = '$id';");
$delete->execute();
header("location:
adminHome.php?more=archive");
exit();
}
mysqli_close($conn);
}

if(isset($_GET['recoverPort'])){
$id = $_GET['recoverPort'];
include 'includes/dbh.inc.php';
$sql = $conn->prepare("SELECT * FROM
archuseradmin WHERE id = '$id';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
$name = $row['userName'];
$username = $row['userUid'];
$email = $row['userEmail'];
$phone = $row['userPhone'];
$type = $row['userType'];
$pwd = $row['userPwd'];
include 'includes/functions.inc.php';
if(adminUserExist($conn, $username) !==
false){
        header("location:
adminHome.php?error=userexist");
exit();
} else{
        // info to send email
$to = $email;
$subject = "Account Restored | Michelle's
Pick N' Shop";

//html message
$message =
<!DOCTYPE html>
<html lang="en">

```

```

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script
        src="https://kit.fontawesome.com/824d2c43ce.js"
        crossorigin="anonymous"
    ></script>
    <title>Document</title>
</head>
<body style="color: #000; font-size: 16px; text-decoration: none; font-family: Helvetica, arial, sans-serif;">
    <div style="max-width: 600px; margin: auto; padding: 20px;">
        <div>
            <center><i style="font-size: 10px; font-family: Helvetica, arial, sans-serif; letter-spacing: 2px; text-transform: uppercase;">Michella's</i></center>
            <center><h1 style="margin: 0px;"><a href="https://michellapicknshop.com/index.php" style="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px; color: #49b7ca;"> Pick N' Shop</i></a></h1></center>
            </div>

            <div style="font-size: 1rem; padding: 25px; background-color: #f4f4f4; moz-border-radius: 10px; -webkit-border-radius: 10px; border-radius: 10px; -khtml-border-radius: 10px; border-color: #49b7ca; border-width: 4px 1px; border-style: solid;">
                <h1 style="font-size: 22px;"><center>Your Account Has Been Restored</center></h1>

                <i style="font-size: 12px;"><center>This is an email sent to you to notify you that your account has been restored. Do not reply to this message.</center></i>
            </div>
        </div>
    </body>
</html>
';

// email headers
$headers = "From: Michella's Pick N' Shop <kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-Type:text/html; charset=UTF-8" . "\r\n";
mail($to, $subject, $message, $headers);

$insert = $conn->prepare("INSERT INTO useradmin (userName, userUid, userEmail, userPhone, userType, userPwd) VALUES ('$name', '$username', '$email', '$phone', '$type', '$pwd');");
$insert->execute();

```

```

        $delete = $conn->prepare("DELETE
FROM archuseradmin WHERE id = '$id';");
        $delete->execute();
        header("location:
adminHome.php?more=archive");
        exit();
    }
}
mysqli_close($conn);
}

if(isset($_GET['recoverNews'])){
    $id = $_GET['recoverNews'];
    include 'includes/dbh.inc.php';
    $sql = $conn->prepare("SELECT * FROM
archnews WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $subj = $row['subj'];
        $body = $row['body'];
        $newsimg = $row['newsImg'];
        $insert = $conn->prepare("INSERT INTO
news (subj, body, newsImg) VALUES
('$subj', '$body', '$newsimg');");
        $insert->execute();
        $delete = $conn->prepare("DELETE
FROM archnews WHERE id = '$id';");
        $delete->execute();
        header("location:
adminHome.php?more=archive");
        exit();
    }
    mysqli_close($conn);
}

if(isset($_GET['recoverProd'])){
    $id = $_GET['recoverProd'];
    ini_set('display_errors', true);
    include 'includes/dbhStore.inc.php';
    $sql = $conn->prepare("SELECT * FROM
archproduct WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        $name = $row['productName'];
        $pprice = $row['productPrice'];
        $pimg = $row['productImage'];
        $PCODE = $row['productCode'];
        $desc = $row['productDesc'];
        $brand = $row['brand'];
        $typeProd = $row['typeProd'];
        $stock = $row['productStock'];
        $oprice = $row['origPrice'];
        $feature = $row['feature'];
        $loyalpts = $row['loyalpts'];
        include 'includes/functionStore.inc.php';
        if(pnameExist($conn, $name)){
            header("location:
adminHome.php?error=nameexist");
            exit();
        }
        elseif(pcodeExist($conn, $PCODE)){
            header("location:
adminHome.php?error=codeexist");
            exit();
        }
        else{
            $insert = $conn->prepare("INSERT
INTO product (productName, productPrice,
productImage, productCode, productDesc,
brand, typeProd, productStock, origPrice,
feature, loyalpts) VALUES
('{$name}', '{$pprice}', '{$PCODE}', '{$desc}', '{$brand}',
 '{$typeProd}', '{$stock}', '{$oprice}', '{$feature}',
 '{$loyalpts}');");
            $insert->execute();
            $delete = $conn->prepare("DELETE
FROM archproduct WHERE id = '$id';");
            $delete->execute();
            header("location:
adminHome.php?more=archive");
            exit();
        }
    }
    mysqli_close($conn);
}

if(isset($_GET['pickupOrder'])){
    error_reporting(-1);
    ini_set('display_errors', true);
    $id = $_GET['pickupOrder'];
    include 'includes/dbhStore.inc.php';
    $sql = $conn->prepare("UPDATE orders
SET orderStatus = 'Ready for Pickup'
WHERE id = '$id';");
    $sql->execute();
    $stmt = $conn->prepare("SELECT *
FROM orders WHERE id = '$id';");
    $stmt->execute();
    $result = $stmt->get_result();
    while($row = $result->fetch_assoc()){

}

```

```

$email = $row['userEmail'];
$orderCode = $row['orderCode'];
$orderDate = $row['orderDate'];
$date = $orderDate->format('Y-m-d-H-i-s');
}
// info to send email
$to = $email;
$subject = "Order Pickup | Michella's Pick N' Shop";

//html message
$message =
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<script
src="https://kit.fontawesome.com/824d2c43ce.js"
crossorigin="anonymous"
></script>
<title>Document</title>
</head>
<body style="color: #000; font-size: 16px; text-decoration: none; font-family: Helvetica, arial, sans-serif;">
<div style="max-width: 600px; margin: auto; padding: 20px;">
<div>
<center><i style="font-size: 10px; font-family: Helvetica, arial, sans-serif; letter-spacing: 2px; text-transform: uppercase;">Michella's</i></center>
<center><h1 style="margin: 0px;"><a href="https://michellapicknshop.com/index.php" style="text-decoration: none;"><i class="fab fa-opencart" style="height: 50px; color: #49b7ca;"> Pick N' Shop</i></a></h1></center>
</div>

<div style="font-size: 1rem; padding: 25px; background-color: #f4f4f4;
moz-border-radius: 10px; -webkit-border-radius: 10px; border-radius: 10px; -khtml-border-radius: 10px;
border-color: #49b7ca; border-width: 4px 1px; border-style: solid;">

<h1 style="font-size: 22px;"><center>Your Order is Ready For Pickup</center></h1>

<i style="font-size: 12px;"><center>This is an email sent to you to notify you that your account has been restored. Do not reply to this message.</center></i>

<p><center>Your Order: '$orderCode.' is now ready for pickup</center></p>
<p><center>Date Ordered: '$date.'</center></p>
<p><center>Store Address: KM44 Longos Malolos Bulacan, Philippines</center></p>
<p style="display: flex; justify-content: center; margin-top: 10px;"><center>
<a href="https://michellapicknshop.com/signin.php" style="border: 1px solid #056183; background-color: #49b7ca; color: #fff; text-decoration: none; font-size: 16px; padding: 10px 20px;">For more information about your order Click Here</a>
</center></p>
<p><center>Thank you for your patronage</center></p>
</div>
</div>
</body>
</html>
';

// email headers
$headers = "From: Michella's Pick N' Shop <kaikelaloni28@gmail.com> \r\n";
$headers .= "MIME-Version: 1.0" . "\r\n";
$headers .= "Content-Type:text/html; charset=UTF-8" . "\r\n";

```

```

mail($to, $subject, $message, $headers);
header("location:
adminHome.php?store=order");
exit();
}
if(isset($_GET['pickupSuccess'])){
error_reporting(-1);
ini_set('display_errors', true);
$Id = $_GET['pickupSuccess'];
include 'includes/dbhStore.inc.php';
$sql   = $conn->prepare("SELECT * 
FROM orders WHERE id = '$id';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
$userName = $row['userName'];
$userUid = $row['userUid'];
$userEmail = $row['userEmail'];
$userPhone = $row['userPhone'];
$userAdd = $row['userAdd'];
$pmode = $row['pmode'];
$products = $row['products'];
$amountPaid = $row['amountPaid'];
$orderCode = $row['orderCode'];
$prodCode = $row['prodCode'];
$orderStatus = 'Delivered';

$insert = $conn->prepare("INSERT INTO archorder(userName, userUid, userEmail, userPhone, userAdd, pmode, products, amountPaid, orderCode, prodCode, orderStatus) VALUES('$userName', '$userUid', '$userEmail', '$userPhone', '$userAdd', '$pmode', '$products', '$amountPaid', '$orderCode', '$prodCode', '$orderStatus')");
$insert->execute();
$delete = $conn->prepare("DELETE FROM orders WHERE id = '$id';");
$delete->execute();
header("location:
adminHome.php?store=order");
exit();
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<link rel="stylesheet" href="css/styleAdminHome.css?v=<?php echo time(); ?>" />
<link rel="stylesheet" href="css/magnify.css?v=<?php echo time(); ?>" />
<link rel="stylesheet"
 href="https://cdnjs.cloudflare.com/ajax/libs/
font-awesome/5.15.1/css/all.min.css"
 integrity="sha512-
+4zCK9k+qNFUR5X+cKL9EIR+ZOhtIloNl9GIKS57V1MyNsYpYcUrUeQc9vNfzsWfV28IaLL3i96P9sdNyeRssA=="
 crossorigin="anonymous"
 />
<script
 src="https://cdnjs.cloudflare.com/ajax/libs/
jquery/3.5.1/jquery.min.js"
 integrity="sha512-
bLT0Qm9VnAYZDflyKcBaQ2gg0hSYNQrJ8RilYldYQ1FxQYoCLtUjuRuZo+fjqhx/qt1itJ0C2ejDxltZVFg=="
 crossorigin="anonymous"
 ></script>
<script
 type="text/javascript"
 src="https://www.gstatic.com/charts/loader.j
s"
 ></script>
<script type="text/javascript">
google.charts.load("current", { packages: ["corechart"] });
google.charts.setOnLoadCallback(drawChar
t);

function drawChart() {
var data =
google.visualization.arrayToDataTable([
["Date", "Sales", "Expense", "Profit"],
<?php
include_once
'includes/dbhStore.inc.php';

```

```

$sql = $conn->prepare("SELECT *
FROM archorder WHERE orderStatus =
'Delivered';");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
    $timestamp
        =
strtotime($row['cancelDate']);
    $pcode = $row['prodCode'];
    $rev = $rev + $row['amountPaid'];
    $prodAr = explode(',', $pcode);
    $length = count($prodAr);
    $i = 0;
    while($length > $i){
        $prodAr[$i];
        $prodName      =      explode('-', $prodAr[$i]);
        $trimName = trim($prodName[0]);
        $stmt = $conn->prepare("SELECT
origPrice FROM prodcut WHERE
productCode = '$trimName';");
        $stmt->execute();
        $res = $stmt->get_result();
        while($rw = $res->fetch_assoc()){
            $expint      =      $expint      +
$rw['origPrice'];
            $prof = $rev - $expint;
        }
        $i++;
    }
?>
["<?= $date      =      date('d-m-Y',
$timestamp);?>",   <?= $rev?>,   <?= $expint;?>, <?= $prof;?>],
<?php
}
mysqli_close($conn);
?>
});

var options = {
title: "Summary of Sales",
curveType: "function",
legend: { position: "bottom" },
colors: ["#329CE7", "#E73232",
"#097138"],
};

var chart = new
google.visualization.LineChart(
document.getElementById("curve_chart")
);

chart.draw(data, options);
}

</script>
<script type="text/javascript">
google.charts.load("current",
{packages:['corechart']});

google.charts.setOnLoadCallback(drawChar
t);
function drawChart() {
var data = google.visualization.arrayToDataT
able([
["Customer", "Amount Paid", { role:
"style" } ],
<?php
error_reporting(-1);
ini_set('display_errors', true);
include 'includes/dbhStore.inc.php';
$sql = $conn->prepare("SELECT *
FROM archorder WHERE orderStatus =
'Delivered' ORDER BY `archorder`.`id` DESC LIMIT 10;");
$sql->execute();
$result = $sql->get_result();
while($row = $result->fetch_assoc()){
?>
["<?= $row['userUid'];?>,<?=
number_format($row['amountPaid'], 2);?>,
'stroke-color: #703593; stroke-width: 4; fill-
color: #C5A5CF'],
<?php
}
?>
]);
}

var view = new
google.visualization.DataView(data);
view.setColumns([0, 1,
{ calc: "stringify",
sourceColumn: 1,
type: "string",
role: "annotation" },
2]);
}

var options = {
title: "Summary of Orders (Last 10)",
bar: {groupWidth: "95%"},
```

```

legend: { position: "none" },
};

var chart = new
google.visualization.ColumnChart(document
.getElementById("columnchart_values"));
chart.draw(view, options);
}

</script>
<script type="text/javascript">
    google.charts.load('current',
    {'packages':['corechart']});

    google.charts.setOnLoadCallback(drawChar
t);

    function drawChart() {
        var data = google.visualization.arrayToDataTable([
            ["Date", "Sales"],
            <?php
                error_reporting(-1);
                ini_set('display_errors', true);
                include_once
                'includes/dbhStore.inc.php';
                $month = date('m');
                $year = date('Y');
                $sql = $conn->prepare("SELECT *
FROM archorder WHERE orderStatus =
'Delivered' AND MONTH(cancelDate) =
$month AND YEAR(cancelDate) =
$year");
                $sql->execute();
                $result = $sql->get_result();
                while($row = $result->fetch_assoc()){
                    $timestamp =
strtotime($row['cancelDate']);
                    $PCODE = $row['prodCode'];
                    $sale = $row['amountPaid'];
                    $prodAr = explode(',', $PCODE);
                    $length = count($prodAr);
                    $i = 0;
                    while($length > $i){
                        $prodAr[$i];
                        $prodName = explode('-', $prodAr[$i]);
                        $trimName = trim($prodName[0]);
                        $stmt = $conn->prepare("SELECT
origPrice FROM product WHERE
productCode = '$trimName'");
                        $stmt->execute();
                        $res = $stmt->get_result();
                        while($rw = $res->fetch_assoc()){

                            $expense = $rw['origPrice'];
                            $profit = $sale - $expense;
                        }
                        $i++;
                    }
                }
            ["<?= $date = date('D M j',
$timestamp);?>", <?= $sale?>],
            <?php
        }
        mysqli_close($conn);
    }
}

var options = {
    title: 'Monthly Sales (<=
date('F');?>)';

    var chart = new
google.visualization.AreaChart(document.get
ElementById('chart_div'));
chart.draw(data, options);
}

</script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/j
query/3.5.1/jquery.min.js"></script>
<title>Admin | Michella's Pick N'
Shop</title>
</head>
<body>
<!-- wrapper start -->
<div class="wrapper">
<!--header menu start-->
<div class="header">
<div class="header-menu">
<div
class="title"><span>Admin</span></div>
<div class="sidebar-btn">
<i class="fas fa-bars"></i>
</div>
<?php
    include 'includes/dbhStore.inc.php';
    $sql = "SELECT count(id) AS total
FROM orders WHERE orderStatus =
'Pending'";
    $result = mysqli_query($conn,$sql);
    $values =
mysqli_fetch_assoc($result);
}

```

```

$num_rows = $values['total'];

$sql2 = "SELECT count(id) AS total
FROM refundorder;";
$result2 = mysqli_query($conn,$sql2);
$values2 =
mysqli_fetch_assoc($result2);
$num_rows2 = $values2['total'];

$sql4 = "SELECT count(id) AS total
FROM product WHERE productStock <
6;";
$result4 = mysqli_query($conn,$sql4);
$values4 =
mysqli_fetch_assoc($result4);
$num_rows4 = $values4['total'];
mysqli_close($conn);

include 'includes/dbh.inc.php';
$sql3 = "SELECT count(userId) AS
total FROM idvalid;";
$result3 = mysqli_query($conn,$sql3);
$values3 =
mysqli_fetch_assoc($result3);
$num_rows3 = $values3['total'];

$notif = $num_rows + $num_rows2 +
$num_rows3 + $num_rows4;
?>
<ul>
<li style="display: flex;">
<p style="color: #c42828; font-
weight: bold;"><?php
if($notif>0){echo $notif;}
else{echo";}?></p>
<a href="adminHome.php?notif"
style="margin-left: 0;"><i class="fas fa-
bell"></i></a>
</li>
<li>
<a href="adminUserLogin.php"><i
class="fas fa-power-off"></i></a>
</li>
</ul>
</div>
</div>
<!--header menu end-->
<!--sidebar start-->
<div class="sidebar">
<div class="sidebar-menu">
<center class="profile">

</center>
<li class="item">
<a href="adminHome.php"
class="menu-btn">
<i class="fas fa-
desktop"><span>Dashboard</span></i>
</a>
</li>
<li class="item" id="profile">
<a href="#profile" class="menu-
btn">
<i class="fas fa-user-circle"></i>
<span>Accounts <i class="fas fa-
chevron-down drop-down"></i>
</span>
</a>
<div class="sub-menu">
<a href="adminHome.php?users=customers"><i
class="fas fa-
users"></i><span>Customers</span></a>
<a href="adminHome.php?users=admin"><i
class="fas fa-
address-card"></i><span>Admin</span></a>
<a href="adminHome.php?users=porters"><i
class="fas fa-
truck-loading"></i><span>Porters</span></a>
</div>
</li>
<li class="item" id="messages">
<a href="#messages" class="menu-
btn">
<i class="fas fa-
register"></i><span>Store <i class="fas fa-
chevron-
down drop-down"></i>
</span>
</a>
<div class="sub-menu">
<a href="adminHome.php?store=product"><i
class="fas fa-
store"></i><span>Products</span></a>
<a href="adminHome.php?store=order"><i

```

```

class="fas fa-file-invoice-dollar">></i></i><span>Orders</span></a>
    <a href="adminHome.php?store=stat"><i class="fas fa-chart-line"></i><span>Statistics</span></a>
        </div>
    </li>
    <li class="item" id="settings">
        <a href="#settings" class="menu-btn">
            <i class="fas fa-cog"></i>
            <span>More <i class="fas fa-chevron-down" drop-down"></i>
            </span>
        </a>
        <div class="sub-menu">
            <a href="adminHome.php?more=refund"><i class="fas fa-hand-holding-usd"></i><span>Refund</span></a>
            <a href="adminHome.php?more=message"><i class="fas fa-envelope-open-text"></i><span>Message</span></a>
            <a href="adminHome.php?more=reviews"><i class="far fa-comments"></i><i></i><span>Reviews</span></a>
            <a href="adminHome.php?more=archive"><i class="fas fa-archive"></i><span>Archive</span></a>
                </div>
            </li>
            <li class="item">
                <a href="developer.php" class="menu-btn" target="_blank">
                    <i class="fas fa-info-circle"><span> Developers</span></i>
                </a>
            </li>
        </div>
    </div>
<!-- sidebar end-->
<!-- main container start -->
<div class="main-container">
    <?php
    if (isset($_GET['users'])) {
        if (($_GET['users'] == 'customers')) {
            >
            <!--customer start-->
            <div class="container-user">
                <!--top customer start-->
                <div class="top-customer">
                    <h4 class="title">Customer Accounts</h4>
                    <form action="" method="POST" class="search-form">
                        <input type="text" name="search" class="search-customer" placeholder="Search">
                        <button type="submit" name="submit-search" class="btn-search"><i class="fas fa-search"></i></button>
                    </form>
                </div>
                <!--top customer end-->
                <!--bottom customer start-->
                <div class="bottom-customer">
                    <!--add record start-->
                    <div class="record-left">
                        <form action="actionAdminHome.php" method="POST" class="edit-form">
                            <h4 class="title">Add Account</h4>
                            <input type="text" class="input-field" name="name" placeholder="Full Name" />
                            <input type="text" class="input-field" name="uid" placeholder="Username" />
                            <input type="email" class="input-field" name="email" placeholder="Email" />
                            <input type="tel" class="input-field" name="phone" placeholder="Phone Number" />
                            <input type="text" class="input-field" name="address" placeholder="Address" />
                            <input type="password" class="input-field" name="pwd" placeholder="Password" />
                            <button type="submit" name="submit-acc" class="submit-btn">Submit</button>
                        </form>
                    </div>
                </div>
            </div>
        <!--customer end-->
    <!-- bottom customer end-->

```

```

<!--add record end-->
<!--record CRUD start-->
<div class="record-right">
    <?php
        include 'includes/dbh.inc.php';
        if (isset($_POST['submit-search'])) {
            $space = '/\s/';
            $search = mysqli_real_escape_string($conn,
                $_POST['search']);
            $sql="SELECT * FROM users
                WHERE userName LIKE '%$search%' OR
                userUid LIKE '%$search%' OR userId LIKE
                '%$search%' OR userId LIKE '%$space%' OR
                userName LIKE '%$space%' OR userUid
                LIKE '%$space%';";
            $result = mysqli_query($conn,
                $sql);
            $queryResult = mysqli_num_rows($result);

            if ($queryResult > 0) {
                while ($row = mysqli_fetch_assoc($result)) {
                    ?>
                    <table>
                        <thead>
                            <tr>
                                <th>ID</th>
                                <th>Name</th>
                                <th>Username</th>
                                <th>Verified</th>
                                <td colspan = "3">Action</th>
                            </tr>
                        </thead>
                        <tbody>
                            <tr>
                                <td><?= $row['userId']; ?></td>
                                <td><?= $row['userName']; ?></td>
                                <td><?= $row['userUid']; ?></td>
                                <?php
                                    if ($row['verified'] == 1) {
                                        echo '<td>True</td>';
                                    } else {
                                        echo '<td>False</td>';
                                    }
                                ?>
                                <td><a href="adminHome.php?usershow=<?=

```

\$row['userId']; ?>" class="btn-show"><i class="far fa-eye"></i></td>

<td><a href="adminHome.php?useredit=<?=\$row['userId']; ?>" class="btn-show" style="background-color: #D5C80E;"><i class="fas fa-user-edit"></i></td>

<td><a onclick = "return confirm('Are you sure you want to delete this account?')?" href="adminHome.php?delete=<?=\$row['userId']; ?>" class="btn-show" style="background-color: #E01919;"><i class="fas fa-trash-alt"></i></td>

</tr>

</tbody>

</table>

<?php
 }
 }else{
 ?>
 <h4 style="color: red; text-align: center;">No Results Found</h4>

<?php
 }
 }else{
 ?>
 <table>
 <thead>
 <tr>
 <th>ID</th>
 <th>Name</th>
 <th>Username</th>
 <th>Verified</th>
 <td colspan = "3">Action</th>
 </tr>
 </thead>
 <tbody>
 <?php
 include 'includes/dbh.inc.php';
 \$sql = \$conn->prepare("SELECT
 * FROM `users` ORDER BY
 `users`.`verified` ASC, `users`.`userId` DESC");
 \$sql->execute();
 \$result = \$sql->get_result();
 while (\$row = \$result->fetch_assoc()) {
 \$name = \$row['userName'];
 ?>
 <tr>

```

        <td><?= $row['userId']; ?></td>
        <td><?=      $row['userName']; ?></td>
        <td><?=      $row['userUid']; ?></td>
        <?php
        if ($row['verified'] == 1) {
            echo '<td>True</td>';
        } else {
            echo '<td>False</td>';
        }
        ?>
        <td><a href="adminHome.php?usershow=<?=$row['userId']; ?>" class="btn-show"><i class="far fa-eye"></i></a></td>
        <td><a href="adminHome.php?useredit=<?=$row['userId']; ?>" class="btn-show" style="background: #D5C80E;"><i class="fas fa-user-edit"></i></a></td>
        <td><a onclick = "return confirm('Are you sure you want to delete this accountt?')" href="adminHome.php?delete=<?=$row['userId']; ?>" class="btn-show" style="background: #E01919;"><i class="fas fa-trash-alt"></i></a></td>
        </tr>
        <?php
    }
    ?>
    </tbody>
</table>
<?php
}
?>
</div>
<!--record CRUD end-->
</div>
<!--bottom customer end-->
</div>
<!--customer end-->
<?php
    mysqli_close($conn);
}
if (($_GET['users'] == 'admin')) {
?>
<!--admin account start-->
<div class="container-user">
<!--top admin account start-->
<div class="top-customer">
    <h4 class="title">Admin Accounts</h4>
    <form action="" method="POST" class="search-form">
        <input type="text" name="search" class="search-customer" placeholder="Search">
        <button type="submit" name="submit-searchAdmin" class="btn-search"><i class="fas fa-search"></i></button>
    </form>
</div>
<!--top admin account end-->
<!--bottom admin account start-->
<div class="bottom-customer">
    <!--add record start-->
    <div class="record-left">
        <form action="actionAdminHome.php" method="POST" class="edit-form">
            <h4 class="title">Add Account</h4>
            <input type="text" class="input-field" name="name" placeholder="Full Name" />
            <input type="text" class="input-field" name="uid" placeholder="Username" />
            <input type="email" class="input-field" name="email" placeholder="Email" />
            <input type="tel" class="input-field" name="phone" placeholder="Phone Number" />
            <input type="password" class="input-field" name="pwd" placeholder="Password" />
            <select name="type" class="form-control">
                <option value="" selected disabled>Select Account Type</option>
                <option value="Admin">Admin</option>
                <option value="Deliver">Delivery</option>
            </select>
            <button type="submit" name="submit-Adminacc" class="submit-btn">Submit</button>
        </form>
    </div>
</div>

```

```

</div>
<!--add record end-->
<!--record CRUD start-->
<div class="record-right">
<?php
    include 'includes/dbh.inc.php';
    if (isset($_POST['submit-
searchAdmin'])) {
        $space = '\s/';
        $search =
            mysqli_real_escape_string($conn,
            $_POST['search']);
        $sql="SELECT * FROM useradmin
WHERE userName LIKE '%$search%' AND
userType = 'Admin' OR userUid LIKE
'%$search%' AND userType = 'Admin' OR id
LIKE '%$search%' AND userType = 'Admin'
OR userType LIKE '%$search%' AND
userType = 'Admin' OR userType LIKE
'%$space%' AND userType = 'Admin' OR id
LIKE '%$space%' AND userType = 'Admin'
OR userName LIKE '%$space%' AND
userType = 'Admin' OR userUid LIKE
'%$space%' AND userType = 'Admin';";
        $result = mysqli_query($conn,
        $sql);
        $queryResult =
            mysqli_num_rows($result);

        if ($queryResult > 0) {
            while ($row =
                mysqli_fetch_assoc($result)) {
                ?>
                <table>
                    <thead>
                        <tr>
                            <th>ID</th>
                            <th>Name</th>
                            <th>Username</th>
                            <th>Type</th>
                            <td colspan = "3">Action</th>
                        </tr>
                    </thead>
                    <tbody>
                        <tr>
                            <td><?= $row['id']; ?></td>
                            <td><?= $row['userName'];
?></td>
                            <td><?= $row['userUid'];
?></td>
                        </tr>
                    </tbody>
                </table>
            }
        }
    }
}
?></td>
<td><?= $row['userType'];
?></td>
<td><a href="adminHome.php?adminshow=<?=
$row['id']; ?>" class="btn-show"><i
class="far fa-eye"></i></a></td>
<td><a href="adminHome.php?adminedit=<?=
$row['id']; ?>" class="btn-show"
style="background: #D5C80E;"><i
class="fas fa-user-edit"></i></a></td>
<td><a onclick = "return
confirm('Are you sure you want to delete this
accountt?')"
href="adminHome.php?admindelete=<?=
$row['id']; ?>" class="btn-show"
style="background: #E01919;"><i
class="fas fa-trash-alt"></i></a></td>
</tr>
</tbody>
</table>
<?php
}
}
else{
?>
<h4 style="color: red; text-align:
center;">No Results Found</h4>
<?php
}
}
else{
?>
<table>
    <thead>
        <tr>
            <th>ID</th>
            <th>Name</th>
            <th>Username</th>
            <th>Type</th>
            <td colspan = "3">Action</th>
        </tr>
    </thead>
    <tbody>
        <?php
            include 'includes/dbh.inc.php';
            $sql = $conn->prepare("SELECT
* FROM `useradmin` WHERE userType =
'Admin' ORDER BY `useradmin`.`id` DESC");
            $sql->execute();
            $result = $sql->get_result();
        </?php
    </tbody>
</table>

```

```

        while      ($row      =      $result-
>fetch_assoc()) {
            ?>
            <tr>
                <td><?= $row['id']; ?></td>
                <td><?=      $row['userName']; ?></td>
            <td><?=      $row['userUid']; ?></td>
            <td><?=      $row['userType']; ?></td>
            <td><a href="adminHome.php?adminshow=<?=
$row['id']; ?>" class="btn-show"><i class="far fa-eye"></i></a></td>
            <td><a href="adminHome.php?adminedit=<?=
$row['id']; ?>" class="btn-show" style="background: #D5C80E;"><i class="fas fa-user-edit"></i></a></td>
            <td><a onclick = "return confirm('Are you sure you want to delete this account?')"
href="adminHome.php?admindelete=<?=$row['id']; ?>" class="btn-show" style="background: #E01919;"><i class="fas fa-trash-alt"></i></a></td>
        </tr>
        <?php
    }
    ?>
    </tbody>
</table>
<?php
}
?>
</div>
<!--record CRUD end-->
</div>
<!--bottom admin account end-->
</div>
<!--admin account end-->
<?php
}
if (($_GET['users'] == 'porters')) {
?>
<!--porter account start-->
<div class="container-user">
<!--top porter account start-->
<div class="top-customer">

```

```

        <h4 class="title">Porter Accounts</h4>
        <form action="" method="POST" class="search-form">
            <input type="text" name="search" class="search-customer" placeholder="Search">
            <button type="submit" name="submit-searchPorter" class="btn-search"><i class="fas fa-search"></i></button>
        </form>
    </div>
    <!--top porter account end-->
    <!--bottom porter account start-->
    <div class="bottom-customer">
        <!--add record start-->
        <div class="record-left">
            <form action="actionAdminHome.php" method="POST" class="edit-form">
                <h4 class="title">Add Account</h4>
                <input type="hidden" name="type" value="Deliver" />
                <input type="text" class="input-field" name="name" placeholder="Full Name" />
                <input type="text" class="input-field" name="uid" placeholder="Username" />
                <input type="email" class="input-field" name="email" placeholder="Email" />
                <input type="tel" class="input-field" name="phone" placeholder="Phone Number" />
                <input type="password" class="input-field" name="pwd" placeholder="Password" />
                <button type="submit" name="submit-Deliveracc" class="submit-btn">Submit</button>
            </form>
        </div>
        <!--add record end-->
        <!--record CRUD start-->
        <div class="record-right">
            <?php
            include 'includes/dbh.inc.php';
            if (isset($_POST['submit-searchPorter'])) {

```

```

    $space = '/\s/';
    $search = mysqli_real_escape_string($conn,
    $_POST['search']);
    $sql="SELECT * FROM useradmin
    WHERE userName LIKE '%$search%' AND
    userType = 'Deliver' OR userUid LIKE
    '%$search%' AND userType = 'Deliver' OR
    id LIKE '%$search%' AND userType =
    'Deliver' OR userType LIKE '%$search%' AND
    userType = 'Deliver' OR userType
    LIKE '%$space%' AND userType = 'Deliver'
    OR id LIKE '%$space%' AND userType =
    'Deliver' OR userName LIKE '%$space%'
    AND userType = 'Deliver' OR userUid LIKE
    '%$space%' AND userType = 'Deliver';";
    $result = mysqli_query($conn,
    $sql);
    $queryResult = mysqli_num_rows($result);

    if ($queryResult > 0) {
        while ($row = mysqli_fetch_assoc($result)) {
            ?>
            <h4>Available Porters</h4>
            <table>
                <thead>
                    <tr>
                        <th>ID</th>
                        <th>Name</th>
                        <th>Username</th>
                        <th>Type</th>
                        <td colspan = "3">Action</th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <td><?= $row['id']; ?></td>
                        <td><?= $row['userName']; ?></td>
                        <td><?= $row['userUid']; ?></td>
                        <td><?= $row['userType']; ?></td>
                        <td><a href="adminHome.php?adminshow=<?=
                        $row['id']; ?>" class="btn-show"><i
                        class="far fa-eye"></i></a></td>
                        <td><a href="adminHome.php?adminedit=<?=

```

\$row['id']; ?>" class="btn-show" style="background: #D5C80E;"><i class="fas fa-user-edit"></i></td>

<td><a onclick = "return confirm('Are you sure you want to delete this account?');" href="adminHome.php?admindelete=<?=\$row['id']; ?>" class="btn-show" style="background: #E01919;"><i class="fas fa-trash-alt"></i></td>

</tr>

</tbody>

</table>

<?php

}

}

else{

?>

<h4 style="color: red; text-align: center;">No Results Found</h4>

<?php

}

}else{

?>

<h4>Pending Porter</h4>

<table>

<thead>

<tr>

<th>ID</th>

<th>Name</th>

<th>Phone</th>

<th>Email</th>

<td colspan = "3">Action</th>

</tr>

</thead>

<tbody>

<?php

include 'includes/dbh.inc.php';

\$stmt = \$conn->prepare("SELECT * FROM idvalid");

\$stmt->execute();

\$res = \$stmt->get_result();

while(\$rw = \$res->fetch_assoc()){

\$img = \$rw['nameFile'];

\$sql = \$conn->prepare("SELECT * FROM `useradmin` WHERE userType = 'Pending' ORDER BY `useradmin`.`id` DESC");

\$sql->execute();

\$result = \$sql->get_result();

```

        while ($row = $result-
>fetch_assoc()) {
            ?>
            <tr>
                <td></td>
                <td><?= $row['userName'];
?></td>
                <td><?= $row['userPhone'];
?></td>
                <td><?= $row['userEmail'];
?></td>
                <td><a href="adminHome.php?porterimg=<?=
$row['id']; ?>" class="btn-show"><i class="far fa-eye"></i></a></td>
                <td><a href="adminHome.php?portercheck=<?=
$row['id']; ?>" class="btn-show" style="background:#3CA42F;"><i class="fas fa-check"></i></a></td>
                <td><a onclick = "return confirm('Are you sure you want to decline this applicant?')"
href="adminHome.php?porterdecline=<?=
$row['id']; ?>" style="color:#C41A1A; font-size: 2rem"><i class="fas fa-times-circle"></i></a></td>
                </tr>
                <?php
            }
        }
    </tbody>
</table>
<h4 style="margin-top: 2rem;">Available Porters</h4>
<table>
    <thead>
        <tr>
            <th>ID</th>
            <th>Name</th>
            <th>Username</th>
            <th>Type</th>
            <td colspan ="3">Action</th>
        </tr>
    </thead>
    <tbody>
        <?php
        include 'includes/dbh.inc.php';

```

```

        $sql = $conn->prepare("SELECT
* FROM useradmin WHERE userType =
'Deliver' ORDER BY `useradmin`.`id` DESC");
        $sql->execute();
        $result = $sql->get_result();
        while ($row = $result-
>fetch_assoc()) {
            ?>
            <tr>
                <td><?= $row['id']; ?></td>
                <td><?= $row['userName'];
?></td>
                <td><?= $row['userUid'];
?></td>
                <td><a href="adminHome.php?portershow=<?=
$row['id']; ?>" class="btn-show"><i class="far fa-eye"></i></a></td>
                <td><a href="adminHome.php?porteredit=<?=
$row['id']; ?>" class="btn-show" style="background: #D5C80E;"><i class="fas fa-user-edit"></i></a></td>
                <td><a onclick = "return confirm('Are you sure you want to delete this account?')"
href="adminHome.php?porterdelete=<?=
$row['id']; ?>" class="btn-show" style="background: #E01919;"><i class="fas fa-trash-alt"></i></a></td>
                </tr>
                <?php
            }
        </tbody>
        </table>
        <?php
    }
    >
    </div>
    <!--record CRUD end-->
    </div>
    <!--bottom porter account end-->
    </div>
    <!--porter account end-->
    <!--Product section start-->
    <?php
        mysqli_close($conn);
    }
}

```

```

//store tab start
elseif(isset($_GET['store'])){
    if($_GET['store'] == "product"){
        include 'adminProduct.php';
    }
    elseif($_GET['store'] == "order"){
        include 'adminOrder.php';
    }
    elseif($_GET['store'] == "stat"){
        include 'adminStat.php';
    }
}
//store tab end
//more tab start
elseif(isset($_GET['more'])){
    if($_GET['more'] == "refund"){
        include 'adminRefund.php';
    }
    elseif($_GET['more'] == "message"){
        include 'adminMsg.php';
    }
    elseif($_GET['more'] == "reviews"){
        include 'adminReviews.php';
    }
    elseif($_GET['more'] == "archive"){
        include 'adminArchive.php';
    }
}
//more tab end
//notification start
elseif(isset($_GET['notif'])){
    include 'adminNotif.php';
}
//notification end
//Nwes start
elseif(isset($_GET['newshow'])){
    $id = $_GET['newshow'];
    include 'includes/dbh.inc.php';
    $sql = $conn->prepare("SELECT * FROM news WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result->fetch_assoc()){
        >
        <div class="view">
            <div class="box">
                <h3>News No. <?= $row['id'];?></h3>
                <hr>
    
```

Date Posted: <?= \$row['newsDate']; ?>

">

<h5>Title: <?= \$row['subj']; ?></h5>

<p><center><?= \$row['body']; ?></center></p>

<a href="adminHome.php?newedit=<?= \$row['id']; ?>" class="view-btn">Edit

<a onclick = "return confirm('Are you sure you want to delete this account?')?" href="adminHome.php?newdelete=<?= \$row['id']; ?>" class="view-btn">Delete

Cancel

</div>

</div>

<?php

}

mysqli_close(\$conn);

//news edit

elseif(isset(\$_GET['newedit'])) {

\$id = \$_GET['newedit'];

include 'includes/dbh.inc.php';

\$sql = \$conn->prepare("SELECT * FROM news WHERE id = '\$id';");

\$sql->execute();

\$result = \$sql->get_result();

while(\$row = \$result->fetch_assoc()) {

?>

<div class="view">

<div class="box2">

<div class="title">

<h3>News and Announcements No. <?= \$row['id']; ?></h3>

<hr>

</div>

<div class="form-edit" style="display: grid; grid-template-columns: 1fr; >

<form action="adminActionMsg.php" method="POST" enctype="multipart/form-data" class="prodImage edit-form">

```

        <input type="hidden" name="id"
value="<?= $row['id']; ?>">
        <input type="file" name="file"
style="background: inherit; color: #fff;">
        <input type="text" name="subj"
class="input-field" style="margin: 0.5rem 0;
padding: 0.5rem;" value="<?= $row['subj'];
?>" placeholder="Enter Title/Subject">
        <textarea name="body" col="10"
row="10" style="margin: 0.5rem 0; padding:
0.5rem; height: 120px;" placeholder="Enter
News or Announcement"><?= $row['body'];
?></textarea>
        <button type="submit"
name="submitNews"
class="btn">Update</button>
        <a
href="adminHome.php?more=message"
class="view-btn" style="width: 120px;
height: 40px;">Cancel</a>
    </form>
</div>
</div>
</div>
<?php
}
}
//news end
//refund start
elseif(isset($_GET['viewRefund'])){
    $id = $_GET['viewRefund'];
    include 'includes/dbhStore.inc.php';
    $sql = $conn->prepare("SELECT *
FROM refundorder WHERE id = '$id';");
    $sql->execute();
    $result = $sql->get_result();
    while($row = $result-
>fetch_assoc()){
        $img = $row['prodimg'];
        $orderCode = $row['orderCode'];
        $prodDesc = $row['prodDesc'];
        $stmt = $conn->prepare("SELECT
* FROM archorder WHERE orderCode =
'$orderCode';");
        $stmt->execute();
        $res = $stmt->get_result();
        while($rw = $res->fetch_assoc()){
            $userName = $rw['userName'];
            $userEmail = $rw['userEmail'];
            $userPhone = $rw['userPhone'];
            $userAdd = $rw['userAdd'];
            $pmode = $rw['pmode'];
            $products = $rw['products'];
            $amountPaid = $rw['amountPaid'];
        }
    }
}
//refund end
//view start
if($pmode == 'cod'){
    echo '<h5>Payment Mode: Cash
On Delivery</h5>';
}
elseif($pmode == 'pop'){
    echo '<h5>Payment
Mode: Payment On Pickup</h5>';
}
elseif($pmode == 'credit'){
    echo '<h5>Payment Mode: Credit
Card</h5>';
}
?>
<h5>Amount Paid: php <?= number_
format($amountPaid, 2); ?></h5>
<a
href="adminHome.php?refundapprove=<?=
$id ?>" class="view-btn">Approve</a>
<a onclick = "return confirm('Are
you sure you want to delete this account?')"
href="adminHome.php?refunddecline=<?=
$id;?>" class="view-btn">Decline</a>

```

```

        <a
        href="adminHome.php?more=refund"
        class="view-btn">Cancel</a>
        </div>
        </div>
        <?php
        }
        elseif(isset($_GET['prodshow'])){
            $id = $_GET['prodshow'];
        ?>
        <!--product item view start-->
        <div class="view">
            <div class="box4">
                <?php
                    error_reporting(-1);
                    ini_set('display_errors', true);
                    include 'includes/dbhStore.inc.php';
                    $sql = $conn->prepare("SELECT *
FROM product WHERE id = '$id';");
                    $sql->execute();
                    $result = $sql->get_result();
                    while ($row = $result-
>fetch_assoc()) {
                        ?>
                        <h3>Product Detail No. <?=
$row['id']; ?></h3>
                        <hr>
                        ">
                        <h5>Product Code: <?=
$row['productCode'];?></h5>
                        <h5>Product Name: <?=
$row['productName'];?></h5>
                        <h5 style="margin:0
1rem;"><center>Description: <?=
$row['productDesc'];?></center></h5>
                        <h5>Brand: <?=
$row['brand'];?></h5>
                        <h5>Type: <?=
$row['typeProd'];?></h5>
                        <h5>Stock: <?=
$row['productStock'];?></h5>
                        <h5>Sale Price: <?=
$row['productPrice'];?></h5>
                        <h5>Original Price: <?=
$row['origPrice'];?></h5>
                <?php
                if($row['feature'] == 0){
                    echo'<h5>Featured: False</h5>';
                }else{
                    echo'<h5>Featured: True</h5>';
                }
            ?>
            <a href="adminHome.php?prodedit=<?=
$row['id']; ?>" class="view-btn">Edit</a>
            <a onclick = "return confirm('Are
you sure you want to delete this accountt?')"
href="adminHome.php?proddelete=<?=
$row['id'];?>" class="view-btn">Delete</a>
            <a href="adminHome.php?store=product"
class="view-btn">Cancel</a>
        </div>
        </div>
        <!--product item view end-->
        <!--Product Section end -->
        <?php
            mysqli_close($conn);
        }
    }
    elseif(isset($_GET['prodedit'])){
        $id = $_GET['prodedit'];
    ?>
    <!--Product Edit Info Start-->
    <div class="view" style="background:
#444;">
        <div class="box2" style="height:
800px; margin-top: 12rem;">
            <?php
                include 'includes/dbhStore.inc.php';
                $sql = $conn->prepare("SELECT *
FROM product WHERE id = '$id';");
                $sql->execute();
                $result = $sql->get_result();
                while ($row = $result-
>fetch_assoc()) {
                    ?>
                    <div class="title">
                        <h3>Product Detail No. <?=
$row['id']; ?></h3>
                        <hr>
                        <div class="form-edit"
style="display: grid; grid-template-columns:
1fr;">
                            <form
action="actionAdminHome.php"
method="POST" enctype="multipart/form-
data" class="prodImage">

```

```

<h5>Product Image</h5>
<input type="hidden"
name="id" value=<?= $row['id']; ?>">
<input type="file" name="file">
<button type="submit"
name="submitImage"
class="btn">Upload</button>
</form>
<form
action="actionAdminHome.php"
method="POST" class="edit-form">
<input type="hidden"
name="id" value=<?= $row['id']; ?>">
<input type="text" class="input-field"
name="pname" value=<?= $row['productName'];
?>" placeholder="Product Name"/>
<button type="submit"
name="productSubmit-editName"
class="submit-btn">Submit</button>
</form>
<form
action="actionAdminHome.php"
method="POST" class="edit-form">
<input type="hidden"
name="id" value=<?= $row['id']; ?>">
<input type="text" class="input-field"
name="pcode" value=<?= $row['productCode'];
?>" placeholder="Product Code"/>
<button type="submit"
name="productSubmit-editCode"
class="submit-btn">Submit</button>
</form>
<form
action="actionAdminHome.php"
method="POST" class="edit-form">
<input type="hidden"
name="id" value=<?= $row['id']; ?>">
<input type="text" class="input-field"
name="pdesc" value=<?= $row['productDesc'];
?>" placeholder="Product Description"/>
<input type="text" class="input-field"
name="brand" value=<?= $row['brand'];
?>" placeholder="Brand"/>
<input type="text" class="input-field"
name="type" value=<?= $row['typeProd'];
?>" placeholder="Type"/>
<input type="number" min = "1"
class="input-field" name="stock"
value=<?= $row['productStock'];
?>" placeholder="Stock" />
<input type="number" min = "1"
step="0.01" class="input-field"
name="pprice" value=<?= $row['productPrice'];
?>" placeholder="Sale Price" />
<input type="number" min = "1"
step="0.01" class="input-field"
name="oprice" value=<?= $row['origPrice'];
?>" placeholder="Original Price" />
<select name="feature"
class="form-control">
<option value="" selected
disabled>Product Feature</option>
<option
value="True">True</option>
<option
value="False">False</option>
</select>
<button type="submit"
name="productSubmit-editProd"
class="submit-btn" style="width: 120px;
height: 40px;">Submit</button>
<a href="adminHome.php?store=product"
class="view-btn" style="width: 120px;
height: 40px;">Cancel</a>
</form>
</div>
</div>
</div>
<!--Product Edit Info End-->
<?php
}
mysqli_close($conn);
}
elseif (isset($_GET['portershow'])) {
$id = $_GET['portershow'];
?>
<!--Porter Account View Info Start-->
<div class="view">
<div class="box">
<?php
include_once 'includes/dbh.inc.php';
$sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");
$sql->execute();
$result = $sql->get_result();

```

```

        while      ($row      =      $result-
>fetch_assoc()) {
            ?
            <h3>Porter Detail No. <?=
$row['id']; ?></h3>
            <hr>
            <h5>Full Name: <?=
$row['userName'];?></h5>
            <h5>Username: <?=
$row['userUid'];?></h5>
            <h5>Email Address: <?=
$row['userEmail'];?></h5>
            <h5>Phone Number: <?=
$row['userPhone'];?></h5>
            <a
href="adminHome.php?porteredit=<?=
$row['id']; ?>" class="view-btn">Edit</a>
            <a onclick = "return confirm('Are
you sure you want to delete this accountt?')"
href="adminHome.php?porterdelete=<?=
$row['id'];?>" class="view-btn">Delete</a>
            <a
href="adminHome.php?users=porters"
class="view-btn">Cancel</a>
        </div>
    </div>
    <!--Porter Account View Info End-->
    <?php
        mysqli_close($conn);
    }
}
elseif (isset($_GET['porterimg'])) {
    $id = $_GET['porterimg'];
?
<!--Porter Validate ID View Start-->
<div class="view">
    <div class="box3">
        <?php
            include_once 'includes/dbh.inc.php';
            $stmt = $conn->prepare("SELECT
* FROM idvalid WHERE userId = '$id';");
            $stmt->execute();
            $res = $stmt->get_result();
            while($rw = $res->fetch_assoc()){
                $img = $rw['nameFile'];
            }
            $sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");
            $sql->execute();
            $result = $sql->get_result();
        <?php
            while      ($row      =      $result-
>fetch_assoc()) {
            ?
            <h3>Porter Detail No. <?=
$row['id']; ?></h3>
            <hr>
            ">
            <h5>Full Name: <?=
$row['userName'];?></h5>
            <h5>Username: <?=
$row['userUid'];?></h5>
            <h5>Email Address: <?=
$row['userEmail'];?></h5>
            <h5>Phone Number: <?=
$row['userPhone'];?></h5>
            <a
href="adminHome.php?portercheck=<?=
$row['id']; ?>" class="view-btn">Approve</a>
            <a onclick = "return confirm('Are
you sure you want to delete this accountt?')"
href="adminHome.php?porterdecline=<?=
$row['id'];?>" class="view-
btn">Decline</a>
            <a
href="adminHome.php?users=porters"
class="view-btn">Cancel</a>
        </div>
    </div>
    <!--Porter Validate ID View End-->
    <?php
        mysqli_close($conn);
    }
}
elseif (isset($_GET['adminshow'])) {
    $id = $_GET['adminshow'];
?
<!--Admin Account View Info Start-->
<div class="view">
    <div class="box">
        <?php
            include_once 'includes/dbh.inc.php';
            $sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");
            $sql->execute();
            $result = $sql->get_result();
            while      ($row      =      $result-
>fetch_assoc()) {
            ?

```

```

        <h3>Admin Detail No. <?= $row['id']; ?></h3>
        <hr>
        <h5>Full Name: <?= $row['userName']; ?></h5>
        <h5>Username: <?= $row['userUid']; ?></h5>
        <h5>Email Address: <?= $row['userEmail']; ?></h5>
        <h5>Phone Number: <?= $row['userPhone']; ?></h5>
        <a href="adminHome.php?adminedit=<?= $row['id']; ?>" class="view-btn">Edit</a>
            <a onclick = "return confirm('Are you sure you want to delete this accountt?')"
               href="adminHome.php?admindelete=<?= $row['id']; ?>" class="view-btn">Delete</a>
        <a href="adminHome.php?users=admin" class="view-btn">Cancel</a>
        </div>
        </div>
        <!--Admin Account View Info End-->
        <?php
            mysqli_close($conn);
        }
    }
    elseif (isset($_GET['usershow'])) {
        $userid = $_GET['usershow'];
    ?>
    <!--customer view info start-->
    <div class="view">
        <div class="box">
            <?php
                include 'includes/dbh.inc.php';
                $sql = $conn->prepare("SELECT *
FROM users WHERE userId = '$userid';");
                $sql->execute();
                $result = $sql->get_result();
                while ($row = $result->fetch_assoc()) {
                    ?>
                    <h3>Customer Detail No. <?= $row['userId']; ?></h3>
                    <hr>
                    <h5>Full Name: <?= $row['userName']; ?></h5>
                    <h5>Username: <?= $row['userUid']; ?></h5>
                    <h5>Email Address: <?= $row['userEmail']; ?></h5>
                    <h5>Phone Number: <?= $row['userPhone']; ?></h5>
                    <?php
                        if($row['verified'] == 1){
                            ?>
                            <h5>Verified: True</h5>
                        } else{
                            ?>
                            <h5>Verified: False</h5>
                        }
                    ?>
                    <h5>Date Created: <?= $row['userDate']; ?></h5>
                    <h5>Loyalty Points: <?= $row['loyalpts']; ?></h5>
                    <a href="adminHome.php?useredit=<?= $row['userId']; ?>" class="view-btn">Edit</a>
                        <a onclick = "return confirm('Are you sure you want to delete this accountt?')"
                           href="adminHome.php?delete=<?= $row['userId']; ?>" class="view-btn">Delete</a>
                    <a href="adminHome.php?users=customers" class="view-btn">Cancel</a>
                    </div>
                    </div>
                    <!--customer view info end-->
                    <?php
                }
                mysqli_close($conn);
            }
            elseif(isset($_GET['adminedit'])){
                $id = $_GET['adminedit'];
            ?>
            <!--Admin User Edit Info Start-->
            <div class="view" style="background:#444;">
                <div class="box2">
                    <?php
                        include_once 'includes/dbh.inc.php';
                        $sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");

```

```

$sql->execute();
$result = $sql->get_result();
while ($row = $result->fetch_assoc()) {
    ?>
    <div class=title>
        <h3>Admin Detail No. <?=$row['id']; ?></h3>
        <hr>
    </div>
    <div class="form-edit">
        <form
            action="actionAdminHome.php"
            method="POST" class="edit-form">
            <input type="hidden" name="id" value="<?=$row['id']; ?>">
            <input type="text" class="input-field" name="name" value="<?=$row['userName']; ?>" placeholder="Full Name"/>
            <select name="type" class="form-control">
                <option value="" selected disabled>Select Account Type</option>
                <option value="Admin">Admin</option>
                <option value="Deliver">Delivery</option>
            </select>
            <button type="submit" name="adminSubmit-editacc" class="submit-btn">Submit</button>
        </form>
    <form
        action="actionAdminHome.php"
        method="POST" class="edit-form">
            <input type="hidden" name="id" value="<?=$row['id']; ?>">
            <input type="text" class="input-field" name="email" value="<?=$row['userEmail']; ?>" placeholder="Email"/>
            <button type="submit" name="adminSubmit-editaccEmail" class="submit-btn">Submit</button>
        </form>
    <form
        action="actionAdminHome.php"
        method="POST" class="edit-form">
            <input type="hidden" name="id" value="<?=$row['id']; ?>">
            <input type="tel" class="input-field" name="phone" value="<?=$row['userPhone']; ?>" placeholder="Phone Number"/>
            <button type="submit" name="adminSubmit-editaccPhone" class="submit-btn">Submit</button>
        </form>
    </div>
    <!--Admin User Edit Info End-->
    <?php
    }
    mysqli_close($conn);
}
elseif(isset($_GET['porteredit'])){
    $id = $_GET['porteredit'];
?>
<!--Porter User Edit Info Start-->

```

```

<div class="view" style="background:#444;">
    <div class="box2" style="height:800px; margin-top: 12rem;">
        <?php
            include_once 'includes/dbh.inc.php';
            $sql = $conn->prepare("SELECT *
FROM useradmin WHERE id = '$id';");
            $sql->execute();
            $result = $sql->get_result();
            while ($row = $result->fetch_assoc()) {
                ?>
                <div class="title">
                    <h3>Porter Detail No. <?= $row['id']; ?></h3>
                    <hr>
                </div>
                <div class="form-edit" style="display: grid; grid-template-columns: 1fr;">
                    <form action="actionAdminHome.php" method="POST" class="edit-form">
                        <input type="hidden" name="id" value="<?= $row['id']; ?>">
                        <input type="text" class="input-field" name="uid" value="<?= $row['userUid']; ?>" placeholder="Username"/>
                        <button type="submit" name="porterSubmit-editaccUid" class="submit-btn">Submit</button>
                    </form>
                    <form action="actionAdminHome.php" method="POST" class="edit-form">
                        <input type="hidden" name="id" value="<?= $row['id']; ?>">
                        <input type="email" class="input-field" name="email" value="<?= $row['userEmail']; ?>" placeholder="Email"/>
                        <button type="submit" name="porterSubmit-editaccEmail" class="submit-btn">Submit</button>
                    </form>
                    <form action="actionAdminHome.php" method="POST" class="edit-form">
                        <input type="hidden" name="id" value="<?= $row['id']; ?>">
                        <input type="hidden" name="type" value="Deliver">
                        <input type="text" class="input-field" name="name" value="<?= $row['userName']; ?>" placeholder="Full Name"/>
                        <button type="submit" name="porterSubmit-editacc" class="submit-btn">Submit</button>
                    </form>
                    <form action="actionAdminHome.php" method="POST" class="edit-form">
                        <input type="hidden" name="id" value="<?= $row['id']; ?>">
                        <input type="password" class="input-field" name="pwd" placeholder="New Password" />
                        <button type="submit" name="porterSubmit-editaccPwd" class="submit-btn" style="width: 120px; height: 40px;">Submit</button>
                    <a href="adminHome.php?users=porters" class="view-btn" style="width: 120px; height: 40px;">Cancel</a>
                    </form>
                </div>
            </div>
        <!--Porter User Edit Info End-->
        <?php
            mysqli_close($conn);
        }
        elseif(isset($_GET['useredit'])) {

```

```

        $userid = $_GET['useredit'];
    ?>
    <!--Customer Edit Info Start-->
    <div class="view" style="background:
#444;">
        <div class="box2">
            <?php
                include 'includes/dbh.inc.php';
                $sql = $conn->prepare("SELECT *
FROM users WHERE userId = '$userid';");
                $sql->execute();
                $result = $sql->get_result();
                while ($row = $result-
>fetch_assoc()) {
                    ?>
                    <div class=title>
                        <h3>Customer Detail No. <?=
$row['userId']; ?></h3>
                        <hr>
                    </div>
                    <div class="form-edit">
                        <form
                            action="actionAdminHome.php"
                            method="POST" class="edit-form">
                            <input type="hidden"
                                name="id" value="<?= $row['userId']; ?>">
                            <input type="text" class="input-
field" name="uid" value="<?=
$row['userUid']; ?>" placeholder="Username"/>
                            <button type="submit"
                                name="submit-editaccUid" class="submit-
btn">Submit</button>
                        </form>
                    <form
                            action="actionAdminHome.php"
                            method="POST" class="edit-form">
                            <input type="hidden"
                                name="id" value="<?= $row['userId']; ?>">
                            <input type="email"
                                class="input-field" name="email"
                                value="<?=
$row['userEmail']; ?>" placeholder="Email"/>
                            <button type="submit"
                                name="submit-editaccEmail" class="submit-
btn">Submit</button>
                        </form>
                    <form
                            action="actionAdminHome.php"
                            method="POST" class="edit-form">

```

<input type="hidden" name="id" value="<?= \$row['userId']; ?>">

<input type="tel" class="input-field" name="phone" value="<?= \$row['userPhone']; ?>" placeholder="Phone Number"/>

<button type="submit" name="submit-editaccPhone" class="submit-btn">Submit</button>

</form>

<form action="actionAdminHome.php" method="POST" class="edit-form">

<input type="hidden" name="id" value="<?= \$row['userId']; ?>">

<input type="text" class="input-field" name="name" value="<?= \$row['userName']; ?>" placeholder="Full Name"/>

<input type="text" class="input-field" name="address" value="<?= \$row['userAdd']; ?>" placeholder="Address"/>

<div class="radio-button">

<h4>Verified</h4>

<input type="radio" id="true" name="verified" value="1">

<label for="true">True</label>

<input type="radio" id="false" name="verified" value="0">

<label for="false">False</label>

</div>

<button type="submit" name="submit-editacc" class="submit-btn">Submit</button>

</form>

<form action="actionAdminHome.php" method="POST" class="edit-form">

<input type="hidden" name="id" value="<?= \$row['userId']; ?>">

<input type="password" class="input-field" name="pwd" placeholder="New Password" />

<button type="submit" name="submit-editaccPwd" class="submit-btn" style="width: 120px; height: 40px;">Submit</button>

```

        <a
href="adminHome.php?users=customers"
class="view-btn" style="width: 120px;
height: 40px;">Cancel</a>
        </form>
    </div>
</div>
</div>
<!--Customer Edit Info End-->
<?php
}
mysqli_close($conn);
}
else {
?>
<!--dashboard start-->
<!--top start-->
<div class="dashboard-top">

    <a
href="adminHome.php?users=customers">
        <div class="info-box"
style="background: #84C9EA;">
            <i class="fas fa-user-circle"></i>
            <p>
                <?php
                    include 'includes/dbh.inc.php';
                    $sql = "SELECT count(userId) AS
total FROM users";
                    $result = mysqli_query($conn,$sql);
                    $values
                    =
                    mysqli_fetch_assoc($result);
                    $num_rows = $values['total'];
                    if ($num_rows > 0) {
                        echo $num_rows;
                    }else {
                        echo "0";
                    }
                    mysqli_close($conn);
                ?>
            </p>
            <p>User Accounts</p>
        </div>
    </a>
    <a
href="adminHome.php?store=order">
        <div class="info-box"
style="background: #A7EA84;">
            <i class="fas fa-shopping-cart"></i>
            <p>
                <?php

```

```

include 'includes/dbhStore.inc.php';
$sql = "SELECT count(id) AS total
FROM orders WHERE orderStatus =
'Pending';";
$result = mysqli_query($conn,$sql);
$values
=
mysqli_fetch_assoc($result);
$num_rows = $values['total'];
if ($num_rows > 0) {
    echo     '<p style="color:
#DA0202;">'.$num_rows.'</p>';
}else {
    echo "0";
}
mysqli_close($conn);
?>
</p>
<p>Pending Orders</p>
</div>
</a>
<a
href="adminHome.php?more=refund">
        <div class="info-box"
style="background: #EA9E84;">
            <i class="fas fa-file-invoice-dollar"></i>
            <p>
                <?php
                    include 'includes/dbhStore.inc.php';
                    $sql = "SELECT count(id) AS total
FROM refundorder";
                    $result = mysqli_query($conn,$sql);
                    $values
                    =
                    mysqli_fetch_assoc($result);
                    $num_rows = $values['total'];
                    if ($num_rows > 0) {
                        echo     '<p style="color:
#DA0202;">'.$num_rows.'</p>';
}else {
    echo "0";
}
                    mysqli_close($conn);
                ?>
            </p>
            <p>Refund Orders</p>
        </div>
    </a>
    <a
href="adminHome.php?users=porters">
        <div class="info-box"
style="background:#C184EA;">

```

```

<i class="fas fa-truck"></i>
<p>
<?php
include 'includes/dbh.inc.php';
$sql = "SELECT count(userId) AS
total FROM idvalid;";
$result = mysqli_query($conn,$sql);
$values =
mysqli_fetch_assoc($result);
$num_rows = $values['total'];
if ($num_rows > 0) {
echo '<p style="color:
#DA0202;">'.$num_rows.'</p>';
} else {
echo "0";
}
mysqli_close($conn);
?>
</p>
<p>Pending Porters</p>
</div>
</a>
</div>
<!--top end-->
<!--bottom start-->
<div class="dashboard-bottom">
<div id="curve_chart"></div>
<div class="data">
<h5 class="title">Order History (last
10)</h5>
<hr>
<ul>
<li><p>Order
Code</p><p>Amount Paid (php)</p></li>
<?php
$mysql = new
mysqli('localhost','u391276243_user','v5mY
:@bPZJ:','u391276243_mydb') or
die(mysqli_error($mysql));
$result = $mysql->query("SELECT
* FROM archorder WHERE orderStatus =
'Delivered' ORDER BY 'id' DESC LIMIT
10;") or die($mysql->error);
while($row = $result-
>fetch_assoc()){
?>
<li><p class="summary"><?=
$row['orderCode']; ?> </p> <p> <?=
number_format($row['amountPaid'], 2);
?></p></li>
<?php
}
}

mysql_close($mysql);
?>
</ul>
</div>
<!--bottom end-->
<!--dashboard end-->
<?php
}
?>
</div>
<!-- main container end -->
</div>
<!-- wrapper end -->
<script src="js/jquery.magnify.js"
charset="UTF-8"></script>
<script>
$(document).ready(function() {
$('.zoom').magnify();
});
</script>
<script type="text/javascript">
$(document).ready(function () {
$(".sidebar-btn").click(function () {
$(".wrapper").toggleClass("collapse");
});
});
</script>
</body>
</html>

userStore.php
<!-- Programmed by: Isaiah John Ching
Fernando-->
<?php
session_start();
if (!$_SESSION["userid"] == null) {
header('location: index.php');
exit();
}
$userId = $_SESSION["userid"];
$userUid = $_SESSION["userid"];
$userName = $_SESSION["username"];
$userEmail = $_SESSION["useremail"];
$userPhone = $_SESSION["userphone"];
$verify = $_SESSION["verify"];
$userType = $_SESSION["usertype"];
$loyalpts = $_SESSION['loyalPts'];
?>
<!DOCTYPE html>

```

```

<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta http-equiv="Cache-Control" content="no-cache, no-store, must-revalidate" />
    <script
      src="https://kit.fontawesome.com/824d2c43ce.js"
      crossorigin="anonymous"
    ></script>
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css?v=<?php echo time(); ?>">
    <link rel="stylesheet" href="css/mobile.css?v=<?php echo time(); ?>">
    <title>Store | Michella's Pick N' Shop <?php echo '$userUid'; ?></title>
  </head>
  <body class="bg-light" style="overflow-x: hidden;">
    <?php
      if ($userType == "User" ) {
    ?>
    <nav class="navbar navbar-expand-md bg-white navbar-light">
      <!-- Brand -->
      <a class="navbar-brand" href="userHome.php"></a>

      <!-- Toggler/collapsible Button -->
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapsibleNavbar">
        <span class="navbar-toggler-icon"></span>
      </button>

      <!-- Navbar links -->
      <div class="collapse navbar-collapse" id="collapsibleNavbar">
        <ul class="navbar-nav">
          <li class="nav-item">
            <a href="userHome.php" class="nav-link" ><i class="fas fa-home"></i> Home</a>
          </li>
          <li class="nav-item">
            <a href="userStore.php" class="nav-link" ><i class="fas fa-store"></i> Store</a>
          </li>
          <li class="nav-item">
            <a href="userCart.php" class="nav-link" ><i class="fas fa-shopping-cart"></i> <span id="cart-item" class="badge badge-danger"></span></a>
          </li>
          <li class="nav-item">
            <a href="userProfile.php" class="nav-link" ><i class="fas fa-user-circle"></i></a>
          </li>
        </ul>
      </div>
    </nav>
    <?php
    }
    if ($userType == 'Reseller') {
    ?>
    <nav class="navbar navbar-expand-md bg-white navbar-light">
      <!-- Brand -->
      <a class="navbar-brand" href="userHome.php"></a>

      <!-- Toggler/collapsible Button -->
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapsibleNavbar">
        <span class="navbar-toggler-icon"></span>
      </button>

      <!-- Navbar links -->
      <div class="collapse navbar-collapse" id="collapsibleNavbar">
        <ul class="navbar-nav">
          <li class="nav-item">
            <a href="resellerHome.php" class="nav-link" ><i class="fas fa-home"></i> Home</a>
          </li>
        </ul>
      </div>
    </nav>
  
```

```

</li>
<li class="nav-item">
    <a href="userStore.php"><i class="fas fa-store"></i> Store</a>
</li>
<li class="nav-item">
    <a href="userCart.php"><i class="fas fa-shopping-cart"></i> <span id="cart-item" class="badge badge-danger"></span></a>
</li>
<li class="nav-item">
    <a href="userProfile.php"><i class="fas fa-user-circle"></i></a>
</li>
</ul>
</div>
</nav>
<?php
}?
<div class="row">
    <!-- Categories Section-->
    <div class="col-lg-3">
        <div class="container">
            <h5 class="mt-2 ml-2">Filter Product</h5>
            <hr>
            <h6 class="text-info m-2">Select Brand <button class="btn btn-light" onclick="show_hide()"><i class="fas fa-chevron-down"></i></button></h6>
            <ul class="list-group" id="hide">
                <?php
                    include 'includes/dbhStore.inc.php';
                    $sql = "SELECT DISTINCT brand FROM product ORDER BY brand;";
                    $result = $conn->query($sql);
                    while($row = $result->fetch_assoc()){

                ?>
                <li class="list-group-item">
                    <div class="form-check">
                        <label class="form-check-label">
                            <input type="checkbox" class="form-check-input product_check" value="<?=$row['brand'];?>" id="brand"><?=$row['brand']; ?>
                        </label>
                    </div>
                </li>
            <?php
                }
            }?
        </ul>
    </div>
</div>
    <!-- Product Section-->
    <div class="col">
        <div class="container">
            <!-- Search Field -->
            <?php
                include 'includes/dbhStore.inc.php';?>
            <form action="" method="POST">
                <div class="form-inline input-group col-sm-8 col-lg-4 mt-2 mb-1">
                    <input type="text" name="search" class="form-control" placeholder="Search">
                    <button type="submit" name="submit-search" class="btn btn-outline-info"><i class="fas fa-search"></i></button>
                </div>
            </form>
        </div>
    </div>
</div>
<?php
}
?>
</ul>
<h6 class="text-info m-2">Product Category<button class="btn btn-light" onclick="show_hide2()"><i class="fas fa-chevron-down"></i></button></h6>
<ul class="list-group" id="hide2">
    <?php
        include 'includes/dbhStore.inc.php';
        $sql = "SELECT DISTINCT typeProd FROM product ORDER BY typeProd;";
        $result = $conn->query($sql);
        while($row = $result->fetch_assoc()){

    ?>
    <li class="list-group-item">
        <div class="form-check">
            <label class="form-check-label">
                <input type="checkbox" class="form-check-input product_check" value="<?=$row['typeProd'];?>" id="typeProd"><?=$row['typeProd']; ?>
            </label>
        </div>
    </li>
    <?php
    }
    ?>
</ul>
</div>
</div>
<?php
}
?>
</ul>

```

```

</form>
<a
href="userProductPrint.php?printallprod"
target="_blank" style="color: #fff; text-decoration: none;">><button type="button"
class="btn btn-dark mt-1 ml-3" style="text-decoration: none;">>Product
List</button></a>
<!-- Error Messages -->
<div class="message" id="message">
<?php
if($loyalpts < 0){
    echo '<div class="alert alert-danger" alert-dismissible fade show mt-3">
        <button type="button" class="close" data-dismiss="alert" onclick="myFunction()">&times;</button>
        <strong>WARNING: If you are found abusing the functions of the system your account will be deleted.</strong>
    </div>';
}
if ($verify == 0) {
    echo'<div class="alert alert-danger" alert-dismissible fade show mt-3">
        <button type="button" class="close" data-dismiss="alert">&times;</button>
        <strong>Please verify your email to start buying products!</strong>
    </div>';
}
if (isset($_GET['error'])) {
    if ($_GET['error'] == 'signin') {
?>
<div class="alert alert-danger" alert-dismissible mt-1">
    <button type="button" class="close" data-dismiss="alert">&times;</button>
    <strong>Please Sign In to Access your Cart!</strong>
</div>
<?php
}
if ($_GET['error'] == 'notvalid') {
?>
<div class="alert alert-danger" alert-dismissible mt-1">

```

```

<button type="button" class="close" data-dismiss="alert">&times;</button>
        <strong>Please Validate Your Email!</strong>
    </div>
    <?php
    }
?>
</div>
<!-- Product Output -->
<div class="text-center">
    
</div>
<div class="row mt-2 pb-3" id="result">
    <?php
    include 'includes/dbhStore.inc.php';
    if (isset($_POST['submit-search'])) {
        $space = '/\s/';
        $search = mysqli_real_escape_string($conn, $_POST['search']);
        $sql="SELECT * FROM product
WHERE productName LIKE '%$search%' OR productDesc LIKE '%$search%' OR productName LIKE '%$space%' OR productDesc LIKE '%$space%';";
        $result = mysqli_query($conn, $sql);
        $queryResult = mysqli_num_rows($result);
        if ($queryResult > 0) {
            while ($row = mysqli_fetch_assoc($result)) {
?>
                <div class="col-sm-6 col-md-4 col-lg-3 mb-2">
                    <div class="card-deck">
                        <div class="card p-2 border-bottom md-2" style="box-shadow: 1px 2px 4px rgba(0, 0, 0, 0.3), 0px 0px 6px rgba(0, 0, 0, 0.3);>
                            <a href="userStoreInfo.php?product=<?=$row['id']; ?>"></a>
    <div class="card-body p-1">
        <h5 class="card-title text-center text-info"><?= $row['productName']; ?></h5>
        <h6 class="card-text text-center text-danger">PHP
<?=number_format($row['productPrice'],2);
?></h6>
    </div>
    <div class="card-footer p-1 pb-2">
        <form action="" class="form-submit">
            <input type="hidden" class="pid" value=<?=$row['id']; ?>">
            <input type="hidden" class="pname" value=<?=$row['productName']; ?>">
            <input type="hidden" class="pprice" value=<?=$row['productPrice']; ?>">
            <input type="hidden" class="pimage" value=<?=$row['productImage']; ?>">
            <input type="hidden" class="PCODE" value=<?=$row['productCode']; ?>">
            <input type="hidden" class="pdesc" value=<?=$row['productDesc']; ?>">
            <input type="hidden" class="puser" value=<?=$userUid ?>">
            <button class="btn btn-warning btn-block addItemBtn"><i class="fas fa-shopping-cart"></i> Add to cart</button>
        </form>
    </div>
</div>
</div>
</div>
<?php
    }

    }else{
        echo'<div class="alert alert-danger alert-dismissible fade show mt-2">
            <button type="button" class="close" data-dismiss="alert">&times;</button>
            <strong>There are no results matching your search</strong>
        </div>';
    }
}

elseif (isset($_GET['brand'])) {
    $brand = $_GET['brand'];
    include 'includes/dbhStore.inc.php';
    $stmt = $conn->prepare("SELECT * FROM product WHERE brand = '$brand'");
    $stmt->execute();
    $result = $stmt->get_result();
    while($row = $result->fetch_assoc()){

        <div class="col-sm-6 col-md-4 col-lg-3 mb-2">
            <div class="card-deck">
                <div class="card p-2 border-bottom md-2" style="box-shadow: 1px 2px 4px rgba(0, 0, 0, 0.3), 0px 0px 6px rgba(0, 0, 0, 0.3);">
                    <a href="userStoreInfo.php?product=<?=$row['id']; ?>"><img src=<?=$row['productImage']?>" class="card-img-top" width="180"></a>
                    <div class="card-body p-1">
                        <h5 class="card-title text-center text-info"><?= $row['productName']; ?></h5>
                        <h6 class="card-text text-center text-danger">PHP
<?=number_format($row['productPrice'],2);
?></h6>
                    </div>
                    <div class="card-footer p-1 pb-2">
                        <form action="" class="form-submit">
                            <input type="hidden" class="pid" value=<?=$row['id']; ?>">
                            <input type="hidden" class="pname" value=<?=$row['productName']; ?>">

```

```

                <input type="hidden"
class="pprice"
value=<?=$row['productPrice']; ?>">
                <input type="hidden"
class="pimage"
value=<?=$row['productImage']; ?>">
                <input type="hidden"
class="PCODE"
value=<?=$row['productCode']; ?>">
                <input type="hidden"
class="PDESC"
value=<?=$row['productDesc']; ?>">
                <input type="hidden"
class="PUSER" value=<?= $userUid ?>">
                <button class="btn btn-warning btn-block addItemBtn"><i class="fas fa-shopping-cart"></i> Add to cart</button>
            </form>
        </div>
    </div>
</div>
</div>
<?php
}
} else{ ?>
<!-- Featured Products --&gt;
&lt;div class="container"&gt;
    &lt;div class="row justify-content-center"&gt;
        &lt;h5 class="text-center text-info m-3" style="text-transform: uppercase; letter-spacing: 2px;"&gt;Featured Products&lt;/h5&gt;
    &lt;/div&gt;
&lt;/div&gt;
&lt;div class="container"&gt;
    &lt;div class="row"&gt;
        &lt;?php
            include
'includes/dbhStore.inc.php';
            $stmt = $conn-&gt;prepare("SELECT * FROM product WHERE feature = 1;");
            $stmt-&gt;execute();
            $result = $stmt-&gt;get_result();
            while ($row = $result-&gt;fetch_assoc()) {
            ?&gt;
                &lt;div class="col-sm-6 col-md-4 col-lg-3 mb-2"&gt;
                    &lt;div class="card-deck"&gt;
                        &lt;div class="card p-2 border-bottom mb-2" style="box-shadow: 1px 2px 4px rgba(0, 0, 0, 0.3), 0px 0px 6px rgba(0, 0, 0, 0.3);&gt;
                            &lt;?php
                                if ($verify == 0) {
                                ?&gt;
                                &lt;a href="userStore.php?error=notvalid"&gt;&lt;/a&gt;
                                &lt;img src=&lt;?=$row['productImage']; ?&gt;" class="card-img-top" width="100%" height="100%"&gt;
                                    &lt;?php
                                        } else{ ?&gt;
                                    &lt;a href="userStoreInfo.php?product=&lt;?=$row['id']; ?&gt;"&gt;&lt;img src=&lt;?=$row['productImage']; ?&gt;" class="card-img-top" width="180"&gt;&lt;/a&gt;
                                    &lt;?php }?
                                &lt;div class="card-body p-1"&gt;
                                    &lt;h5 class="card-title text-center text-info"&gt;&lt;?=$row['productName']; ?&gt;&lt;/h5&gt;
                                    &lt;h6 class="card-text text-center text-danger"&gt;PHP &lt;?=number_format($row['productPrice'],2); ?&gt;&lt;/h6&gt;
                                &lt;/div&gt;
                                &lt;div class="card-footer p-1 pb-2"&gt;
                                    &lt;?php
                                        if ($verify == 0) {
                                        ?&gt;
                                        &lt;a href="userStore.php?error=notvalid" class="btn btn-warning btn-block"&gt;&lt;i class="fas fa-shopping-cart"&gt;&lt;/i&gt; Add to cart&lt;/a&gt;
                                    &lt;?php
                                        } else {
                                        ?&gt;
                                    &lt;form action="" class="form-submit"&gt;
                                        &lt;input type="hidden" class="pid" value=&lt;?=$row['id']; ?&gt;"&gt;
                                        &lt;input type="hidden" class="pname" value=&lt;?=$row['productName']; ?&gt;"&gt;
</pre>

```

```

                <input type="hidden"
class="pprice" value="<?=$row['productPrice']; ?>">
                <input type="hidden"
class="pimage" value="<?=$row['productImage']; ?>">
                <input type="hidden"
class="PCODE" value="<?=$row['productCode']; ?>">
                <input type="hidden"
class="PDESC" value="<?=$row['productDesc']; ?>">
                <input type="hidden"
class="PUSER" value="<?= $userUid ?>">
                <button class="btn btn-warning btn-block addItemBtn"><i class="fas fa-shopping-cart"></i> Add to cart</button>
            </form>
            <?php ?>
        </div>
    </div>
    <div>
        <?php ?>
        </div>
    </div>
    <!-- Rest of the Product Store -->
    <div class="container">
        <div class="row justify-content-center">
            <h5 class="text-center text-info m-3" style="text-transform: uppercase; letter-spacing: 2px;">Store</h5>
        </div>
    </div>
    <?php
        include
'includes/dbhStore.inc.php';
        $stmt = $conn->prepare("SELECT
* FROM product WHERE feature = 0;");
        $stmt->execute();
        $result = $stmt->get_result();
        while ($row = $result->fetch_assoc()) {
            ?
            <div class="col-sm-6 col-md-4 col-lg-3 mb-2">
                <div class="card-deck">
                    <div class="card p-2 border-bottom mb-2" style="box-shadow: 1px 2px
4px rgba(0, 0, 0, 0.3), 0px 0px 6px rgba(0, 0, 0, 0.3);">
                        <?php
                            if ($verify == 0) {
                                ?
                                <a href="userStore.php?error=notvalid"></a>
                                <?php
                                    }else{
                                        ?
                                        <a href="userStoreInfo.php?product=<?=$row['id']; ?>"></a>
                                        <?php }?
                                            <div class="card-body p-1">
                                                <h6 class="card-title text-center text-info"><?=$row['productName']; ?></h6>
                                                <h6 class="card-text text-center text-danger">PHP <?number_format($row['productPrice'],2); ?></h6>
                                            </div>
                                            <div class="card-footer p-1 pb-2">
                                                <?php
                                                    if ($verify == 0) {
                                                        ?
                                                        <button class="btn btn-outline-secondary" disabled><i class="fas fa-shopping-cart"></i> Add to cart</button>
                                                        <?php
                                                        }else {
                                                            ?
                                                            <form action="" class="form-submit">
                                                                <input type="hidden" class="pid" value="<?=$row['id']; ?>">
                                                                <input type="hidden" class="pname" value="<?=$row['productName']; ?>">
                                                                <input type="hidden" class="pprice" value="<?=$row['productPrice']; ?>">
                                                                <input type="hidden" class="pimage" value="<?=$row['productImage']; ?>">
                                                            </form>
                                                        <?php
                                                    }
                                                </?php
                                            </div>
                                        <?php
                                    }
                                </?php
                            }
                        </?php
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <input type="hidden"
class="PCODE" value=<?=$row['productCode']; ?>>
        <input type="hidden"
class="PDESC" value=<?=$row['productDesc']; ?>>
        <input type="hidden"
class="PPTS" value=<?=$row['loyalpts']; ?>>
        <input type="hidden"
class="PUSER" value=<?= $userUid ?>>
        <button class="btn btn-warning btn-block addItemBtn"><i class="fas fa-shopping-cart"></i> Add to cart</button>
    </form>
    <?php }?>
</div>
</div>
</div>
<?php
}
}?
}>
</div>
</div>
</div>
<?php
include_once 'footer.php';
?>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
<script type="text/javascript">
$(document).ready(function(){
    $(".addItemBtn").click(function(e){
        e.preventDefault();
        var $form = $(this).closest(".form-submit");
        var pid = $form.find(".pid").val();
        var pname = $form.find(".pname").val();
        var pprice = $form.find(".pprice").val();
        var pimage = $form.find(".pimage").val();
        var pcode = $form.find(".pcode").val();
        var pdesc = $form.find(".pdesc").val();
        var ppt = $form.find(".ppt").val();
        var puser = $form.find(".puser").val();
        $.ajax({
            url: 'includes/actionCart.inc.php',
            method: 'post',
            data: {
                pid: pid,
                pname: pname,
                pprice: pprice,
                pimage: pimage,
                pcode: pcode,
                pdesc: pdesc,
                ppt: ppt,
                puser: puser
            },
            success: function(response) {
                $("#message").html(response);
                window.scrollTo(0, 0);
                load_cart_item_number();
            }
        });
        load_cart_item_number();
    });
    function load_cart_item_number() {
        $.ajax({
            url: 'includes/actionCart.inc.php',
            method: 'get',
            data: {cartItem: "cart_item"},
            success: function(response) {
                $("#cart-item").html(response);
            }
        });
    }
});
</script>
<script type="text/javascript">
$(document).ready(function(){
    $(".product_check").click(function(){
        $('#loader').show();
        var action = 'data';
        var brand = get_filter_text('brand');
        var typeProd = get_filter_text('typeProd');
        $.ajax({

```

```

url:'actionUser.php',
method:'POST',
data:{action:action,brand:brand,typeProd:ty
peProd,},
success:function(response){
    $("#result").html(response);
    $("#loader").hide();
}
});
});

function get_filter_text(text_id){
    var filterData = [];
    $('#'+text_id+':checked').each(function(){
        filterData.push($(this).val());
    });
    return filterData;
}

});
</script>
<script src="js/showhide.js"></script>
</body>
</html>

```

userPay.php

```

<!-- Programmed by: Isaiah John Ching
Fernando-->
<?php
session_start();
if ($_SESSION["userid"] == null) {
    header('location: index.php');
    exit();
}
$userId = $_SESSION["userid"];
$userUid = $_SESSION["userid"];
$userName = $_SESSION["username"];
$userEmail = $_SESSION["useremail"];
$userPhone = $_SESSION["userphone"];
$verify = $_SESSION["verify"];
$userType = $_SESSION["usertype"];
$loyalpts = $_SESSION['loyalPts'];
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />

```

```

<meta name="viewport"
content="width=device-width, initial-
scale=1.0" />
<meta http-equiv="Cache-Control"
content="no-cache, no-store, must-
revalidate" />
<script
src="https://kit.fontawesome.com/824d2c43
ce.js"
crossorigin="anonymous"
></script>
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css?v=<?php
echo time(); ?>">
<link rel="stylesheet"
href="css/mobile.css?v=<?php echo time();
?>">
<title>Store | Michella's Pick N' Shop
|<?php echo '$userUid'; ?></title>
</head>
<body class="bg-light" style="overflow-x:
hidden;">
<?php
if ($userType == "User" ) {
?>
<nav class="navbar navbar-expand-md
bg-white navbar-light">
    <!-- Brand -->
    <a class="navbar-brand"
href="userHome.php"></a>

    <!-- Toggler/collapsible Button -->
    <button class="navbar-toggler"
type="button" data-toggle="collapse" data-
target="#collapsibleNavbar">
        <span class="navbar-toggler-
icon"></span>
    </button>

    <!-- Navbar links -->
    <div class="collapse navbar-collapse"
id="collapsibleNavbar">
        <ul class="navbar-nav">
            <li class="nav-item">
                <a href="userHome.php" class="nav-
link"><i class="fas fa-home"></i>
Home</a>

```

```

</li>
<li class="nav-item">
    <a href="userStore.php"><i class="fas fa-store"></i> Store</a>
</li>
<li class="nav-item">
    <a href="userCart.php"><i class="fas fa-shopping-cart"></i> <span id="cart-item" class="badge badge-danger"></span></a>
</li>
<li class="nav-item">
    <a href="userProfile.php"><i class="fas fa-user-circle"></i></a>
</li>
</ul>
</div>
</nav>
<?php
}
if ($userType == 'Reseller') {
?
<nav class="navbar navbar-expand-md bg-white navbar-light">
    <!-- Brand -->
    <a href="userHome.php"></a>

    <!-- Toggler/collapsible Button -->
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapsibleNavbar">
        <span class="navbar-toggler-icon"></span>
    </button>

    <!-- Navbar links -->
    <div class="collapse navbar-collapse" id="collapsibleNavbar">
        <ul class="navbar-nav">
            <li class="nav-item">
                <a href="resellerHome.php" class="nav-link"><i class="fas fa-home"></i> Home</a>
            </li>
            <li class="nav-item">
                <a href="userStore.php"><i class="fas fa-store"></i> Store</a>
            </li>
            <li class="nav-item">
                <a href="userCart.php"><i class="fas fa-shopping-cart"></i> <span id="cart-item" class="badge badge-danger"></span></a>
            </li>
            <li class="nav-item">
                <a href="userProfile.php"><i class="fas fa-user-circle"></i></a>
            </li>
        </ul>
    </div>
</nav>
<?php
}
if ($userType == 'Reseller') {
?
<nav class="navbar navbar-expand-md bg-white navbar-light">
    <!-- Brand -->
    <a href="userHome.php"></a>

    <!-- Toggler/collapsible Button -->
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapsibleNavbar">
        <span class="navbar-toggler-icon"></span>
    </button>

    <!-- Navbar links -->
    <div class="collapse navbar-collapse" id="collapsibleNavbar">
        <ul class="navbar-nav">
            <li class="nav-item">
                <a href="userCart.php"><i class="fas fa-shopping-cart"></i> <span id="cart-item" class="badge badge-danger"></span></a>
            </li>
            <li class="nav-item">
                <a href="userProfile.php"><i class="fas fa-user-circle"></i></a>
            </li>
        </ul>
    </div>
</nav>
<?php
}
if ($userType == 'Reseller') {
?
<div class="row">
    <!-- Categories Section-->
    <div class="col-lg-3">
        <div class="container">
            <h5 class="mt-2 ml-2">Filter Product</h5>
            <hr>
            <h6 class="text-info m-2">Select Brand <button class="btn btn-light" onclick="show_hide()"><i class="fas fa-chevron-down"></i></button></h6>
            <ul class="list-group" id="hide">
                <?php
                    include 'includes/dbhStore.inc.php';
                    $sql = "SELECT DISTINCT brand FROM product ORDER BY brand;";
                    $result = $conn->query($sql);
                    while($row = $result->fetch_assoc()){
                ?
                    <li class="list-group-item">
                        <div class="form-check">
                            <label class="form-check-label">
                                <input type="checkbox" class="form-check-input product_check" value="<?=$row['brand'];?>" id="brand"><?=$row['brand']; ?>
                            </label>
                        </div>
                    </li>
                <?php
            }
        </div>
    </div>
</div>
<?php
}
if ($userType == 'Reseller') {
?

```

```

        }
    ?>
</ul>
<h6 class="text-info m-2">Product Category<button class="btn btn-light" onclick="show_hide2()"><i class="fas fa-chevron-down"></i></button></h6>
<ul class="list-group" id="hide2">
<?php
    include 'includes/dbhStore.inc.php';
    $sql = "SELECT DISTINCT typeProd FROM product ORDER BY typeProd;";
    $result = $conn->query($sql);
    while($row = $result->fetch_assoc()){
        ?
        <li class="list-group-item">
            <div class="form-check">
                <label class="form-check-label">
                    <input type="checkbox" class="form-check-input product_check" value="<?=$row['typeProd']; ?>" id="typeProd"><?=$row['typeProd']; ?>
                </label>
            </div>
        </li>
        <?php
    }
    ?
    </ul>
</div>
</div>
<!-- Product Section-->
<div class="col">
<div class="container">
    <!-- Search Field -->
    <?php
        include 'includes/dbhStore.inc.php';?
        <form action="" method="POST">
            <div class="form-inline input-group col-sm-8 col-lg-4 mt-2 mb-1">
                <input type="text" name="search" class="form-control" placeholder="Search">
                <button type="submit" name="submit-search" class="btn btn-outline-info"><i class="fas fa-search"></i></button>
            </div>
        </form>
    <?a href="userProductPrint.php?printallprod" target="_blank" style="color: #fff; text-decoration: none;"><button type="button" class="btn btn-dark mt-1 ml-3" style="text-decoration: none;">Product List</button></a>
    <!-- Error Messages -->
    <div class="message" id="message">
        <?php
        if($loyalpts < 0){
            echo '<div class="alert alert-danger alert-dismissible fade show mt-3">
                    <button type="button" class="close" data-dismiss="alert" onclick="myFunction()">&times;</button>
                    <strong>WARNING: If you are found abusing the functions of the system your account will be deleted.</strong>
                </div>';
        }
        if ($verify == 0) {
            echo '<div class="alert alert-danger alert-dismissible fade show mt-3">
                    <button type="button" class="close" data-dismiss="alert">&times;</button>
                    <strong>Please verify your email to start buying products!</strong>
                </div>';
        }
        if (isset($_GET['error'])) {
            if ($_GET['error'] == 'signin') {
                ?
                <div class="alert alert-danger alert-dismissible mt-1">
                    <button type="button" class="close" data-dismiss="alert">&times;</button>
                    <strong>Please Sign In to Access your Cart!</strong>
                </div>
                <?php
            }
            if ($_GET['error'] == 'notvalid') {
                ?
                <div class="alert alert-danger alert-dismissible mt-1">
                    <button type="button" class="close" data-dismiss="alert">&times;</button>

```

```

<strong>Please Validate Your
Email!</strong>
</div>
<?php
}
}
?>

</div>
<!-- Product Output --&gt;
&lt;div class="text-center"&gt;
    &lt;img src="img/load.gif" id="loader"
width="200" style="display: none;"&gt;
&lt;/div&gt;
&lt;div class="row mt-2 pb-3"
id="result"&gt;
    &lt;?php
        include 'includes/dbhStore.inc.php';
        if (isset($_POST['submit-search'])) {
            $space = '\s/';
            $search =
                mysqli_real_escape_string($conn,
$_POST['search']);
            $sql="SELECT * FROM product
WHERE productName LIKE '%$search%'
OR productDesc LIKE '%$search%' OR
productName LIKE '%$space%' OR
productDesc LIKE '%$space%';";
            $result = mysqli_query($conn,
$sql);
            $queryResult =
                mysqli_num_rows($result);

            if ($queryResult &gt; 0) {
                while ($row =
                    mysqli_fetch_assoc($result)) {
                    ?&gt;
                    &lt;div class="col-sm-6 col-md-4 col-
lg-3 mb-2"&gt;
                        &lt;div class="card-deck"&gt;
                            &lt;div class="card p-2 border-
bottom md-2" style="box-shadow: 1px 2px
4px rgba(0, 0, 0, 0.3), 0px 0px 6px rgba(0, 0,
0, 0.3);"&gt;
                                &lt;a
href="userStoreInfo.php?product=&lt;?=
$row['id']; ?&gt;"&gt;&lt;img
src="&lt;?=
$row['productImage']?&gt;" class="card-img-
top" width="180"&gt;&lt;/a&gt;
                                &lt;div class="card-body p-1"&gt;
                                    &lt;h5 class="card-title text-
center text-info"&gt;&lt;?=$row['productName'];
?&gt;&lt;/h5&gt;
                                    &lt;h6 class="card-text text-
center text-danger"&gt;PHP
&lt;?=number_format($row['productPrice'],2);
?&gt;&lt;/h6&gt;
                                &lt;/div&gt;
                            &lt;div class="card-footer p-1 pb-
2"&gt;
                                &lt;form action="" class="form-
submit"&gt;
                                    &lt;input type="hidden"
class="pid" value="&lt;?=$row['id']; ?&gt;"&gt;
                                    &lt;input type="hidden"
class="pname"
value="&lt;?=$row['productName']; ?&gt;"&gt;
                                    &lt;input type="hidden"
class="pprice"
value="&lt;?=$row['productPrice']; ?&gt;"&gt;
                                    &lt;input type="hidden"
class="pimage"
value="&lt;?=$row['productImage']; ?&gt;"&gt;
                                    &lt;input type="hidden"
class="PCODE"
value="&lt;?=$row['productCode']; ?&gt;"&gt;
                                    &lt;input type="hidden"
class="pdesc"
value="&lt;?=$row['productDesc']; ?&gt;"&gt;
                                    &lt;input type="hidden"
class="puser" value="&lt;?=$userUid ?&gt;"&gt;
                                    &lt;button class="btn btn-
warning btn-block addItemBtn"&gt;&lt;i
class="fas fa-shopping-cart"&gt;&lt;/i&gt; Add to
cart&lt;/button&gt;
                                &lt;/form&gt;
                            &lt;/div&gt;
                        &lt;/div&gt;
                    &lt;/div&gt;
                &lt;?php
            }
        }
    }
}

} else{
    echo'&lt;div class="alert alert-danger
alert-dismissible fade show mt-2"&gt;
    &lt;button type="button"
class="close" data-
dismiss="alert"&gt;&amp;times;&lt;/button&gt;
    &lt;strong&gt;There are no results
matching your search&lt;/strong&gt;
</pre>

```

```

        </div>';
    }
}

elseif (isset($_GET['brand'])) {
    $brand = $_GET['brand'];
    include 'includes/dbhStore.inc.php';
    $stmt = $conn->prepare("SELECT
* FROM product WHERE brand =
'$brand'");
    $stmt->execute();
    $result = $stmt->get_result();
    while($row = $result-
>fetch_assoc()){
        ?>
        <div class="col-sm-6 col-md-4 col-
lg-3 mb-2">
            <div class="card-deck">
                <div class="card p-2 border-
bottom mb-2" style="box-shadow: 1px 2px
4px rgba(0, 0, 0, 0.3), 0px 0px 6px rgba(0, 0,
0, 0.3);">
                    <a
href="userStoreInfo.php?product=<?=
$row['id']; ?>"></a>
                    <div class="card-body p-1">
                        <h5 class="card-title text-center
text-info"><?=$row['productName'];
?></h5>
                        <h6 class="card-text text-center
text-danger">PHP
<?=number_format($row['productPrice'],2);
?></h6>
                    </div>
                    <div class="card-footer p-1 pb-
2">
                        <form action="" class="form-
submit">
                            <input type="hidden"
class="pid" value="<?=$row['id']; ?>">
                            <input type="hidden"
class="pname"
value="<?=$row['productName']; ?>">
                            <input type="hidden"
class="pprice"
value="<?=$row['productPrice']; ?>">
                            <input type="hidden"
class="pimage"
value="<?=$row['productImage']; ?>">

```

```

<input type="hidden"
class="PCODE"
value="<?=$row['productCode']; ?>">
                            <input type="hidden"
class="PDESC"
value="<?=$row['productDesc']; ?>">
                            <input type="hidden"
class="PUSER" value="<?=$userUid ?>">
                            <button class="btn btn-
warning btn-block addItemBtn"><i
class="fas fa-shopping-cart"></i> Add to
cart</button>
                        </form>
                    </div>
                </div>
            </div>
        </div>
        <?php
    }
} else{ ?>
    <!-- Featured Products -->
    <div class="container">
        <div class="row justify-content-
center">
            <h5 class="text-center text-info
m-3" style="text-transform: uppercase;
letter-spacing: 2px;">Featured
Products</h5>
        </div>
    </div>
    <div class="container">
        <div class="row">
        <?php
            include
            'includes/dbhStore.inc.php';
            $stmt = $conn->prepare("SELECT
* FROM product WHERE feature = 1;");
            $stmt->execute();
            $result = $stmt->get_result();
            while ($row = $result-
>fetch_assoc())){
                ?
                <div class="col-sm-6 col-md-4
col-lg-3 mb-2">
                    <div class="card-deck">
                        <div class="card p-2 border-
bottom mb-2" style="box-shadow: 1px 2px
4px rgba(0, 0, 0, 0.3), 0px 0px 6px rgba(0, 0,
0, 0.3);">
                            <?php
                                if ($verify == 0) {

```

```

?>
<a href="userStore.php?error=notvalid"></a><img src=<?= $row['productImage']?>" class="card-img-top" width="100%" height="100%">
<?php
} else{ ?>
<a href="userStoreInfo.php?product=<?=$row['id']; ?>"><img src=<?= $row['productImage']?>" class="card-img-top" width="180"></a>
<?php }?
<div class="card-body p-1">
<h5 class="card-title text-center text-info"><?=$row['productName']; ?></h5>
<h6 class="card-text text-center text-danger">PHP <?=number_format($row['productPrice'],2); ?></h6>
</div>
<div class="card-footer p-1 pb-2">
<?php
if ($verify == 0) {
?>
<a href="userStore.php?error=notvalid" class="btn btn-warning btn-block"><i class="fas fa-shopping-cart"></i> Add to cart</a>
<?php
} else {
?>
<form action="" class="form-submit">
<input type="hidden" class="pid" value=<?=$row['id']; ?>">
<input type="hidden" class="pname" value=<?=$row['productName']; ?>">
<input type="hidden" class="pprice" value=<?=$row['productPrice']; ?>">
<input type="hidden" class="pimage" value=<?=$row['productImage']; ?>">
<input type="hidden" value="<?=$row['productCode']; ?>">
<input type="hidden" class="puser" value=<?=$userUid ?>">
<button class="btn btn-warning btn-block addItemBtn"><i class="fas fa-shopping-cart"></i> Add to cart</button>
</form>
<?php }?
</div>
</div>
</div>
<?php }?
</div>
</div>
<!-- Rest of the Product Store -->
<div class="container">
<div class="row justify-content-center">
<h5 class="text-center text-info m-3" style="text-transform: uppercase; letter-spacing: 2px;">Store</h5>
</div>
</div>
<?php
include 'includes/dbhStore.inc.php';
$stmt = $conn->prepare("SELECT * FROM product WHERE feature = 0;");
$stmt->execute();
$result = $stmt->get_result();
while ($row = $result->fetch_assoc()) {
?>
<div class="col-sm-6 col-md-4 col-lg-3 mb-2">
<div class="card-deck">
<div class="card p-2 border-bottom mb-2" style="box-shadow: 1px 2px 4px rgba(0, 0, 0, 0.3), 0px 0px 6px rgba(0, 0, 0, 0.3);">
<?php
if ($verify == 0) {
?>

```

```

        <a
    href="userStore.php?error=notvalid"></a>
    <?php
    }else{ ?>
    <a
    href="userStoreInfo.php?product=<?=
$row['id']; ?>"></a>
    <?php ?>
    <div class="card-body p-1">
        <h6 class="card-title text-
center text-info"><?=$row['productName'];
?></h6>
        <h6 class="card-text text-
center text-danger">PHP
<?=number_format($row['productPrice'],2);
?></h6>
    </div>
    <div class="card-footer p-1 pb-
2">
        <?php
        if ($verify == 0) {
        ?>
        <button class="btn btn-outline-
secondary" disabled><i class="fas fa-
shopping-cart"></i> Add to cart</button>
        <?php
        }else {
        ?>
        <form action="" class="form-
submit">
            <input type="hidden"
class="pid" value="<?=$row['id']; ?>">
            <input type="hidden"
class="pname"
value="<?=$row['productName']; ?>">
            <input type="hidden"
class="pprice"
value="<?=$row['productPrice']; ?>">
            <input type="hidden"
class="pimage"
value="<?=$row['productImage']; ?>">
            <input type="hidden"
class="PCODE"
value="<?=$row['productCode']; ?>">
            <input type="hidden"
class="PDESC"
value="<?=$row['productDesc']; ?>">
        <input type="hidden"
class="ppts" value="<?=$row['loyalpts'];
?>">
        <input type="hidden"
class="PUSER" value="<?=$userUid ?>">
        <button class="btn btn-
warning btn-block addItemBtn"><i
class="fas fa-shopping-cart"></i> Add to
cart</button>
    </form>
    <?php ?>
    </div>
    </div>
    </div>
    <?php
    }
    ?>
    </div>
    </div>
    </div>
    <?php
    include_once 'footer.php';
?>
<script
src="https://ajax.googleapis.com/ajax/libs/jq
uery/3.5.1/jquery.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/p
opper.js/1.16.0/umd/popper.min.js"></script
>
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/
4.5.2/js/bootstrap.min.js"></script>
<script type="text/javascript">
$(document).ready(function(){
    $(".addItemBtn").click(function(e){
        e.preventDefault();
        var $form = $(this).closest(".form-
submit");
        var pid = $form.find(".pid").val();
        var pname = $form.find(".pname").val();
        var pprice = $form.find(".pprice").val();
        var pimage = $form.find(".pimage").val();
        var pcode = $form.find(".PCODE").val();
        var pdesc = $form.find(".PDESC").val();
    });
});

```

```

var pdesc = $form.find(".pdesc").val();
var ppt = $form.find(".ppt").val();
var puser = $form.find(".puser").val();

$.ajax({
    url: 'includes/actionCart.inc.php',
    method: 'post',
    data:
    {pid:pid,pname:pname,pprice:pprice,pimage
    :pimage,pcode:pcode,pdesc:pdesc,ppts:ppts,
    puser:puser},
    success:function(response){
        $("#message").html(response);
        window.scrollTo(0,0);
        load_cart_item_number();
    }
});
});

load_cart_item_number();

function load_cart_item_number(){
$.ajax({
    url: 'includes/actionCart.inc.php',
    method: 'get',
    data: {cartItem:"cart_item"},
    success:function(response){
        $("#cart-item").html(response);
    }
});
}

});

</script>
<script type="text/javascript">
$(document).ready(function(){

    $(".product_check").click(function(){
        $('#loader').show();
        var action = 'data';
        var brand = get_filter_text('brand');
        var typeProd = get_filter_text('typeProd');

        $.ajax({
            url:'actionUser.php',
            method:'POST',
            data:{action:action,brand:brand,typeProd:typeProd,},
            success:function(response){

                $("##result").html(response);
                $("#loader").hide();
            }
        });
    });

    function get_filter_text(text_id){
        var filterData = [];

        $('#'+text_id+':checked').each(function(){
            filterData.push($(this).val());
        });
        return filterData;
    }

    </script>
    <script src="js/showhide.js"></script>
</body>
</html>

userCheckout.php
<?php
session_start();
if ($_SESSION["userid"] == null) {
    header('location: index.php');
    exit();
}
$userId = $_SESSION["userid"];
$userUid = $_SESSION["userid"];
$userName = $_SESSION["username"];
$userEmail = $_SESSION["useremail"];
$userPhone = $_SESSION["userphone"];
$verify = $_SESSION["verify"];
$userType = $_SESSION["usertype"];

require 'includes/dbhStore.inc.php';

>Total = 0;
$allItems = "";
$items = array();

$sql = "SELECT
CONCAT(productName, '(',qty,')') AS
ItemQty, totalPrice FROM cart WHERE
userName = '$userUid';";
$stmt = $conn->prepare($sql);
$stmt->execute();
$result = $stmt->get_result();
while ($row = $result->fetch_assoc()) {
    $Total += $row['totalPrice'];
}

```

```

$items[] = $row['ItemQty'];
}
$grandTotal = $Total + 50.00;
$allItems = implode(", ", $items);
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script
        src="https://kit.fontawesome.com/824d2c43ce.js"
        crossorigin="anonymous"
    ></script>
    <link rel="stylesheet"
        href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css?v=<?php echo time(); ?>">
    <title>Store | Michella's Pick N' Shop
    <?php echo '$userUid'; ?></title>
</head>
<body>
<?php
    if ($userType == 'User') {
?>
    <nav class="navbar navbar-expand-md bg-white navbar-light">
        <!-- Brand -->
        <a class="navbar-brand"
            href="userHome.php"></a>

        <!-- Toggler/collapsible Button -->
        <button class="navbar-toggler"
            type="button" data-toggle="collapse" data-target="#collapsibleNavbar">
            <span class="navbar-toggler-icon"></span>
        </button>

        <!-- Navbar links -->
        <div class="collapse navbar-collapse" id="collapsibleNavbar">
            <ul class="navbar-nav">
                <li class="nav-item">
                    <a href="userHome.php" class="nav-link"><i class="fas fa-home"></i> Home</a>
                </li>
                <li class="nav-item">
                    <a href="userStore.php" class="nav-link"><i class="fas fa-store"></i> Store</a>
                </li>
                <li class="nav-item">
                    <a href="userCart.php" class="nav-link"><i class="fas fa-shopping-cart"></i> <span id="cart-item" class="badge badge-danger"></span></a>
                </li>
                <li class="nav-item">
                    <a href="userProfile.php" class="nav-link"><i class="fas fa-user-circle"></i></a>
                </li>
            </ul>
        </div>
    </nav>
    <?php
    }
    if ($userType == 'Reseller') {
?>
    <nav class="navbar navbar-expand-md bg-white navbar-light">
        <!-- Brand -->
        <a class="navbar-brand"
            href="userHome.php"></a>

        <!-- Toggler/collapsible Button -->
        <button class="navbar-toggler"
            type="button" data-toggle="collapse" data-target="#collapsibleNavbar">
            <span class="navbar-toggler-icon"></span>
        </button>

        <!-- Navbar links -->
        <div class="collapse navbar-collapse" id="collapsibleNavbar">
            <ul class="navbar-nav">
                <li class="nav-item">
                    <a href="resellerHome.php" class="nav-link"><i class="fas fa-home"></i> Home</a>
                </li>
            </ul>
        </div>
    </nav>
    <?php
    }
}
$grandTotal = $Total + 50.00;
$allItems = implode(", ", $items);
?>

```

```

        </li>
    <li class="nav-item">
        <a href="userStore.php"><i class="fas fa-store"></i> Store</a>
    </li>
    <li class="nav-item">
        <a href="userCart.php"><i class="fas fa-shopping-cart"></i> <span id="cart-item" class="badge badge-danger"></span></a>
    </li>
    <li class="nav-item">
        <a href="userProfile.php"><i class="fas fa-user-circle"></i></a>
    </li>
    </ul>
</div>
</nav>
<?php
}?
<?php
if (isset($_GET['error'])) {
    if ($_GET['error'] == 'empty') {
?>
    <div class="alert alert-danger alert-dismissible text-center mt-1">
        <button type="button" class="close" data-dismiss="alert">&times;</button>
        <strong>The Address Field is Empty!  
Please fill out all fields.</strong>
    </div>
    <?php
    }
    elseif ($_GET['error'] == 'order') {
    ?>
    <div class="alert alert-danger alert-dismissible text-center mt-1">
        <button type="button" class="close" data-dismiss="alert">&times;</button>
        <strong>You are only allowed 1 order  
from Cash On Delivery and/or Payment on  
Pickup Payment Type</strong>
    </div>
    <?php
    }
?>
<div class="container">

```

```

<div class="row justify-content-center">
    <div class="col-lg-6 px-4 pb-4" id="order">
        <h4 class="text-center text-info p-2">Complete your order!</h4>
        <div class="jumbotron p-3 mb-2 text-center">
            <h6 class="lead"><b>Product(s) : </b><?= $allItems; ?></h6>
            <h6 class="lead"><b>Handling Fee: PHP 50.00</b></h6>
            <?php
                include 'includes/dbh.inc.php';
                $state = $conn->prepare("SELECT * FROM loyalcard WHERE userUid = '$userUid';");
                $state->execute();
                $resu = $state->get_result();
                while($rw = $resu->fetch_assoc()) {
                    if ($rw['userUid'] == $userUid) {
                        $d = $rw['loyalDis'];
                        $disc = $d * 100;
                        $discount = $grandTotal * $d;
                        $grandTotal = $grandTotal - $discount;
                    }
                }
            <?php
            }?
        <h5><b>Loyalty Card : <?= $disc; ?>%</b></h5>
        <?php
        }?
        <h5><b>Amount Payable : PHP </b><?= number_format($grandTotal, 2); ?></h5>
        </div>
        <form action="userPay.php" method="POST">
            <input type="hidden" name="products" value="<?= $allItems ?>">
            <input type="hidden" name="grandTotal" value="<?= $grandTotal ?>">
            <h6>Name: <?= $userName ?></h6>
            <h6>Email: <?= $userEmail ?></h6>
        </form>
    </div>

```

```

        <h6>Phone Number: <?= $userPhone ?></h6>
        <input type="hidden" name="name" class="form-control" value="<?= $userName; ?>" readonly>
        <input type="hidden" name="userUid" class="form-control" value="<?= $userUid; ?>" readonly>
        <input type="hidden" name="phone" class="form-control" value="<?= $userPhone; ?>" readonly>
        <input type="hidden" name="email" class="form-control" value="<?= $userEmail; ?>" readonly>
        <input type="hidden" name="phone" class="form-control" value="<?= $userPhone; ?>" readonly>
        <?php
            include 'includes/dbh.inc.php';
            $sql = "SELECT userAdd
FROM users WHERE userUid =
$userUid";
            $stmt = $conn->prepare($sql);
            $stmt->execute();
            $result = $stmt->get_result();
            while ($row = $result->fetch_assoc()) {
                $userAddress = $row['userAdd'];
                if (empty($userAddress)) {
                    ?
                    <a href="userEditProfile.php">Edit All Info Here</a>
                    <div class="form-group">
                        <textarea name="address" class="form-control" cols="10" rows="3" placeholder="Enter Delivery Address Here"></textarea>
                    </div>
                    <?php
                } else {
                    ?
                    <a href="userEditProfile.php">Edit All Info Here</a>
                    <?php
                    include 'includes/dbh.inc.php';
                    $add = $conn->prepare("SELECT * FROM users WHERE userUid = '$userUid';");
                    $add->execute();
                    $re = $add->get_result();
                    while ($rw = $re->fetch_assoc()) {
                        $billAdd = $rw['billAdd'];
                        $deliverAdd = $rw['deliverAdd'];
                    }
                }
            }
        <?>
        <h6 style="margin-top: 1rem;">Choose Address</h6>
        <div class="form-group">
            <input type="radio" id="home" name="address" value="<?= $userAddress ?>">
            <label for="home">Home Address: <?= $userAddress; ?></label><br>
            <input type="radio" id="bill" name="address" value="<?= $billAdd; ?>">
            <label for="bill">Billing Address: <?= $billAdd; ?></label><br>
            <input type="radio" id="deliver" name="address" value="<?= $deliverAdd; ?>" checked>
            <label for="deliver">Delivery Address: <?= $deliverAdd; ?></label><br>
        </div>
        <?php
    }
}
<?>
<?php
    include 'includes/dbh.inc.php';
    $sql = "SELECT * FROM loyalcard WHERE userUid = '$userUid'";
    $stmt = $conn->prepare($sql);
    $stmt->execute();
    $result = $stmt->get_result();
    while ($row = $result->fetch_assoc()) {
        ?
        <h6></h6>
        <?php
    }
    <h6 class="text-center lead">Select Payment Mode</h6>
    <div class="form-group">
        <select name="pmode" class="form-control">
            <option value="" selected disabled>Select Payment Mode</option>

```

```

        <option value="cod">Cash
On Delivery</option>
        <option
value="pop">Payment On Pickup</option>
        <option
value="credit">Credit Card</option>
        </select>
    </div>
    <div class="form-group">
        <input type="submit"
name="submit" value="Place Order"
class="btn btn-warning btn-block"></input>
    </div>
    </form>
</div>
</div>
</div>

<?php
    include_once 'footer.php';
?>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script>
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
<script type="text/javascript">
$(document).ready(function(){

    load_cart_item_number();

    function load_cart_item_number(){
        $.ajax({
            url: 'includes/actionCart.inc.php',
            method: 'get',
            data: {cartItem:"cart_item"},
            success:function(response){
                $("#cart-item").html(response);
            }
        });
    }

});
</script>
</body>
</html>

```

userProfile.php

```

<!-- Programmed by: Isaiah John Ching
Fernando-->
<?php
include 'header.php';
if ($_SESSION["userid"] == null) {
    header('location: index.php');
    exit();
}
$userId = $_SESSION["userid"];
$userUid = $_SESSION["userid"];
$UserName = $_SESSION["username"];
$userEmail = $_SESSION["useremail"];
$userPhone = $_SESSION["userphone"];
$verify = $_SESSION["verify"];
$userType = $_SESSION["usertype"];
$loyalpts = $_SESSION['loyalPts'];

include 'includes/dbh.inc.php';
if (isset($_GET['purchase'])) {
    if ($loyalpts < 100) {
        header("location:
userProfile.php?error=pts");
        exit();
    }else {
        if ($_GET['purchase'] == 'loyalone') {
            $sql = "SELECT * FROM loyalcard
WHERE userUid = '$userUid'";
            if ($res = mysqli_query($conn, $sql)) {
                $rowcount = mysqli_num_rows($res);
                if ($rowcount > 0) {
                    header("location:
userProfile.php?error=cardExist");
                    exit();
                }else {
                    $pts = 100;
                    $discount = 0.1;
                    $query = $conn->prepare("INSERT
INTO loyalcard (userUid, loyalCardPts,
loyalDis) VALUES ('$userUid', '$pts',
'$discount')");
                    $query->execute();
                    $total = $loyalpts - $pts;
                    $_SESSION['loyalPts'] -= $pts;
                    $stmt = $conn->prepare("UPDATE
users SET loyalpts = $total WHERE userUid
= '$userUid'");
                    $stmt->execute();
                    mysqli_free_result($res);
                }
            }
        }
    }
}

```

```

        header("location:
userProfile.php?success=card");
        exit();
    }
} else {
    header("location:
userProfile.php?error2");
    exit();
}
} elseif ($_GET['purchase'] == 'loyaltwo') {
    if ($loyalpts < 200) {
        header("location:
userProfile.php?error=pts");
        exit();
    }
    $sql = "SELECT * FROM loyalcard
WHERE userUid = '$userUid';";
    if ($res = mysqli_query($conn, $sql)) {
        $rowcount = mysqli_num_rows($res);
        if ($rowcount > 0) {
            header("location:
userProfile.php?error=cardExist");
            exit();
        } else {
            $pts = 200;
            $discount = 0.2;
            $query = $conn->prepare("INSERT
INTO loyalcard (userUid, loyalCardPts,
loyalDis) VALUES ('$userUid', '$pts',
'$discount');");
            $query->execute();
            $total = $loyalpts - $pts;
            $_SESSION['loyalPts'] -= $pts;
            $stmt = $conn->prepare("UPDATE
users SET loyalpts = $total WHERE userUid
= '$userUid';");
            $stmt->execute();
            mysqli_free_result($res);
            header("location:
userProfile.php?success=card");
            exit();
        }
    } else {
        header("location:
userProfile.php?error2");
        exit();
    }
}
} elseif ($_GET['purchase'] == 'loyalthree')
{
    if ($loyalpts < 400) {
        header("location:
userProfile.php?error=pts");
        exit();
    }
    $sql = "SELECT * FROM loyalcard
WHERE userUid = '$userUid';";
    if ($res = mysqli_query($conn, $sql)) {
        $rowcount = mysqli_num_rows($res);
        if ($rowcount > 0) {
            header("location:
userProfile.php?error=cardExist");
            exit();
        } else {
            $pts = 400;
            $discount = 0.3;
            $query = $conn->prepare("INSERT
INTO loyalcard (userUid, loyalCardPts,
loyalDis) VALUES ('$userUid', '$pts',
'$discount');");
            $query->execute();
            $total = $loyalpts - $pts;
            $_SESSION['loyalPts'] -= $pts;
            $stmt = $conn->prepare("UPDATE
users SET loyalpts = $total WHERE userUid
= '$userUid';");
            $stmt->execute();
            mysqli_free_result($res);
            header("location:
userProfile.php?success=card");
            exit();
        }
    } else {
        header("location:
userProfile.php?error2");
        exit();
    }
}
} elseif ($_GET['purchase'] == 'loyalfour') {
    if ($loyalpts < 1000) {
        header("location:
userProfile.php?error=pts");
        exit();
    }
    $sql = "SELECT * FROM loyalcard
WHERE userUid = '$userUid';";
    if ($res = mysqli_query($conn, $sql)) {
        $rowcount = mysqli_num_rows($res);
        if ($rowcount > 0) {
            header("location:
userProfile.php?error=cardExist");

```



```

        while ($length > $i) {
            $prodAr[$i];
            $prodName      =      explode('-', $prodAr[$i]);
            $trimName = trim($prodName[0]);
            $trimNum = trim($prodName[1]);
            $statem = $conn->prepare("SELECT *
FROM product WHERE productCode =
'$trimName';");
            $statem->execute();
            $rt = $statem->get_result();
            while ($rws = $rt->fetch_assoc()) {
                $stock = $rws['productStock'];
                $stockTots = $stock + $trimNum;
                $sql = $conn->prepare("UPDATE
product SET productStock = '$stockTots'
WHERE productCode = '$trimName';");
                $sql->execute();
            }
            $i++;
        }
    }

    $query = $conn->prepare("INSERT INTO
archorder (userName, userUid , userEmail,
userPhone, userAdd, pmode, products,
amountPaid, orderCode, prodCode,
orderStatus) VALUES ( '$userName',
'$userUid', '$userEmail', '$userPhone',
'$userAddress', '$pmode', '$products',
'$grandTotal', '$orderCode', '$pCode',
'$status');");
    $query->execute();
}

$statement = $conn->prepare("DELETE
FROM orders WHERE id = '$id';");
$statement->execute();

$loyal = $grandTotal/25;

include 'includes/dbh.inc.php';
$e = $conn->prepare("DELETE FROM
qrcode WHERE orderCode =
'$orderCode';");
$e->execute();

$select = $conn->prepare("SELECT
loyalpts FROM users WHERE userUid =
'$userUid';");
$select->execute();

$result = $select->get_result();
while($row_select = $result->fetch_assoc()){
    $pts = $row_select['loyalpts'];
    $loyalpts = $pts - $loyal;
    $_SESSION['loyalPts'] = $pts - $loyal;
    $update = $conn->prepare("UPDATE
users SET loyalpts = '$loyalpts' WHERE
userUid = '$userUid';");
    $update->execute();
}

mysqli_close($conn);
header("location:
userProfile.php?success=cancel");
exit();
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta name="viewport"
content="width=device-width, initial-
scale=1.0" />
<script
src="https://kit.fontawesome.com/824d2c43
ce.js"
crossorigin="anonymous"
></script>
<link rel="stylesheet"
href="css/styleEditProfile.css">
<link
rel="stylesheet"
href="css/styleProfile.css?v=<?php echo
time(); ?>" />
<link
rel="stylesheet"
href="css/magnify.css?v=<?php echo
time(); ?>" />
<title>Document</title>
</head>
<body>
<div class="space"></div>
<?php
if($loyalpts < 0){
    echo '<div class="alert alert-danger"
id="close">' ;
}

```

```

<button type="button" class="close"
data-dismiss="alert"
onclick="myFunction()">&times;</button>
<strong>WARNING: If you are found
abusing the functions of the system your
account will be deleted.</strong>
</div>';
}
if (isset($_GET['success'])) {
    if ($_GET['success'] == 'card') {
?
    <div class="alert alert-success"
id="close">
        <button type="button" class="close"
data-dismiss="alert"
onclick="myFunction()">&times;</button>
        <strong>You now have a Loyalty Card,
you have a discount with your next
order</strong>
    </div>
    <?php
    }
    if ($_GET['success'] == 'cancel') {
?
    <div class="alert alert-success"
id="close">
        <button type="button" class="close"
data-dismiss="alert"
onclick="myFunction()">&times;</button>
        <strong>You have successfully canceled
your order, you can view it at your Order
History bellow</strong>
    </div>
    <?php
    }
}
if (isset($_GET['error'])) {
    if ($_GET['error'] == 'pts') {
        echo '<div class="alert alert-danger"
id="close">
            <button type="button" class="close"
data-dismiss="alert"
onclick="myFunction()">&times;</button>
            <strong>You don\'t have enough
Loyalty Points, get more by ordering from
our store</strong>
        </div>';
    }
}
if ($_GET['error'] == 'cardExist') {
    echo '<div class="alert alert-danger"
id="close">

```

```

<button type="button" class="close"
data-dismiss="alert"
onclick="myFunction()">&times;</button>
<strong>You already have a Loyalty
Card purchased please spend it to purchase
another one</strong>
</div>';
}
if ($_GET['error'] == 'refund') {
    echo '<div class="alert alert-danger"
id="close">
        <button type="button" class="close"
data-dismiss="alert"
onclick="myFunction()">&times;</button>
        <strong>This order is either not
qualified for a refund or you already sent a
refund request, for more information <i
class="fas fa-angle-right"></i> <a
href="files/Terms&Conditions.pdf"
target="_blank" class="btn-info">Terms &
Conditions</a></strong>
    </div>';
}
?>

<div class="container-user">
    <div class="box-display">
        <div class="profile-pic">
            <?php
                include 'includes/dbh.inc.php';
                $img = $conn->prepare("SELECT
profilePic FROM users WHERE userUid =
'$userUid';");
                $img->execute();
                $resu = $img->get_result();
                while ($row = $resu->fetch_assoc()) {
                    $profilepic = $row['profilePic'];
                    if (empty($profilepic)) {
                        echo '';
                    } else {
?
                    
                    <?php
                    }
}
?>
        </div>
        <h5 class="username"><?= $useruid;
?></h5>

```

```

<h5>
    <i class="fas fa-phone-alt"></i>
    <?= $userPhone; ?>
</h5>
<h5>
    <i class="fas fa-envelope"></i>
    <?= $userEmail; ?>
</h5>
<?php
    include 'includes/dbh.inc.php';
    $stmt = $conn->prepare("SELECT *
FROM users WHERE userUid =
'$useruid');");
    $stmt->execute();
    $result = $stmt->get_result();
    while($row = $result->fetch_assoc()){
        if (empty($row['userAdd'])) { ?>
<h5><i class="fas fa-home"></i>
N/A</h5>
<?php
} else{
?>
<h5>
    <i class="fas fa-home"></i>
    <?= $row['userAdd'];?>
</h5>
<?php }?
<h5 class="loyalty-pts">
    <i class="fas fa-crown"></i> Loyalty
Points:
    <?= $row['loyalpts'];?>
</h5>
<?php }?
<h5>
    <i class="fas fa-paper-plane"></i>
    <a href="userMsg.php">Send Us A
Message</a>
</h5>
<div class="button-group">
    <a href="includes/logout.inc.php"
class="btn-info">Logout</a>
    <a href="userEditProfile.php"
class="btn-info">Edit Account</a>
</div>
</div>
<div class="box-info">
    <div class="top">
        <?php
            include 'includes/dbh.inc.php';

```

```

$Img   = $conn->prepare("SELECT
bgPic FROM users WHERE userUid =
'$userUid');");
$Img->execute();
$resu = $Img->get_result();
while ($row = $resu->fetch_assoc()) {
    $Bgpic = $row['bgPic'];
    if (empty($Bgpic)) {
        echo '';
    } else {
?>
        
    }
}
?>
<div class="name">
    <h4><?= $userName; ?></h4>
</div>
</div>
<section class="tabs">
    <div class="container-tabs">
        <div id="tab-1" class="tab-item tab-border">
            <i class="fas fa-newspaper"></i>
            <p class="hide-sm">News</p>
        </div>
        <div id="tab-2" class="tab-item">
            <i class="fas fa-shopping-bag"></i>
            <p class="hide-sm">Orders</p>
        </div>
        <div id="tab-3" class="tab-item">
            <i class="fas fa-crown"></i>
            <p class="hide-sm">Loyalty
Points</p>
        </div>
    </div>
</section>
<section class="tab-content">
    <div class="container-content">
        <!-- Tab Content 1 -->
        <div id="tab-1-content" class="tab-content-item show">
            <div class="tab-1-content-inner">
                <div class="container-text">
                    <h5>Featured Products</h5>
                </div>
                <div class="container-products">
                    <?php

```

```

        include
'includes/dbhStore.inc.php';
$stmt = $conn-
>prepare("SELECT * FROM prodcut
WHERE feature = 1;");
$stmt->execute();
$result = $stmt->get_result();
while ($row = $result-
>fetch_assoc()) {
    <div class="card">
        <div class="card-img">
            <?php if ($verify == 0) {
                ?>
                <a
                    href="userProfile.php?error=notvalid"
                        ></a>
                <?php
                    }else {
                ?>
                <a
                    href="userStoreInfo.php?product=<?=
$row['id'] ?>"
                        ></a>
                <?php
                    }
                ?>
            </div>
            <div class="card-body">
                <h5><?=
$row['productName']; ?></h5>
                <h5 class="price">
                    PHP
                    <?=
number_format($row['productPrice'],2); ?>
                </h5>
                </div>
            </div>
            <?php }?>
        </div>
        <div class="container-text">
            <h5>Announcements</h5>
            <?php
                include 'includes/dbh.inc.php';
                $sql = $conn->prepare("SELECT
* FROM `news` ORDER BY `news`.`id`
DESC;");

                $sql->execute();
            <?php if ($verify == 0) {
                ?>
                <div class="box-news">
                    ">
                    <h5><?=
$row['newsDate'];
                ?></h5>
                <h4><?=
$row['subj']; ?></h4>
                <p><?=
$row['body'];
                ?></p>
            </div>
            <?php
                }
            ?>
        </div>
        <div>
            <!-- Tab 2 Content -->
            <div id="tab-2-content" class="tab-
content-item">
                <div class="tab-2-content-bottom">
                    <div class="container-text">
                        <h5>Pending Orders</h5>
                    </div>
                    <?php
                        include
'includes/dbhStore.inc.php';
                        $stmt = $conn-
>prepare("SELECT * FROM orders
WHERE userUid = '$userUid' AND
orderStatus != 'Canceled by the Store';");
                        $stmt->execute();
                        $result = $stmt->get_result();
                        while ($row = $result-
>fetch_assoc()) {
                            <div class="tab-2-pending">
                                <div class="tab-2-left">
                                    <?php
                                        $orderStatus =
$row['orderStatus'];
                                        if ($orderStatus == "In Transit")
{
                                            echo
'Order Status: In
Transit</h5>';
                                        }
                                        elseif ($orderStatus ==
"Pending") {
                                    <?php
                                        $orderStatus =
$row['orderStatus'];
                                        if ($orderStatus == "In
Transit") {
                                            echo
'Order Status: In
Transit</h5>';
                                        }
                                        elseif ($orderStatus ==
"Pending") {
                                            echo
'Order Status: Pending</h5>';
                                        }
                                    <?php
                                        }
                                    </div>
                                </div>
                            </div>
                        }
                    </div>
                </div>
            </div>
        </div>
    </div>
}

```

```

echo <h5 Status:>
class="pending">Order Pending</h5>';
}
?>
<a href="userPrintPay.php?print=<?=$row['orderCode']; ?>" target="_blank" class="btn-tab-2" style="background-color: #777; color: #eee;">>Print Receipt</a>
<h5>
    Order Code:
    <?= $row['orderCode']; ?>
</h5>
<h5>
    Delivery Address:
    <?= $row['userAdd']; ?>
</h5>
<h5>
    Products:
    <?= $row['products']; ?>
</h5>
<?php
    if($row['pmode'] == 'cod'){
    ?>
    <h5>Payment Type: Cash On Delivery</h5>
    <?php
    }
    if($row['pmode'] == 'pop'){
    ?>
    <h5>Payment Type: Payment On Pickup</h5>
    <?php
    }
    if($row['pmode'] == 'credit'){
    ?>
    <h5>Payment Type: Credit Card</h5>
    <?php }?>
    <h5>
        Total: PHP
    <?= number_format($row['amountPaid'],2); ?>
    </h5>
    <h5>
        Date Ordered:
    <?= $row['orderDate']; ?>
    </h5>
    <?php
if($orderStatus == "In Transit" || $orderStatus == "Scan"){
    ?>
    <a href="userProfile.php" onclick="return confirm('AT THIS STAGE YOU ARE NOT ALLOWED TO CANCEL ORDER');" class="btn-tab-2" style="background-color: #777;">>Cancel Order</a>
    <?php
} else{
    ?>
    <a href="userProfile.php?delete=<?=$row['id']; ?>" onclick="return confirm('Are you sure you want to cancel your order?');" class="btn-tab-2" style="background-color: darkred;">>Cancel Order</a>
    <?php
}
?>
</div>
<div class="tab-2-right">
    <h5>
        Download, screenshot or just show us the qr code from your account
    </h5>
    
    <a href="qrDownload.php?file=<?=$row['orderCode']; ?>.png" class="btn-tab-2" >Download QR Code</a>
    >
</div>
</div>
<?php
}?
<div class="tab-2-history">
    <div class="container-text">
        <h5>Order History</h5>
    </div>
    <?php
        include 'includes/dbhStore.inc.php';
        $stmt = $conn->prepare("SELECT * FROM archorder WHERE userUid =

```

```

'$userUid' ORDER BY `archorder`.`id` DESC;");

$stmt->execute();
$result = $stmt->get_result();
while ($row = $result->fetch_assoc()) { ?>
    <div class="tab-2-history-content">
        <?php
        $status = $row['orderStatus'];
        $refund = $row['refund'];
        if ($status == "Canceled by Customer") {
            echo '

##### Status: Canceled by Customer

';
        }
        elseif($status == "Delivered"){
            $date = $row['cancelDate'];
            $refundDate = date('Y-m-d', strtotime($date.' + 5 days'));
            if($refundDate > date("Y-m-d")){
                echo '

##### Status: Delivered


                    <h5>Date Delivered:' . $date . '</h5>
                    <h5>Refund Date: ' . $refundDate . '</h5>';
            } else{
                echo '

##### Status: Delivered


                    <h5>Date Delivered:' . $date . '</h5>
                    <h5 style="color: darkred;">Refund Date: Expired</h5>';
            }
        }
        elseif($status == "Refund Request"){
            echo '

##### Status: Refund Request

';
        }
        elseif($status == "Refund Request Accepted"){
            echo '

##### Status: Refund Request Accepted

';
        }
    }
}
?>
<h5>Order Code: <?= $row['orderCode']; ?></h5>
<h5>Products: <?= $row['products']; ?></h5>
<h5>Delivery Address: <?= $row['userAdd']; ?></h5>
<h5>Price: PHP <?= number_format($row['amountPaid'],2); ?></h5>
<a href="userReview.php?order=<?= $row['orderCode']; ?>" class="btn-tab-2" style="background: #ffc300; color: #000; font-weight: bold;">Send a Review</a>
<div class="button">
<?php
if ($refund == 1 || $status == 'Canceled by Customer' || $status == 'Refund Request' || $refundDate <= date("Y-m-d") || $status == "Canceled by the Store") {
    echo 'Apply For Refund';
}
elseif($status == 'Refund Request Accepted'){
    echo '';
}
else {
?>
<form action="userRefund.php" method="POST">
    <input type="hidden" name="id" value="<?= $row['id']; ?>">
    <button name="submit" class="btn-tab-2" style="border: none;">Apply For Refund</button>
</form>
<?php
}
?>
</div>
<?php
$code = $row['orderCode'];
include 'includes/dbhStore.inc.php';

```

```

$sql      = $conn->prepare("SELECT * FROM userReview WHERE orderCode = '$code';");
$sql->execute();
$res = $sql->get_result();
while($rw = $res->fetch_assoc()){
    $reply = $rw['reply'];
    ?>
        <div style="background: #eee; margin: 1rem 0.5rem; padding: 0.5rem;">
            <i class="fas fa-user-circle">
                Customer Review</i>
            <h5><?= $rw['review'];?></h5>
        <?php
        if(!empty($reply)){
            echo '
                <i class="far fa-gem" style="font-weight: bold;"> Store Reply</i>
                <h5>'.$reply.'</h5>';
        }else{
            echo ";
        }
        ?>
    </div>
    <?php
    }
    ?>
</div>
<?php
?>
<?php
include
'includes/dbhStore.inc.php';
$stmt = $conn->prepare("SELECT * FROM orders WHERE userUid = '$userUid' AND orderStatus = 'Canceled by the Store';");
$stmt->execute();
$result = $stmt->get_result();
while ($row = $result->fetch_assoc()) {
    <div class="tab-2-history-content">
        <?php
        $status = $row['orderStatus'];
        $refund = $row['refund'];
        if ($status == "Canceled by the
Store") {
            echo
                "Status: Canceled by
Michella's Pick N' Shop";
        }
        ?>
        <h5>Order Code: <?= $row['orderCode']; ?></h5>
        <h5>Products: <?= $row['products']; ?></h5>
        <h5>Delivery Address: <?= $row['userAdd']; ?></h5>
        <h5>Price: PHP <?= number_format($row['amountPaid'],2);?></h5>
        <div class="button">
            <?php
            if ($refund == 1 || $status == 'Canceled by Customer' || $status == 'Refund Request' || $status == "Canceled by the Store") {
                echo
                    '<a href="userProfile.php?error=refund" class="btn-tab-2" style="background:#777;"> Apply For Refund</a>';
            }elseif($status == 'Refund Request Accepted'){
                echo ";
            }
            else {
            }
            <form action="userRefund.php" method="POST">
                <input type="hidden" name="id" value="<?= $row['id']; ?>">
                <button name="submit" class="btn-tab-2" style="border: none;">Apply For Refund</button>
            </form>
            <?php
            }
            ?>
        </div>
        </div>
        <?php
        ?>
    </div>
    </div>
</div>
<!-- Tab 3 Content -->

```

```

<div id="tab-3-content" class="tab-content-item">
    <?php
        include 'includes/dbh.inc.php';
        $stmt = $conn->prepare("SELECT
            * FROM users WHERE userUid
            ='$useruid';");
        $stmt->execute();
        $result = $stmt->get_result();
        while ($row = $result-
>fetch_assoc()) { ?>
            <div class="container-text">
                <h4>
                    Current Points:
                    <i class="fas fa-crown"
                    style="color: gold"></i>
                    ><?= $row['loyalpts'];?>
                </h4>
            </div>
            <!-- Loyal Card 1 -->
            <div class="container-loyal-card">
                <div class="loyal-card btn-text-group">
                    <div class="card-text">
                        <h3>100 pts</h3>
                    </div>
                    <a href="userProfile.php?purchase=loyalone"
                    class="btn-loyal">
                        <i class="fas fa-crown">
                    Purchase</i></a>
                    </div>
                    <div class="loyal-card">
                        <img alt="" />
                    </div>
                    <!-- Loyal Card 2 -->
                    <div class="container-loyal-card">
                        <div class="loyal-card btn-text-group">
                            <div class="card-text">
                                <h3>200 pts</h3>
                            </div>
                            <a href="userProfile.php?purchase=loyaltwo"
                            class="btn-loyal">
                                <i class="fas fa-crown">
                            Purchase</i></a>
                                </div>
                                <div class="loyal-card">

```



```

                                </div>
                            </div>
                            <!-- Loyal Card 3 -->
                            <div class="container-loyal-card">
                                <div class="loyal-card btn-text-group">
                                    <div class="card-text">
                                        <h3>400 pts</h3>
                                    </div>
                                    <a href="userProfile.php?purchase=loyalthree"
                                    class="btn-loyal">
                                        <i class="fas fa-crown">
                                    Purchase</i></a>
                                    </div>
                                    <div class="loyal-card">
                                        <img alt="" />
                                    </div>
                                    <!-- Loyal Card 4 -->
                                    <div class="container-loyal-card">
                                        <div class="loyal-card btn-text-group">
                                            <div class="card-text">
                                                <h3>1000 pts</h3>
                                            </div>
                                            <a href="userProfile.php?purchase=loyalfour"
                                            class="btn-loyal">
                                                <i class="fas fa-crown">
                                            Purchase</i></a>
                                                </div>
                                                <div class="loyal-card">
                                                    <img alt="" />
                                                </div>
                                                <!-- Loyal Card 5 -->
                                                <div class="container-loyal-card">
                                                    <div class="loyal-card btn-text-group">
                                                        <div class="card-text">
                                                            <h3>2000 pts</h3>
                                                        </div>
                                                        <a href="userProfile.php?purchase=loyalfive"
                                                        class="btn-loyal">

```

```

        ><i class="fas fa-crown">
Purchase</i></a>
        </div>
        <div class="loyal-card">
            
        </div>
        <?php
    }?>
        </div>
        </div>
    </section>
</div>
</div>

}
</script>
<script src="js/profile.js"></script>
</body>
</html>
<?php
include 'footer.php';
?>
<script src="js/jquery.magnify.js" charset="UTF-8"></script>
<script>
$(document).ready(function() {
    $('.zoom').magnify();
});
</script>
<script>
function myFunction(){
    document.getElementById("close").style.display = "none";
}
</script>

```