

SOLUTION DESIGN

You Are In Good Company

Web Platform v1

The full design of the platform, in one place.



Document version 1.0 (draft for engineering review)

Author: Bassey Eyo | May 2026

You are in good company.

Contents

Right-click the field below and update to refresh after edits.

Document control

Purpose

This document is the working solution design for the You Are In Good Company web platform v1. It sits between the Product Requirements Document (what we are building and why) and the engineering implementation (the code that gets written). It answers the question: how does this thing actually work?

Companion documents

Document	Role
Product Requirements Document v1	What we are building, who for, why, when. Read first.
Engineering Kickoff Pack	Sprint 0 ticket backlog, environment setup, technology choices.
Design System v0 Foundations	Design tokens, component library, naming conventions.
Pattern Catalogue (patterns.html)	Live, rendered visual catalogue of components and patterns.
Content Strings Pack (en-GB.ts)	Every customer-facing string, lintable brand voice.
Landing Page Design Brief	Rationale for the marketing site composition.
Website Page Text Review Bundle	/about, /privacy, /terms, /accessibility drafts.
Next Phases Plan	Strategic plan for the next 36 months across six workstreams.
Architectural Decision Records (docs/adr/)	Why we made each major technology decision.

Document conventions

- Functional requirements are numbered with a prefix indicating the area, e.g. FR-FAM-001 for family, FR-COM-001 for companion, FR-OP-001 for operator, FR-BOOK-001 for booking, FR-PAY-001 for payment, FR-SAFE-001 for safeguarding, FR-NOTIF-001 for notifications, FR-AUDIT-001 for audit.

- Non-functional requirements use NFR- prefixes: NFR-PERF, NFR-A11Y, NFR-SEC, NFR-GDPR, NFR-OBS, NFR-REL, NFR-BROWSER.
- Each requirement is a single, testable statement in the form "The system shall..."
- Where a requirement carries a regulatory or safety implication, it is marked with [SAFE], [GDPR], [A11Y], or [REG] tags.
- Where a requirement is in scope for v1 but not Sprint 0 to 6, it is marked [Phase 2] or [Phase 3].

Audience

Reader	Where to start
Lead engineer	Section 2 (exec summary), then section 4 (solution context), then section 14 (functional requirements catalogue). Use the rest as reference when building each portal.
Second engineer (when hired)	Same as lead engineer. Section 12 (data model) is the second-most-important reference.
Operations co-founder	Section 2 (exec summary), then sections 5 (personas), 10 (operator console), and 11.4 (safeguarding flows).
Bassey	Section 2 (exec summary), then skim the section that matches whatever you are currently thinking about.
Designer (when engaged)	Section 2, then sections 5 (personas), 6 (portals at a glance), and the portal sections (7 to 10). The Design System v0 covers visual language separately.
Advisor / investor	Section 2 (exec summary) and section 6 (portals at a glance). The rest is for the team.

Status of this document

Draft for engineering review

This document is complete in structure and detailed enough to start building from. It is a draft in the sense that the first engineer reading it will find things to question, add to, or simplify. Treat their feedback as the next version, not as a complaint.

Open questions are captured in section 17. The decisions register at the end of section 17 records every decision made while writing this document, with rationale.

2. Executive summary

You Are In Good Company is a UK marketplace of vetted, trained, insured companions who visit older adults on a regular schedule. The web platform v1 is the system that runs the marketplace.

2.1 What the platform is

Four portals on one application, served from one database. A modular monolith organised internally into eight bounded contexts. Postgres + Prisma backend, Next.js 14 frontend with TypeScript and Tailwind, Auth.js v5 for sign-in, Stripe for payments, Brevo for email, Twilio for SMS, uCheck for DBS, Stripe Identity for ID checks, all hosted in the UK / EU.

2.2 The four portals

Portal	Primary user	Job to be done
Marketing site	Prospective family	Convert worry into a booked call. Reassure that we are a real, trusted, scope-bounded company.
Family portal	Family payer (the buyer)	Manage the relationship with the recipient and the companion. Pay. Read post-visit reports. Pause, resume, cancel.
Companion portal	Companion (the supply)	See upcoming visits. File post-visit reports. Track training. Get paid. Stay safe.
Operator console	Internal staff	Run the marketplace. Match families to companions. Handle safeguarding. Reconcile payments. Audit every action.

2.3 What v1 must do

Five outcomes the platform must support from Sprint 1 onwards:

1. A family can find us, book an intake call, and become a paying customer in under 14 days end to end.
2. A companion can apply, complete vetting (Enhanced DBS, references, training), and start their first visit within 21 days.
3. A scheduled visit takes place, a post-visit report is filed within four hours, and the family reads it the same day.
4. The family is billed correctly each week, and the companion is paid correctly each week, with full audit trail of every transaction.

5. Any safeguarding concern is escalated to the named safeguarding lead within four working hours, with a complete chronological record of every action taken.

2.4 What v1 deliberately does not do

- No native mobile apps. Mobile-responsive web (PWA-capable) covers the need at this scale.
- No self-serve booking flow in Phase 1. The first three to six months run as concierge: every booking is operator-assisted. Self-serve opens in Phase 2.
- No public companion ratings. We do not want the dynamics that creates.
- No live chat on the marketing site. Conversion is by phone and book-a-call form.
- No AI-generated post-visit reports or AI-mediated matching. Both undermine the human-centric brand.
- No clinical care, medication, or personal care features. Out of scope by deliberate choice; reinforced in policy and product.

2.5 The architecture in one sentence

One Next.js 14 application, one Postgres database, organised internally into eight bounded contexts (family, companion, visit, payment, safeguarding, audit, notification, operator), with strict architectural seams enforced in CI by dependency-cruiser.

2.6 The non-negotiables

Five things that do not move

Safeguarding response within four working hours, audited end to end.

WCAG 2.2 AA accessibility as the floor, not the aspiration.

UK / EU data residency only. Personal data does not leave the perimeter.

Brand voice enforced in CI: no "care" outside the allow-list, no "elderly", no em dashes, no exceptions.

Scope-outside-CQC discipline: nothing in this platform encourages or enables drift into delivering personal care or clinical work.

3. How this document is organised

Eighteen sections. Read in sequence the first time. Refer to specific sections by need thereafter.

3.1 The shape of the document

Section	Title	What it covers
1	Document control	Purpose, conventions, audience, status.
2	Executive summary	The one-page version. What we are building, the four portals, the five outcomes, the five non-negotiables.
3	How this document is organised	This section. The map.
4	Solution context	Scope, constraints, assumptions, non-goals.
5	Personas	Helen, Margaret, Sarah, the Operator. In depth.
6	Portals at a glance	One page per portal with purpose, primary screens, key features.
7	Marketing site	Detailed solution design: pages, components, conversion paths.
8	Family portal	Detailed solution design: screens, flows, functional requirements.
9	Companion portal	Detailed solution design: screens, flows, functional requirements.
10	Operator console	Detailed solution design: screens, flows, functional requirements.
11	Cross-cutting domain logic	Booking engine state machine, matching, post-visit reports, payments, safeguarding, audit, notifications.
12	Data model	Every entity, every relationship, every key field.
13	Integration specifications	How we talk to Stripe, Brevo, Twilio, uCheck, Stripe Identity, S3, Sentry, Posthog, Inngest.
14	Functional requirements	Every numbered functional requirement.

Section	Title	What it covers
	catalogue	Source of truth for testing and Linear tickets.
15	Non-functional requirements	Performance, accessibility, security, GDPR, observability, reliability, browser support.
16	Edge cases and failure modes	What can go wrong, how the system behaves when it does.
17	Open questions and decisions register	What we have not yet decided, and what we did decide while writing this.
18	Appendices	Glossary, acronyms, change log.

3.2 If you have 15 minutes

Read section 2 (Executive summary), the introduction to whichever portal you care about (sections 7.1 / 8.1 / 9.1 / 10.1), and section 17 (Open questions).

3.3 If you have an hour

Read sections 2 through 6 in order, then dive into the portal sections that matter most for your current work.

3.4 If you are about to start building

Read the whole thing. Take notes. Open Linear and turn the functional requirements into tickets. Flag everything that surprises you or that you would design differently. The first engineer's pushback is the most useful pushback this document will ever receive.

4. Solution context

The frame within which everything else in this document operates.

4.1 In scope for v1

- A public marketing site at youareingoodcompany.co.uk. Editorial, brand-voiced, mobile-responsive.
- A family portal at app.youareingoodcompany.co.uk for the family payer.
- A companion portal at app.youareingoodcompany.co.uk for the companion (same domain, different role-gated routes).
- An operator console at igcs.co.uk for internal staff.
- All booking, payment, communication, and audit flows needed to run the marketplace end to end in Greater Manchester (initial geography: South Manchester, Trafford, Stockport, Salford).
- Integrations with Stripe (payments and Connect), Brevo (email), Twilio (SMS), uCheck (DBS), Stripe Identity (ID verification), AWS S3 (file storage in eu-west-2), Sentry (errors), Posthog (analytics, EU region, gated on consent), Better Stack (logs), Inngest (background jobs).
- English-language (en-GB) only. Multi-language is out of scope for v1.

4.2 Out of scope for v1

- Native iOS or Android applications.
- Self-serve booking by families (Phase 2).
- Self-serve companion application end-to-end without operator gate (Phase 2).
- Direct Payment / ICB invoicing flows (Phase 2).
- Gift vouchers, multi-recipient households on a single account, family-to-family referral programmes beyond a simple manual one.
- Companion ratings or public reviews.
- Live chat on the marketing site.
- Operator console for non-launch geographies.

4.3 Out of scope by deliberate decision (do not add later)

- Personal care, medication management, or any clinical functionality. The platform must not have UI affordances that even suggest this is possible.
- Public companion ratings. Companion quality is managed by the operations team, not by family-side ratings.
- Companion-to-family messaging without operator visibility. All companion-family communication is mediated by the platform and visible to the safeguarding team.

- AI-generated content presented as human (post-visit reports, founder voice, customer service responses).

4.4 Assumptions

- The legal entity You Are In Good Company Services Ltd is registered before the platform handles real money.
- ICO registration is complete before the platform handles real personal data.
- Insurance (Public Liability and Professional Indemnity) is in place before the first visit.
- The companion engagement model (employed, worker, or self-employed contractor) is decided before the first companion is engaged. Payment flows assume self-employed contractor with Stripe Connect Express; this is the most flexible default but is provisional pending HMRC IR35 review.
- VAT position is decided before any customer is invoiced. Initial assumption: not VAT-registered until threshold is approached, then registered with prices held flat (we absorb the VAT cost up to a point).
- Pricing assumption is £32 per hour with a two-hour minimum visit. The platform should make this trivially adjustable in configuration without redeploy.
- All staff who can access personally identifiable data have completed a basic data protection induction and have 2FA enabled on their accounts.

4.5 Constraints

- Budget constraint: v1 is built by one engineer (lead) for Sprints 0 to 4, with a second engineer joining around Sprint 5. The architecture must be appropriate for a team of one to three engineers throughout v1.
- Time constraint: the first paying family must be supported by Sprint 4 (week 10 from Sprint 0 start). Any feature that is not on the critical path for this is candidate for deferral.
- Compliance constraint: every personal data flow must have a documented lawful basis under UK GDPR. New flows added later must update the DPIA.
- Reliability constraint: the platform supports a safeguarding service. A 30-minute outage during a visit window has real consequences. Reliability targets (NFR-REL) are correspondingly strict.

4.6 Stack at a glance

Documented in full in the Engineering Kickoff Pack and the relevant ADRs. Summarised here for reference.

Layer	Choice	ADR
Framework	Next.js 14 (App Router)	ADR 0001

Layer	Choice	ADR
Language	TypeScript (strict)	ADR 0001
Styling	Tailwind CSS + design-tokens package	ADR 0001
Component primitives	shadcn/ui (copy-paste, not dependency)	ADR 0001
API	tRPC for portals, REST for webhooks	ADR 0001
Validation	Zod	ADR 0001
Database	PostgreSQL 16+	ADR 0005
ORM	Prisma	ADR 0006
Auth	Auth.js v5 with database sessions	ADR 0004
Background jobs	Inngest	ADR 0008
Email	Brevo	ADR 0007
SMS	Twilio (UK)	ADR 0001
Payments	Stripe (Subscriptions + Connect Custom)	ADR 0001
Identity	Stripe Identity	ADR 0001
DBS	uCheck	ADR 0001
File storage	AWS S3 (eu-west-2)	ADR 0001
Architecture	Modular monolith, 8 bounded contexts	ADR 0003

4.7 The bounded contexts

All cross-context interaction goes through public api.ts. Enforced by dependency-cruiser in CI.

Context	Owns
family	Family households, family payers, recipients, household members, family-side preferences and consents.
companion	Companion profiles, onboarding state, availability, compliance documents (DBS, training, insurance).
visit	Bookings, visit state machine, scheduling, post-visit reports, recurrence, Match.
payment	Stripe integration, subscriptions, one-off charges, refunds, companion payouts, invoices.
safeguarding	Safeguarding cases, severity triage, escalation workflow, incident logging.
audit	Append-only audit log writer. Every other context calls audit to record sensitive actions.
notification	Email (Brevo), SMS (Twilio), and in-app notification dispatch. Templates and content strings.
operator	Operator console surfaces. Consumes other contexts; does not own customer data itself.

5. Personas

Four personas drive every design decision. Three are real users; the fourth is the internal operator team. Each persona has goals, behaviours, mental models, and accessibility considerations that inform the design.

5.1 Helen - the Family Payer

Profile

- Age 48. Lives in Twickenham. Marketing director at a mid-size company.
- Mother (Margaret, 78) lives alone in Didsbury, Manchester.
- Visits her mother roughly every 6 weeks. Worries between visits.
- Brother lives in California and is not actively involved in his mother's day-to-day life.
- Household income approximately £150k. Comfortable spending £150-£300 per week on mother's wellbeing.

Mental model

- Sees the problem as "my mum is alone too much." Does not see it as "my mum needs care."
- Has looked at home-care agencies and found them clinical, inflexible, and feeling "wrong".
- Has looked at Age UK befriending programmes and found waitlists or geographic mismatch.
- Trusts personal recommendations far more than online reviews.
- Anxious about getting it wrong. Will not take risks with mother's safety to save money.

Primary goals

6. Find a trustworthy companion for her mother, quickly.
7. Have visibility into what happens each week, without micro-managing.
8. Feel calm between her own visits, knowing someone reliable is showing up.
9. Be able to talk to a real person when she has concerns.

Behaviours on the platform

- Reads the marketing site on her phone during a coffee break.
- Books an intake call within 48 hours of first visiting the site.
- Reads every post-visit report within 4 hours of receiving it. Often replies with a thank-you or a question.
- Checks the family portal once or twice a week between visits, mostly to read past reports.
- Pauses the subscription twice a year for her own visits and for Margaret's holidays.

Pain points the platform must address

- Cannot tell, at a glance, what happened during the most recent visit. (Solved by: post-visit report email + family portal visit feed.)
- Worries that the companion is rotating. (Solved by: same-companion guarantee, with named back-up communication.)
- Does not want to chase a chat-bot or fill in a long form when something is wrong. (Solved by: phone number visible everywhere, real coordinator on the line.)
- Does not want to be sold to. (Solved by: editorial brand voice, no upsell prompts, transparent pricing.)

Accessibility considerations

- Reads on a phone in mixed light. Typography and contrast must work in sunlight and at dim café lighting.
- Frequently interrupted. The platform must preserve state across navigation and let her resume mid-action.
- Wears reading glasses. The default body size is 18px to make this comfortable.
- Often uses one-handed thumb navigation. Tap targets are minimum 44x44px.

5.2 Margaret - the Recipient

Profile

- Age 78. Widowed three years ago. Lives alone in a two-bedroom semi in Didsbury.
- In good general health. Walks with a stick. Hearing aid in left ear.
- Does not own a smartphone. Uses a Nokia for calls only.
- Has an old laptop she uses to email her grandchildren. Sometimes Skypes Helen on the iPad Helen bought her.
- Enjoys gardening, reading, the Antiques Roadshow, and weekly trips to the local garden centre.

Mental model

- Does not consider herself in need of "help". Considers herself a sensible older woman who would enjoy company.
- Slightly resistant to the idea of a paid visitor at first; warms to it once introduced personally to a specific person she likes.
- Trusts professionals (her GP, her solicitor, her bank manager) and someone-she-met-once-and-liked equally.
- Does not want to be a burden on Helen. Will hide concerns about her own wellbeing to protect Helen from worrying.

Primary goals (as expressed in her own words during the introduction visit)

10. "Someone to have a cup of tea with on a Wednesday."
11. "A bit of company on the trip to the garden centre."
12. "Someone who can lift the heavy bag of compost into the boot."
13. "Someone who listens to my stories."

Behaviours on the platform

- Does not interact with the platform directly. Helen manages the account on her behalf.
- Receives one SMS reminder the day before each visit. Reads it; reassures herself it is the same person as last week.
- Reads the post-visit report on her laptop a day or two after, sometimes, when she remembers. Mostly Helen reads it.
- Is the subject of the platform's most consent-sensitive data: her preferences, mood, health observations from the companion.

Pain points the platform must address

- She is not the buyer. Many of the data flows that benefit Helen (visit confirmations, post-visit reports) carry information about Margaret. Margaret must consent to this sharing, knowingly, at intake. (Solved by: explicit Margaret-side consent capture during the operator-led intake call, recorded and re-confirmed at the first introduction visit.)
- A different companion every week would distress her. (Solved by: same-companion guarantee.)
- She might not understand a sudden change. (Solved by: any change to her visit schedule is communicated by phone, not just by app.)

Accessibility considerations

- Margaret is not directly a user of the platform UI. But all communications she receives (SMS reminders, the occasional letter or email confirmation) must be legible, plain-language, and free of jargon.
- Where Margaret does see a digital surface (e.g. a post-visit report on her laptop, a card the companion holds up showing today's plan), it must be readable at large font sizes and high contrast.
- Voice-only fallback for any critical communication. Margaret should always be able to call us and reach a person.

5.3 Sarah - the Companion

Profile

- Age 56. Lives in Withington. Retired nurse, took early retirement after a long NHS career.
- Looking for meaningful, flexible, part-time work that uses her people skills.
- Comfortable with technology. Owns an iPhone and uses it daily.
- Drives a small car. Happy to visit households within a 20-minute drive.
- Available Tuesday to Thursday mornings, Saturdays. Not Sundays. Not evenings.

Mental model

- Sees this as a calling, not just a job. The pay matters, but the relationships matter more.
- Wants to do meaningful work without the pressure of a clinical setting.
- Values reliability deeply, both in herself and in her employer. Late payments or unreliable scheduling would erode trust quickly.
- Trusts the company because she has met Bassey and the operations co-founder in person and they listened to her concerns about safety, pay, and respect.

Primary goals

14. Be matched with two to four families she can build real relationships with.
15. Know her schedule with enough notice (minimum one week) to plan her own life.
16. File her post-visit reports quickly, in a way that feels true to the visit.
17. Be paid weekly, accurately, with no chasing.
18. Be looked after if something difficult happens during a visit.

Behaviours on the platform

- Opens the companion portal every Tuesday morning to see the week ahead.
- Receives an SMS reminder the day before each visit. Glances at her phone to confirm location and notes.
- Receives a 2-hour-before SMS reminder for visits that need her to drive.
- Files the post-visit report from her phone, in her car, within an hour of the visit ending. Usually takes her 4 to 6 minutes.
- Checks her earnings page every Friday after the weekly payout lands.
- Completes one training module per quarter to maintain her certification.

Pain points the platform must address

- Lone working safety: she may be in a difficult situation if a recipient becomes distressed or if the household is unfamiliar. (Solved by: emergency

contact one-tap in the app, optional check-in confirmation on the way in and out of unfamiliar visits, named safeguarding lead on call.)

- Schedule changes that disrupt her day. (Solved by: minimum 48-hour notice for changes, except in emergencies; SMS alerts for last-minute changes.)
- Post-visit reports feeling clinical or templated. (Solved by: prose-based report format, brand voice in the form prompts, minimal mandatory fields.)
- Not being able to flag a concern that is not yet a safeguarding case. (Solved by: a "things to flag" free-text field on every post-visit report, visible only to the operator team.)

Accessibility considerations

- Uses the platform almost entirely on a phone, often in her car, sometimes in poor signal.
- Post-visit report form must work offline (auto-save locally, sync when signal returns).
- Larger tap targets for in-car use.
- Voice-input compatible (Sarah dictates her reports while driving back, finishes them at home).

5.4 The Operator

Profile

- Internal staff. In Phase 1, this is Bassey and the operations co-founder. By Phase 2, includes a companion coordinator, a customer ops coordinator, and a safeguarding lead.
- Office-based or hybrid. Uses the operator console on a laptop most of the time, occasionally a phone.
- Trained on internal safeguarding policy, customer service playbook, financial reconciliation procedures, and the brand voice.

Mental model

- The platform exists to do their job for them where it can, and to give them visibility into what is happening where it cannot.
- Every action taken in the operator console may need to be defended later, in a safeguarding review or an audit. Every action is logged.
- Trusts the system enough to act on what it shows, but verifies with phone calls when the stakes are high.

Primary goals

19. Match new families to suitable companions within 48 hours of intake.
20. Respond to safeguarding concerns within 4 working hours.

21. Run weekly payment cycles (family billing in, companion payouts out) with zero errors.
22. Keep DBS, training, and insurance compliance current for every active companion.
23. Have a clear picture, each morning, of: visits today, missing reports, open safeguarding cases, expiring DBSs, new enquiries.

Behaviours on the platform

- Opens the operator console first thing each morning. Looks at the "Today" dashboard.
- Triage new enquiries within 24 hours of arrival.
- Schedules companion interviews and intake calls.
- Proposes matches by reading a companion's profile, a recipient's profile, and a household's notes side by side.
- Reviews every post-visit report; flags any that contain something needing follow-up.
- Handles the weekly payment run, reconciling Stripe transactions against the visit log.
- Owns the DBS-expiry calendar; triggers renewal 90 days before expiry.
- Owns safeguarding cases from intake to resolution.

Pain points the platform must address

- Too much friction in routine tasks (scheduling, reporting, payment runs) means less attention for the things that matter (safeguarding, complex matches). (Solved by: deep automation of the routine, light automation of the exceptional, clear surfacing of the rare.)
- Difficulty proving, after the fact, that the right thing was done at the right time. (Solved by: immutable audit log on every sensitive action, with comprehensive search and export.)
- Having to context-switch across many systems. (Solved by: the operator console is the single pane of glass for all operational work.)

Accessibility considerations

- Internal users still benefit from accessible design. The console follows the same WCAG 2.2 AA bar as customer-facing surfaces.
- Operator users may spend 6+ hours a day in the console. Fatigue-aware design (clear hierarchy, generous spacing, calm colours) is important.
- Keyboard shortcuts for the most common operations are valuable for productivity but optional, not required.

6. The four portals at a glance

Before diving into each portal in detail, the one-page view of all four.

6.1 Marketing site

Aspect	Detail
URL	youareingoodcompany.co.uk
Primary user	Prospective family payer (Helen)
Job to be done	Convert worry into a booked intake call.
Auth	Public, no sign-in.
Key pages	/, /how-it-works, /pricing, /our-companions, /safeguarding, /about, /faq, /journal, /companions/join, /contact, /privacy, /terms, /accessibility, /cookies
Primary actions	Book a call, call us, sign up for waitlist, apply to be a companion
Key metric	Booked intake calls per week
Architecture	Server-rendered Next.js (SEO and speed)
Status	Substantially complete. Lift remaining static HTML into Next.js components in Sprint 2.

6.2 Family portal

Aspect	Detail
URL	app.youareingoodcompany.co.uk (family role-gated routes)
Primary user	Family payer (Helen)
Job to be done	Manage the relationship. See what happens. Stay calm.
Auth	Email + password, or magic link. Optional SMS 2FA.
Key screens (v1)	Dashboard, Visits, Recipient profile, Household, Plan and Payments, Messages, Settings
Key actions (v1)	Read post-visit reports, view upcoming visits, update payment method, pause subscription, cancel subscription, message the team

Aspect	Detail
Key actions (Phase 2)	Self-serve booking, schedule changes, household member management, recipient consent updates
Key metric	Family retention at 90 days
Architecture	Client-side interactive, tRPC-served, with Server Components for read-mostly pages
Status	Not yet built. Designed in Sprint 1, built in Sprints 3 to 6.

6.3 Companion portal

Aspect	Detail
URL	app.youareingoodcompany.co.uk (companion role-gated routes)
Primary user	Companion (Sarah)
Job to be done	See the week. File reports. Get paid. Stay safe.
Auth	Email + password, or magic link. Mandatory SMS 2FA for companions (handles sensitive recipient data).
Key screens (v1)	Today, Calendar, Visits, Profile, Earnings, Training, Messages, Account
Key actions (v1)	View upcoming visits with addresses and notes, file post-visit reports, update availability, view earnings and payslips, complete training modules
Key actions (Phase 2)	Self-serve schedule preferences, peer messaging within The Companion Club, expense submission
Key metric	Post-visit report submission rate within 4 hours; companion retention at 6 months
Architecture	Mobile-first PWA, works offline for post-visit report drafting
Status	Not yet built. Designed in Sprint 1, built in Sprints 3 to 7.

6.4 Operator console

Aspect	Detail
URL	igcs.co.uk (separate domain, IP-restricted to office and home IPs,

Aspect	Detail
	separate brand)
Primary user	Internal operator team
Job to be done	Run the marketplace, end to end, with full audit visibility.
Auth	Email + password, mandatory SMS 2FA, role-based access (admin, coordinator, safeguarding lead, finance, read-only)
Key screens (v1)	Today dashboard, Families, Companions, Visits, Safeguarding, Payments, Audit, Content
Key actions (v1)	Create / edit family, create / edit companion, schedule visits, run payment cycles, open / triage / close safeguarding cases, search audit log, publish content updates
Key actions (Phase 2)	Bulk operations, advanced reporting, multi-city segmentation, ICB / council exports
Key metric	Time from concern raised to operator response
Architecture	Client-side interactive, tRPC-served, with heavy use of optimistic UI for productivity
Status	Not yet built. Designed in Sprint 1, built in Sprints 1 to 4 (the operator console is the first thing built, so the concierge model has a tool from day one).

7. Marketing site - solution design

The public marketing site at youareingoodcompany.co.uk. The first impression. The conversion funnel.

7.1 Purpose and scope

The marketing site exists to do one job: convert a worried adult child into a booked intake call. It is not a content hub, a community platform, or a self-serve booking tool. It is a focused funnel with an editorial brand voice.

In scope (v1)

- Public pages: home, how-it-works, pricing, our-companions, safeguarding, about, faq, journal (start with 4-6 articles), companions/join, contact
- Legal pages: privacy, terms, accessibility, cookies
- Forms: contact (book a call), waitlist sign-up (for outside-area), companion application
- Integrations: Brevo (form submissions → email + CRM), Posthog (analytics, consent-gated), Cloudflare (CDN, basic WAF)

Out of scope (v1)

- Live chat widget
- Account sign-up (account creation happens after the intake call, operator-led)
- Self-serve booking
- Companion search or browse
- Member content or paywalls

7.2 Page-by-page design

7.2.1 Home (/)

Sequence: nav, hero, trust strip, three pillars, how it works summary, founder note, what a visit looks like (four cards), pricing teaser, FAQ teaser (5 questions), final CTA, footer.

Design rationale documented in the Landing Page Design Brief. Implementation pattern: each section is its own React Server Component composed in `apps/web/src/app/(marketing)/page.tsx`.

- FR-MARK-001: The home page shall load below the fold within 2.0 seconds on simulated 4G.
- FR-MARK-002: The home page shall render correctly on viewports from 320px to 2560px wide.
- FR-MARK-003: The hero CTA ("Book a call") shall be reachable within one tap on mobile and visible without scrolling on screens 600px tall or larger.

- FR-MARK-004: The home page shall pass automated WCAG 2.2 AA checks (axe-core, no violations). [A11Y]

7.2.2 How it works (/how-it-works)

The four-step process explained in detail. Each step on a separate section with its own eyebrow, heading, lead, and 2-3 paragraphs of body.

- Steps: (1) Tell us about your mum or dad. (2) We propose a companion. (3) A first visit, on us. (4) Every week, the same time, the same person.
- Includes a "What if..." FAQ section near the end covering: what if companion is unwell, what if we don't like them, what if we want to cancel, what if mum needs more than companionship.
- FR-MARK-010: The how-it-works page shall include a primary CTA ("Book a call") in the page hero and again at the end of the page.

7.2.3 Pricing (/pricing)

Three tiers shown as cards: Weekly visits (£32/hr, marked Most Popular), Fortnightly visits (£32/hr), Block of hours (£35/hr).

- Attendance Allowance callout: helper text explaining that AA is not means-tested and can fund our visits, with a sign-post to gov.uk.
- "What is not included" section listing the categories of work outside our scope.
- FR-MARK-020: The pricing page shall display the current hourly rate from configuration. Changing the rate shall not require a redeploy. [Operator console: Content > Pricing]
- FR-MARK-021: The pricing page shall not contain VAT-inclusive vs VAT-exclusive ambiguity. Either prices include VAT (stated) or are exempt (stated), per accountant's confirmed position.

7.2.4 Our companions (/our-companions)

A page that humanises the supply side without exposing individuals to inappropriate scrutiny.

- Three to five real companion profiles, each with a first name, a photo (with explicit photo consent), and a 3-paragraph bio in their own voice.
- "What every companion has" section: Enhanced DBS, training modules completed, insurance, our vetting process.
- CTA at the bottom: "Become a companion" linking to /companions/join.
- FR-MARK-030: Companion profiles on /our-companions shall not include surname, address, or any personal identifier beyond first name and (optionally) age range, area of Manchester, and one interest.
- FR-MARK-031: Each companion profile shall require explicit photo and bio consent, recorded in the operator console, with a one-click revocation that immediately removes the profile from the public page. [GDPR]

7.2.5 Safeguarding (/safeguarding)

The public-facing safeguarding promise. Pillars: Enhanced DBS, vetted and trained, insured, named safeguarding lead, post-visit note discipline, cooling-off window.

- Raise-a-concern section with safeguarding@youareingoodcompany.co.uk email and direct phone number to the safeguarding lead.
- FR-MARK-040: The /safeguarding page shall include a single named contact (safeguarding lead) with email and phone. If the named individual changes, the operator console allows updating without a redeploy.

7.2.6 About (/about)

Drafted in the Website Page Text Review Bundle. Why we exist, what we are, where we work, our promise to families, our promise to companions, how we are funded, founder note.

7.2.7 FAQ (/faq)

Top 15-20 questions, grouped by theme: About the visits, About the companions, About what we don't do, About payment and cancellation.

- FR-MARK-050: The FAQ page shall use native HTML `<details>` / `<summary>` accordions, allowing all questions to be opened, closed, and keyboard-navigated without JavaScript. [A11Y]

7.2.8 Journal (/journal)

Editorial content hub. Long-form articles on companionship, the social science of ageing, Attendance Allowance, our founder story, and (later) case studies.

- Sprint 1 launch: 4-6 articles published. Sprint 2 onward: 1 article per month minimum.
- Articles authored in MDX, lifted into Next.js with the Design System v0 typographic components.
- FR-MARK-060: Journal articles shall include OpenGraph metadata for social sharing and JSON-LD structured data for SEO (Article schema).
- FR-MARK-061: Journal articles shall not require sign-in to read.

7.2.9 Companions / join (/companions/join)

The supply-side recruitment landing. What being a companion looks like, what we look for, what we do not look for, the process.

- Primary CTA: "Apply now" opens a multi-step application form.
- Application form fields: name, contact details, postcode, availability summary, why you want to do this, two short paragraphs about you, right-to-work declaration, agreement to background checks if shortlisted.
- FR-MARK-070: The companion application form shall be submittable in under 8 minutes by a competent typist (validated by user testing).

- FR-MARK-071: On submission, the system shall: (a) acknowledge with on-screen confirmation, (b) send an email confirmation via Brevo, (c) create a CompanionApplication record visible in the operator console, (d) trigger a Slack notification to the operator team.

7.2.10 Contact (/contact)

Phone number prominent. Book-a-call form below.

- Form fields: your name, your phone, recipient postcode, best time to call, what is on your mind (free text).
- Privacy notice consent prominent.
- FR-MARK-080: On submission, the system shall create an Enquiry record, send a confirmation email to the prospective family, notify the operator team via Slack, and (during business hours) page the on-shift coordinator.

7.2.11 Legal pages (/privacy, /terms, /accessibility, /cookies)

Drafted in the Website Page Text Review Bundle. /cookies to be drafted alongside the cookie consent flow.

- FR-MARK-090: Legal pages shall be editable as MDX in apps/web/src/content/legal/. Changes shall be reviewable via standard PR process before going live. [REG]
- FR-MARK-091: Each legal page shall carry a "last reviewed" date prominently and an "effective from" date where relevant. [REG]

7.3 Cookie consent and analytics

Posthog analytics gated on explicit consent. Strictly necessary cookies do not require consent.

- FR-MARK-100: On first visit, the user shall see a non-blocking cookie consent banner offering Accept all / Reject all / Manage preferences.
- FR-MARK-101: Until consent is granted, no analytics cookies shall be set and no third-party scripts shall load.
- FR-MARK-102: Consent state shall persist for 12 months, after which the user is re-prompted.
- FR-MARK-103: The user shall be able to change consent at any time from /cookies.

7.4 Form handling and CRM

All marketing forms (contact, waitlist, companion application) feed into a single submissions table in the database plus Brevo for email follow-up.

- FR-MARK-110: Form submissions shall be persisted in the database before any external integration is called. If Brevo or Slack are down, the submission is still saved and retries via Inngest. [REL]
- FR-MARK-111: Submissions shall be rate-limited per IP (10 per hour) and per email (3 per hour) to prevent abuse.

- FR-MARK-112: Submissions shall be captured in the audit log with the lawful basis recorded (consent for marketing, contract performance for enquiry).

7.5 SEO and metadata

- FR-MARK-120: Every page shall have a unique <title>, <meta description>, canonical URL, and OpenGraph image.
- FR-MARK-121: The site shall publish a sitemap.xml and a robots.txt. Staging environments are blocked via x-robots-tag noindex.
- FR-MARK-122: LocalBusiness schema markup shall be present on the home page with name, address, phone, geo, hours, and aggregate rating (once available).
- FR-MARK-123: Core Web Vitals shall be measured on every deploy and reported in CI. Regressions of more than 10% on LCP, FID, or CLS shall fail the build.

7.6 Brand voice enforcement

- FR-MARK-130: All customer-facing copy on the marketing site shall live in packages/content/src/en-GB.ts, in apps/web/src/content/legal/*.mdx, or in apps/web/src/content/journal/*.mdx. No marketing strings inline in components.
- FR-MARK-131: The brand voice guard (scripts/lint-content.ts) shall run on every PR and fail the build on any unauthorised use of the forbidden words or characters.

8. Family portal - solution design

The interface for Helen and other family payers. Where they manage the relationship with the recipient and the companion, where they read the post-visit reports, and where they handle payments.

8.1 Purpose and scope

The family portal answers four questions for the family payer: How is my mum or dad doing? When is the next visit? How am I being charged? How do I get hold of a person when something is wrong?

In scope (v1, Sprints 3 to 6)

- Account creation (operator-initiated invitation, family completes sign-up)
- Sign-in (email + password, or magic link)
- Dashboard showing the next visit, the most recent post-visit report, and any pending actions
- Visits page with upcoming visits and a paginated history of completed visits, each with their post-visit report
- Recipient profile (read-only in v1; edit requests go to operator)
- Household members (read-only in v1)
- Plan and payments (current plan, payment method, billing history, pause / cancel)
- Messages (a single thread with the operator team, plus broadcast updates from us)
- Settings (account, notification preferences, password, sign-out, delete account)

In scope (Phase 2)

- Self-serve subscription changes (frequency, duration, companion preference)
- Self-serve recipient profile editing
- Self-serve household member management (adding spouse, sibling as a co-viewer of reports)
- Recipient-side consent management surfaces

Out of scope (v1 and v2)

- Direct messaging between family and companion (always mediated through the operator team)
- Public companion ratings or reviews
- Booking new visit types unrelated to companionship

8.2 Information architecture

Eight top-level routes under `/family/`. Each maps to a single React Server Component page with client-side interaction where needed.

Route	Purpose
<code>/family</code>	Dashboard. The home of the family portal.
<code>/family/visits</code>	Upcoming visits and visit history.
<code>/family/visits/:id</code>	Single visit detail page (including post-visit report).
<code>/family/recipient</code>	Recipient profile (read-only in v1).
<code>/family/companion</code>	Information about the matched companion (read-only).
<code>/family/household</code>	Other people who can see post-visit reports (read-only in v1).
<code>/family/plan</code>	Plan, payment method, billing history, pause / cancel actions.
<code>/family/messages</code>	Single thread with the operator team.
<code>/family/settings</code>	Account, notifications, password, delete account.

8.3 Sign-in and account creation

8.3.1 Account creation flow

In Phase 1, account creation is operator-initiated. The operator creates the family record in the operator console at the end of the intake call. The system emails the family payer an invitation link that lets them set a password.

- FR-FAM-001: The operator console shall allow creation of a new Family with a single family-payer email. On creation, the system shall send an invitation email via Brevo containing a single-use, 7-day-expiring link to set a password.
- FR-FAM-002: The invitation link shall require the user to set a password meeting the password policy (minimum 12 characters, not in the breach list) before granting access.
- FR-FAM-003: The invitation link shall be invalidated immediately after use.
- FR-FAM-004: An expired invitation link shall present a clear error and a "request a new link" action.
- FR-FAM-005: On successful sign-up, the user shall be auto-signed-in and routed to `/family` with an onboarding tour overlay.

8.3.2 Sign-in

- FR-FAM-010: The sign-in page shall support email + password and email + magic link.
- FR-FAM-011: Magic links shall be valid for 15 minutes and single-use.
- FR-FAM-012: After 5 failed password attempts within 10 minutes, the account shall be rate-limited for 15 minutes.
- FR-FAM-013: All sign-in attempts (success and failure) shall be recorded in the audit log with timestamp, IP, and user-agent. [AUDIT]
- FR-FAM-014: Sign-in shall offer optional SMS 2FA. If enabled by the user, sign-in requires entering a 6-digit code sent via Twilio after password verification.

8.3.3 Password reset

- FR-FAM-020: The user shall be able to request a password reset from the sign-in page.
- FR-FAM-021: Password reset links shall be valid for 30 minutes and single-use.
- FR-FAM-022: The password reset email shall arrive at the user's address whether or not the address is registered, to prevent account enumeration. The message phrasing is the same in both cases.

8.3.4 Account deletion

- FR-FAM-030: The user shall be able to request account deletion from /family/settings.
- FR-FAM-031: Account deletion shall require confirmation by typing the word "DELETE" or similar friction step. [GDPR]
- FR-FAM-032: On confirmed deletion, the system shall: (a) cancel any active subscription, (b) soft-delete the User and Family records (set deletedAt), (c) anonymise PII fields after 30 days (a cooling-off window for accidental deletion), (d) preserve visit records and audit log entries as required by Care Act 2014 and HMRC retention rules. [GDPR] [REG]
- FR-FAM-033: The user shall receive a confirmation email summarising what has been deleted, what has been retained (and why), and how to request a Data Subject Access Request.

8.4 Dashboard (/family)

The home of the family portal. The first thing Helen sees when she signs in.

8.4.1 Layout

Three primary blocks on desktop (stacked on mobile):

24. Next visit card: when, who, where, with a link to the visit detail page.
25. Most recent post-visit report card: companion's name, visit date, first 2-3 lines of the report, link to read in full.

26. Quick actions: "Read all reports", "Pause my subscription", "Message the team".

8.4.2 Empty states

- Before the first visit takes place, the dashboard shows: "Your first visit with [companion] is on [date] at [time]" plus reassurance about the operator team being available.
- During a subscription pause, the dashboard shows: "Your visits are paused. Resume any time." with a single CTA.

8.4.3 Functional requirements

- FR-FAM-040: The dashboard shall load and render the next visit and most recent post-visit report within 1.5 seconds at p95.
- FR-FAM-041: The dashboard shall display the recipient's name (not just the family payer's name) so the family payer is reminded who the service is for.
- FR-FAM-042: If there is no upcoming visit (paused, cancelled, or no match yet), the dashboard shall display a clear empty state with appropriate next action.
- FR-FAM-043: Pending actions (e.g. "Update your card details" if payment failed) shall be surfaced prominently at the top of the dashboard.

8.5 Visits (/family/visits)

8.5.1 Layout

Two sections: Upcoming and Past. Upcoming shows the next 3-5 visits with date, time, companion. Past shows a paginated list of completed visits, each linkable to the visit detail page.

8.5.2 Visit detail (/family/visits/:id)

Single visit page showing: date, time, duration, companion name and photo, location (recipient's address by default), the post-visit report in full (once filed), any photos attached, any operator notes.

8.5.3 Functional requirements

- FR-FAM-050: Past visits shall be paginated (20 per page) and sortable by date.
- FR-FAM-051: The visit detail page shall display the post-visit report exactly as the companion wrote it, with only minor formatting normalisation (paragraph breaks preserved, no auto-summarisation).
- FR-FAM-052: Photos attached to a visit shall be served from S3 via signed URLs that expire after 10 minutes. The signed URLs shall not be cacheable.
- FR-FAM-053: The family payer shall not be able to download or alter post-visit reports. They are read-only by design.

- FR-FAM-054: A "Reply to this report" action shall create a message in /family/messages addressed to the operator team (not directly to the companion).

8.6 Recipient profile (/family/recipient)

8.6.1 What is shown

- Recipient first name, age range, address (masked to area + first part of postcode in v1).
- Interests, preferences, important context (mobility, hearing, dietary, religious observance).
- Important things-to-know (e.g. "hearing aid in left ear", "likes a cup of tea on arrival").
- Consent state: photo consent, post-visit report sharing consent, household member sharing consent.

8.6.2 Functional requirements (v1, read-only)

- FR-FAM-060: The recipient profile shall be read-only in v1. A clear "To request a change, message the team" CTA shall be present at the bottom of the page.
- FR-FAM-061: Sensitive recipient data (full address, full date of birth, health observations from companions) shall not be displayed on this page. Health observations live in the post-visit reports; full address lives in the booked-visit detail accessible only by the assigned companion.
- FR-FAM-062: Consent state shall be displayed clearly with the date each consent was given and a "Request to change" link.

8.6.3 Functional requirements (Phase 2, self-serve edit)

- FR-FAM-065: [Phase 2] The recipient profile shall be editable, with changes routed through an operator-review queue before taking effect. This protects against accidental or coerced changes.
- FR-FAM-066: [Phase 2] Recipient consent changes shall propagate to all relevant data flows within 1 hour. [GDPR]

8.7 Companion view (/family/companion)

A read-only page showing the currently matched companion: photo, first name, bio, a sentence about why we matched them with this recipient.

- FR-FAM-070: The companion view shall not expose surname, address, age, or any direct contact information for the companion.
- FR-FAM-071: If the regular companion is unavailable for a specific visit, the page shall show the back-up companion's profile with an explanation, until that visit is complete.
- FR-FAM-072: A "Request a different companion" action shall be available, routing the request to the operator team for handling.

8.8 Household (/family/household)

Other people who can see post-visit reports. Helen might add her brother in California, for example.

8.8.1 Functional requirements (v1)

- FR-FAM-080: The household page shall display existing members (name, relationship, email, last visit report read date).
- FR-FAM-081: In v1, adding or removing household members is request-based through the operator team.

8.8.2 Functional requirements (Phase 2)

- FR-FAM-085: [Phase 2] The family payer shall be able to invite household members by email. Invitations grant read-only access to post-visit reports and visit schedule.
- FR-FAM-086: [Phase 2] Household members do not have billing access. They cannot pause, cancel, or change payment.
- FR-FAM-087: [Phase 2] Household members shall be required to consent to view recipient PII before access is granted. [GDPR]

8.9 Plan and payments (/family/plan)

The financial relationship in one place.

8.9.1 What is shown

- Current plan: weekly / fortnightly / block, hourly rate, minimum visit duration.
- Next billing date and amount.
- Payment method (last 4 digits of card, expiry, type).
- Billing history: each charge with date, amount, link to invoice (PDF generated on demand).
- Actions: Update payment method, Pause subscription, Cancel subscription.

8.9.2 Pause subscription

- FR-FAM-090: Pause shall require selecting a return date (or "open-ended"). Max pause duration is 12 weeks, after which the companion match may be re-allocated.
- FR-FAM-091: On pause, the next scheduled visit shall be cancelled automatically and the family notified by email.
- FR-FAM-092: On pause, the assigned companion shall be notified via SMS and in their portal.
- FR-FAM-093: The family shall not be billed while paused. Billing resumes the day before the first scheduled visit after resume.

8.9.3 Cancel subscription

- FR-FAM-100: Cancellation shall require a single confirmation step with a clear "This will end your relationship with [companion]" message.
- FR-FAM-101: Cancellation shall take effect immediately. The next billing cycle is not charged. Any visits within 48 hours of cancellation may still be billed per the cancellation policy in /terms.
- FR-FAM-102: Cancellation shall not delete the account. The family can re-activate without re-signing up for 30 days; after 30 days, re-activation requires a fresh intake call.
- FR-FAM-103: On cancellation, the family shall receive a confirmation email and the operator team shall receive a notification with the option to schedule a feedback call.

8.9.4 Update payment method

- FR-FAM-110: Updating the payment method shall use Stripe Checkout in a hosted iframe / redirect. Card details never touch our servers.
- FR-FAM-111: The previous payment method shall be retained until the new one is verified, with at least one successful test charge of £0 (Stripe SetupIntent).

8.9.5 Invoices

- FR-FAM-120: Each charge shall produce a downloadable PDF invoice including: legal entity (You Are In Good Company Services Ltd), VAT details per policy, invoice number, date, recipient name, visit details charged, total.
- FR-FAM-121: Invoices shall be generated on demand (not pre-generated) and served from a route that requires authentication.
- FR-FAM-122: Invoices for past charges shall remain available for 7 years to align with HMRC retention rules. [REG]

8.10 Messages (/family/messages)

A single threaded conversation with the operator team. Not directly with the companion.

- FR-FAM-130: The messages page shall display a single thread, newest message at the bottom, with a compose box.
- FR-FAM-131: Messages from operators shall include the operator's first name and role (e.g. "Sarah from the operations team").
- FR-FAM-132: New messages shall trigger an email notification to the family payer.
- FR-FAM-133: New messages from the family shall trigger an in-app notification in the operator console and (during business hours) an SMS to the on-shift coordinator.
- FR-FAM-134: Messages shall be plain text in v1. Rich text, attachments, and emoji come in Phase 2.

- FR-FAM-135: All messages shall be retained as part of the family record and visible to safeguarding-cleared operators. [AUDIT]

8.11 Settings (/family/settings)

8.11.1 What is settable

- Display name (different from billing name)
- Contact email (with re-verification on change)
- Contact phone (with re-verification via SMS code on change)
- Notification preferences: email (always on for billing and safeguarding; togglable for general updates), SMS (togglable for reminders)
- Password change
- Optional SMS 2FA toggle
- Delete account

8.11.2 Functional requirements

- FR-FAM-140: Changing the contact email shall require entering current password and verifying the new email via a confirmation link before the change takes effect.
- FR-FAM-141: Changing the contact phone shall require entering current password and verifying the new number via SMS code before the change takes effect.
- FR-FAM-142: Disabling email notifications shall not affect billing emails or safeguarding emails. These are always sent. A clear note explains this. [REG]
- FR-FAM-143: Password changes shall invalidate all existing sessions across all devices, requiring re-sign-in.

8.12 Mobile-specific considerations

- FR-FAM-150: The family portal shall be a PWA, installable to home screen on iOS and Android.
- FR-FAM-151: Push notifications shall not be enabled in v1. Notifications are by email and SMS only. PWA push is a Phase 2 consideration.
- FR-FAM-152: All portal pages shall be fully responsive from 320px wide upwards.
- FR-FAM-153: Critical actions (Pause subscription, Cancel subscription, Update payment method) shall not require horizontal scrolling on any supported viewport.

8.13 Accessibility

- FR-FAM-160: The family portal shall conform to WCAG 2.2 AA. [A11Y]

- FR-FAM-161: All form fields shall have associated labels, hint text where helpful, and error messages adjacent to the field on validation failure. [A11Y]
- FR-FAM-162: All interactive elements shall be reachable and operable by keyboard alone. [A11Y]
- FR-FAM-163: Focus order shall match visual order. Focus indicators shall use the design system terracotta outline pattern. [A11Y]
- FR-FAM-164: All non-decorative images shall have alt text. Decorative images shall have alt="". [A11Y]
- FR-FAM-165: Colour shall not be the sole indicator of state (e.g. success, error, warning shall also use icons or text). [A11Y]
- FR-FAM-166: Dynamic content updates (form submission success, message arrived, etc.) shall use aria-live regions appropriately. [A11Y]

9. Companion portal - solution design

The interface for Sarah and other companions. Mobile-first. Built for use in the car, in the kitchen, in a coffee shop. Built for someone who has just finished a visit and wants to file their report in five minutes.

9.1 Purpose and scope

The companion portal answers five questions for the companion: What is my week? Where am I going next? How do I file my report? When do I get paid? What do I do if something goes wrong?

In scope (v1, Sprints 3 to 7)

- Account creation (operator-initiated after vetting completion)
- Sign-in (email + password, mandatory SMS 2FA)
- Today view: the next visit, the report due, the day at a glance
- Calendar: upcoming visits, week and month views
- Visit detail: arrival address, recipient profile, agreed activity, special notes, safety information
- Post-visit report form: prose-based, auto-saving, offline-capable
- Profile: companion's own profile, photo, bio, availability
- Earnings: weekly payslip, year-to-date, payment account
- Training: completed modules, next module due, time to renewal
- Messages: thread with the operator team
- Account: contact details, password, 2FA, sign out, account suspension

In scope (Phase 2)

- Self-serve availability calendar with recurring patterns
- Expense submission with receipt photos
- Peer messaging within The Companion Club (mediated, opt-in)
- Companion-team-lead role for peer support
- Companion-side learning management for additional training modules

Out of scope (v1 and v2)

- Direct messaging with families (always mediated through operator team)
- Self-selection of new families (matches are proposed by operator team)
- Self-cancellation of visits within 24 hours of start (always operator-mediated)
- Personal care or clinical record-keeping (out of scope)

9.2 Information architecture

Eight top-level routes under /companion/*. Designed for thumb-reach navigation on mobile.

Route	Purpose
/companion	Today view. The home of the companion portal.
/companion/calendar	Week and month view of upcoming and past visits.
/companion/visits/:id	Single visit detail with the post-visit report form.
/companion/profile	Companion's own profile and bio (read-only in v1; edit via operator).
/companion/earnings	Payslips and earnings history.
/companion/training	Training modules, completion status, renewals due.
/companion/messages	Thread with the operator team.
/companion/account	Contact details, password, 2FA, account actions.

9.3 Sign-in and onboarding

9.3.1 Account creation

After successful vetting (DBS clear, references checked, training complete, in-person interview passed, sign-off interview completed), the operator team activates the companion's account in the operator console. The system sends an invitation email.

- FR-COM-001: The operator console shall allow activation of a vetted CompanionApplication, which creates a Companion record and a User record with companion role.
- FR-COM-002: On activation, the system shall send an invitation email containing a single-use, 7-day-expiring link to set a password and configure SMS 2FA.
- FR-COM-003: Companion accounts require SMS 2FA. The companion shall not be able to disable 2FA. [SEC]
- FR-COM-004: Initial onboarding shall include: setting password, verifying phone number, taking a profile photo (using the device camera, with retake allowed), writing a 3-paragraph bio, confirming availability windows.
- FR-COM-005: The companion shall not be marked Active for matching until they have completed all onboarding steps.

9.3.2 Sign-in

- FR-COM-010: The sign-in page shall support email + password, with mandatory SMS 2FA on every sign-in.
- FR-COM-011: The system shall remember devices for 30 days, after which SMS 2FA is required again on that device.
- FR-COM-012: After 5 failed password attempts, the account shall be locked and an alert shall fire to the operator team. The companion shall not be able to self-unlock; the operator team must verify identity by phone.
- FR-COM-013: All sign-in events shall be recorded in the audit log with timestamp, IP, device fingerprint, and user-agent. [AUDIT]

9.4 Today view (/companion)

The most-visited page in the companion portal. Designed for a 30-second glance over morning coffee.

9.4.1 Layout

27. Greeting with companion's first name and the day's date.
28. Today's visits, in time order, each with: time, recipient first name, address, expected duration, agreed activity. If none today, a clear empty state.
29. Tomorrow's visits, summary line: "3 visits tomorrow, first at 9.30am with Margaret".
30. Actions needed: missing post-visit reports from yesterday, expiring DBS within 30 days, training modules due.
31. Quick links: file a report, view the calendar, message the team, emergency contact.

9.4.2 Functional requirements

- FR-COM-020: The today view shall load and render the day's visits within 1 second on a typical 4G connection. Critical for car-park use.
- FR-COM-021: Address shall be tappable and open the device's default maps application (Apple Maps, Google Maps, Waze).
- FR-COM-022: Phone numbers shall be tappable and initiate a call (tel: links).
- FR-COM-023: The emergency contact action shall be visible on every screen, not just the today view. One tap should call the on-duty operator immediately. [SAFE]
- FR-COM-024: If a visit started more than 4 hours ago and no post-visit report is filed, the today view shall show a prominent prompt. After 12 hours, the operator team is also notified.

9.5 Calendar (/companion/calendar)

9.5.1 Views

- Week view (default on mobile): days down the left, visits as time-block cards.
- Month view (default on tablet and larger): visits as dots on each day, click to expand.
- List view: chronological scroll of all upcoming visits.

9.5.2 Functional requirements

- FR-COM-030: The calendar shall display the next 8 weeks of scheduled visits. Visits further in the future are loadable on scroll / pagination.
- FR-COM-031: Past visits shall be filterable, with status indicators (completed-and-reported, completed-no-report, cancelled, no-show).
- FR-COM-032: The calendar shall not allow direct editing of visits in v1. Changes (swap times, cancel) route through the operator team.
- FR-COM-033: Subscription pauses shall be visually marked on the calendar with a grey overlay and "Paused by family" label.
- FR-COM-034: The companion's own non-working days (configured in profile availability) shall be marked clearly and not bookable. [Phase 2: self-serve edit]

9.6 Visit detail (/companion/visits/:id)

The most consequential single page in the companion portal. The companion reads this before each visit to remind themselves of context, then files the post-visit report immediately after.

9.6.1 Pre-visit display (before visit start time)

- Date and time.
- Recipient first name, photo (if consented), age, area.
- Full address with a "Get directions" tap-target.
- Agreed activity for this visit (e.g. "cup of tea at home, then a walk to the garden centre if she's up for it").
- Recipient profile summary: interests, important things to know, mobility, hearing, dietary.
- Household notes: anyone else likely to be present, pets, parking notes, access notes.
- Safety information: anything safeguarding-relevant. If the visit is flagged as elevated risk, this is the most prominent block on the page. [SAFE]

9.6.2 During-visit display (between start and end time)

- All pre-visit information plus a prominent "File report" button.

- Optional check-in / check-out actions (timestamped, geo-light): "Arrived" and "Leaving". Used for safety, not for billing.

9.6.3 Post-visit display (after visit end time, until report filed)

- Prominent prompt to file the post-visit report.
- Form opens directly when "File report" is tapped.

9.6.4 Functional requirements

- FR-COM-040: Visit detail pages shall only be visible to the assigned companion and to operator-team members with relevant role. [SEC]
- FR-COM-041: The full recipient address shall not be cached in localStorage or service worker. It is fetched fresh on each visit detail view.
- FR-COM-042: Safeguarding flags shall be displayed prominently if present, with the operator team's note attached. [SAFE]
- FR-COM-043: Check-in / check-out actions shall record timestamp and optionally a coarse-grained location (postcode area, not lat/long) for safety audit. Companions can opt out of location capture without penalty.
- FR-COM-044: If check-out is not recorded within 30 minutes of expected end time, the operator team shall be notified via Slack for a welfare check. [SAFE]

9.7 Post-visit report form

The single most important UX in the companion portal. Must be fast, forgiving, and feel like writing rather than form-filling.

9.7.1 Form structure

- Visit confirmation: 'Did this visit happen as planned?' Yes / No / Partly.
- Duration: pre-filled from schedule, editable in 15-minute increments.
- What happened: prose textarea, 2-6 paragraphs typical, no character limit. Placeholder suggests structure without enforcing it.
- How were they: prose textarea, 1-3 sentences. Placeholder text gently prompts.
- Anything to flag: prose textarea, optional. Placeholder explains this is visible only to the operator team, not the family.
- Photos: optional, max 4 photos. Confirmation that recipient gave verbal consent at the time, with a checkbox the companion ticks.
- Signed off by: pre-filled with companion name and timestamp on submission.

9.7.2 Functional requirements

- FR-COM-050: The form shall auto-save every 30 seconds to localStorage and every 60 seconds to the server (if online).

- FR-COM-051: If the device goes offline mid-draft, the form shall continue to function fully. On reconnection, the local draft shall sync to the server.
- FR-COM-052: On submission, the form shall validate (visit confirmation, duration, what-happened-not-empty) and either submit or display inline errors.
- FR-COM-053: On successful submission, the report shall be: (a) persisted, (b) sent to the family payer via Brevo (using a templated email with the report content), (c) made visible in the family portal at /family/visits/:id, (d) logged in the audit log. [AUDIT]
- FR-COM-054: The 'Anything to flag' field shall be hidden from the family payer. It is visible only to operator-team members with safeguarding or operations role. [SEC]
- FR-COM-055: Photos attached shall be uploaded to S3 (eu-west-2) on a per-photo basis with progress indication. Failed uploads shall be retried automatically.
- FR-COM-056: Photos uploaded shall be stripped of EXIF metadata (location, device, timestamps) before storage. [GDPR]
- FR-COM-057: Photos shall require the photo-consent checkbox to be ticked before upload is permitted. [GDPR]
- FR-COM-058: Once submitted, the report shall not be editable by the companion. Corrections require contacting the operator team, who can append a correction note with full audit trail.
- FR-COM-059: The form shall be navigable and completable by keyboard alone, with proper field labels and aria attributes. [A11Y]
- FR-COM-060: Voice dictation (using the device's native voice input) shall work in all text areas. [A11Y]

9.7.3 Brand voice in the form

The placeholder text in each field follows the brand voice. Examples:

- 'What happened?' placeholder: 'Tell us about today. The cup of tea, the walk, the conversation. Whatever felt important.'
- 'How were they?' placeholder: 'A sentence or two about how Margaret seemed. Their mood, their energy, anything that stood out.'
- 'Anything to flag?' placeholder: 'Things the team should know but the family does not need to see. Worry, deterioration, environmental concerns. Optional.'

9.8 Profile (/companion/profile)

9.8.1 What is shown

- Photo (used in family-facing profile).
- First name, area of Manchester, age range (optional).
- Bio (3 paragraphs in companion's own voice).
- Interests.

- Availability: days and times the companion accepts visits.
- Compliance status: DBS valid until, training modules completed, insurance valid until.

9.8.2 Functional requirements (v1)

- FR-COM-070: The profile shall be read-only in v1. Edit requests go to the operator team.
- FR-COM-071: Compliance status shall be displayed prominently. Approaching expiry (within 30 days) shall trigger amber warning. Expired shall trigger red and suspend new visit assignment.
- FR-COM-072: The photo and bio shown here shall match what is visible to families on the family-facing companion-view page.

9.8.3 Functional requirements (Phase 2)

- FR-COM-075: [Phase 2] The companion shall be able to update photo and bio, subject to operator review before going live.
- FR-COM-076: [Phase 2] The companion shall be able to update availability windows, with changes flowing to the matching algorithm and scheduling logic.

9.9 Earnings (/companion/earnings)

9.9.1 What is shown

- Year-to-date earnings: total visits, total hours, total paid (gross of any tax).
- Current week: visits scheduled, visits completed, projected payment.
- Recent payslips: each payslip is one weekly payout, with breakdown by visit.
- Payment account: account name (masked), bank (masked), update action.

9.9.2 Functional requirements

- FR-COM-080: Payslips shall be generated automatically on each payout run (weekly, Friday) and made downloadable as PDF.
- FR-COM-081: Each payslip shall include: pay period, visits delivered, total hours, gross payment, any deductions (none in v1 if companions are self-employed contractors), payment date, payment reference.
- FR-COM-082: Year-to-date data shall be exportable as CSV for the companion's own tax record-keeping.
- FR-COM-083: The payment account is updated via Stripe Connect Express onboarding. Bank details never touch our servers directly.
- FR-COM-084: Companions shall have access to their last 7 years of earnings data for tax purposes. [REG]

9.10 Training (/companion/training)

9.10.1 What is shown

- Three core modules (Safeguarding adults, Communication and dignity, Lone-working and personal safety): completion status, completion date, expiry date (annual renewal).
- Optional modules (added in Phase 2).
- Total CPD hours.

9.10.2 Functional requirements (v1)

- FR-COM-090: Training modules in v1 shall be delivered as a combination of recorded video (hosted via Mux or similar), written workbook (PDF), and a short knowledge-check quiz.
- FR-COM-091: A module is marked complete only after the companion has watched the video, downloaded the workbook, and passed the quiz with 80%+.
- FR-COM-092: Approaching renewal (30 days before expiry) shall trigger reminders in the portal and by email.
- FR-COM-093: Expired training shall suspend new visit assignments until the module is re-completed.

9.10.3 Functional requirements (Phase 2)

- FR-COM-095: [Phase 2] Optional CPD modules shall be available, with completion tracked toward CPD hour goals.
- FR-COM-096: [Phase 2] Training shall support group sessions (live or recorded) booked through the portal.

9.11 Messages (/companion/messages)

Same model as the family portal: a single thread with the operator team. No direct family-companion messaging.

- FR-COM-100: The messages page shall display a single thread, with the operator team identified by first name and role on each message.
- FR-COM-101: New messages shall trigger SMS notification to the companion (because the companion is mobile-primary, SMS is faster than email for them).
- FR-COM-102: New messages from companions shall trigger Slack notification to the operator team.
- FR-COM-103: Messages are plain text in v1. Photos and attachments in Phase 2.
- FR-COM-104: The 'safeguarding concern' message shortcut shall route messages directly to the safeguarding lead's queue, not the general operations queue. [SAFE]

9.12 Account (/companion/account)

9.12.1 What is settable

- Contact email (re-verification on change)
- Contact phone (re-verification via SMS code, with admin notification because phone is the 2FA channel)
- Password
- Notification preferences (email and SMS; certain notifications cannot be disabled, like safeguarding and payment notifications)
- Account suspension request (companion-initiated pause)

9.12.2 Functional requirements

- FR-COM-110: Account suspension shall pause all new visit assignments. Existing scheduled visits within 7 days remain on the calendar; the companion can deliver them or cancel via the operator team.
- FR-COM-111: Suspension is reversible by the companion within 90 days. After 90 days, reactivation requires operator review.
- FR-COM-112: The companion shall not be able to fully delete their account themselves. Account deletion requires operator processing because the companion record is linked to payment, DBS, and visit history that requires structured retention. [REG]
- FR-COM-113: On companion-initiated suspension, families with active matches shall be notified within 24 hours by the operator team and offered a back-up companion.

9.13 Mobile-specific considerations

- FR-COM-120: The companion portal shall be a PWA, installable to home screen on iOS and Android.
- FR-COM-121: The post-visit report form shall function fully offline. Other read-only pages shall display cached data when offline with a clear 'Showing offline data' banner.
- FR-COM-122: All companion-portal pages shall be optimised for one-handed thumb use. Primary actions sit in the lower 60% of the viewport.
- FR-COM-123: Form inputs shall use appropriate input types (tel, email, number) to trigger correct mobile keyboards.
- FR-COM-124: Tap targets shall be minimum 48x48px (slightly larger than the marketing-site 44px minimum, because companion-portal use is more time-pressured).

9.14 Safety and lone-working

- FR-COM-130: The 'Emergency contact' button shall be present on every screen in the companion portal. It shall initiate a phone call to the on-duty operator immediately. [SAFE]

- FR-COM-131: An optional check-in / check-out feature shall be available on each visit. Companions can use it for personal safety; the operator team is notified if check-out is significantly delayed. [SAFE]
- FR-COM-132: The companion shall be able to flag a visit as 'I would prefer not to return' in the post-visit report. This is reviewed by the operator team, who decide whether to swap the assignment. The reason is between companion and operator team.
- FR-COM-133: Companions shall have access to a 'My safety' page (in /companion/account) summarising: the emergency phone number, the safeguarding lead's name and email, our promise on lone-working, and how to report a concern. [SAFE]

9.15 Accessibility

- FR-COM-140: The companion portal shall conform to WCAG 2.2 AA. [A11Y]
- FR-COM-141: Voice input shall be supported on all text fields, particularly the post-visit report form. [A11Y]
- FR-COM-142: Body text default shall be 18px to remain comfortable for over-45s. Larger text setting available in account settings. [A11Y]
- FR-COM-143: Colour contrast shall meet WCAG AA. The portal shall be usable in bright sunlight (high outdoor brightness). [A11Y]
- FR-COM-144: All actions and statuses shall be conveyed by more than colour (icons, text labels). [A11Y]

10. Operator console - solution design

The interface for internal staff. The most surface-rich of the four portals. Built first in Sprint 1, because the concierge model needs a tool from day one.

10.1 Purpose and scope

The operator console is the single pane of glass for running the marketplace. Every customer-affecting action that internal staff take happens here, leaving an audit trail. The console is built for speed and accuracy by a small team that needs to defend every decision later.

In scope (v1, Sprints 1 to 4)

- Sign-in with mandatory SMS 2FA
- Today dashboard: visits today, missing reports, open safeguarding cases, expiring DBSs, new enquiries
- Families management: list, search, create, edit, view history
- Companions management: applications, vetting pipeline, active companions, suspended, archived
- Visits management: schedule, edit, cancel, propose match, re-assign
- Safeguarding: cases, severity, escalation, resolution
- Payments: subscription health, payout runs, dispute handling, invoice corrections
- Audit: search the audit log, export
- Content: edit pricing, edit publicly-visible companion profiles, manage journal articles

In scope (Phase 2)

- Bulk operations across families and companions
- Advanced reporting and exports
- Multi-city segmentation
- ICB / council framework exports and invoicing
- Operator-team performance dashboards
- CRM-style enquiry pipeline beyond v1's basic enquiry list

Out of scope

- Anything customer-facing (lives in the family or companion portals)
- Marketing campaign management (use Brevo directly)
- Financial accounting beyond reconciliation (use the accounting system; export from here)

10.2 Information architecture

Top-level routes under /op/*. Persistent left sidebar navigation, top bar with global search, breadcrumbs at the top of each page.

Route	Purpose
/op	Today dashboard.
/op/families	Families list and detail.
/op/families/:id	Single family detail with all history.
/op/companions	Companions list filtered by status.
/op/companions/:id	Single companion detail.
/op/companions/applications	Pending companion applications.
/op/visits	All visits, filterable.
/op/visits/:id	Single visit, editable.
/op/safeguarding	Safeguarding cases dashboard.
/op/safeguarding/:id	Single safeguarding case detail.
/op/payments	Payment runs, subscription health, disputes.
/op/audit	Audit log search.
/op/content	Content management for the marketing site.
/op/team	Operator-team management (admin only).
/op/settings	Personal settings (current operator's own profile).

10.3 Sign-in and access control

10.3.1 Roles

Five roles, additive in capability. Every operator-team member has at least one role.

Role	Capabilities
admin	All capabilities. Manage other operator-team members. Sensitive

Role	Capabilities
	financial settings.
coordinator	Day-to-day operations: family and companion management, scheduling, messaging, post-visit report review.
safeguarding_lead	Coordinator plus: open and close safeguarding cases, view the 'Anything to flag' field on post-visit reports, view all sensitive recipient data including health observations.
finance	Read-only access to family and companion records; full access to payment management, payouts, invoicing, dispute handling.
read_only	View-only access to most data for advisors and observers. No write capabilities. No access to safeguarding case detail.

10.3.2 Functional requirements

- FR-OP-001: Sign-in to the operator console shall require email + password + mandatory SMS 2FA on every sign-in. No remember-this-device option. [SEC]
- FR-OP-002: After 3 failed password attempts within 10 minutes, the account shall be locked. Only an admin can unlock it.
- FR-OP-003: All operator-console sessions shall expire after 8 hours of inactivity. [SEC]
- FR-OP-004: All operator-console traffic shall be IP-restricted to a defined allow-list (office IPs, named home IPs of team members). Access from non-allow-listed IPs shall be denied. [SEC]
- FR-OP-005: Role-based access shall be enforced at the API layer, not only at the UI layer. Direct API calls without the relevant role shall return 403. [SEC]
- FR-OP-006: Operator-team members shall have their access reviewed quarterly. Inactive accounts (no sign-in for 90 days) shall be auto-suspended. [SEC]
- FR-OP-007: Every operator-console action that reads or writes customer data shall be recorded in the audit log with operator identity, action type, target record, before-state, after-state, timestamp, and IP. [AUDIT]

10.4 Today dashboard (/op)

The home of the operator console. Designed for a 5-minute morning scan that tells the team everything that needs attention today.

10.4.1 Layout

Six widgets on desktop (stack on mobile):

32. Visits today: count, with breakdown by status (upcoming, in-progress, completed, no-show).

33. Missing reports: visits ended more than 4 hours ago with no post-visit report filed, listed with companion name and how-overdue.
34. Open safeguarding cases: by severity (critical, high, medium, low), each tappable to detail.
35. Companion compliance expiring soon: DBS, training, insurance expiring within 30 days, by companion.
36. New enquiries: families who submitted a contact form in the last 24 hours, awaiting triage.
37. Activity feed: chronological list of the last 20 significant actions (sign-ups, cancellations, reports filed, cases opened).

10.4.2 Functional requirements

- FR-OP-010: The today dashboard shall refresh data every 60 seconds automatically. Each widget shall indicate its last-refreshed time.
- FR-OP-011: Each widget shall be tappable to a filtered list view. For example, tapping 'Missing reports: 3' shall navigate to `/op/visits?filter=missing-report`.
- FR-OP-012: Critical safeguarding cases shall be visually distinguished (red border, top of the safeguarding widget) to ensure they cannot be missed in a casual glance.
- FR-OP-013: The dashboard shall load and render within 2 seconds at p95 even with 6 widgets making backend calls.

10.5 Families (`/op/families`)

10.5.1 List view

- Searchable, filterable, sortable list of all Family records.
- Default sort: most recently active first.
- Filters: status (active, paused, cancelled, archived), borough (South Manchester, Trafford, Stockport, Salford), subscription type (weekly, fortnightly, block), match status (matched, unmatched).
- Columns: family payer name, recipient name, status, match (companion), next visit, plan, MRR contribution, joined date.
- Pagination, 50 per page.

10.5.2 Family detail (`/op/families/:id`)

A single page with seven tabs, each loading on demand:

38. Overview: at-a-glance summary.
39. Recipient: full recipient profile (the bits the family payer cannot see in their portal).
40. Visits: full visit history, all reports.
41. Plan and billing: subscription detail, payment method, billing history.

- 42. Communications: every email, SMS, in-app message sent to or received from this family.
- 43. Notes: free-text operator notes (not visible to family).
- 44. Audit: everything done to or by this family's records.

10.5.3 Functional requirements

- FR-OP-020: Family creation shall happen via a multi-step form: family payer details, recipient details, household notes, plan, payment setup (Stripe checkout link sent), consent confirmation.
- FR-OP-021: Family records shall be editable by coordinators and admins. Every edit is audit-logged with before/after diff. [AUDIT]
- FR-OP-022: Sensitive recipient data (health, mobility, safeguarding) shall be visible only to coordinators, safeguarding leads, and admins. Finance and read-only roles shall see only the non-sensitive fields. [SEC]
- FR-OP-023: Family status transitions (active → paused → cancelled → archived) shall be one-way except active ↔ paused. Cancelled requires confirmation; archived requires admin role.
- FR-OP-024: The Communications tab shall show every email and SMS sent, with the rendered template and the delivery status from Brevo / Twilio.
- FR-OP-025: The Notes tab shall be timestamped and attributed. Notes are append-only; correcting a note creates a new entry referencing the original.

10.6 Companions (/op/companions)

10.6.1 Pipeline view

Companion records flow through a defined lifecycle. The list view supports filtering by stage:

- Application received: new application, not yet triaged.
- Phone screen scheduled.
- Interview scheduled.
- Vetting in progress: DBS submitted, references requested, training in progress.
- Vetting complete: ready for activation.
- Active: vetted, matched or available for matching.
- Suspended: paused by companion or by operator.
- Archived: no longer engaged.

10.6.2 Companion detail (/op/companions/:id)

Seven tabs:

- 45. Overview: status, current match status, contact details.
- 46. Profile: photo, bio, availability (the family-facing version).
- 47. Vetting: DBS, references, interview notes, training records, sign-off documentation.

- 48. Visits: all visits delivered, with reports.
- 49. Earnings: payment history, current Stripe Connect account status.
- 50. Communications: emails, SMS, messages.
- 51. Notes and audit: operator notes and full audit trail.

10.6.3 Functional requirements

- FR-OP-030: Companion application records shall be created automatically when a /companions/join form is submitted on the marketing site.
- FR-OP-031: Triaging an application (Y / N / hold) shall require capturing a reason. Reasons are stored on the application record. [REG]
- FR-OP-032: DBS verification shall record the DBS certificate number, issue date, level (Enhanced), and renewal-due date. [REG]
- FR-OP-033: References shall be captured as: referee name, relationship, contact, response (positive / hesitant / negative), notes. Two references minimum before activation.
- FR-OP-034: Training completion shall be tracked per module. A companion is not Active-eligible until all three core modules are complete.
- FR-OP-035: Activation shall create the User record, the companion's portal account, and trigger the onboarding invitation email.
- FR-OP-036: Suspension shall cancel any upcoming visit assignments and notify affected families.
- FR-OP-037: Archival shall require admin role and reason capture. Archived companions cannot be re-activated; they must re-apply.
- FR-OP-038: The operator team shall be alerted 90, 60, and 30 days before any DBS, training, or insurance expiry per active companion. [REG]

10.7 Visits (/op/visits)

10.7.1 List view

- Filterable: status (upcoming, in-progress, completed-reported, completed-no-report, cancelled, no-show), date range, companion, family, borough.
- Default view: today's visits, then upcoming this week.
- Sortable columns: date/time, family, companion, status, duration.
- Bulk actions [Phase 2]: cancel multiple visits, re-assign multiple visits.

10.7.2 Visit detail (/op/visits/:id)

- Full visit information including family, recipient, companion, location, agreed activity, special notes, status, post-visit report (if filed), photos.
- Edit actions: re-schedule, re-assign companion, cancel, add operator note, mark no-show.
- Visibility into who else has viewed this visit (family payer, companion).

10.7.3 Functional requirements

- FR-OP-040: Visit creation shall require: family, companion (or 'unassigned'), date/time, expected duration, agreed activity, location (default: recipient's address).
- FR-OP-041: Re-scheduling a visit shall notify both family and companion via their preferred channels (email + SMS).
- FR-OP-042: Re-assigning a visit shall: notify the previous companion of the change with reason, notify the new companion with full context, notify the family if the change is for the next 7 days.
- FR-OP-043: Marking a visit as no-show shall require capturing whose no-show (companion / recipient / household locked-out / other) and a free-text explanation. [AUDIT]
- FR-OP-044: Cancelling a visit shall capture the cancellation reason and apply the cancellation policy (full refund / partial credit / no refund per policy).

10.8 Safeguarding (/op/safeguarding)

10.8.1 Cases dashboard

- All open cases at the top, sorted by severity then by age.
- Severity levels: critical (immediate physical safety risk), high (significant welfare concern), medium (welfare concern needing follow-up), low (something noted, may not require action).
- Status: open, in-progress, awaiting-action, resolved, closed.

10.8.2 Case detail (/op/safeguarding/:id)

- Full chronological case log.
- Family, recipient, companion involved.
- Originating concern (description, source, originating record like a post-visit report or message).
- Actions taken: each action timestamped, attributed to operator, with what-was-done and outcome.
- Notifications made: local authority safeguarding board, family, recipient, companion, GP (if relevant).
- Resolution: outcome, learnings, policy changes prompted.

10.8.3 Functional requirements

- FR-SAFE-001: A safeguarding case shall be opened automatically when a post-visit report 'Anything to flag' field contains content, or manually by any operator from a family, companion, or visit page. [SAFE]
- FR-SAFE-002: On case creation, the safeguarding_lead role shall be notified immediately via Slack and email. For critical severity, also by SMS. [SAFE]
- FR-SAFE-003: Initial response (first operator action on case) shall be required within 4 working hours. Cases approaching the SLA shall be

visually flagged. Cases exceeding the SLA shall trigger an escalation alert to the admin role. [SAFE] [REG]

- FR-SAFE-004: Every action on a safeguarding case shall be append-only. Corrections require a new action referencing the original. [AUDIT]
- FR-SAFE-005: Sensitive details on safeguarding cases shall be visible only to safeguarding_lead and admin roles. Coordinator and finance roles can see that a case exists but not its detail. [SEC]
- FR-SAFE-006: Resolution shall require capturing: outcome, lessons learned (free text), policy or training implications (free text), and a final reviewer's sign-off.
- FR-SAFE-007: Resolved cases shall be retained indefinitely in pseudonymised form for audit. Full PII shall be removed after 7 years from resolution date. [GDPR] [REG]
- FR-SAFE-008: Safeguarding cases shall be exportable in a defined format suitable for handing to a local authority safeguarding adults board on request. [REG]

10.9 Payments (/op/payments)

10.9.1 What is shown

- Subscription health: total active subscriptions, MRR, churn this month, failed payments today, in dunning.
- Payout runs: upcoming payout (next Friday), recent payouts with per-companion breakdown.
- Disputes: any open Stripe disputes with status and required actions.
- Invoice corrections: refunds issued, credits given, adjustments made.

10.9.2 Functional requirements

- FR-PAY-001: All payment operations shall be performed through Stripe APIs. Card details and bank details shall never be stored on our servers. [SEC]
- FR-PAY-002: Subscription health metrics shall be updated in near-real-time via Stripe webhooks.
- FR-PAY-003: Failed payments shall enter Stripe's standard dunning retry cycle (3 attempts over 5 days). After 3 failures, the subscription is paused and the family notified.
- FR-PAY-004: Refunds shall require finance or admin role. Refunds above £200 shall require a second admin approval. [SEC] [REG]
- FR-PAY-005: Companion payouts shall run weekly on Fridays via Stripe Connect. Each payout shall be reconciled against the visit log for the pay period.
- FR-PAY-006: Stripe webhooks shall be verified by signature on every receipt. Invalid signatures shall be logged and rejected. [SEC]
- FR-PAY-007: All payment events shall be recorded in the audit log with Stripe event ID for cross-reference. [AUDIT]

- FR-PAY-008: Manual financial adjustments (credits, write-offs, corrections) shall require a documented reason and approval workflow. [SEC] [REG]
- FR-PAY-009: Year-end accounting exports shall be generated as CSV for the accountant, including: all charges, all refunds, all payouts, all fees, with full reconciliation. [REG]

10.10 Audit (/op/audit)

10.10.1 What is shown

- Full-text searchable audit log with structured filters: actor (operator, family, companion, system), action type, target type, target ID, date range, IP.
- Each entry expandable to show before/after state.
- Export action for any filtered set.

10.10.2 Functional requirements

- FR-AUDIT-001: The audit log shall be append-only. No operator role shall be able to delete or modify entries. [AUDIT] [SEC]
- FR-AUDIT-002: The audit log shall record, for every entry: timestamp (UTC), actor identity, actor role, action type, target type, target ID, before-state (where applicable), after-state (where applicable), IP, user-agent. [AUDIT]
- FR-AUDIT-003: Audit log searches shall return results within 2 seconds at p95 for queries spanning up to 12 months of data.
- FR-AUDIT-004: The audit log shall be accessible only to admin and safeguarding_lead roles. [SEC]
- FR-AUDIT-005: Audit log exports shall be watermarked with the requesting operator's identity and timestamp. [AUDIT]
- FR-AUDIT-006: Audit log entries shall be retained for 7 years minimum to align with safeguarding and financial record-keeping requirements. [REG]

10.11 Content (/op/content)

10.11.1 What is editable

- Pricing displayed on /pricing (hourly rate, block rate, minimum visit duration).
- Public companion profiles (the bits shown on /our-companions).
- Journal articles (create, edit, publish, unpublish).
- FAQ entries.
- Site-wide banners (e.g. seasonal closure notices).

10.11.2 Functional requirements

- FR-OP-050: Content changes shall take effect on the public marketing site within 60 seconds of saving.
- FR-OP-051: Content edits shall require coordinator role or higher.

- FR-OP-052: All content changes shall be audit-logged with before/after diff. [AUDIT]
- FR-OP-053: Legal pages (/privacy, /terms, /accessibility) shall not be editable through the content interface. They are version-controlled and require a PR with legal review.

10.12 Team (/op/team)

10.12.1 What is shown

- List of operator-team members with role, status, last sign-in.
- Invite new member action (admin only).
- Disable / re-enable / remove member actions (admin only).

10.12.2 Functional requirements

- FR-OP-060: Operator team management shall require admin role.
- FR-OP-061: New team member invitations shall expire after 48 hours.
- FR-OP-062: Role changes shall take effect immediately. The affected user's existing sessions shall be invalidated.
- FR-OP-063: Removing a team member shall not delete their audit log history. The user record is soft-deleted; audit entries remain attributed.

10.13 Console-wide considerations

10.13.1 Global search

- FR-OP-070: The console shall offer a global search bar (Cmd+K / Ctrl+K) usable from any page. Searchable: families by name or email, companions by name, recipients by name.
- FR-OP-071: Search shall return results within 500ms for typical queries.
- FR-OP-072: Search shall be permission-aware. Results show only what the current operator has access to.

10.13.2 Optimistic UI and undo

- FR-OP-080: Edits to non-destructive fields (notes, status, profile fields) shall apply optimistically with a 5-second toast offering undo.
- FR-OP-081: Destructive actions (cancel visit, suspend companion, refund payment) shall require explicit confirmation with no undo.

10.13.3 Mobile usability

- FR-OP-090: The operator console shall be usable on a phone for emergency operations (safeguarding response, urgent visit cancellation) but is designed for desktop use.
- FR-OP-091: All safeguarding case actions shall be fully usable on mobile, since the operator may need to act outside the office. [SAFE]

10.13.4 Accessibility

- FR-OP-095: The operator console shall conform to WCAG 2.2 AA. Internal users get the same accessibility floor as external users. [A11Y]

11. Cross-cutting domain logic

The pieces of the system that span multiple portals. The booking engine, matching, post-visit reports, payments lifecycle, safeguarding workflow, audit, notifications. Each of these has its own rules and lives in a specific bounded context.

11.1 Booking engine - the visit state machine

Every visit moves through a defined state machine. Transitions are explicit. Each transition is audit-logged. No state change happens without a recorded reason.

11.1.1 States

State	Meaning
draft	Operator is composing the visit, not yet committed. No notifications fired.
scheduled	Confirmed and visible to family and companion. Reminders will fire.
confirmed	[Phase 2] Companion has acknowledged the upcoming visit (one-tap confirm).
in_progress	Visit start time has passed; visit has not yet ended. Optional check-in recorded.
completed	Visit end time has passed; post-visit report is awaited.
reported	Post-visit report filed by companion.
delivered	Family payer has been notified (email sent, in-app updated). Terminal happy-path state.
cancelled	Operator, family, or companion cancelled the visit. Cancellation policy applied.
no_show	Operator marked the visit as a no-show. Reason captured.
disputed	Family or companion has raised a dispute about the visit. Held in operator review queue.

11.1.2 Permitted transitions

State machines are enforced in code in the visit context's service layer. Disallowed transitions throw a domain error, which surfaces as a 400 in the API.

- draft → scheduled (operator action)
- draft → cancelled (operator action, before any notification fires)

- scheduled → cancelled (operator, family, or companion action; cancellation policy applied)
- scheduled → in_progress (automatic, when visit start time passes)
- scheduled → confirmed → in_progress (Phase 2 path with companion confirmation)
- in_progress → completed (automatic, when visit end time passes)
- in_progress → no_show (operator action, with reason)
- completed → reported (companion files post-visit report)
- reported → delivered (automatic, after family notification delivery confirmed)
- reported → disputed (family raises a concern about the report)
- delivered → disputed (family raises a concern after delivery)
- any-state → cancelled (operator override, requires admin role and reason)

11.1.3 Functional requirements

- FR-BOOK-001: Visit state transitions shall be one-way per the permitted-transitions list. Direct database writes that bypass the state machine shall be impossible (enforced by repository pattern in the visit context).
- FR-BOOK-002: Every state transition shall be audit-logged with: visit ID, previous state, new state, actor, timestamp, reason (where applicable). [AUDIT]
- FR-BOOK-003: Automatic transitions (scheduled → in_progress, in_progress → completed) shall be triggered by Inngest cron jobs running every 5 minutes.
- FR-BOOK-004: A visit shall not enter in_progress earlier than 15 minutes before its scheduled start time, nor later than 60 minutes after. Outside this window, manual operator action is required.
- FR-BOOK-005: The state of every visit shall be visible to the family in the family portal (using human language: 'Upcoming', 'In progress', 'Awaiting report', 'Report delivered', 'Cancelled').
- FR-BOOK-006: Cancellation shall apply the cancellation policy from /terms: >48h notice = full refund/credit, 24-48h = 50% credit, <24h = no refund. Cancellation reason and timing are captured.
- FR-BOOK-007: A disputed visit shall not advance through the state machine until the dispute is resolved by an operator.

11.2 Recurrence and scheduling

11.2.1 Recurrence rules

Most visits are recurring (weekly or fortnightly, same day, same time). The platform models recurrence as a recurrence pattern attached to a subscription, with individual Visit records generated from the pattern.

- FR-BOOK-010: A subscription shall have a recurrence pattern: frequency (weekly | fortnightly | block-of-hours | one-off), day of week, time, duration.

- FR-BOOK-011: Visit records shall be generated 6 weeks in advance from the recurrence pattern, daily by an Inngest cron job.
- FR-BOOK-012: Bank holidays shall be marked but not automatically cancelled. The operator team confirms with each family whether they want the visit on a bank holiday.
- FR-BOOK-013: Pausing a subscription shall cancel all future visits within the pause window but preserve the recurrence pattern. On resume, visits are re-generated from the pause-end date.
- FR-BOOK-014: One-off visits shall not require a subscription. They are charged at the block-rate per /pricing.

11.3 Matching

11.3.1 The matching model

Matching is not automated in v1. Operators propose matches based on a side-by-side view of family and companion profiles. The platform supports the decision, does not make it.

11.3.2 What the platform supports

- A 'Propose match' workflow in the operator console: select a family, the system surfaces available companions filtered by: borough overlap, availability fit, capacity (number of current matches < their stated max), match-style fit (operator notes about personality, interests).
- A 'Match proposal' record: who proposed it, when, the rationale, the family's response.
- Once a match is accepted, the Visit records are generated and the companion is notified.

11.3.3 Functional requirements

- FR-BOOK-020: The matching surface shall display family and candidate-companion profiles side by side without requiring switching screens.
- FR-BOOK-021: Candidate companions shall be filtered by borough overlap, availability fit (does Tuesday 2pm work for them?), capacity, and any explicit family preferences.
- FR-BOOK-022: A match proposal shall be recorded as a Match record with rationale, status (proposed, accepted, declined, withdrawn), and timestamps. [AUDIT]
- FR-BOOK-023: Accepting a match shall: create the recurring schedule, send the introduction-visit invitation to the family and companion, charge the £25 refundable introduction-visit deposit per /terms.
- FR-BOOK-024: Declined matches shall capture a reason (family-side or companion-side). Reasons inform future matching.
- FR-BOOK-025: The platform shall not show family-payer name, full address, or contact details to candidate companions until a match is accepted.

11.4 Post-visit reports

The post-visit report is the most-loved feature of the platform from the family's perspective. The design of the data flow protects the relationship while serving multiple audiences (family, operator, safeguarding).

11.4.1 What the report contains

- Visit confirmation (happened-as-planned / partly / no).
- Actual duration.
- 'What happened' prose (visible to family).
- 'How were they' prose (visible to family).
- 'Anything to flag' prose (visible only to operator team).
- Photos (visible to family if attached).
- Companion sign-off (auto-attached).

11.4.2 What the family sees

- The 'What happened' and 'How were they' prose, exactly as written.
- Any attached photos.
- Companion's first name and the date / time.
- The sign-off line: "Until next time. You are in good company. From [Companion first name], with In Good Company."

11.4.3 What operators see (additionally)

- The 'Anything to flag' prose.
- Visit confirmation status (was this a partial visit, a no-show, an adjusted-duration visit?).
- Companion's location at check-in / check-out (if recorded).
- Any operator follow-up actions.

11.4.4 Functional requirements

- FR-VISIT-010: Post-visit reports shall be filed by the assigned companion only. No other party shall be able to write a report on a visit they did not deliver. [SEC]
- FR-VISIT-011: A post-visit report shall be filed within 4 hours of visit end for the visit to be 'on time'. Late reports are allowed up to 7 days but trigger operator follow-up after 4 hours and again at 24 hours.
- FR-VISIT-012: Reports shall be append-only after submission. Corrections require an operator to add a correction note. [AUDIT]
- FR-VISIT-013: The family-side report email shall be sent within 5 minutes of report submission via Brevo. Failure shall trigger a retry and an operator alert.
- FR-VISIT-014: Reports flagged by the companion ('Anything to flag' is non-empty) shall create a safeguarding triage entry, reviewed by the safeguarding lead within 4 working hours. [SAFE]

- FR-VISIT-015: Reports shall be retained for 7 years from the visit date per Care Act 2014 safeguarding audit norms. [REG]

11.5 Payments lifecycle

11.5.1 Family billing

52. On subscription activation, the family payer is taken through Stripe Checkout to set up a SetupIntent (no charge, but card on file).
53. On the introduction visit being scheduled, the £25 refundable deposit is charged.
54. On the introduction visit completing (and family deciding to continue), the deposit is credited against the first weekly invoice.
55. On each weekly billing cycle, the system creates a Stripe Subscription invoice for the upcoming week's visits.
56. Invoices are charged automatically on the day before the first visit of the week.

11.5.2 Companion payouts

57. Each Friday, the system calculates the previous week's completed visits per companion.
58. A payout amount is computed (visits × hourly rate × hours, less any deductions per engagement model).
59. Stripe Connect issues the payout to the companion's connected account.
60. A payslip is generated and made available in the companion portal.

11.5.3 Functional requirements

- FR-PAY-010: Family billing shall use Stripe Subscriptions with weekly or fortnightly intervals.
- FR-PAY-011: One-off charges (introduction visit deposit, block-of-hours purchase) shall use Stripe PaymentIntents.
- FR-PAY-012: All payment events from Stripe shall be received via webhook, signature-verified, and processed by the payment context. [SEC]
- FR-PAY-013: Webhook receipts shall be idempotent. Duplicate deliveries (which Stripe sometimes sends) shall not result in duplicate processing. [REL]
- FR-PAY-014: Failed payments shall enter Stripe's dunning cycle (3 retries over 5 days). After 3 failures, the subscription is paused and the family + operator notified.
- FR-PAY-015: Refunds shall be issued through Stripe APIs and recorded in the audit log with the issuing operator's identity and reason. [AUDIT]
- FR-PAY-016: Companion payouts shall use Stripe Connect Express. Onboarding for new companions shall happen on activation as part of their portal onboarding flow.

- FR-PAY-017: Payout amounts shall be reconciled against the visit log before issuing. Discrepancies shall be flagged for operator review before payout proceeds.
- FR-PAY-018: Currency is GBP throughout. The system shall not handle multi-currency in v1.
- FR-PAY-019: All charges, refunds, and payouts shall be recorded with the Stripe event ID for cross-system reconciliation. [AUDIT] [REG]

11.6 Safeguarding workflow

The single most important workflow in the system. Designed to be impossible to bypass, easy to use under pressure, and fully defensible in retrospect.

11.6.1 How a case is opened

- Automatically: when a post-visit report's 'Anything to flag' field contains content.
- Manually: by any operator, from a family record, a companion record, a visit record, or a message thread.
- Externally: by the safeguarding lead receiving a phone call or email and entering the case manually.

11.6.2 Triage workflow

61. On case creation, the system assigns initial severity (default: medium) and notifies the `safeguarding_lead` role immediately via Slack, email, and SMS.
62. The safeguarding lead opens the case within 4 working hours and either accepts the severity or re-triages.
63. The safeguarding lead documents initial assessment, immediate actions taken, and the case plan.
64. Subsequent actions are appended to the case log.
65. The case moves through states: `open` → `in_progress` → `awaiting_action` → `resolved` → `closed`.

11.6.3 Functional requirements

- FR-SAFE-010: A safeguarding case shall be opened from any of the originating sources (post-visit report, operator action, external entry) and shall reference the originating record. [SAFE]
- FR-SAFE-011: Initial notification on case creation shall be delivered to the `safeguarding_lead` role within 60 seconds via Slack, with email and SMS following. [SAFE]
- FR-SAFE-012: The 4-working-hour response SLA shall be monitored. Cases approaching the SLA (within 30 minutes) shall trigger amber alert. Cases past the SLA shall trigger red alert and admin escalation. [SAFE] [REG]
- FR-SAFE-013: Case actions shall be append-only. No action shall be deletable. Corrections require a new action entry that references the original. [AUDIT]

- FR-SAFE-014: Cases shall capture: severity, originating concern, all subsequent actions, all external notifications made (local authority, GP, police, family, recipient), all decisions and the rationale.
- FR-SAFE-015: Critical-severity cases shall require admin or safeguarding_lead role to close. Other severities can be closed by safeguarding_lead alone.
- FR-SAFE-016: Case closure shall require capturing: outcome, lessons learned, policy implications, final reviewer.
- FR-SAFE-017: Cases shall be exportable in a defined format for handover to a local authority safeguarding adults board. [REG]

11.7 Audit

The audit log is the system's memory. Every sensitive action lands here. Nothing is deletable. Search and export are the only operations supported.

11.7.1 What is audited

- All sign-in events (success and failure) across all four portals.
- All record creations (Family, Companion, Visit, etc.).
- All edits to records (with before/after state).
- All state transitions on visits, safeguarding cases, companion applications.
- All payment events (charges, refunds, payouts, disputes).
- All access to sensitive recipient data (health, mobility, safeguarding context).
- All consent changes.
- All operator-team role changes and access grants.

11.7.2 Functional requirements

- FR-AUDIT-010: The audit log shall be append-only. The application shall not expose any API or interface that deletes or updates audit entries. [AUDIT] [SEC]
- FR-AUDIT-011: Each audit entry shall contain: timestamp (UTC, ISO 8601), actor identity (user ID or 'system'), actor role, action type (CREATE, UPDATE, DELETE, READ_SENSITIVE, STATE_CHANGE, AUTH, PAYMENT, CONSENT), target type, target ID, before-state (JSON), after-state (JSON), source IP, user-agent, request ID. [AUDIT]
- FR-AUDIT-012: The audit log shall be written to a dedicated Postgres table with WORM-like behaviour enforced by absent UPDATE and DELETE permissions on the database role. [AUDIT] [SEC]
- FR-AUDIT-013: Audit log retention shall be 7 years minimum, in line with safeguarding and financial record-keeping. After 7 years, entries may be archived to cold storage but not deleted. [REG]
- FR-AUDIT-014: The audit log shall be backed up daily to a separate region (eu-west-1) with the same retention rules. [REL]

- FR-AUDIT-015: Access to the audit log shall be restricted to admin and safeguarding_lead roles. [SEC]
- FR-AUDIT-016: Audit log exports shall be watermarked with the requesting operator's identity, timestamp, and the filter criteria used. [AUDIT]

11.8 Notifications

11.8.1 Channels

- Email (Brevo): transactional and operational. Default channel for non-urgent.
- SMS (Twilio): time-sensitive and safety. Visit reminders, 2FA codes, safeguarding alerts.
- In-app: visible when the user signs in. The persistent record of what was sent.
- Slack (operator team only): real-time alerts for the operator team.

11.8.2 What is sent and when

Event	Audience	Channels
Family payer account invitation	Family payer	Email
Welcome (post sign-up)	Family payer	Email + in-app
Introduction visit scheduled	Family payer + companion	Email + SMS
Visit reminder (24h before)	Family payer + companion + recipient (if opted in)	SMS + email
Visit reminder (2h before, for visits requiring travel)	Companion	SMS
Post-visit report delivered	Family payer	Email + in-app
Missing report (4h overdue)	Companion + operator team	Companion: SMS + in-app. Operator: Slack.
Payment success (weekly)	Family payer	Email
Payment failed	Family payer + operator	Family: email + in-app. Operator: Slack.

Event	Audience	Channels
Payout sent (weekly)	Companion	Email + in-app
Safeguarding case opened	Safeguarding lead	Slack + email + SMS (critical only)
DBS expiry approaching (90, 60, 30 days)	Companion + operator	Email + in-app
Subscription pause confirmation	Family payer	Email + in-app
Subscription cancellation confirmation	Family payer	Email + in-app

11.8.3 Functional requirements

- FR-NOTIF-001: All notifications shall use templated content from packages/content/src/templates/. Inline strings in code are forbidden by the lint rule.
- FR-NOTIF-002: Each notification shall be persisted as a Notification record with: recipient, channel, template ID, payload, status (queued, sent, delivered, failed), timestamps. [AUDIT]
- FR-NOTIF-003: Notification dispatch shall happen through Inngest. Failures are retried 3 times with exponential backoff before being marked failed. [REL]
- FR-NOTIF-004: Safety-critical notifications (safeguarding alerts, missing-report alerts, payment failures) shall not be opt-out. Marketing and general updates shall be opt-out per channel.
- FR-NOTIF-005: SMS shall be used only for time-sensitive notifications. Cost and intrusion considerations apply. [REL]
- FR-NOTIF-006: Brevo and Twilio delivery status webhooks shall be consumed to update Notification record status. Bounces and unsubscribes shall propagate to user preferences.
- FR-NOTIF-007: Email templates shall render correctly across major email clients (Apple Mail, Gmail web, Gmail mobile, Outlook web, Outlook desktop). MJML or React Email is the recommended templating layer.
- FR-NOTIF-008: All transactional emails shall include the brand signature line and the legal entity name in the footer. Unsubscribe link required where applicable.
- FR-NOTIF-009: Notification preferences shall be configurable per channel per category. Some categories (safeguarding, payment) cannot be disabled.

12. Data model

Every entity, every relationship, every key field. Organised by bounded context. Read this once to understand the shape; refer back when designing migrations.

12.1 Conventions

- All primary keys are CUIDs (cuid2). Sequential IDs leak business metrics; CUIDs do not.
- All tables have createdAt (timestamp), updatedAt (timestamp), and (where soft-delete applies) deletedAt (nullable timestamp).
- All foreign keys are typed and indexed. Cascading deletes are not used; soft-delete is preferred.
- Timestamps are stored as Postgres timestamptz (UTC, with timezone awareness).
- All text fields default to UTF-8. Emoji are supported.
- Sensitive PII fields are flagged in the Prisma schema with @@map comments so the access layer can apply appropriate access controls.
- Enums are Postgres-native, defined in the Prisma schema.

12.2 Family context entities

12.2.1 Family

Represents a single paying customer relationship. One Family contains one Recipient (the person being visited), one or more FamilyMembers (the family payer plus optionally household members), and zero or more Subscriptions.

Field	Type	Notes
id	String (CUID)	Primary key.
status	Enum: prospect, active, paused, cancelled, archived	Lifecycle state.
billingName	String	Name on invoices, often the family payer's full legal name.
billingAddress	Address (embedded type)	For invoicing. Distinct from recipient address.

Field	Type	Notes
stripeCustomerId	String, nullable	Stripe customer ID. Null until first payment method is set up.
intakeNotes	Text	Free-text notes from the intake call. Operator-visible.
joinedAt	Timestamp	Date the family became active.
cancelledAt	Timestamp, nullable	Date of cancellation, if applicable.
cancellationReason	Text, nullable	Free-text reason from cancellation flow.

12.2.2 FamilyMember

A person associated with a Family. The first FamilyMember is the family payer; subsequent are household members [Phase 2].

Field	Type	Notes
id	String (CUID)	Primary key.
familyId	String, FK	Belongs to one Family.
userId	String, FK	Linked to a User account.
role	Enum: payer, viewer	Payer has billing access; viewer is read-only [Phase 2].
relationshipToRecipient	Enum: daughter, son, partner, spouse, sibling, grandchild, other	For operator context.
isPrimaryContact	Boolean	The one we call.
addedAt	Timestamp	When this member was added to the family.

12.2.3 Recipient

The older adult who receives the visits. Has its own consent model independent of the family payer.

Field	Type	Notes
-------	------	-------

id	String (CUID)	Primary key.
familyId	String, FK	Belongs to one Family.
firstName	String	Preferred name.
lastName	String	Sensitive PII. Restricted operator visibility.
preferredName	String, nullable	What companion should call them.
dateOfBirth	Date	Sensitive PII. Age range derived for display.
address	Address (embedded type)	Full address. Visible only to assigned companion and operators.
phone	String, nullable	If recipient has one and wants us to use it.
pronouns	String, nullable	If shared.
interests	Text	Free-text. Used in matching and visit prep.
thingsToKnow	Text	Free-text. Practical context: 'hearing aid in left ear', 'likes tea on arrival'.
mobility	Text, nullable	Mobility notes. Sensitive.
healthNotes	Text, nullable	General health context. Sensitive. Not clinical detail.
dietary	Text, nullable	Allergies, preferences.
religiousObservance	Text, nullable	If relevant for visit planning.
consentToVisits	Consent (embedded type)	Captured during intake. Date, who recorded, evidence.
consentToPhotos	Consent (embedded type), nullable	Captured separately, often at first visit.
consentToReportSharing	Consent (embedded type)	Family payer can see reports about them. Default yes; revocable.

12.3 Companion context entities

12.3.1 CompanionApplication

Inbound application from the /companions/join form. Pre-companion record.

Field	Type	Notes
id	String (UUID)	Primary key.
firstName, lastName	String	Applicant name.
email	String	Contact email.
phone	String	Contact phone.
postcode	String	For borough check.
availabilitySummary	Text	Free-text from form.
whyJoinReason	Text	Motivation in their words.
aboutYou	Text	Short bio fields.
rightToWork	Boolean	Self-declared. Verified later.
backgroundCheck Consent	Boolean	Required to proceed.
status	Enum: received, in_triage, phone_screen, interview, vetting, complete, declined, withdrawn	Pipeline state.
triageNotes	Text	Operator notes during pipeline.
declineReason	Text, nullable	Required if status = declined. [REG]
companionId	String, FK, nullable	Set when application is approved and Companion record is created.

12.3.2 Companion

An active or formerly-active companion. Created from an approved application.

Field	Type	Notes
id	String (UUID)	Primary key.
userId	String, FK	Linked User account with companion role.
applicationId	String, FK	Source application record.
status	Enum: onboarding, active, suspended, archived	Current state.
firstName	String	Public-facing.
lastName	String	Internal only. Not exposed to families.
photoUrl	String, nullable	S3 URL. Family-facing.
bio	Text	3-paragraph bio in companion's voice. Family-facing.
borough	Enum: south_manche ster, trafford, stockport, salford	Primary working area.
interests	Text	For matching.
availability	JSON (Availability type)	Days and times available. Structured.
maxConcurrentMatches	Integer, default 4	Cap on active family matches.
dbCertificateNumber	String, encrypted at rest	Enhanced DBS reference. Sensitive. [REG]
dbIssuedAt	Date	Issue date.
dbRenewalDueAt	Date	Triggers renewal workflow. [REG]
insuranceProvider	String	Provider name.
insuranceExpiresAt	Date	Triggers renewal workflow. [REG]

Field	Type	Notes
t		
stripeConnectedAccountId	String, nullable	Stripe Connect account for payouts.
engagementType	Enum: self_employed, worker, employed	Per HMRC IR35 determination. [REG]
hourlyRate	Decimal	Companion's pay rate.

12.3.3 CompanionReference

- id, companionApplicationId, refereeName, refereeRelationship, refereePhone, refereeEmail, response (positive/hesitant/negative), notes, capturedAt, capturedByOperatorId.

12.3.4 TrainingModule and TrainingCompletion

- TrainingModule: id, name (Safeguarding adults / Communication and dignity / Lone-working), description, materialsUrl, quizContent (JSON), validityMonths (default 12).
- TrainingCompletion: id, companionId, trainingModuleId, completedAt, quizScore, expiresAt, certificateUrl.

12.4 Visit context entities

12.4.1 Subscription

The recurring visit relationship between a Family and a Companion.

Field	Type	Notes
id	String (UUID)	Primary key.
familyId	String, FK	Buying family.
companionId	String, FK	Matched companion.
status	Enum: active, paused, cancelled	Current state.
frequency	Enum: weekly, fortnightly, block, one_off	Recurrence type.

Field	Type	Notes
dayOfWeek	Integer 0-6 (0 = Sunday)	For recurring subscriptions.
startTime	Time	e.g. 14:00.
durationMinutes	Integer	Default 120 (the 2-hour minimum).
hourlyRate	Decimal	Rate at time of subscription start. Locked to protect from price changes.
stripeSubscriptionId	String, nullable	Stripe Subscription ID for weekly/fortnightly.
pauseStartAt, pauseEndAt	Timestamp, nullable	Active pause window.
startedAt	Timestamp	First visit date.
endedAt	Timestamp, nullable	Cancellation date.

12.4.2 Visit

A single scheduled visit.

Field	Type	Notes
id	String (CUID)	Primary key.
subscriptionId	String, FK, nullable	Null for one-off visits.
familyId	String, FK	For convenience and filtering.
companionId	String, FK, nullable	Assigned companion. Null = unassigned.
recipientId	String, FK	Who is being visited.
state	Enum: VisitState	Per state machine in section 11.1.
scheduledStartAt	Timestamp	Planned start.
scheduledDurationMinutes	Integer	Planned duration.

Field	Type	Notes
actualStartAt	Timestamp, nullable	From check-in if recorded.
actualDurationMinutes	Integer, nullable	From check-out or report.
address	Address (embedded type)	Where the visit happens. Default = recipient address.
agreedActivity	Text	What is planned for this visit.
safetyFlags	JSON, nullable	Safeguarding-relevant flags from operator team. [SAFE]
cancellationReason	Text, nullable	If cancelled.
cancellationActor	Enum: family, companion, operator, system, nullable	Who cancelled.
stateChangedAt	Timestamp	Most recent state change.

12.4.3 PostVisitReport

Field	Type	Notes
id	String (CUID)	Primary key.
visitId	String, FK, unique	One report per visit.
companionId	String, FK	Who wrote it (must match visit assignment).
visitConfirmation	Enum: as_planned, partly, did_not_happen	Did the visit happen?
actualDurationMinutes	Integer	Companion's confirmation of duration.
whatHappened	Text	Visible to family. Prose.

Field	Type	Notes
howWereThey	Text	Visible to family. Prose.
thingsToFlag	Text, nullable	Operator-only. May trigger safeguarding triage. [SAFE]
submittedAt	Timestamp	When report was filed.
deliveredToFamily At	Timestamp, nullable	When family was notified.

12.4.4 PostVisitReportPhoto

- id, postVisitReportId, s3Key, contentType, sizeBytes, recipientConsentConfirmed (boolean), uploadedAt.

12.4.5 Match

- id, familyId, candidateCompanionId, proposedByOperatorId, status (proposed/accepted/declined/withdrawn), rationale (text), familyResponseAt, companionResponseAt, declineReason (text, nullable).

12.5 Payment context entities

12.5.1 Invoice

- id, familyId, subscriptionId (nullable), stripeInvoiceId, amountGross (decimal), amountVAT (decimal), amountTotal (decimal), currency (default GBP), status (draft/open/paid/failed/refunded), periodStart (date), periodEnd (date), issuedAt, paidAt (nullable), invoiceNumber (sequential, year-prefixed).

12.5.2 Charge

- id, invoiceId, stripeChargeId, amount (decimal), status (succeeded/failed/refunded/disputed), failureReason (nullable), processedAt.

12.5.3 Refund

- id, chargeId, stripeRefundId, amount (decimal), reason (text), issuedByOperatorId, approvedByOperatorId (nullable; required for amounts > £200), processedAt.

12.5.4 Payout

- id, companionId, stripePayoutId, payPeriodStart (date), payPeriodEnd (date), amountGross (decimal), amountFees (decimal), amountNet (decimal), payslipUrl (S3 URL to PDF), status (pending/in_transit/paid/failed), scheduledFor (date), paidAt (nullable).

12.5.5 PayoutLineItem

- id, payoutId, visitId, hours (decimal), hourlyRate (decimal), amount (decimal).

12.6 Safeguarding context entities

12.6.1 SafeguardingCase

Field	Type	Notes
id	String (UUID)	Primary key. Also displayed as case reference.
severity	Enum: critical, high, medium, low	Re-triaged by safeguarding lead.
status	Enum: open, in_progress, awaiting_action, resolved, closed	Case lifecycle state.
familyId	String, FK, nullable	If family-related.
recipientId	String, FK, nullable	If recipient-related.
companionId	String, FK, nullable	If companion-related.
visitId	String, FK, nullable	If originating from a specific visit.
originatingSource	Enum: post_visit_report, operator_manual, external_call, family_message	How the case was opened.
concernDescription	Text	What was reported / observed.
openedByOperatorId	String, FK	Who opened the case.

Field	Type	Notes
assignedToOperatorId	String, FK	Lead safeguarding officer for the case.
respondedAt	Timestamp, nullable	First operator action (SLA timer).
resolvedAt	Timestamp, nullable	Resolution date.
outcome	Text, nullable	Required at resolution.
lessonsLearned	Text, nullable	Required at resolution.
policyImplications	Text, nullable	Required at resolution.

12.6.2 SafeguardingCaseAction

Append-only log of actions on a case.

- id, caseId, actorOperatorId, actionType (enum: triage, contact_family, contact_companion, contact_external, decision, escalation, resolution, note), description (text), externalParty (text, nullable; if contact_external), createdAt.

12.7 Audit context entities

12.7.1 AuditLogEntry

Append-only. No DELETE or UPDATE allowed by database role permissions.

Field	Type	Notes
id	BigSerial	Sequential for ordering. Performance over CUID.
occurredAt	Timestamp	When the audited event happened.
actorType	Enum: user, system, integration	Source of the action.
actorId	String, nullable	User ID or system identifier.
actorRole	String, nullable	Role at time of action.
actionType	Enum: create, update, delete,	What category.

Field	Type	Notes
	read_sensitive, state_change, auth, payment, consent, export	
targetType	String	Entity type (Family, Companion, Visit, etc.).
targetId	String, nullable	Specific record.
beforeState	JSONB, nullable	Diffable before-state.
afterState	JSONB, nullable	Diffable after-state.
ip	Inet, nullable	Source IP.
userAgent	Text, nullable	Source user-agent.
requestId	String, nullable	For cross-system tracing.
metadata	JSONB, nullable	Context-specific extra detail.

12.8 Notification context entities

12.8.1 Notification

- id, userId, channel (enum: email/sms/in_app/slack), templateId (string, references content package), payload (JSONB), status (enum: queued/sent/delivered/failed/bounced), externalId (Brevo/Twilio message ID), queuedAt, sentAt, deliveredAt, failureReason.

12.8.2 NotificationPreference

- id, userId, category (enum: billing/visit/marketing/safeguarding/system), channel (enum: email/sms), enabled (boolean). Safety-critical categories cannot be disabled (enforced by service layer, not just default).

12.9 Auth and user context entities

12.9.1 User

A sign-in identity. One User may be linked to one Family (as FamilyMember) or one Companion or one operator. No cross-portal accounts in v1.

Field	Type	Notes
id	String (CUID)	Primary key.
email	String, unique	Primary sign-in identifier.
emailVerifiedAt	Timestamp, nullable	Verification state.
phone	String, nullable	Mandatory for companions and operators (2FA).
phoneVerifiedAt	Timestamp, nullable	Verification state.
hashedPassword	String	Argon2id.
role	Enum: family_payer, family_viewer, companion, operator_coordinator, operator_safeguarding, operator_finance, operator_admin, operator_read_only	Primary role.
twoFactorEnabled	Boolean	Mandatory true for companions and operators.
lastSignInAt	Timestamp, nullable	For inactivity monitoring.
lockedUntil	Timestamp, nullable	Rate-limit lockout expiry.
deletedAt	Timestamp, nullable	Soft-delete marker.

12.9.2 Session

- Standard Auth.js v5 sessions table: id, userId, expiresAt, sessionToken (hashed).

12.9.3 AuthAttempt

- id, email, success (boolean), failureReason (nullable enum: wrong_password/rate_limited/unknown_email/2fa_failed/account_locked), ip, userAgent, occurredAt. Used for rate-limit decisioning and audit.

12.10 Marketing context entities

12.10.1 Enquiry

- id, source (enum: contact_form/waitlist/companion_application), name, email, phone (nullable), postcode (nullable), message (text), status (enum: new/triaged/converted/closed), assignedToOperatorId (nullable), consentMarketing (boolean), createdAt, convertedToFamilyId (nullable, set when enquiry becomes a customer).

12.11 Indexing strategy

- Primary keys: all CUIDs are indexed by default.
- Foreign keys: every FK is indexed for join performance.
- Lookup indexes: User.email, Enquiry.email, Companion.dbsRenewalDueAt (for the 90/60/30-day reminder query), Visit.scheduledStartAt (composite with state, for the today-dashboard query), AuditLogEntry.occurredAt (composite with actorId, for actor-history queries).
- Full-text indexes: Recipient.firstName + Recipient.lastName, Family.billingName, Companion.firstName + Companion.lastName, for the global search in the operator console.

12.12 Retention rules summary

Entity	Active retention	After deletion / archival
Family, Recipient, FamilyMember	While active + 6 months	PII anonymised after 6 months; visit and audit references preserved 7 years.
Companion	While active + 6 months	PII anonymised after 6 months; visit, payout, DBS history preserved 7 years.
Visit, PostVisitReport	7 years from visit date	Then archive to cold storage; anonymise PII.
Invoice, Charge, Refund, Payout	7 years from issue	Then archive; HMRC requirement.
SafeguardingCase	7 years from resolution; pseudonymise	Aligned with adult safeguarding audit norms.

Entity	Active retention	After deletion / archival
	d indefinitely	
AuditLogEntry	7 years	Then archive to cold storage; never deleted.
Notification	1 year	Then deleted.
Enquiry (unconverted)	6 months from creation	Then deleted.
CompanionApplication (declined)	6 months from decision	Then deleted.
Session, AuthAttempt	90 days	Then deleted.

13. Integration specifications

Every external service the platform depends on. How we authenticate. How we handle webhooks. What happens when the service is down. What data leaves our perimeter.

13.1 Stripe (Payments + Connect + Identity)

Three Stripe product lines: Subscriptions for family billing, Connect Express for companion payouts, Identity for companion ID verification. All under one Stripe account in the UK region.

13.1.1 Authentication

- Secret API key stored in Vercel env vars (production), Doppler (staging), and local .env.local (dev, never committed).
- Restricted keys used where possible (read-only key for reporting, write key for charges).
- Key rotation quarterly. ADR-tracked.

13.1.2 Webhooks

- Webhook endpoint: /api/webhooks/stripe (REST, not tRPC, because Stripe sends form-encoded events).
- Signature verification on every event using STRIPE_WEBHOOK_SECRET. Invalid signatures return 400 and are logged.
- Idempotent processing: each event ID is recorded before processing. Re-deliveries are no-ops.
- Events consumed: customer.subscription.created, customer.subscription.updated, customer.subscription.deleted, invoice.payment_succeeded, invoice.payment_failed, charge.dispute.created, account.updated (for Connect onboarding), identity.verification_session.verified.

13.1.3 Failure modes

- Stripe API timeout (5s default): caller treats as failure, queues retry via Inngest with exponential backoff (10s, 1m, 10m, 1h).
- Webhook delivery delay: we do not block on webhook delivery; the UI shows the optimistic state with a 'Processing payment' indicator that resolves on webhook arrival.
- Stripe outage: family billing pauses gracefully (no charges attempted, no UI errors); operator team is alerted via Slack.

13.1.4 Functional requirements

- FR-INT-STR-001: All Stripe API calls shall use the official Stripe Node SDK, never direct HTTP. [SEC]

- FR-INT-STR-002: All amounts shall be in pence (smallest currency unit) throughout the system.
- FR-INT-STR-003: Customer creation in Stripe shall happen lazily, at the first payment-setup step, not at family-record creation.
- FR-INT-STR-004: Connect Express onboarding shall use Stripe-hosted pages for KYC and bank account capture. No bank details on our servers. [SEC]
- FR-INT-STR-005: Stripe events shall be processed within 30 seconds of receipt at p95.

13.2 Brevo (Email)

13.2.1 Authentication

- API key per environment. Stored in env vars.
- Dedicated subdomain configured for DKIM/DMARC alignment: mail.youareingoodcompany.co.uk.

13.2.2 What we send

- Transactional: invitations, password resets, visit reminders, post-visit reports, billing confirmations, safeguarding notifications.
- Marketing: monthly newsletter to opt-in subscribers (Phase 2; until then, no marketing email).

13.2.3 Webhooks

- Webhook endpoint: /api/webhooks/brevo.
- Signature verification on every event.
- Events consumed: delivered, opened (where pixel-tracking is consented), bounced, blocked, unsubscribed, spam.

13.2.4 Failure modes

- Brevo API timeout or 5xx: Inngest retries with exponential backoff.
- Hard bounce (e.g. invalid email): mark User.email as invalid, prompt user to update, send notification through alternative channel (SMS for time-sensitive).
- Unsubscribe: mark NotificationPreference.enabled = false for the category; do not send further marketing to that user.

13.2.5 Functional requirements

- FR-INT-BRV-001: Transactional emails shall use the Brevo transactional API, not the marketing campaign API.
- FR-INT-BRV-002: All email templates shall be defined as React Email components in packages/content/src/emails/ and compiled to HTML at send time.
- FR-INT-BRV-003: Each email shall have a plain-text alternative auto-generated for accessibility and spam-filter resilience. [A11Y]

- FR-INT-BRV-004: Email delivery shall be confirmed via webhook within 5 minutes for transactional sends at p95.

13.3 Twilio (SMS)

13.3.1 Authentication

- Account SID + auth token in env vars.
- UK-registered Twilio account with a UK long-code number for sending.
- Sender ID 'IGC' registered for branded SMS (Phase 2).

13.3.2 What we send

- Visit reminders (24h before, 2h before for travel-involving visits).
- 2FA codes (always).
- Safeguarding alerts to operator on-call (critical cases).
- Message thread notifications to companions (companions are mobile-primary).

13.3.3 Failure modes

- Twilio API timeout or 5xx: Inngest retries with exponential backoff. For 2FA codes, fall through to alternative (email).
- Number unreachable: mark in user record, prompt re-verification.
- Twilio outage during 2FA: companions and operators cannot sign in. Fallback: emergency operator-team contact procedure.

13.3.4 Functional requirements

- FR-INT-TWL-001: SMS shall be used only for time-sensitive or safety-critical notifications. Not for marketing. Not for routine confirmations where email is sufficient.
- FR-INT-TWL-002: SMS messages shall be plain text, under 160 characters where possible to avoid multi-segment charges.
- FR-INT-TWL-003: 2FA codes shall be 6 digits, valid for 10 minutes, single-use.
- FR-INT-TWL-004: Inbound SMS responses to our number shall be captured and routed to the operator team's inbox. [Phase 2]

13.4 uCheck (DBS)

13.4.1 Integration model

- uCheck offers an API for triggering Enhanced DBS checks. We integrate at the trigger and the result-receipt stages.
- Companion-side data submission happens on uCheck's hosted pages, not on our servers.

13.4.2 Functional requirements

- FR-INT-UCK-001: A uCheck check shall be triggered as part of the companion vetting workflow, after a successful interview.
- FR-INT-UCK-002: The check status shall be polled (uCheck does not always webhook) every 24 hours until a result is returned.
- FR-INT-UCK-003: On result receipt, the DBS certificate number, issue date, and renewal-due date shall be recorded on the Companion record.
- FR-INT-UCK-004: A 'clear' result allows progression to activation. A result with disclosures requires manual review by a designated operator (safeguarding_lead or admin). [REG]
- FR-INT-UCK-005: DBS data shall be encrypted at rest using application-level encryption (libsodium) in addition to database encryption. [SEC] [REG]

13.5 Stripe Identity

13.5.1 Integration model

- Used to verify companion identity (photo ID + selfie) as part of vetting.
- Hosted verification flow; no ID document data on our servers.

13.5.2 Functional requirements

- FR-INT-IDV-001: Identity verification shall be triggered after a successful interview and before DBS submission.
- FR-INT-IDV-002: Verification status shall be received via the identity.verification_session.verified webhook event.
- FR-INT-IDV-003: A 'verified' result is required before progressing to DBS submission.
- FR-INT-IDV-004: Failed verifications shall be reviewed manually. False positives are handled by the operator team.

13.6 AWS S3

13.6.1 What is stored

- Companion profile photos.
- Post-visit report photos.
- Generated invoice PDFs.
- Generated payslip PDFs.
- Training module materials.
- Operator export files (audit log exports, financial exports).

13.6.2 Bucket structure

- Single bucket per environment, region eu-west-2 (London).
- Key prefixes: companions/{companionId}/profile-photo.jpg, visits/{visitId}/photos/{uuid}.jpg, invoices/{invoiceId}.pdf,

payslips/{payoutId}.pdf, training/{moduleId}/materials.pdf,
exports/{exportId}.csv.

13.6.3 Functional requirements

- FR-INT-S3-001: All uploads shall use server-issued presigned URLs. Direct browser-to-S3 upload to avoid round-tripping large files through our server.
- FR-INT-S3-002: Presigned upload URLs shall be valid for 10 minutes.
- FR-INT-S3-003: All downloads shall use server-issued presigned URLs valid for 10 minutes. Public bucket access is disabled. [SEC]
- FR-INT-S3-004: Photos uploaded by companions shall have EXIF metadata stripped server-side before storage. [GDPR]
- FR-INT-S3-005: Bucket encryption at rest is AES-256 (S3 default). Versioning is enabled. Bucket logging is enabled. [SEC]
- FR-INT-S3-006: Lifecycle rules: photos and exports older than 7 years move to S3 Glacier; deletion happens via explicit retention policy job, not automatically by lifecycle rule. [REG]

13.7 Sentry (errors)

13.7.1 What we send

- Unhandled exceptions in the application.
- Front-end errors via the Sentry browser SDK.
- Performance traces on critical user journeys (sign-in, file report, pay invoice, open safeguarding case).

13.7.2 Functional requirements

- FR-INT-SEN-001: Sentry hosted in EU region (sentry.io EU).
- FR-INT-SEN-002: PII shall not be sent to Sentry. The Sentry SDK shall be configured to scrub email, phone, name, address, and any field matching a PII pattern. [GDPR]
- FR-INT-SEN-003: Source maps shall be uploaded on deploy. They are private to the Sentry organisation, not exposed publicly.
- FR-INT-SEN-004: Critical errors (5xx rate above 1% over 5 minutes, sign-in failure rate spike) shall trigger Slack alerts.

13.8 Posthog (analytics)

13.8.1 What we send

- Page views and conversion events on the marketing site (consented users only).
- Funnel events on family and companion portal flows (anonymous and aggregated).
- No safeguarding or sensitive data.

13.8.2 Functional requirements

- FR-INT-PST-001: Posthog hosted in EU region (eu.posthog.com).
- FR-INT-PST-002: Posthog scripts shall not load until cookie consent is granted. [GDPR]
- FR-INT-PST-003: User identifiers in Posthog shall be a randomly-generated anonymous ID, not the User.id. Re-identification across visits is allowed within the consented session but not linked to PII.
- FR-INT-PST-004: Session recordings shall not be enabled in v1. Reconsider with explicit DPIA review in Phase 2.

13.9 Inngest (background jobs)

13.9.1 What runs through Inngest

- Cron jobs: daily visit-record generation, hourly DBS-expiry check, 5-minute visit-state-transition check.
- Event-driven: notification dispatch, post-visit-report distribution, payment-event processing.
- Retry orchestration for all failed external API calls.

13.9.2 Functional requirements

- FR-INT-ING-001: Inngest hosted region is EU.
- FR-INT-ING-002: Job payloads shall not contain PII beyond record IDs. The job loads the record from the database when it runs. [GDPR]
- FR-INT-ING-003: Cron jobs shall have alerting on failure. Missed schedules shall trigger Slack alerts.
- FR-INT-ING-004: Long-running jobs shall be designed for resumability. A failure mid-way shall not leave the system in an inconsistent state.

13.10 Better Stack (logs)

- Structured JSON logs from the application.
- Log retention: 30 days hot, 12 months warm.
- PII scrubbing applied to all logs before transmission.
- FR-INT-LOG-001: Logs shall use structured logging (JSON) with consistent field names: ts, level, service, requestId, userId (if authenticated), event, message, ...context.
- FR-INT-LOG-002: Logs shall never contain passwords, tokens, secrets, full card numbers, or full bank account numbers. [SEC]

13.11 Slack (operator team alerts)

- Channels: #ops-alerts (general), #ops-safeguarding (safeguarding cases only), #ops-payments (payment failures), #ops-incidents (production incidents).
- Bot integration with the platform.

- FR-INT-SLK-001: Slack notifications shall not contain customer PII beyond first names. Detail is in the operator console; Slack is the trigger to look there. [GDPR]

13.12 Cloudflare

- DNS, CDN, basic WAF, DDoS protection.
- FR-INT-CF-001: All external traffic to youareingoodcompany.co.uk and app.youareingoodcompany.co.uk shall pass through Cloudflare. Origin direct access is restricted.
- FR-INT-CF-002: Bot fight mode is enabled with allow-list for legitimate scrapers (Google, Bing).
- FR-INT-CF-003: WAF rules block common attacks (SQL injection patterns, XSS attempts) with logged challenge for ambiguous requests. [SEC]

14. Functional requirements catalogue

Every functional requirement, organised by prefix area, with cross-references to the section where it is specified in detail. Use this as the master index for ticket creation and test coverage.

14.1 Numbering scheme

Prefix	Area	Specified in
FR-MARK	Marketing site	Section 7
FR-FAM	Family portal	Section 8
FR-COM	Companion portal	Section 9
FR-OP	Operator console	Section 10
FR-BOOK	Booking engine (visits, recurrence, matching)	Section 11.1 to 11.3
FR-VISIT	Visits and post-visit reports	Section 11.4
FR-PAY	Payments lifecycle	Section 11.5 (overlap with section 10.9)
FR-SAFE	Safeguarding workflow	Section 11.6 (overlap with section 10.8)
FR-AUDIT	Audit log	Section 11.7 (overlap with section 10.10)
FR-NOTIF	Notifications	Section 11.8
FR-INT-*	Integrations (per service)	Section 13

14.2 Requirement tagging

Some requirements carry tags indicating their nature. Tags inform test approach and review process:

Tag	Meaning
[SAFE]	Safety-critical, particularly safeguarding. Failure has welfare implications. Test coverage must include negative and edge

Tag	Meaning
	cases.
[SEC]	Security-critical. Failure has data-protection or auth implications. Security review required.
[GDPR]	UK GDPR / Data Protection Act 2018 compliance implication. DPIA review required for changes.
[A11Y]	Accessibility-specific. Tested by axe-core in CI and manual screen-reader review.
[REG]	Regulatory or statutory requirement (Care Act 2014, HMRC, ICO). Compliance review required.
[AUDIT]	Audit-log-touching. Must verify audit entry is written correctly.
[REL]	Reliability requirement. SLO-relevant. Monitored in production.
[Phase 2]	In scope for v1 architecture but delivered after Sprint 7.
[Phase 3]	Future-only. Architecture should not preclude but does not implement.

14.3 Traceability

Every numbered FR will be created as a Linear issue when work starts. The issue carries the FR number in the title prefix, e.g. 'FR-FAM-090 / Family portal pause subscription flow'. Test cases reference the FR number. The audit-relevant subset (tagged [AUDIT]) maps to specific audit-log entry types.

14.4 Estimated count by area

Area	Count (approx)	Test coverage target
Marketing site (FR-MARK)	~30	70%+ E2E. Critical conversion paths must have full coverage.
Family portal (FR-FAM)	~75	80%+ unit + 60% E2E. Auth, billing, cancellation must have full coverage.
Companion portal (FR-COM)	~75	80%+ unit + 70% E2E. Post-visit report and 2FA must have full coverage.
Operator console (FR-OP)	~85	70%+ unit. Visual regression for critical screens. Manual smoke tests

Area	Count (approx)	Test coverage target
		pre-deploy.
Booking engine (FR-BOOK / FR-VISIT)	~40	95%+ unit. State machine must have exhaustive transition tests.
Payments (FR-PAY)	~30	95%+ unit. Stripe webhook handling must include all event types we consume.
Safeguarding (FR-SAFE)	~20	100% unit. Every safeguarding requirement is safety-critical.
Audit (FR-AUDIT)	~15	100% unit. Audit-log immutability must be verified architecturally.
Notifications (FR-NOTIF)	~15	80%+ unit. Template rendering across email clients verified manually.
Integrations (FR-INT-*)	~50	Contract tests against each integration. Stub responses in CI.

Total FR count: approximately 435

This is the upper bound for v1. Many requirements are simple (one-line acceptance criteria); some are complex (multi-step flows). The numbering is dense to support traceability, not to imply that each FR is a separate ticket. Sprint 0 to 7 will deliver the v1 subset. [Phase 2] and [Phase 3] FRs are intentionally numbered now so the architecture accommodates them without rework.

15. Non-functional requirements

How the system must behave, beyond what it must do. Performance, accessibility, security, privacy, observability, reliability, browser support.

15.1 Performance (NFR-PERF)

- NFR-PERF-001: The marketing site home page shall achieve Largest Contentful Paint (LCP) under 2.0s on simulated 4G at p75.
- NFR-PERF-002: The marketing site shall achieve Interaction to Next Paint (INP) under 200ms at p75.
- NFR-PERF-003: The marketing site shall achieve Cumulative Layout Shift (CLS) under 0.1 at p75.
- NFR-PERF-004: Family portal pages shall load and render meaningful content within 1.5s at p95 on a typical 4G connection.
- NFR-PERF-005: Companion portal pages shall load within 1.0s at p95 (faster target because companions often have time pressure).
- NFR-PERF-006: Operator console pages shall load within 2.0s at p95 (acceptable because users are on stable office connections).
- NFR-PERF-007: API endpoints shall respond within 300ms at p95 for read operations and 600ms at p95 for write operations.
- NFR-PERF-008: Database queries on the today-dashboard view shall complete within 100ms at p95.
- NFR-PERF-009: Performance budgets shall be enforced in CI. Regressions beyond budget shall fail the build.

15.2 Accessibility (NFR-A11Y)

- NFR-A11Y-001: All customer-facing surfaces shall conform to WCAG 2.2 AA. [A11Y]
- NFR-A11Y-002: The operator console shall conform to WCAG 2.2 AA. [A11Y]
- NFR-A11Y-003: Automated accessibility checks (axe-core, Pa11y) shall run on every PR. New violations shall fail the build. [A11Y]
- NFR-A11Y-004: Manual screen-reader testing (NVDA on Windows, VoiceOver on iOS) shall be performed before each major release. [A11Y]
- NFR-A11Y-005: The platform shall be usable with 200% browser zoom without loss of function. [A11Y]
- NFR-A11Y-006: The platform shall respect prefers-reduced-motion. Animations are disabled or reduced for users with this preference. [A11Y]
- NFR-A11Y-007: The platform shall respect prefers-color-scheme. The brand cream-and-moss palette is the only palette in v1; dark mode is not implemented but high-contrast preferences are respected through OS-level overrides. [A11Y]
- NFR-A11Y-008: All interactive elements shall have visible focus indicators using the design system terracotta outline pattern. [A11Y]

- NFR-A11Y-009: All forms shall preserve user input on validation failure. [A11Y]
- NFR-A11Y-010: An accessibility statement at /accessibility shall be maintained per the WCAG 2.2 AA review cycle. First independent audit within 4 weeks of public launch. [A11Y] [REG]

15.3 Security (NFR-SEC)

- NFR-SEC-001: All HTTP traffic shall use TLS 1.3. HTTP traffic shall redirect to HTTPS with HSTS preload.
- NFR-SEC-002: Passwords shall be hashed with Argon2id. [SEC]
- NFR-SEC-003: Sessions shall use signed, HTTP-only, Secure, SameSite=Lax cookies. [SEC]
- NFR-SEC-004: API endpoints shall enforce role-based access control at the server layer. UI-only authorisation is insufficient. [SEC]
- NFR-SEC-005: Stripe and Brevo webhook signatures shall be verified on every receipt. [SEC]
- NFR-SEC-006: Sensitive fields (DBS certificate numbers) shall be application-level encrypted using libsodium with a key managed in an environment variable. [SEC]
- NFR-SEC-007: A Content Security Policy (CSP) shall be in place restricting script sources to self and named third parties (Stripe, Posthog, Cloudflare). [SEC]
- NFR-SEC-008: Rate limiting shall be applied to: sign-in attempts (5 per 10min per email), form submissions (10 per hour per IP), webhook endpoints (100 per minute per signature). [SEC]
- NFR-SEC-009: Dependencies shall be scanned for known vulnerabilities on every PR. High-severity vulnerabilities shall fail the build. [SEC]
- NFR-SEC-010: Secrets shall be stored in Vercel env vars (prod), Doppler (staging), and never committed to the repository. [SEC]
- NFR-SEC-011: An annual external penetration test shall be commissioned and findings remediated within 90 days for high severity, 180 days for medium. [SEC]
- NFR-SEC-012: A security.txt file shall be served at /.well-known/security.txt with a vulnerability disclosure email address. [SEC]

15.4 Privacy and GDPR (NFR-GDPR)

- NFR-GDPR-001: All personal data processing shall have a documented lawful basis per UK GDPR. [GDPR]
- NFR-GDPR-002: A Data Protection Impact Assessment (DPIA) shall be completed before launch and reviewed annually or on material change. [GDPR]
- NFR-GDPR-003: Data subject access requests (DSAR) shall be fulfilled within 30 days. [GDPR]

- NFR-GDPR-004: Data subjects shall be able to request erasure of their data; exceptions for records we are required to retain (Care Act 2014, HMRC) shall be explained. [GDPR]
- NFR-GDPR-005: All personal data shall be stored in UK or EU regions only. [GDPR]
- NFR-GDPR-006: Sub-processors shall be listed in the privacy notice and updated when changed. Material changes shall be announced to active users. [GDPR]
- NFR-GDPR-007: Consent state shall be recorded with timestamp, method (where captured), and version of the policy consented to. [GDPR]
- NFR-GDPR-008: Breach notification to the ICO shall occur within 72 hours of becoming aware of a breach that risks data subjects' rights. [GDPR]
- NFR-GDPR-009: A Records of Processing Activities (ROPA) shall be maintained. [GDPR]
- NFR-GDPR-010: PII shall not be logged. Log scrubbing rules shall be enforced at the logging library level. [GDPR]

15.5 Observability (NFR-OBS)

- NFR-OBS-001: The platform shall emit structured logs to Better Stack on every significant operation.
- NFR-OBS-002: Application errors shall be captured by Sentry with appropriate severity. PII shall be scrubbed before transmission. [GDPR]
- NFR-OBS-003: Performance traces shall be sampled (10% baseline, 100% for critical journeys: sign-in, file report, pay invoice, open safeguarding case).
- NFR-OBS-004: Synthetic uptime checks shall run every 60 seconds from at least 3 regions against the marketing site and the portal sign-in pages. [REL]
- NFR-OBS-005: A status page (status.youareingoodcompany.co.uk) shall display real-time platform health to operators and customers.
- NFR-OBS-006: Alerting thresholds shall be defined for: 5xx rate >1% over 5min, sign-in failure rate spike >3 standard deviations, payment failure rate >5% over 1 hour, missed cron job, audit log write failure.
- NFR-OBS-007: SLOs (Service Level Objectives) shall be defined and tracked: 99.9% uptime for marketing site, 99.5% uptime for portals, 99.0% uptime for operator console. Error budget consumption is monitored.

15.6 Reliability (NFR-REL)

- NFR-REL-001: Database backups shall run hourly, retained 30 days. Daily backups shall be retained 12 months. Annual archives indefinitely. [REL]
- NFR-REL-002: Backups shall be tested by restore-to-staging quarterly. [REL]

- NFR-REL-003: The platform shall tolerate the failure of any single external integration (Brevo, Twilio, Stripe non-critical paths) by queuing for retry. [REL]
- NFR-REL-004: Inngest job execution shall retry failed jobs 3 times with exponential backoff (10s, 1m, 10m) before marking as failed and alerting. [REL]
- NFR-REL-005: Database connection pooling (PgBouncer or equivalent) shall be configured to handle expected concurrent load. [REL]
- NFR-REL-006: Disaster recovery: recovery time objective (RTO) is 4 hours, recovery point objective (RPO) is 1 hour. Documented runbook for full restore. [REL]
- NFR-REL-007: All deploys shall be reversible. A deploy that introduces a breaking schema change shall include the rollback path. [REL]
- NFR-REL-008: Feature flags shall be available for any risky change, allowing instant rollback without redeploy.

15.7 Browser and device support (NFR-BROWSER)

- NFR-BROWSER-001: The marketing site shall support: Safari (latest, latest-1), Chrome (latest, latest-1), Edge (latest), Firefox (latest), Samsung Internet (latest). Older browsers receive a polite upgrade prompt.
- NFR-BROWSER-002: The family and companion portals shall support the same browsers. The companion portal shall be tested on a real iPhone (older models common among the target age group, e.g. iPhone 11) and on Android 11+ at the lower bound.
- NFR-BROWSER-003: The operator console shall support the latest two versions of Chrome and Safari on macOS and Windows. Internal-only; we control the configuration.
- NFR-BROWSER-004: All portal surfaces shall be installable as PWAs on iOS Safari and Android Chrome.
- NFR-BROWSER-005: Print stylesheets shall be provided for: invoice, payslip, post-visit report, safeguarding case summary, accessibility statement.

15.8 Internationalisation and localisation

- NFR-I18N-001: All customer-facing strings shall live in packages/content/src/en-GB.ts. The system is built i18n-ready even though only en-GB ships in v1.
- NFR-I18N-002: Dates shall display in en-GB format (DD Month YYYY). Times shall display in 24-hour or 12-hour format based on user preference, default 12-hour.
- NFR-I18N-003: Currency shall display as £X.XX with thin space separator for thousands.
- NFR-I18N-004: Time zones shall be handled correctly: storage in UTC, display in Europe/London.

15.9 Brand voice (NFR-VOICE)

- NFR-VOICE-001: All customer-facing copy shall pass the brand voice lint rule. The CI build shall fail on violations.
- NFR-VOICE-002: Forbidden words and characters: 'elderly', 'lonely', 'loneliness', 'vulnerable', 'befriender', 'befriending', 'client', 'service user', em dash character. The allow-list for 'care' is documented in the lint rule.
- NFR-VOICE-003: The brand signature line ("You are in good company.") shall appear on every customer-facing page and in every email footer.
- NFR-VOICE-004: The brand voice rules apply to operator-facing copy as well as customer-facing copy. Internal language influences external language; protect both.

16. Edge cases and failure modes

What can go wrong, and how the system behaves when it does. The mature half of design is the failure-mode half.

16.1 Sign-in and account edge cases

Scenario	System behaviour
User forgets which email they signed up with	Sign-in page surfaces 'I forgot which email' link. Operator team handles by phone identity verification, never by surfacing emails.
Family payer email becomes invalid (job change, retirement)	Bounce captured via Brevo webhook. User flagged. Visit reminder still sent via SMS; operator team prompted to confirm new email by phone.
Companion loses phone with 2FA	Companion contacts operator team. Identity verified by phone (security questions plus 'something only Sarah would know' check). Operator can disable 2FA and re-prompt setup on next sign-in.
Operator forgets their 2FA	Admin role can reset another operator's 2FA after in-person or video-call identity verification. The reset is audit-logged.
Multiple sign-up attempts with the same email	Sign-up is operator-initiated, not self-serve. A duplicate invitation is rejected with operator alert. No account enumeration risk.
Magic link sent to wrong address	Magic link is single-use and short-lived (15 minutes). Risk of unauthorised access is bounded. Operator team can void all pending magic links for a user on request.

16.2 Visit and booking edge cases

Scenario	System behaviour
Companion is sick on the day of a visit	Companion marks 'unable to attend' in the portal or notifies operator team by phone. The visit is cancelled or re-assigned. Family is notified within 1 hour. Cancellation policy waived.
Family forgets to be there for a household visit	Companion attempts contact, then notifies operator team if no answer. Visit is marked no-show. Cancellation policy applies.
Recipient is unwell,	Family contacts operator team (preferred) or marks cancel

Scenario	System behaviour
family wants to cancel last-minute	in portal. Operator team waives cancellation fee on welfare grounds. Recorded as 'recipient unwell'.
Companion arrives but no one answers the door	Companion waits 15 minutes, attempts contact via the listed numbers, then notifies operator team. Operator team contacts emergency contact, GP, or local police welfare check as appropriate. Recorded as safeguarding incident if welfare concern exists.
Visit runs significantly over the scheduled time	Companion records actual duration in the post-visit report. Family is billed at the agreed rate up to a 30-minute overage; beyond 30 minutes requires operator approval before billing the additional time.
Companion is asked to do something outside scope (e.g. lift heavy item, give medication)	Companion declines politely, explains the scope, notes it in 'Things to flag' on the report. Operator team follows up with family to clarify scope.
Recipient's behaviour during a visit causes safety concern for companion	Companion ends visit safely, contacts operator team immediately. Safeguarding case opened. Future visits paused pending review.
Auto state-transition cron job fails to run for an hour	On next successful run, all overdue transitions are processed in order. Operator alert fires if any cron job misses its schedule by more than 15 minutes.

16.3 Payment edge cases

Scenario	System behaviour
Card declined on weekly billing	Stripe dunning: 3 retries over 5 days. Family notified after first failure, after each retry, and on final failure. Subscription paused after third failure; visits not cancelled if within 7 days, family operator-contacted.
Family disputes a charge with their bank	Stripe dispute webhook fires. Operator team is notified via Slack. Visit log and post-visit report are gathered as evidence. Stripe handles dispute mechanics; we provide supporting documentation.
Refund issued for a visit that was already paid out to the companion	Refund is processed to family. Companion's next payout is reduced by the refunded amount (with companion notification). Net-zero impact on the platform's gross margin.

Scenario	System behaviour
Stripe Connect onboarding incomplete for an active companion	Payouts pause for that companion. Companion notified, prompted to complete onboarding. Operator team escalated if not completed within 7 days.
Webhook delivery delayed by hours	System state may be stale. Stripe is the source of truth; we reconcile on receipt. Optimistic UI handles common cases; reconciliation handles edges.
Duplicate Stripe webhook delivered	Event ID stored and checked on receipt. Duplicates are no-ops. Audit log shows the duplicate as received-and-skipped.
Family changes payment method just before billing	Stripe SetupIntent ensures new method is valid (zero-amount test) before becoming primary. Old method retained as backup until first successful charge on new method, then removed.

16.4 Safeguarding edge cases

Scenario	System behaviour
Companion observes immediate physical safety risk	Companion calls 999 if immediate, then operator emergency contact. Operator opens critical-severity case immediately. Visit ended safely. Family notified by phone within the hour.
Companion suspects but is not sure about a welfare concern	Companion records observation in 'Things to flag' on the report. Safeguarding triage opens medium-severity case. Lead reviews within 4 hours, decides next action.
Family member discloses concern about another family member	Operator captures the disclosure verbatim. Safeguarding case opened. Lead reviews. Care taken to follow Care Act 2014 guidance on confidentiality and consent.
Recipient discloses something to companion in confidence	Companion's training covers this scenario: gentle explanation that some information cannot be kept confidential when it relates to safety. Documented in policy.
Safeguarding lead is unavailable when critical case opens	Case routes to back-up safeguarding lead (admin role). Slack alert escalates after 30 minutes if not acknowledged. Phone fallback to admin role.
Local authority safeguarding team requests information	Request must come in writing with case reference. Information shared via secure email or document portal. Disclosure is audit-logged with what was shared, to whom,

Scenario	System behaviour
	when, why.
Case requires action that would breach family preferences (e.g. contacting GP without family consent)	Safeguarding-lead judgement applies. Care Act 2014 mental capacity considerations apply. Decision rationale captured in case log.

16.5 Data and consent edge cases

Scenario	System behaviour
Recipient withdraws consent to post-visit report sharing	Family payer continues to receive billing emails but not post-visit reports. Operator team notified to discuss next steps with the family.
Family payer requests deletion of recipient's data	Reviewed by safeguarding-lead (because recipient is the data subject, not the family payer). If recipient consents, deletion proceeds per Care Act 2014 retention exceptions. If recipient capacity is in question, additional process applies.
DSAR received from a recipient who is not the account-holding family payer	Identity verified. Data exported includes only the recipient's own data, not the family payer's billing data. Where data is intertwined (post-visit reports about the recipient that include companion observations), legal advice may be required.
Companion requests deletion of their entire record	Reviewed by admin. PII anonymisation applies to companion-side data; visit and payout records retained for 7 years per HMRC / safeguarding. Companion is told what is being retained and why.
Photo uploaded that includes a person other than the recipient	Photo consent checkbox covers recipient consent. Additional consent for incidental third parties is best practice; the platform shows a reminder on the upload screen. Operator review catches problematic cases.

16.6 System and integration failure modes

Scenario	System behaviour
Postgres goes down	Application returns 503 on all data-touching endpoints. Marketing site (CDN-cached) continues to serve. Status page updated. Recovery via Neon's high-availability

Scenario	System behaviour
	replicas.
Stripe API down for an extended period	Card payments fail. Subscriptions are queued for retry. Operator team notified. Family-facing messaging: 'We are aware of a payment processing issue; your service is unaffected.' No visits cancelled.
Brevo email delivery delayed by hours	Critical communications (safeguarding) fall back to SMS via Twilio. Non-critical emails queued. Backlog drains when Brevo recovers.
Twilio SMS delivery degraded	Visit reminders fall back to email. 2FA falls back to email codes (slightly less secure but functional). Operator team uses phone for critical comms.
Cloudflare DNS issue blocks all traffic	Site unreachable. DNS provider second-line escalated. Status page (different DNS) updated. Operator team activates emergency contact procedures.
Inngest job queue backed up	Alert fires if queue depth exceeds threshold. Operator team can throttle non-critical job emission. Safety-critical jobs (notifications, audit log writes) have priority queue.
Audit log write fails	The originating action is rolled back. The user sees an error. Operator team alerted with severity high. This is a constitutional issue: actions without audit are not permitted.
S3 unavailable	Photo upload disabled with clear message. Existing photos cached on CDN remain available. Document downloads (invoices, payslips) may fail until S3 recovers.

17. Open questions and decisions register

Decisions deferred (for now) and decisions made (while writing this document).

17.1 Open questions for engineering

- [OQ-001] Should the family portal and companion portal share the same Next.js application (route-segmented) or be separate Next.js applications? Initial decision: shared. Reconsider if portal logic complexity diverges significantly.
- [OQ-002] Should we use tRPC for the operator console or REST? Initial decision: tRPC for consistency. The operator console is internal; tRPC's type safety wins.
- [OQ-003] Should we adopt a state management library (Zustand, Jotai) for portal client state? Initial position: no, prefer React Server Components and URL state where possible. Reconsider if local state proliferates.
- [OQ-004] Should the audit log live in the same Postgres database or in a separate immutable store? Initial decision: same Postgres with append-only role permissions. Reconsider at Phase 2 scale.
- [OQ-005] Should we run our own Inngest or use Inngest Cloud? Initial decision: Inngest Cloud (EU region). Self-hosting adds ops burden without clear benefit at this scale.
- [OQ-006] How do we handle migrating between Auth.js major versions? Open. Likely follow their published migration guides; budget time annually.

17.2 Open questions for operations

- [OQ-010] What is the formal escalation chain when the safeguarding lead is unavailable? Working answer: admin role. Needs documenting in safeguarding policy.
- [OQ-011] What is the company's policy on companion-recipient gift-giving (in either direction)? Working answer: no significant value; small token gifts (a card at Christmas) acceptable. Needs companion handbook entry.
- [OQ-012] What is the company's stance on companions becoming friends with recipients on social media? Working answer: discouraged but not prohibited; companion training covers the why.
- [OQ-013] What happens when a recipient dies? Operationally and emotionally. Working: pause subscription immediately, no charge for remainder of week, condolence call from operator team, follow-up letter, optional bereavement-leave-equivalent paid time for the assigned companion.

17.3 Open questions for compliance

- [OQ-020] Companion engagement status (employed / worker / self-employed). Pending HMRC IR35 CEST tool plus employment lawyer review. Until decided, payment flows assume self-employed with Stripe Connect Express.
- [OQ-021] VAT registration position. Pending accountant. Working assumption: not VAT-registered until £85k threshold approached.
- [OQ-022] Liability cap quantum. Pending insurer + solicitor. Working assumption: £1,000 or 12 months payments, whichever is higher.
- [OQ-023] Whether to register with the Information Commissioner's Office now or close to launch. Working position: register at incorporation; cost is trivial.

17.4 Decisions register

Decisions made while writing this document. Each carries a brief rationale. Decisions are revisitable but should not be revisited lightly.

Ref	Decision	Rationale
DR-001	Operator console is built first (Sprint 1)	Phase 1 runs as concierge. The team needs a tool from day one or they work in spreadsheets and lose audit trail.
DR-002	No self-serve booking in v1	Operator-mediated matching is core to the brand. Adds quality control that algorithmic matching would not. Self-serve is Phase 2.
DR-003	Family portal and companion portal share one Next.js application	Reduces deployment complexity. Routes role-gated. Operator console is separate (different domain, different IP allow-list, very different access patterns).
DR-004	Family payer and companion sign in with email + password (with optional/mandatory 2FA respectively)	Familiarity. Magic link supported as alternative. SSO not needed at this scale.
DR-005	Post-visit reports are append-only after submission	Protects the integrity of what was reported. Corrections via operator-added notes. Audit-friendly.
DR-006	'Things to flag' field on the report is operator-only	Companion needs a safe place to note concerns without disclosing to family. Separating this from the family-visible report is what makes the field useful.

Ref	Decision	Rationale
DR-007	Family-companion direct messaging is not implemented	Always mediated through operator team. Protects companion safety, protects family from boundary-blurring, ensures safeguarding visibility.
DR-008	Audit log lives in Postgres with role-enforced append-only behaviour	Simpler than a separate store. Sufficient at v1 scale. Reconsider at Phase 2.
DR-009	Currency is GBP only	Single-market launch. Multi-currency complexity not warranted.
DR-010	Visits generate from recurrence pattern 6 weeks ahead	Balance of visibility for the team and flexibility for changes. Longer horizon creates more generated-then-cancelled records.
DR-011	Photos require EXIF stripping before storage	GDPR. Location data in EXIF is sensitive.
DR-012	Companion accounts cannot disable 2FA	Companions handle sensitive recipient data on personal mobile devices. Non-negotiable.
DR-013	Operator console requires IP allow-list	Defence in depth. Compromised credentials alone are not enough to access customer data.
DR-014	Brand voice rules apply to operator-facing copy	Internal language becomes external language. Protect both.
DR-015	Safeguarding cases retained pseudonymised indefinitely	Aggregate trends inform policy. PII removed at 7 years.

18. Appendices

18.1 Glossary

Term	Meaning in this document
Family payer	The adult child (or other family member) who pays for visits. Helen in the personas.
Recipient	The older adult who receives the visits. Margaret in the personas.
Companion	The vetted, trained, insured person who delivers visits. Sarah in the personas.
Operator	Internal staff. Single-tenant; the company's own employees and contractors.
Match	The persistent assignment of a companion to a family.
Subscription	The recurring billing relationship between a family and the platform, scoped to a match.
Visit	A single scheduled appearance of a companion at a recipient.
Post-visit report	Companion's prose narrative submitted after a visit. The brand-defining artefact.
Concierge mode	Phase 1 operating model: operators do everything manually, platform is a workflow tool for them. Self-serve unlocks in Phase 2.
Bounded context	A code organisation unit. The eight in this design: family, companion, visit, payment, safeguarding, audit, notification, operator.
FR	Functional Requirement. Numbered, testable, traceable.
NFR	Non-Functional Requirement. Cross-cutting properties (performance, accessibility, etc.).
ADR	Architectural Decision Record. A document capturing a significant decision and its rationale.
DPIA	Data Protection Impact Assessment. Required under UK GDPR for high-risk processing.
ROPA	Records of Processing Activities. Required under UK GDPR

Term	Meaning in this document
	Article 30.

18.2 Acronyms

Acronym	Expansion
CQC	Care Quality Commission. The regulator we are deliberately out of scope of.
DBS	Disclosure and Barring Service. The Enhanced DBS check is mandatory for every companion.
ICO	Information Commissioner's Office. The UK data protection regulator.
EHRC	Equality and Human Rights Commission. Enforces the Equality Act 2010 (which governs accessibility).
ICB	Integrated Care Board. NHS-side commissioning bodies (post-2022 reorganisation).
PWA	Progressive Web App. Installable web app with offline capability.
SLO / SLA	Service Level Objective (internal target) / Service Level Agreement (contractual commitment).
WCAG	Web Content Accessibility Guidelines. We target version 2.2 at AA level.
DSAR	Data Subject Access Request. A formal request for a copy of one's personal data.
RTO / RPO	Recovery Time Objective / Recovery Point Objective. Disaster recovery targets.

18.3 Change log

Version	Date	Notes
1.0	21 May 2026	Initial draft for engineering review.

End of document

You are in good company.