References

[1] ISO/IEC JTC1/SC29/WG11, “Description of Color/Texture core experiments,” document no. N2929, Melbourne, Australia, October 1999.

[2] ISO/IEC JTC1/SC29/WG11, “Text of ISO/IEC 15938-3/FCD Information technology-Multimedia content description interface: Part 3 Visual,” document no. N4062, Singapore, March 2001.

[3] M. Amadasun and R. King, “Texture features corresponding to textural properties,” *IEEE Transactions on Systems, Man and Cybernetics*, vol.19, (no.5), Sept.-Oct. 1989. pp.1264-74.

[4] J. R. Bach, C. Fuller, A. Gupta, A. Hampaper, B. Horowitz, R. Humphrey, R. C. Jan and C. Shu, “Virage image search engine: an open framework for image management,” *Proc. SPIE: Storage and Retrieval for Still Image and Video Databases IV,* vol.2670, San Jose, Calif., USA, Feb. 1996, pp.76-87.

[5] S. D. Backer, A. Nard and P. Scheunders, “Non-linear dimensionality reduction techniques for unsupervised feature extraction,” *Pattern Recognition Letters*, vol. 19, June 1998, pp. 711-720.

[6] David Bawden, "Browsing: Theory and Practice," *Perspectives in Information Management*, vol. 3, no. 1, 1993, pp. 71-85.

[7] M. Beatty and B. S. Manjunath, “Dimensionality reduction using multidimensional scaling for image search,” *Proc. IEEE Int’l Conf. Image Processing*, vol II, Santa Barbara, Calif., October 1997, pp. 835-838.

[8] N. Beckmann, H. Kriegel, R. Schneider, B. Seeger, “The R*-tree, an efficient and robust access method for points and rectangles,” *Proc. ACM SIGMOD Intl. Conf. Management of Data*, Atlantic City, NJ, USA, June 1990, pp. 322-331.

[9] S. Belongie, C. Carson, H. Greenspan, and J. Malik, "Color- and texture-based image segmentation using EM and its application to content-based image retrieval," *Proc. Int’l Conf. Computer Vision*, Bombay, India, January 1998, pp.675-682.

[10] S. Berchtold, D. A. Keim, and H. P. Kreigel, “The X-tree: An index structure for high-dimensional data,” *Proc. 22nd Conf. Very Large Databases*, Bombay, India, 1996, pp. 28-39.

[11] S. Berchtold, C. Bohm, H.V. Jagadish, H. Kriegel, J. Sander, "Independent quantization: an index compression technique for high-dimensional data spaces," *Proc. Int'l Conf. Data Engineering*, San Diego, CA, Feb. 2000, pp. 577-588.

[12] I. Borg, P. J. F. Groenen, *Modern Multidiemsional Scaling*, Springer, New York, 1997.

[13] A. Branca, M. Tafuri, G. Attolica, and A. Distante, "Directioality detection in compositional textures," *Proc. 13th Int'l Conf. Pattern Recognition*, vol.2, Vienna, Austria, Aug. 1996, pp.830-834.

[14] P. Brodatz, *Textures: A photographic album for artists & designers*, New York: Dover, NY, 1966.

[15] R. Brunelli, O. Mich, "Image retrieval by examples," *IEEE Transactions on Multimedia*, vol.2, no.3, Sept. 2000, pp64-71.

[16] K. Chakrabarti and S. Mehrotra, "The hybrid tree: An index structure for high dimensional feature spaces," *Proc. Int. Conf. Data Engineering*, Sydney, Australia, 1999, pp. 440-447.

[17] T. Chang, C.-C. Jay Kuo, "Texture analysis and classification with tree-structured wavelet transform," I*EEE Trans. Image Processing*, vol. 2, no. 4, October 1993, pp. 429-441.

[18] Jau-Yuen Chen, C. A. Bouman, J. C. Dalton, "Hierarchical browsing and search of large image databases," *IEEE Transactions on Image Processing*, vol.9, no.3, March 2000, pp442-55.

[19] P. Ciaccia, M. Patella, and P. Zezula, "M-tree: an efficient access method for similarity search in metric spaces," Proc. the 23rd Conf. Very Large Databases, Athens, Greece, Aug. 1997, pp. 426--435.

[20] Thomas H. Cormen, Charles E. Leiserson and Ronald L Rivest, "Introduction to algorithms," McGraw-Hill Book Company, 1992.

[21] I. J. Cox, M. L. Miller, S. M. Omohundro, P. N. Yianilos, "PicHunter: Bayesian relevance feedback for image retrieval", *Proc. Int'l Conf. Pattern Recognition*, Vienna, Austria, Aug. 1996, pp. 361-369.

[22] J. Dowe, "Content-based retrieval in multimedia imaging," *Proc. SPIE: Storage and Retrieval for Image and Video Databases*, vol 1908, San Jose, CA, USA, Feb. 1993, pp.164-167.

[23] R.O. Duda and P.E. Hart, *Pattern classification and scene analysis*, John Wiley &

Sons, New York, 1970.

[24] Will Equitz and Wayne Niblack, *Retrieving images from a database using texture-algorithms from the QBIC system*, Technical Report RJ 9805, Computer science, IBM Research Report, May 1994.

[25] C. Faloutsos and K. Lin, "Fastmap: A fast algorithm for indexing, data-mining and visualization of traditional and multimedia datasets," Technical Report CS-TR-3383, Univ. of Maryland Institute for Advanced Computer Studies, Jan. 1994.

[26] H. Ferhatosmanoglu, E. Tuncel, D. Agrawal, A. E. Abbadi, "Vector approximation based indexing for non-uniform high dimensional data sets," *Proc. the 9th ACM Int'l Conf. Information and Knowledge Management (CIKM)*, Washington, DC, USA. November 2000, pp. 202-209.

[27] M. Flickner, H. Sawhney, W. Niblack, J. Ashley, Q. Huang, B. Dom, M. Gorkani, J. Hafine, D. Lee, D. Petkovic, D. Steele, and P. Yanker, "Query by image and video content: The QBIC system," *IEEE Computer*, vol.28, (no.9), Sept. 1995, pp.23-32.

[28] C. O. Frost, B. Taylor, A. Noakes, S. Markel, D. Torres, K. M. Drabenstott, "Browse and search patterns in a digital image database," *Information Retrieval*, vol.1, no.4, Kluwer Academic Publishers, 2000, pp287-313.

[29] A. Gersho and R. M. Gray, *Vector quantization and signal compression*, Kluwer Academic, Norwell, MA, 1992.

[30] A. Gionis, P. Indyk and R. Motwani, "Similarity search in High Dimensions ver Hashing," *Proc. the 25th Conf. Very Large Databases*, Edinburgh, UK, Sept. 1999, pp.518-29.

[31] A. Guttman, "R-trees: a dynamic index structure for spatial search," *Proc. ACM SIGMOD Int. Conf. on Management of Data*, Boston, MA, USA, June 1984, pp.47-57.

[32] A. Hampapur, et. al., "Virage video engine," *Proc. SPIE: Storage and Retrieval for Image and Video Databases V*, vol. 3022, San Jose, CA, 1997, pp. 188-200.

[33] J. Huang, et al., "Image indexing using color correlograms," Proc. IEEE Computer Society Conference on Computer Vision and Pattern Recognition, San Juan, Puerto Rico, June 1997, pp.762-8.

[34] T. S. Huang, S. Mehrotra, and K. Ramchandran, "Multimedia analysis and retrieval system (MARS) project," *Proc. 33rd Annu. Clinic Library Appl. of Data Processing-Digital Image Access and Retrieval*, 1996.

[35] D. Hull, “Improving text retrieval for the routing problem using latent semantic index,” *Proc. the 17th Annual Int’l ACM-SIGIR Conf. Research and Development in Information Retrieval*, Dublin, Ireland, July 1994, pp.282-291.

[36] B. G. Haskell, A. Puri and A.N. Netravali, *Digital Video: an Introduction to MPEG-2*, Chapman & Holl, 1997.

[37] F. Idris and S. Panchanathan, “Review of image and video indexing techniques,” *Journal of Visual Communication and Image Representation*, vol. 8, no. 2, June, 1997, pp. 146-166.

[38] Y. Ishikawa, R. Subramanya, and C. Faloutsos, “Mindreader: Query databases through multiple examples,” *Proc. the 24th Conf. on Very Large Databases*, New York, NY, USA, August 1998, pp.218-227.

[39] S. Kaski, “Dimensionality reduction by random mapping: Fast similarity computation for clustering,” Proc. Int’l Joint Conf. Neural Networks, vol. 1, Piscataway, NJ, 1998, pp 413-418.

[40] T. Kohonen, *Sef-Organizing Maps*, Springer, Berlin, 1995.

[41] V. Kobla, D. Doermann, and K. Lin, “Archiving, indexing, and retrieval of video in the compressed domain”, *Proc. SPIE: Multimedia Storage and Archiving Systems*, vol. 2916, Boston, MA, USA, Nov. 1996, pp.78-89.

[42] C. Lee, D and Landgrebe, “Decision boundary feature extraction for neual networks” *IEEE Trans. Newral Networks*, vol 8(1), 1997, pp. 75-83.

[43] C.S. Li, J.R. Smith, V. Castelli and L. Bergman, “Comparing texture feature set for retrieving core images in petroleum applications”, *Proc. SPIE: Storage and Retrieval for Image and Video Databases VII*, vol. 3656, San Jose, CA, Jan. 1999, pp.2-11.

[44] K. Lin, H. V. Jagadis, and C. Faloutsos, “The TV-tree: An index structure for high-dimensional data,” *VLDB Journal*, vol. 3, 1995, pp.517-542.

[45] F. Liu, R. W. Picard, *Periodicity, directionality, and randomness: Wold features for image modeling and retrieval*, MIT Media Lab Technical Report No. 320, March 1995.

[46] D. Luenberger, *Linear and Nonlinear Programming*, 2nd ed., Addison-Wesley, Reading, MA, 1984.

[47] W.Y. Ma and B.S. Manjunath, "Texture features and learning similarity," *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, San Francisco, CA, June 1996, pp. 425-430.

[48] W.Y. Ma and B.S. Manjunath, “Edge flow: a framework of boundary detection and image segmentation”, *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 1997, pp. 744-49.

[49] W.Y. Ma and B.S. Manjunath, “NeTra: A toolbox for navigating large image databases”, *Proc. IEEE Intl. Conf. Image Processing*, vol. 1, 1997, pp.568-71.

[50] W.-Y. Ma and B.S.Manjunath, “A texture thesaurus for browsing large aerial photographs”, *Journal of The American Society for Information Science*, vol. 49(7), 1998, pp.633-648.

[51] W.Y. Ma, HongJiang Zhang, “Benchmarking of image features for content-based retrieval”, *Proc. 32nd Asilomar Conference on Signal, System & Computers*, vol. 1, Pacific Grove, CA, USA, Nov. 1998, pp.253-257.

[52] B. S. Manjunath and W. Y. Ma, “Texture features for browsing and retrieval of image data”, *IEEE Trans. on Pattern Analysis and Machine Intelligence*, vol. 18, no. 8, Aug. 1996, pp. 837-42.

[53] B. S. Manjunath and H. D. Shin, “Texture core experiment results: similarity retrieval,” ISO/IEC JTC1/SC29/WG11, MPEG Document #M5029, Melbourne, Australia, October 1999.

[54] J. Mao, A. Jain, “Texture classification and segmentation using multiresolution simultaneous autoregressive models,” *Pattern Recognition Journal*, vol. 25(2), 1992, pp. 173-188.

[55] Christophe Meilhac and Chahab Nastar, “Relevance feedback and category search in image databases,” *Proc. IEEE Int’l Conf. Multimedia Computing and Systems*, vol. 1, Florence, Italy, June 1999, pp.512-17.

[56] T. P. Minka and R. W. Picard, “Interactive learning with a society of models”, *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, San Francisco, CA, USA, June 1996, pp. 447-452.

[57] W. Niblack, R. Barber, and et al., “The QBIC project: Querying images by content using color, texture and shape,” *Proc. SPIE: Storage and Retrieval for Image and Video Databases*, vol. 1908, San Jose, CA, USA, Feb. 1993, pp.173-87.

[58] R. Ng and A. Sedighian, “Evaluating multi-dimensional indexing structures for images tranformed by principle component analysis,” *Proc. SPIE: Storage and Retrieval for Still Image and Video Databases IV,* vol. 2670, San Jose, CA, USA, Feb. 1996, pp. 50-61.

[59] A. Pentland and R. W. Picard, and S. Sclaroff, “Photobook: Content-based manipulation of image databases,” *Int’l Journal of Computer Vision*, vol.18, (no.3), Kluwer Academic Publishers, June 1996, pp.233-54.

[60] G. Pass, R. Zabih, and J. Miller, “Comparing iamges using color coherence vectos,” Proc. 4th ACM Multimedia Conference, Boston, MA, USA, Nov. 1996, pp.65-73.

[61] F. Pereira (editor), “MPEG-7 Requirements V.14”, ISO/IEC JTC1/SC29/WG11, MPEG Document #N4035, Singapore, March, 2001.

[62] Raghu Ramakrishnan and Johannes Gehrke, *Database Management Systems*, Boston : McGraw-Hill, 2000.

[63] A. Rao and G. Lohse, “Identifying high level features of texture perception,” *CVGIP: Graphical Models and Image Processing*, vol. 55, no. 3, May 1993, pp.218-233.

[64] A. Rao, N. Bhushan and G. Lohse, “Relationship between texture terms and texture images: a study in human texture perception,” Proc. SPIE: Storage and Retrieval for Image and Video Databases, San Jose, CA, USA, 1996, pp.206-214

[65] A. L. Ratan, O. Maron, W. E. L. Grimson and T. Lozano-Perez, “A Framework for learning query concepts in image classification,” *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, vol. 1, Fort Collins, CO, USA, June 1999, pp.423-9.

[66] J. T. Robinson, “The K-D-B-Tree: A search structure for large multi-dimensional dynamic indexes,” *Proc. ACM SIGMOD Int. Conf. On Management of Data*, 1981, pp 10-18.

[67] B. E. Rogowitz, T. Freese, J. R. Smith, C. A. Bouman and E. Kalin, “Perceptual Imaeg Similarity Experiments,” Proc. SPIE: Storage and Retrieval for Image and Video Databases, vol. 3299, San Jose, CA, 1998, pp. 576-590.

[68] Y. Rui, T. S. Huang, and S. Mehrotra, “Content-based image retrieval with relevance feedback in MARS,” *Proc. Int’l Conf. Image Processing*, vol. 2, Santa Barbara, CA, USA, Oct. 1997, pp.815-18.

[69] Y. Rui, T. S. Huang, M. Ortega, and S. Mehrotra, “Relevance feedback: A power tool for interactive content-based image retrieval, ” *IEEE Trans. Circuit and Systems for video technology*, vol. 8, no.5, Sept. 1998, pp.644-655.

[70] Yong Rui, Thomas Huang, “Optimizing Learning in Image Retrieval,” *Proc. Int. Conf. Computer Vision and Pattern Recognition*, Hilton Head, SC, June 2000, pp. 236-243.

[71] S. Santini, R. Jain, “Similarity Measures,” *IEEE Trans. Pattern Recognition and*

Machine Intelligence, vol.21, no.9, Sept. 1999, pp871-883.

[72] S. Santini, R. Jain, “Integrated browsing and querying for image databases,” *IEEE Multimedia*, vol.7, no.3, July-Sept. 2000, pp26-39.

[73] S. Sclaroff, L. Taycher, and M. La Cascia, “Imageover: A content-based image browser for the World Wide Web,” *Proc. IEEE Workshop on Content-Based Access of Image and Video Libraries*, San Juan, Puerto Rico, June 1997, pp.2-9.

[74] J.R. Smith, “Image retrieval evaluation,” *Proc. IEEE Workshop on Content-based Asscess of Image and Video Libraries*, Santa Barbara, CA, USA, June 1998, pp.112-13.

[75] J. W. Sammon, “A nonlinear mapping for data analysis,” *IEEE Trans. Comput.*, vol. 18, 1963, pp. 401-409.

[76] M. J. Swain and D. H. Ballard, “Color indexing,” Int. Journal of Computer Vision, vol. 7, no.1, pp.11-32, 1991.

[77] Hemant D. Tagare, “Increasing retrieval efficiency by index tree adaptation,” *Proc. IEEE Workshop on Content-Based Access of Image and Video Libraries*, San Juan, Puerto Rico, June 1997, pp.28-35.

[78] Hideyuki Tamura, Shunji Mori, and Takashi Yamawaki, "Texture features corresponding to visual perception," *IEEE Trans. System, Man, and Cybernetics*, SMC8(6), 1978, pp.460-473.

[79] Hans G. C. Traven, “A neural network approach to statistical pattern classification by ‘semiparametric’ estimation of probability density functions,” *IEEE Transactions on Neural Networks*, vol. 2, no. 3, May 1991, pp. 366-377.

[80] Special Issue on MPEG-4, *IEEE Trans. on Circuit and Systems for Video Technology*, vol. 7, no. 1, 1997.

[81] V. V. Vinod (editor), “Description of Color/Texture core experiments,” ISO/IEC JTC1/SC29/WG11, MPEG Document #N2929, Melbourne, Australia, October 1999.

[82] A. R. Webb, “Multidimensional scaling by iterative majorization using radial basis functions,” *Pattern Recognition*, vol. 28, no. 5, 1995, pp.753-759.

[83] R. Webber, J.-J. Schek and S. Blott, “A quantitative analysis and performance study for similarity-search methods in high-dimensional space,” *Proc. Int’l Conf. Very Large Databases*, New York City, New York, August 1998, pp. 194-205.

[84] D.A. White and R. Jain, “Similarity indexing with the SS-tree,” *Proc. Int’l. Conf. on*

Data Engineering, New Orleans, LA, USA, Feb. 1996, pp. 516-23.

[85] J. S. Weszka, C. R. Dyer, and A. Rosenfeld, "A comparative study of texture measures for terrain classification," *IEEE Trans. Syst., Man, and Cybenetrics*, vol. 6, Apr. 1976, pp. 269-285.

[86] H. J. Zhang, J. Wu, D. Zhong and S.W. Smolliar, “An integrated system for content-based video retrieval and browsing,” *Pattern Recognition*, vol. 30, no. 4, 1997, pp. 643-58.

[87] H. J. Zhang, J. Y.A. Wang and Y. Altunbasak, “Content-based video retrieval and compression: a unified solution,” *Proc. IEEE Int’l Conf. Image Processing*, vol. 1, Santa Barbara, CA, June 1997, pp. 13-16.

[88] Tian Zhang, Raghu Ramakrishnan, and Miron Livny, “BIRCH: An Efficient Data Clustering Method for Very Large Databases,” *Proc. ACM SIGMOD Int’l Conf. Management of Data*, Montreal, Canada, 1996, pp.103--114.

[89] D. Zhong, H.J. Zhang and S-F. Chang, “Clustering methods for video browsing and annotation,” *Proc. SPIE: Storage and Retrieval for Still Image and Video Databases IV*, vol.2670, San Jose, CA, USA, Feb. 1996, pp.239-46.

[90] D. Zhong and S.F. Chang, “Spatio-temporal video search using the object based video representation”, *Proc. IEEE Int’l Conf. Image Processing*, vol. 1, Santa Barbara, CA, 1997, pp. 21-24.