References

[1] Benchathlon. *http://www.benchathlon.net/*.

[2] J. Allen. Incremental relevance feedback for information filtering. *ACM SIGIR*, 1996.

[3] S. Arya, D. Mount, N. Netanyahu, R. Silverman, and A. Wu. An optimal algorithm for approximate nearest neighbor searching in fixed dimensions. *Proceedings of the 5th SODA*, pages 573–82, 1994.

[4] N. Beckmann, H.-P. Kriegel, R. Schneider, and B. Seeger. The R*-tree: an efficient and robust access method for points and rectangles. *Proceedings of ACM SIGMOD*, May 1990.

[5] S. Berchtold, C. Bohm, and H.-P. Kriegel. The pyramid-technique: Towards breaking the curse of dimensionality. *ACM Sigmod*, May 1998.

[6] S. Berchtold, D. A. Keim, and H.-P. Kriegel. The X-Tree: An index structure for high-dimensional data. *Proceedings of the 22nd VLDB*, August 1996.

[7] C. Bishop. *Neural Networks for Pattern Recognition*. Oxford, 1998.

[8] B. Braunmuller, M. Ester, H.-P. Kriegel, and J. Sander. Efficiently supporting multiple similarity queries for mining in metric databases. *Proceedings of ICDE*, pages 256–267, 2000.

[9] L. Breiman. Bagging predicators. *Machine Learning*, pages 123–140, 1996.

[10] L. Breiman. Arcing classifiers. *The Annals of Statistics*, pages 801–849, 1998.

[11] C. Burges. A tutorial on support vector machines for pattern recognition. *Data Mining and Knowledge Discovery*, 2:121–167, 1998.

[12] C. Carson, S. Belongie, H. Greenspan, and J. Malik. Region-based image querying. *Proc. of IEEE Workshop on Content-based Access of Image and Video Libraries, in conjunction with IEEE CVPR*, 1997.

[13] N. Cesa-Bianchi, Y. Freund, D. Haussler, D. P. Helmbold, R. E. Schapire, and M. K. Warmuth. How to use expert advice. *Journal of ACM*, 44(3):427–485, 1997.

[14] E. Chang and K.-T. Cheng. Supporting subjective image queries without seeding requirements — proposing test queries for benchathlon. *Technical Report (submitted to Benchathlon*, June 2001.

[15] E. Chang, K.-T. Cheng, and L. Chang. PBIR — perception-based image retrieval. *ACM Sigmod (Demo)*, May 2001.

[16] E. Chang and et al. PBIR — a system that learns subjective image query concepts. *ACM Multimedia (Demo)*, October 2001.

[17] E. Chang and B. Li. Mega — the maximizing expected generalization algorithm for learning complex query concepts (extended version). *Technical Report http://www-db.stanford.edu/∼echang/mega.pdf*, November 2000.

[18] S. Chaudhuri and L. Gravano. Optimizing queries over multimedia repositories. *Proceedings of ACM SIGMOD*, pages 91–102, 1996.

[19] P. Ciaccia and M. Patella. Pac nearest neighbor queries: Approximate and controlled search in high-dimensional and metric spaces. *Proceedings of ICDE*, pages 244–255, 2000.

[20] P. Ciaccia, M. Patella, and P. Zezula. M-Tree: An efficient access method for similarity search in metric spaces. *Proceedings of the 23rd VLDB*, August 1997.

[21] K. Clarkson. An algorithm for approximate closest-point queries. *Proceedings of the 10th SCG*, pages 160–64, 1994.

[22] I. J. Cox, M. L. Miller, T. P. Minka, T. V. Papathomas, and P. N. Yianilos. The bayesian image retrieval system, pichunter: Theory, implementation and psychological experiments. *IEEE Transaction on Image Processing (to appear)*, 2000.

[23] I. Dagan and S. Engelson. Committee-based sampling for training probabilistic classifiers. In *Proceedings of the Twelfth International Conference on Machine Learning*, pages 150–157. Morgan Kaufmann, 1995.

[24] T. Dietterich and G. Bakiri. Solving multiclass learning problems via error-correcting output codes. *Journal of Artifical Intelligence Research*, 2, 1995.

[25] S. Dumais, J. Platt, D. Heckerman, and M. Sahami. Inductive learning algorithms and representations for text categorization. In *Proceedings of the Seventh International Conference on Information and Knowledge Management*. ACM Press, 1998.

[26] M. Flickner, H. Sawhney, J. Ashley, Q. Huang, B. Dom, M. Gorkani, J. Hafner, D. Lee, D. Petkovic, D. Steele, and P. Yanker. Query by image and video content: the QBIC system. *IEEE Computer*, 28(9):23–32, 1995.

[27] Y. Freund, H. Seung, E. Shamir, and N. Tishby. Selective sampling using the Query by Committee algorithm. *Machine Learning*, 28:133–168, 1997.

[28] J. Friedman. Another approach to polychotomous classification. *Stanford University Technical Report*, 1996.

[29] K. Goh, E. Chang, and K.-T. Cheng. Svm binary classifiers with error correction for image classification. *ACM Workshop on Multimedia Information Retrieval*, October 2001.

[30] D. E. Goldberg and R. Burch. *Genetic Algorithms in Search, Optimization, and Machine Learning, Reading*. Addison-Wesley, 1989.

[31] A. Grove and D. Schuurmans. Boosting in the limit: Maximizing the margin of learned ensembles. In *Proc. 15th National Conference on Artificial Intelligence (AAAI)*, 1998.

[32] A. Gupta and R. Jain. Visual information retrieval. *Comm. of the ACM*, 40(5):69–79, 1997.

[33] A. Guttman. R-trees: a dynamic index structure for spatial searching. *Proc. of ACM SIGMOD*, June 1984.

[34] W. Hsu, T. S. Chua, and H. K. Pung. An integrated color-spatial approach to content-based image retrieval. *ACM Multimedia Conference*, pages 305–313, 1995.

[35] M. Hu. Visual pattern recognition by moment invariants. *IRE Trans. Information Theory ,IT-8, 2*, pages 179–187, 1962.

[36] K. A. Hua, K. Vu, and J.-H. Oh. Sammatch: A flexible and efficient sampling-based image retrieval technique for image databases. *Proceedings of ACM Multimedia*, November 1999.

[37] J. Huang, S. R. Smith, M. Mitra, W.-J. Zhu, and R. Zabih. Image indexing using color correlograms. *Proc. IEEE Comp. Soc. Conf. Comp. Vis. and Patt. Rec.*, pages 762–768, 1997.

[38] P. Indyk and R. Motwani. Approximate nearest neighbors: Towards removing the curse of dimensionality. *Proceedings of the 30th STOC*, pages 604–13, 1998.

[39] P. Indyk, R. Motwani, and P. Raghavan. Locality-preserving hashing in multidimensional spaces. *Proceedings of the 29th STOC*, pages 618–25, 1997.

[40] Y. Ishikawa, R. Subramanya, and C. Faloutsos. Mindreader: Querying databases through multiple examples. *VLDB*, 1998.

[41] G. James and T. Hastie. *Error Coding and PaCT's*. 1997.

[42] T. Joachims. Text categorization with support vector machines. In *Proceedings of the European Conference on Machine Learning*. Springer-Verlag, 1998.

[43] T. Joachims. Transductive inference for text classification using support vector machines. In *Proceedings of the Sixteenth International Conference on Machine Learning*, pages 200–209. Morgan Kaufmann, 1999.

[44] K. S. Jones and P. W. (Editors). *Readings in Information Retrieval*. Morgan Kaufman, July 1997.

[45] N. Katayama and S. Satoh. The SR-Tree: An index structure for high-dimensional nearest neighbor queries. *Proceedings of ACM SIGMOD*, May 1997.

[46] M. Kearns, M. Li, and L. Valiant. Learning boolean formulae. *Journal of ACM*, 41(6):1298–1328, 1994.

[47] M. Kearns and U. Vazirani. *An Introduction to Computational Learning Theory*. MIT Press, 1994.

[48] J. M. Kleinberg. Two algorithms for nearest-neighbor search in high dimensions. *Proceedings of the 29th STOC*, 1997.

[49] E. Kushilevitz, R. Ostrovsky, and Y. Rabani. Efficient search for approximate nearest neighbor in high dimensional spaces. *Proceedings of the 30th STOC*, pages 614–23, 1998.

[50] B. Li, E. Chang, and C.-S. Li. Learning image query concepts via intelligent sampling. *Proceedings of IEEE Multimedia and Expo*, August 2001.

[51] C. Li, E. Chang, H. Garcia-Molina, and G. Wiederhold. Clustering for approximate similarity queries in high-dimensional spaces. *IEEE Transaction on Knowledge and Data Engineering (to appear)*, 2001.

[52] J. Li, J. Z. Wang, and G. Wiederhold. Irm: Integrated region matching for image retrieval. *Proceedings of ACM Multimedia*, October 2000.

[53] K.-L. Lin, H. V. Jagadish, and C. Faloutsos. The TV-tree: an index structure for high-dimensional data. *VLDB Journal*, 3(4), 1994.

[54] B. Manjunath, P. Wu, S. Newsam, and H. Shin. A texture descriptor for browsing and similarity retrieval. *Signal Processing Image Communication*, 2001.

[55] B. S. Manjunath and W. Y. Ma. Texture features for browsing and retrieval of image data. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(8):837–842, August 1996.

[56] A. McCallum and K. Nigam. Employing EM in pool-based active learning for text classification. In *Proceedings of the Fifteenth International Conference on Machine Learning*. Morgan Kaufmann, 1998.

[57] T. Michell. *Machine Learning*. McGraw Hill, 1997.

[58] T. M. Mitchell. *Machine Learning*. McGraw-Hill, 1997.

[59] M. Moreira and E. Mayoraz. Improving pairwise coupling classification with error correcting classifiers. *Proceedings of the Tenth European Conference on Machine Learning*, April 1998.

[60] M. Ortega, Y. Rui, K. Chakrabarti, A. Warshavsky, S. Mehrotra, and T. S. Huang. Supporting ranked boolean similarity queries in mars. *IEEE Transaction on Knowledge and Data Engineering*, 10(6):905–925, December 1999.

[61] B.-U. Pagel, F. Kron, and C. Faloutsos. Deflating the dimensionality curse using multiple fractal dimensions. *Proceedings of ICDE*, pages 589–598, 2000.

[62] C. Papageorgiou, M. Oren, and T. Poggio. A general framework for object detection. In *Proceedings of the International Conference on Computer Vision*, 1998.

[63] G. Pass and R. Zabih. Histogram refinement for content-based image retrieval. *IEEE Workshop on Applications of Computer Vision*, pages 96–102, 1996.

[64] G. Pass, R. Zabih, and J. Miller. Comparing images using color coherence vectors. *Proceedings of the Fourth ACM Multimedia Conference*, pages 65–73, 1996.

[65] K. Porkaew, K. Chakrabarti, and S. Mehrotra. Query refinement for multimedia similarity retrieval in mars. *Proceedings of ACM Multimedia*, November 1999.

[66] K. Porkaew, S. Mehrota, and M. Ortega. Query reformulation for content based multimedia retrieval in mars. *ICMCS*, pages 747–751, 1999.

[67] J. T. Robinson. The K-D-B-Tree: A search structure for large multidimensional dynamic indexes. *Proceedings of ACM SIGMOD*, April 1981.

[68] N. Roussopoulos, S. Kelley, and F. Vincent. Nearest neighbor queries. *Proceedings of ACM SIGMOD*, May 1995.

[69] Y. Rubner, C. Tomasi, and L. Guibas. Adaptive color-image embedding for database navigation. *Proceedings of the the Asian Conference on Computer Vision*, January 1998.

[70] Y. Rui, T. S. Huang, and S.-F. Chang. Image retrieval: Current techniques, promising directions and open issues. *Journal of Visual Communication and Image Representation*, March 1999.

[71] R. Schapire, Y. Freund, P. Bartlett, and W. Lee. Boosting the margin: A new explanation for the effectiveness of voting methods. In *Proceeding of the Fourteenth International Conference on Machine Learning*. Morgan Kaufmann, 1997.

[72] H. Seung, M. Opper, and H. Sompolinsky. Query by committee. In *Proceedings of the Fifth Workshop on Computational Learning Theory*, pages 287–294. Morgan Kaufmann, 1992.

[73] J. Smith and S.-F. Chang. Automated image retrieval using color and texture. *IEEE Transaction on Pattern Analysis and Machine Intelligence*, November 1996.

[74] J. Smith and S.-F. Chang. Tools and techniques for color image retrieval. *Volume 2670 of SPIE Proceedings*, pages 1630–1639, 1996.

[75] J. R. Smith and S.-F. Chang. Visualseek: A fully automated content-based image query system. *ACM Multimedia Conference*, 1996.

[76] V. S. Subrahmanian. *Principles of Multimedia Database Systems*. Morgan Kaufmann Publishers, Inc., 1998.

[77] M. Swain and D. H. Ballard. Color indexing. *Int. Journal of Computer Vision*, 7(1):11–32, 1991.

[78] S. Tong and E. Chang. Support vector machine active learning for image retrieval. *ACM International Conference on Multimedia*, October 2001.

[79] S. Tong and D. Koller. Support vector machine active learning with applications to text classification. *Proceedings of the 17th International Conference on Machine Learning*, pages 401–412, June 2000.

[80] G. Valentini. Upper bounds on the training error of ecoc svm ensembles. *Technical Report*, Feb. 2001.

[81] V. Vapnik. *Statistical Learning Theory*. Wiley, 1998.

[82] J. Wang, J. Li, and G. Wiederhold. Simplicity: Semantics-sensitive integrated matching for picture libraries. *ACM Multimedia Conference*, 2000.

[83] J. Z. Wang, G. Wiederhold, O. Firschein, and S. X. Wei. Wavelet-based image indexing techniques with partial sketch retrieval capability. *Proceedings of the 4th ADL*, May 1997.

[84] J. Z. Wang, G. Wiederhold, O. Firschein, and S. X. Wei. Content-based image indexing and searching using daubechies' wavelets. *Journal of Digital Libraries*, 1(4):311–28, 1998.

[85] R. Weber, H. Schek, and S. Blott. A quantitative analysis and performance study for similarity-search methods in high-dimensional spaces. *Proceedings of the 24th VLDB*, pages 194–205, 1998.

[86] D. A. White and R. Jain. Similarity indexing with the SS-Tree. *Proceedings of the 12th ICDE*, Feb. 1996.

[87] L. Wu, C. Faloutsos, K. Sycara, and T. R. Payne. Falcon: Feedback adaptive loop for content-based retrieval. *The* 26th *VLDB Conference*, September 2000.

[88] P. Zezula, P. Savino, G. Amato, and F. Rabitti. Approximate similarity retrieval with m-trees. *VLDB Journal*, 7(4):275–293, December 1998.