References

[1] J. Allen. Incremental relevance feedback for information filtering. *ACM SIGIR*, 1996.

[2] K. Barnard and D. Forsyth. Learning the semantics of words and pictures. In *International Conference on Computer Vision*, volume 2, pages 408–415, 2000.

[3] K. Barnard and D. Forsyth. Clustering art. In *CVPR*, 2001.

[4] C. Bishop. *Neural Networks for Pattern Recognition*. Oxford, 1998.

[5] A. Blum and T. Mitchell. *Combining Labeled and Unlabeled Data wih Co-Training*. Proceedings of the Workshop on Computational Learning Theory, 1998.

[6] L. Breiman. Bagging predicators. *Machine Learning*, pages 123–140, 1996.

[7] L. Breiman. Arcing classifiers. *The Annals of Statistics*, pages 801–849, 1998.

[8] C. Burges. A tutorial on support vector machines for pattern recognition. *Data Mining and Knowledge Discovery*, 2:121–167, 1998.

[9] C. Carson, S. Belongie, H. Greenspan, and J. Malik. Region-based image querying. *Proc. of IEEE Workshop on Content-based Access of Image and Video Libraries, in conjunction with IEEE CVPR*, 1997.

[10] N. Cesa-Bianchi, Y. Freund, D. Haussler, D. P. Helmbold, R. E. Schapire, and M. K. Warmuth. How to use expert advice. *Journal of ACM*, 44(3):427–485, 1997.

[11] E. Chang. Characterizing, indexing, and retrieving art imagery. *NSF/Andrew Mellon Foundation Workshop on Digital Imagery for Works*, November 2001.

[12] E. Chang, K.-T. Cheng, and L. Chang. PBIR — perception-based image retrieval. *ACM Sigmod (Demo)*, May 2001.

[13] E. Chang, K.-T. Cheng, W.-C. Lai, C.-T. Wu, C.-W. Chang, and Y.-L. Wu. PBIR — a system that learns subjective image query concepts. *Proceedings of ACM Multimedia, http://www.mmdb.ece.ucsb.edu/˜demo/corelacm/*, pages 611–614, October 2001.

[14] E. Chang and B. Li. Mega — the maximizing expected generalization algorithm for learning complex query concepts (extended version). *Technical Report http://www-db.stanford.edu/∼echang/mega.pdf*, November 2000.

[15] E. Chang and B. Li. Mega — the maximizing expected generalization algorithm for learning complex query concepts (extended version). *Technical Report http://www-db.stanford.edu/∼echang/mega.ps*, November 2000.

[16] I. J. Cox, M. L. Miller, T. P. Minka, T. V. Papathomas, and P. N. Yianilos. The bayesian image retrieval system, pichunter: Theory, implementation and psychological experiments. *IEEE Transaction on Image Processing (to appear)*, 2000.

[17] I. Dagan and S. Engelson. Committee-based sampling for training probabilistic classifiers. In *Proceedings of the Twelfth International Conference on Machine Learning*, pages 150–157. Morgan Kaufmann, 1995.

[18] T. Dietterich and G. Bakiri. Solving multiclass learning problems via error-correcting output codes. *Journal of Artifical Intelligence Research*, 2, 1995.

[19] S. Dumais, J. Platt, D. Heckerman, and M. Sahami. Inductive learning algorithms and representations for text categorization. In *Proceedings of the Seventh International Conference on Information and Knowledge Management.* ACM Press, 1998.

[20] M. Flickner, H. Sawhney, J. Ashley, Q. Huang, B. Dom, M. Gorkani, J. Hafner, D. Lee, D. Petkovic, D. Steele, and P. Yanker. Query by image and video content: the QBIC system. *IEEE Computer*, 28(9):23–32, 1995.

[21] Y. Freund, H. Seung, E. Shamir, and N. Tishby. Selective sampling using the Query by Committee algorithm. *Machine Learning*, 28:133–168, 1997.

[22] E. B. Goldstein. *Sensation and Perception (5^{th} Edition).* Brooks/Cole, 1999.

[23] T. Graepel and R. Herbrich. The kernel gibbs sampler. *Advances in Neural Information Systems Processing*, 13, 2001.

[24] A. Grove and D. Schuurmans. Boosting in the limit: Maximizing the margin of learned ensembles. In *Proc. 15th National Conference on Artificial Intelligence (AAAI)*, 1998.

[25] A. Gupta and R. Jain. Visual information retrieval. *Comm. of the ACM*, 40(5):69–79, 1997.

[26] R. Herbrich and T. Graepel. Large scale bates point machines. *Advances in Neural Information Systems Processing*, 13, 2001.

[27] R. Herbrich, T. Graepel, and C. Campbell. Bayes point machines: Estimating the bayes point in kernel space. In *International Joint Conference on Artificial Intelligence Workshop on Support Vector Machines*, pages 23–27, 1999.

[28] R. Herbrich, T. Graepel, and C. Campbell. Bayes point machines. *Journal of Machine Learning Research*, pages 245–279, 2001.

[29] W. Hsu, T. S. Chua, and H. K. Pung. An integrated color-spatial approach to content-based image retrieval. *ACM Multimedia Conference*, pages 305–313, 1995.

[30] M. Hu. Visual pattern recognition by moment invariants. *IRE Trans. Information Theory ,IT-8, 2*, pages 179–187, 1962.

[31] K. A. Hua, K. Vu, and J.-H. Oh. Sammatch: A flexible and efficient sampling-based image retrieval technique for image databases. *Proceedings of ACM Multimedia*, November 1999.

[32] J. Huang, S. R. Smith, M. Mitra, W.-J. Zhu, and R. Zabih. Image indexing using color correlograms. *Proc. IEEE Comp. Soc. Conf. Comp. Vis. and Patt. Rec.*, pages 762–768, 1997.

[33] Y. Ishikawa, R. Subramanya, and C. Faloutsos. Mindreader: Querying databases through multiple examples. *VLDB*, 1998.
[34] G. James and T. Hastie. *Error Coding and PaCT's*. 1997.
[35] T. Joachims. Text categorization with support vector machines. In *Proceedings of the European Conference on Machine Learning*. Springer-Verlag, 1998.
[36] K. S. Jones and P. W. (Editors). *Readings in Information Retrieval*. Morgan Kaufman, July 1997.
[37] M. Kearns, M. Li, and L. Valiant. Learning boolean formulae. *Journal of ACM*, 41(6):1298–1328, 1994.
[38] M. Kearns and U. Vazirani. *An Introduction to Computational Learning Theory*. MIT Press, 1994.
[39] B. Li, E. Chang, and C.-S. Li. Learning image query concepts via intelligent sampling. *Proceedings of IEEE Multimedia and Expo*, August 2001.
[40] J. Li, J. Z. Wang, and G. Wiederhold. Irm: Integrated region matching for image retrieval. *Proceedings of ACM Multimedia*, October 2000.
[41] B. Manjunath, P. Wu, S. Newsam, and H. Shin. A texture descriptor for browsing and similarity retrieval. *Signal Processing Image Communication*, 2001.
[42] B. S. Manjunath and W. Y. Ma. Texture features for browsing and retrieval of image data. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(8):837–842, August 1996.
[43] A. McCallum and K. Nigam. Employing EM in pool-based active learning for text classification. In *Proceedings of the Fifteenth International Conference on Machine Learning*. Morgan Kaufmann, 1998.
[44] T. Michell. *Machine Learning*. McGraw Hill, 1997.
[45] T. M. Mitchell. *Machine Learning*. McGraw-Hill, 1997.
[46] M. Moreira and E. Mayoraz. Improving pairwise coupling classification with error correcting classifiers. *Proceedings of the Tenth European Conference on Machine Learning*, April 1998.
[47] Y. Mori, H. Takahashi, and R. Oka. Automatic words assignment to images based on image division and vector quantization. In *Proc. of RIAO 2000: Content-Based Multimedia Information Access*, Apr. 2000.
[48] M. Ortega, Y. Rui, K. Chakrabarti, S. Mehrotra, and T. S. Huang. Supporting similarity queries in mars. *Proc. of ACM Conf. on Multimedia*, 1997.
[49] M. Ortega, Y. Rui, K. Chakrabarti, A. Warshavsky, S. Mehrotra, and T. S. Huang. Supporting ranked boolean similarity queries in mars. *IEEE Transaction on Knowledge and Data Engineering*, 10(6):905–925, December 1999.
[50] C. Papageorgiou, M. Oren, and T. Poggio. A general framework for object detection. In *Proceedings of the International Conference on Computer Vision*, 1998.
[51] G. Pass and R. Zabih. Histogram refinement for content-based image retrieval. *IEEE Workshop on Applications of Computer Vision*, pages 96–102, 1996.
[52] G. Pass, R. Zabih, and J. Miller. Comparing images using color coherence vectors. *Proceedings of the Fourth ACM Multimedia Conference*, pages 65–73, 1996.
[53] K. Porkaew, K. Chakrabarti, and S. Mehrotra. Query refinement for multimedia similarity retrieval in mars. *Proceedings of ACM Multimedia*, November 1999.
[54] K. Porkaew, S. Mehrota, and M. Ortega. Query reformulation for content based multimedia retrieval in mars. *ICMCS*, pages 747–751, 1999.
[55] Y. Rubner, C. Tomasi, and L. Guibas. Adaptive color-image embedding for database navigation. *Proceedings of the the Asian Conference on Computer Vision*, January 1998.
[56] Y. Rui and T. Huang. Optimizing learning in image retrieval. *Proceedings of IEEE Computer Vision and Pattern Recognition*, pages 236–243, 2000.
[57] Y. Rui, T. S. Huang, M. Ortega, and S. Mehrotra. Relevance feedback: A power tool in interactive content-based image retrieval. *IEEE Tran on Circuits and Systems for Video Technology*, 8(5), Sept 1998.
[58] R. Schapire, Y. Freund, P. Bartlett, and W. Lee. Boosting the margin: A new explanation for the effectiveness of voting methods. In *Proceeding of the Fourteenth International Conference on Machine Learning*. Morgan Kaufmann, 1997.
[59] H. Seung, M. Opper, and H. Sompolinsky. Query by committee. In *Proceedings of the Fifth Workshop on Computational Learning Theory*, pages 287–294. Morgan Kaufmann, 1992.
[60] J. Smith and S.-F. Chang. Automated image retrieval using color and texture. *IEEE Transaction on Pattern Analysis and Machine Intelligence*, November 1996.
[61] J. Smith and S.-F. Chang. Tools and techniques for color image retrieval. *Volume 2670 of SPIE Proceedings*, pages 1630–1639, 1996.
[62] J. R. Smith and S.-F. Chang. Visualseek: A fully automated content-based image query system. *ACM Multimedia Conference*, 1996.
[63] M. Stricker and M.Orengo. Similarity of color images. *SPIE Conference on Storage and Retrieval for Image and Video Dat abase III*, pages 381–92, February 1995.
[64] M. Swain and D. H. Ballard. Color indexing. *Int. Journal of Computer Vision*, 7(1):11–32, 1991.
[65] H. Tamura, S. Mori, and T. Yamawaki. Texture features corresponding to visual perception. *IEEE Transaction on Systems Man Cybernet (SMC)*, 1978.

[66] S. Tong and E. Chang. Support vector machine active learning for image retrieval. *Proceedings of ACM International Conference on Multimedia*, pages 107–118, October 2001.
[67] S. Tong and D. Koller. Support vector machine active learning with applications to text classification. *Proceedings of the 17th International Conference on Machine Learning*, pages 401–412, June 2000.
[68] V. Vapnik. *Statistical Learning Theory*. Wiley, 1998.
[69] B. Wandell. *Foundations of Vision*. Sinauer, 1995.
[70] J. Z. Wang, G. Wiederhold, O. Firschein, and S. X. Wei. Wavelet-based image indexing techniques with partial sketch retrieval capability. *Proceedings of the 4th ADL*, May 1997.
[71] J. Z. Wang, G. Wiederhold, O. Firschein, and S. X. Wei. Content-based image indexing and searching using daubechies' wavelets. *Journal of Digital Libraries*, 1(4):311–28, 1998.
[72] L. Wenyin, S. Dumais, Y. Sun, H. Zhang, M. Czerwinski, and B. Field. Semi-automatic image annotation. In *Proc. of Interact 2001: Conference on Human-Computer Interaction*, pages 326–333, July 2001.
[73] L. Wu, C. Faloutsos, K. Sycara, and T. R. Payne. Falcon: Feedback adaptive loop for content-based retrieval. *The* 26^{th} *VLDB Conference*, September 2000.
[74] O. R. Zaiane, J. Han, Z. N. Li, J. Y. Chiang, and S. Chee. Multimedia-miner: A system prototype for multimedia data mining. *ACM Sigmod (System Demo)*, June 1998.
[75] P. Zezula, P. Savino, G. Amato, and F. Rabitti. Approximate similarity retrieval with m-trees. *VLDB Journal*, 7(4):275–293, December 1998.
[76] X. S. Zhou and T. S. Huang. Comparing discriminating transformations and svm for learning during multimedia retrieval. *Proc. of ACM Conf. on Multimedia*, pages 137–146, 2001.