

Cucumber Report

25 Ağu 2023 02:26:27

Start : Ağu 25, 2:25:14.444 ÖÖ

End : Ağu 25, 2:25:50.695 ÖÖ

Duration : 36.251 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1


SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 2







| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|----------|
| 1 | <u>jsjs</u> | 1 | 0 | 1 | 0 | 36.251 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---------------------|---|---|---|---|----------|
| 1 | <u>jsjs</u> | <u>TC0000000001</u> | 3 | 0 | 1 | 2 | 36.251 s |


(F)- jsjs

| | | | | | |
|--------------------------------------|----------------------------|-----------|---|-----------|---|
| FAILED | DURATION - 36.251 s | Scenarios |  | Steps |  |
| / 2:25:14.444 ÖÖ // 2:25:50.695 ÖÖ / | | Total - 1 | | Total - 3 | |
| @ServiceExaminationRegistration | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |

(S)- TC0000000001

| | | | | |
|--|--|--|-----------|---|
| <div>FAILED</div> <div>DURATION - 36.251 s</div> | |  | Steps |  |
| / 2:25:14.444 ÖÖ // 2:25:50.695 ÖÖ / | | | Total - 3 | |
| jsjs | | | Pass - 0 | |
| @ServiceExaminationRegistration @TC0000000001 | | | Fail - 1 | |
| | | | Skip - 2 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | <p>When Select Kimliksiz Hasta from Hasta Türü drop down menu on Hasta Kayıt Page</p> <p>java.lang.Exception: Generic Exception for org.openqa.selenium.NoSuchElementException : no such element: Unable to locate element: {"method":"xpath","selector":"//input[contains(@value,'...')][3]"} (Session info: chrome=116.0.5845.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.4.1', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dfd6e4fce6293826e1a38fc08b14219f, findElement {using=xpath, value=//input[contains(@value,'...')][3]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.110, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: /var/folders/p4/hggz19nx279...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60978}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:60978/devtoo..., se.cdpVersion: 116.0.5845.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dfd6e4fce6293826e1a38fc08b14219f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> | FAILED | 30.072 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at pages.Hasta_Kayit_Page_B.selectWithoutId(Hasta_Kayit_Page_B.java:229) at stepdefinitions.HastaKayit_StepDefinitions_B. selectKimliksizHastaFromHastaTuruDropDownMenuOnHastaKayitPage(HastaKayit_StepDefinitions_B.java:32) at ?.Select Kimliksiz Hasta from Hasta Türü drop down menu on Hasta Kayıt Page(file:///Users/faruk/Documents/Abeyis/ Probel_Abeyis_project/src/test/resources/features/DetayliHastaArama_B.feature:6) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | And Select Proximity from Yakınlığı drop down menu on Hasta Kayıt Page | SKIPPED | 0.001 s |
| 3 | Then Kart Sahibi box should be active on Hasta Kayıt Page when If something except Kendisi is selected | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.200 s |
| | Screenshots | | |
| |  | | |