

Cucumber Report

Feb 4, 2023, 12:12:42 PM

Start : Feb 04, 12:12:32.338 PM

End : Feb 04, 12:12:42.154 PM

Duration : 9.816 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0


PASSED - 4
FAILED - 0
SKIPPED - 0

PASSED - 16
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	read_rezervasyon_bilgileri_databaseden_oku	4	4	0	0	9.816 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>read_rezervasyon_bilgileri_databasede-n_oku</u>	<u>TC01_read_otel_bilgileri</u>	4	4	0	0	3.390 s
2	<u>read_rezervasyon_bilgileri_databasede-n_oku</u>	<u>TC02_read_otel_bilgileri</u>	4	4	0	0	2.140 s
3	<u>read_rezervasyon_bilgileri_databasede-n_oku</u>	<u>TC02_read_otel_bilgileri</u>	4	4	0	0	2.121 s
4	<u>read_rezervasyon_bilgileri_databasede-n_oku</u>	<u>TC02_read_otel_bilgileri</u>	4	4	0	0	2.118 s

(F)- read_rezervasyon_bilgileri_databasesden_oku



PASSED	DURATION - 9.816 s	Scenarios		Steps	
/ 12:12:32.338 PM // 12:12:42.154 PM /		Total - 4		Total - 16	
		Pass - 4		Pass - 16	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- TC01_read_otel_bilgileri

PASSED	DURATION - 3.390 s		Steps	
/ 12:12:32.341 PM // 12:12:35.731 PM /			Total - 4	
read_rezervasyon_bilgileri_databasesden_oku			Pass - 4	
@db_hotel_price @db_read			Fail - 0	
		Skip - 0		



#	Step / Hook Details	Status	Duration
1	Given user connects to the database	PASSED	1.206 s
2	And gets the "Price" from "tHOTELROOM" table	PASSED	0.236 s
3	And user reads all of the "Price" column	PASSED	0.393 s
4	Then close the connection	PASSED	0.196 s

(S)- TC02_read_otel_bilgileri

PASSED	DURATION - 2.140 s		Steps	
/ 12:12:35.754 PM // 12:12:37.894 PM /			Total - 4	
read_rezervasyon_bilgileri_databasesden_oku			Pass - 4	
@db_read @db_hotel_name			Fail - 0	
		Skip - 0		



#	Step / Hook Details	Status	Duration
1	Given user connects to the database	PASSED	1.002 s
2	And gets the "Name" from "tHOTEL" table	PASSED	0.198 s
3	And user reads all of the "Name" column	PASSED	0.607 s
4	Then close the connection	PASSED	0.194 s

(S)- TC02_read_otel_bilgileri

PASSED	DURATION - 2.121 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:12:37.906 PM // 12:12:40.027 PM /				
read_rezervasyon_bilgileri_databaseden_oku				
@db_hotel_address @db_read				

#	Step / Hook Details	Status	Duration
1	Given user connects to the database	PASSED	0.993 s
2	And gets the "Address" from "tHOTEL" table	PASSED	0.195 s
3	And user reads all of the "Address" column	PASSED	0.589 s
4	Then close the connection	PASSED	0.193 s

(S)- TC02_read_otel_bilgileri

PASSED	DURATION - 2.118 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:12:40.036 PM // 12:12:42.154 PM /				
read_rezervasyon_bilgileri_databaseden_oku				
@db_hotel_address @db_read				

#	Step / Hook Details	Status	Duration
1	Given user connects to the database	PASSED	0.989 s
2	And gets the "Code" from "tHOTEL" table	PASSED	0.197 s
3	And user reads all of the "Code" column	PASSED	0.598 s

#	Step / Hook Details	Status	Duration
4	Then close the connection	PASSED	0.193 s