



The LaTeX report

Generated by local1 on 14 April 2015, 15:55:58

This report has been generated automatically by MADANALYSIS 5.

Please cite:

E. Conte, B. Fuks and G. Serret,
MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology,
Comput. Phys. Commun. **184** (2013) 222-256,
arXiv:1206.1599 [hep-ph].

To contact us:

<http://madananalysis.irmp.ucl.ac.be>
ma5team@iphc.cnrs.fr

Contents

1	Setup	2
1.1	Command history	2
1.2	Configuration	2
2	Datasets	3
2.1	defaultset	3
3	Histos and cuts	4
3.1	Histogram 1	4
3.2	Histogram 2	5

1 Setup

1.1 Command history

```
ma5>import ../../../../DarkPhotonSignalTest/Events/run_01/unweighted_events.lhe
ma5>plot dR(a e-) 100 0 5
ma5>submit DRtest
ma5>plot dR(dP) 100 0 5
ma5>plot dR(dp) 100 0 5
ma5>import
ma5>display_multiparticles
ma5>define
ma5>plot dR(a) 100 0 5
ma5>plot PT(a) 100 0 0.05
ma5>submit DRtest2
```

1.2 Configuration

- MadAnalysis version 1.1.11 (2014/09/15).
- Histograms given for an integrated luminosity of 10fb^{-1} .

2 Datasets

2.1 defaultset

- Samples stored in the directory: [/media/sf_darkphotons/madgraph/madanalysis/-madanalysis5/bin](#) .
- Sample consisting of: [signal](#) events.
- Generated events: [100000](#) events.
- Normalization to the luminosity: [316687+/- 107](#) events.
- **Ratio (event weight): 3.2 - warning: please generate more events (weight larger than 1)!**

Path to the event file	Nr. of events	Cross section (pb)	Negative wgts (%)
/media/sf_darkphotons/-madgraph/-DarkPhotonSignalTest/-Events/run_01/-unweighted_events.lhe	100000	31.7 @ 0.034%	0.0

3 Histos and cuts

3.1 Histogram 1

* Plot: dR (a e-)

Table 1. Statistics table

Dataset	Integral	Entries events	/	Mean	RMS	%Underflow	%Overflow
defaultset	0.0 +/- 0.0	0.0		0.0	0.0	0.0	0.0




Figure 1.

3.2 Histogram 2

* Plot: PT (a)

Table 2. Statistics table

Dataset	Integral	Entries events	Mean	RMS	%Underflow	%Overflow
defaultset	316687	1.0	0.0146948	0.01014	0.0	0.0




Figure 2.