


Already done assembly (provided by Tillman Schell)

Super scaffolds




HAP1: ~2,221 Mb

HAP2: ~2,088 Mb

Bibliography: 2,500-2,700 Mb (Volleth et al. (1999). ZOO-FISH analysis in a species of the order Chiroptera: *Glossophaga soricina* (Phyllostomidae). *Chrom Res*, 7, 57-64.)


Smaller scaffolds (others)




Super scaffold 15 - Test pangenome (running)

- Why 15? Because it is small
- Initial graph with two haplotypes
- To characterize the sequence, we first performed a blast with super contig 15 (28.1 Mb) and confirmed similarity with the available sequence of chromosome 15, *Glossophaga mutica* (28.4 Mb) reference genome:
https://www.ncbi.nlm.nih.gov/datasets/genome/GCA_039655065.1/
- We then performed an alignment using minimap2 and and mummer (local).
Filtering removed redundant (overlapped) or low-confidence alignments:
 - Total high-confidence non-overlapped aligned segments: 6
 - Query coverage (Soricina): 99.64%
 - Reference coverage (Mutica): 92.61%
 - Average sequence identity: **57.47%** (potential errors?)

HLg1oCon1A_HRP1_SUPER_15
HLg1oCon1B_HRP2_SUPER_15
HLg1oMut1A_chr15
HLg1oSor3A_HRP1_SUPER_15
HLg1oSor3B_HRP2_SUPER_15



COMPRESSED_MODE



pggb -i glo_chr15.fa -o pggb_chr15 -s 250000 -p 90 -n 50 -t 8

gfaviz o Bandage

