

NanoPlot reports

Summary statistics


General summary	
Mean read length	33,879.8
Mean read quality	17.1
Median read length	24,362.0
Median read quality	19.1
Number of reads	4,000.0
Read length N50	57,434.0
STDEV read length	32,174.1
Total bases	135,519,324.0
Number, percentage and megabases of reads above quality cutoffs	
>Q10	3991 (99.8%) 135.4Mb
>Q15	3358 (84.0%) 115.4Mb
>Q20	1528 (38.2%) 58.5Mb
>Q25	13 (0.3%) 0.0Mb
>Q30	0 (0.0%) 0.0Mb
Top 5 highest mean basecall quality scores and their read lengths	
1	27.0 (1432)
2	26.9 (1977)
3	26.6 (4637)
4	26.0 (2934)
5	25.8 (5053)
Top 5 longest reads and their mean basecall quality score	

1	204949 (19.9)
2	200257 (19.9)
3	197210 (21.4)
4	195976 (19.4)
5	187303 (12.9)

Plots


Weighted histogram of read lengths

-




Weighted histogram of read lengths after log transformation


-




We




Non weighted histogram of read lengths




Non weighted histogram of read lengths after log transformation







Yield by length



Read lengths vs Average read quality plot using dots





Read lengths vs Average read quality kde plot

