

NaturalApproaches.com

Personalised Wellness Scan Report

Wellness screening summary

Patient details

Name: Jane Bloggs

Sex: Female

Age: 69

Height: 175.0 cm

Weight: 70.0 kg

Profile: Female

Scan time: 29/03/2026 11:19

This report is for wellness education and discussion only. It is not a medical diagnosis.

Report generated: 14/04/2026 22:49 BST

Eze Chiana
care@naturalapproaches.com
https://www.naturalapproaches.com

NAVIGATION

Table of contents

Cover

At a glance

Scan score overview

Priority category review

Body composition analysis

Clinical recommendations

Recommended support plan

Complete product recommendation mapping

Complete system marker tables

Appendix

OVERVIEW

At a glance

This section summarises the dominant patterns in the scan, the wider downstream themes they may be influencing, and the immediate priorities for follow-up.

Clinical snapshot

The scan is most suggestive of reduced digestive and absorptive efficiency, with likely downstream effects on repair, resilience, and wider function. There is also a secondary picture of toxic-load pressure and barrier-related inflammatory stress.

Practitioner overview

Taken together, the findings point most strongly to reduced digestive and absorptive efficiency. Priority should be given to digestive support, absorptive support, and mucosal repair.

Primary pattern

Absorption and assimilation strain

This pattern points to reduced digestive and absorptive efficiency, most evident across digestive support, absorptive support, mucosal repair, and foundational nutrient repletion.

Follow-up focus: digestive support, absorptive support, mucosal repair, foundational nutrient repletion

Contributing patterns

- **Toxic burden and detoxification strain** — Toxic-load pressure, most evident across exposure review, detoxification support, and antioxidant reserve.
- **Inflammatory and barrier dysfunction pattern** — Barrier-related inflammatory stress, most evident across barrier repair, immune-modulatory support, and trigger reduction.
- **Neurocognitive support pattern** — Neurocognitive support needs, most evident across neurocognitive nutrient support, membrane and phospholipid support, and trace element repletion.

Immediate priorities for follow-up

- Strengthen digestive function to improve breakdown, tolerance, and nutrient availability.
- Support intestinal absorption and assimilation of key nutrients.
- Prioritise mucosal repair and gut-lining resilience.
- Replete foundational nutrients to support repair, energy, and resilience.

- Review environmental and lifestyle exposures contributing to toxic load.

OVERVIEW

Scan score overview

This section provides a weighted overview of the scan, helping organise attention across major body systems before moving into more detailed interpretation.



Overall Scan Score

Relatively Poor

- Very Good (85-100)
- General (70-84)
- Relatively Poor (55-69)
- Very Bad (0-54)

How to read this dashboard

This dashboard provides a weighted clinical overview of the scan. The overall score and body-system cards are not based on a simple count of flagged markers. They are derived from the severity, distribution, and clustering of findings across related sections, with greater weighting given to patterns that may carry broader functional significance.

Each body-system card may include more than one underlying scan section, which is why the totals shown here may differ from the marker counts shown later on individual section pages. In general, lower scores suggest a more active pattern worth reviewing in follow-up, while higher scores suggest a more stable pattern on this dashboard view.

These scores are designed to help organise clinical attention. They are not a diagnosis and should always be interpreted alongside symptoms, history, and appropriate clinical assessment.

Cardiovascular



17 flagged · 12 within range

Includes: Cardiovascular function, Circulation (pulse dynamics), Blood lipids

Respiratory



6 flagged · 2 within range

Includes: Lung function, Respiratory function

Musculoskeletal



29 flagged · 23 within range

Includes: Bone health, Bone mineral density, Joint inflammation, Bone remodelling, Connective tissue, Structural circulation

Skin & Barrier



13 flagged · 5 within range

Includes: Skin integrity, Ocular surface

Digestive



7 flagged · 12 within range

Includes: Gastrointestinal function, Large intestine function, Liver function, Gallbladder function

Immune & Inflammatory



18 flagged · 21 within range

Includes: Immune function, Toxin load, Heavy metal burden, Allergy response, Immune resilience

Metabolic



37 flagged · 34 within range

Includes: Pancreatic function, Blood sugar regulation, Trace mineral status, Vitamin status, Amino acid status, Coenzyme status, Essential fatty acid status, Metabolic function, Lipid transport support, Fat metabolism

Endocrine & Hormonal



13 flagged · 18 within range

Includes: Endocrine regulation, Thyroid function, Female reproductive health, Breast health, Menstrual health, Female hormonal balance

Other



3 flagged · 2 within range

Neurocognitive



8 flagged · 14 within range

Includes: Brain function, Cognitive function

Renal & Fluid Balance



1 flagged · 3 within range

Includes: Kidney function

Priority overview

Gastrointestinal Function

Priority: Medium priority

Flagged markers: 3

Section score: 59

Bone Disease

Priority: Medium priority

Flagged markers: 7

Section score: 62

Bone Mineral Density

Priority: Medium priority

Flagged markers: 3

Section score: 62

Rheumatoid Bone Disease

Priority: Medium priority

Flagged markers: 3

Section score: 63

Heavy Metal

Priority: Medium priority

Flagged markers: 5

Section score: 63

Human Toxin

Priority: Medium priority

Flagged markers: 2

Section score: 66

Top sections for follow-up

- Gastrointestinal Function
- Bone Disease
- Bone Mineral Density
- Rheumatoid Bone Disease
- Heavy Metal
- Human Toxin

RECOMMENDATIONS

Clinical recommendations

This section translates the scan findings into high-level clinical priorities, showing which functional areas appear most relevant for follow-up support.

Nutrient repletion

Priority should be given to restoring nutrient sufficiency and absorptive capacity.

Why this was suggested: Amino Acid contains 9 flagged markers, led by Tryptophan, Threonine, Lysine.

Inflammation and barrier support

Priority should be given to reducing inflammatory load while strengthening barrier integrity.

Why this was suggested: Skin contains 8 flagged markers, led by Skin Grease Index, Skin Moisture Index, Skin Collagen Index.

Cardiovascular support

Support should focus on vascular resilience, circulation, and wider cardiovascular efficiency.

Why this was suggested: Cardiovascular and Cerebrovascular contains 8 flagged markers, led by Cholesterol Crystal, Vascular Resistance, Vascular Elasticity.

Circulatory and microvascular support

Support should focus on circulation and microvascular delivery.

Why this was suggested: Circulatory and microvascular pathways contains 7 flagged markers, led by Hand Yangming Large Intestine Meridian, Hand Shao Yin Heart Sutra, Foot Tai Yang Bladder Meridian.

RECOMMENDATIONS

Recommended support plan

This section organises suggested support options into a staged plan, combining foundational and targeted measures based on the dominant scan patterns.

Absorption and assimilation strain Support Plan

This plan focuses on addressing the primary functional pattern, starting with foundational support before moving into targeted optimisation.

This plan is organised around reduced digestive and absorptive efficiency, with additional support for toxic-load pressure and barrier-related inflammatory stress.

Phase 1 — Foundation

This phase focuses on core digestive, nutritional, and repair support.

D-FENZ

VitalHealth

Core

Suggested because related findings appear across Cardiovascular and Cerebrovascular, Gastrointestinal Function, Large Intestine Function, and Liver Function.

GLUTATION PLUS+

VitalHealth

Suggested because related findings appear across Breast, Heavy Metal, Human Toxin, and Immune System.

V-CURCUMAX

VitalHealth

Suggested because related findings appear across Allergy, Bone Disease, Gallbladder Function, and Liver Function.

V-DAILY

VitalHealth

Suggested because related findings appear across Amino Acid, Basic Physical Quality, Bone Growth Index, and Bone Mineral Density.

V-OMEGA 3

VitalHealth

Suggested because related findings appear across Bone Growth Index, Brain Nerve, Breast, and Cardiovascular and Cerebrovascular.

Phase 2 — Targeted Support

This phase adds more specific support aligned with the strongest secondary patterns.

V-TE DETOX

VitalHealth

Core

Suggested because related findings appear across Gastrointestinal Function, Heavy Metal, Human Toxin, and Large Intestine Function.

REFERENCE MAPPING

Complete product recommendation mapping

This section lists all products identified through the scan analysis. It includes full mapping across systems and markers to support practitioner review, product selection, and fulfilment planning.

Product	Source	Systems	Key markers
D-FENZ	VitalHealth	Cardiovascular and Cerebrovascular, Gastrointestinal Function, Large Intestine Function, Liver Function	Cholesterol Crystal, Vascular Resistance, Vascular Elasticity, Myocardial Oxygen Consumption, Stroke Volume
GLUTATION PLUS+	VitalHealth	Breast, Heavy Metal, Human Toxin, Immune System	Aluminum, Arsenic, Bile Secretion Function, Cadmium, Electromagnetic Radiation
V-CURCUMAX	VitalHealth	Allergy, Bone Disease, Gallbladder Function, Liver Function	Adhesion Degree of Shoulder Muscle, Arterial Oxygen Content, Bile Secretion Function, Bone Hyperplasia Coefficient, Chemical Sensitivity
V-DAILY	VitalHealth	Amino Acid, Basic Physical Quality, Bone Growth Index, Bone Mineral Density	Appendagitis coefficient, Bags under the eyes, Beta hormone, Bone Mineral Density, Bone alkaline phosphatase
V-OMEGA 3	VitalHealth	Bone Growth Index, Brain Nerve, Breast, Cardiovascular and Cerebrovascular	Appendagitis coefficient, Arachidonic acid, Bags under the eyes, Bone Hyperplasia Coefficient, Bone alkaline phosphatase
V-TE DETOX	VitalHealth	Gastrointestinal Function, Heavy Metal, Human Toxin, Large Intestine Function	Abnormal lipid metabolism coefficient, Aluminum, Arsenic, Bile Secretion Function, Brown adipose tissue abnormalities coefficient

SECTION OVERVIEW

Priority category review

This section presents the most relevant functional categories identified in the scan. These categories have been prioritised based on the number, severity, and clustering of non-optimal markers.

Each category page summarises the strongest findings in that category and highlights the most clinically relevant marker explanations to support efficient interpretation and follow-up planning.

Categories included in this section

- Gastrointestinal Function
- Bone Disease
- Bone Mineral Density
- Rheumatoid Bone Disease
- Heavy Metal
- Human Toxin

Gastrointestinal Function

Medium priority

Priority interpretation

Gastrointestinal Function contains a meaningful cluster of non-optimal markers, enough to warrant interpretation alongside symptoms, history, and related sections.

Moderately and severely abnormal markers are prioritised here for faster clinical reading.

Flagged markers: 3 | Within range: 2 | Section score: 59

Top findings

- Pepsin Secretion Coefficient is moderately reduced
- Gastric Absorption Function Coefficient is moderately reduced
- Small Intestine Peristalsis Function Coefficient is mildly reduced

Priority marker explanations

Pepsin Secretion Coefficient

Result: 57.555 | **Reference range:** 59.847 - 65.234 | Moderately reduced

What this marker means: Reflects gastric proteolytic capacity through pepsin secretion and activation, indicating how effectively the stomach can initiate protein digestion after adequate hydrochloric acid exposure.

Why it matters: Pepsin activity is essential for early-stage protein breakdown, liberation of amino acids, and preparation of nutrients for downstream pancreatic and intestinal digestion. Weak function can contribute to putrefaction, bloating, and poor protein assimilation.

Functional significance: Depends on sufficient gastric acidification, mucosal secretory integrity, vagal stimulation, and coordinated gastric phase digestion. It also influences antigen load reaching the intestine and subsequent immune activation.

Common patterns: Low hydrochloric acid → poor pepsin activation → incomplete protein digestion → intestinal fermentation/putrefaction → dysbiosis, bloating, and increased antigenic burden; this can secondarily increase hepatic detox and immune load.

Your result in this scan: Suggests impaired gastric protein digestion, often associated with hypochlorhydria, mucosal insufficiency, chronic stress, ageing, or reduced vagal tone.

Gastric Absorption Function Coefficient

Result: 29.999 | **Reference range:** 34.367 - 35.642 | **Moderately reduced**

What this marker means: Reflects the stomach's limited but important absorptive and transport role, including handling of water, alcohol, certain medications, and support functions linked to intrinsic factor-dependent B12 assimilation downstream.

Why it matters: Although the stomach is not the primary absorptive organ, impaired gastric mucosal integrity can signal wider dysfunction in secretory and barrier roles that compromise nutrient handling and increase inflammatory sensitivity.

Functional significance: Closely linked to parietal cell function, intrinsic factor production, mucosal integrity, acid secretion, and the quality of transition into duodenal digestion and absorption.

Common patterns: Parietal cell dysfunction → low acid and low intrinsic factor → impaired B12 status → fatigue, neuropathy, and methylation compromise; mucosal injury can also increase sensitivity to reflux, gastritis, and upper GI inflammation.

Your result in this scan: Suggests gastric mucosal compromise, reduced intrinsic factor/parietal cell support, poor secretory integrity, or inflammatory impairment of the gastric lining.

Bone Mineral Density

Medium priority

Priority interpretation

Bone Mineral Density contains a meaningful cluster of non-optimal markers, enough to warrant interpretation alongside symptoms, history, and related sections.

Moderately and severely abnormal markers are prioritised here for faster clinical reading.

Flagged markers: 3 | Within range: 2 | Section score: 62

Top findings

- Degree of Osteoporosis is moderately elevated
- Bone Mineral Density is moderately reduced
- Degree of Bone Hyperplasia is mildly elevated

Priority marker explanations

Degree of Osteoporosis

Result: 0.739 | **Reference range:** 0.124 - 0.453 | Moderately elevated

What this marker means: Reflects extent of bone mineral density reduction and structural fragility.

Why it matters: Osteoporosis increases fracture risk and reflects systemic ageing or imbalance.

Functional significance: Linked to hormonal decline, nutrient deficiency, inflammation, and inactivity.

Common patterns: Oestrogen decline + inflammation + calcium loss -> osteoporosis.

Your result in this scan: Indicates reduced bone density and increased fragility.

Bone Mineral Density

Result: 0.189 | **Reference range:** 0.796 - 0.433 | **Moderately reduced**

What this marker means: Reflects the mineral density and load-bearing strength of bone tissue within the structural system.

Why it matters: Bone mineral density is central to fracture resistance, posture, skeletal reserve, and long-term integrity of the frame.

Functional significance: Depends on calcium-phosphorus balance, vitamin D and K status, parathyroid signalling, collagen matrix quality, and mechanical loading.

Common patterns: Low vitamin D, calcium imbalance, and poor collagen support can reduce bone density; inflammation and endocrine imbalance may worsen quality over time.

Your result in this scan: Suggests reduced skeletal density, weaker mineral reserve, or impaired matrix-mineral integration.

Rheumatoid Bone Disease

Medium priority

Priority interpretation

Rheumatoid Bone Disease contains a meaningful cluster of non-optimal markers, enough to warrant interpretation alongside symptoms, history, and related sections.

Moderately and severely abnormal markers are prioritised here for faster clinical reading.

Flagged markers: 3 | Within range: 2 | Section score: 63

Top findings

- Osteoporosis Coefficient is moderately elevated
- Degree of Lumbar Calcification is moderately elevated
- Bone Hyperplasia Coefficient is mildly elevated

Priority marker explanations

Osteoporosis Coefficient

Result: 6.025 | **Reference range:** 2.019 - 4.721 | Moderately elevated

What this marker means: Composite marker indicating overall bone fragility and density decline.

Why it matters: Provides integrated assessment of skeletal vulnerability.

Functional significance: Linked to endocrine status, mineral balance, and inflammation.

Common patterns: Hormonal imbalance + mineral loss -> bone fragility.

Your result in this scan: Indicates increased fracture risk.

Degree of Lumbar Calcification

Result: 8.321 | **Reference range:** 4.326 - 7.531 | **Moderately elevated**

What this marker means: Reflects calcific degeneration within lumbar structures affecting mobility and nerve function.

Why it matters: Calcification contributes to stiffness and chronic back pain.

Functional significance: Linked to inflammation, mineral imbalance, and degenerative processes.

Common patterns: Chronic inflammation -> calcium deposition in tissues.

Your result in this scan: Indicates degenerative stiffness and impaired mobility.

Heavy Metal

Medium priority

Priority interpretation

Heavy Metal is one of the more active sections in this scan, with multiple flagged markers combining into a broader functional pattern.

Moderately and severely abnormal markers are prioritised here for faster clinical reading.

Flagged markers: 5 | Within range: 3 | Section score: 63

Top findings

- Mercury is moderately elevated
- Lead is moderately elevated
- Cadmium is mildly elevated

Priority marker explanations

Mercury

Result: 0.982 | **Reference range:** 0.013 - 0.336 | Moderately elevated

What this marker means: Reflects mercury burden as a toxic-metal exposure marker with relevance to neurological irritation, immune dysregulation, oxidative stress, and detoxification strain.

Why it matters: Mercury can interfere with sulfhydryl-rich enzymes, disrupt neuronal stability, increase oxidative burden, and challenge immune and mitochondrial resilience.

Functional significance: Closely linked to glutathione systems, selenium balance, nervous-system sensitivity, mitochondrial stress, and cumulative toxic exposure.

Common patterns: Mercury burden + low selenium/glutathione -> greater neuronal and oxidative stress; immune reactivity and fatigue patterns may intensify as detox reserve falls.

Your result in this scan: Indicates increased mercury burden or reduced tolerance to mercury-associated stress, potentially affecting cognition, mood, immune balance, and oxidative defence.

Lead

Result: 1.327 | **Reference range:** 0.052 - 0.643 | **Moderately elevated**

What this marker means: Reflects lead burden as a toxic-metal exposure marker relevant to neurological stress, haematologic interference, mitochondrial impairment, and long-term detox burden.

Why it matters: Lead can disrupt nervous-system function, impair haem-related processes, increase oxidative stress, and reduce developmental and cognitive resilience.

Functional significance: Linked to glutathione demand, mineral competition, neurological function, blood formation, detoxification capacity, and cumulative environmental exposure.

Common patterns: Lead burden -> oxidative stress + mineral displacement + neuronal strain -> fatigue, cognitive fog, irritability, and reduced detox reserve.

Your result in this scan: Indicates increased lead exposure burden or lower tolerance to lead-related toxicity, often associated with neurocognitive, haematologic, or oxidative stress patterns.

Human Toxin

Medium priority

Priority interpretation

Human Toxin contains a meaningful cluster of non-optimal markers, enough to warrant interpretation alongside symptoms, history, and related sections.

Moderately and severely abnormal markers are prioritised here for faster clinical reading.

Flagged markers: 2 | Within range: 2 | Section score: 66

Top findings

- Toxic Pesticide Residue is moderately elevated
- Electromagnetic Radiation is mildly elevated

Priority marker explanations

Toxic Pesticide Residue

Result: 0.448 | **Reference range:** 0.013 - 0.313 | Moderately elevated

What this marker means: Reflects burden associated with pesticide-type toxic exposure, suggesting environmental chemical load requiring hepatic and antioxidant clearance support.

Why it matters: Pesticide burden can increase detoxification demand, oxidative stress, endocrine disruption risk, and cumulative toxic load that affects neurological, immune, and metabolic resilience.

Functional significance: Linked to liver Phase I and Phase II detoxification, glutathione reserve, endocrine sensitivity, mitochondrial function, and cumulative environmental exposure history.

Common patterns: Pesticide load -> higher hepatic detox demand + glutathione usage -> oxidative stress and endocrine strain; gut and nervous-system symptoms may rise as tolerance falls.

Your result in this scan: Indicates increased toxic residue burden or reduced tolerance to pesticide exposure, often associated with higher detox demand, oxidative stress, or endocrine sensitivity.

DEDICATED SUMMARY

Body Composition & Metabolic Profile

This section summarises QRMA-derived body composition and metabolic profile indicators, including hydration, lean tissue, adiposity, and weight-related measures.

Within range

QRMA category: Element of Human

Section interpretation

This section summarises QRMA-derived body composition and metabolic profile indicators, including hydration, lean tissue, adiposity, and weight-related measures. Body fat percentage appears broadly reasonable for the profile shown. Basal metabolic rate appears relatively low for body size on this scan. Where QRMA terminology is unconventional, clinically clearer labels are shown while preserving the original category reference.

- Hydration markers appear broadly balanced, without an obvious fluid-distribution concern on this page.
- Body fat percentage sits in a broadly reasonable range for a female profile.
- Body mass index is in the low range, which may reflect reduced reserve, underweight tendency, or mismatch between intake and tissue needs.
- Basal metabolic rate appears relatively low for body size, which may fit with lower metabolic activity, reduced lean tissue demand, ageing, or endocrine slowing.
- Lean-tissue mass remains proportionally stronger than fat mass, which is generally a favourable structural pattern.
- Current weight sits materially above the QRMA target-weight estimate, so weight-related metrics should be interpreted alongside metabolic and inflammatory findings.

This section presents body-composition findings in a dedicated summary layout so the scan is easier to review clinically.

Fluid & Hydration

Intracellular fluid (QRMA)	10.1
Extracellular fluid (QRMA)	5.2

Lean Tissue & Structural Mass

Protein mass (QRMA)	3.99
Mineral mass (QRMA)	14.35
Muscle mass / muscle volume	19.2Kg
Body cell mass (BCM)	14.07 Kg
Muscle mass change target	10.5 Kg

Adiposity & Fat Distribution

Body fat mass (QRMA)	7.5
Body fat mass	7.5Kg
Body fat percentage	18.2%
Abdominal fat ratio	0.71
Fat mass change target	8.6 Kg

Weight & Metabolic Indicators

Height	175cm
Body weight	70kg
Obesity degree of body (QRMA)	68%
Body mass index (BMI)	14.2 kg/m²
Basal metabolic rate (BMR)	1013 kcal/day
Target weight	60 Kg
Weight change target	60 Kg

Other QRMA Body Composition Indices

Body shape / form assessment	54 Standard

TECHNICAL REFERENCE

Complete system marker tables

This section includes every parsed system and every marker across the report, including those within range, as the full explained reference layer.

Cardiovascular and Cerebrovascular

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 8 | Within range: 7

Marker	Reference range	Value	Status	Visual	Meaning
Blood Viscosity	48.264 - 65.371	55.396	Within range		Reflects the thickness and flow resistance of blood, indicating how efficiently it can move through vessels and deliver oxygen and nutrients to tissues.
Cholesterol Crystal	56.749 - 67.522	72.495	Moderately elevated		Reflects altered cholesterol handling and a tendency toward less soluble or more atherogenic lipid states within circulation.
Blood Fat	0.481 - 1.043	0.552	Within range		Reflects the circulating fat burden within blood, indicating how effectively lipids are being transported, cleared, and metabolically handled.
Vascular Resistance	0.327 - 0.937	1.365	Mildly elevated		Reflects the resistance encountered by blood as it moves through the vascular tree, indicating vessel tone, flexibility, and microvascular openness.
Vascular Elasticity	1.672 - 1.978	1.527	Mildly reduced		Reflects the compliance and recoil capacity of blood vessels, indicating how well vascular connective tissue can expand and return without excessive stiffness.
Myocardial Blood Demand	0.192 - 0.412	0.338	Within range		Reflects the oxygen and nutrient demand placed on cardiac muscle tissue during its workload.
Myocardial Perfusion	4.832 - 5.147	5.008	Within range		Reflects the adequacy of blood flow reaching cardiac muscle tissue, indicating how well the myocardium is being nourished and oxygenated.

Marker	Reference range	Value	Status	Visual	Meaning
Myocardial Oxygen Consumption	3.321 - 4.244	5.67	**Mildly elevated**		Reflects the oxygen utilisation requirement of heart muscle tissue during its pumping activity.
Stroke Volume	1.338 - 1.672	0.916	**Mildly reduced**		Reflects the volume of blood ejected by the heart with each beat, indicating pumping efficiency and circulatory support capacity.
LV Ejection Impedance	0.669 - 1.544	1.911	**Mildly elevated**		Reflects the resistance faced by the left ventricle when ejecting blood into the arterial system, indicating afterload-related strain.
LV Pump Power	1.554 - 1.988	1.263	**Mildly reduced**		Reflects the effective mechanical power generated by the left ventricle to sustain forward blood flow into systemic circulation.
Coronary Artery Elasticity	1.553 - 2.187	1.261	**Mildly reduced**		Reflects the structural flexibility and recoil quality of coronary arterial tissue supplying the heart muscle.
Coronary Perfusion Pressure	11.719 - 18.418	13.418	**Within range**		Reflects the pressure gradient driving blood flow through the coronary circulation to nourish heart muscle tissue.
Cerebral Blood Vessel Elasticity	0.708 - 1.942	1.769	**Within range**		Reflects the compliance and recoil of cerebral vessels, indicating how well connective tissue within brain circulation can adapt to flow and pressure changes.
Brain Tissue Blood Supply Status	6.138 - 21.396	12.521	**Within range**		Reflects the adequacy of cerebral perfusion reaching brain tissue, indicating how well oxygen and nutrients are being delivered to support neural metabolism.

Gastrointestinal Function

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 3 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Pepsin Secretion Coefficient	59.847 - 65.234	57.555	**Moderately reduced**		Reflects gastric proteolytic capacity through pepsin secretion and activation, indicating how effectively the stomach can initiate protein digestion after adequate hydrochloric acid exposure.
Gastric Peristalsis Function Coefficient	58.425 - 61.213	59.311	**Within range**		Reflects the motor efficiency of the stomach, including churning, mixing, and regulated emptying of gastric contents into the duodenum.
Gastric Absorption Function Coefficient	34.367 - 35.642	29.999	**Moderately reduced**		Reflects the stomach's limited but important absorptive and transport role, including handling of water, alcohol, certain medications, and support functions linked to intrinsic factor-dependent B12 assimilation downstream.
Small Intestine Motility	133.437 - 140.476	131.781	**Mildly reduced**		Reflects coordinated small bowel motility, including segmental mixing and propulsive movement required for digestion, nutrient contact, and microbial regulation.
Small Intestine Absorption	3.572 - 6.483	4.76	**Within range**		Reflects absorptive efficiency of the small intestine across macronutrients, micronutrients, electrolytes, and water-soluble compounds, indicating the functional quality of villous and mucosal transport processes.

Large Intestine Function

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 2 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Colon Motility	4.572 - 6.483	4.829	**Within range**		Reflects colonic motility and propulsive function, including transit dynamics required for stool formation, waste movement, and timely elimination.
Colon Absorption	2.946 - 3.815	1.327	**Moderately reduced**		Reflects absorptive activity of the colon, particularly water, electrolytes, and microbiome-derived metabolites such as short-chain fatty acids.
Gut Microbiome	1.734 - 2.621	1.391	**Mildly reduced**		Reflects the functional state and relative balance of intestinal microbial ecology, including commensal support, fermentative activity, and microbial pressure within the gut lumen.
Intraluminal pressure coefficient	1.173 - 2.297	2.107	**Within range**		Reflects pressure dynamics within the intestinal lumen, influenced by gas production, motility coordination, stool transit, muscular tone, and bowel distension patterns.

Liver Function

Low priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 1 | Within range: 4

Marker	Reference range	Value	Status	Visual	Meaning
Protein Metabolism	116.34 - 220.621	148.39	Within range		Represents the liver's role in processing, transforming, and regulating amino acid metabolism and nitrogen balance.
Energy Production Function	0.713 - 0.992	0.898	Within range		Reflects hepatic contribution to systemic energy production through glucose regulation, glycogen storage, and metabolic processing.
Detoxification Function	0.202 - 0.991	0.847	Within range		Represents the liver's integrated capacity to process and eliminate endogenous and exogenous toxins.
Bile Secretion Function	0.432 - 0.826	0.394	Mildly reduced		Reflects the liver's ability to produce and regulate bile flow for digestion and elimination.
Liver Fat Content	0.097 - 0.419	0.23	Within range		Represents the degree of lipid accumulation within hepatic tissue.

Gallbladder Function

Low priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 1 | Within range: 4

Marker	Reference range	Value	Status	Visual	Meaning
Serum Globulin (A/G)	126 - 159	143.5	Within range		Reflects the albumin-to-globulin relationship within the source gallbladder-bile-flow cluster, functioning as a broad marker of protein balance, hepatic synthetic context, immune burden, and chronic inflammatory load rather than a bile-specific analyte alone.
Total Bilirubin (TBIL)	0.232 - 0.686	0.301	Within range		Reflects total bilirubin burden across conjugated and unconjugated fractions, indicating the liver's handling of haem breakdown products and the effectiveness of bile-dependent excretion pathways.
Alkaline Phosphatase (ALP)	0.082 - 0.342	0.194	Within range		Reflects alkaline phosphatase activity, a marker especially relevant to cholestatic stress, bile-duct irritation, and hepatobiliary drainage resistance, while also requiring distinction from bone-derived ALP sources.
Serum Total Bile Acid (TBA	0.317 - 0.695	0.715	Mildly elevated		Reflects the circulating burden of bile acids, indicating how effectively the liver synthesises, secretes, recycles, and clears bile within the enterohepatic system.
Bilirubin (DBIL)	0.218 - 0.549	0.448	Within range		Reflects direct (conjugated) bilirubin, indicating the fraction that has already been processed by the liver and is awaiting effective excretion through bile pathways.

Pancreatic Function

Within range

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 0 | Within range: 3

Marker	Reference range	Value	Status	Visual	Meaning
Insulin	2.845 - 4.017	3.45	**Within range**		Reflects insulin output within the pancreatic endocrine axis, indicating beta-cell signalling involved in glucose uptake, blood-sugar regulation, and anabolic storage physiology.
Pancreatic Polypeptide (PP)	3.210 - 6.854	5.749	**Within range**		Reflects pancreatic polypeptide signalling, a regulatory peptide involved in pancreatic secretory balance, gastrointestinal signalling, appetite modulation, and autonomic-pancreatic coordination.
Glucagon	2.412 - 2.974	2.721	**Within range**		Reflects glucagon output within the pancreatic alpha-cell axis, indicating counter-regulatory signalling that raises blood glucose during fasting or increased energy demand.

Kidney Function

Low priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 1 | Within range: 3

Marker	Reference range	Value	Status	Visual	Meaning
Urobilinogen Index	2.762 - 5.424	4.98	Within range		Reflects the burden of urobilinogen within the renal-urinary context, indicating downstream handling of bilirubin metabolism and possible interaction between liver processing, gut conversion, and urinary excretion.
Uric acid Index	1.435 - 1.987	1.753	Within range		Reflects uric-acid burden within renal handling, indicating purine metabolism load and the kidney's role in excreting this metabolic end product.
BUN	4.725 - 8.631	8.305	Within range		Reflects the blood burden of urea nitrogen as a marker of protein-waste handling across the liver-kidney axis, especially renal excretion of nitrogenous end products.
Proteinuria Index	1.571 - 4.079	5.002	Mildly elevated		Reflects urinary protein leakage, indicating compromise of the renal filtration barrier or altered glomerular permeability within the kidney axis.

Lung Function

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 3 | Within range: 1

Marker	Reference range	Value	Status	Visual	Meaning
Vital Capacity	3348 - 3529	3316.903	Mildly reduced		Reflects the maximal volume of air that can be exhaled after a full inhalation, providing a functional measure of lung expansion, ventilatory reserve, and chest-wall-respiratory muscle capacity.
Total Lung Capacity	4301 - 4782	4300.651	Mildly reduced		Reflects the total volume of air the lungs can contain at maximal inflation, indicating the overall size and expansion capacity of the pulmonary-thoracic system.
Airway Resistance	1.374 - 1.709	1.583	Within range		Reflects the degree of opposition to airflow through the bronchial tree, indicating how easily air can move through the conducting airways.
Arterial Oxygen Content	17.903 - 21.012	16.501	Mildly reduced		Reflects a source-label gas-exchange marker best interpreted cautiously as arterial blood-gas balance, with the PaCO2 label pointing more directly to carbon-dioxide handling and ventilatory adequacy than to oxygen content.

Brain Nerve

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 2 | Within range: 3

Marker	Reference range	Value	Status	Visual	Meaning
Brain Tissue Blood Supply	143.37 - 210.81	205.13	**Within range**		Reflects adequacy of cerebral perfusion to brain tissue, including microvascular blood flow, oxygen delivery, and nutrient availability required for neuronal metabolism.
Cerebral Arteriosclerosis	0.103 - 0.642	0.224	**Within range**		Reflects structural and functional hardening of cerebral vessels, indicating reduced arterial compliance, impaired endothelial regulation, and higher cerebrovascular resistance.
Cranial Nerve Function	0.253 - 0.659	0.235	**Mildly reduced**		Reflects the functional integrity of cranial nerve signalling involved in sensory processing, autonomic regulation, facial motor function, swallowing, vestibular balance, and vagal communication.
Sentiment Index	0.109 - 0.351	0.254	**Within range**		Reflects functional emotional regulation capacity, incorporating neurochemical balance, limbic system tone, and stress-related affective responsiveness.
Memory	0.442 - 0.817	0.224	**Moderately reduced**		Reflects the capacity for encoding, consolidation, and recall of information within the source cognitive-performance framework.

Bone Disease

Within range

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 0 | Within range: 7

Marker	Reference range	Value	Status	Visual	Meaning
Name: Jane Bloggs		Sex: Female	Unclear		This marker is one of the scan indicators used by the analyser to build a functional picture of this section.
Tin		Figure: 175cm, 70kg	Unclear		Reflects exposure to tin and trace biological impact.
Figure: 175cm, 70kg		Testing Time: 29/03/2026 11:19	Unclear		This marker is one of the scan indicators used by the analyser to build a functional picture of this section.
Lumbar Fiber Protruding Dimension		No Direction	Unclear		Indicates structural deformation of intervertebral disc fibres within the lumbar spine, reflecting loss of disc integrity and altered load distribution.
Adhesion Degree of Shoulder Muscle		< u 0.2	Unclear		Reflects fibrotic adhesion and reduced glide between muscle and fascial layers in the shoulder complex.
Limbs Circulation Limit		+	Unclear		Represents reduced peripheral blood flow affecting limbs, impacting oxygen and nutrient delivery.
Age of Ligament		10%-40%	Unclear		Reflects the functional ageing state of ligament tissue, indicating the degree of connective tissue resilience, elasticity, and structural wear within supportive joint tissues.

Bone Mineral Density

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 3 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Osteoclast Coefficient	86.73 - 180.97	129.922	**Within range**		Reflects activity of osteoclasts responsible for bone resorption in bone remodelling.
Amount of Calcium Loss	0.209 - 0.751	0.444	**Within range**		Represents net calcium loss from bone stores, reflecting mineral depletion.
Degree of Bone Hyperplasia	0.046 - 0.167	0.374	**Mildly elevated**		Reflects the extent of reactive or excessive bone overgrowth within skeletal tissue.
Degree of Osteoporosis	0.124 - 0.453	0.739	**Moderately elevated**		Reflects extent of bone mineral density reduction and structural fragility.
Bone Mineral Density	0.796 - 0.433	0.189	**Moderately reduced**		Reflects the mineral density and load-bearing strength of bone tissue within the structural system.

Rheumatoid Bone Disease

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 3 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Degree of Cervical Calcification	421 - 490	488.719	**Within range**		Represents calcification deposits in cervical spine tissues, indicating chronic degeneration.
Degree of Lumbar Calcification	4.326 - 7.531	8.321	**Moderately elevated**		Reflects calcific degeneration within lumbar structures affecting mobility and nerve function.
Bone Hyperplasia Coefficient	2.954 - 5.543	6.071	**Mildly elevated**		Reflects a quantified tendency toward reactive bone proliferation and compensatory overgrowth within skeletal structures.
Osteoporosis Coefficient	2.019 - 4.721	6.025	**Moderately elevated**		Composite marker indicating overall bone fragility and density decline.
Rheumatism Coefficient	4.023 - 11.627	8.541	**Within range**		Reflects connective tissue and joint inflammatory burden associated with rheumatic-type patterns affecting movement and periarticular tissues.

Bone Growth Index

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 3 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Bone alkaline phosphatase	0.433 - 0.796	0.202	**Moderately reduced**		Reflects osteoblastic activity and bone formation dynamics, indicating the degree of active skeletal matrix building and mineralisation support.
Osteocalcin	0.525 - 0.817	0.392	**Moderately reduced**		Reflects osteoblast-derived bone matrix activity and mineralisation signalling, with additional relevance to glucose and metabolic cross-talk.
Status of long bone healing	0.713 - 0.992	0.684	**Mildly reduced**		Reflects the efficiency of repair and recovery processes within long bone tissue after structural stress or injury.
Short bone cartilage healing situation	0.202 - 0.991	0.367	**Within range**		Reflects healing and recovery quality within cartilage and short-bone associated supportive structures.
Epiphyseal line	0.432 - 0.826	0.648	**Within range**		Reflects growth plate activity and skeletal maturation status.

Blood Sugar

Within range

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 0 | Within range: 3

Marker	Reference range	Value	Status	Visual	Meaning
Coefficient of Insulin Secretion	2.967 - 3.528	2.979	Within range		Reflects the responsiveness of pancreatic beta cells in secreting insulin relative to glucose exposure and metabolic demand.
Blood Sugar Coefficient	2.163 - 7.321	5.992	Within range		Represents the overall balance of circulating glucose levels relative to metabolic demand and regulatory control.
Urine Sugar Coefficient	2.204 - 2.819	2.659	Within range		Reflects the presence of glucose excretion via urine, indicating overflow beyond renal reabsorption thresholds.

Trace Element

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 6 | Within range: 13

Marker	Reference range	Value	Status	Visual	Meaning
Calcium	1.219 - 3.021	3.001	Within range		Represents calcium status within the body, reflecting its availability for structural, neuromuscular, and signalling functions.
Iron	1.151 - 1.847	0.918	Mildly reduced		Reflects systemic iron status and availability for oxygen transport, enzymatic activity, and mitochondrial function.
Zinc	1.143 - 1.989	1.025	Mildly reduced		Represents zinc status, a critical cofactor in enzymatic activity, immune regulation, and cellular repair.
Selenium	0.847 - 2.045	0.783	Mildly reduced		Reflects selenium availability for antioxidant systems and thyroid hormone metabolism.
Phosphorus	1.195 - 2.134	1.155	Mildly reduced		Represents phosphorus status, essential for energy metabolism and cellular structure.
Potassium	0.689 - 0.987	0.568	Mildly reduced		Reflects potassium balance influencing cellular electrical activity and fluid balance.
Magnesium	0.568 - 0.992	0.782	Within range		Represents magnesium status, essential for enzymatic activity and neuromuscular stability.
Copper	0.474 - 0.749	0.471	Mildly reduced		Reflects copper balance involved in redox activity and connective tissue formation.
Cobalt	2.326 - 5.531	5.054	Within range		Represents cobalt status, linked to vitamin B12 structure and function.
Manganese	0.497 - 0.879	0.637	Within range		Reflects manganese status for enzymatic and antioxidant functions.
Iodine	1.421 - 5.490	1.84	Within range		Represents iodine availability for thyroid hormone production.

Marker	Reference range	Value	Status	Visual	Meaning
Nickel	2.462 - 5.753	2.477	Within range		Reflects nickel exposure and trace biological role.
Fluorine	1.954 - 4.543	2.943	Within range		Represents fluorine exposure influencing bone and dental health.
Molybdenum	0.938 - 1.712	1.71	Within range		Reflects molybdenum status in enzymatic detox pathways.
Vanadium	1.019 - 3.721	1.05	Within range		Represents vanadium involvement in glucose and lipid metabolism.
Tin	1.023 - 7.627	5.283	Within range		Reflects exposure to tin and trace biological impact.
Silicon	1.425 - 5.872	1.581	Within range		Represents silicon role in connective tissue and bone health.
Strontium	1.142 - 5.862	5.353	Within range		Represents strontium status related to bone mineralisation and structural integrity.
Boron	1.124 - 3.453	2.623	Within range		Reflects boron-related support for bone-mineral metabolism, steroid hormone balance, membrane signalling, and inflammatory regulation.

Vitamin

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 6 | Within range: 4

Marker	Reference range	Value	Status	Visual	Meaning
Vitamin A	0.346 - 0.401	0.341	Mildly reduced		Reflects retinoid status relevant to epithelial integrity, immune signalling, vision pathways, and gene expression regulation.
Vitamin B1	2.124 - 4.192	2.047	Mildly reduced		Reflects thiamine availability required for carbohydrate metabolism, pyruvate dehydrogenase activity, nerve conduction, and mitochondrial ATP production.
Vitamin B2	1.549 - 2.213	1.654	Within range		Reflects riboflavin availability required for FAD/FMN-dependent redox reactions in mitochondrial respiration, detoxification, and fatty acid metabolism.
Vitamin B3	14.477 - 21.348	20.017	Within range		Reflects niacin-related status relevant to NAD and NADP-dependent redox chemistry, mitochondrial energy transfer, DNA repair, and lipid metabolism.
Vitamin B6	0.824 - 1.942	1.725	Within range		Reflects pyridoxine-dependent cofactor status required for amino acid metabolism, neurotransmitter synthesis, glycogen phosphorylase activity, and homocysteine regulation.
Vitamin B12	6.428 - 21.396	5.632	Mildly reduced		Reflects cobalamin-related status required for methylation, red blood cell production, myelin integrity, homocysteine regulation, and mitochondrial support.
Vitamin C	4.543 - 5.023	3.525	Moderately reduced		Reflects ascorbate status required for collagen synthesis, antioxidant defence, immune activity, and adrenal support.

Marker	Reference range	Value	Status	Visual	Meaning
Vitamin D3	5.327 - 7.109	5.298	**Mildly reduced**		Reflects vitamin D status relevant to calcium regulation, immune modulation, gene expression, and endocrine signalling.
Vitamin E	4.826 - 6.013	4.85	**Within range**		Reflects lipid-soluble antioxidant status protecting membranes from oxidative damage.
Vitamin K	0.717 - 1.486	0.555	**Mildly reduced**		Reflects vitamin K status involved in blood clotting, calcium regulation, and bone metabolism.

Amino Acid

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 9 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Lysine	0.962 - 1.213	0.942	Mildly reduced		Reflects lysine availability, an essential amino acid critical for protein synthesis, collagen formation, immune modulation, and calcium metabolism.
Tryptophan	4.978 - 6.289	2.802	Moderately reduced		Reflects tryptophan availability, a precursor for serotonin, melatonin, and kynurenine pathway metabolites.
Phenylalanine	1.928 - 2.491	1.822	Mildly reduced		Reflects phenylalanine availability, a precursor to tyrosine and downstream catecholamines.
Methionine	1.245 - 1.637	1.22	Mildly reduced		Reflects methionine availability, a key methyl donor involved in detoxification and epigenetic regulation.
Threonine	1.194 - 1.685	0.734	Moderately reduced		Reflects threonine status, important for protein synthesis and mucosal integrity.
Isoleucine	4.582 - 5.657	3.664	Mildly reduced		Reflects isoleucine status, a branched-chain amino acid (BCAA) involved in energy metabolism and muscle repair.
Leucine	6.982 - 9.256	9.16	Within range		Reflects leucine status, a key BCAA regulating muscle protein synthesis via mTOR signalling.
Valine	6.982 - 9.677	5.6	Mildly reduced		Reflects valine status, a BCAA involved in energy provision and muscle metabolism.
Histidine	5.113 - 6.258	4.237	Mildly reduced		Reflects histidine status, involved in haemoglobin structure and histamine production.

Marker	Reference range	Value	Status	Visual	Meaning
Arginine	1.812 - 2.337	2.106	**Within range**		Reflects arginine status, a semi-essential amino acid involved in nitric oxide production and vascular function.
Homocysteine	0.983 - 1.265	0.885	**Mildly reduced**		Reflects homocysteine levels, a key intermediate in methylation and cardiovascular risk pathways.

Coenzyme

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 3 | Within range: 3

Marker	Reference range	Value	Status	Visual	Meaning
Nicotinamide	2.074 - 3.309	2.431	Within range		Reflects NAD precursor status supporting redox reactions and energy metabolism.
Biotin	1.833 - 2.979	2.164	Within range		Reflects biotin status required for fatty acid metabolism and glucose regulation.
Pantothenic acid	1.116 - 2.101	0.773	Moderately reduced		Reflects vitamin B5 status required for CoA synthesis and energy metabolism.
Folic acid	1.449 - 2.246	1.598	Within range		Reflects folate status required for methylation and DNA synthesis.
Coenzyme Q10	0.831 - 1.588	0.663	Mildly reduced		Reflects availability of CoQ10, a key electron transport cofactor in the mitochondrial inner membrane required for oxidative phosphorylation and cellular antioxidant protection.
Glutathione	0.726 - 1.281	0.484	Mildly reduced		Reflects glutathione status as a master antioxidant and detox molecule.

Essential Fatty Acid

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 4 | Within range: 0

Marker	Reference range	Value	Status	Visual	Meaning
Linoleic acid	0.642 - 0.985	0.399	Mildly reduced		Reflects linoleic-acid status as a key omega-6 essential fatty acid involved in membrane structure, epidermal barrier integrity, and eicosanoid precursor balance.
α-Linolenic acid	0.814 - 1.202	0.54	Mildly reduced		Reflects alpha-linolenic-acid availability as a plant-derived omega-3 essential fatty acid supporting membrane fluidity, inflammatory modulation, and precursor input into longer-chain omega-3 pathways.
γ-Linolenic acid	0.921 - 1.334	0.681	Mildly reduced		Reflects gamma-linolenic-acid related functional support within omega-6 metabolism, relevant to membrane signalling, skin integrity, and downstream eicosanoid balance.
Arachidonic acid	0.661 - 0.808	0.601	Mildly reduced		Reflects arachidonic-acid status as a membrane-bound omega-6 fatty acid involved in cell signalling and the generation of multiple inflammatory and regulatory eicosanoids.

Endocrine System

Low priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 1 | Within range: 6

Marker	Reference range	Value	Status	Visual	Meaning
Thyroid secretion index	2.954 - 5.543	3.852	Within range		Reflects thyroid gland secretory output, including synthesis and release of thyroxine (T4) and triiodothyronine (T3) under TSH regulation, alongside iodine handling and glandular responsiveness.
Parathyroid hormone secretion index	2.845 - 4.017	4.005	Within range		Reflects parathyroid hormone regulatory activity involved in calcium-phosphorus homeostasis, vitamin D coordination, and bone-mineral signalling.
Adrenal glands Index	2.412 - 2.974	2.752	Within range		Reflects adrenal gland output and reserve, including cortisol, catecholamine, and DHEA-related stress adaptation under hypothalamic-pituitary-adrenal axis control.
Pituitary secretion index	2.163 - 7.34	3.013	Within range		Reflects pituitary secretory signalling across trophic hormones such as TSH, ACTH, LH, FSH, prolactin, and growth-hormone-related regulation.
Pineal secretion index	3.210 - 6.854	4.684	Within range		Reflects pineal gland activity and melatonin-related circadian signalling.
Thymus gland secretion index	2.967 - 3.528	3.244	Within range		Reflects thymic regulatory activity associated with immune maturation, T-cell education, and endocrine-immune interaction within the neuroendocrine network.
Gland secretion index	2.204 - 2.819	1.966	Mildly reduced		Reflects generalised endocrine gland secretory performance across integrated glandular networks, providing a broad view of overall endocrine signalling tone.

Immune System

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 2 | Within range: 7

Marker	Reference range	Value	Status	Visual	Meaning
Lymph node Index	133.437 - 140.47	140.738	Mildly elevated		Reflects lymph node functional activity within immune surveillance, antigen presentation, lymph filtration, and adaptive immune coordination.
Tonsil immune Index	0.124 - 0.453	0.381	Within range		Reflects tonsillar immune activity as part of upper airway mucosal defence, immune sampling, and early response to inhaled or ingested antigens.
Bone marrow Index	0.146 - 3.218	1.635	Within range		Reflects bone marrow contribution to haematopoiesis and immune cell production, including the generation of white blood cells and immune progenitor activity.
Spleen index	34.367 - 35.642	35.361	Within range		Reflects splenic immune and filtration activity, including blood surveillance, immune cell storage, removal of damaged cells, and response to circulating antigenic burden.
Thymus index	58.425 - 61.213	60.023	Within range		Reflects thymic contribution to T-cell maturation, immune tolerance, and adaptive immune education.
Immunoglobulin index	3.712 - 6.981	4.78	Within range		Reflects humoral immune activity through immunoglobulin production and antibody-mediated defence capacity.
Respiratory Immunity	3.241 - 9.814	7.468	Within range		Reflects immune competence within the respiratory tract, including airway mucosal defence, pathogen response, and inflammatory tolerance in the lungs and upper airways.

Marker	Reference range	Value	Status	Visual	Meaning
GI Immunity	0.638 - 1.712	0.525	**Mildly reduced**		Reflects immune activity associated with the gut-associated lymphoid tissue (GALT), mucosal barrier defence, and immune tolerance within the gastrointestinal tract.
Mucosal Immunity	4.111 - 18.741	6.229	**Within range**		Reflects integrated mucosal immune defence across barrier tissues, including secretory immune activity, epithelial protection, and tolerance to environmental and dietary exposures.

Thyroid

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 2 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
FT4	0.103 - 0.316	0.475	**Mildly elevated**		Represents circulating levels of thyroxine available for peripheral conversion into active thyroid hormone (T3).
Thyroglobulin	0.114 - 0.202	0.15	**Within range**		Reflects the protein precursor used in thyroid hormone synthesis within the thyroid gland.
Thyroglobulin	0.421 - 0.734	0.33	**Mildly reduced**		Reflects the protein precursor used in thyroid hormone synthesis within the thyroid gland.
T3	0.161 - 0.308	0.188	**Within range**		Represents levels of active thyroid hormone responsible for metabolic activation at cellular level.

Human Toxin

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 2 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Stimulating Beverage	0.209 - 0.751	0.719	**Within range**		Reflects physiological burden associated with stimulant-beverage exposure, especially caffeine-type intake that can influence adrenal output, autonomic tone, sleep quality, and vascular reactivity.
Electromagnetic Radiation	0.046 - 0.167	0.44	**Mildly elevated**		Reflects potential physiological stress associated with electromagnetic exposure, interpreted here as an environmental-load marker rather than a standalone diagnostic measure.
Free Radical	0.124 - 0.453	0.343	**Within range**		Reflects oxidative free-radical burden and the degree to which reactive species may be exceeding antioxidant buffering capacity.
Toxic Pesticide Residue	0.013 - 0.313	0.448	**Moderately elevated**		Reflects burden associated with pesticide-type toxic exposure, suggesting environmental chemical load requiring hepatic and antioxidant clearance support.

Heavy Metal

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 5 | Within range: 3

Marker	Reference range	Value	Status	Visual	Meaning
Lead	0.052 - 0.643	1.327	Moderately elevated		Reflects lead burden as a toxic-metal exposure marker relevant to neurological stress, haematologic interference, mitochondrial impairment, and long-term detox burden.
Mercury	0.013 - 0.336	0.982	Moderately elevated		Reflects mercury burden as a toxic-metal exposure marker with relevance to neurological irritation, immune dysregulation, oxidative stress, and detoxification strain.
Cadmium	0.527 - 1.523	1.651	Mildly elevated		Reflects cadmium burden as a toxic-metal exposure marker associated with oxidative damage, kidney stress, and competition with essential minerals such as zinc.
Chromium	0.176 - 1.183	0.629	Within range		Reflects chromium burden in this context as an exposure-related heavy-metal marker rather than the nutritional trivalent chromium used in glucose metabolism.
Arsenic	0.153 - 0.621	0.875	Mildly elevated		Reflects arsenic burden as a toxic-metal and toxicoid exposure marker relevant to detoxification stress, vascular effects, mitochondrial dysfunction, and skin or nerve irritation.
Antimony	0.162 - 0.412	0.264	Within range		Reflects antimony burden as a toxic-metal exposure marker associated with environmental or occupational load and increased detoxification demand.
Thallium	0.182 - 0.542	0.19	Within range		Reflects thallium burden as a highly concerning toxic-metal

Marker	Reference range	Value	Status	Visual	Meaning
					exposure marker relevant to neurological, gastrointestinal, and mitochondrial stress.
Aluminum	0.192 - 0.412	0.457	**Mildly elevated**		Reflects aluminium burden as a toxic-metal exposure marker relevant to neurological stress, bone-mineral interference, and cumulative detoxification demand.

Basic Physical Quality

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 3 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Response Ability	59.786 - 65.424	61.5	Within range		Reflects the body's general capacity to perceive, adapt to, and recover from internal or external stressors, functioning as a broad resilience marker rather than a single organ-specific measure.
Mental Power	58.715 - 63.213	56.95	Mildly reduced		Reflects perceived neurocognitive drive and mental stamina, including sustained attention, executive energy, and resistance to cognitive fatigue.
Water Shortage	33.967 - 37.642	33.868	Mildly reduced		Reflects dehydration burden or reduced effective body-water availability, indicating that tissue hydration and fluid distribution may be insufficient for optimal physiological function.
Hypoxia	133.642 - 141.476	130.932	Mildly reduced		Reflects reduced oxygen availability at the tissue level, indicating a functional mismatch between oxygen demand and delivery or utilisation.
PH	3.156 - 3.694	3.231	Within range		Reflects overall acid-base tendency within the source framework, functioning as a broad indicator of systemic buffering balance rather than a standalone compartment-specific laboratory pH value.

Allergy

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 8 | Within range: 5

Marker	Reference range	Value	Status	Visual	Meaning
Drug Sensitivity	0.431 - 1.329	0.713	Within range		Reflects hypersensitivity tendency to pharmaceutical compounds, indicating how strongly immune and detoxification systems may react to drug-related antigenic or chemical exposure.
Alcohol allergy index	0.432 - 1.246	1.142	Within range		Reflects hypersensitivity or low tolerance tendency toward alcohol exposure, including immune reactivity, aldehyde-handling burden, and histamine-related response patterns.
Pollen allergy index	0.143 - 1.989	1.854	Within range		Reflects hypersensitivity tendency to airborne pollen antigens, indicating mucosal immune overreactivity and reduced tolerance to seasonal environmental exposures.
Injection allergy index	0.847 - 1.045	1.187	Mildly elevated		Reflects hypersensitivity tendency to injected substances, suggesting reactivity to direct antigenic or chemical exposure bypassing digestive barriers.
Chemical Sensitivity	0.842 - 1.643	2.301	Mildly elevated		Reflects hypersensitivity tendency to chemical products, indicating low tolerance to environmental chemical exposure and potential overload of detoxification and barrier systems.
Paint allergy index	0.346 - 1.401	0.836	Within range		Reflects sensitivity to paint-related compounds and volatile chemical exposures, suggesting heightened reactivity to inhaled or contact-based environmental irritants.
Dust allergy index	0.543 - 1.023	1.38	Mildly elevated		Reflects hypersensitivity tendency to dust and

Marker	Reference range	Value	Status	Visual	Meaning
					particulate exposure, indicating respiratory mucosal reactivity and immune overresponse to airborne antigenic burden.
Smoke allergy index	0.826 - 1.013	2.707	Mildly elevated		Reflects hypersensitivity tendency to smoke exposure, indicating respiratory tract irritation, oxidative burden, and mucosal immune overreactivity.
Hair dye allergy index	0.717 - 1.486	2.694	Mildly elevated		Reflects cutaneous and chemical hypersensitivity tendency to hair-dye compounds, suggesting lower tolerance to topical chemical exposure and sensitisation of skin immune pathways.
Animal fur allergy index	0.124 - 1.192	1.369	Mildly elevated		Reflects hypersensitivity tendency to animal fur or dander exposure, indicating respiratory and mucosal immune reactivity to environmental protein antigens.
Metal jewelry allergy index	0.549 - 1.213	0.662	Within range		Reflects cutaneous hypersensitivity tendency to metal contact, indicating local immune sensitisation and lower tolerance to metal-triggered inflammatory skin reactions.
Seafood allergy index	0.449 - 1.246	1.654	Mildly elevated		Reflects hypersensitivity tendency to seafood antigens, indicating altered oral-gut immune tolerance and increased risk of food-triggered immune reactivity.
Milk allergy index	0.477 - 1.348	2.06	Mildly elevated		Reflects hypersensitivity tendency to milk-related antigens, indicating altered digestive-immune tolerance and increased food-reactive potential at the gut barrier.

Obesity

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 4 | Within range: 1

Marker	Reference range	Value	Status	Visual	Meaning
Abnormal lipid metabolism coefficient	1.992 - 3.713	1.182	Mildly reduced		Reflects baseline mitochondrial energy expenditure under resting conditions.
Brown adipose tissue abnormalities coefficient	2.791 - 4.202	1.955	Moderately reduced		Reflects functional irregularity in brown adipose tissue, the thermogenic fat compartment involved in heat production, metabolic flexibility, and energy expenditure.
Hyperinsulinemia coefficient	0.097 - 0.215	0.126	Within range		Represents elevated insulin activity within reproductive-metabolic interactions, often linked to hormonal imbalance.
Nucleus of the hypothalamus abnormal coefficient	0.332 - 0.626	0.734	Mildly elevated		Reflects dysregulation within hypothalamic centres that coordinate appetite, satiety, autonomic tone, circadian signalling, and energy-balance regulation.
Triglyceride content of abnormal coefficient	1.341 - 1.991	2.061	Mildly elevated		Reflects mitochondrial coupling efficiency in ATP production versus heat generation.

Skin

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 8 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Skin Free Radical Index	0.124 - 3.453	0.674	Within range		Reflects the oxidative stress burden at the level of skin tissue, indicating the balance between free radical generation and antioxidant defence within the dermal and epidermal layers.
Skin Collagen Index	4.471 - 6.079	3.917	Mildly reduced		Reflects collagen support within skin tissue, indicating the quality of dermal structural proteins and visible connective tissue resilience.
Skin Grease Index	14.477 - 21.348	28.553	Moderately elevated		Reflects sebum production and lipid balance on the skin surface, indicating sebaceous gland activity and skin barrier lubrication.
Skin Immunity Index	1.035 - 3.230	5.019	Mildly elevated		Reflects immune defence activity at the skin level, indicating the ability of the skin barrier to respond to pathogens, irritation, and environmental stress.
Skin Moisture Index	0.218 - 0.953	1.768	Moderately elevated		Reflects hydration retention and barrier moisture quality within skin tissue.
Skin Moisture Loss	2.214 - 4.158	5.438	Mildly elevated		Reflects transepidermal water loss (TEWL), indicating the integrity of the skin barrier and its ability to retain moisture.
Skin Red Blood Trace Index	0.824 - 1.942	3.045	Mildly elevated		Reflects microcirculation and capillary activity within skin tissue, indicating blood supply and oxygen delivery to the dermis.
Skin Elasticity Index	2.717 - 3.512	2.973	Within range		Reflects the recoil capacity and structural flexibility of skin tissue, indicating the condition of collagen-elastin architecture and hydration-related matrix support.

Marker	Reference range	Value	Status	Visual	Meaning
Skin Melanin Index	0.346 - 0.501	0.515	**Mildly elevated**		Reflects skin pigment expression and melanin-related tone, with relevance to oxidative exposure, inflammatory change, and hormonal influence on skin tissue.
Tin	0.842 - 1.858	2.417	**Mildly elevated**		Reflects exposure to tin and trace biological impact.

Eye

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 5 | Within range: 3

Marker	Reference range	Value	Status	Visual	Meaning
Bags under the eyes	0.510 - 3.109	4.162	Mildly elevated		Reflects periorbital fluid retention and tissue congestion, often indicating lymphatic stagnation, altered renal-fluid handling, or poor overnight recovery.
Collagen eye wrinkle	2.031 - 3.107	1.276	Mildly reduced		Reflects collagen degradation and reduced extracellular-matrix integrity in the periorbital region, where connective tissue is thin and highly sensitive to oxidative and hormonal stress.
Dark circles	0.831 - 3.188	3.512	Mildly elevated		Reflects microcirculatory and pigmentation changes in the periorbital region, often linked to vascular congestion or fatigue.
Lymphatic obstruction	1.116 - 4.101	7.038	Mildly elevated		Represents impaired lymphatic drainage affecting fluid balance and tissue detoxification.
Sagging	0.233 - 0.559	1.544	Moderately elevated		Reflects loss of tissue elasticity and structural support in skin and connective tissue.
Edema	0.332 - 0.726	0.636	Within range		Represents fluid accumulation in tissues due to imbalance in vascular and lymphatic dynamics.
Eye cell activity	0.118 - 0.892	0.843	Within range		Reflects metabolic and functional activity of ocular cells involved in vision.
Visual fatigue	2.017 - 5.157	3.269	Within range		Represents strain on visual processing systems due to overuse or metabolic fatigue.

Collagen

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 6 | Within range: 8

Marker	Reference range	Value	Status	Visual	Meaning
Overall Eye Function	6.352 - 8.325	7.495	Within range		Represents the overall functional status of the visual system, integrating ocular tissue vitality, circulation, and visual performance.
Endocrine system	7.245 - 8.562	7.218	Mildly reduced		Reflects integrity of collagen matrix within the endocrine system, influencing structural stability and functional resilience.
Hair and skin	4.533 - 6.179	3.453	Mildly reduced		Reflects integrity of collagen matrix within the hair and skin, influencing structural stability and functional resilience.
Endocrine system	6.178 - 8.651	7.833	Within range		Reflects integrity of collagen matrix within the endocrine system, influencing structural stability and functional resilience.
Circulatory system	3.586 - 4.337	4.207	Within range		Reflects integrity of collagen matrix within the circulatory system, influencing structural stability and functional resilience.
Digestive system	3.492 - 4.723	3.356	Mildly reduced		Reflects integrity of collagen matrix within the digestive system, influencing structural stability and functional resilience.
Immune system	3.376 - 4.582	2.702	Mildly reduced		Reflects integrity of collagen matrix within the immune system, influencing structural stability and functional resilience.
Motion systems	6.458 - 8.133	7.143	Within range		Reflects integrity of collagen matrix within the motion systems, influencing structural stability and functional resilience.

Marker	Reference range	Value	Status	Visual	Meaning
Muscle Tissue	6.552 - 8.268	7.78	**Within range**		Reflects integrity of collagen matrix within the muscle tissue, influencing structural stability and functional resilience.
Fat Metabolism	6.338 - 8.368	4.649	**Mildly reduced**		Reflects integrity of collagen matrix within the fat metabolism, influencing structural stability and functional resilience.
Detoxification and metabolism	6.187 - 8.466	8.399	**Within range**		Reflects integrity of collagen matrix within the detoxification and metabolism, influencing structural stability and functional resilience.
Reproductive system	3.778 - 4.985	4.352	**Within range**		Reflects integrity of collagen matrix within the reproductive system, influencing structural stability and functional resilience.
Nervous system	3.357 - 4.239	2.869	**Mildly reduced**		Reflects integrity of collagen matrix within the nervous system, influencing structural stability and functional resilience.
Skeleton	6.256 - 8.682	6.848	**Within range**		Reflects integrity of collagen matrix within the skeleton, influencing structural stability and functional resilience.

Channels and collaterals

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 7 | Within range: 9

Marker	Reference range	Value	Status	Visual	Meaning
Hand Tai Yin Lung Meridian	48.264 - 65.371	61.012	Within range		Reflects the functional state of the Lung meridian within the channels and collaterals model, associated with respiratory vitality, boundary regulation, grief-stress patterns, and surface defensive function.
Hand Yangming Large Intestine Meridian	56.749 - 67.522	55.931	Mildly reduced		Reflects the functional state of the Large Intestine meridian, associated with elimination, release, mucosal boundary handling, and paired regulation with the Lung channel.
Foot Yangming Stomach Meridian	0.481 - 1.043	0.599	Within range		Reflects the functional state of the Stomach meridian, associated with digestive receiving, nourishment processing, appetite regulation, and tissue support derived from food transformation.
Foot Tai Yin Lung Meridian	0.327 - 0.937	0.346	Within range		Reflects the functional state of the Spleen meridian in practical TCM usage despite the source label discrepancy, associated with transformation of food and fluid, tissue nourishment, and dampness handling.
Hand Shao Yin Heart Sutra	1.672 - 1.978	1.294	Mildly reduced		Reflects the functional state of the Heart channel, associated with circulation, emotional coherence, sleep quality, and the stability of mental-spiritual regulation in traditional pattern terms.
Hand the small intestine by the sun	0.192 - 0.412	0.285	Within range		Reflects the functional state of the Small Intestine channel, associated with separation of clear from turbid, discernment, and downstream handling of

Marker	Reference range	Value	Status	Visual	Meaning
					digestive and inflammatory burden.
Foot Tai Yang Bladder Meridian	4.832 - 5.147	3.909	**Mildly reduced**		Reflects the functional state of the Bladder meridian, associated with fluid regulation, posterior chain tension, nervous-system vigilance, and stress storage along the back body.
Foot Shao Yin Kidney	3.321 - 4.244	2.802	**Mildly reduced**		Reflects the functional state of the Kidney channel, associated with foundational reserves, endocrine-adrenal resilience, reproductive vitality, bone support, and fear-stress regulation in traditional pattern terms.
Hand Jue Yin Pericardium Meridian	1.338 - 1.672	1.607	**Within range**		Reflects the functional state of the Pericardium channel, associated with emotional buffering, chest tension, circulation, and protection against stress-induced internal agitation.
Hand Shao Yang Triple Burner Meridian	0.669 - 1.544	0.541	**Mildly reduced**		Reflects the functional state of the Triple Burner channel, associated with coordination across upper, middle, and lower body regulatory compartments, especially fluid movement and stress adaptation.
Foot Shao Yang Gall Bladder Meridian	1.554 - 1.988	1.852	**Within range**		Reflects the functional state of the Gall Bladder channel, associated with bile flow, decisiveness, lateral tension patterns, and the handling of damp-heat or stagnant digestive stress.
Foot Jue Yin Liver Meridian	1.553 - 2.187	1.223	**Mildly reduced**		Reflects the functional state of the Liver channel, associated with smooth flow, emotional pressure regulation, blood storage, hormonal rhythm, and tension-stagnation patterns.
Ren channel	11.719 - 18.418	9.689	**Mildly reduced**		Reflects the functional state of the Ren vessel, associated with front-body integration, reproductive and hormonal regulation, fluid-nutrient support, and yin-type restorative processes.

Marker	Reference range	Value	Status	Visual	Meaning
Governor meridian	0.708 - 1.942	1.935	**Within range**		Reflects the functional state of the Governor vessel, associated with back-body integration, spinal support, mental drive, and yang-type activating regulation.
Vital meridian	6.138 - 21.396	17.108	**Within range**		Reflects generalised vital-channel reserve in the source framework, pointing to overall constitutional vitality, regulatory coherence, and resilience of the channel network.
Tai mai	5.733 - 7.109	7.091	**Within range**		Reflects the functional state of the Dai Mai concept in traditional pattern language, associated with belt-like regulation around the waist, structural containment, and lower-body fluid or stagnation patterns.

Pulse of heart and brain

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 4 | Within range: 3

Marker	Reference range	Value	Status	Visual	Meaning
Stroke index	60.735 - 65.396	62.582	Within range		Reflects stroke volume relative to body size or circulatory demand, offering a scaled view of cardiac output efficiency.
Stroke volume(SV)	63.012 - 67.892	60.39	Mildly reduced		Reflects beat-by-beat blood ejection from the heart, representing the immediate mechanical contribution of each contraction to circulation.
Heart peripheral resistance (TRR)	0.983 - 1.265	1.639	Mildly elevated		Reflects total peripheral resistance encountered by blood as it moves through the systemic vascular network.
Pulse wave coefficient K	0.316 - 0.401	0.341	Within range		Reflects properties of the pulse-wave transmission through arteries, providing insight into vascular elasticity, compliance, and wave reflection dynamics.
Cerebrovascular blood oxygen saturation(Sa)	0.710 - 1.109	1.108	Within range		Reflects the saturation of oxygen carried in blood supplying the cerebrovascular system, indicating how effectively oxygen is available for brain delivery.
Cerebrovascular blood oxygen volume(CaCO2)	7.880 - 10.090	7.439	Mildly reduced		Reflects the oxygen content available within blood supplying the cerebrovascular system, indicating total oxygen-carrying capacity rather than saturation alone.
Cerebrovascular blood oxygen presure(PaO2)	5.017 - 5.597	4.895	Mildly reduced		Reflects the partial pressure of oxygen in blood supplying the cerebrovascular system, indicating oxygen availability for diffusion into brain tissue.

Blood lipids

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 5 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Blood viscosity	4.131 - 4.562	5.031	Mildly elevated		Reflects thickness of blood affecting circulation and oxygen delivery.
Total cholesterol(TC)	1.833 - 2.979	3.138	Mildly elevated		Reflects total circulating cholesterol burden across lipoprotein fractions, giving a broad view of cholesterol availability, transport, and potential accumulation.
Triglyceride(TG)	1.116 - 2.101	2.92	Mildly elevated		Reflects circulating triglyceride levels as a marker of hepatic lipid export, carbohydrate handling, and the balance between fat storage and oxidation.
High-density lipoprotein (HDL-C)	1.449 - 2.246	1.899	Within range		Reflects high-density lipoprotein status involved in reverse cholesterol transport, antioxidant protection, and aspects of vascular repair signalling.
Low-density lipoprotein (LDL-C)	0.831 - 1.588	1.071	Within range		Reflects low-density lipoprotein cholesterol burden, indicating transport of cholesterol to peripheral tissues and potential exposure to oxidative modification.
Neutral fat(MB)	0.726 - 1.281	1.371	Mildly elevated		Reflects neutral fat burden within circulation, generally corresponding to stored or transported triglyceride-rich lipid material.
Circulating immune complex(CIC)	13.012 - 17.291	19.162	Mildly elevated		Reflects immune complex burden indicating antigen-antibody interaction.

Gynecology

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 3 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Vaginitis coefficient	2.204 - 2.819	2.943	Mildly elevated		Reflects inflammatory or dysbiotic burden within the vaginal environment, indicating irritation, altered microbiome balance, or reduced mucosal resilience.
PID coefficient	1.348 - 3.529	5.03	Mildly elevated		Reflects inflammatory burden consistent with pelvic inflammatory stress within the source framework, suggesting deeper reproductive-tract irritation rather than superficial mucosal imbalance alone.
Appendagitis coefficient	2.301 - 4.782	4.878	Mildly elevated		Reflects inflammatory burden involving the adnexal structures - ovaries, tubes, and surrounding pelvic tissues - suggesting localised reproductive inflammatory stress.
Cervicitis coefficient	2.845 - 4.017	3.304	Within range		Reflects inflammatory or irritative burden affecting cervical tissue, suggesting altered mucosal immunity, local infection risk, or reduced cervical-barrier resilience.
Ovarian cyst coefficient	2.012 - 4.892	2.991	Within range		Reflects tendency toward cystic ovarian change, suggesting altered follicular dynamics, hormonal imbalance, or local reproductive-tissue congestion.

Breast

Low priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 1 | Within range: 4

Marker	Reference range	Value	Status	Visual	Meaning
Breast Hyperplasia	0.202 - 0.991	0.387	Within range		Reflects proliferative or hyperplastic tendency within mammary gland tissue, suggesting altered tissue turnover, hormone responsiveness, or local inflammatory-fibrotic remodelling.
Acute mastitis coefficient	0.713 - 0.992	0.836	Within range		Reflects an acute inflammatory burden affecting breast tissue, suggesting active irritation, congestion, infection-associated change, or rapid-onset immune activation within the breast environment.
Chronic mastitis coefficient	0.432 - 0.826	0.719	Within range		Reflects a longer-standing inflammatory or congestive burden in breast tissue, suggesting recurrent irritation, unresolved tissue reactivity, or chronic inflammatory remodelling.
Endocrine dyscrasia coefficient	1.684 - 4.472	4.284	Within range		Reflects hormonally driven dysregulation affecting breast tissue, suggesting imbalance in endocrine signalling that may alter breast sensitivity, tissue proliferation, or cyclical congestion.
Fibroadenoma of breast coefficient	0.433 - 0.796	0.849	Mildly elevated		Reflects benign proliferative activity within breast tissue, indicating localised fibrous-glandular growth and hormonal responsiveness.

Menstrual cycle

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 2 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Beta hormone	2.942 - 3.407	2.163	**Mildly reduced**		Reflects a source-labelled menstrual hormone marker that is ambiguous in naming and is best interpreted cautiously as a beta-type reproductive hormonal signal rather than a precisely identified analyte.
Reflect protein	4.713 - 5.345	5.054	**Within range**		Reflects a source-labelled inflammatory protein marker most plausibly interpreted as a reactive inflammatory protein signal associated with cycle-related tissue inflammation.
Fibrinogen	2.807 - 3.294	2.554	**Mildly reduced**		Reflects fibrinogen-related clotting and inflammatory activity in the menstrual context, indicating the balance between coagulation tendency, tissue breakdown, and inflammatory response.
Sedimentation rate	6.326 - 8.018	8.014	**Within range**		Reflects erythrocyte sedimentation tendency in the menstrual-context dataset, functioning as a broad inflammatory marker rather than a cycle-specific hormone or structural indicator.

Female Hormone

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 4 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Estrogen	0.521 - 1.036	0.942	Within range		Reflects oestrogen status within reproductive-endocrine signalling, including production, peripheral conversion, receptor activity, hepatic conjugation, and enterohepatic recirculation.
Androgen	1.372 - 1.878	1.086	Mildly reduced		Reflects androgen hormone activity influencing muscle mass, libido, energy, and metabolic function.
Progesterone(P)	0.686 - 1.432	0.638	Mildly reduced		Reflects progesterone levels important for reproductive balance and nervous system calming.
Luteinizing Hormone (LH)	0.679 - 1.324	0.805	Within range		Reflects LH signalling involved in ovulation and testosterone production.
Prolactin(PRL)	0.738 - 1.742	0.463	Moderately reduced		Reflects prolactin hormone involved in lactation and reproductive regulation.
Follicle Stimulating Hormone(FSH)	0.387 - 0.956	0.333	Mildly reduced		Reflects FSH levels involved in follicle development and reproductive function.

Human Immunity

Low priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 1 | Within range: 4

Marker	Reference range	Value	Status	Visual	Meaning
Tissue barrier immune index	7.435 - 8.847	8.51	Within range		Reflects immune competence at tissue barrier interfaces, including epithelial surveillance, local immune tolerance, and defence against antigen penetration across skin and mucosal surfaces.
Innate immune cell index	7.424 - 9.052	7.524	Within range		Reflects functional activity of innate immune cells involved in first-response defence, including phagocytic surveillance, early inflammatory signalling, and pathogen recognition.
Innate immune molecule index	7.143 - 9.214	10.784	Mildly elevated		Reflects soluble innate immune mediators involved in early defence, inflammatory communication, and coordination of antimicrobial responses.
Cellular immune index	5.769 - 7.643	7.19	Within range		Reflects cell-mediated immune activity, particularly T-cell-driven defence, immune coordination, and targeted response to infected or abnormal cells.
Humoral immunity index	6.424 - 8.219	7.374	Within range		Reflects antibody-mediated immune activity and the functional strength of humoral defence across antigen recognition, immune memory, and adaptive immune responsiveness.

Human Consciousness Level

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 6 | Within range: 11

Marker	Reference range	Value	Status	Visual	Meaning
Shame	2.214 - 3.925	3.282	Within range		Reflects a low-resource self-evaluative emotional state characterised by contraction, withdrawal, and reduced psychological resilience within the source framework.
Guilt	2.154 - 3.478	2.406	Within range		Reflects a self-critical emotional state centred on remorse, self-blame, or unresolved internal conflict within the source framework.
Apathy	2.343 - 4.089	1.727	Mildly reduced		Reflects reduced motivational drive, emotional engagement, and activation capacity within the source framework.
Grief	1.845 - 3.241	1.876	Within range		Reflects an emotional-processing state associated with loss, sadness, and unresolved bereavement-related contraction within the source framework.
Fear	2.155 - 4.031	3.222	Within range		Reflects heightened threat perception and protective vigilance within the source framework, associated with autonomic activation and anticipatory stress.
Desire	1.484 - 2.485	1.266	Mildly reduced		Reflects motivational pull toward acquisition, reward, or craving-driven engagement within the source framework.
Anger	1.256 - 2.529	1.13	Mildly reduced		Reflects a state of irritability, frustration, or forceful activation within the source framework.
Pride	1.378 - 2.489	1.75	Within range		Reflects an elevated self-protective or self-affirming emotional posture within the source framework.
Courage	1.727 - 3.315	1.427	Mildly reduced		Reflects the capacity to remain engaged and act despite discomfort,

Marker	Reference range	Value	Status	Visual	Meaning
					uncertainty, or stress within the source framework.
Neutrality	2.471 - 3.892	3.442	**Within range**		Reflects a balanced, less-reactive emotional stance within the source framework, associated with reduced polarisation and steadier regulation.
Willingness	2.216 - 4.094	3.848	**Within range**		Reflects an engaged, cooperative motivational stance within the source framework, associated with readiness to participate and adapt.
Acceptance	1.668 - 4.053	2.767	**Within range**		Reflects a state of reduced resistance and greater adaptive acknowledgment of reality within the source framework.
Reason	1.352 - 3.436	1.883	**Within range**		Reflects the relative dominance of reflective, analytical, and cognitively organised processing within the source framework.
Love	2.138 - 3.754	1.673	**Mildly reduced**		Reflects an affiliative, connected, and emotionally integrated state within the source framework.
Joy	2.129 - 4.021	1.63	**Mildly reduced**		Reflects access to positive affect, vitality, and unforced wellbeing within the source framework.
Peace	2.243 - 4.022	2.745	**Within range**		Reflects a deeply settled, non-reactive internal state within the source framework, associated with low internal conflict and high autonomic ease.
Enlightenment	2.225 - 3.822	2.639	**Within range**		Reflects the highest conceptual level in the source framework and should be interpreted as a symbolic marker of integrative awareness rather than a clinical state.

Respiratory Function

Medium priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 3 | Within range: 1

Marker	Reference range	Value	Status	Visual	Meaning
Volume Tidal(VT)	5.431 - 7.479	5.414	**Mildly reduced**		Reflects the volume of air moved in and out of the lungs during a normal resting breath, indicating baseline breathing efficiency and ventilatory patterning.
Inspiratory Volume(TI)	4.126 - 6.045	4.393	**Within range**		Reflects inspiratory volume capacity and the efficiency of drawing air into the lungs, indicating how effectively inhalation mechanics are functioning.
Functional Residual Capacity(FRC)	5.147 - 6.219	4.201	**Mildly reduced**		Reflects the volume of air remaining in the lungs after a normal exhalation, indicating resting lung-volume set point and the balance between elastic recoil and airway closure.
Residual Volume(RV)	4.363 - 5.647	3.47	**Mildly reduced**		Reflects the volume of air remaining in the lungs after maximal exhalation, indicating how completely the lungs can empty and whether air trapping is present.

Lecithin

High priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 4 | Within range: 2

Marker	Reference range	Value	Status	Visual	Meaning
Phospholipid index	3.654 - 4.478	2.636	Mildly reduced		Represents the status of phospholipids as key structural components of cell membranes and lipoproteins.
Sphingolipid index	3.121 - 3.853	2.786	Mildly reduced		Reflects sphingolipid balance involved in membrane structure and cellular signalling.
PH	3.341 - 4.214	4.177	Within range		Reflects overall acid-base tendency within the source framework, functioning as a broad indicator of systemic buffering balance rather than a standalone compartment-specific laboratory pH value.
Lecithin index	4.365 - 5.142	4.387	Within range		Represents lecithin levels contributing to lipid transport and membrane structure.
Brain phospholipid index	4.225 - 5.713	3.782	Mildly reduced		Reflects phospholipid availability and membrane integrity within brain tissue, influencing synaptic signalling, myelin stability, receptor function, and neuronal resilience.
Liposomal index	3.112 - 4.081	2.564	Mildly reduced		Reflects liposomal or phospholipid-vesicle style transport capacity, indicating how effectively lipid-based carriers may support membrane delivery, absorption, and intracellular nutrient trafficking.

Fatty acid

Low priority

Complete system marker table — all markers and all severity grades are shown below.

Flagged markers: 1 | Within range: 3

Marker	Reference range	Value	Status	Visual	Meaning
Saturated fatty acid index	1.334 - 2.407	1.188	Mildly reduced		Represents the proportion of saturated fats within overall lipid balance.
Unsaturated fatty acid index	2.224 - 3.153	2.483	Within range		Reflects levels of unsaturated fats supporting membrane fluidity and metabolic function.
Essential fatty acid index	2.144 - 3.238	3.077	Within range		Represents availability of essential fatty acids required for cellular function.
Triglyceride index	3.361 - 4.644	3.423	Within range		Reflects circulating triglyceride levels and lipid storage status.

TECHNICAL REFERENCE

Appendix

This section contains supporting technical material and summary reference tables used in the report.

Section	Marker	Range	Value	Status
Cardiovascular and Cerebrovascular	Blood Viscosity	48.264 - 65.371	55.396	Within range
Cardiovascular and Cerebrovascular	Cholesterol Crystal	56.749 - 67.522	72.495	Moderately elevated
Cardiovascular and Cerebrovascular	Blood Fat	0.481 - 1.043	0.552	Within range
Cardiovascular and Cerebrovascular	Vascular Resistance	0.327 - 0.937	1.365	Mildly elevated
Cardiovascular and Cerebrovascular	Vascular Elasticity	1.672 - 1.978	1.527	Mildly reduced
Cardiovascular and Cerebrovascular	Myocardial Blood Demand	0.192 - 0.412	0.338	Within range
Cardiovascular and Cerebrovascular	Myocardial Perfusion	4.832 - 5.147	5.008	Within range
Cardiovascular and Cerebrovascular	Myocardial Oxygen Consumption	3.321 - 4.244	5.67	Mildly elevated
Cardiovascular and Cerebrovascular	Stroke Volume	1.338 - 1.672	0.916	Mildly reduced
Cardiovascular and Cerebrovascular	LV Ejection Impedance	0.669 - 1.544	1.911	Mildly elevated
Cardiovascular and Cerebrovascular	LV Pump Power	1.554 - 1.988	1.263	Mildly reduced
Cardiovascular and Cerebrovascular	Coronary Artery Elasticity	1.553 - 2.187	1.261	Mildly reduced
Cardiovascular and Cerebrovascular	Coronary Perfusion Pressure	11.719 - 18.418	13.418	Within range
Cardiovascular and Cerebrovascular	Cerebral Blood Vessel Elasticity	0.708 - 1.942	1.769	Within range
Cardiovascular and Cerebrovascular	Brain Tissue Blood Supply Status	6.138 - 21.396	12.521	Within range
Gastrointestinal Function	Pepsin Secretion Coefficient	59.847 - 65.234	57.555	Moderately reduced
Gastrointestinal Function	Gastric Peristalsis Function Coefficient	58.425 - 61.213	59.311	Within range

Section	Marker	Range	Value	Status
Gastrointestinal Function	Gastric Absorption Function Coefficient	34.367 - 35.642	29.999	Moderately reduced
Gastrointestinal Function	Small Intestine Motility	133.437 - 140.476	131.781	Mildly reduced
Gastrointestinal Function	Small Intestine Absorption	3.572 - 6.483	4.76	Within range
Large Intestine Function	Colon Motility	4.572 - 6.483	4.829	Within range
Large Intestine Function	Colon Absorption	2.946 - 3.815	1.327	Moderately reduced
Large Intestine Function	Gut Microbiome	1.734 - 2.621	1.391	Mildly reduced
Large Intestine Function	Intraluminal pressure coefficient	1.173 - 2.297	2.107	Within range
Liver Function	Protein Metabolism	116.34 - 220.621	148.39	Within range
Liver Function	Energy Production Function	0.713 - 0.992	0.898	Within range
Liver Function	Detoxification Function	0.202 - 0.991	0.847	Within range
Liver Function	Bile Secretion Function	0.432 - 0.826	0.394	Mildly reduced
Liver Function	Liver Fat Content	0.097 - 0.419	0.23	Within range
Gallbladder Function	Serum Globulin (A/G)	126 - 159	143.5	Within range
Gallbladder Function	Total Bilirubin (TBIL)	0.232 - 0.686	0.301	Within range
Gallbladder Function	Alkaline Phosphatase (ALP)	0.082 - 0.342	0.194	Within range
Gallbladder Function	Serum Total Bile Acid (TBA	0.317 - 0.695	0.715	Mildly elevated
Gallbladder Function	Bilirubin (DBIL)	0.218 - 0.549	0.448	Within range
Pancreatic Function	Insulin	2.845 - 4.017	3.45	Within range
Pancreatic Function	Pancreatic Polypeptide (PP)	3.210 - 6.854	5.749	Within range
Pancreatic Function	Glucagon	2.412 - 2.974	2.721	Within range
Kidney Function	Urobilinogen Index	2.762 - 5.424	4.98	Within range
Kidney Function	Uric acid Index	1.435 - 1.987	1.753	Within range
Kidney Function	BUN	4.725 - 8.631	8.305	Within range
Kidney Function	Proteinuria Index	1.571 - 4.079	5.002	Mildly elevated
Lung Function	Vital Capacity	3348 - 3529	3316.903	Mildly reduced

Section	Marker	Range	Value	Status
Lung Function	Total Lung Capacity	4301 - 4782	4300.651	Mildly reduced
Lung Function	Airway Resistance	1.374 - 1.709	1.583	Within range
Lung Function	Arterial Oxygen Content	17.903 - 21.012	16.501	Mildly reduced
Brain Nerve	Brain Tissue Blood Supply	143.37 - 210.81	205.13	Within range
Brain Nerve	Cerebral Arteriosclerosis	0.103 - 0.642	0.224	Within range
Brain Nerve	Cranial Nerve Function	0.253 - 0.659	0.235	Mildly reduced
Brain Nerve	Sentiment Index	0.109 - 0.351	0.254	Within range
Brain Nerve	Memory	0.442 - 0.817	0.224	Moderately reduced
Bone Disease	Name: Jane Bloggs	None	Sex: Female	Unclear
Bone Disease	Tin	None	Figure: 175cm, 70kg	Unclear
Bone Disease	Figure: 175cm, 70kg	None	Testing Time: 29/03/2026 11:19	Unclear
Bone Disease	Lumbar Fiber Protruding Dimension	None	No Direction	Unclear
Bone Disease	Adhesion Degree of Shoulder Muscle	None	< u 0.2	Unclear
Bone Disease	Limbs Circulation Limit	None	+	Unclear
Bone Disease	Age of Ligament	None	10%-40%	Unclear
Bone Mineral Density	Osteoclast Coefficient	86.73 - 180.97	129.922	Within range
Bone Mineral Density	Amount of Calcium Loss	0.209 - 0.751	0.444	Within range
Bone Mineral Density	Degree of Bone Hyperplasia	0.046 - 0.167	0.374	Mildly elevated
Bone Mineral Density	Degree of Osteoporosis	0.124 - 0.453	0.739	Moderately elevated
Bone Mineral Density	Bone Mineral Density	0.796 - 0.433	0.189	Moderately reduced
Rheumatoid Bone Disease	Degree of Cervical Calcification	421 - 490	488.719	Within range
Rheumatoid Bone Disease	Degree of Lumbar Calcification	4.326 - 7.531	8.321	Moderately elevated
Rheumatoid Bone Disease	Bone Hyperplasia Coefficient	2.954 - 5.543	6.071	Mildly elevated

Section	Marker	Range	Value	Status
Rheumatoid Bone Disease	Osteoporosis Coefficient	2.019 - 4.721	6.025	Moderately elevated
Rheumatoid Bone Disease	Rheumatism Coefficient	4.023 - 11.627	8.541	Within range
Bone Growth Index	Bone alkaline phosphatase	0.433 - 0.796	0.202	Moderately reduced
Bone Growth Index	Osteocalcin	0.525 - 0.817	0.392	Moderately reduced
Bone Growth Index	Status of long bone healing	0.713 - 0.992	0.684	Mildly reduced
Bone Growth Index	Short bone cartilage healing situation	0.202 - 0.991	0.367	Within range
Bone Growth Index	Epiphyseal line	0.432 - 0.826	0.648	Within range
Blood Sugar	Coefficient of Insulin Secretion	2.967 - 3.528	2.979	Within range
Blood Sugar	Blood Sugar Coefficient	2.163 - 7.321	5.992	Within range
Blood Sugar	Urine Sugar Coefficient	2.204 - 2.819	2.659	Within range
Trace Element	Calcium	1.219 - 3.021	3.001	Within range
Trace Element	Iron	1.151 - 1.847	0.918	Mildly reduced
Trace Element	Zinc	1.143 - 1.989	1.025	Mildly reduced
Trace Element	Selenium	0.847 - 2.045	0.783	Mildly reduced
Trace Element	Phosphorus	1.195 - 2.134	1.155	Mildly reduced
Trace Element	Potassium	0.689 - 0.987	0.568	Mildly reduced
Trace Element	Magnesium	0.568 - 0.992	0.782	Within range
Trace Element	Copper	0.474 - 0.749	0.471	Mildly reduced
Trace Element	Cobalt	2.326 - 5.531	5.054	Within range
Trace Element	Manganese	0.497 - 0.879	0.637	Within range
Trace Element	Iodine	1.421 - 5.490	1.84	Within range
Trace Element	Nickel	2.462 - 5.753	2.477	Within range
Trace Element	Fluorine	1.954 - 4.543	2.943	Within range
Trace Element	Molybdenum	0.938 - 1.712	1.71	Within range
Trace Element	Vanadium	1.019 - 3.721	1.05	Within range

Section	Marker	Range	Value	Status
Trace Element	Tin	1.023 - 7.627	5.283	Within range
Trace Element	Silicon	1.425 - 5.872	1.581	Within range
Trace Element	Strontium	1.142 - 5.862	5.353	Within range
Trace Element	Boron	1.124 - 3.453	2.623	Within range
Vitamin	Vitamin A	0.346 - 0.401	0.341	Mildly reduced
Vitamin	Vitamin B1	2.124 - 4.192	2.047	Mildly reduced
Vitamin	Vitamin B2	1.549 - 2.213	1.654	Within range
Vitamin	Vitamin B3	14.477 - 21.348	20.017	Within range
Vitamin	Vitamin B6	0.824 - 1.942	1.725	Within range
Vitamin	Vitamin B12	6.428 - 21.396	5.632	Mildly reduced
Vitamin	Vitamin C	4.543 - 5.023	3.525	Moderately reduced
Vitamin	Vitamin D3	5.327 - 7.109	5.298	Mildly reduced
Vitamin	Vitamin E	4.826 - 6.013	4.85	Within range
Vitamin	Vitamin K	0.717 - 1.486	0.555	Mildly reduced
Amino Acid	Lysine	0.962 - 1.213	0.942	Mildly reduced
Amino Acid	Tryptophan	4.978 - 6.289	2.802	Moderately reduced
Amino Acid	Phenylalanine	1.928 - 2.491	1.822	Mildly reduced
Amino Acid	Methionine	1.245 - 1.637	1.22	Mildly reduced
Amino Acid	Threonine	1.194 - 1.685	0.734	Moderately reduced
Amino Acid	Isoleucine	4.582 - 5.657	3.664	Mildly reduced
Amino Acid	Leucine	6.982 - 9.256	9.16	Within range
Amino Acid	Valine	6.982 - 9.677	5.6	Mildly reduced
Amino Acid	Histidine	5.113 - 6.258	4.237	Mildly reduced
Amino Acid	Arginine	1.812 - 2.337	2.106	Within range

Section	Marker	Range	Value	Status
Amino Acid	Homocysteine	0.983 - 1.265	0.885	Mildly reduced
Coenzyme	Nicotinamide	2.074 - 3.309	2.431	Within range
Coenzyme	Biotin	1.833 - 2.979	2.164	Within range
Coenzyme	Pantothenic acid	1.116 - 2.101	0.773	Moderately reduced
Coenzyme	Folic acid	1.449 - 2.246	1.598	Within range
Coenzyme	Coenzyme Q10	0.831 - 1.588	0.663	Mildly reduced
Coenzyme	Glutathione	0.726 - 1.281	0.484	Mildly reduced
Essential Fatty Acid	Linoleic acid	0.642 - 0.985	0.399	Mildly reduced
Essential Fatty Acid	α-Linolenic acid	0.814 - 1.202	0.54	Mildly reduced
Essential Fatty Acid	γ-Linolenic acid	0.921 - 1.334	0.681	Mildly reduced
Essential Fatty Acid	Arachidonic acid	0.661 - 0.808	0.601	Mildly reduced
Endocrine System	Thyroid secretion index	2.954 - 5.543	3.852	Within range
Endocrine System	Parathyroid hormone secretion index	2.845 - 4.017	4.005	Within range
Endocrine System	Adrenal glands Index	2.412 - 2.974	2.752	Within range
Endocrine System	Pituitary secretion index	2.163 - 7.34	3.013	Within range
Endocrine System	Pineal secretion index	3.210 - 6.854	4.684	Within range
Endocrine System	Thymus gland secretion index	2.967 - 3.528	3.244	Within range
Endocrine System	Gland secretion index	2.204 - 2.819	1.966	Mildly reduced
Immune System	Lymph node Index	133.437 - 140.47	140.738	Mildly elevated
Immune System	Tonsil immune Index	0.124 - 0.453	0.381	Within range
Immune System	Bone marrow Index	0.146 - 3.218	1.635	Within range
Immune System	Spleen index	34.367 - 35.642	35.361	Within range
Immune System	Thymus index	58.425 - 61.213	60.023	Within range
Immune System	Immunoglobulin index	3.712 - 6.981	4.78	Within range
Immune System	Respiratory Immunity	3.241 - 9.814	7.468	Within range

Section	Marker	Range	Value	Status
Immune System	GI Immunity	0.638 - 1.712	0.525	Mildly reduced
Immune System	Mucosal Immunity	4.111 - 18.741	6.229	Within range
Thyroid	FT4	0.103 - 0.316	0.475	Mildly elevated
Thyroid	Thyroglobulin	0.114 - 0.202	0.15	Within range
Thyroid	Thyroglobulin	0.421 - 0.734	0.33	Mildly reduced
Thyroid	T3	0.161 - 0.308	0.188	Within range
Human Toxin	Stimulating Beverage	0.209 - 0.751	0.719	Within range
Human Toxin	Electromagnetic Radiation	0.046 - 0.167	0.44	Mildly elevated
Human Toxin	Free Radical	0.124 - 0.453	0.343	Within range
Human Toxin	Toxic Pesticide Residue	0.013 - 0.313	0.448	Moderately elevated
Heavy Metal	Lead	0.052 - 0.643	1.327	Moderately elevated
Heavy Metal	Mercury	0.013 - 0.336	0.982	Moderately elevated
Heavy Metal	Cadmium	0.527 - 1.523	1.651	Mildly elevated
Heavy Metal	Chromium	0.176 - 1.183	0.629	Within range
Heavy Metal	Arsenic	0.153 - 0.621	0.875	Mildly elevated
Heavy Metal	Antimony	0.162 - 0.412	0.264	Within range
Heavy Metal	Thallium	0.182 - 0.542	0.19	Within range
Heavy Metal	Aluminum	0.192 - 0.412	0.457	Mildly elevated
Basic Physical Quality	Response Ability	59.786 - 65.424	61.5	Within range
Basic Physical Quality	Mental Power	58.715 - 63.213	56.95	Mildly reduced
Basic Physical Quality	Water Shortage	33.967 - 37.642	33.868	Mildly reduced
Basic Physical Quality	Hypoxia	133.642 - 141.476	130.932	Mildly reduced
Basic Physical Quality	PH	3.156 - 3.694	3.231	Within range
Allergy	Drug Sensitivity	0.431 - 1.329	0.713	Within range

Section	Marker	Range	Value	Status
Allergy	Alcohol allergy index	0.432 - 1.246	1.142	Within range
Allergy	Pollen allergy index	0.143 - 1.989	1.854	Within range
Allergy	Injection allergy index	0.847 - 1.045	1.187	Mildly elevated
Allergy	Chemical Sensitivity	0.842 - 1.643	2.301	Mildly elevated
Allergy	Paint allergy index	0.346 - 1.401	0.836	Within range
Allergy	Dust allergy index	0.543 - 1.023	1.38	Mildly elevated
Allergy	Smoke allergy index	0.826 - 1.013	2.707	Mildly elevated
Allergy	Hair dye allergy index	0.717 - 1.486	2.694	Mildly elevated
Allergy	Animal fur allergy index	0.124 - 1.192	1.369	Mildly elevated
Allergy	Metal jewelry allergy index	0.549 - 1.213	0.662	Within range
Allergy	Seafood allergy index	0.449 - 1.246	1.654	Mildly elevated
Allergy	Milk allergy index	0.477 - 1.348	2.06	Mildly elevated
Obesity	Abnormal lipid metabolism coefficient	1.992 - 3.713	1.182	Mildly reduced
Obesity	Brown adipose tissue abnormalities coefficient	2.791 - 4.202	1.955	Moderately reduced
Obesity	Hyperinsulinemia coefficient	0.097 - 0.215	0.126	Within range
Obesity	Nucleus of the hypothalamus abnormal coefficient	0.332 - 0.626	0.734	Mildly elevated
Obesity	Triglyceride content of abnormal coefficient	1.341 - 1.991	2.061	Mildly elevated
Skin	Skin Free Radical Index	0.124 - 3.453	0.674	Within range
Skin	Skin Collagen Index	4.471 - 6.079	3.917	Mildly reduced
Skin	Skin Grease Index	14.477 - 21.348	28.553	Moderately elevated
Skin	Skin Immunity Index	1.035 - 3.230	5.019	Mildly elevated
Skin	Skin Moisture Index	0.218 - 0.953	1.768	Moderately elevated
Skin	Skin Moisture Loss	2.214 - 4.158	5.438	Mildly elevated
Skin	Skin Red Blood Trace Index	0.824 - 1.942	3.045	Mildly elevated

Section	Marker	Range	Value	Status
Skin	Skin Elasticity Index	2.717 - 3.512	2.973	Within range
Skin	Skin Melanin Index	0.346 - 0.501	0.515	Mildly elevated
Skin	Tin	0.842 - 1.858	2.417	Mildly elevated
Eye	Bags under the eyes	0.510 - 3.109	4.162	Mildly elevated
Eye	Collagen eye wrinkle	2.031 - 3.107	1.276	Mildly reduced
Eye	Dark circles	0.831 - 3.188	3.512	Mildly elevated
Eye	Lymphatic obstruction	1.116 - 4.101	7.038	Mildly elevated
Eye	Sagging	0.233 - 0.559	1.544	Moderately elevated
Eye	Edema	0.332 - 0.726	0.636	Within range
Eye	Eye cell activity	0.118 - 0.892	0.843	Within range
Eye	Visual fatigue	2.017 - 5.157	3.269	Within range
Collagen	Overall Eye Function	6.352 - 8.325	7.495	Within range
Collagen	Endocrine system	7.245 - 8.562	7.218	Mildly reduced
Collagen	Hair and skin	4.533 - 6.179	3.453	Mildly reduced
Collagen	Endocrine system	6.178 - 8.651	7.833	Within range
Collagen	Circulatory system	3.586 - 4.337	4.207	Within range
Collagen	Digestive system	3.492 - 4.723	3.356	Mildly reduced
Collagen	Immune system	3.376 - 4.582	2.702	Mildly reduced
Collagen	Motion systems	6.458 - 8.133	7.143	Within range
Collagen	Muscle Tissue	6.552 - 8.268	7.78	Within range
Collagen	Fat Metabolism	6.338 - 8.368	4.649	Mildly reduced
Collagen	Detoxification and metabolism	6.187 - 8.466	8.399	Within range
Collagen	Reproductive system	3.778 - 4.985	4.352	Within range
Collagen	Nervous system	3.357 - 4.239	2.869	Mildly reduced
Collagen	Skeleton	6.256 - 8.682	6.848	Within range

Section	Marker	Range	Value	Status
Channels and collaterals	Hand Tai Yin Lung Meridian	48.264 - 65.371	61.012	Within range
Channels and collaterals	Hand Yangming Large Intestine Meridian	56.749 - 67.522	55.931	Mildly reduced
Channels and collaterals	Foot Yangming Stomach Meridian	0.481 - 1.043	0.599	Within range
Channels and collaterals	Foot Tai Yin Lung Meridian	0.327 - 0.937	0.346	Within range
Channels and collaterals	Hand Shao Yin Heart Sutra	1.672 - 1.978	1.294	Mildly reduced
Channels and collaterals	Hand the small intestine by the sun	0.192 - 0.412	0.285	Within range
Channels and collaterals	Foot Tai Yang Bladder Meridian	4.832 - 5.147	3.909	Mildly reduced
Channels and collaterals	Foot Shao Yin Kidney	3.321 - 4.244	2.802	Mildly reduced
Channels and collaterals	Hand Jue Yin Pericardium Meridian	1.338 - 1.672	1.607	Within range
Channels and collaterals	Hand Shao Yang Triple Burner Meridian	0.669 - 1.544	0.541	Mildly reduced
Channels and collaterals	Foot Shao Yang Gall Bladder Meridian	1.554 - 1.988	1.852	Within range
Channels and collaterals	Foot Jue Yin Liver Meridian	1.553 - 2.187	1.223	Mildly reduced
Channels and collaterals	Ren channel	11.719 - 18.418	9.689	Mildly reduced
Channels and collaterals	Governor meridian	0.708 - 1.942	1.935	Within range
Channels and collaterals	Vital meridian	6.138 - 21.396	17.108	Within range
Channels and collaterals	Tai mai	5.733 - 7.109	7.091	Within range
Pulse of heart and brain	Stroke index	60.735 - 65.396	62.582	Within range
Pulse of heart and brain	Stroke volume(SV)	63.012 - 67.892	60.39	Mildly reduced
Pulse of heart and brain	Heart peripheral resistance (TRR)	0.983 - 1.265	1.639	Mildly elevated
Pulse of heart and brain	Pulse wave coefficient K	0.316 - 0.401	0.341	Within range
Pulse of heart and brain	Cerebrovascular blood oxygen saturation(Sa)	0.710 - 1.109	1.108	Within range
Pulse of heart and brain	Cerebrovascular blood oxygen volume(CaCO2)	7.880 - 10.090	7.439	Mildly reduced
Pulse of heart and brain	Cerebrovascular blood oxygen presure(PaO2)	5.017 - 5.597	4.895	Mildly reduced
Blood lipids	Blood viscosity	4.131 - 4.562	5.031	Mildly elevated

Section	Marker	Range	Value	Status
Blood lipids	Total cholesterol(TC)	1.833 - 2.979	3.138	Mildly elevated
Blood lipids	Triglyceride(TG)	1.116 - 2.101	2.92	Mildly elevated
Blood lipids	High-density lipoprotein (HDL-C)	1.449 - 2.246	1.899	Within range
Blood lipids	Low-density lipoprotein (LDL-C)	0.831 - 1.588	1.071	Within range
Blood lipids	Neutral fat(MB)	0.726 - 1.281	1.371	Mildly elevated
Blood lipids	Circulating immune complex(CIC)	13.012 - 17.291	19.162	Mildly elevated
Gynecology	Vaginitis coefficient	2.204 - 2.819	2.943	Mildly elevated
Gynecology	PID coefficient	1.348 - 3.529	5.03	Mildly elevated
Gynecology	Appendagitis coefficient	2.301 - 4.782	4.878	Mildly elevated
Gynecology	Cervicitis coefficient	2.845 - 4.017	3.304	Within range
Gynecology	Ovarian cyst coefficient	2.012 - 4.892	2.991	Within range
Breast	Breast Hyperplasia	0.202 - 0.991	0.387	Within range
Breast	Acute mastitis coefficient	0.713 - 0.992	0.836	Within range
Breast	Chronic mastitis coefficient	0.432 - 0.826	0.719	Within range
Breast	Endocrine dyscrasia coefficient	1.684 - 4.472	4.284	Within range
Breast	Fibroadenoma of breast coefficient	0.433 - 0.796	0.849	Mildly elevated
Menstrual cycle	Beta hormone	2.942 - 3.407	2.163	Mildly reduced
Menstrual cycle	Reflect protein	4.713 - 5.345	5.054	Within range
Menstrual cycle	Fibrinogen	2.807 - 3.294	2.554	Mildly reduced
Menstrual cycle	Sedimentation rate	6.326 - 8.018	8.014	Within range
Female Hormone	Estrogen	0.521 - 1.036	0.942	Within range
Female Hormone	Androgen	1.372 - 1.878	1.086	Mildly reduced
Female Hormone	Progesterone(P)	0.686 - 1.432	0.638	Mildly reduced
Female Hormone	Luteinizing Hormone (LH)	0.679 - 1.324	0.805	Within range
Female Hormone	Prolactin(PRL)	0.738 - 1.742	0.463	Moderately reduced

Section	Marker	Range	Value	Status
Female Hormone	Follicle Stimulating Hormone(FSH)	0.387 - 0.956	0.333	Mildly reduced
Human Immunity	Tissue barrier immune index	7.435 - 8.847	8.51	Within range
Human Immunity	Innate immune cell index	7.424 - 9.052	7.524	Within range
Human Immunity	Innate immune molecule index	7.143 - 9.214	10.784	Mildly elevated
Human Immunity	Cellular immune index	5.769 - 7.643	7.19	Within range
Human Immunity	Humoral immunity index	6.424 - 8.219	7.374	Within range
Human Consciousness Level	Shame	2.214 - 3.925	3.282	Within range
Human Consciousness Level	Guilt	2.154 - 3.478	2.406	Within range
Human Consciousness Level	Apathy	2.343 - 4.089	1.727	Mildly reduced
Human Consciousness Level	Grief	1.845 - 3.241	1.876	Within range
Human Consciousness Level	Fear	2.155 - 4.031	3.222	Within range
Human Consciousness Level	Desire	1.484 - 2.485	1.266	Mildly reduced
Human Consciousness Level	Anger	1.256 - 2.529	1.13	Mildly reduced
Human Consciousness Level	Pride	1.378 - 2.489	1.75	Within range
Human Consciousness Level	Courage	1.727 - 3.315	1.427	Mildly reduced
Human Consciousness Level	Neutrality	2.471 - 3.892	3.442	Within range
Human Consciousness Level	Willingness	2.216 - 4.094	3.848	Within range
Human Consciousness Level	Acceptance	1.668 - 4.053	2.767	Within range
Human Consciousness Level	Reason	1.352 - 3.436	1.883	Within range
Human Consciousness Level	Love	2.138 - 3.754	1.673	Mildly reduced
Human Consciousness Level	Joy	2.129 - 4.021	1.63	Mildly reduced
Human Consciousness Level	Peace	2.243 - 4.022	2.745	Within range
Human Consciousness Level	Enlightenment	2.225 - 3.822	2.639	Within range
Respiratory Function	Volume Tidal(VT)	5.431 - 7.479	5.414	Mildly reduced
Respiratory Function	Inspiratory Volume(TI)	4.126 - 6.045	4.393	Within range
Respiratory Function	Functional Residual Capacity(FRC)	5.147 - 6.219	4.201	Mildly reduced

Section	Marker	Range	Value	Status
Respiratory Function	Residual Volume(RV)	4.363 - 5.647	3.47	Mildly reduced
Lecithin	Phospholipid index	3.654 - 4.478	2.636	Mildly reduced
Lecithin	Sphingolipid index	3.121 - 3.853	2.786	Mildly reduced
Lecithin	PH	3.341 - 4.214	4.177	Within range
Lecithin	Lecithin index	4.365 - 5.142	4.387	Within range
Lecithin	Brain phospholipid index	4.225 - 5.713	3.782	Mildly reduced
Lecithin	Liposomal index	3.112 - 4.081	2.564	Mildly reduced
Fatty acid	Saturated fatty acid index	1.334 - 2.407	1.188	Mildly reduced
Fatty acid	Unsaturated fatty acid index	2.224 - 3.153	2.483	Within range
Fatty acid	Essential fatty acid index	2.144 - 3.238	3.077	Within range
Fatty acid	Triglyceride index	3.361 - 4.644	3.423	Within range

These scan findings are best interpreted alongside symptoms, history, and appropriate clinical assessment.