6 Discussion

[To be completed: Write the discussion yourselves. Evidence available in results/tables/ and docs/summary.md: (1) share of DY connectedness explained by the common factor (41%, stable across robustness) and its link with the time pattern; (2) how the method changes the picture (density, agreement, stability, Table 2); (3) interpretation of net transmitters/receivers, including Argentina (role in the paper still to be defined by the group); (4) limitations: returns instead of volatilities, ETF/currency effects, short windows for FNETS and NETS (numerical safeguards, tuning-driven drops), sparse methods leave almost no lagged links; (5) the team's database-based extension (to be added once the code is shared).]

7 Conclusion

[To be completed: Answer the research question and state what can be claimed with confidence. Final wording of the question and hypotheses is still to be decided by the group.]

8 References

Matteo Barigozzi and Christian Brownlees. NETS: Network estimation for time series. *Journal of Applied Econometrics*, 34(3):347–364, 2019.

Matteo Barigozzi, Haeran Cho, and Dom Owens. FNETS: Factor-adjusted network estimation and forecasting for high-dimensional time series. *Journal of Business & Economic Statistics*, 42(3):890–902, 2024.

T. Tony Cai, Weidong Liu, and Harrison H. Zhou. Estimating sparse precision matrix: Optimal rates of convergence and adaptive estimation. *The Annals of Statistics*, 44(2):455–488, 2016.

Jiahua Chen and Zehua Chen. Extended Bayesian information criteria for model selection with large model spaces. *Biometrika*, 95(3):759–771, 2008.

Francis X. Diebold and Kamil Yılmaz. On the network topology of variance decompositions: Measuring the connectedness of financial firms. *Journal of Econometrics*, 182(1):119–134, 2014.

Kristin J. Forbes and Roberto Rigobon. No contagion, only interdependence: Measuring stock market comovements. *The Journal of Finance*, 57(5):2223–2261, 2002.

Mario Forni, Marc Hallin, Marco Lippi, and Lucrezia Reichlin. The generalized dynamic-factor model: Identification and estimation. *Review of Economics and Statistics*, 82(4):540–554, 2000.

Marc Hallin and Roman Liška. Determining the number of factors in the general dynamic factor model. *Journal of the American Statistical Association*, 102(478):603–617, 2007.

Gary Koop, M. Hashem Pesaran, and Simon M. Potter. Impulse response analysis in nonlinear multivariate models. *Journal of Econometrics*, 74(1):119–147, 1996.

Dom Owens, Haeran Cho, and Matteo Barigozzi. fnets: An R package for network estimation and forecasting via factor-adjusted VAR modelling, 2024. R package version 0.1.6, CRAN.

Jie Peng, Pei Wang, Nengfeng Zhou, and Ji Zhu. Partial correlation estimation by joint sparse regression models. *Journal of the American Statistical Association*, 104(486):735–746, 2009.

H. Hashem Pesaran and Yongcheol Shin. Generalized impulse response analysis in linear multivariate models. *Economics Letters*, 58(1):17–29, 1998.

Hélène Rey. Dilemma not trilemma: The global financial cycle and monetary policy independence. In *Proceedings of the Economic Policy Symposium, Jackson Hole*, pages 285–333. Federal Reserve Bank of Kansas City, 2013.

Robert Tibshirani. Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society: Series B*, 58(1):267–288, 1996.

Hui Zou. The adaptive lasso and its oracle properties. *Journal of the American Statistical Association*, 101(476):1418–1429, 2006.

9 Data and Code Availability

The data (weekly ETF returns) and the full code are available at [repository URL]. The pipeline is written in Python; NETS and FNETS are estimated in R (packages `nets` 0.9.1 and `fnets` 0.1.6) through a command-line bridge. All parameters are in `config.yaml` and the whole analysis is reproduced with `make all` (or `python run_all.py`).

A Robustness

Table 3: Robustness: mean total connectedness (%) by method, share of DY connectedness lost once the common factor is removed (FNETS), and FNETS common-variance share.

Scenario	Windows	DY	Lasso VAR	NETS	FNETS (idio.)	Lost w/o factor (%)	Common var. (%)
Baseline (w=104, H=4)	179	81.0	80.0	61.5	47.2	41	58
H=2	179	80.9	80.0	61.5	47.2	41	58
H=8	179	81.0	80.1	61.5	47.2	41	58
w=78	185	81.2	79.6	57.8	50.5	38	58
w=130	172	81.1	80.5	63.4	46.2	43	58
Excluding SPY	179	80.0	78.9	59.9	45.9	42	58
Excluding windows touching 2020	141	79.7	78.6	58.8	47.2	41	55

Table 4: Static connectedness: one estimate on the whole period (full sample) and on the subsamples before and after 2020. These are single long-sample estimates, not averages over rolling windows, so they differ from Tables 2 and 3.

Sample	Method	Total conn. (%)	LR p.corr. dens. (%)
Full sample	DY	81.9	100.0
Full sample	Lasso VAR	82.1	100.0
Full sample	NETS	73.5	60.1
Full sample	FNETS (idio.)	34.2	0.0
2011-2019	DY	83.0	100.0
2011-2019	Lasso VAR	82.8	100.0
2011-2019	NETS	69.6	60.1
2011-2019	FNETS (idio.)	34.1	2.0
2021-2026	DY	73.5	100.0
2021-2026	Lasso VAR	73.7	100.0
2021-2026	NETS	56.0	52.3
2021-2026	FNETS (idio.)	39.6	13.7

Table 3 reruns every method under alternative choices. The levels of Diebold–Yilmaz and lasso connectedness hardly move: between 79.7% and 81.2% and between 78.6% and 80.5% across all scenarios. NETS is the most sensitive to the window length (57.8% with 78-week windows, 63.4% with 130-week windows), as shorter windows leave the penalized estimator less information and make it keep fewer links. FNETS idiosyncratic connectedness ranges from 45.9% to 50.5%. The horizon matters very little: Diebold–Yilmaz changes by about 0.1 points between