Hui Zou. The adaptive lasso and its oracle properties. *Journal of the American Statistical Association*, 101(476):1418–1429, 2006.

9 Data and Code Availability

The data (weekly ETF returns) and the full code are available at [repository URL]. The pipeline is written in Python; NETS and FNETS are estimated in R (packages `nets` 0.9.1 and `fnets` 0.1.6) through a command-line bridge. All parameters are in `config.yaml` and the whole analysis is reproduced with `make all` (or `python run_all.py`).

A Robustness

Table 3: Robustness: mean total connectedness (%) by method, share of DY connectedness lost once the common factor is removed (FNETS), and FNETS common-variance share.

Scenario	Windows	DY	Lasso VAR	NETS	FNETS (idio.)	Lost w/o factor (%)	Common var. (%)
Baseline (w=104, H=4)	179	81.0	80.0	61.5	47.2	41	58
H=2	179	80.9	80.0	61.5	47.2	41	58
H=8	179	81.0	80.1	61.5	47.2	41	58
w=78	185	81.2	79.6	57.8	50.5	38	58
w=130	172	81.1	80.5	63.4	46.2	43	58
Excluding SPY	179	80.0	78.9	59.9	45.9	42	58
Excluding windows touching 2020	141	79.7	78.6	58.8	47.2	41	55

Table 4: Static full-period connectedness: full sample and the subsamples before and after 2020.

Sample	Method	Total conn. (%)	LR p.corr. dens. (%)
Full sample	DY	81.9	100.0
Full sample	Lasso VAR	82.1	100.0
Full sample	NETS	73.5	60.1
Full sample	FNETS (idio.)	34.2	0.0
2011-2019	DY	83.0	100.0
2011-2019	Lasso VAR	82.8	100.0
2011-2019	NETS	69.6	60.1
2011-2019	FNETS (idio.)	34.1	2.0
2021-2026	DY	73.5	100.0
2021-2026	Lasso VAR	73.7	100.0
2021-2026	NETS	56.0	52.3
2021-2026	FNETS (idio.)	39.6	13.7

[To be completed: Comment on robustness. Not available: realized-volatility connectedness (no daily data) and local indices instead of ETFs.]




Figure 6: Total connectedness excluding every window that contains a week of 2020.