# adobeornaments: A package for typesetting ornaments in $Adobe^{\mathbb{R}}$ Fonts

Elijah Z Granet\*

15 May 2023 Version 1.0.1

#### **Contents**

1	Overview	2
2	Usage	2
3	Development	3
4	Licence	3
5	Implementation	4
6	Version History         6.1       1.0.1          6.2       1.0.0	7 7 7
Aj	ppendix: Ornaments List	8

<sup>\*</sup>e-mail: ezg21@cantab.ac.uk

#### 1 Overview

Several Adobe<sup>®</sup> fonts provide 'hidden' ornaments, fleurons, and other typographic flourishes as additional features. These can be annoying to access in LaTeX. This package provides any easy command to use the ornaments, and a guide to the individual ornaments to enable easy use (appended to this documentation and available separately in the package as adobeornaments-list.pdf). The fonts with these ornaments are sold by Adobe<sup>®</sup> and not provided with this package. You must purchase them separately for the package to work, or, in the case of Minion Pro only, obtain the free copy bundled with Adobe Reader.

#### 2 Usage

The package provides a single command \orn{\$font}{\$number}. The numbers of each ornament are provided in the aforementioned guide. The font options, as shown in the appendix, are:

Font	Command
Adobe Caslon Pro	caslon
Adobe Garamond Pro	agp
Adobe Jenson Pro	jenson
Arno Pro	arno
Bickham Script Pro	bickham
Brioso Pro	brioso
Chaparral	chaparral
Cronos Pro	cronos
Garamond Premier Pro	gpp
Kepler Std	kepler
Minion Pro	minion
Warnock Pro	warnock
Silentium Pro	silentium
Voluta Script Pro	voluta

For example, the commands

$$\operatorname{\mathbf{Vorn}}\{\min\{1\}\operatorname{\mathbf{Vorn}}\{a4\}\operatorname{\mathbf{Vorn}}\{a1\}$$

Produce:

#### 3 Development

Bugs, feature requests, *etc*, should be submitted to the project's official Github page: (github.com/ezgranet/adobeornaments).

#### 4 Licence

This project is licensed under the LATEX Public Project Licence version 1.3c. This documentation is copyright of the author but licensed under CC-BY-SA 3.0.

#### 5 Implementation

```
\def\adobeornamentsversionnumber{1.0.0}
   \ProvidesPackage{adobeornaments}
   [2023/05/13\adobeornamentsversionnumber\
    Command for ornaments in Adobe fonts]
   % This work may be distributed and/or modified under the
   % conditions of the LaTeX Project Public License, either version 1.3c
   % of this license or (at your option) any later version.
   % The latest version of this license is in
   % http://www.latex-project.org/lppl.txt
   % and version 1.3c or later is part of all distributions of LaTeX
   % version 2005/12/01 or later.
   % This work has the LPPL maintenance status `maintained'.
14
   % The Current Maintainer of this work is Elijah Z Granet
   17
   % Warning that you need
   % fontspec
19
   20
   \RequirePackage{iftex}
22
   \ifPDFTeX
             {
       \PackageError{textcsc}
         {You are using pdfTeX but this package only works
25
         \MessageBreak with XeTeX or LuaTeX}{}
26
       }
27
   \fi
28
   %obviously you need fontspec
   \RequirePackage{fontspec}%
30
   % if structure to stop error if someone only has *some* of the fonts
31
   \IfFontExistsTF{Arno Pro}%
33
   \newfontfamily\arno[Scale=1.01]{Arno Pro}

   }{}%%%%%%
```

```
\IfFontExistsTF{Minion Pro}{
    \newfontfamily\minion[Scale=1.01]{Minion Pro}
38
    \IfFontExistsTF{Warnock Pro}
39
    \newfontfamily\warnock[Scale=1.01]{Warnock Pro}
41
    }00000000
    {}
43
    \IfFontExistsTF{Brioso Pro}{%
    \newfontfamily\brioso[Scale=1.01]{Brioso Pro}%
45
    }{}%
46
    \IfFontExistsTF{Adobe Caslon Pro}{%
47
    \newfontfamily\caslon[Scale=1.01]{Adobe Caslon Pro}%
48
    \IfFontExistsTF{Adobe Jenson Pro}{
50
    \newfontfamily\jenson[Scale=1.01]{Adobe Jenson Pro}%
52
    {}%%%%
    \IfFontExistsTF{Adobe Garamond Pro}{
    \newfontfamily\agp[Scale=1.01]{Adobe Garamond Pro}%
   }{}%%%%
    \IfFontExistsTF{Kepler Std}{%%%%
57
    \newfontfamily\kepler[Scale=1.01]{Kepler Std}%%%%
    }0/0/0/0/
59
    {}
60
    \IfFontExistsTF{Voluta Script Pro}{\%\%\%\%
61
    \newfontfamily\voluta[Scale=1.01]{Voluta Script Pro}
    }0/0/0/0/
63
64
    \IffontExistsTF{Garamond Premier Pro}{%
    \newfontfamily\gpp[Scale=1.01]{Garamond Premier Pro}%
    }%
67
    {}
    \IfFontExistsTF{Cronos Pro}{%
69
   \newfontfamily\cronos[Scale=1.01]{Cronos Pro}%
71
    \IffontExistsTF{Bickham Script Pro}{%
```

```
\newfontfamily\bickham[Scale=1.01]{Bickham Script Pro}%
73
    }{}
74
    \IfFontExistsTF{Chaparral Pro}{
75
    \newfontfamily\chaparral%
76
    [Scale=1.01]{Chaparral Pro}%
    }{}
78
    \IfFontExistsTF{Silentium Pro}{
    \newfontfamily\silentium%
    [Scale=1.01]{Silentium Pro}%
81
    % xstring is required in order to apply if cases
83
    \RequirePackage{xstring}
    \newcommand{\orn}[2]{%
        \IfEqCase{#1}{%
86
    {minion}%
87
    {{\minion\addfontfeatures{Ornament=#2}•}}%
    {{\arno\addfontfeatures{Ornament=#2}•}}%
    {warnock}%
    {{\warnock\addfontfeatures{Ornament=#2}•}}
92
    {brioso}%
93
    {{\brioso\addfontfeatures{Ornament=#2}•}}
94
    {caslon}%
    {{\caslon\addfontfeatures{Ornament=#2}•}}
96
    {jenson}%
    {{\jenson\addfontfeatures{Ornament=#2}•}}
98
    {agp}%
    {{\agp\addfontfeatures{Ornament=#2}•}}
    {kepler}%
101
    {{\kepler\addfontfeatures{Ornament=#2}•}}
    {voluta}%
103
    {{\voluta\addfontfeatures{Ornament=#2}•}}
104
    {gpp}%
105
    {{\gpp\addfontfeatures{Ornament=#2}•}}
106
107
    {{\cronos\addfontfeatures{Ornament=#2}•}}
108
    {bickham}%
```

```
{\bickham\addfontfeatures{Ornament=#2}•}}
{chaparral}%
{\chaparral\addfontfeatures{Ornament=#2}•}}
{silentium}%
{\silentium\addfontfeatures{Ornament=#2}•}}
% you can add more cases here as desired
}[\PackageError{orn}{Undefined font: #1}{}]%
}%
```

#### 6 Version History

```
6.6.1 1.0.115 May 2023: Fix typo in readme6.6.2 1.0.014 May 2023: Package creation
```

## Ornaments List for use with the adobeornaments package

#### Elijah Z. Granet

#### May 14, 2023

#### Contents

Adobe Caslon Pro	2
Adobe Garamond Pro	3
Adobe Jenson Pro	4
Arno Pro	5
Bickham Script Pro	6
Brioso Pro	7
Chaparral Pro	8
Cronos Pro	9
Garamond Premier Pro	10
Kepler Std	11
Minion Pro	13
Silentium Pro	14
Voluta Script Pro	15

Warnock Pro 16

## Adobe Caslon Procaslon

1	٧	31	
2	X	32	E.
3	Ť	33	
4	00000	34	Ø.
5	····	35	
6	₹£	36	
7	<b>%</b>	37	
8	E.	38	86
9	<b>**</b>	39	6
10		40	0
11		41	6
12		42	
13	X	43	
14	68 × 38 38 38 38 38 38 38 38 38 38 38 38 38	44	WOON THE WAY WE WAY
15		45	4
16	<b>9</b>	46	***
17		47	<u>چ</u>
18	Marie Control	48	88
19		49	The second
20		50	<b>9</b>
21		51	THE THE
22		52	
23		53	Ö
23 24		54	Ţ
	Ž	55	•
25	%₹ 8%	56	•
26	₹. ?? <b>%</b>	57	•
27	* * *	58	•
28	<i>"</i> "	59	•
29		60	•
30	محرابخ		

#### Adobe Garamond Pro agp

1	cs	31	•
2	\$	32	•
3	•	33	•
4	•	34	•
5	•	35	•
6	•	36	•
7	•	37	•
8	•	38	•
9	•	39	•
10	•	40	•
11	•	41	•
12	•	42	•
13	•	43	•
14	•	44	•
15	•	45	•
16	•	46	•
17	•	47	•
18	•	48	•
19	•	49	•
20	•	50	•
21	•	51	•
22	•	52	•
23	•	53	•
24	•	54	•
25	•	55	•
26	•	56	•
27	•	57	•
28	•	58	•
29	•	59	•
30	•	60	•

#### Adobe Jenson Pro jenson

1	<b>:~</b>	31	+
2	<b>%</b>	32	+
3	ð.	33	+
4	£	34	+
5	+	35	+
6	+	36	+
7	+	37	+
8	+	38	+
9	+	39	+
10	+	40	+
11	+	41	+
12	+	42	+
13	+	43	+
14	+	44	+
15	+	45	+
16	+	46	+
17	+	47	+
18	+	48	+
19	+	49	+
20	+	50	+
21	+	51	+
22	+	52	+
23	+	53	+
24	+	54	+
25	+	55	+
26	+	56	+
27	+	57	+
28	+	58	+
29	+	59	+
30	+	60	+

#### Arno Pro arno

1	Ę	31	謙
2	<b>®</b>	32	*
3	<b></b>	33	*
4	40	34	*
5	B	35	*
6	$\triangleright$	36	紫
7	磁	37	*
8	密	38	袋
9	₩	39	*
10	g	40	0
11	**	41	~
12	7	42	~
13	K	43	~
14	*	44	~
15	K	45	:
16	1	46	:
17	4	47	•••••••••••••••••••••••••••••••••••••••
18	$\Psi$	48	<b>*</b>
19	4	49	<b>*</b>
20	\$	50	<b>*</b>
21	¥	51	‡
22	<b>\$</b>	52	‡
23	Į	53	‡
24	į	54	:
25	•	55	:
26	~\$	56	i
27	->	57	•
28	8	58	•
29		59	•
30	A. Constitution	60	•

## Bickham. Script Dro bickham

1 😞	31	
2 😞	32	
<b>3</b> Cee	33	
4 😞	34	
5 🔘	35	
6	36	
7 🥏	37	
8 🕒	38	
9	39	
10	40	
11 💚	41	
12 🥯	42	
13 🤝	43	
14 😒 🧇	44	
15	45	
16	46	
17	47	
18 .	48	
19 .	49	
20 .	50	
21 .	51	
22 .	52	
23 .	53	
24 .	54	
25 .	55	
26 .	56	
27 .	57	
28 .	58	
29 .	59	
30 .	60	

#### Brioso Pro brioso

1		31	•
2	2	32	•
3	<b>®</b>	33	•
4	Ê	34	•
5	Ž	35	•
6	200	36	•
7	daa	37	•
8	20	38	•
9		39	•
10	6	40	•
11	*	41	•
12		42	•
13		43	•
14	600	44	•
15	600	45	•
16	<b>&gt;</b> ~	46	•
17	$\sim$	47	•
18	$\rightarrow$	48	•
19	<del>&lt;</del>	49	•
20	$\sim$	50	•
21	$\sim$	51	•
22	٥	52	•
23	•	53	•
24	•	54	•
25	•	55	•
26	•	56	•
27	•	57	•
28	•	58	•
29	•	59	•
30	•	60	•

#### Chaparral Pro chaparral

1	<b></b>	31	q
2	×	32	₹\$
3	<b>.</b> .	33	<b>•</b>
4	림	34	<b>55</b>
5	#	35	<b>₹</b>
6		36	•
7	7	37	•
8	ackslash	38	•
9	7	39	•
10	Ţ V	40	•
11	$ar{ abla}$	41	•
12	Ł	42	•
13		43	•
14		44	•
15	X	45	•
16	<b>▶··</b> ∢	46	•
17	•	47	•
18	•	48	•
19		49	•
20	$\mathbf{\Psi}$	50	•
21	$\nabla \nabla$	51	•
22	▲▼	52	•
23	<b>☆</b> ▼	53	•
24		54	•
25		55	•
26	Ø	56	•
27	Ø	57	•
28	D	58	•
29		59	•
30	Ų	60	•

### Cronos Pro

1	સ્છ	31	•
2	~E	32	•
3	Ø	33	•
4	*	34	•
5	ф,	35	•
6	-\$r	36	•
7	~	37	•
8	$\sim$	38	•
9	<b>≈</b> \$	39	•
10	S	40	•
11	B	41	•
12		42	•
13	•	43	•
14	•	44	•
15	•	45	•
16	•	46	•
17	•	47	•
18	•	48	•
19	•	49	•
20	•	50	•
21	•	51	•
22	•	52	•
23	•	53	•
24	•	54	•
25	•	55	•
26	•	56	•
27	•	57	•
28	•	58	•
29	•	59	•
30	•	60	•

## Garamond Premier Pro

1 🕏	31 •
$2 \mathcal{R}$	32 •
3 <b>½</b>	33 •
4 %	34 •
5 8 <del>9</del>	35 •
6 %	36 •
7 🔅•	37 •
8 🎎	38 •
9 💃	39 •
10 🧩	40 •
11 🕼	41 •
12 ②	42 •
13 🐧	43 •
14 •	44 •
15 •	45 •
16 •	46 •
17 •	47 •
18 •	48 •
19 •	49 •
20 •	50 •
21 •	51 •
22 •	52 •
23 •	53 •
24 •	54 •
25 •	55 •
26 •	56 •
27 •	57 •
28 •	58 •
29 •	59 •
30 •	60 •

#### Kepler Std kepler

1 💃	31	
	32	
2 <b>ક</b> ્ર		
3 <b>%</b>	33	
4 <b>v</b> s	34	$\sim$
5 <b>n</b> e	35	
6 🐿	36	
7 sa	37	
8 🚳	3	8 🎇
9 💔	3	9 ///
10 🚳	4	0 ////
11 🦃	4	1 ///
12 🔊	4	2 //
13 🕏	4	3 %
14 🚱	4	
15 😭	4	5 W
16 🐝	4	
17 🏇	4	411.
18	4	,,,
19 🍎	4	
20 💉	5	
21 ~	5	
22 🍁	5	
23 ⊭	5	
24	5	
•	5	
•		//////
26 🕸	5	~~~
27		** **
28	5	** **
29	5	
30 m	<i>∽</i> 6	0 黨

60	Fig. 1. Section 1. Sec	93	
61		94	
62		95	<b>M</b>
63		96	
64	<b>6</b>	97	
65		98	
66		99	
67		100	
68		101	
69		102	
70		103	M.
71		104	
72		105	
73		106	
74		107	
75		108	
76	淵	109	数据派派数
77	編	110	
78		111	€-
79		112	-
80		113	•
81	<u> </u>	114	•
82		115	•
83		116	•
84		117	*
85		118	*
86		119	*
87	<b>%</b>	120	<b>✓</b>
88	<b>M</b>	121	
89		122	$\checkmark$
90	派	123	•
91		124	•
92	<b>3</b>	125	•

#### Minion Pro minion

1	8a	31	*
2	<b>®</b>	32	/
3	\$	33	
4	(	34	$\checkmark$
5	•	35	•
6	\$	36	•
7	<b>~</b>	37	•
8	38	38	•
9	$\widetilde{\boldsymbol{\ell}}$	39	•
10	*	40	•
11	$\sim$	41	•
12	CO.	42	•
13	٠	43	•
14	<b>9</b>	44	•
15	•	45	•
16	<b>%</b>	46	•
17	⊗	47	•
18	₩	48	•
19	蕊	49	•
20	$\sim$	50	•
21	$\sim$	51	•
22	$ \mathcal{G} $	52	•
23	<b>←</b> -	53	•
24	-	54	•
25	•	55	•
26	•	56	•
27	•	57	•
28	•	58	•
29	*	59	•
30	*	60	•

#### Silentium Pro silentium

1		31	<b>₩</b>
2		32	
3		33	•
4		34	٠
5		35	•
6		36	•
7		37	•
8		38	٠
9	<b>=</b>	39	•
10	<b>=</b>	40	•
11		41	•
12	<b>YYY</b>	42	•
13	<del>200</del>	43	•
14	<b>***</b>	44	•
15	<b>#</b>	45	•
16	₩₩.	46	•
17	# #	47	•
18	1	48	•
19	1118	49	•
20	117	50	•
21	<b>※</b>	51	•
22	<b>F</b> .	52	•
23	জ	53	•
24	<b>S</b>	54	•
25	S	55	•
26		56	•
27	*	57	•
28		58	•
29		59	•
30	Ÿ	60	٠

#### Voluta Script Dro voluta

1 e	31	
2	32	
3 ~	33	
4 ~	34	
5 ~	35	
6 ~	36	
7 🤈	37	
8 2	38	
9 🕥	39	
10	40	
11 🧠	41	
12 🥱	42	
13 😞	43	
14 ~	44	
15 .	45	
16 .	46	
17 .	47	
18 .	48	
19 .	49	
20 .	50	
21 .	51	
22 .	52	
23 .	53	
24 .	54	
25 .	55	
26 .	56	
27 .	57	
28 .	58	
29 <i>.</i>	59	
30 .	60	

#### Warnock Pro warnock

31	<del>)</del>	1
32	۵	2
33	ş	3
34	*	4
35	*	5
36	$\divideontimes$	6
37	*	7
38	<b>%</b>	8
39	4	9
40	111	10
41	K	11
42	4	12
43	¥	13
44	•	14
45	#	15
46	#	16
47	*	17
48	*	18
49	*	19
50	<i>‰</i>	20
51	4 1-	21
52	#	22
53	ф	23
54	4	24
55	-	25
56	=	26
57		
58		
59		
60	<b>)</b> ~	30
	<b>→</b> √ )^	27 28 29 30