








REVISION HISTORY					
REV	ECN #	DESCRIPTION OF CHANGES	CHG BY	APP BY	DATE
01	N/A	ENGINEERING RELEASE	RCH	EL	04/09/25



ISOMETRIC VIEW



- NOTES:
- HEAT TREAT TO H900.
  - SATIN FINISH PER QMSR-1001 UNLESS OTHERWISE SPECIFIED.
  - CLEAN AND PASSIVATE PER ASTM A967.

 <b>CURITEVA</b> www.curiteva.com		<b>UNLESS OTHERWISE SPECIFIED:</b>  ○ DENOTES CRITICAL REQUIREMENT  REFERENCE SOLID MODEL FOR DIMENSIONS NOT SHOWN  REMOVE ALL BURRS AND BREAK ALL INTERNAL / EXTERNAL SHARPS R.005 OR .005 X 45° MAX  DIMENSIONS ARE IN INCHES AND APPLY AFTER SURFACE TREATMENT  GEOMETRIC DIMENSIONING & TOLERANCING PER ASME Y14.5-2018  DO NOT SCALE DRAWING		<b>TITLE:</b> <b>SCREWDRIVER, FIXED ANGLE, BODY</b>	
<b>STANDARD TOLERANCES</b>  X.X ±.05 X.XX ±.01 X.XXX ±.005 X.XXXX ±.0005		ANGLE = ±2°		<b>MATERIAL:</b> 17-4 SS PER ASTM F899 (TYPE 630)	
THIS DOCUMENT AND ITS CONTENTS ARE THE EXCLUSIVE PROPERTY OF CURITEVA, INC. AND ARE NOT TO BE COPIED OR USED IN WHOLE OR IN PART WITHOUT THE PRIOR WRITTEN PERMISSION OF CURITEVA, INC.		<b>SIZE</b> <b>C</b>		<b>DWG. NO.</b> <b>C725-830-003</b>	
		<b>REV</b> <b>01</b>		<b>SCALE:</b> 1:1	
		<b>PROJECTION</b> 		<b>SHEET 1 OF 1</b>	