











REVISION HISTORY					
REV	ECN #	DESCRIPTION OF CHANGES	CHG BY	APP BY	DATE
01	N/A	ENGINEERING RELEASE	RCH	EL	04/09/25





ISOMETRIC VIEW



GEAR FACE PROFILE
SCALE 6:1



- NOTES:
- HEAT TREAT TO H900.
 - SATIN FINISH PER QMSR-1001 UNLESS OTHERWISE SPECIFIED.
 - CLEAN AND PASSIVATE PER ASTM A967.

 CURITEVA www.curiteva.com		UNLESS OTHERWISE SPECIFIED: <input type="checkbox"/> DENOTES CRITICAL REQUIREMENT REFERENCE SOLID MODEL FOR DIMENSIONS NOT SHOWN REMOVE ALL BURRS AND BREAK ALL INTERNAL / EXTERNAL SHARPS R.005 OR .005 X 45° MAX DIMENSIONS ARE IN INCHES AND APPLY AFTER SURFACE TREATMENT GEOMETRIC DIMENSIONING & TOLERANCING PER ASME Y14.5-2018 DO NOT SCALE DRAWING		TITLE: SCREWDRIVER, FIXED ANGLE, TIP									
STANDARD TOLERANCES <table><tr><td>X.X</td><td>±.05</td></tr><tr><td>X.XX</td><td>±.01</td></tr><tr><td>X.XXX</td><td>±.005</td></tr><tr><td>X.XXXX</td><td>±.0005</td></tr></table> ANGLE = ±2°		X.X	±.05	X.XX	±.01	X.XXX	±.005	X.XXXX	±.0005	MATERIAL: 17-4 SS PER ASTM F899 (TYPE 630)			
X.X	±.05												
X.XX	±.01												
X.XXX	±.005												
X.XXXX	±.0005												
		SIZE C	DWG. NO. C725-830-002	REV 01									
THIS DOCUMENT AND ITS CONTENTS ARE THE EXCLUSIVE PROPERTY OF CURITEVA, INC. AND ARE NOT TO BE COPIED OR USED IN WHOLE OR IN PART WITHOUT THE PRIOR WRITTEN PERMISSION OF CURITEVA, INC.		SCALE: 4:1 PROJECTION  SHEET 1 OF 1											