# **Muppet Models**

Natural Language Processing

University of Maryland

**Efficiency Optimization** 

- Suppose you want to represent 0.0 to 4.0 with an 8-bit integer: what is S and Z?
- What is the mapping for  $\pi$ ?
- What are the largest and smallest numbers that will have a different mapping than  $\pi$ ?

 Suppose you want to represent 0.0 to 4.0 with an 8-bit integer: what is S and Z?

$$S = \frac{4.0}{255} = 0.0156862745 \tag{1}$$

- What is the mapping for  $\pi$ ?
- What are the largest and smallest numbers that will have a different mapping than  $\pi$ ?

- Suppose you want to represent 0.0 to 4.0 with an 8-bit integer: what is S and Z? Because 0 is at the start of the range, -128 is our zero point.
- What is the mapping for  $\pi$ ?
- What are the largest and smallest numbers that will have a different mapping than  $\pi$ ?

- Suppose you want to represent 0.0 to 4.0 with an 8-bit integer: what is S and Z?
- What is the mapping for  $\pi$ ?

$$x_q = \text{round}\left(\frac{\pi}{0.0156862745} - 128\right)$$
 (1

$$x_q = \text{round}(200.3 - 128)$$
 (2)

$$x_q = 72 \tag{3}$$

(4)

• What are the largest and smallest numbers that will have a different mapping than  $\pi$ ?

- Suppose you want to represent 0.0 to 4.0 with an 8-bit integer: what is S and Z?
- What is the mapping for  $\pi$ ?
- What are the largest and smallest numbers that will have a different mapping than  $\pi$ ? 3.1294 (71), 3.1455 (73)

• Let's say that you have  $q(x) = \frac{1}{V}$ . Is this a good proxy distribution for speculative decoding with a modern Muppet Model?

Let's say that you have q(x) = 1/V. Is this a good proxy distribution for speculative decoding with a modern Muppet Model?
No, it's horrible. You'll just randomly pick words and completely ignore context.

- Let's say that you have  $q(x) = \frac{1}{V}$ . Is this a good proxy distribution for speculative decoding with a modern Muppet Model?
- Let's say that  $p(x) = \frac{1}{V_n}$  where  $V_n$  is the number of nouns (i.e., it's a uniform distribution over all nouns). Describe when you will accept from speculative decoding.

- Let's say that you have  $q(x) = \frac{1}{V}$ . Is this a good proxy distribution for speculative decoding with a modern Muppet Model?
- Let's say that  $p(x) = \frac{1}{V_n}$  where  $V_n$  is the number of nouns (i.e., it's a uniform distribution over all nouns). Describe when you will accept from speculative decoding.

Accept when you get nouns

- Let's say that you have  $q(x) = \frac{1}{V}$ . Is this a good proxy distribution for speculative decoding with a modern Muppet Model?
- Let's say that  $p(x) = \frac{1}{V_n}$  where  $V_n$  is the number of nouns (i.e., it's a uniform distribution over all nouns). Describe when you will accept from speculative decoding.
- When you reject, what distribution do you sample from?

- Let's say that you have  $q(x) = \frac{1}{V}$ . Is this a good proxy distribution for speculative decoding with a modern Muppet Model?
- Let's say that  $p(x) = \frac{1}{V_n}$  where  $V_n$  is the number of nouns (i.e., it's a uniform distribution over all nouns). Describe when you will accept from speculative decoding.
- When you reject, what distribution do you sample from?

$$p'(x) \propto \max(0, p(x) - q(x)) \tag{1}$$

- Let's say that you have  $q(x) = \frac{1}{V}$ . Is this a good proxy distribution for speculative decoding with a modern Muppet Model?
- Let's say that  $p(x) = \frac{1}{V_n}$  where  $V_n$  is the number of nouns (i.e., it's a uniform distribution over all nouns). Describe when you will accept from speculative decoding.
- When you reject, what distribution do you sample from?

$$p'(x) \propto \max(0, p(x) - q(x)) \tag{1}$$

$$p'(x) = \begin{cases} 0 & \text{if } x \notin X_{\text{noun}} \\ \frac{V - V_N}{V_N (V - V_N)} & \text{if } x \in X_{\text{noun}} \end{cases}$$
 (2)