






..... ;
..... ; -01
..... ; .255 27772
..... ; 135 ..
..... ; L/450 (.....)
..... ; 5264-80
..... ; ... 100%

...			, ..	, ..
01	 57837-2017	25.1 (.255)	3000	38.4
02	 57837-2017	25.1 (.255)	3150	76.8
03	 57837-2017	25.1 (.255)	3300	115.2
04	 57837-2017	25.1 (.255)	3450	153.6
05	 57837-2017	25.1 (.255)	3600	192.0
06	 57837-2017	25.1 (.255)	3750	230.4
07	 57837-2017	25.1 (.255)	3900	268.8
08	 57837-2017	25.1 (.255)	4050	307.2
09	 57837-2017	25.1 (.255)	4200	345.6
10	 57837-2017	25.1 (.255)	4350	384.0
11	 57837-2017	25.1 (.255)	4500	422.4
12	 57837-2017	25.1 (.255)	4650	460.8
13	 57837-2017	25.1 (.255)	4800	499.2
14	 57837-2017	25.1 (.255)	4950	537.6
15	 57837-2017	25.1 (.255)	5100	576.0
16	 57837-2017	25.1 (.255)	5250	614.4
17	 57837-2017	25.1 (.255)	5400	652.8
18	 57837-2017	25.1 (.255)	5550	691.2
19	 57837-2017	25.1 (.255)	5700	729.6
20	 57837-2017	25.1 (.255)	5850	768.0
21	 57837-2017	25.1 (.255)	6000	806.4
22	 57837-2017	25.1 (.255)	6150	844.8




..... ;
..... ; -02
..... ; .255 27772
..... ; 150 ..
..... ; L/450 (.....)
..... ; 5264-80
..... ; ... 100%

...			, ..	, ..
23	 57837-2017	25.1 (.255)	3000	38.4
24	 57837-2017	25.1 (.255)	3150	76.8
25	 57837-2017	25.1 (.255)	3300	115.2
26	 57837-2017	25.1 (.255)	3450	153.6
27	 57837-2017	25.1 (.255)	3600	192.0
28	 57837-2017	25.1 (.255)	3750	230.4
29	 57837-2017	25.1 (.255)	3900	268.8
30	 57837-2017	25.1 (.255)	4050	307.2
31	 57837-2017	25.1 (.255)	4200	345.6
32	 57837-2017	25.1 (.255)	4350	384.0
33	 57837-2017	25.1 (.255)	4500	422.4
34	 57837-2017	25.1 (.255)	4650	460.8
35	 57837-2017	25.1 (.255)	4800	499.2
36	 57837-2017	25.1 (.255)	4950	537.6
37	 57837-2017	25.1 (.255)	5100	576.0
38	 57837-2017	25.1 (.255)	5250	614.4
39	 57837-2017	25.1 (.255)	5400	652.8
40	 57837-2017	25.1 (.255)	5550	691.2
41	 57837-2017	25.1 (.255)	5700	729.6
42	 57837-2017	25.1 (.255)	5850	768.0
43	 57837-2017	25.1 (.255)	6000	806.4
44	 57837-2017	25.1 (.255)	6150	844.8




..... ;
..... ; -03
..... ; .255 27772
..... ; 165 ..
..... ; L/450 (.....)
..... ; 5264-80
..... ; ... 100%

...			, ..	, ..
45	 57837-2017	25.1 (.255)	3000	38.4
46	 57837-2017	25.1 (.255)	3150	76.8
47	 57837-2017	25.1 (.255)	3300	115.2
48	 57837-2017	25.1 (.255)	3450	153.6
49	 57837-2017	25.1 (.255)	3600	192.0
50	 57837-2017	25.1 (.255)	3750	230.4
51	 57837-2017	25.1 (.255)	3900	268.8
52	 57837-2017	25.1 (.255)	4050	307.2
53	 57837-2017	25.1 (.255)	4200	345.6
54	 57837-2017	25.1 (.255)	4350	384.0
55	 57837-2017	25.1 (.255)	4500	422.4
56	 57837-2017	25.1 (.255)	4650	460.8
57	 57837-2017	25.1 (.255)	4800	499.2
58	 57837-2017	25.1 (.255)	4950	537.6
59	 57837-2017	25.1 (.255)	5100	576.0
60	 57837-2017	25.1 (.255)	5250	614.4
61	 57837-2017	25.1 (.255)	5400	652.8
62	 57837-2017	25.1 (.255)	5550	691.2
63	 57837-2017	25.1 (.255)	5700	729.6
64	 57837-2017	25.1 (.255)	5850	768.0
65	 57837-2017	25.1 (.255)	6000	806.4
66	 57837-2017	25.1 (.255)	6150	844.8




..... ;
..... ; -04
..... ; .255 27772
..... ; 180 ..
..... ; L/450 (.....)
..... ; 5264-80
..... ; ... 100%

...			, ..	, ..
67	 57837-2017	25.1 (.255)	3000	38.4
68	 57837-2017	25.1 (.255)	3150	76.8
69	 57837-2017	25.1 (.255)	3300	115.2
70	 57837-2017	25.1 (.255)	3450	153.6
71	 57837-2017	25.1 (.255)	3600	192.0
72	 57837-2017	25.1 (.255)	3750	230.4
73	 57837-2017	25.1 (.255)	3900	268.8
74	 57837-2017	25.1 (.255)	4050	307.2
75	 57837-2017	25.1 (.255)	4200	345.6
76	 57837-2017	25.1 (.255)	4350	384.0
77	 57837-2017	25.1 (.255)	4500	422.4
78	 57837-2017	25.1 (.255)	4650	460.8
79	 57837-2017	25.1 (.255)	4800	499.2
80	 57837-2017	25.1 (.255)	4950	537.6
81	 57837-2017	25.1 (.255)	5100	576.0
82	 57837-2017	25.1 (.255)	5250	614.4
83	 57837-2017	25.1 (.255)	5400	652.8
84	 57837-2017	25.1 (.255)	5550	691.2
85	 57837-2017	25.1 (.255)	5700	729.6
86	 57837-2017	25.1 (.255)	5850	768.0
87	 57837-2017	25.1 (.255)	6000	806.4
88	 57837-2017	25.1 (.255)	6150	844.8




..... ;
..... ; -05
..... ; .255 27772
..... ; 195 ..
..... ; L/450 (.....)
..... ; 5264-80
..... ; ... 100%

...			, ..	, ..
89	 57837-2017	25.1 (.255)	3000	38.4
90	 57837-2017	25.1 (.255)	3150	76.8
91	 57837-2017	25.1 (.255)	3300	115.2
92	 57837-2017	25.1 (.255)	3450	153.6
93	 57837-2017	25.1 (.255)	3600	192.0
94	 57837-2017	25.1 (.255)	3750	230.4
95	 57837-2017	25.1 (.255)	3900	268.8
96	 57837-2017	25.1 (.255)	4050	307.2
97	 57837-2017	25.1 (.255)	4200	345.6
98	 57837-2017	25.1 (.255)	4350	384.0
99	 57837-2017	25.1 (.255)	4500	422.4
100	 57837-2017	25.1 (.255)	4650	460.8
101	 57837-2017	25.1 (.255)	4800	499.2
102	 57837-2017	25.1 (.255)	4950	537.6
103	 57837-2017	25.1 (.255)	5100	576.0
104	 57837-2017	25.1 (.255)	5250	614.4
105	 57837-2017	25.1 (.255)	5400	652.8
106	 57837-2017	25.1 (.255)	5550	691.2
107	 57837-2017	25.1 (.255)	5700	729.6
108	 57837-2017	25.1 (.255)	5850	768.0
109	 57837-2017	25.1 (.255)	6000	806.4
110	 57837-2017	25.1 (.255)	6150	844.8




..... ;
..... ; -06
..... ; .255 27772
..... ; 210 ..
..... ; L/450 (.....)
..... ; 5264-80
..... ; ... 100%

...			, ..	, ..
111	 57837-2017	25.1 (.255)	3000	38.4
112	 57837-2017	25.1 (.255)	3150	76.8
113	 57837-2017	25.1 (.255)	3300	115.2
114	 57837-2017	25.1 (.255)	3450	153.6
115	 57837-2017	25.1 (.255)	3600	192.0
116	 57837-2017	25.1 (.255)	3750	230.4
117	 57837-2017	25.1 (.255)	3900	268.8
118	 57837-2017	25.1 (.255)	4050	307.2
119	 57837-2017	25.1 (.255)	4200	345.6
120	 57837-2017	25.1 (.255)	4350	384.0
121	 57837-2017	25.1 (.255)	4500	422.4
122	 57837-2017	25.1 (.255)	4650	460.8
123	 57837-2017	25.1 (.255)	4800	499.2
124	 57837-2017	25.1 (.255)	4950	537.6
125	 57837-2017	25.1 (.255)	5100	576.0
126	 57837-2017	25.1 (.255)	5250	614.4
127	 57837-2017	25.1 (.255)	5400	652.8
128	 57837-2017	25.1 (.255)	5550	691.2
129	 57837-2017	25.1 (.255)	5700	729.6
130	 57837-2017	25.1 (.255)	5850	768.0
131	 57837-2017	25.1 (.255)	6000	806.4
132	 57837-2017	25.1 (.255)	6150	844.8




..... ;
..... ; -07
..... ; .255 27772
..... ; 225 ..
..... ; L/450 (.....)
..... ; 5264-80
..... ; ... 100%

...			, ..	, ..
133	 57837-2017	25.1 (.255)	3000	38.4
134	 57837-2017	25.1 (.255)	3150	76.8
135	 57837-2017	25.1 (.255)	3300	115.2
136	 57837-2017	25.1 (.255)	3450	153.6
137	 57837-2017	25.1 (.255)	3600	192.0
138	 57837-2017	25.1 (.255)	3750	230.4
139	 57837-2017	25.1 (.255)	3900	268.8
140	 57837-2017	25.1 (.255)	4050	307.2
141	 57837-2017	25.1 (.255)	4200	345.6
142	 57837-2017	25.1 (.255)	4350	384.0
143	 57837-2017	25.1 (.255)	4500	422.4
144	 57837-2017	25.1 (.255)	4650	460.8
145	 57837-2017	25.1 (.255)	4800	499.2
146	 57837-2017	25.1 (.255)	4950	537.6
147	 57837-2017	25.1 (.255)	5100	576.0
148	 57837-2017	25.1 (.255)	5250	614.4
149	 57837-2017	25.1 (.255)	5400	652.8
150	 57837-2017	25.1 (.255)	5550	691.2
151	 57837-2017	25.1 (.255)	5700	729.6
152	 57837-2017	25.1 (.255)	5850	768.0
153	 57837-2017	25.1 (.255)	6000	806.4
154	 57837-2017	25.1 (.255)	6150	844.8




..... ;
..... ; -08
..... ; .255 27772
..... ; 240 ..
..... ; L/450 (.....)
..... ; 5264-80
..... ; ... 100%

...			, ..	, ..
155	 57837-2017	25.1 (.255)	3000	38.4
156	 57837-2017	25.1 (.255)	3150	76.8
157	 57837-2017	25.1 (.255)	3300	115.2
158	 57837-2017	25.1 (.255)	3450	153.6
159	 57837-2017	25.1 (.255)	3600	192.0
160	 57837-2017	25.1 (.255)	3750	230.4
161	 57837-2017	25.1 (.255)	3900	268.8
162	 57837-2017	25.1 (.255)	4050	307.2
163	 57837-2017	25.1 (.255)	4200	345.6
164	 57837-2017	25.1 (.255)	4350	384.0
165	 57837-2017	25.1 (.255)	4500	422.4
166	 57837-2017	25.1 (.255)	4650	460.8
167	 57837-2017	25.1 (.255)	4800	499.2
168	 57837-2017	25.1 (.255)	4950	537.6
169	 57837-2017	25.1 (.255)	5100	576.0
170	 57837-2017	25.1 (.255)	5250	614.4
171	 57837-2017	25.1 (.255)	5400	652.8
172	 57837-2017	25.1 (.255)	5550	691.2
173	 57837-2017	25.1 (.255)	5700	729.6
174	 57837-2017	25.1 (.255)	5850	768.0
175	 57837-2017	25.1 (.255)	6000	806.4
176	 57837-2017	25.1 (.255)	6150	844.8



..... ;
..... ; -09
..... ; .255 27772
..... ; 255 ..
..... ; L/450 (.....)
..... ; 5264-80
..... ; ... 100%

...			, ..	, ..
177	 57837-2017	25.1 (.255)	3000	38.4
178	 57837-2017	25.1 (.255)	3150	76.8
179	 57837-2017	25.1 (.255)	3300	115.2
180	 57837-2017	25.1 (.255)	3450	153.6
181	 57837-2017	25.1 (.255)	3600	192.0
182	 57837-2017	25.1 (.255)	3750	230.4
183	 57837-2017	25.1 (.255)	3900	268.8
184	 57837-2017	25.1 (.255)	4050	307.2
185	 57837-2017	25.1 (.255)	4200	345.6
186	 57837-2017	25.1 (.255)	4350	384.0
187	 57837-2017	25.1 (.255)	4500	422.4
188	 57837-2017	25.1 (.255)	4650	460.8
189	 57837-2017	25.1 (.255)	4800	499.2
190	 57837-2017	25.1 (.255)	4950	537.6
191	 57837-2017	25.1 (.255)	5100	576.0
192	 57837-2017	25.1 (.255)	5250	614.4
193	 57837-2017	25.1 (.255)	5400	652.8
194	 57837-2017	25.1 (.255)	5550	691.2
195	 57837-2017	25.1 (.255)	5700	729.6
196	 57837-2017	25.1 (.255)	5850	768.0
197	 57837-2017	25.1 (.255)	6000	806.4
198	 57837-2017	25.1 (.255)	6150	844.8



..... ;
..... ; -10
..... ; .255 27772
..... ; 270 ..
..... ; L/450 (.....)
..... ; 5264-80
..... ; ... 100%

...			, ..	, ..
199	 57837-2017	25.1 (.255)	3000	38.4
200	 57837-2017	25.1 (.255)	3150	76.8
201	 57837-2017	25.1 (.255)	3300	115.2
202	 57837-2017	25.1 (.255)	3450	153.6
203	 57837-2017	25.1 (.255)	3600	192.0
204	 57837-2017	25.1 (.255)	3750	230.4
205	 57837-2017	25.1 (.255)	3900	268.8
206	 57837-2017	25.1 (.255)	4050	307.2
207	 57837-2017	25.1 (.255)	4200	345.6
208	 57837-2017	25.1 (.255)	4350	384.0
209	 57837-2017	25.1 (.255)	4500	422.4
210	 57837-2017	25.1 (.255)	4650	460.8
211	 57837-2017	25.1 (.255)	4800	499.2
212	 57837-2017	25.1 (.255)	4950	537.6
213	 57837-2017	25.1 (.255)	5100	576.0
214	 57837-2017	25.1 (.255)	5250	614.4
215	 57837-2017	25.1 (.255)	5400	652.8
216	 57837-2017	25.1 (.255)	5550	691.2
217	 57837-2017	25.1 (.255)	5700	729.6
218	 57837-2017	25.1 (.255)	5850	768.0
219	 57837-2017	25.1 (.255)	6000	806.4
220	 57837-2017	25.1 (.255)	6150	844.8