






..... ;  
..... ; ..... -01  
..... ; .255 ..... 27772  
..... ; 135 ..  
..... ; L/450 (.....)  
..... ; ..... 5264-80  
..... ; ... 100%

| ... | .....            | .....       | ....., .. | ....., .. |
|-----|------------------|-------------|-----------|-----------|
| 01  | ..... 57837-2017 | 25.1 (.255) | 3000      | 38.4      |
| 02  | ..... 57837-2017 | 25.1 (.255) | 3150      | 76.8      |
| 03  | ..... 57837-2017 | 25.1 (.255) | 3300      | 115.2     |
| 04  | ..... 57837-2017 | 25.1 (.255) | 3450      | 153.6     |
| 05  | ..... 57837-2017 | 25.1 (.255) | 3600      | 192.0     |
| 06  | ..... 57837-2017 | 25.1 (.255) | 3750      | 230.4     |
| 07  | ..... 57837-2017 | 25.1 (.255) | 3900      | 268.8     |
| 08  | ..... 57837-2017 | 25.1 (.255) | 4050      | 307.2     |
| 09  | ..... 57837-2017 | 25.1 (.255) | 4200      | 345.6     |
| 10  | ..... 57837-2017 | 25.1 (.255) | 4350      | 384.0     |
| 11  | ..... 57837-2017 | 25.1 (.255) | 4500      | 422.4     |
| 12  | ..... 57837-2017 | 25.1 (.255) | 4650      | 460.8     |
| 13  | ..... 57837-2017 | 25.1 (.255) | 4800      | 499.2     |
| 14  | ..... 57837-2017 | 25.1 (.255) | 4950      | 537.6     |
| 15  | ..... 57837-2017 | 25.1 (.255) | 5100      | 576.0     |
| 16  | ..... 57837-2017 | 25.1 (.255) | 5250      | 614.4     |
| 17  | ..... 57837-2017 | 25.1 (.255) | 5400      | 652.8     |
| 18  | ..... 57837-2017 | 25.1 (.255) | 5550      | 691.2     |
| 19  | ..... 57837-2017 | 25.1 (.255) | 5700      | 729.6     |
| 20  | ..... 57837-2017 | 25.1 (.255) | 5850      | 768.0     |
| 21  | ..... 57837-2017 | 25.1 (.255) | 6000      | 806.4     |
| 22  | ..... 57837-2017 | 25.1 (.255) | 6150      | 844.8     |




..... ;  
..... ; ..... -02  
..... ; .255 ..... 27772  
..... ; 150 ..  
..... ; L/450 (.....)  
..... ; ..... 5264-80  
..... ; ... 100%

| ... | .....            | .....       | ....., .. | ....., .. |
|-----|------------------|-------------|-----------|-----------|
| 23  | ..... 57837-2017 | 25.1 (.255) | 3000      | 38.4      |
| 24  | ..... 57837-2017 | 25.1 (.255) | 3150      | 76.8      |
| 25  | ..... 57837-2017 | 25.1 (.255) | 3300      | 115.2     |
| 26  | ..... 57837-2017 | 25.1 (.255) | 3450      | 153.6     |
| 27  | ..... 57837-2017 | 25.1 (.255) | 3600      | 192.0     |
| 28  | ..... 57837-2017 | 25.1 (.255) | 3750      | 230.4     |
| 29  | ..... 57837-2017 | 25.1 (.255) | 3900      | 268.8     |
| 30  | ..... 57837-2017 | 25.1 (.255) | 4050      | 307.2     |
| 31  | ..... 57837-2017 | 25.1 (.255) | 4200      | 345.6     |
| 32  | ..... 57837-2017 | 25.1 (.255) | 4350      | 384.0     |
| 33  | ..... 57837-2017 | 25.1 (.255) | 4500      | 422.4     |
| 34  | ..... 57837-2017 | 25.1 (.255) | 4650      | 460.8     |
| 35  | ..... 57837-2017 | 25.1 (.255) | 4800      | 499.2     |
| 36  | ..... 57837-2017 | 25.1 (.255) | 4950      | 537.6     |
| 37  | ..... 57837-2017 | 25.1 (.255) | 5100      | 576.0     |
| 38  | ..... 57837-2017 | 25.1 (.255) | 5250      | 614.4     |
| 39  | ..... 57837-2017 | 25.1 (.255) | 5400      | 652.8     |
| 40  | ..... 57837-2017 | 25.1 (.255) | 5550      | 691.2     |
| 41  | ..... 57837-2017 | 25.1 (.255) | 5700      | 729.6     |
| 42  | ..... 57837-2017 | 25.1 (.255) | 5850      | 768.0     |
| 43  | ..... 57837-2017 | 25.1 (.255) | 6000      | 806.4     |
| 44  | ..... 57837-2017 | 25.1 (.255) | 6150      | 844.8     |




..... ;  
..... ; ..... -03  
..... ; .255 ..... 27772  
..... ; 165 ..  
..... ; L/450 (.....)  
..... ; ..... 5264-80  
..... ; ... 100%

| ... | .....            | .....       | ....., .. | ....., .. |
|-----|------------------|-------------|-----------|-----------|
| 45  | ..... 57837-2017 | 25.1 (.255) | 3000      | 38.4      |
| 46  | ..... 57837-2017 | 25.1 (.255) | 3150      | 76.8      |
| 47  | ..... 57837-2017 | 25.1 (.255) | 3300      | 115.2     |
| 48  | ..... 57837-2017 | 25.1 (.255) | 3450      | 153.6     |
| 49  | ..... 57837-2017 | 25.1 (.255) | 3600      | 192.0     |
| 50  | ..... 57837-2017 | 25.1 (.255) | 3750      | 230.4     |
| 51  | ..... 57837-2017 | 25.1 (.255) | 3900      | 268.8     |
| 52  | ..... 57837-2017 | 25.1 (.255) | 4050      | 307.2     |
| 53  | ..... 57837-2017 | 25.1 (.255) | 4200      | 345.6     |
| 54  | ..... 57837-2017 | 25.1 (.255) | 4350      | 384.0     |
| 55  | ..... 57837-2017 | 25.1 (.255) | 4500      | 422.4     |
| 56  | ..... 57837-2017 | 25.1 (.255) | 4650      | 460.8     |
| 57  | ..... 57837-2017 | 25.1 (.255) | 4800      | 499.2     |
| 58  | ..... 57837-2017 | 25.1 (.255) | 4950      | 537.6     |
| 59  | ..... 57837-2017 | 25.1 (.255) | 5100      | 576.0     |
| 60  | ..... 57837-2017 | 25.1 (.255) | 5250      | 614.4     |
| 61  | ..... 57837-2017 | 25.1 (.255) | 5400      | 652.8     |
| 62  | ..... 57837-2017 | 25.1 (.255) | 5550      | 691.2     |
| 63  | ..... 57837-2017 | 25.1 (.255) | 5700      | 729.6     |
| 64  | ..... 57837-2017 | 25.1 (.255) | 5850      | 768.0     |
| 65  | ..... 57837-2017 | 25.1 (.255) | 6000      | 806.4     |
| 66  | ..... 57837-2017 | 25.1 (.255) | 6150      | 844.8     |



..... ;  
..... ; ..... -04  
..... ; .255 ..... 27772  
..... ; 180 ..  
..... ; L/450 (.....)  
..... ; ..... 5264-80  
..... ; ... 100%

| ... | .....            | .....       | ....., .. | ....., .. |
|-----|------------------|-------------|-----------|-----------|
| 67  | ..... 57837-2017 | 25.1 (.255) | 3000      | 38.4      |
| 68  | ..... 57837-2017 | 25.1 (.255) | 3150      | 76.8      |
| 69  | ..... 57837-2017 | 25.1 (.255) | 3300      | 115.2     |
| 70  | ..... 57837-2017 | 25.1 (.255) | 3450      | 153.6     |
| 71  | ..... 57837-2017 | 25.1 (.255) | 3600      | 192.0     |
| 72  | ..... 57837-2017 | 25.1 (.255) | 3750      | 230.4     |
| 73  | ..... 57837-2017 | 25.1 (.255) | 3900      | 268.8     |
| 74  | ..... 57837-2017 | 25.1 (.255) | 4050      | 307.2     |
| 75  | ..... 57837-2017 | 25.1 (.255) | 4200      | 345.6     |
| 76  | ..... 57837-2017 | 25.1 (.255) | 4350      | 384.0     |
| 77  | ..... 57837-2017 | 25.1 (.255) | 4500      | 422.4     |
| 78  | ..... 57837-2017 | 25.1 (.255) | 4650      | 460.8     |
| 79  | ..... 57837-2017 | 25.1 (.255) | 4800      | 499.2     |
| 80  | ..... 57837-2017 | 25.1 (.255) | 4950      | 537.6     |
| 81  | ..... 57837-2017 | 25.1 (.255) | 5100      | 576.0     |
| 82  | ..... 57837-2017 | 25.1 (.255) | 5250      | 614.4     |
| 83  | ..... 57837-2017 | 25.1 (.255) | 5400      | 652.8     |
| 84  | ..... 57837-2017 | 25.1 (.255) | 5550      | 691.2     |
| 85  | ..... 57837-2017 | 25.1 (.255) | 5700      | 729.6     |
| 86  | ..... 57837-2017 | 25.1 (.255) | 5850      | 768.0     |
| 87  | ..... 57837-2017 | 25.1 (.255) | 6000      | 806.4     |
| 88  | ..... 57837-2017 | 25.1 (.255) | 6150      | 844.8     |



..... ;  
..... ; ..... -05  
..... ; .255 ..... 27772  
..... ; 195 ..  
..... ; L/450 (.....)  
..... ; ..... 5264-80  
..... ; ... 100%

| ... | .....            | .....       | ....., .. | ....., .. |
|-----|------------------|-------------|-----------|-----------|
| 89  | ..... 57837-2017 | 25.1 (.255) | 3000      | 38.4      |
| 90  | ..... 57837-2017 | 25.1 (.255) | 3150      | 76.8      |
| 91  | ..... 57837-2017 | 25.1 (.255) | 3300      | 115.2     |
| 92  | ..... 57837-2017 | 25.1 (.255) | 3450      | 153.6     |
| 93  | ..... 57837-2017 | 25.1 (.255) | 3600      | 192.0     |
| 94  | ..... 57837-2017 | 25.1 (.255) | 3750      | 230.4     |
| 95  | ..... 57837-2017 | 25.1 (.255) | 3900      | 268.8     |
| 96  | ..... 57837-2017 | 25.1 (.255) | 4050      | 307.2     |
| 97  | ..... 57837-2017 | 25.1 (.255) | 4200      | 345.6     |
| 98  | ..... 57837-2017 | 25.1 (.255) | 4350      | 384.0     |
| 99  | ..... 57837-2017 | 25.1 (.255) | 4500      | 422.4     |
| 100 | ..... 57837-2017 | 25.1 (.255) | 4650      | 460.8     |
| 101 | ..... 57837-2017 | 25.1 (.255) | 4800      | 499.2     |
| 102 | ..... 57837-2017 | 25.1 (.255) | 4950      | 537.6     |
| 103 | ..... 57837-2017 | 25.1 (.255) | 5100      | 576.0     |
| 104 | ..... 57837-2017 | 25.1 (.255) | 5250      | 614.4     |
| 105 | ..... 57837-2017 | 25.1 (.255) | 5400      | 652.8     |
| 106 | ..... 57837-2017 | 25.1 (.255) | 5550      | 691.2     |
| 107 | ..... 57837-2017 | 25.1 (.255) | 5700      | 729.6     |
| 108 | ..... 57837-2017 | 25.1 (.255) | 5850      | 768.0     |
| 109 | ..... 57837-2017 | 25.1 (.255) | 6000      | 806.4     |
| 110 | ..... 57837-2017 | 25.1 (.255) | 6150      | 844.8     |