

Performance of linking graduates to researchers

Flavio & Christoph

05 December, 2022

Contents

Overview	1
SQL example for sourcing number of authors with same name	1
Which linking iterations to keep?	1
Some histograms	3
link score by field	3
Year between first pub and graduation	4
First and last name matches by cohort and field	6
How do fields of ProQuest map into fields in MAG?	8
Fraction matched by year and field	28
Checking non-linked entities that should be a link	29

Overview

SQL example for sourcing number of authors with same name

```
select *
from author_sample
inner join (
  select authorid, normalizedname, papercount, citationcount
  from authors
  where normalizedname = "lawrence b slobodkin"
) using (authorid)
inner join (
  select authorid, fieldofstudyid
  from author_fields
  where fieldclass = "first"
) using (authorid)
```

Which linking iterations to keep?

```
keep_iter_ids_base <- linking_info %>%
  filter(date <= date_method_change
    & keywords == "False"
  )

keep_iter_ids_revise <- linking_info %>%
  filter(date > date_method_change
    & keywords == "True"
  ) %>%
```

```

# keep only the latest iteration here
group_by(field) %>%
  filter(iteration_id == max(iteration_id)) %>%
  ungroup()
stopifnot(nrow(keep_iter_ids_revise) == n_distinct(keep_iter_ids_revise$field))

keep_iter_ids <- list(
  base = keep_iter_ids_base,
  revise = keep_iter_ids_revise
)

keep_iter_ids <- map(
  .x = keep_iter_ids,
  .f = ~.x %>%
    filter(field %in% select_fields) %>%
    pull(iteration_id)
)

linked_ids <- map(
  .x = keep_iter_ids,
  .f = ~linked_ids %>%
    filter(iteration_id %in% .x)
)

d_links <- map(
  .x = linked_ids,
  .f = ~.x %>%
    left_join(mag_authors %>%
      select(AuthorId,
        year_mag = year,
        firstname_mag = firstname,
        lastname_mag = lastname,
        field_mag = fieldofstudy,
        field0_mag = mag_field0),
      by = "AuthorId") %>%
    left_join(pq_authors %>%
      select(goid,
        year_pq = year,
        firstname_pq = firstname,
        lastname_pq = lastname,
        field_pq = fieldofstudy,
        field0_pq = mag_field0),
      by = "goid") %>%
    mutate(year_diff = year_mag - year_pq,
      same_firstname = ifelse(firstname_mag == firstname_pq, 1, 0),
      same_lastname = ifelse(lastname_mag == lastname_pq, 1, 0)) %>%
    left_join(field_names_id %>%
      rename(main_field = NormalizedName),
      by = c("field0_pq" = "FieldOfStudyId")) %>%
    filter(goid != 305107842) %>% # this is some author which was linked but should not have been in
    filter(link_score > min_link_score
      & abs(year_diff) <= max_year_diff)
)


```

```
d_links$base <- d_links$base %>% filter(year_pq <= 2005)
```

Some histograms


link score by field

```
## $base
```



```
##
```

```
## $revise
```




Year between first pub and graduation


- why are there other fields than maths/biology for the following two figures?
- this is because we sample persons whenever they are in any of the linking fields
 - thus, a graduate can be linked in a biology iteration if her first field is chemistry
 - compare this with the advisor links!
 - this also means the join above should take care of this, and indicate the multiplicity of the graduates!

```
## $base
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```




```
##
## $revise
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```




First and last name matches by cohort and field

\$base



name — first ---- last

\$revise




How do fields of ProQuest map into fields in MAG?

[[1]]

Fraction of field ProQuest into field MAG


Field: art



[[2]]

Fraction of field ProQuest into field MAG


Field: biology



[[3]]

Fraction of field ProQuest into field MAG


Field: business



[[4]]

Fraction of field ProQuest into field MAG

Field: chemistry




##

[[5]]

Fraction of field ProQuest into field MAG

Field: computer science




##


[[6]]

Fraction of field ProQuest into field MAG

Field: economics




[[7]]



[[8]]

Fraction of field ProQuest into field MAG

Field: environmental science




##

[[9]]

Fraction of field ProQuest into field MAG

Field: geography




##

[[10]]

Fraction of field ProQuest into field MAG


Field: geology



[[11]]

Fraction of field ProQuest into field MAG


Field: history



[[12]]

Fraction of field ProQuest into field MAG


Field: materials science



[[13]]

Fraction of field ProQuest into field MAG


Field: mathematics



[[14]]

Fraction of field ProQuest into field MAG


Field: medicine



[[15]]

Fraction of field ProQuest into field MAG


Field: philosophy



[[16]]

Fraction of field ProQuest into field MAG


Field: physics



[[17]]

Fraction of field ProQuest into field MAG


Field: political science



[[18]]

Fraction of field ProQuest into field MAG

Field: psychology




##



[[19]]

Fraction of field ProQuest into field MAG

Field: sociology



Fraction matched by year and field



Checking non-linked entities that should be a link

```
d_chem <- pq_authors %>%
  left_join(field_names_id %>%
    rename(main_field = NormalizedName),
    by = c("mag_field0" = "FieldOfStudyId")) %>%
  mutate(link = ifelse(goid %in% d_links$revise$goid, "linked", "not linked")) %>%
  filter(main_field == "chemistry")

pq_unis <- tbl(con, "pq_authors") %>%
  left_join(tbl(con, "pq_unis") %>%
    select(university_id, normalizedname),
    by = "university_id") %>%
  select(goid, uni_name = "normalizedname") %>%
  collect()

d_chem <- d_chem %>%
  left_join(pq_unis, by = "goid")

d_chem %>%
  filter(year == 1995 & uni_name == "stanford university" & link == "not linked") %>% head(10)

## # A tibble: 10 x 10
##       goid year first~1 lastn~2 middl~3 field~4 mag_f~5 main_~6 link uni_n~7
##       <int64> <int> <chr>    <chr>    <chr>    <chr>    <int> <chr>    <chr> <chr>
## 1 304229925 1995 nancy    hansen    fisher    chemis~ 1.86e8 chemis~ not ~ stanfo~
## 2 304229722 1995 mark    pavlos~    alan    chemis~ 1.86e8 chemis~ not ~ stanfo~
## 3 304228620 1995 kristin sannes    ann    chemis~ 1.86e8 chemis~ not ~ stanfo~
## 4 304238241 1995 andrei  tokmak~    <NA>    chemis~ 1.86e8 chemis~ not ~ stanfo~
## 5 304218381 1995 glenn    jones    clark    chemis~ 1.86e8 chemis~ not ~ stanfo~
## 6 304218443 1995 david    brown    earl    chemis~ 1.86e8 chemis~ not ~ stanfo~
## 7 304201950 1995 david    offord    alan    chemis~ 1.86e8 chemis~ not ~ stanfo~
## 8 304238172 1995 robert  guettl~    david    chemis~ 1.86e8 chemis~ not ~ stanfo~
## 9 304202002 1995 eric    remy      david    chemis~ 1.86e8 chemis~ not ~ stanfo~
## 10 304238397 1995 james    brown    william chemis~ 1.86e8 chemis~ not ~ stanfo~
## # ... with abbreviated variable names 1: firstname, 2: lastname, 3: middlename,
## # 4: fieldofstudy, 5: mag_field0, 6: main_field, 7: uni_name

#unique(d_chem$fieldofstudy)
## comparing to candidates:
# harvard:
# weldon in materials science
# beltrame in chemistry
# mit:
# lapointe is chemistry
# duff is chemistry
# stanford:
# shear in chemistry
# marcus is in biology
# hansen is in biology
# tokmakoff is in materials science

# update, chemistry check 8/11/22
# - tokmakoff still not linked; b/c of year first pub? -- yes, the linking score is 0.66...
```

- nancy fisher hansen (2649181519) is not linked (unclear if she should be linked)
- hopefully the keywords from topic models would help us here?
- maybe david h offord (304201950) would also be linked with the keywords?