

Performance of linking graduates to researchers

Flavio & Christoph

02 September, 2024

Contents

Overview	1
SQL example for sourcing number of authors with same name	1
Which linking iterations to keep?	1
Some histograms	3
link score by field	3
Year between first pub and graduation	4
First and last name matches by cohort and field	6
How do fields of ProQuest map into fields in MAG?	8
Fraction matched by year and field	28
Checking non-linked entities that should be a link	29
Chemistry: first affiliation of MAG authors should be the graduating institution. paper	30
Place of first publication	32
If publishing during PhD, does so at least once at the PhD university?	33

This document compares the links we obtain for all fields in the latest iteration. But it does not consider the further processing done in `prep_linked_data.py`. For better information about the final linked sample, see `quality_linking_graduates_chemistry.Rmd`.

Overview

SQL example for sourcing number of authors with same name

```
select *
from author_sample
inner join (
  select authorid, normalizedname, papercount, citationcount
  from authors
  where normalizedname = "lawrence b slobodkin"
) using (authorid)
inner join (
  select authorid, fieldofstudyid
  from author_fields
  where fieldclass = "first"
) using (authorid)
```

Which linking iterations to keep?

```
keep_iter_ids_base <- linking_info %>%
  filter(date <= date_method_change)
```

```

    & keywords == "False"
  )

keep_iter_ids_revise <- linking_info %>%
  filter(date > date_method_change
    & keywords == "True"
  ) %>%
  # keep only the latest iteration here
  group_by(field) %>%
  filter(iteration_id == max(iteration_id)) %>%
  ungroup()
stopifnot(nrow(keep_iter_ids_revise) == n_distinct(keep_iter_ids_revise$field))

keep_iter_ids <- list(
  base = keep_iter_ids_base,
  revise = keep_iter_ids_revise
)

keep_iter_ids <- map(
  .x = keep_iter_ids,
  .f = ~.x %>%
    filter(field %in% select_fields) %>%
    pull(iteration_id)
)

linked_ids <- map(
  .x = keep_iter_ids,
  .f = ~linked_ids %>%
    filter(iteration_id %in% .x)
)

d_links <- map(
  .x = linked_ids,
  .f = ~.x %>%
    left_join(mag_authors %>%
      select(AuthorId,
        year_mag = year,
        firstname_mag = firstname,
        lastname_mag = lastname,
        field_mag = fieldofstudy,
        field0_mag = mag_field0),
      by = "AuthorId") %>%
    left_join(pq_authors %>%
      select(goid,
        year_pq = year,
        firstname_pq = firstname,
        lastname_pq = lastname,
        field_pq = fieldofstudy,
        field0_pq = mag_field0),
      by = "goid") %>%
    mutate(year_diff = year_mag - year_pq,
      same_firstname = ifelse(firstname_mag == firstname_pq, 1, 0),
      same_lastname = ifelse(lastname_mag == lastname_pq, 1, 0)) %>%
    left_join(field_names_id %>%

```

```

      rename(main_field = NormalizedName),
      by = c("field0_pq" = "FieldOfStudyId")) %>%
filter(goid != 305107842) %>% # this is some author which was linked but should not have been in
filter(link_score > min_link_score
      & abs(year_diff) <= max_year_diff)

)

d_links$base <- d_links$base %>% filter(year_pq <= 2005)

```

Some histograms

link score by field

```
## $base
```


```
## Warning: The dot-dot notation (`..density..`) was deprecated in ggplot2 3.4.0.
```

```
## i Please use `after_stat(density)` instead.
```

```
## This warning is displayed once every 8 hours.
```


```
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was
```

```
## generated.
```



```
##
```

```
## $revise
```




Year between first pub and graduation


- why are there other fields than maths/biology for the following two figures?
- this is because we sample persons whenever they are in any of the linking fields
 - thus, a graduate can be linked in a biology iteration if her first field is chemistry
 - compare this with the advisor links!
 - this also means the join above should take care of this, and indicate the multiplicity of the graduates!

```
## $base
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```



```
##
## $revise
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```




First and last name matches by cohort and field

\$base



\$revise




How do fields of ProQuest map into fields in MAG?

[[1]]

Fraction of field ProQuest into field MAG


Field: art



[[2]]

Fraction of field ProQuest into field MAG


Field: biology



[[3]]

Fraction of field ProQuest into field MAG


Field: business



```
##
## [[4]]
```

Fraction of field ProQuest into field MAG


Field: chemistry




[[5]]

Fraction of field ProQuest into field MAG

Field: computer science




[[6]]




[[7]]

Fraction of field ProQuest into field MAG

Field: engineering




[[8]]



[[9]]

Fraction of field ProQuest into field MAG


Field: geography



```
##
## [[10]]
```

Fraction of field ProQuest into field MAG


Field: geology



```
##
## [[11]]
```

Fraction of field ProQuest into field MAG


Field: history



```
##
## [[12]]
```

Fraction of field ProQuest into field MAG


Field: materials science



[[13]]

Fraction of field ProQuest into field MAG


Field: mathematics



[[14]]

Fraction of field ProQuest into field MAG


Field: medicine



```
##
## [[15]]
```

Fraction of field ProQuest into field MAG


Field: philosophy



[[16]]

Fraction of field ProQuest into field MAG


Field: physics



[[17]]

Fraction of field ProQuest into field MAG


Field: political science



```
##
## [[18]]
```

Fraction of field ProQuest into field MAG


Field: psychology





```
##
## [[19]]
```

Fraction of field ProQuest into field MAG

Field: sociology



Fraction matched by year and field



Checking non-linked entities that should be a link

```
d_chem <- pq_authors %>%
  left_join(field_names_id %>%
    rename(main_field = NormalizedName),
    by = c("mag_field0" = "FieldOfStudyId")) %>%
  mutate(link = ifelse(goid %in% d_links$revise$goid, "linked", "not linked")) %>%
  filter(main_field == "chemistry")

pq_unis <- tbl(con, "pq_authors") %>%
  left_join(tbl(con, "pq_unis") %>%
    select(university_id, normalizedname),
    by = "university_id") %>%
  select(goid, uni_name = "normalizedname") %>%
  collect()

d_chem <- d_chem %>%
  left_join(pq_unis, by = "goid")

d_chem %>%
  filter(year == 1995 & uni_name == "stanford university" & link == "not linked") %>% head(10)

## # A tibble: 10 x 11
##       goid  year firstname lastname  middlename fieldofstudy mag_field0
##   <int64> <int> <chr>      <chr>      <chr>      <chr>          <int>
## 1 304229925 1995 nancy      hansen      fisher      chemistry      185592680
## 2 304229722 1995 mark      pavlosky    alan        chemistry      185592680
## 3 304228620 1995 kristin   sannes      ann          chemistry      185592680
## 4 304218381 1995 glenn      jones       clark        chemistry      185592680
## 5 304201950 1995 david      offord      alan        chemistry      185592680
## 6 304238172 1995 robert     guettler    david        chemistry      185592680
## 7 304202002 1995 eric       remy        david        chemistry      185592680
## 8 304229882 1995 thomas     schoch      k            chemistry      185592680
## 9 304229838 1995 philip     merrill     bradley      chemistry      185592680
## 10 304218488 1995 claude     maechling   ricketts     chemistry      185592680
## # i 4 more variables: university_id <int>, main_field <chr>, link <chr>,
## #   uni_name <chr>

#unique(d_chem$fieldofstudy)
## comparing to candidates:
# harvard:
# weldon in materials science
# beltrame in chemistry
# mit:
# lapointe is chemistry
# duff is chemistry
# stanford:
# shear in chemistry
# marcus is in biology
# hansen is in biology
# tokmakoff is in materials science

# update, chemistry check 8/11/22
# - tokmakoff still not linked; b/c of year first pub? -- yes, the linking score is 0.66...
```

```
# - nancy fisher hansen (2649181519) is not linked (unclear if she should be linked)
# - hopefully the keywords from topic models would help us here?
# - maybe david h offord (304201950) would also be linked with the keywords?
```

Chemistry: first affiliation of MAG authors should be the graduating institution. paper


```
grads_chemistry <- d_links$revise |>
  filter(field0_mag == 185592680) |>
  group_by(AuthorId) |>
  filter(iteration_id == max(iteration_id)) |>
  ungroup() |>
  mutate(grp = case_when( # some people publish already way before the PhD
    year_mag > year_pq ~ "first pub after PhD",
    year_mag < year_pq - 6 ~ "first pub before PhD",
    TRUE ~ "first pub during PhD"
  )) |>
  select(AuthorId, goid, year_pq, grp)
```

```
head(grads_chemistry)
```

```
## # A tibble: 6 x 4
##   AuthorId      goid year_pq grp
##   <int64>   <int64>   <int> <chr>
## 1 2227604972 303417360   1986 first pub during PhD
## 2  641051114 303352848   1985 first pub during PhD
## 3 2143303641 881747820   2011 first pub after PhD
## 4 2168717013 304427153   1998 first pub during PhD
## 5 2504958925 305369745   2006 first pub during PhD
## 6 2225265093 304664910   2000 first pub after PhD
```

```
grads_chemistry |>
  group_by(grp, year_pq) |>
  summarise(nb = n()) |>
  ungroup() |>
  group_by(year_pq) |>
  mutate(total = sum(nb)) |>
  ggplot(aes(x = year_pq, y = nb/total)) +
  geom_line(aes(linetype = grp)) +
  theme(legend.position = "bottom")
```

```
## `summarise()` has grouped output by 'grp'. You can override using the `.groups`
## argument.
```



Gaule/Piacentini had 21154 graduates from 1999 to 2008; we have

```
grads_chemistry |>
  filter(year_pq >= 1999 & year_pq <= 2008) |>
  summarise(n())
```

```
## # A tibble: 1 x 1
##   `n()`
##   <int>
## 1 12992
```

- they had chemists and chemical engineers; we may miss the engineers in this sample.

```
grads_chemistry |>
  filter(year_pq >= 1990 & year_pq <= 2015) |>
  group_by(grp) |>
  summarise(nb = n()) |>
  ungroup() |>
  mutate(s = nb / sum(nb))
```

```
## # A tibble: 3 x 3
##   grp          nb      s
##   <chr>      <int> <dbl>
## 1 first pub after PhD    4977 0.147
## 2 first pub before PhD   1967 0.0579
## 3 first pub during PhD  27011 0.795
```

```
query_authors <- unique(grads_chemistry$AuthorId)
query_authors <- paste0(query_authors, collapse = ", ")
```

```

q_authors_affil <- paste0(
  "SELECT AuthorId, AffiliationId, Year
  FROM AuthorAffiliation
  INNER JOIN (
    SELECT AuthorId, YearFirstPub
    FROM author_sample
  ) USING(AuthorId)
  WHERE AuthorId IN (", query_authors, ")
  AND Year <= YearFirstPub + 20"
)

authors_affil <- tbl(con, sql(q_authors_affil)) |>
  collect()

authors_first_affil <- authors_affil |>
  group_by(AuthorId) |>
  filter(Year == min(Year)) |>
  filter(!duplicated(AuthorId)) |>
  ungroup()

links_to_cng <- tbl(con, "links_to_cng") |>
  collect()

```


Place of first publication

```

place_first_pub <- grads_chemistry |>
  left_join(pq_authors |>
    select(goid, university_id),
    by = "goid") |>
  left_join(links_to_cng |>
    filter(from_dataset == "pq") |>
    select(from_id, unitid_graduate = unitid),
    by = c("university_id" = "from_id")) |>
  left_join(authors_first_affil |>
    select(AuthorId, AffiliationId),
    by = "AuthorId") |>
  left_join(links_to_cng |>
    filter(from_dataset == "mag") |>
    select(from_id, unitid_author = unitid),
    by = c("AffiliationId" = "from_id"))

place_first_pub |>
  mutate(same_institution = ifelse(unitid_graduate == unitid_author, 1, 0)) |>
  group_by(year_pq) |>
  summarise(same_institution = mean(same_institution, na.rm = T),
    .groups = "drop") |>
  ggplot(aes(x = year_pq, y = same_institution)) +
  geom_line() +
  geom_point()

```

If publishing during PhD, does so at least once at the PhD university?

```
publish_during_phd <- authors_affil |>
  left_join(grads_chemistry |>
    select(-grp),
    by = c("AuthorId")) |>
  filter(Year <= year_pq & Year >= year_pq - 6) |>
  left_join(links_to_cng |>
    filter(from_dataset == "mag") |>
    select(from_id, unitid_author = unitid),
    by = c("AffiliationId" = "from_id")) |>
  left_join(pq_authors |>
    select(goid, university_id),
    by = "goid") |>
  left_join(links_to_cng |>
    filter(from_dataset == "pq") |>
    select(from_id, unitid_graduate = unitid),
    by = c("university_id" = "from_id")) |>
  select(AuthorId, Year, year_pq, unitid_author, unitid_graduate, university_id) |>
  mutate(same_institution = ifelse(unitid_author == unitid_graduate, 1, 0),
    same_institution = ifelse(is.na(same_institution), 0, same_institution))
```

Fraction of students not publishing during PhD:

```
1 - n_distinct(publish_during_phd$AuthorId) / n_distinct(grads_chemistry$AuthorId)
```

```
## [1] 0.2239471
```

```
# group by student: at least one pub with the PhD university?
```

```
publish_during_phd <- publish_during_phd |>
```

```
  group_by(AuthorId) |>
```

```
  filter(same_institution == max(same_institution)) |>
```

```
  filter(!duplicated(AuthorId))
```

```
publish_during_phd |>
```


```
  group_by(year_pq) |>
```

```
  summarise(same_institution = mean(same_institution, na.rm = T),  
            .groups = "drop") |>
```

```
  ggplot(aes(x = year_pq, y = same_institution)) +
```

```
  geom_line() +
```

```
  geom_point()
```



```
summary(publish_during_phd)
```

```
##      AuthorId      Year      year_pq      unitid_author  
## Min.   : 797101  Min.   :1980  Min.   :1985  Min.   :100663  
## 1st Qu.:2046494765 1st Qu.:1994  1st Qu.:1996  1st Qu.:144050  
## Median :2145361750 Median :2002  Median :2004  Median :174066  
## Mean   :2104704648 Mean   :2001  Mean   :2003  Mean   :181254  
## 3rd Qu.:2435561831 3rd Qu.:2008  3rd Qu.:2010  3rd Qu.:212054  
## Max.   :3163604571 Max.   :2015  Max.   :2015  Max.   :495767  
##                                     NA's   :1793  
## unitid_graduate university_id same_institution
```

```
## Min. :100663 Min. : 1 Min. :0.0000
## 1st Qu.:144050 1st Qu.: 31 1st Qu.:1.0000
## Median :174066 Median : 94 Median :1.0000
## Mean :180728 Mean : 173 Mean :0.8701
## 3rd Qu.:211440 3rd Qu.: 206 3rd Qu.:1.0000
## Max. :495767 Max. :2849 Max. :1.0000
## NA's :982
```

```
head(publish_during_phd |> filter(same_institution == 0))
```

```
## # A tibble: 6 x 7
## # Groups:   AuthorId [6]
##   AuthorId Year year_pq unitid_author unitid_graduate university_id
##   <int64> <int> <int> <int> <int> <int64>
## 1 2387360 2004 2005 236948 131496 407
## 2 2683537 2000 2005 122597 141574 219
## 3 4924916 2001 2002 151111 243780 31
## 4 6283000 1990 1990 NA 131469 312
## 5 6395424 1999 1999 130943 176080 356
## 6 8227037 2002 2005 NA NA 569
## # i 1 more variable: same_institution <dbl>
```

notes - some may publish after phd with the phd affiliation – not captured here - misses research institutes that are not in Carnegie, ie scripps research institute - all in all, this is a lower bound on the precision in the sample of people publishing during their PhD - the lower bound on precision for the sample of chemists can be calculated as follows - 19% publish after PhD; assume they are all false positives - of the remaining 81%, 87% publish at their graduating university - thus, our precision is at least $0.81 * 0.87 = 0.70$ - this calculation is more difficult in fields where graduates publish more often after graduating