

This is how I built Metadata's GTM motion

93

Demo requests

64

Booked demos

34


Completed demos

Metadata company-wide dashboard, September 30. Since August 17. These counts do not establish engine attribution.

Engine pilot, September 16: 10 emails matched Gmail Sent. 10 repeat attempts blocked.

Gil Allouche, CEO of Metadata. You will build this workflow for your company.

A real page, email and gift



The screenshot shows a landing page for a campaign by Metadata for Zuora Inc. The page has a light beige background. At the top left is the 'metadata' logo. At the top right, it says 'A campaign brief for Zuora Inc' and 'zuora.com'. Below the logo, it says 'METADATA x ZUORA INC'. The main headline is 'Zuora Inc, Reach the team behind every revenue decision'. Below this, it says 'See a Metadata campaign-planning demo built around Zuora's quote-to-cash buyers: accounting, billing operations, and finance systems.' There are two buttons: 'Audience → creative → pipeline' and 'Your budget. Your approvals.' Below these are logos for 'ZOOM', 'Notion', 'reddit', 'Pinterest', 'LogicMonitor', and 'Monotype.' At the bottom is a photo of hands putting puzzle pieces together. On the right side, there is a white box with a blue arrow pointing to it. Inside the box, it says 'Let's make it concrete.' followed by 'Request your personalized Metadata demo. Choose a time after submitting the form.' Below this is a 'Work Email' field with the placeholder 'you@company.com' and a red 'Request a demo' button. At the bottom of the box, it says 'By submitting, you agree to our [Privacy Policy](#). We'll never spam you.' Below that, it says 'What we'll work through' followed by a list of three items: 'A target audience and campaign offer', 'Creative ideas and a first experiment', and 'Budget controls and pipeline measurement'.

metadata

A campaign brief for Zuora Inc
zuora.com

METADATA x ZUORA INC

Zuora Inc, Reach the team behind every revenue decision

See a Metadata campaign-planning demo built around Zuora's quote-to-cash buyers: accounting, billing operations, and finance systems.

Audience → creative → pipeline Your budget. Your approvals.

IN GOOD COMPANY

ZOOM Notion reddit
Pinterest LogicMonitor Monotype.

Let's make it concrete.

Request your personalized Metadata demo. Choose a time after submitting the form.

Work Email

you@company.com

Request a demo


By submitting, you agree to our [Privacy Policy](#). We'll never spam you.

What we'll work through

- A target audience and campaign offer
- Creative ideas and a first experiment
- Budget controls and pipeline measurement

Metadata built a page for Zuora, sent an email to Forum One and sent a gift invitation to Datarails. These are different examples.

What your workflow does



Paused, excluded or uncertain: hold the action and read the existing provider record.

The working project is already prepared

Project instructions and command

README.md
AGENTS.md
gtm.py

Configuration

policy.json
schema.sql

Saved records

gtm.sqlite

Core workflow

database.py
scheduler.py
checks.py
validation.py
http_client.py
research.py
assets.py

Channels


email.py
gifts.py
social.py
meetings.py

Import, checks and migration receipt

import_v4.py
focused_checks.py
migration_receipt.json

Actual v5 source: 20 files. Accounts, messages and provider results are rows in one database.

The four steps I used



August 7 foundation. Claude Code v1/v2. Codex v3. Kimi handoff. Codex v4. Local v5 on October 4 to 5.

Today you build two pages and save the job

Each person builds for their own company. Finish with two account pages, a reusable page skill and a saved project you can continue after class.

COMPANY.md

TARGETS.md

First account page

Saved page skill

Second account page

Chapter 2 of 5

Start your company project

Company brief, paused instructions and verified local setup.

24 guided minutes

Open the next full prompt. Review the result before moving on.

START HERE: one folder, one prompt, one step

12 min / Easy / Local Codex or Claude Code; file and web access. No API credits.

- 1 Get the workshop folder.
- 2 Open the workshop folder.
- 3 Open prompts.html.
- 4 Paste once and review.

You should have: COMPANY.md, SETUP.md, AUTHORITY.md, AGENTS.md and saved interpreter receipt.

Check: Company brief exists before bootstrap.; Compatible Python path/version is actually verified.; Outreach and spending remain paused.; Agent stops after setup and names the next step.

Full prompt on the next page and at [prompts.html#p1-install](#)

Prompt: **START HERE: one folder, one prompt, one step**

Help me build my company's GTM workflow one step at a time.

Website: [YOUR_COMPANY_WEBSITE]

Buyer segment: [BUYER_SEGMENT]

Offer: [COLD_OFFER]

Targets: [TARGET_1_DOMAIN], [TARGET_2_DOMAIN]

Read this package's README.md, AGENTS.md and START-HERE.md. If an input is blank, ask only for what official sources cannot supply. Suggest real targets for my confirmation if needed.

Use this workshop folder as my local project. Keep runtime in code/ and outputs in company-motion/. Run commands from code/.

Read my official website and save company-motion/COMPANY.md with sourced facts, the segment, offer, proof and actual next-step link. Ask only for missing facts. If the site blocks access, use official text I paste.

After company-motion/COMPANY.md exists, run from code/:

```
python3 -B gtm.py bootstrap --company-brief ../company-motion/COMPANY.md
```

Use its saved verified Python executable for later commands and standalone scripts.

If Python needs installation, name the official installer and stop there. Do not install Homebrew.

Read company-motion/AUTHORITY.md and company-motion/AGENTS.md. Keep outreach and spending paused.

Save both target domains and the actual bootstrap result in company-motion/SETUP.md. Append the completed step, actual file paths, checks and next task to company-motion/PROGRESS.md. Do not run later exercises.

Show the output and success check. Stop. Next: review your company brief.

Copy full prompt: [prompts.html#p1-install](#)

Next: review your company brief (p1-company)

Six terms used in these exercises

Skill

Saved instructions for one repeatable job.

Execution flow

The order of jobs and the next-action rules.

Provider receipt

The service's actual ID and result for an action.

Target account

A company you want to sell to.

Self-test / canary

One approved email sent to your own sender.

Hold

Keep the action stopped until a missing check passes.

Part 1 needs no API keys

You can finish the pages with your website and local agent. Add keys only when you connect a channel. Your own credentials stay in private local files.

Private key paths

Private configuration

Your recipient inputs

**Private working
database**

Review what your agent learned about your company

8 min / Easy / Codex web access and your official website. No paid API required.

- 1 Read COMPANY.md. Check the buyer, offer and next-step link.
- 2 Open its proof sources. Resolve conflicting numbers or leave them out.
- 3 Confirm the brief. Use it for both account pages.

You should have: company-motion/COMPANY.md with sourced company facts.

Check: Every proof claim has a supporting source.; Buyer segment and offer match your answers.; Conflicting website numbers are flagged, not silently selected.

Full prompt on the next page and at [prompts.html#p1-company](#)

Prompt: Review what your agent learned about your company

Review company-motion/COMPANY.md with me.

Show the buyer segment, offer, next-step link and the source behind each proof claim.

If the website has conflicting numbers, show both URLs and exact excerpts. Do not choose a number without support.

Ask at most two short questions for missing company facts. Keep unsupported claims out of the brief.

Save my corrections and preserve the source URLs and read dates.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: review the operating instructions.

Copy full prompt: [prompts.html#p1-company](#)

Next: review the operating instructions (p1-authority)

Your project starts with outreach paused

4 min / Easy / Prepared bootstrap and your saved company brief. No API.

- 1 Open the two instruction files. Read the company facts and paused authority.
- 2 Repair a missing file. Rerun bootstrap. It preserves existing files.
- 3 Keep the project paused. No sender or paid channel is needed yet.

You should have: Present, readable AUTHORITY.md and AGENTS.md.

Check: Both files exist.; No outreach, sender, spend or country authority is invented.

Full prompt on the next page and at prompts.html#p1-authority

Prompt: Your project starts with outreach paused

Open company-motion/AUTHORITY.md and company-motion/AGENTS.md.

If either is missing, rerun:

```
python3 -B gtm.py bootstrap --company-brief ../company-motion/COMPANY.md
```

Preserve my existing facts, instructions and history.

Show the company name, one-step-at-a-time rule, and paused outreach and spending rules.

If either file conflicts with my company brief, show the conflict for my correction. Do not grant a sender or live channel yet.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: research the first target company.

Copy full prompt: [prompts.html#p1-authority](#)

Next: research the first target company (p1-one-source)

Chapter 3 of 5

Choose two target companies

Two source-backed target briefs and a saved target list.

10 guided minutes

Open the next full prompt. Review the result before moving on.

Research your first target company

5 min / Easy / Official target-company website. No paid API required.

- 1 Choose the first target website. Use a real company you want to sell to.
- 2 Save three useful facts. Record its product, buyers and a relevant current need.
- 3 Mark unsupported ideas as suggestions. A proposed campaign is not a known business problem.

You should have: One dated target brief.

Check: Each target fact has its exact source excerpt and read date.; The page idea is labeled as a suggestion.

Full prompt on the next page and at prompts.html#p1-one-source

Prompt: Research your first target company

Use the first target domain saved during setup.

Read its official website and my company brief.

Save company-motion/targets/ACTUAL-DOMAIN.md with its product, buyers and facts relevant to our offer. Use the actual domain in the path.

For each fact, include the source URL, exact supporting text and read date.

Keep ideas separate from facts. Do not invent revenue, spend, buying intent or a recent launch.

Show one sourced target fact and the page idea it supports.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: research the second target and save the target list.

Copy full prompt: [prompts.html#p1-one-source](#)

Next: research the second target and save the target list (p1-target-fit)

Save your two target companies

5 min / Easy / Two real target domains and browser access. No paid API required.

- 1 Read the saved target domains. Use the two companies from setup.
- 2 Research the second company. Save its facts and one supported fit reason.
- 3 Save the two-company list. Keep uncertain fit visible for review.

You should have: Two reviewed target briefs and company-motion/TARGETS.md.

Check: Each company has one supported reason for the page.

Full prompt on the next page and at [prompts.html#p1-target-fit](#)

Prompt: Save your two target companies

Read the two target domains saved during setup.

Research the second company from its official sources and save its target brief.

Save company-motion/TARGETS.md with both actual domains, products, buyers and one sourced reason our offer fits each.

Keep uncertain fit marked for review. This list is page-building input, not permission to contact a person.

Show both companies plainly, one row each.


Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: build the first account page.

Copy full prompt: [prompts.html#p1-target-fit](#)

Next: build the first account page (p1-build-page)

Zuora: show useful ideas before asking for time



metad^{data}

A campaign brief for Zuora Inc
zuora.com

METADATA x ZUORA INC

Zuora Inc, Reach the team behind every revenue decision

See a Metadata campaign-planning demo built around Zuora's quote-to-cash buyers: accounting, billing operations, and finance systems.

Audience → creative → pipeline Your budget. Your approvals.

IN GOOD COMPANY

zoom Notion reddit
Pinterest LogicMonitor Monotype.

Let's make it concrete.

Request your personalized Metadata demo. Choose a time after submitting the form.

Work Email

you@company.com

Request a demo

By submitting, you agree to our [Privacy Policy](#). We'll never spam you.

What we'll work through

- A target audience and campaign offer
- Creative ideas and a first experiment
- Budget controls and pipeline measurement

The page gives Zuora campaign ideas. It shows the offer and a clear next step. Your page should do the same for your buyer.

Chapter 4 of 5

Build and check your first page

A reviewed page and a claim/source check.

20 guided minutes

Open the next full prompt. Review the result before moving on.

Build the page for your first target

10 min / Easy / Codex file/browser access and the two saved briefs. No API credits.

- 1 Copy the page prompt. Codex reads the two saved briefs.
- 2 Open the generated page. View the HTML in your browser.
- 3 Check the headline and offer. They must refer to the correct seller and buyer.

You should have: A real HTML page and source notes.

Check: The page opens.; The seller, target and next step are correct.; No unsupported proof appears.

Full prompt on the next page and at [prompts.html#p1-build-page](#)

Prompt: Build the page for your first target

Build company-motion/pages/ACTUAL-DOMAIN/index.html for the first target using our company brief and its target brief.

Make one standalone responsive HTML file with styles, scripts and required graphics inside it.

Use our actual brand, one buyer-specific idea, our actual offer, supported proof and our real next-step link.

Keep suggestions distinct from facts. Do not invent a testimonial, logo, demo length, result or recent launch.

If proof is weak, use the supported product description or omit that proof block.

Save claim/source notes beside the page and open the actual file in a browser.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: check every claim and review desktop and phone layouts.

Copy full prompt: [prompts.html#p1-build-page](#)

Next: check every claim and review desktop and phone layouts (p1-page-review)

Check every claim. Then check the page layout.

10 min / Easy / Browser and generated HTML. No paid API required.

- 1 Read each factual claim.
- 2 Remove unsupported promises.
- 3 Check desktop and phone.
- 4 Open the next-step link.

You should have: Reviewed page plus company-motion/PAGE-REVIEW.md.

Check: Every factual claim has exact supporting text or is removed.; Measured innerWidth matches the recorded viewport.; Phone overflow is measured inside that viewport.; Failed checks are rerun after repair.

Full prompt on the next page and at prompts.html#p1-page-review

Prompt: Check every claim. Then check the page layout.

Review every factual claim in the saved HTML, including headings, buttons, captions and footer.

Save a claim ledger with the claim, exact source URL and supporting excerpt. Remove or rewrite unsupported demo length, results, testimonials and recency claims. Suggestions must be labeled.

Check the page in actual browser viewports at 1440 x 900 and 390 x 844. Read `window.innerWidth` and `window.innerHeight` before checking overflow; resizing a Mac window alone is not proof of the viewport.

If the browser cannot reach 390 pixels, record phone review as unverified and give a device-mode or phone check. Do not report false clipping.

Test the next-step link. Repair failures and rerun them.

Save `company-motion/PAGE-REVIEW.md` with the claim ledger, measured viewport sizes, screenshots and unresolved checks.

Append this step, actual artifact, check and next task to `company-motion/PROGRESS.md`. Show the output. Stop.

Next: save the checked page method as a skill.

Copy full prompt: [prompts.html#p1-page-review](#)

Next: save the checked page method as a skill (p1-save-skill)

Chapter 5 of 5

Save the skill and build page two

A reusable skill, second reviewed page and Part1 checkpoint.

24 guided minutes + 30 minutes for help

Open the next full prompt. Review the result before moving on.

STEP 1: save the page method as a skill

6 min / Easy / Reviewed first page and source notes. No API credits.

- 1 Copy the skill prompt. Use the reviewed page and source notes.
- 2 Read the saved SKILL.md. Check the required inputs and success checks.
- 3 Keep the prompt and result together. The next run should use the same method.

You should have: company-motion/skills/account-page/SKILL.md.

Check: The skill names inputs, output and checks.; A missing source has a defined response.

Full prompt on the next page and at prompts.html#p1-save-skill

Prompt: STEP 1: save the page method as a skill

Create company-motion/skills/account-page/SKILL.md from the method that passed review.
Include the required company and target facts, standalone HTML output, source ledger, missing-proof rule, real next-step link and measured desktop/phone checks.
Use the reviewed first page as the example. Make the instructions usable in a fresh local agent session.
Require each factual claim to have exact source support. Keep unsupported facts out.
Show the complete saved skill.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.
Next: use that skill for the second target.

Copy full prompt: [prompts.html#p1-save-skill](#)

Next: use that skill for the second target (p1-repeat)

Use the skill for your second target

8 min / Easy / Saved account-page skill and second target brief. No paid API required.

- 1 Run the account-page skill. Use the second saved target brief.
- 2 Open both pages. Compare buyer names and ideas.
- 3 Save the repeat result. Keep the first page intact.

You should have: Second reviewed page and company-motion/SKILL-TEST.md.

Check: Each page addresses its own buyer.; The first page remains intact.; The saved skill produced both outputs.

Full prompt on the next page and at [prompts.html#p1-repeat](#)

Prompt: Use the skill for your second target

Use the saved account-page skill and the second target brief to build the second page.
Keep the first page unchanged.
Run the skill's full claim/source review and measured desktop/phone checks. A missing browser check stays unverified.
Show what changed between the two targets. Remove facts or generic copy carried over from the first company.
Save company-motion/SKILL-TEST.md with both page paths, review evidence and remaining issues.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.
Next: check the Part 1 files after the break.

Copy full prompt: [prompts.html#p1-repeat](#)

Next: check the Part 1 files after the break (p1-checkpoint)

Coffee. Your agent has the notes.

Save both pages. Leave the project open. Return in five minutes.

Please do not make coffee your next automation dependency.



A page file is one useful result

A local page, a published page and a verified form submission are different results. Keep the label that your evidence supports.

HTML created

Browser reviewed

Published URL verified

**Form submission
verified**

Check your Part 1 files. Repair any missing setup.

01 Run the checkpoint prompt.

Codex opens each required file.

02 Repair the first missing check.

Preserve the working pages.

03 Save your next task.

Bring this same project to Part 2.

Your agent opens the required files. If setup skipped the instructions, bootstrap repairs them in the same project without losing your pages.

Prompt: Check your Part 1 files. Repair any missing setup.

Open our company brief, setup receipt, company-motion/AUTHORITY.md, company-motion/AGENTS.md, target list, two target briefs, two pages, page review, saved skill and skill test.

If company-motion/AUTHORITY.md or company-motion/AGENTS.md is missing, rerun bootstrap with the existing company brief. Preserve all working outputs and history.

Append actual paths and passed or missing checks to company-motion/PROGRESS.md.

Keep created, reviewed and published separate. Repair the first available local issue and rerun its check.

Name one exact next action for each remaining gap.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: finish the first remaining issue with individual help.

Copy full prompt: [prompts.html#p1-checkpoint](#)

Next: finish the first remaining issue with individual help (p1-help)



Finish your pages. Fix the first blocker.

Work individually. Open the repair prompt for the failed task. Gil helps with errors and unclear results.

Prompt: Finish your pages. Fix the first blocker.

Read company-motion/PROGRESS.md and find the first unfinished Part 1 check.

Repair that local cause in this same project. Preserve working pages, source notes and the saved skill.

Rerun its success check and update company-motion/PROGRESS.md.

If only phone review is missing, show the exact manual device-mode or phone check instead of inventing a pass.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: prepare the single email connection before Part 2.

Copy full prompt: [prompts.html#p1-help](#)

Next: prepare the single email connection before Part 2 (p1-before-part2)

Before Part 2: prepare one email channel

Required

Own Google sender and primary calendar

Completed Google authorization

Current customer, deal and opt-out exclusions

Eleven exact validated addresses

Permitted recipient-company countries

Workshop 2



<https://luma.com/jd8tm0ij>

Workshop 3



<https://luma.com/wucyo6fw>

Prompt: Before Part 2: prepare one email channel

Read PREWORK.md, API-CONNECTIONS.md and SETUP-SEQUENCE.md for the single email channel.
Prepare my own sender, primary calendar, permitted countries and current customer/deal/opt-out exclusions.
Follow the Google Cloud sign-in guide. It must initialize this fresh email configuration from code/ using python3 -B gtm.py init --config and the actual private path before treating email setup as ready; bootstrap alone is local file setup.
Use the project launcher and the actual private client-file path. Record the authenticated sender and calendar; name any Workspace-admin blocker.
Prepare ten distinct target domains and current buyer contacts plus my own self-test address.
Read the actual ZeroBounce balance and show the validation cost. Ask for my bounded paid-validation approval before spending credits. Keep original pending request IDs.
Save company-motion/CONNECTION-CHECK.md with each actual result or blocker. Keep outreach paused.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.
Next: open Part 2 and check your email prerequisites.

Copy full prompt: [prompts.html#p1-before-part2](#)

Next: open Part 2 and check your email prerequisites (p2-connect)

Your page skill becomes part of a workflow

Your pages and saved skill are ready. Today you connect one email channel, prepare ten target companies and inspect one real self-test before sending to prospects.

Page skill

Execution rules

Target accounts

Exact email

Provider result

Check your email connection before sending

12 min / Easy / Google OAuth, current exclusions and participant config. Read-only calls.

- 1 Initialize once for email operation.
- 2 Initialize your email configuration.
- 3 Read the four connection checks.
- 4 Separate connection failures from later holds.

You should have: CONNECTION-CHECK.md with connection results and expected later recipient/action holds.

Check: Init loads the fresh private configuration and returns initialized:true.; Owned Google profile/calendar, canonical permitted countries and current complete exclusions pass.; Missing people/actions remain expected later holds, not a reason to reset setup.

Full prompt on the next page and at [prompts.html#p2-connect](#)

Prompt: Check your email connection before sending

Read my company brief, authority, company-motion/CONNECTION-CHECK.md and the email setup guide.
Ask only for missing sender or permitted-company-country choices. Show the saved canonical countries; US and United States must match. Hold unknown countries.
Create or update my private configuration through the package's exact schema. Keep the eleven-email ceiling, one owned self-test, ten prospect limit and other live channels disabled.
Use snapshot mode for this owner-reviewed manual test. Bootstrap alone does not initialize email operation. From code/, run `python3 -B gtm.py init --config` with the actual absolute private-config path once for this fresh project. Verify `initialized:true`. Use `configure` only for later deliberate configuration changes; preserve saved grants and history.
Read my actual Google profile and primary calendar. Re-read current customer, deal, opt-out and relationship sources; save and import complete current exclusions with their real read time and owner review.
Run `ready` and save its actual output in company-motion/CONNECTION-CHECK.md. Mark this connection step passed only when the owned profile/calendar, canonical permitted countries and complete current exclusions pass. Missing people/actions are expected until later exercises; record those holds without restarting setup. Bookings expire after 25 minutes, history after 60 and owner exclusions after 65; stale or partial evidence holds live release.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: review and save the order of work.

Copy full prompt: [prompts.html#p2-connect](#)

Next: review and save the order of work (p2-flow)

A key does not finish a connection

Google

Actual sender and calendar

Gojiberry

Own LinkedIn seat, campaign and list

Loop & Tie

Funded team, collection and verified meeting gate

An API key opens an account. You still need the right sender, current recipients, exact messages and permission to send. Check those separately.

Chapter 2 of 5

Set the rules and choose ten companies

Execution flow, exclusion test and ten-company universe.

27 guided minutes

Open the next full prompt. Review the result before moving on.

STEP 2: adapt the prepared order of work

7 min / Easy / Company brief, authority and current database. No new paid call.

- 1 Write the next-action rules. Use your company, exclusions and supported channels.
- 2 Save the operating instructions. Keep selection and sending responsibilities explicit.
- 3 Trace one target through the rules. Show the expected next action without sending.

You should have: company-motion/EXECUTION-FLOW.md and company-motion/AGENTS.md.

Check: The writer and sender have distinct tasks.; An empty action list causes preparation, not repeated empty runs.

Full prompt on the next page and at [prompts.html#p2-flow](#)

Prompt: STEP 2: adapt the prepared order of work

Save company-motion/EXECUTION-FLOW.md beside my company brief and update company-motion/AGENTS.md. Use this order: read history and exclusions; select current buyers; write exact sourced messages; inspect and approve the eleven-message cohort; refresh checks; send my own self-test; match it in Gmail Sent; release only approved prospect keys; read results, replies and bookings; save one next action. Name the local agent as researcher/writer and gtm.py as checker/sender/record keeper. Keep uncertain provider results held for original-ID readback. Show the next action for one actual target. Keep sending paused. Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: test one real excluded company.

Copy full prompt: [prompts.html#p2-flow](#)

Next: test one real excluded company (p2-rule-test)

Test one company you do not want contacted

5 min / Easy / Current target and exclusions import/review. No paid call.

- 1 Choose a real company outside the pilot.
- 2 Import the local exclusion.
- 3 Run the prepared rule-test command.
- 4 Read the hold reason.

You should have: RULE-TEST.md with actual HOLD, exclusion and unchanged action/attempt counts.

Check: Prepared rule-test returns HOLD for the actual excluded domain.; No action, attempt or provider write is created.; NOT_TESTED is recorded as incomplete.

Full prompt on the next page and at [prompts.html#p2-rule-test](#)

Prompt: Test one company you do not want contacted

Choose one real company outside the ten-prospect pilot that I want excluded.
Save and import its actual company facts and my domain exclusion. Preserve earlier exclusions.
Read the actual saved domain from those records; do not ask me to transcribe it.
From code/, run `python3 -B gtm.py rule-test --domain` with that actual domain.
Use this prepared read-only command. Do not generate a database helper script, create a person or prepare an action.
Save the actual decision, matching exclusion and unchanged action/attempt counts in
`company-motion/RULE-TEST.md`. It must be `HOLD` for our excluded domain. `NOT_TESTED` is a missing check, not success. Record that this domain-only test did not validate any person's email.
Append this step, actual artifact, check and next task to `company-motion/PROGRESS.md`. Show the output. Stop.
Next: build your ten-company target list.

Copy full prompt: [prompts.html#p2-rule-test](#)

Next: build your ten-company target list (p2-universe)

STEP 3: save ten companies you want to sell to

10 min / Easy / Ten target companies, official-source web access or one funded research provider.

- 1 Use ten real target companies. Import an existing list or let Codex find suitable companies.
- 2 Read each company's official source. Save the fit reason and current domain.
- 3 Check exclusions. Keep excluded companies visible with a reason.

You should have: ACCOUNTS.json and ten-row company fit/exclusion list.

Check: Ten distinct real companies are present.; Domains and fit reasons have current support.; Excluded accounts are not eligible.

Full prompt on the next page and at [prompts.html#p2-universe](#)

Prompt: STEP 3: save ten companies you want to sell to

Use my supplied target list or find ten distinct real companies from the saved buyer segment and permitted countries. Keep the two Part 1 targets when they fit; do not include the company used for the exclusion test. For every company, save domain, name, actual country, one fit reason, source URL, supporting excerpt and read date. Normalize supported country aliases through the package. Hold unknown country or fit rather than guessing. Write company-motion/ACCOUNTS.json with the exact package schema, import accounts and read each saved account. Save a ten-row list with included, held or excluded and one plain reason. Do not contact anyone. Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: check one sourced reason to contact a target.

Copy full prompt: [prompts.html#p2-universe](#)

Next: check one sourced reason to contact a target (p2-signal)

A segment is a group of target companies

For example, security software companies selling to large businesses. Each attendee uses their own buyer segment. This is individual work.

Company type

Buyer role

Use case

Use a sourced reason, not a guessed buying signal

5 min / Easy / Official web research. No paid API required for this class step.

- 1 Read one current official event or public post. Save the source, date and exact text.
- 2 Check why it matters to your offer. Keep the reason specific.
- 3 Save the next action. Research or prepare only what the evidence supports.

You should have: One sourced dated signal and next action.

Check: The quote exists in the provider source.; The identity and date match.; Pending paid work keeps its original handle.

Full prompt on the next page and at prompts.html#p2-signal

Prompt: Use a sourced reason, not a guessed buying signal

Choose one target from our saved list.

Use an official announcement, product page or relevant public post to explain why our actual offer may help.

Save company-motion/SIGNAL.md with the exact URL, supporting excerpt, actual date and matching company or person. Keep facts separate from our inference.

Do not turn an undated page into a recent launch or a public comment into purchase intent.

Use official web research for this class step. An optional paid finder or Apify run needs its own guide, bounded cost approval and original-run readback.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: check the current buyers and exact email addresses.

Copy full prompt: [prompts.html#p2-signal](#)

Next: check the current buyers and exact email addresses (p2-buyer)

Chapter 3 of 5

Find buyers and write the emails

Current buyer evidence and source-checked email copy.

20 guided minutes

Open the next full prompt. Review the result before moving on.

Check who works there and the exact email address

10 min / Easy / Current buyer sources; one finder if needed; ZeroBounce credits for exact email validation.

- 1 Open the ten prepared people. Match each person to the actual employer.
- 2 Repair missing evidence. Use one connected finder only when needed.
- 3 Validate each exact address. Check balance and enable paid research first.
- 4 Inspect one imported row. Employer and email evidence remain separate.

You should have: Current person records and separate provider email-validation receipts.

Check: Person works at the intended company.; Exact email result meets the send check.; No name or email pattern is guessed.

Full prompt on the next page and at [prompts.html#p2-buyer](#)

Prompt: Check who works there and the exact email address

Read the exact people schema and our ten company records.

Use current buyer contacts prepared before class. Repair missing role/employer evidence from official sources or an approved finder.

Read the actual ZeroBounce balance. Before paid validation, show the exact addresses and cost scope for my approval. Follow the guide's research-on contract and preserve any existing SixtyFour ceiling.

Validate each released address and my own self-test address. Keep its actual receipt separate from current-employer evidence; both must be within seven days.

Preserve original pending request IDs. Keep invalid, catch-all, guessed or unknown addresses held.

Write and import company-motion/PEOPLE.json using the exact schema. Show one full evidence row and the remaining held rows. Turn paid research off after the approved work.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: write and source-check the exact first emails.

Copy full prompt: [prompts.html#p2-buyer](#)

Next: write and source-check the exact first emails (p2-email)

The real Forum One email

Forum One / September 30, 2026 / Sent

Forum One builds digital experiences for nonprofits, foundations, cultural institutions, and government agencies.

Metadata is a B2B advertising platform for targeting accounts and buyers and running paid campaigns.

May I send you campaign ideas for reaching prospective Forum One clients?

Real excerpt. Recipient, greeting, signature and footer removed.

Write the email from facts you can prove

10 min / Easy / Company and person evidence. Codex account only; no sending call.

- 1 Read the company and buyer facts. Use one supported reason to contact the buyer.
- 2 Generate the exact message. Show sender, recipient, subject, plain text and HTML.
- 3 Check every factual claim. Remove unsupported promises and keep the first email link-free.
- 4 Save all exact previews. Do not import or send before inspection.

You should have: EMAIL-PREVIEWS.md and ten exact prospect drafts.

Check: Each message has one real relevance reason.; The first email has no link.; Recipient, sender, subject and body are visible.

Full prompt on the next page and at [prompts.html#p2-email](#)

Prompt: Write the email from facts you can prove

Read our company brief, flow rules and current buyer evidence.

Write one first email for each eligible prospect: one supported relevance reason, our real offer and one permission ask. Keep it link-free.

Check every factual claim against its source. Do not invent a demo length, results or a recent launch. Omit weak unsupported proof.

Use my actual approved sender, signature and opt-out instruction from company-motion/AUTHORITY.md. Ask for any missing sender fact.

Save matching plain text and HTML in company-motion/EMAIL-PREVIEWS.md and company-motion/PROSPECT-DRAFTS.json with exact package fields.

Show every recipient, subject and body. Do not import or send until I inspect them.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: review all eleven messages and pin exact approval.

Copy full prompt: [prompts.html#p2-email](#)

Next: review all eleven messages and pin exact approval (p2-prepare-ten)

Chapter 4 of 5

Review and send your own test

Exact approved messages and own-sender GmailSent proof.

24 guided minutes

Open the next full prompt. Review the result before moving on.

Review your self-test and ten prospect emails

8 min / Easy / Ten company/person records and current evidence. Codex only until live approval.

- 1 Prepare the self-test and ten prospects. Use the current imported people and exact copy.
- 2 Inspect all eleven rows. Check sender, recipient, subject and both bodies.
- 3 Save the exact action keys. Approval pins content and the eleven-email lifetime cap.
- 4 Keep execution paused. The self-test must pass before prospect release.

You should have: Eleven-message review, original action keys and exact approval receipt.

Check: One self-test and ten distinct prospect company domains are present.; Every ready row has current identity, validation and exclusions.; Owner approval pins the exact eleven immutable action keys.; No approval is inferred from a draft or mutable file.

Full prompt on the next page and at [prompts.html#p2-prepare-ten](#)

Prompt: Review your self-test and ten prospect emails

Prepare one owned self-email and ten distinct prospect-company emails from our reviewed drafts. Follow the exact controlled-test and pilot schema in the guide. My self-test sender equals recipient, is allowed in `controlled_test_recipients`, and both person and payload use `controlled_test:true`. It still needs current evidence and validation.

Save `company-motion/PILOT-ACTIONS.json` and an eleven-row `company-motion/PILOT-REVIEW.md` showing sender, recipient, subject, plain text, HTML and holds.

Import each action once. Show all eleven original keys and exact messages.

After my explicit approval, write `company-motion/PILOT-APPROVAL.json` with that approval, the original `controlled_action_key` and ten original `prospect_action_keys`. Run `approve-pilot` and save its receipt.

Keep sending paused. The eleven-email limit lasts across days. Changed approved copy or recipient stays held; preserve the grant and use the separate correction procedure.

Append this step, actual artifact, check and next task to `company-motion/PROGRESS.md`. Show the output. Stop.

Next: send only your approved self-test after the break.

Copy full prompt: [prompts.html#p2-prepare-ten](#)

Next: send only your approved self-test after the break (p2-canary)

Approval names the exact eleven emails

The approval receipt pins all eleven action keys. Send your self-test first. Ten prospect keys become releasable after its exact Gmail Sent match.

Five minutes. Keep the message open.

Save the exact email preview. Return with the same sender and recipient visible.

The coffee needs no API key.

Send only the approved email to yourself

6 min / Moderate / Own connected Google sender; current owner identity and source checks. One live self-email.

- 1 Read the pinned eleven-key approval.
- 2 Inspect the approved self-test.
- 3 Release only that self-test.
- 4 Run once, read the result and pause.

You should have: One attempted test email with exact action key and provider result.

Check: Exact approved self-test is the only first release.; Prospects require its exact Gmail Sent match.; Self-test counts toward eleven lifetime emails but not ten prospect results.; Unknown outcomes cause readback rather than a resend.; The manual command selects the original self-test key explicitly.

Full prompt on the next page and at [prompts.html#p2-canary](#)

Prompt: Send only the approved email to yourself

Read the successful original pilot approval and exact self-test preview. Do not import actions again. Refresh current sources and run review. Reread real exclusions if stale; do not change timestamps. Confirm only the self-test can pass before prospect release.

Read the original self-test key from the saved approved manifest; I do not transcribe keys. After I approve releasing it, construct the exact run command with `--limit 1` and `--action-key` set to that original key. Show the selector, run once, then pause.

Save `company-motion/CANARY.md` with that key and actual provider result. Reconcile uncertain results through the original key. The manual bounded command can run outside scheduled hours but keeps all recipient checks and caps. Append this step, actual artifact, check and next task to `company-motion/PROGRESS.md`. Show the output. Stop.

Next: match the actual self-test in Gmail Sent.

Copy full prompt: [prompts.html#p2-canary](#)

Next: match the actual self-test in Gmail Sent (p2-sent)

Open the actual message in Gmail Sent

5 min / Easy / Gmail readback and the controlled self-test key. Read-only checks.

- 1 Read the original test attempt. Use its saved action key and provider ID.
- 2 Match the exact Sent message. Check sender, recipient, subject, plain text and HTML.
- 3 Keep its original history. Inspect the attempt without importing or releasing another action.

You should have: One exact Gmail Sent match and its unchanged original attempt record.

Check: Exact Sent content matches the pinned message.; The original key, provider ID and attempt record remain intact.; No additional import or release was used for this check.

Full prompt on the next page and at [prompts.html#p2-sent](#)

Prompt: Open the actual message in Gmail Sent

Reconcile the original self-test action key.

Open its exact Gmail Sent message. Compare sender, recipient, subject, plain text and HTML with the approved preview.

Save the native message ID, exact match and observed stage in company-motion/CANARY.md. Inspect the original attempt and history with results and person reads.

Keep execution paused. Do not reimport or resubmit for a duplicate test.

If the exact Sent match is missing, keep the ten prospect messages held and read that original attempt again later.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: release only the approved prospect cohort after the self-test passes.

Copy full prompt: [prompts.html#p2-sent](#)

Next: release only the approved prospect cohort after the self-test passes (p2-pilot)

The test email is not one of the ten prospects

Your own test email

1

Excluded from the prospect count.

Ten prospect companies

10

Each exact Gmail Sent match counts.

Total email limit: 11. The limit stays in place across days.

Chapter 5 of 5

Run the ten-company pilot

Each original result, labeled sent, held or unknown.

5 guided minutes + 30 minutes for help

Open the next full prompt. Review the result before moving on.

STEP 4: test emails for ten target companies

3 min / Moderate / Google sender and approved ten-account file. Up to ten live prospect emails.

- 1 Read the existing pinned approval.
- 2 Refresh and inspect current checks.
- 3 Release the ten pinned prospect keys.
- 4 Read each original result.

You should have: Actual result for each prospect and company-motion/PILOT-RESULTS.md.

Check: Live actions stay within approval and the eleven-email workshop cap.; Ten exact prospect Sent matches are required for a full pilot.; Fewer matches are labeled partial.; Repeated action-key flags select only the ten original pinned prospect keys.

Full prompt on the next page and at prompts.html#p2-pilot

Prompt: STEP 4: test emails for ten target companies

Read the original pilot approval and exact self-test Gmail Sent match.
Use only its ten original approved prospect keys. Do not reimport, swap held recipients or create a new pilot.
Reread current exclusions when required, then refresh and review. Stale, missing or partial evidence holds release.
Show the exact eligible messages and obtain my approval to release this cohort.
Read the ten original keys from the saved approved manifest; I do not transcribe them. Construct the bounded command with --limit 10 and one --action-key selector for each key. Show that it excludes the self-test and other grants. Resume, run once and pause.
Reconcile each original result and save company-motion/PILOT-RESULTS.md with prepared, held, accepted, exact Sent or unknown per company. Do not call Sent delivery or a meeting.
Preserve the eleven-email lifetime ceiling and all earlier attempts.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.
Next: read the result and next action for each company.

Copy full prompt: [prompts.html#p2-pilot](#)

Next: read the result and next action for each company (p2-results)

Save the result for each company

01 Read results and the pinned grant.

Count ten distinct prospect domains separately from the self-test.

02 Inspect each original attempt.

Use results or person with the actual recipient.

03 Save unresolved work.

Keep original IDs and next reads in WAITS.md.

Count exact Sent matches separately from held and unknown results. Save the next task for each company from its actual result.

Prompt: Save the result for each company

Read the original pilot results and saved attempt history. Use read-only results, person and original-key reconciliation where supported.

Save a dated row per company: original key, exact provider stage, evidence and one next action.

Count held, unknown and exact Sent separately. Full ten-prospect sending needs ten exact Sent matches. Partial results remain partial.

Do not reimport or release the cohort to prove repeat protection. Check its saved reservations and attempts without another write.

Update company-motion/PROGRESS.md and company-motion/WAITS.md. Keep sending paused.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: repair the first held prerequisite with individual help.

Copy full prompt: [prompts.html#p2-results](#)

Next: repair the first held prerequisite with individual help (p2-help)

Finish the ten-account preparation

Work individually. Fix the first incomplete prospect. Gil helps with failed connections, sources and message checks.

Prompt: Finish the ten-account preparation

Read company-motion/PILOT-REVIEW.md, company-motion/PILOT-RESULTS.md and the actual held reason. Repair the first available prerequisite while preserving original keys, approved copy, grants, unknown outcomes and limits. Rerun its failed read/check.

If an approved recipient or message must change, keep the original held and use the guide's separately reviewed correction procedure. Do not reset the pilot or its count.

If account access or owner approval is missing, name that one blocker. Update the result and next action.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: bring the same project and results to Part 3.

Copy full prompt: [prompts.html#p2-help](#)

Next: bring the same project and results to Part 3 (p2-before-part3)

A manual test runs now. The limits still apply.

The workshop's manual test can run outside scheduled hours. It still checks your approved messages, recipients and send limits.

Before Part 3: bring the same project

Bring your pages, messages and saved results. We will check replies, bookings and repeated operation. Extra channels are optional and require their own accounts.

Workshop 2



<https://luma.com/jd8tm0ij>

Workshop 3



<https://luma.com/wucyo6fw>

Prompt: Before Part 3: bring the same project

Read company-motion/PROGRESS.md, company-motion/PILOT-RESULTS.md and the setup guide.
Verify that I can reopen this same project and read its original saved results.
For the main Part 3 lane, keep the existing email/calendar connection and current exclusion sources.
Do not require every extra channel. If I choose an extension, name its actual account, resource, cost and approval prerequisites from API-CONNECTIONS.md.
Keep unfinished provider results with their original IDs in company-motion/WAITS.md and leave new sending paused.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.
Next: open Part 3 and continue the saved workflow.

Copy full prompt: [prompts.html#p2-before-part3](#)

Next: open Part 3 and continue the saved workflow (p3-start)

Keep the useful play working

Opt-out

→ Exclude the recipient

Human reply

→ Stop cold outreach and review the conversation

Active booking

→ Stop cold outreach and prepare the meeting

Unknown provider result

→ Read the existing attempt

Read replies before any cold follow-up

12 min / Easy / Connected own Gmail and scoped thread history. A real reply is optional; drafting is local.

- 1 Run the reply read. Use the sender's actual native thread.
- 2 Inspect the classification. Separate human, automatic, bounce and opt-out.
- 3 Prepare the next answer. Keep it in the existing conversation.
- 4 Save the stop decision. Cold outreach must not conflict with the reply.

You should have: Native reply classification, stop decision and reply draft where useful.

Check: The reply is bound to the exact earlier thread.; Opt-outs and human replies exclude cold outreach.; Drafting is not counted as sending.

Full prompt on the next page and at prompts.html#p3-replies

Prompt: Read replies before any cold follow-up

If the required connection or initialized runtime is unavailable, save that exact gap in company-motion/REPLIES.md and name the next setup task. Do not claim the read or cycle completed; keep the finished local page play intact. Show the gap and next setup task, then stop here. Otherwise continue below.

Refresh and read the actual scoped mailbox/thread history for our original test and pilot.

Save company-motion/REPLIES.md with each exact thread ID, observed reply or no-reply result and next action.

Confirm any reply, opt-out or relationship excludes further cold follow-up. Use the current runtime's actual checks.

For a real reply, draft a short response from its words and our sourced offer. Keep it local for review; automatic reply sending is not wired.

If no reply exists, say so. Use a clearly labeled local fixture only to inspect stop logic. Never count that fixture as a real response.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: read actual bookings and cancellations.

Copy full prompt: [prompts.html#p3-replies](#)

Next: read actual bookings and cancellations (p3-bookings)

Read the actual booking record

10 min / Easy / Google Calendar. Calendly token and organization/event scope only if used.

- 1 Read the configured booking source. Use your own organization and event scope.
- 2 Match the attendee and company. Save the actual native meeting ID.
- 3 Check a reschedule or cancellation. Keep the replacement meeting active.
- 4 Inspect the cold-outreach exclusion. An active booking changes the next action.

You should have: BOOKINGS.md with actual booking states or a successful empty read.

Check: Actual booking IDs and state are saved when present.; An empty read and attendance are labeled separately.

Full prompt on the next page and at [prompts.html#p3-bookings](#)

Prompt: Read the actual booking record

If the required connection or initialized runtime is unavailable, save that exact gap in company-motion/BOOKINGS.md and name the next setup task. Do not claim the read or cycle completed; keep the finished local page play intact. Show the gap and next setup task, then stop here. Otherwise continue below.

Read bookings from my configured owned calendar or Calendly source.

Save company-motion/BOOKINGS.md with actual source IDs, start times and current states. A successful empty read is zero bookings, not a connection failure.

For an actual reschedule, preserve the old record and active replacement. Verify an active booking holds cold follow-ups.

If I want a controlled calendar test, show the exact owned test event for approval before creating it, label it as a test and remove it only with my approval.

Do not infer attendance from a booking. Automatic attendance attribution is not wired.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: inspect your complete working play.

Copy full prompt: [prompts.html#p3-bookings](#)

Next: inspect your complete working play (p3-working-play)

Chapter 2 of 5

Check one complete play

Evidence from company facts through reviewed output and actual result.

17 guided minutes

Open the next full prompt. Review the result before moving on.

Show your first working play from start to finish

12 min / Easy / Saved company/target files and actual provider records. No new channel.

- 1 Open one completed play. Read its target facts, output and review together.
- 2 Trace its actual result. Show file evidence or the exact provider record.
- 3 Repair one broken local handoff. Preserve committed actions and rerun the check.

You should have: WORKING-PLAY.md with a complete evidence chain.

Check: Each handoff has an actual file or provider ID.; Unsupported claims and missing stages remain visible.

Full prompt on the next page and at prompts.html#p3-working-play

Prompt: Show your first working play from start to finish

Choose our completed account-page or email play.

Open the actual target brief, saved skill, reviewed output and result together.

For a page, trace target fact to page claim to source review. For email, trace current buyer evidence to exact approved message to original attempt to Gmail Sent match.

Repair one unsupported claim or broken handoff and rerun its check without replacing a committed action.

Save company-motion/WORKING-PLAY.md with actual paths/IDs, passed checks, exact stage and one next action.

Label local-only and live outcomes separately.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: take the five-minute break.

Copy full prompt: [prompts.html#p3-working-play](#)

Next: take the five-minute break (p3-break)

Five minutes. Save the channel results.

Save your working-play record. Leave the same project open. Return in five minutes.

A gift can wait for a recipient. Your notes should not.

Chapter 3 of 5

Repeat without duplicating work

Two bounded cycles, retained history and pause/reopen proof.

20 guided minutes

Open the next full prompt. Review the result before moving on.

Run two preparation cycles without repeating actions

12 min / Easy / Same project, supported reads and existing exact grants. No new send required.

- 1 Run a paused preparation cycle. Read history and current sources before choosing work.
- 2 Repeat from the same project. The second cycle reads the first record.
- 3 Compare the actual decisions. Earlier actions stay unchanged; new copy stays a draft.

You should have: MANUAL-CYCLES.md with two actual timestamps and observed decisions.

Check: Two distinct manual cycles are observed.; Original action keys and attempt counts remain intact.; New copy stays local until separately approved.

Full prompt on the next page and at prompts.html#p3-manual-cycles

Prompt: Run two preparation cycles without repeating actions

If the required connection or initialized runtime is unavailable, save that exact gap in company-motion/MANUAL-CYCLES.md and name the next setup task. Do not claim the read or cycle completed; keep the finished local page play intact. Show the gap and next setup task, then stop here. Otherwise continue below. Run two manual preparation/refresh/review cycles from this same project with new sending paused. Each cycle reads saved history, original pending IDs, actual exclusions, scoped mailbox history and bookings before selecting a next action. Use the supported read commands and save actual timestamps, output and decisions in company-motion/MANUAL-CYCLES.md. The second cycle must keep earlier sent/unknown actions unchanged. Do not resubmit or reimport them. New copy remains a draft without a new exact grant. Show both cycles and verify the saved attempt counts and original keys. Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: pause and reopen the same project.

Copy full prompt: [prompts.html#p3-manual-cycles](#)

Next: pause and reopen the same project (p3-pause)

Pause. Reopen. Keep the history.

8 min / Easy / Same local project and execution controls.

- 1 Pause with the documented command. Read the actual local paused state.
- 2 Reopen the same project. Inspect the original records and history.
- 3 Run a read-only review. It must not make a new recipient-facing commitment.
- 4 Keep sending paused. Provider queues need separately approved native controls.

You should have: Pause and recovery evidence with retained history.

Check: Paused local execution cannot make a new commitment.; Provider-side pending work is checked separately.; Restart retains attempts and exclusions.; Unknown outcomes cause readback rather than another send.

[Full prompt on the next page and at `prompts.html#p3-pause`](#)

Prompt: Pause. Reopen. Keep the history.

If the required connection or initialized runtime is unavailable, save that exact gap in company-motion/RECOVERY.md and name the next setup task. Do not claim the read or cycle completed; keep the finished local page play intact. Show the gap and next setup task, then stop here. Otherwise continue below.

Run pause and status through the saved project launcher. Confirm the actual local paused state.

Reopen the same project and inspect the saved database, original action keys, attempts, exclusions and pending provider IDs.

Run a read-only preparation/review cycle while paused; do not make a new recipient-facing commitment.

Save company-motion/RECOVERY.md with the pause result and retained-history evidence.

If a provider queue or gift is still active, read its original object and show the specific provider stop/cancel control for my approval. Local pause alone does not cancel it.

Keep new sending paused at the end of this exercise.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: check whether unattended operation is ready.

Copy full prompt: [prompts.html#p3-pause](#)

Next: check whether unattended operation is ready (p3-schedule)

Chapter 4 of 5

Prepare a schedule when ready

Readiness record. Schedule remains paused unless every gate passes.

20 guided minutes

Open the next full prompt. Review the result before moving on.

Prepare a schedule. Activate only when ready.

10 min / Moderate / Supported local automation feature; complete native sources only for unattended operation.

- 1 Read both manual cycles.
- 2 Check unattended prerequisites.
- 3 Prepare a paused schedule.
- 4 Review before activation.

You should have: SCHEDULE-READINESS.md and a paused schedule only when the app supports it.

Check: No incomplete source is silently replaced by an old snapshot.; Actual scheduling capability is checked.; No schedule becomes active without exact recurring approval.

Full prompt on the next page and at [prompts.html#p3-schedule](#)

Prompt: Prepare a schedule. Activate only when ready.

Read both actual manual cycles and the unattended-operation guide.

Save company-motion/SCHEDULE-READINESS.md. Check complete fresh native customer, CRM, scoped/full configured mailbox history and booking reads, plus exact ongoing owner authority. Snapshot mode cannot support unattended operation.

If any gate is missing, name its exact setup task and keep our working play manual.

If ready and a real local scheduling tool is available, prepare one paused schedule for this same project. Show actual workspace, timezone, wake instructions and first two scheduled times.

Each wake must read history and sources, prepare exact work, and release only separately approved keys. New copy is a draft until approved. Keep the Mac awake and online.

Do not activate a schedule from this prompt. Show it for my exact approval.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: record actual scheduled observations or leave them pending.

Copy full prompt: [prompts.html#p3-schedule](#)

Next: record actual scheduled observations or leave them pending (p3-two-cycles)

Count observed runs, not planned runs

10 min / Moderate / Actual manual cycle records; optional active schedule only after separate approval.

- 1 Open both manual cycle records. Check their actual timestamps and decisions.
- 2 Inspect any supported schedule. Leave it paused unless separately approved.
- 3 Save actual observations. Unobserved scheduled wakes remain pending.
- 4 Keep the original action history. No earlier action is resubmitted.

You should have: CYCLE-OBSERVATIONS.md with manual and scheduled outcomes labeled separately.

Check: Two manual cycles have real timestamps.; Unobserved scheduled wakes stay pending.; Earlier actions are not resubmitted.

Full prompt on the next page and at prompts.html#p3-two-cycles

Prompt: Count observed runs, not planned runs

Read company-motion/MANUAL-CYCLES.md and any actual supported schedule record.
Save company-motion/CYCLE-OBSERVATIONS.md distinguishing observed manual cycles from scheduled wakes.
If a schedule is still paused or missing exact recurring approval, leave it paused. Record that stage honestly.
If separately approved and active, observe only wakes that actually occur. Save their exact times, original action IDs and decisions; check no earlier action was resubmitted.
For a wake outside class, save its real next observation time in company-motion/WAITS.md. Do not manufacture a completed observation.
Keep pending provider outcomes tied to their original IDs.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.
Next: record what you have actually built and what is still missing.

Copy full prompt: [prompts.html#p3-two-cycles](#)

Next: record what you have actually built and what is still missing (p3-checklist)

The framework supports more than today's one play

Email

Guarded first email and exact Gmail Sent match

Gifts

Bounded Loop & Tie creation and exact provider stage

Bookings

Read configured sources. Attendance association is not wired.

Advertising

Source: creative. Portable: approved drafts/readback. Launch/restart CLI held; owned UI review needed.

LinkedIn

Owned UI campaign setup; one exact paused-contact release and provider queue/sent read

Replies

Read/classify; Codex drafts. Automatic reply sending is not wired.

Pages

Codex builds; portable site/owner/bytes-bound publication.

Unattended operation

Complete provider sources and existing exact grants. New copy waits for owner approval.

Chapter 5 of 5

Record results and choose the next play

Honest completion record. Extra channels are optional guides.

8 guided minutes + 30 minutes for help

Open the next full prompt. Review the result before moving on.

Your framework, working play and remaining gaps

8 min / Easy / Codex and your workshop project.

- 1 Open actual files and provider records. Use their IDs, dates and precise stages.
- 2 Save COMPLETION.md. Mark each capability from observed evidence.
- 3 Update WAITS.md. Keep original IDs, next reads and missing setup.

You should have: Evidence-linked full capability record.

Check: Core local completion is assessed separately from conditional email and operation.; Each result has actual evidence and a date.; Missing access stays a gap; scheduling stays optional.

Full prompt on the next page and at [prompts.html#p3-checklist](#)

Prompt: Your framework, working play and remaining gaps

Build company-motion/COMPLETION.md from actual files and checks.

First record core local completion: personal framework, company/target briefs, two reviewed pages, reused skill, paused authority/instructions, execution flow and prepared ten-company universe. Link each actual artifact and review result.

Separately record conditional email results: authenticated sender, buyer/validation evidence, exact self-test and prospect pilot stages. Record replies, bookings and provider cycles only when actually connected and observed.

Missing access is a named gap; it does not fail a completed local page play.

Record social, gifts, ads, public hosting and unattended operation as optional extensions. Keep automatic reply sending and attendance marked not wired. Never count queued, fixture or unobserved results as live.

Give every gap one next action and keep original pending IDs in company-motion/WAITS.md.

Append the actual check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: finish the first remaining issue with individual help.

Copy full prompt: [prompts.html#p3-checklist](#)

Next: finish the first remaining issue with individual help (p3-help)

Finish one blocked operation at a time

Work individually. Open your capability record. Repair the first connection or failed check. Keep completed work and history.

Prompt: Finish one blocked operation at a time

Read company-motion/COMPLETION.md and the first incomplete main-lane check.

Repair an available local cause, rerun the required check and record the actual result.

Preserve working outputs, original keys, commitments and limits.

If only an optional extension remains, name its specific account, resource, cost and approval setup. Do not claim that instructions alone reproduce a live channel.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: continue with the same saved project after class.

Copy full prompt: [prompts.html#p3-help](#)

Next: continue with the same saved project after class (p3-take-home)

Keep your working project. Add one channel at a time.

You keep the prepared framework, your company context and a verified play. Add the next channel when its account, resources and exact approval are ready.

Company facts

Two reviewed pages

Reused page skill

Execution rules

Prepared target universe

Honest gap record

Next actions

Publish the page to your owned site

Optional after class / Moderate / Owned Netlify token, fresh workshop site and reviewed standalone HTML. Browser access for desktop/phone checks.

- 1 Show the reviewed HTML and destination. Use your own dedicated site.
- 2 Approve the exact publication. Check company, file and account.
- 3 Publish through the documented operation. Save the native deployment result.
- 4 Open desktop and phone views. Check the actual form or next-step link.

You should have: Native deployment result and verified public page.

Check: Returned approval binds owned site, owner and exact bytes.; Changed site or file is held before upload.; Actual HTTPS URL shows the reviewed bytes and readable layouts.; A form has separate submission evidence when used.

Full prompt on the next page and at [prompts.html#p3-publish](#)

Prompt: Publish the page to your owned site

Open prompts.html

Find "Publish the page to your owned site". Click Copy prompt.

Paste it into the local Claude Code or Codex project you opened for this workshop.

The copy source includes the full instructions. This slide contains no partial prompt.

Copy full prompt: [prompts.html#p3-publish](#)

Next: record this extension's actual stage in COMPLETION.md (p3-checklist)

LinkedIn: from tabs to a checked queue

Before

Find the profile

Send a connection

Copy a message

Track the conversation

With your workflow

Verify current identity

Prepare owned paused contact

Release approved stage once

Read native queue or sent event

Verify your LinkedIn seat, list and campaign

Optional after class / Moderate / Gojiberry paid account and owned LinkedIn seat/list/campaign.

- 1 Open your owned provider dashboard.
- 2 Read the exact IDs.
- 3 Prepare one paused contact.
- 4 Inspect every campaign list.

You should have: One verified paused contact and exact social review.

Check: Dedicated campaign/list/seat belong to your account.; Campaign has invitation steps only and remains inactive during preparation.; Exact created contact is paused with readyForCampaign:false.; All campaign lists contain only paused contacts.

Full prompt on the next page and at [prompts.html#p3-social-setup](#)

Prompt: Verify your LinkedIn seat, list and campaign

Open prompts.html

Find "Verify your LinkedIn seat, list and campaign". Click Copy prompt.

Paste it into the local Claude Code or Codex project you opened for this workshop.

The copy source includes the full instructions. This slide contains no partial prompt.

Copy full prompt: [prompts.html#p3-social-setup](#)

Next: record this extension's actual stage in COMPLETION.md (p3-checklist)

Release one approved LinkedIn stage

Optional after class / Moderate / Owned Gojiberry seat, isolated provider UI campaign, one paused test contact and exact one-stage approve-scope grant.

- 1 Approve the exact stage. Use your willing contact and owned seat.
- 2 Prepare one guarded action. Use the supported schema and command.
- 3 Run the exact approved key once. Use the action-key selector and a limit of one.
- 4 Read the native result. A message waits for real invitation acceptance.

You should have: One provider social result and action key.

Check: Exact grant allows one supported social stage only.; Provider contact and campaign match that approval.; Queued is not counted as sent.; Recipient waits keep the original action key.; The manual command selects the exact original approved social key, without releasing another grant.

Full prompt on the next page and at [prompts.html#p3-social-run](#)

Prompt: Release one approved LinkedIn stage

Open prompts.html

Find "Release one approved LinkedIn stage". Click Copy prompt.

Paste it into the local Claude Code or Codex project you opened for this workshop.

The copy source includes the full instructions. This slide contains no partial prompt.

Copy full prompt: [prompts.html#p3-social-run](#)

Next: record this extension's actual stage in COMPLETION.md (p3-checklist)

Gifting: one offer, exact terms, provider proof

Before

Choose the recipient, collection and terms.
Check the result by hand.

With your workflow

Prepare the exact offer. Check funding and meeting terms. Submit once. Read its provider stage.

Message preview

Status: Gift sent

Subject: a small thing from the Metadata team

Recipient: [redacted]

Amount: \$150

Loop & Tie reports this gift email was sent.

Exact message

We made a page for your team: <https://demo.metadata.io/datarails/>

Request a demo there and we will create a personalized commercial for your company. You will see the scheduling link after submitting the form.

This gift is an invitation to meet the Metadata team. Book a meeting to unlock your gift selection.

Actual sent message, recreated for readability; recipient redacted. Datarails, September 30. Gift value: \$150.

Check the collection, funding and meeting gate

Optional after class / Moderate / Loop & Tie account, funded owned team, collection and verified native meeting gate.

- 1 Read your gift team and balance. Check the real collection cost.
- 2 Verify the meeting gate. Read its native numeric ID and binding.
- 3 Write truthful terms. Include value, expiry and meeting requirement.
- 4 Preview the exact recipient. Use one approved gift recipient.

You should have: Verified gift prerequisites and exact gift preview.

Check: Actual team, catalogue and form identify the same owned scheduler.; External ID and enabled meeting-required input are inside the same numeric form.; Signed-in capture URL/team match and actual capture is within 65 minutes.; Collection cost/currency, value and expiry are truthful.

Full prompt on the next page and at prompts.html#p3-gift-setup

Prompt: Check the collection, funding and meeting gate

Open prompts.html

Find "Check the collection, funding and meeting gate". Click Copy prompt.

Paste it into the local Claude Code or Codex project you opened for this workshop.

The copy source includes the full instructions. This slide contains no partial prompt.

Copy full prompt: [prompts.html#p3-gift-setup](#)

Next: record this extension's actual stage in COMPLETION.md (p3-checklist)

Create one approved gift. Read its stage.

Optional after class / Moderate / Funded Loop & Tie team and approved one-gift scope. Real collection charge may apply.

- 1 Approve the exact gift and cost. Use the saved preview.
- 2 Run the exact approved gift key once. Use the action-key selector and a limit of one.
- 3 Read the native gift. Match recipient, collection, copy and expiry.
- 4 Save the provider stage. Created, sent and redeemed differ.

You should have: One provider gift ID and exact provider stage.

Check: Immutable grant names this exact recipient, terms and key.; Actual collection price/currency fit the per-gift and lifetime ceilings.; Only one gift is authorized.; Prior gifts and unknown commitments are not repeated.; The manual command selects the exact original approved gift key, without releasing another grant.

Full prompt on the next page and at [prompts.html#p3-gift-run](#)

Prompt: Create one approved gift. Read its stage.

Open prompts.html

Find "Create one approved gift. Read its stage.". Click Copy prompt.

Paste it into the local Claude Code or Codex project you opened for this workshop.

The copy source includes the full instructions. This slide contains no partial prompt.

Copy full prompt: [prompts.html#p3-gift-run](#)

Next: record this extension's actual stage in COMPLETION.md (p3-checklist)

Recorded MQLs: one to two. Pipeline unverified.

	Prior period	Latest period
Recorded MQLs	1	2
Pipeline impact: unverified.		
Spend	\$9,229	\$51,867
Impressions	36,627	511,266
Clicks	254	2,966
Leads	4	43

Audit the 43 leads, meeting outcomes and opportunity attribution before raising total spend.

August 1-30 versus August 31-September 29, 2026. Complete UTC days.

Turn your ad results into one clear action

Optional after class / Easy / Own Metadata/advertising connection or official ad export. Creative credits only if approved generation is used.

- 1 Read your own ad account. Use a connected Metadata account or an official export.
- 2 Compare complete equal periods. Keep spend, clicks, leads and qualification separate.
- 3 Save three concrete improvements. Use the actual experiment evidence.
- 4 Prepare one creative brief. Keep launch and budget changes for separate approval.

You should have: Real ad comparison, three recommendations and one reviewed creative brief.

Check: Periods and denominators match.; No pipeline attribution is invented.; Generated creative is not called a live campaign.

Full prompt on the next page and at prompts.html#p3-ad-review

Prompt: Turn your ad results into one clear action

Open prompts.html

Find "Turn your ad results into one clear action". Click Copy prompt.

Paste it into the local Claude Code or Codex project you opened for this workshop.

The copy source includes the full instructions. This slide contains no partial prompt.

Copy full prompt: [prompts.html#p3-ad-review](#)

Next: record this extension's actual stage in COMPLETION.md (p3-checklist)

Build one ad draft. Review it in Metadata.

Optional after class / Moderate / Own Metadata account/token, reviewed dedicated campaign, native readiness and separate approved advertising budget. Real spend may apply.

- 1 Read your real account and budget group. Use owned resources and actual spending ceilings.
- 2 Review the exact draft request. Audience, offer and creative must match your approval.
- 3 Create only the approved draft. Read its provider ID and non-running state.
- 4 Inspect it in Metadata. A later launch requires separate exact approval.

You should have: Exact approved draft receipt, owned Metadata UI review and actual campaign state.

Check: Owned account, audience and budget group match the review.; Draft creation cannot start spend under the inspected provider contract.; Daily and total budgets fit the separate owner authority.; Launch/restart CLI remains held.; Draft is not labeled a running campaign.

Full prompt on the next page and at prompts.html#p3-ad-test

Prompt: Build one ad draft. Review it in Metadata.

Open prompts.html

Find "Build one ad draft. Review it in Metadata.". Click Copy prompt.

Paste it into the local Claude Code or Codex project you opened for this workshop.

The copy source includes the full instructions. This slide contains no partial prompt.

Copy full prompt: [prompts.html#p3-ad-test](#)

Next: record this extension's actual stage in COMPLETION.md (p3-checklist)