

Your page skill becomes part of a workflow

Your pages and saved skill are ready. Today you connect one email channel, prepare ten target companies and inspect one real self-test before sending to prospects.

Page skill

Execution rules

Target accounts

Exact email

Provider result

Check your email connection before sending

12 min / Easy / Google OAuth, current exclusions and participant config. Read-only calls.

- 1 Initialize once for email operation.
- 2 Initialize your email configuration.
- 3 Read the four connection checks.
- 4 Separate connection failures from later holds.

You should have: CONNECTION-CHECK.md with connection results and expected later recipient/action holds.

Check: Init loads the fresh private configuration and returns initialized:true.; Owned Google profile/calendar, canonical permitted countries and current complete exclusions pass.; Missing people/actions remain expected later holds, not a reason to reset setup.

Full prompt on the next page and at [prompts.html#p2-connect](#)

Prompt: Check your email connection before sending

Read my company brief, authority, company-motion/CONNECTION-CHECK.md and the email setup guide.
Ask only for missing sender or permitted-company-country choices. Show the saved canonical countries; US and United States must match. Hold unknown countries.
Create or update my private configuration through the package's exact schema. Keep the eleven-email ceiling, one owned self-test, ten prospect limit and other live channels disabled.
Use snapshot mode for this owner-reviewed manual test. Bootstrap alone does not initialize email operation. From code/, run `python3 -B gtm.py init --config` with the actual absolute private-config path once for this fresh project. Verify `initialized:true`. Use `configure` only for later deliberate configuration changes; preserve saved grants and history.
Read my actual Google profile and primary calendar. Re-read current customer, deal, opt-out and relationship sources; save and import complete current exclusions with their real read time and owner review.
Run `ready` and save its actual output in company-motion/CONNECTION-CHECK.md. Mark this connection step passed only when the owned profile/calendar, canonical permitted countries and complete current exclusions pass. Missing people/actions are expected until later exercises; record those holds without restarting setup. Bookings expire after 25 minutes, history after 60 and owner exclusions after 65; stale or partial evidence holds live release.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: review and save the order of work.

Copy full prompt: [prompts.html#p2-connect](#)

Next: review and save the order of work (p2-flow)

A key does not finish a connection

Google

Actual sender and calendar

Gojiberry

Own LinkedIn seat, campaign and list

Loop & Tie

Funded team, collection and verified meeting gate

An API key opens an account. You still need the right sender, current recipients, exact messages and permission to send. Check those separately.

Chapter 2 of 5

Set the rules and choose ten companies

Execution flow, exclusion test and ten-company universe.

27 guided minutes

Open the next full prompt. Review the result before moving on.

STEP 2: adapt the prepared order of work

7 min / Easy / Company brief, authority and current database. No new paid call.

- 1 Write the next-action rules. Use your company, exclusions and supported channels.
- 2 Save the operating instructions. Keep selection and sending responsibilities explicit.
- 3 Trace one target through the rules. Show the expected next action without sending.

You should have: company-motion/EXECUTION-FLOW.md and company-motion/AGENTS.md.

Check: The writer and sender have distinct tasks.; An empty action list causes preparation, not repeated empty runs.

Full prompt on the next page and at prompts.html#p2-flow

Prompt: STEP 2: adapt the prepared order of work

Save company-motion/EXECUTION-FLOW.md beside my company brief and update company-motion/AGENTS.md. Use this order: read history and exclusions; select current buyers; write exact sourced messages; inspect and approve the eleven-message cohort; refresh checks; send my own self-test; match it in Gmail Sent; release only approved prospect keys; read results, replies and bookings; save one next action. Name the local agent as researcher/writer and gtm.py as checker/sender/record keeper. Keep uncertain provider results held for original-ID readback. Show the next action for one actual target. Keep sending paused. Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: test one real excluded company.

Copy full prompt: [prompts.html#p2-flow](#)

Next: test one real excluded company (p2-rule-test)

Test one company you do not want contacted

5 min / Easy / Current target and exclusions import/review. No paid call.

- 1 Choose a real company outside the pilot.
- 2 Import the local exclusion.
- 3 Run the prepared rule-test command.
- 4 Read the hold reason.

You should have: RULE-TEST.md with actual HOLD, exclusion and unchanged action/attempt counts.

Check: Prepared rule-test returns HOLD for the actual excluded domain.; No action, attempt or provider write is created.; NOT_TESTED is recorded as incomplete.

Full prompt on the next page and at [prompts.html#p2-rule-test](#)

Prompt: Test one company you do not want contacted

Choose one real company outside the ten-prospect pilot that I want excluded.
Save and import its actual company facts and my domain exclusion. Preserve earlier exclusions.
Read the actual saved domain from those records; do not ask me to transcribe it.
From code/, run `python3 -B gtm.py rule-test --domain` with that actual domain.
Use this prepared read-only command. Do not generate a database helper script, create a person or prepare an action.
Save the actual decision, matching exclusion and unchanged action/attempt counts in
`company-motion/RULE-TEST.md`. It must be `HOLD` for our excluded domain. `NOT_TESTED` is a missing check, not success. Record that this domain-only test did not validate any person's email.
Append this step, actual artifact, check and next task to `company-motion/PROGRESS.md`. Show the output. Stop.
Next: build your ten-company target list.

Copy full prompt: [prompts.html#p2-rule-test](#)

Next: build your ten-company target list (p2-universe)

STEP 3: save ten companies you want to sell to

10 min / Easy / Ten target companies, official-source web access or one funded research provider.

- 1 Use ten real target companies. Import an existing list or let Codex find suitable companies.
- 2 Read each company's official source. Save the fit reason and current domain.
- 3 Check exclusions. Keep excluded companies visible with a reason.

You should have: ACCOUNTS.json and ten-row company fit/exclusion list.

Check: Ten distinct real companies are present.; Domains and fit reasons have current support.; Excluded accounts are not eligible.

Full prompt on the next page and at [prompts.html#p2-universe](#)

Prompt: STEP 3: save ten companies you want to sell to

Use my supplied target list or find ten distinct real companies from the saved buyer segment and permitted countries. Keep the two Part 1 targets when they fit; do not include the company used for the exclusion test. For every company, save domain, name, actual country, one fit reason, source URL, supporting excerpt and read date. Normalize supported country aliases through the package. Hold unknown country or fit rather than guessing. Write company-motion/ACCOUNTS.json with the exact package schema, import accounts and read each saved account. Save a ten-row list with included, held or excluded and one plain reason. Do not contact anyone. Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: check one sourced reason to contact a target.

Copy full prompt: [prompts.html#p2-universe](#)

Next: check one sourced reason to contact a target (p2-signal)

A segment is a group of target companies

For example, security software companies selling to large businesses. Each attendee uses their own buyer segment. This is individual work.

Company type

Buyer role

Use case

Use a sourced reason, not a guessed buying signal

5 min / Easy / Official web research. No paid API required for this class step.

- 1 Read one current official event or public post. Save the source, date and exact text.
- 2 Check why it matters to your offer. Keep the reason specific.
- 3 Save the next action. Research or prepare only what the evidence supports.

You should have: One sourced dated signal and next action.

Check: The quote exists in the provider source.; The identity and date match.; Pending paid work keeps its original handle.

Full prompt on the next page and at prompts.html#p2-signal

Prompt: Use a sourced reason, not a guessed buying signal

Choose one target from our saved list.

Use an official announcement, product page or relevant public post to explain why our actual offer may help.

Save company-motion/SIGNAL.md with the exact URL, supporting excerpt, actual date and matching company or person. Keep facts separate from our inference.

Do not turn an undated page into a recent launch or a public comment into purchase intent.

Use official web research for this class step. An optional paid finder or Apify run needs its own guide, bounded cost approval and original-run readback.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: check the current buyers and exact email addresses.

Copy full prompt: [prompts.html#p2-signal](#)

Next: check the current buyers and exact email addresses (p2-buyer)

Chapter 3 of 5

Find buyers and write the emails

Current buyer evidence and source-checked email copy.

20 guided minutes

Open the next full prompt. Review the result before moving on.

Check who works there and the exact email address

10 min / Easy / Current buyer sources; one finder if needed; ZeroBounce credits for exact email validation.

- 1 Open the ten prepared people. Match each person to the actual employer.
- 2 Repair missing evidence. Use one connected finder only when needed.
- 3 Validate each exact address. Check balance and enable paid research first.
- 4 Inspect one imported row. Employer and email evidence remain separate.

You should have: Current person records and separate provider email-validation receipts.

Check: Person works at the intended company.; Exact email result meets the send check.; No name or email pattern is guessed.

Full prompt on the next page and at [prompts.html#p2-buyer](#)

Prompt: Check who works there and the exact email address

Read the exact people schema and our ten company records.

Use current buyer contacts prepared before class. Repair missing role/employer evidence from official sources or an approved finder.

Read the actual ZeroBounce balance. Before paid validation, show the exact addresses and cost scope for my approval. Follow the guide's research-on contract and preserve any existing SixtyFour ceiling.

Validate each released address and my own self-test address. Keep its actual receipt separate from current-employer evidence; both must be within seven days.

Preserve original pending request IDs. Keep invalid, catch-all, guessed or unknown addresses held.

Write and import company-motion/PEOPLE.json using the exact schema. Show one full evidence row and the remaining held rows. Turn paid research off after the approved work.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: write and source-check the exact first emails.

Copy full prompt: [prompts.html#p2-buyer](#)

Next: write and source-check the exact first emails (p2-email)

The real Forum One email

Forum One / September 30, 2026 / Sent

Forum One builds digital experiences for nonprofits, foundations, cultural institutions, and government agencies.

Metadata is a B2B advertising platform for targeting accounts and buyers and running paid campaigns.

May I send you campaign ideas for reaching prospective Forum One clients?

Real excerpt. Recipient, greeting, signature and footer removed.

Write the email from facts you can prove

10 min / Easy / Company and person evidence. Codex account only; no sending call.

- 1 Read the company and buyer facts. Use one supported reason to contact the buyer.
- 2 Generate the exact message. Show sender, recipient, subject, plain text and HTML.
- 3 Check every factual claim. Remove unsupported promises and keep the first email link-free.
- 4 Save all exact previews. Do not import or send before inspection.

You should have: EMAIL-PREVIEWS.md and ten exact prospect drafts.

Check: Each message has one real relevance reason.; The first email has no link.; Recipient, sender, subject and body are visible.

Full prompt on the next page and at prompts.html#p2-email

Prompt: Write the email from facts you can prove

Read our company brief, flow rules and current buyer evidence.

Write one first email for each eligible prospect: one supported relevance reason, our real offer and one permission ask. Keep it link-free.

Check every factual claim against its source. Do not invent a demo length, results or a recent launch. Omit weak unsupported proof.

Use my actual approved sender, signature and opt-out instruction from company-motion/AUTHORITY.md. Ask for any missing sender fact.

Save matching plain text and HTML in company-motion/EMAIL-PREVIEWS.md and company-motion/PROSPECT-DRAFTS.json with exact package fields.

Show every recipient, subject and body. Do not import or send until I inspect them.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: review all eleven messages and pin exact approval.

Copy full prompt: [prompts.html#p2-email](#)

Next: review all eleven messages and pin exact approval (p2-prepare-ten)

Chapter 4 of 5

Review and send your own test

Exact approved messages and own-sender GmailSent proof.

24 guided minutes

Open the next full prompt. Review the result before moving on.

Review your self-test and ten prospect emails

8 min / Easy / Ten company/person records and current evidence. Codex only until live approval.

- 1 Prepare the self-test and ten prospects. Use the current imported people and exact copy.
- 2 Inspect all eleven rows. Check sender, recipient, subject and both bodies.
- 3 Save the exact action keys. Approval pins content and the eleven-email lifetime cap.
- 4 Keep execution paused. The self-test must pass before prospect release.

You should have: Eleven-message review, original action keys and exact approval receipt.

Check: One self-test and ten distinct prospect company domains are present.; Every ready row has current identity, validation and exclusions.; Owner approval pins the exact eleven immutable action keys.; No approval is inferred from a draft or mutable file.

Full prompt on the next page and at [prompts.html#p2-prepare-ten](#)

Prompt: Review your self-test and ten prospect emails

Prepare one owned self-email and ten distinct prospect-company emails from our reviewed drafts. Follow the exact controlled-test and pilot schema in the guide. My self-test sender equals recipient, is allowed in `controlled_test_recipients`, and both person and payload use `controlled_test:true`. It still needs current evidence and validation.

Save `company-motion/PILOT-ACTIONS.json` and an eleven-row `company-motion/PILOT-REVIEW.md` showing sender, recipient, subject, plain text, HTML and holds.

Import each action once. Show all eleven original keys and exact messages.

After my explicit approval, write `company-motion/PILOT-APPROVAL.json` with that approval, the original `controlled_action_key` and ten original `prospect_action_keys`. Run `approve-pilot` and save its receipt.

Keep sending paused. The eleven-email limit lasts across days. Changed approved copy or recipient stays held; preserve the grant and use the separate correction procedure.

Append this step, actual artifact, check and next task to `company-motion/PROGRESS.md`. Show the output. Stop.

Next: send only your approved self-test after the break.

Copy full prompt: [prompts.html#p2-prepare-ten](#)

Next: send only your approved self-test after the break (p2-canary)

Approval names the exact eleven emails

The approval receipt pins all eleven action keys. Send your self-test first. Ten prospect keys become releasable after its exact Gmail Sent match.

Five minutes. Keep the message open.

Save the exact email preview. Return with the same sender and recipient visible.

The coffee needs no API key.

Send only the approved email to yourself

6 min / Moderate / Own connected Google sender; current owner identity and source checks. One live self-email.

- 1 Read the pinned eleven-key approval.
- 2 Inspect the approved self-test.
- 3 Release only that self-test.
- 4 Run once, read the result and pause.

You should have: One attempted test email with exact action key and provider result.

Check: Exact approved self-test is the only first release.; Prospects require its exact Gmail Sent match.; Self-test counts toward eleven lifetime emails but not ten prospect results.; Unknown outcomes cause readback rather than a resend.; The manual command selects the original self-test key explicitly.

Full prompt on the next page and at [prompts.html#p2-canary](#)

Prompt: Send only the approved email to yourself

Read the successful original pilot approval and exact self-test preview. Do not import actions again. Refresh current sources and run review. Reread real exclusions if stale; do not change timestamps. Confirm only the self-test can pass before prospect release.

Read the original self-test key from the saved approved manifest; I do not transcribe keys. After I approve releasing it, construct the exact run command with `--limit 1` and `--action-key` set to that original key. Show the selector, run once, then pause.

Save company-motion/CANARY.md with that key and actual provider result. Reconcile uncertain results through the original key. The manual bounded command can run outside scheduled hours but keeps all recipient checks and caps. Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: match the actual self-test in Gmail Sent.

Copy full prompt: [prompts.html#p2-canary](#)

Next: match the actual self-test in Gmail Sent (p2-sent)

Open the actual message in Gmail Sent

5 min / Easy / Gmail readback and the controlled self-test key. Read-only checks.

- 1 Read the original test attempt. Use its saved action key and provider ID.
- 2 Match the exact Sent message. Check sender, recipient, subject, plain text and HTML.
- 3 Keep its original history. Inspect the attempt without importing or releasing another action.

You should have: One exact Gmail Sent match and its unchanged original attempt record.

Check: Exact Sent content matches the pinned message.; The original key, provider ID and attempt record remain intact.; No additional import or release was used for this check.

Full prompt on the next page and at [prompts.html#p2-sent](#)

Prompt: Open the actual message in Gmail Sent

Reconcile the original self-test action key.

Open its exact Gmail Sent message. Compare sender, recipient, subject, plain text and HTML with the approved preview.

Save the native message ID, exact match and observed stage in company-motion/CANARY.md. Inspect the original attempt and history with results and person reads.

Keep execution paused. Do not reimport or resubmit for a duplicate test.

If the exact Sent match is missing, keep the ten prospect messages held and read that original attempt again later.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: release only the approved prospect cohort after the self-test passes.

Copy full prompt: [prompts.html#p2-sent](#)

Next: release only the approved prospect cohort after the self-test passes (p2-pilot)

The test email is not one of the ten prospects

Your own test email

1

Excluded from the prospect count.

Ten prospect companies

10

Each exact Gmail Sent match counts.

Total email limit: 11. The limit stays in place across days.

Chapter 5 of 5

Run the ten-company pilot

Each original result, labeled sent, held or unknown.

5 guided minutes + 30 minutes for help

Open the next full prompt. Review the result before moving on.

STEP 4: test emails for ten target companies

3 min / Moderate / Google sender and approved ten-account file. Up to ten live prospect emails.

- 1 Read the existing pinned approval.
- 2 Refresh and inspect current checks.
- 3 Release the ten pinned prospect keys.
- 4 Read each original result.

You should have: Actual result for each prospect and company-motion/PILOT-RESULTS.md.

Check: Live actions stay within approval and the eleven-email workshop cap.; Ten exact prospect Sent matches are required for a full pilot.; Fewer matches are labeled partial.; Repeated action-key flags select only the ten original pinned prospect keys.

Full prompt on the next page and at prompts.html#p2-pilot

Prompt: STEP 4: test emails for ten target companies

Read the original pilot approval and exact self-test Gmail Sent match.
Use only its ten original approved prospect keys. Do not reimport, swap held recipients or create a new pilot.
Reread current exclusions when required, then refresh and review. Stale, missing or partial evidence holds release.
Show the exact eligible messages and obtain my approval to release this cohort.
Read the ten original keys from the saved approved manifest; I do not transcribe them. Construct the bounded command with --limit 10 and one --action-key selector for each key. Show that it excludes the self-test and other grants. Resume, run once and pause.
Reconcile each original result and save company-motion/PILOT-RESULTS.md with prepared, held, accepted, exact Sent or unknown per company. Do not call Sent delivery or a meeting.
Preserve the eleven-email lifetime ceiling and all earlier attempts.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.
Next: read the result and next action for each company.

Copy full prompt: [prompts.html#p2-pilot](#)

Next: read the result and next action for each company (p2-results)

Save the result for each company

01 Read results and the pinned grant.

Count ten distinct prospect domains separately from the self-test.

02 Inspect each original attempt.

Use results or person with the actual recipient.

03 Save unresolved work.

Keep original IDs and next reads in WAITS.md.

Count exact Sent matches separately from held and unknown results. Save the next task for each company from its actual result.

Prompt: Save the result for each company

Read the original pilot results and saved attempt history. Use read-only results, person and original-key reconciliation where supported.

Save a dated row per company: original key, exact provider stage, evidence and one next action.

Count held, unknown and exact Sent separately. Full ten-prospect sending needs ten exact Sent matches. Partial results remain partial.

Do not reimport or release the cohort to prove repeat protection. Check its saved reservations and attempts without another write.

Update company-motion/PROGRESS.md and company-motion/WAITS.md. Keep sending paused.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: repair the first held prerequisite with individual help.

Copy full prompt: [prompts.html#p2-results](#)

Next: repair the first held prerequisite with individual help (p2-help)

Finish the ten-account preparation

Work individually. Fix the first incomplete prospect. Gil helps with failed connections, sources and message checks.

Prompt: Finish the ten-account preparation

Read company-motion/PILOT-REVIEW.md, company-motion/PILOT-RESULTS.md and the actual held reason. Repair the first available prerequisite while preserving original keys, approved copy, grants, unknown outcomes and limits. Rerun its failed read/check.

If an approved recipient or message must change, keep the original held and use the guide's separately reviewed correction procedure. Do not reset the pilot or its count.

If account access or owner approval is missing, name that one blocker. Update the result and next action.

Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.

Next: bring the same project and results to Part 3.

Copy full prompt: [prompts.html#p2-help](#)

Next: bring the same project and results to Part 3 (p2-before-part3)

A manual test runs now. The limits still apply.

The workshop's manual test can run outside scheduled hours. It still checks your approved messages, recipients and send limits.

Before Part 3: bring the same project

Bring your pages, messages and saved results. We will check replies, bookings and repeated operation. Extra channels are optional and require their own accounts.

Workshop 2



<https://luma.com/jd8tm0ij>

Workshop 3



<https://luma.com/wucyo6fw>

Prompt: Before Part 3: bring the same project

Read company-motion/PROGRESS.md, company-motion/PILOT-RESULTS.md and the setup guide.
Verify that I can reopen this same project and read its original saved results.
For the main Part 3 lane, keep the existing email/calendar connection and current exclusion sources.
Do not require every extra channel. If I choose an extension, name its actual account, resource, cost and approval prerequisites from API-CONNECTIONS.md.
Keep unfinished provider results with their original IDs in company-motion/WAITS.md and leave new sending paused.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop.
Next: open Part 3 and continue the saved workflow.

Copy full prompt: [prompts.html#p2-before-part3](#)

Next: open Part 3 and continue the saved workflow (p3-start)