Build your first email workflow.

Use your own company, computer and accounts. Keep the same Part 1 project.

Core: five chapters, 95 minutes. Extra practice: 15 minutes. Questions and repairs: 10 minutes.

Keep Zoom and the HTML booklet open. Each exercise contains one complete copyable prompt.

Before class, follow PREP.html and run the actual account checks.

No model API key is required. Keys and private records stay outside the project.

Open the interactive booklet

Open your saved project. Check the sender.

6 minutes • Local Codex or Claude Code; prepared Google OAuth; Gmail and Calendar APIs.

1. Open the same Codex or Claude Code project you used in Part 1.

2. Copy this prompt. Your agent reads your company files and checks the connected mailbox.

3. Check the sender address, calendar access and current exclusions.

Why: A correct key can still connect the wrong mailbox.

You should have: CONNECTION-CHECK.md with your actual sender and passed or blocked checks.

[ ] Your Part 1 company brief, page skill and progress files remain.

[ ] The account check returns your actual sender.

[ ] Missing buyers are the next exercise, not a reason to reset setup.

Open this prompt and its repair online

Complete prompt: Open your saved project. Check the sender.

Read AGENTS.md, code/README.md and company-motion/PROGRESS.md. Keep the same project. If Part 1 files are missing, use the catch-up prompt in PREP.html first. Read my company brief, authority, company-motion/CONNECTION-CHECK.md and the email setup guide.
Ask only for missing sender or permitted-company-country choices. Show the saved canonical countries; US and United States must match. Hold unknown countries.
Create or update my private configuration through the package's exact schema. Keep the eleven-email ceiling, one owned self-test, ten prospect limit and other live channels disabled.
Use snapshot mode for this owner-reviewed manual test. Bootstrap alone does not initialize email operation. From code/, run python3 -B gtm.py init --config with the actual absolute private-config path once for this fresh project. Verify initialized:true. Use configure only for later deliberate configuration changes; preserve saved grants and history.
Read my actual Google profile and primary calendar. Re-read current customer, deal, opt-out and relationship sources; save and import complete current exclusions with their real read time and owner review.
Run ready and save its actual output in company-motion/CONNECTION-CHECK.md. Mark this connection step passed only when the owned profile/calendar, canonical permitted countries and complete current exclusions pass. Missing people/actions are expected until later exercises; record those holds without restarting setup. Bookings expire after 25 minutes, history after 60 and owner exclusions after 65; stale or partial evidence holds live release.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: review and save the order of work.

Save the order of work.

4 minutes • Your company files; the supplied program. No new API.

1. Read the working flow on this slide.

2. Let your agent adapt it to your company.

3. Open EXECUTION-FLOW.md and follow one target through it.

Why: The agent needs a next step when a task finishes or a check fails.

You should have: EXECUTION-FLOW.md and updated local agent instructions.

[ ] Research and writing happen before sending.

[ ] A reply, exclusion or unknown result stops the next message.

Open this prompt and its repair online

Complete prompt: Save the order of work.

Save company-motion/EXECUTION-FLOW.md beside my company brief and update company-motion/AGENTS.md.
Use this order: read history and exclusions; select current buyers; write exact sourced messages; inspect and approve the eleven-message cohort; refresh checks; send my own self-test; match it in Gmail Sent; release only approved prospect keys; read results, replies and bookings; save one next action.
Name the local agent as researcher/writer and gtm.py as checker/sender/record keeper.
Keep uncertain provider results held for original-ID readback. Show the next action for one actual target. Keep sending paused.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: test one real excluded company.

Prove that an excluded company stays excluded.

5 minutes • Your current exclusion list; gtm.py rule-test. No paid lookup.

1. Choose a real company you do not want contacted, outside the pilot.

2. Copy the prompt to save and test that exclusion.

3. Read the blocked result and its reason.

Why: Check the stop rule before giving the agent permission to send.

You should have: RULE-TEST.md with the real domain, exclusion and blocked result.

[ ] The decision is HOLD for that domain.

[ ] No message, person or send attempt is created.

Open this prompt and its repair online

Complete prompt: Prove that an excluded company stays excluded.

Choose one real company outside the ten-prospect pilot that I want excluded.
Save and import its actual company facts and my domain exclusion. Preserve earlier exclusions.
Read the actual saved domain from those records; do not ask me to transcribe it.
From code/, run python3 -B gtm.py rule-test --domain with that actual domain.
Use this prepared read-only command. Do not generate a database helper script, create a person or prepare an action.
Save the actual decision, matching exclusion and unchanged action/attempt counts in company-motion/RULE-TEST.md. It must be HOLD for our excluded domain.
NOT_TESTED is a missing check, not success. Record that this domain-only test did not validate any person's email.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: build your ten-company target list.

Save ten companies you want to sell to.

8 minutes • Official websites or one research provider you already connected.

1. Use your ten prepared domains. Keep the two Part 1 targets when they fit.

2. Let the agent read their official websites and check your exclusions.

3. Review the ten-row list. Correct a wrong company or country.

Why: Ten companies make a small pilot you can inspect before scaling.

You should have: ACCOUNTS.json and a ten-row target list.

[ ] Ten distinct real companies, with source links.

[ ] Each row says included, held or excluded and why.

Open this prompt and its repair online

Complete prompt: Save ten companies you want to sell to.

Use my supplied target list or find ten distinct real companies from the saved buyer segment and permitted countries.
Keep the two Part 1 targets when they fit; do not include the company used for the exclusion test.
For every company, save domain, name, actual country, one fit reason, source URL, supporting excerpt and read date.
Normalize supported country aliases through the package. Hold unknown country or fit rather than guessing.
Write company-motion/ACCOUNTS.json with the exact package schema, import accounts and read each saved account.
Save a ten-row list with included, held or excluded and one plain reason. Do not contact anyone.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: check the current buyers and exact email addresses.

Check one buyer at each company.

9 minutes • ZeroBounce key and validation credits; official sources or one approved contact finder.

1. Use the work emails and buyer evidence prepared before class.

2. Check current employer and role, then validate the exact email.

3. Review held rows. Keep bad or unknown addresses out.

Why: A real email address does not prove the person still works there.

You should have: PEOPLE.json with current-role evidence and actual validation results.

[ ] One eligible buyer per target company.

[ ] The actual provider result is valid; guessed or catch-all addresses stay held.

[ ] Your own test address is also checked.

Open this prompt and its repair online

Complete prompt: Check one buyer at each company.

Read the exact people schema and our ten company records.
Use current buyer contacts prepared before class. Repair missing role/employer evidence from official sources or an approved finder.
Read the actual ZeroBounce balance. Before paid validation, show the exact addresses and cost scope for my approval. Follow the guide's research-on contract and preserve any existing SixtyFour ceiling.
Validate each released address and my own self-test address. Keep its actual receipt separate from current-employer evidence; both must be within seven days.
Preserve original pending request IDs. Keep invalid, catch-all, guessed or unknown addresses held.
Write and import company-motion/PEOPLE.json using the exact schema. Show one full evidence row and the remaining held rows. Turn paid research off after the approved work.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: write and source-check the exact first emails.

Write ten emails from your company facts.

10 minutes • Local Codex or Claude Code; your sourced company and buyer facts.

1. Copy the prompt. It uses your company brief and the checked buyers.

2. Read one complete message before reviewing the rest.

3. Remove claims you cannot prove. Keep one clear ask.

Why: Good copy starts with a relevant business problem, not a list of facts about the buyer.

You should have: EMAIL-PREVIEWS.md and PROSPECT-DRAFTS.json.

[ ] Each email has one relevant reason and one permission ask.

[ ] Every factual claim has a source.

[ ] Plain text and HTML say the same thing. Nothing is sent.

Open this prompt and its repair online

Complete prompt: Write ten emails from your company facts.

Read our company brief, flow rules and current buyer evidence.
Write one first email for each eligible prospect: one supported relevance reason, our real offer and one permission ask. Keep it link-free.
Check every factual claim against its source. Do not invent a demo length, results or a recent launch. Omit weak unsupported proof.
Use my actual approved sender, signature and opt-out instruction from company-motion/AUTHORITY.md. Ask for any missing sender fact.
Save matching plain text and HTML in company-motion/EMAIL-PREVIEWS.md and company-motion/PROSPECT-DRAFTS.json with exact package fields.
Show every recipient, subject and body. Do not import or send until I inspect them.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: review all eleven messages and pin exact approval.

Review one test and ten prospect messages.

6 minutes • Your approved sender and checked buyers. No send call in this step.

1. Open the eleven-row review: one message to yourself, ten to prospects.

2. Check recipient, sender, subject and exact body.

3. Approve only the exact messages you want this pilot to use.

Why: Approval should mean these messages to these people, not a general instruction to do outreach.

You should have: PILOT-REVIEW.md and the original approved action list.

[ ] The test recipient is your own authorized sender.

[ ] Ten prospects work at ten distinct companies.

[ ] Approval is recorded only after your explicit review.

Open this prompt and its repair online

Complete prompt: Review one test and ten prospect messages.

Prepare one owned self-email and ten distinct prospect-company emails from our reviewed drafts.
Follow the exact controlled-test and pilot schema in the guide. My self-test sender equals recipient, is allowed in controlled_test_recipients, and both person and payload use controlled_test:true. It still needs current evidence and validation.
Save company-motion/PILOT-ACTIONS.json and an eleven-row company-motion/PILOT-REVIEW.md showing sender, recipient, subject, plain text, HTML and holds.
Import each action once. Show all eleven original keys and exact messages.
After my explicit approval, write company-motion/PILOT-APPROVAL.json with that approval, the original controlled_action_key and ten original prospect_action_keys. Run approve-pilot and save its receipt.
Keep sending paused. The eleven-email limit lasts across days. Changed approved copy or recipient stays held; preserve the grant and use the separate correction procedure.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: send only your approved self-test after the break.

Send the approved test to yourself.

6 minutes • Your working Gmail API connection; the approved test.

1. Read the approved test preview one last time.

2. Copy the prompt. Approve releasing this one message.

3. Check the recorded provider result.

Why: Your test catches the wrong sender, broken formatting or missing Sent proof before a prospect sees it.

You should have: CANARY.md with the original test and actual result.

[ ] Only the approved self-test is selected.

[ ] The program runs once, then pauses.

[ ] An unknown result is read again, never submitted again.

Open this prompt and its repair online

Complete prompt: Send the approved test to yourself.

Read the successful original pilot approval and exact self-test preview. Do not import actions again.
Refresh current sources and run review. Reread real exclusions if stale; do not change timestamps. Confirm only the self-test can pass before prospect release.
Read the original self-test key from the saved approved manifest; I do not transcribe keys. After I approve releasing it, construct the exact run command with --limit 1 and --action-key set to that original key. Show the selector, run once, then pause.
Save company-motion/CANARY.md with that key and actual provider result. Reconcile uncertain results through the original key. The manual bounded command can run outside scheduled hours but keeps all recipient checks and caps.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: match the actual self-test in Gmail Sent.

Open the actual email in Gmail Sent.

4 minutes • Gmail Sent; original saved test result. No second send.

1. Let your agent read the original test result.

2. Open that exact message in your Gmail Sent folder.

3. Compare sender, recipient, subject and body with your preview.

Why: An accepted request is not enough. We check the message that Gmail actually saved as Sent.

You should have: CANARY.md with a checked Sent match.

[ ] The exact approved message matches Gmail Sent.

[ ] If the match is missing, prospect sending stays blocked.

Open this prompt and its repair online

Complete prompt: Open the actual email in Gmail Sent.

Reconcile the original self-test action key.
Open its exact Gmail Sent message. Compare sender, recipient, subject, plain text and HTML with the approved preview.
Save the native message ID, exact match and observed stage in company-motion/CANARY.md. Inspect the original attempt and history with results and person reads.
Keep execution paused. Do not reimport or resubmit for a duplicate test.
If the exact Sent match is missing, keep the ten prospect messages held and read that original attempt again later.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: release only the approved prospect cohort after the self-test passes.

Release only the approved ten-company pilot.

7 minutes • Gmail API; fresh exclusions, calendar and history; exact owner approval.

1. Check that the owned test passed and the real buyers are still eligible.

2. Review the exact ten prospect messages and approve this release.

3. Run once. Read each result, then leave sending paused.

Why: A small pilot makes it possible to inspect every message and learn from real results.

You should have: PILOT-RESULTS.md with one provider stage per target.

[ ] The command selects only the ten original approved prospect messages.

[ ] Held and unknown results remain visible.

[ ] Sent does not mean delivered, replied or booked.

Open this prompt and its repair online

Complete prompt: Release only the approved ten-company pilot.

Read the original pilot approval and exact self-test Gmail Sent match.
Use only its ten original approved prospect keys. Do not reimport, swap held recipients or create a new pilot.
Reread current exclusions when required, then refresh and review. Stale, missing or partial evidence holds release.
Show the exact eligible messages and obtain my approval to release this cohort.
Read the ten original keys from the saved approved manifest; I do not transcribe them.
Construct the bounded command with --limit 10 and one --action-key selector for each key. Show that it excludes the self-test and other grants. Resume, run once and pause.
Reconcile each original result and save company-motion/PILOT-RESULTS.md with prepared, held, accepted, exact Sent or unknown per company. Do not call Sent delivery or a meeting.
Preserve the eleven-email lifetime ceiling and all earlier attempts.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: read the result and next action for each company.

Read the result. Save the next action.

3 minutes • Saved results and original provider readback.

1. Read your original pilot results and history.

2. Count exact Sent matches separately from held or unknown results.

3. Write one next action for each company.

Why: The next run should use what happened, rather than repeat the same outreach.

You should have: Updated PILOT-RESULTS.md, PROGRESS.md and WAITS.md.

[ ] Ten exact prospect Sent matches are needed for a complete ten-company send.

[ ] Partial results stay partial.

[ ] No extra send is used to demonstrate duplicate protection.

Open this prompt and its repair online

Complete prompt: Read the result. Save the next action.

Read the original pilot results and saved attempt history. Use read-only results, person and original-key reconciliation where supported.
Save a dated row per company: original key, exact provider stage, evidence and one next action.
Count held, unknown and exact Sent separately. Full ten-prospect sending needs ten exact Sent matches. Partial results remain partial.
Do not reimport or release the cohort to prove repeat protection. Check its saved reservations and attempts without another write.
Update company-motion/PROGRESS.md and company-motion/WAITS.md. Keep sending paused.
Append this step, actual artifact, check and next task to company-motion/PROGRESS.md. Show the output. Stop. Next: save and test the email-writing skill.

Save the email-writing skill.

3 minutes • Local Codex or Claude Code; your reviewed email and one real target.

1. Save the instructions that produced your reviewed email.

2. Use the skill to draft for one additional real target.

3. Review the new draft. Keep this extra message unsent.

Why: A saved skill lets the agent repeat your useful work without starting from a blank prompt.

You should have: skills/outbound-email/SKILL.md and SKILL-TEST.md with one unsent draft.

[ ] The new draft uses the saved skill and actual company facts.

[ ] It keeps the same source checks and review rules.

[ ] The pilot approval is not expanded and no extra message is sent.

Open this prompt and its repair online

Complete prompt: Save the email-writing skill.

Read our reviewed emails, company brief and the actual checks that passed. Save company-motion/skills/outbound-email/SKILL.md. Include the required buyer facts, one supported business reason, our real offer, one permission ask, matching plain text/HTML, source checks and the stop for exact owner review. Keep first emails link-free.
Use that saved skill for one additional real company from my buyer segment. Ask me to confirm the new target if it is not already saved. Read its actual sources and save one unsent draft in company-motion/SKILL-TEST.md with the source links and review results. Do not import or send the extra draft. Preserve the original pilot, all attempts and limits.
Append the actual artifacts and next task to company-motion/PROGRESS.md. Show the saved skill and draft. Stop. Next: read replies and plan the next run.

Extra: read replies and bookings.

8 minutes • Gmail history and Google Calendar read access. No new key.

1. Read actual replies and bookings from your connected accounts.

2. Review opt-outs, interested replies and unresolved cases.

3. Save a draft response and next action. Do not send replies.

Why: A useful workflow changes its next step when somebody replies or books.

You should have: REPLY-REVIEW.md with real results, or an honest zero-reply result.

[ ] Every reported reply is tied to an actual message thread.

[ ] Opt-outs are retained in exclusions.

[ ] No reply, booking or response send is invented.

Open this prompt and its repair online

Complete prompt: Extra: read replies and bookings.

Read company-motion/PILOT-RESULTS.md and the original message results. From code/, run python3 -B gtm.py replies and python3 -B gtm.py bookings. These are reads, not reply sends. Inspect any actual thread-linked replies and booking matches from my own accounts. Save company-motion/REPLY-REVIEW.md with the native thread/result references, what the person actually asked, opt-outs, an unsent response draft where useful and one next action. If no replies or bookings exist, record zero and the next check time. Do not turn an unrelated email into a pilot reply. Keep opt-outs in current exclusions. Do not send a reply, start a schedule or expand the pilot. Append the result to PROGRESS.md and stop. Next: prepare the next-run instructions.

Extra: prepare your next run.

7 minutes • Your local project and actual pilot results. No new paid tool.

1. Save one reusable instruction for the next manual batch.

2. Include reply, booking, exclusion and unknown-result checks.

3. List the access still needed before unattended operation.

Why: A schedule repeats instructions. It cannot supply missing buyers, permissions or results.

You should have: NEXT-RUN.md with the next allowed task and actual blockers.

[ ] The agent prepares fresh work before the program sends it.

[ ] Earlier approvals and unknown results are preserved.

[ ] No schedule or extra cohort is activated in this exercise.

Open this prompt and its repair online

Complete prompt: Extra: prepare your next run.

Read our skill, execution flow, PROGRESS.md, PILOT-RESULTS.md and REPLY-REVIEW.md. Save company-motion/NEXT-RUN.md as a complete prompt I can reuse with my local agent. It must read original results first, stop on opt-outs/bookings or unknown commitments, refresh current facts and exclusions, prepare exact new drafts, obtain a new bounded owner approval for any new cohort, send only eligible approved messages and read native results. Preserve all earlier attempts and the original pilot limit. Do not resend old keys or reset their history.
List the actual missing setup for unattended operation using code/README.md, including fresh native customer/deal/exclusion sources and the requirement for two correct manual cycles before scheduling. Keep this class manual. Do not install a schedule, run a second cohort or enable gifts, social or ads. Append the saved prompt and blockers to PROGRESS.md, show them and stop.