

# A minimal example

With a subtitle

---

Matthias Vogelgesang

May 10, 2019

Centre for Modern Beamer Themes

# First Section

---

# First Frame

Hello, world!

## Second Section

---

# Second Frame

## Bulleted Lists

- Element A
- Element B
  - B.1
  - B.2
- Element C

# Elements

---

# Typography

The theme provides sensible defaults to `\emph{emphasize}` text, `\alert{accent}` parts or show `\textbf{bold}` results.

In Markdown, you can also use `_emphasize_` and `**bold**`.  
becomes

The theme provides sensible defaults to *emphasize* text, **accent** parts or show **bold** results.

In Markdown, you can also use *emphasize* and **bold**.

$$e = \lim_{n \rightarrow \infty} \left(1 + \frac{1}{n}\right)^n$$




## R Figure Example

The following code generates the plot on the next slide (taken from `help(bxp)` and modified slightly):

```
library(stats)
set.seed(753)
bx.p <- boxplot(split(rt(100, 4),
                      gl(5, 20)), plot=FALSE)
bxp(bx.p, notch = FALSE, boxfill = "lightblue",
     frame = FALSE, outl = TRUE,
     main = "Example from help(bxp)")
```

# R Figure Example

Example from `help(bxp)`



# R Table Example

A simple `knitr::kable` example:

```
knitr::kable(mtcars[1:5, 1:8],  
             caption="(Parts of) the mtcars dataset")
```

**Table 1:** (Parts of) the mtcars dataset

	mpg	cyl	disp	hp	drat	wt	qsec	v
Mazda RX4	21.0	6	160	110	3.90	2.620	16.46	
Mazda RX4 Wag	21.0	6	160	110	3.90	2.875	17.02	
Datsun 710	22.8	4	108	93	3.85	2.320	18.61	
Hornet 4 Drive	21.4	6	258	110	3.08	3.215	19.44	
Hornet Sportabout	18.7	8	360	175	3.15	3.440	17.02	

## **For more information:**

- See the Metropolis repository for more on Metropolis
- See the RMarkdown repository for more on RMarkdown
- See the binb repository for more on binb
- See the binb vignettes for more examples.