W2 PRACTICE TEST – G4

- **Any document, previous code is ALLOWED**
- **AI usage is forbidden**
- **Wi-Fi forbidden**
- **Any cheating action will conduct to a 0 score**

How to start?

✓ Download and extract `TEST.ZIP` from LMS
  - `test.dart + vs code settings`

✓ Open VS Code from the extracted folder

✓ To run your code:


```
dart test.dart
```

✓ **Turn off WIFI !!!**

How to submit?

✓ **Turn on WIFI**

✓ Submit `test.dart` on LMS



Cinema Tickets

A cinema wants to calculate **the price of several tickets.**

1. Implement calculateTicketPrice

Parameter	Requirement	Example
age	Required	15
ticketPrice	Required	8
snack	Optional, can be null	snack: 3

💡 Note : Choose the appropriate parameter types and parameter syntax.

Rules:

- If age < 12, the ticket price is reduced by 50%.
- If age >= 12, the normal ticket price is used.
- If snack is not null, add it to the final price.

The function returns the final price. As example:

```
age = 10
ticketPrice = 8
snack = 3
final price = 7
```

2. Process tickets

```
void main() {

 List<Map<String, dynamic>> tickets = [
    {"age": 10, "ticketPrice": 8, "snack": 3},
    {"age": 18, "ticketPrice": 10, "snack": null},
    {"age": 12, "ticketPrice": 8, "snack": 2},
    {"age": 25, "ticketPrice": 10, "snack": null},
  ];

  // For each ticket, calculate the final price and print it.
}
```

💡 Note: When retrieving a value from a Map<String, dynamic>, use “as” to cast it to the required type :

```
int age = tickets[0]["age"] as int;
```

Expected output:

```
Ticket 1: 7
Ticket 2: 8
Ticket 3: 7
Ticket 4: 10
```