OzAgriMate Irrigation Architecture and API

Thomas Wight | ISYS3459 Assignment 4 | 24 October 2026

These sections document the architecture decisions, component and runtime views, and irrigation API contributed by Thomas Wight. The two irrigation endpoints pass 21 automated tests and a 13-request Postman replay. Architecture decisions remain Proposed pending team review.

Design basis and scope

The submitted Assignment 2 report lists Reliability / Safety and Availability among its seven driving characteristics. ASR5 requires suspicious readings not to trigger automated actions, ASR12 requires controllers to keep the last approved schedule for 48 hours offline, ASR19 requires access revocation within one minute and constraint C3 requires 72-hour offline edge operation. ADR-01 places irrigation in the Irrigation and Alerts service, which owns requests, approved schedules and alert rules in its own Operations Store partition.

This contribution implements only irrigation request creation and pending-request replacement. Owner approval, dispatch to the Farm Edge Gateway and physical execution are planned capabilities; the prototype never implies that water has been applied.

Contribution coverage

Artefact	Scope and status
ADR-03	Reliability / Safety with offline Availability; Proposed
ADR-07	Event-fed farm access projection (data/dependency decision); Proposed
Farm Management component view	Matches Pulkit's implemented modules; outbox publisher marked proposed
Runtime view 2	Irrigation request and processing; approval, dispatch and execution marked planned
Irrigation API	POST and PUT irrigation requests; local implementation on port 8003
Testing evidence	21 automated tests passed; 13 Postman requests replayed with expected results; user-run Postman screenshot pending

ADR 03 Irrigation safety and offline continuity

Field	Architectural decision record
Title	ADR-03 Enforce approval, safe limits and bounded offline execution for irrigation
Status	Proposed
Context	Reliability/Safety and Availability are driving QAs. ASR5 forbids anomalous readings triggering flooding; ASR12 requires controllers to keep the last approved schedule for 48 hours offline; C3 requires 72-hour edge operation. Faulty sensors, invalid requests or outdated schedules could waste water or damage crops. Alternatives: cloud-only control stops watering during rural outages; unrestricted local autonomy continues unsafe or outdated schedules indefinitely; executing requests immediately removes human oversight. A disconnected controller cannot receive cloud cancellations, so offline safety must be enforced locally.
Decision	Irrigation requests start PENDING and run only after owner approval. Validate units and configurable safe bounds at creation, approval and controller execution; defaults are 1-240 minutes and 0.5-50 mm per request. Only accepted, non-quarantined readings may inform schedules. Approved schedules carry an expiry and a 48-hour offline lease; controllers run them locally during outages and honour local overrides. When the lease lapses without cloud contact, controllers stop automatic watering and revert to manual control. The prototype implements PENDING creation, pending-only replacement and safe-limit validation.
Consequences	Watering continues through common outages, while invalid requests and faulty readings cannot trigger unbounded irrigation. Approval delays watering. Cloud cancellations cannot reach disconnected controllers until reconnection; expiry and local overrides bound that risk. Safe-state shutdown may under-water during long outages. Per-paddock limits need configuration and agronomic validation.
Compliance	Test out-of-limit and non-pending requests return 422 and 409. Simulate 48-hour disconnection; confirm local execution, expiry shutdown and manual override. Audit that unapproved schedules never reach controllers.

Traceability: ASR5, ASR10, ASR12, ASR14, ASR21; constraint C3; Reliability / Safety and Availability driving QAs. Telemetry quarantine rules follow Aditya's ADR-02 and the team integration contract.


ADR 07 Farm access projection

Field	Architectural decision record
Title	ADR-07 Maintain an event-fed farm access projection inside Irrigation and Alerts
Status	Proposed
Context	Irrigation and Alerts must confirm farm existence and caller access on every request, but Farm Management owns farms and grants in its own store (ADR-01). ASR19 requires revocation within one minute; ASR26 forbids cross-farm leakage. Alternatives: a shared farm database couples schemas and releases and breaks data ownership; a synchronous call per request adds latency and makes irrigation unavailable whenever Farm Management fails; long-lived response caches risk acting on revoked access. A local copy is safe only if its staleness is bounded and detectable.
Decision	Farm Management records farm and grant changes in an outbox and publishes versioned, per-farm-ordered events through the Event Broker. Irrigation and Alerts applies them to its own read-only projection: duplicate event IDs are ignored, older versions are discarded, and version gaps trigger resynchronisation from a snapshot. Source heartbeats advance a freshness watermark. New protected mutations return 503 when the watermark is older than 60 seconds or resynchronisation is pending. The prototype seeds the projection from fixture events and implements the deduplication, ordering, gap and freshness rules.
Consequences	Irrigation keeps working through brief Farm Management outages without shared tables or per-request coupling. Eventual consistency means mutations may be refused during broker delays, reducing availability. The outbox, heartbeats, snapshots and replay add operational complexity. One-minute revocation depends on measured broker latency and remains unvalidated in production.
Compliance	Automated tests cover revoked grants, duplicate, out-of-order and gap events, and stale watermarks. Production monitoring alerts when projection lag exceeds 30 seconds.

Traceability: ASR19, ASR26; ADR-01 service-owned stores; ADR-05 farm-scoped authorisation. Requires the Farm Management outbox shown as proposed in Figure 3.

Farm Management component view

Figure 3 OzAgriMate Farm Management C4 Component Diagram




The view decomposes the Farm Management container into the modules Pulkit implemented, so the repository structure and diagram correspond one-to-one. The Farm Event Publisher is drawn dashed because the farm prototype does not yet publish events; it is required by ADR-07.

Component	Module	Responsibility
HTTP Server	app.py	Local HTTP transport and composition root
Farm REST Controller	api.py	Routes the two farm endpoints; maps errors to the JSON envelope
Identity Adapter	security.py	Resolves the bearer identity (demonstration fixtures locally)
Farm Application Service	service.py	Owner-only creation and farm-scoped retrieval
Farm Domain Model / Validator	models.py	Farm types and request validation
Farm Repository	repository.py	In-memory storage with owner-scoped lookup
Farm Event Publisher (Outbox)	Proposed	Publishes versioned farm and grant events after commit

Runtime view: irrigation request and processing

Figure 4 OzAgriMate Runtime Diagram 2: irrigation request and processing (UML sequence)

Interaction flow: Worker creates and edits a validated PENDING request; planned owner approval sends a time-limited schedule to the field controller.



Irrigation API design

Paths follow the team integration contract. Production versioning is proposed as /api/v1 at the gateway; the prototype exposes the unprefixed service paths at http://127.0.0.1:8003.

POST /farms/{farmId}/irrigation-requests

Specification	Value
HTTP Method	POST
Description	Create a pending irrigation request for a farm paddock
Endpoint URL	/farms/{farmId}/irrigation-requests

Sample Request Body	{
	"paddockId": "north-paddock",
	"scheduledStart": "2026-11-02T19:00:00Z",
	"durationMinutes": 90,
	"waterDepthMm": 18.5,
	"notes": "Pre-heatwave watering"
	}

Sample Response Body	{
	"id": "irr-002",
	"farmId": "farm-001",
	"paddockId": "north-paddock",
	"scheduledStart": "2026-11-02T19:00:00Z",
	"durationMinutes": 90,
	"waterDepthMm": 18.5,
	"notes": "Pre-heatwave watering",
	"status": "PENDING",
	"requestedBy": "worker-a",
	"version": 1
	}

Success status	201 Created, with a Location header

PUT /farms/{farmId}/irrigation-requests/{requestId}

Specification	Value
HTTP Method	PUT
Description	Replace a pending irrigation request's editable details
Endpoint URL	/farms/{farmId}/irrigation-requests/{requestId}

Sample Request Body	{
	"paddockId": "south-paddock",
	"scheduledStart": "2026-11-03T18:30:00Z",
	"durationMinutes": 60,
	"waterDepthMm": 12
	}

Sample Response Body	{
	"id": "irr-002",
	"farmId": "farm-001",
	"paddockId": "south-paddock",
	"scheduledStart": "2026-11-03T18:30:00Z",
	"durationMinutes": 60,
	"waterDepthMm": 12,
	"notes": "",
	"status": "PENDING",
	"requestedBy": "worker-a",
	"version": 2
	}

Success status	200 OK

The irr-002 example assumes the first creation after server startup; irr-001 is a seeded APPROVED request used to demonstrate the lifecycle conflict. Consumers should use the returned ID. PUT is a full replacement: an omitted notes field becomes empty, and the version increases by one.

Validation and error behaviour

A body must contain paddockId, scheduledStart, durationMinutes and waterDepthMm; notes is optional. Any other field, including caller-supplied id, status, requestedBy or owner fields, is rejected. paddockId is 1 to 60 lowercase letters, digits or hyphens. scheduledStart is a valid UTC timestamp such as 2026-11-02T19:00:00Z. The ADR-03 safe limits apply: durationMinutes is a whole number from 1 to 240 and waterDepthMm is a number from 0.5 to 50. notes is at most 500 characters. Booleans, nulls and numeric strings are rejected.

Demonstration identities match Farm Management. demo-owner-a owns farm-001 and demo-worker-a holds an operations grant on it, so both may create and replace requests there. demo-owner-b owns farm-002 and cannot see farm-001. farm-003 belongs to owner A but its event source is deliberately stalled to demonstrate the ADR-07 freshness rule.

Status	Code	Relevant condition
400	INVALID_JSON	Malformed UTF-8 JSON or literal NaN/Infinity
401	UNAUTHENTICATED	Missing or invalid demonstration bearer identity
404	FARM_NOT_FOUND	Farm absent or not accessible to the caller (identical bodies)
404	IRRIGATION_REQUEST_NOT_FOUND	Request absent or belongs to another farm
404	ROUTE_NOT_FOUND	Unknown path or malformed identifier
405	METHOD_NOT_ALLOWED	Unsupported method; Allow header names the supported one
409	REQUEST_NOT_EDITABLE	PUT on a request that is no longer PENDING
413	BODY_TOO_LARGE	Body exceeds 65,536 bytes
415	UNSUPPORTED_MEDIA_TYPE	Content-Type is not application/json
422	VALIDATION_ERROR	Missing/extra fields, invalid values or safe limits exceeded
503	FARM_ACCESS_STALE	Farm access cannot be confirmed within 60 seconds; Retry-After: 5

Error response example:

```
{"error":{"code":"REQUEST_NOT_EDITABLE","message":"Only PENDING requests can be replaced; this request is APPROVED."}}
```

Where the endpoints sit in the architecture

Both endpoints are served by the Irrigation and Alerts container. In production, the Web or Mobile App calls the API Gateway, which routes them to this service. The REST Controller delegates to the Irrigation Application Service, which checks the Farm Access Projection rather than Farm Management's store, validates ADR-03 limits and persists through the Repository to the service's Operations Store partition. No AI Recommendation dependency exists, so irrigation requests continue during AI outages (ASR21).

Repository and component alignment

The code lives in services/irrigation_alerts/, matching the module names agreed with Bradley for the Irrigation and Alerts component view.

Component	Module	Status
REST Controller (shared routing)	api.py	Implemented; irrigation routes
Irrigation Application Service	irrigation_service.py	Implemented (Thomas)
Alert Rule Application Service	alert_rule_service.py	Placeholder (Bradley)
Farm Access Projection	farm_projection.py	Implemented; ADR-07 rules
Repository	repository.py	Implemented; in-memory
Domain Model / Validator	models.py	Implemented; ADR-03 limits
Identity Adapter	security.py	Implemented; demonstration identities
Farm Event Consumer	farm_events.py	Proposed; local fixture source only

Component	Module	Status
HTTP Server	app.py	Composition root, port 8003

Validation evidence

Twenty-one automated tests run against the code. Fifteen HTTP integration tests start a real local server and cover the exact create and replace contracts, owner and worker access, cross-owner denial, the stale-projection 503, rejected caller-supplied fields, safe-limit boundaries, partial PUT bodies, the 409 lifecycle conflict, missing requests, authentication, media type and method handling. Six unit tests cover ADR-07 projection rules: revocation, duplicate events, out-of-order replay, version gaps and watermark expiry. The full repository suite, including Pulkit's ten farm tests, passed 31 of 31.

Measure	Observed result
Automated tests (irrigation)	21 passed, 0 failed
Full repository suite	31 passed, 0 failed
Postman collection	postman/Thomas_Irrigation.postman_collection.json, 13 requests, 40 assertions
Request replay against running service	13 of 13 returned the expected status and error code
User-run Postman screenshot	Pending; to be added before submission

The request replay was produced by a script that sends each saved collection request and checks its status and error code; it does not execute Postman's JavaScript assertions. The official Postman run will replace it as primary evidence. Local results do not demonstrate production durability, broker latency, one-minute revocation or offline controller behaviour.

References

[1] Brown, S. (n.d.). Component diagram. C4 model. https://c4model.com/diagrams/component. Accessed 24 October 2026.

[2] Brown, S. (n.d.). Dynamic diagram. C4 model. https://c4model.com/diagrams/dynamic. Accessed 24 October 2026.

[3] Sharma, P., Singh, A., Wight, T., and Shears, B. (2026). OzAgriMate Software Architecture Proposal. Submitted ISYS3459 Assignment 2 report.

[4] Sharma, P. (2026). OzAgriMate Architecture and Farm API; Team Integration Contract. ozagrimate-a4 repository.

[5] RMIT University. (2026). ISYS3459 Assignment 4 Software Architecture Project activity instructions. Supplied course material.

[6] RMIT University. (2026). ADR Template. Supplied course material.