

App.js..Login:

```
import * as React from 'react';
import {
  StyleSheet,
  Button,
  TouchableHighlight,
  Image,
  View,
  Text,
  TextInput,
  TouchableOpacity
} from "react-native";
import { NavigationContainer } from '@react-navigation/native';
import {useState,useEffect} from 'react';
import AsyncStorage from '@react-native-async-storage/async-storage';
import { createNativeStackNavigator } from '@react-navigation/native-stack';
// Screens
import Profile from '../screens/Profile';

import SignUp from '../screens/Signup';

//Screen names
function login({ navigation }) {

  const [password1, setpassword1] = useState('');
  const [Emaill, setemaill] = useState('');

  const [pass, setpass] = useState('');
  const [Emai, setemai] = useState('');
  let email,password,parsed;

  /* const getData = async () => {
    try {

      const jsonValue = await AsyncStorage.getItem(Emaill)
      data=jsonValue;
      return jsonValue != null ? JSON.parse(jsonValue) : null;
    } catch(e) {
      // error reading value
    }
  }
}
```

```

} */
const getData = async () => {
  try {

    let value = await AsyncStorage.getItem(Emaill);
    parsed = JSON.parse(value);
    email=parsed.email;
    password=parsed.password;

    setemai(email)
    setpass(password)
    console.log(Emai);
    console.log(pass)

  } catch(e) {
    // error reading value
  }
}

return (
  <View style={styles.parentcont}>
    <View style={styles.container}>
      <Image
        style={styles.pic}
        source={require("./assets/Saly-1intro-image.png")}
      ></Image>
      <Text style={styles.text_login}>Login</Text>
    </View>
    <View>
      <Text style={styles.spce}></Text>
    </View>
    <View>

      <TextInput

        onChangeText={(name) => setemai(name)}
        style={styles.input}
        value={Emaill}

        placeholder="Email"
        placeholderTextColor="black"
        autoCapitalize="none"
      ></TextInput>
    </View>
  </View>
)

```

```

<TextInput
  value={password1}
  onChangeText={email) =>setpassword1(email)}
  style={styles.input}
  secureTextEntry={true}

  placeholder="Password"

  placeholderTextColor="black"
  autoCapitalize="none"
></TextInput>
<Text style={styles.test_forget}>Forget Password ?</Text>

```

```

</View>
<View style={{ flexDirection: "row" }}>
  <TouchableOpacity onPress={()=>{
    if(Emaill==='){
      alert("Email is Required")
      return;
    }
    if(password1==='){
      alert("Email is Required")
      return;
    }

    getData();
    alert(Emai)
    if(Emaill!==Emai){
      alert("Email Does Not Match")
      return;
    }
    if(password1!==pass){
      alert("Password Does Not Match")
      return;
    }

    navigation.navigate("Profile",{
      email:Emaill,
    })
    setemaill('')
    setpassword1('')

  }}>

```

```

        <Text style={styles.Button}>LOGIN</Text>
      </TouchableOpacity>

    </View>
    <View>

    </View>
    <View style={{ flexDirection: "row",marginTop:50 }}>
      <Text style={styles.text_noacc}>Don't hava an account ?</Text>
      <TouchableOpacity onPress={() => navigation.navigate('SignUp')}>
        <Text style={styles.text_reg}> Register</Text>
      </TouchableOpacity>

    </View>
  </View>

);
}

const Stack = createNativeStackNavigator();

function MainContainer() {
  return (
    <NavigationContainer>
      <Stack.Navigator >
        <Stack.Screen name="Login" component={login} />
        <Stack.Screen name="Profile" component={Profile} />

        <Stack.Screen name="SignUp" component={SignUp} />

      </Stack.Navigator>
    </NavigationContainer>
  );
}

export default MainContainer;

const styles = StyleSheet.create({
  parentcont: {

    alignItems: "center",
    flex:1,

```

```
        backgroundColor: "white",
    },
    text: {
        alignContent: "center",
        fontSize: 25,
        fontWeight: "bold",
        textAlign: "center",
        color: "black",
    },
    spce: {
        marginTop: 18,
    },
    text1: {
        marginTop: 20,
        alignContent: "center",
        fontSize: 12,
        textAlign: "center",
        color: "black",
    },
    container: {
        height: 340,

        width: 370,
        borderBottomLeftRadius: 100,
        backgroundColor: "#ff7700",
    },
    pic: {
        height: 250,
        width: 250,
        marginLeft: 50,
        marginTop: 20
    },
    Button: {
        fontSize: 13,
        width: 250,
        color: "white",
        marginTop: 70,
        borderRadius: 50,
        backgroundColor: "#ff7700",
        textAlign: "center",
        fontWeight: "bold",
        alignItems: "center",
        lineHeight: 40,
```

```
},
Button1: {
  fontSize: 18,
  width: 120,
  lineHeight: 55,
  fontWeight: "bold",
  textAlign: "center",
  marginRight: 20,
  borderTopRightRadius: 15,
  borderBottomRightRadius: 15,
  backgroundColor: "#f8f8ff",
},
text_login: {
  fontSize: 30,
  marginTop: 20,
  marginRight: 25,
  color: "#f8f8ff",
  textAlign: "right",
},
input_email: {
  height: 20,
},
text_noacc: {
  fontSize: 13,
  color: "black",
},
text_reg: {
  fontSize: 13,
  color: "#ff7700",
},
input: {
  width: 320,
  height: 45,
  fontSize: 16,
  marginTop: 20,

  paddingStart: 20,
  borderColor: "#ff7700",
  alignItems: "center",
  borderWidth: 1,
  alignSelf: 'center',
  borderRadius: 10,
},
test_forget: {
  fontSize: 13,
```

```
color: "black",  
textAlign: "right",  
marginTop: 15,  
},  
});
```