Wireframe 1: Login and errors

Top Secret web view

GET / (public). Application pages require a valid session.

Top Secret

Enter your credentials.

Username [_____]

Password [_____]

Log in

POST /login succeeds: 303 /menu + browser-session cookie.

Invalid username or password: 401, same form, no cookie.

New accounts / initial passwords: terminal only.

Wireframe 2: Authenticated navigation

Top Secret web view

GET /menu

Menu

Signed in as agent

- briefs - /content?type=briefs
- agents - /content?type=agents
- facilities - /content?type=facilities
- missions - /content?type=missions
- Review audit log - /audit (admin only)

Log out

POST /logout clears the cookie and redirects to login.

Wireframe 3: List, detail and audit

Top Secret web view

GET /content?type=briefs

briefs

- 1. Sample brief - /record?type=briefs&id=1
- 2. Another brief

GET /record?type=briefs&id=1

briefs #1

title	Sample brief
date	2026-11-05
text	Read-only content...

Back to menu

GET /record?type=missions&id=7 also shows facility, agents and attached briefs.

GET /audit (admin only)

Time	User	Event	Content
timestamp	agent	READ	BRIEF #1

Empty lists and audit logs display a message. Missing records: 404.

Wireframe 4: Access and request errors

Top Secret web view

Request outcomes

- Missing, forged or expired server session: 303 /
- Invalid form, duplicate parameter or nonpositive ID: 400
- Standard user requesting audit: 403
- Unknown authenticated page or missing record: 404
- Attempt to create/edit over HTTP: 405 + Allow
- Oversized login form: 413
- Storage failure: generic 500; server continues serving

No passwords, tokens or backend details appear in error pages.

Application HTML uses forms, lists, links and tables. No CSS, JavaScript or web frameworks.

Homework 7: New and edit workflow (proposed)

Member B Week 1. These routes and controls are design targets for Week 2.

Menu | Briefs | Agents | Facilities | Missions | Countries (pending A/D) | Log out

Use A's shared CSS/navigation. No JavaScript or images. No user-management links.

Administrator list/detail

[New brief] on list; [Edit] on detail. Standard users see neither.

GET /new?type=briefs

Title [_____]
Date [_____]
Text [_____]

[Create] POST /create (hidden type and CSRF token) | [Cancel: brief list]

GET /edit?type=briefs&id=7

Title [Signal intercept]
Date [2026-11-10]
Text [Current stored text...]

[Save changes] POST /update (hidden type, ID and CSRF) | [Cancel: record #7]

Successful create: 303 to list. Successful update: 303 to detail. Refresh performs GET.

Error: show a safe message beside the form and retain submitted values. Cancel performs no write.

Homework 7: Form fields and access outcomes

Type	Fields / choices
Brief	title, date, text
Agent	name, date_of_birth, optional date_of_death, optional notes, facility choice
Facility	name, abbreviation; country choice when A/D supply the model
Mission	title, brief, date; facility and first-agent choices required on create
Country (pending)	country label; exact fields await A/D contract

New scalar values start empty; relationship choices start unselected. Edit loads current values. Store IDs behind relationship labels; escape all labels, values and error text.

- Missing/invalid session: 303 to login.
- Current standard role: 403 on all editing routes, including crafted POST.
- Bad fields, duplicate/unexpected parameters or invalid CSRF: 400, no mutation.
- Missing record: 404. Wrong method: 405 + Allow. Oversized body: 413.
- Unexpected storage failure: generic 500; no database details.

Account creation, passwords and role management remain terminal-only. Countries, styling, messaging and session administration are team dependencies, not Member B implementations.