Wireframe 1: Login and errors

Top Secret web view

GET / (public). Application pages require a valid session.

Top Secret

Enter your credentials.

Username [_____]

Password [_____]

Log in

POST /login succeeds: 303 /menu + browser-session cookie.

Invalid username or password: 401, same form, no cookie.

New accounts / initial passwords: terminal only.

Wireframe 2: Authenticated navigation

Top Secret web view

GET /menu

Menu

Signed in as agent

- briefs - /content?type=briefs
- agents - /content?type=agents
- facilities - /content?type=facilities
- missions - /content?type=missions
- Review audit log - /audit (admin only)

Log out

POST /logout clears the cookie and redirects to login.

Wireframe 3: List, detail and audit

Top Secret web view

GET /content?type=briefs

briefs

- 1. Sample brief - /record?type=briefs&id=1
- 2. Another brief

GET /record?type=briefs&id=1

briefs #1

title	Sample brief
date	2026-11-05
text	Read-only content...

Back to menu

GET /record?type=missions&id=7 also shows facility, agents and attached briefs.

GET /audit (admin only)

Time	User	Event	Content
timestamp	agent	READ	BRIEF #1

Empty lists and audit logs display a message. Missing records: 404.

Wireframe 4: Access and request errors

Top Secret web view

Request outcomes

- Missing, forged or expired server session: 303 /
- Invalid form, duplicate parameter or nonpositive ID: 400
- Standard user requesting audit: 403
- Unknown authenticated page or missing record: 404
- Attempt to create/edit over HTTP: 405 + Allow
- Oversized login form: 413
- Storage failure: generic 500; server continues serving

No passwords, tokens or backend details appear in error pages.

Application HTML uses forms, lists, links and tables. No CSS, JavaScript or web frameworks.