Route: / Access: Public

http://localhost:3002/

Top Secret

Invalid username or password (shown only on failure)

Username

Password

Log in

POST /login checks credentials; errors appear above the same form.

Plain HTML only. No CSS or JavaScript. Record pages are read-only.

Route: /menu Access: Signed in

http://localhost:3002/menu

Menu

Signed in as Ghost

* Briefs
* Agents
* Facilities
* Missions
* Audit log

Audit log is shown for an admin account in this example.

The controller supplies visible links; only admins receive the audit link.

Plain HTML only. No CSS or JavaScript. Record pages are read-only.

Route: /content?type=briefs Access: Signed in

http://localhost:3002/content?type=briefs

Briefs

* Operation Nightfall
* Operation Sandtrap
* The Warsaw Whisper

Back to menu

Each title links to /record?type=briefs&id=<id>; an empty list shows a message.

Plain HTML only. No CSS or JavaScript. Record pages are read-only.

Route: /record?type=agents&id=7 Access: Signed in

http://localhost:3002/record?type=agents&id=7

Agent 7

name	Ghost
date_of_birth	1992-11-22
date_of_death	
notes	Works across facilities
facility_id	2

Back to menu

Fields are displayed as a table. Editing and creation remain in the terminal.

Plain HTML only. No CSS or JavaScript. Record pages are read-only.

Route: /audit

Access: Admin only

http://localhost:3002/audit

Audit log

Time	User	Event	Content type	Content ID
2026-11-04 12:00	Ghost	READ	BRIEF	7
2026-11-04 12:03	admin	UPDATE	AGENT	2

Back to menu

The controller checks the role before asking this view to render audit rows.

Plain HTML only. No CSS or JavaScript. Record pages are read-only.

Route: /record?type=agents&id=999 Access: Varies



Example error message; the renderer escapes data before displaying it.

Plain HTML only. No CSS or JavaScript. Record pages are read-only.