### Wireframe 1: Login and errors

Top Secret web view

---

GET / (public). Application pages require a valid session.

# Top Secret

Enter your credentials.

Username [_____]

Password [_____]

Log in

POST /login succeeds: 303 /menu + browser-session cookie.

Invalid username or password: 401, same form, no cookie.

New accounts / initial passwords: terminal only.

### Wireframe 2: Authenticated navigation

Top Secret web view

---

GET /menu

# Menu

Signed in as agent

- briefs - /content?type=briefs
- agents - /content?type=agents
- facilities - /content?type=facilities
- missions - /content?type=missions
- Review audit log - /audit (admin only)

Log out

POST /logout clears the cookie and redirects to login.

### Wireframe 3: List, detail and audit

Top Secret web view

---

GET /content?type=briefs

# briefs

- 1. Sample brief - /record?type=briefs&id=1
- 2. Another brief

GET /record?type=briefs&id=1

# briefs #1

| | |
|---|---|
| **title** | Sample brief |
| **date** | 2026-11-05 |
| **text** | Read-only content... |

Back to menu

GET /audit (admin only)

| Time | User | Event | Content |
|---|---|---|---|
| timestamp | agent | READ | BRIEF #1 |

Empty lists and audit logs display a message. Missing records: 404.

### Wireframe 4: Access and request errors

Top Secret web view

---

# Request outcomes

- Missing, forged or expired server session: 303 /
- Invalid form, duplicate parameter or nonpositive ID: 400
- Standard user requesting audit: 403
- Unknown authenticated page or missing record: 404
- Attempt to create/edit over HTTP: 405 + Allow
- Oversized login form: 413
- Storage failure: generic 500; server continues serving

No passwords, tokens or backend details appear in error pages.

Application HTML uses forms, lists, links and tables. No CSS, JavaScript or web frameworks.