8:01 5 82
supabase.com/dashl 28

Database

DATABASE MANAGEMENT
Schema Visualizer
Tables
Functions
Triggers
Enumerated Types
Extensions
Indexes
Publications

CONFIGURATION
Roles
Policies
Settings

PLATFORM
Replication
Backups
Migrations
Wrappers
Webhooks

TOOLS
Security Advisor
Performance Advisor
Query Performance

schema public | Copy as SQL | Auto layout




8:03
supabase.com/dashl
28
81
GestaltView Artifi... FREE
Manifest Index La...
main PRODUCTION
Connect
Feedback
Search...
Database
DATABASE MANAGEMENT
Schema Visualizer
Tables
Functions
Triggers
Enumerated Types
Extensions
Indexes
Publications
CONFIGURATION
Roles
Policies
Settings
PLATFORM
Replication
Backups
Migrations
Wrappers
Webhooks
TOOLS
Security Advisor
Performance Advisor
Query Performance
Database Tables
schema storage
Search for a table
Viewing tables from a protected schema
The storage schema is managed by Supabase and is read-only through the dashboard.
Learn more
NAME
buckets 11 columns
buckets_analytics 7 columns
buckets_vectors 4 columns
migrations 4 columns
objects 13 columns
prefixes 5 columns
s3_multipart_uploads 9 columns
s3_multipart_uploads_parts 10 columns
vector_indexes 9 columns


8:03
supabase.com/dashl
28
81
Connect to your project
Get the connection strings and environment variables for your app.
Connection String
App Frameworks
Mobile Frameworks
ORMs
API Keys
MCP
Type
URI
Source
Primary Database
Method
Direct connection
Learn how to connect to your Postgres databases. Read docs
Direct connection
Ideal for applications with persistent and long-lived connections, such as those running on virtual machines or long-standing containers.
postgresql://postgres:[YOUR-PASSWORD]@db.fdqykmefgyuytwnqcthg.supabase.co:5432/postgres
View parameters
Not IPv4 compatible
Use Session Pooler if on a IPv4 network or purchase IPv4 add-on
IPv4 add-on
Pooler settings
Some platforms are IPv4-only:
Reset your database password
You may reset your database password in your project's Database Settings


8:03
supabase.com/dashl
28
81
Connect to your project
Get the connection strings and environment variables for your app.
Connection String
App Frameworks
Mobile Frameworks
ORMs
API Keys
MCP
Project URL
https://fdqykmefgyuytwnqcthg.supabase.co
Copy
Publishable Key
sb_publishable_MmKlcM-huaJcHPo6Z0Adfg_L65MT_X0
Copy
Anon Key (Legacy)
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJzdXBhYmFzZSIsInJlZiI6ImZkcXlrbWVmZ3l1eXR3bnFjd
Copy
For secret keys, see API settings.
API settings


8:05
81
supabase.com/dashl
28
GestaltView Artifi... FREE
Manifest Index La...
main PRODUCTION
Connect
Feedback
Search...
Settings
PROJECT SETTINGS
General
Compute and Disk
Infrastructure
Integrations
Data API
API Keys
JWT Keys
Log Drains
Add Ons
Vault BETA
BILLING
Subscription
Usage
JWT Keys
Control the keys used to sign JSON Web Tokens for your project
JWT Signing Keys
Legacy JWT Secret
CREATE STANDBY KEY
Set up a new key which you can switch to once it has been picked up by all components of your application.
Create Standby Key
STATUS
KEY ID
TYPE
CURRENT KEY
7288B527-1685-403B-BF91-21755704D829
ECC (P-256)
Previously used keys
These JWT signing keys are still used to verify tokens that are yet to expire. Revoke once all tokens have expired.
STATUS
KEY ID
TYPE
PREVIOUS KEY
AB166344-D256-46D8-BA3B-6D6A61087117
Legacy HS256


8:08
supabase.com/dashl
28
GestaltView Artifi... FREE
Manifest Index La...
main PRODUCTION
Connect
Feedback
Search...
Storage
MANAGE
Files
Analytics NEW
Vectors NEW
CONFIGURATION
S3
Files
General file storage for most types of digital content
Docs
Buckets
Settings
Policies
Search for a bucket
Sorted by created at
New bucket
NAME
POLICIES
FILE SIZE LIMIT
ALLOWED MIME TYPES
Manifest Index PUBLIC
0
Unset (50 MB)
Any


8:09
supabase.com/dashl
28
80
GestaltView Artifi... FREE
Manifest Index La...
main PRODUCTION
Connect
Feedback
Search...
Storage
MANAGE
Files
Analytics NEW
Vectors NEW
CONFIGURATION
S3
Analytics
Purpose-built storage for analytical workloads
Docs
NEW
Introducing analytics buckets
Analytics buckets are now in private alpha. Expect rapid changes, limited features, and possible breaking updates. Please share feedback as we refine the experience and expand access.
Share feedback
Buckets 1/2
Search for a bucket
New bucket
NAME
CREATED AT
indexlayeranylitics
06 Feb 26 20:08:50


8:09
supabase.com/dashl
28
80
GestaltView Artifi... FREE
Manifest Index La...
main PRODUCTION
Connect
Feedback
Search...
Successfully created vector bucket gestaltvector
Storage
MANAGE
Files
Analytics NEW
Vectors NEW
CONFIGURATION
S3
Vectors
Purpose-built storage for vector data
Docs
NEW
Introducing vector buckets
Vector buckets are now in private alpha. Expect rapid changes, limited features, and possible breaking updates. Please share feedback as we refine the experience and expand access.
Share feedback
Buckets
Search for a bucket
New bucket
NAME
CREATED AT
gestaltvector
06 Feb 26 20:09:38

8:12 • 80
supabase.com/dashl 28

Observability

GENERAL
Query Performance
API Gateway

PRODUCT
Database
Data API
Auth
Edge Functions
Storage
Realtime

CUSTOM REPORTS
No custom reports yet
Create and save custom reports to track your project metrics
New custom report

Storage

Last 60 minutes Feb 6, 7:11pm → Feb 6, 8:11pm
Add filter

Total Requests

14



Request	Count
POST 200 /storage/v1/vector/ListVectorBuckets	4
POST 200 /storage/v1/vector/CreateVectorBucket	2
GET 200 /storage/v1/iceberg/bucket?limit=100&offset=0&sortC...	2

Show more

Response Speed

215.35 ms



Request	Count
POST 200 /storage/v1/vector/GetVectorBucket	1
POST 200 /storage/v1/vector/DeleteVectorBucket	1
GET 200 /storage/v1/iceberg/bucket?limit=100&offset=0&sortC...	2

Show more

Network Traffic

Ingress
0.000288 MB



Egress
0.00081 MB



Request Caching

No data to show
It may take up to 24 hours for data to refresh

8:04 81
supabase.com/dashl 28

Settings

PROJECT SETTINGS
General
Compute and Disk
Infrastructure
Integrations
Data API
API Keys
JWT Keys
Log Drains
Add Ons
Vault BETA

BILLING
Subscription
Usage

Project Settings

Configure general options, domains, transfers, and project lifecycle.

General settings

Project name
Displayed throughout the dashboard.
Manifest Index Layer

Project ID
Reference used in APIs and URLs.
fdqykmefgyuytwnqcthg Copy

Save changes

Project availability

Restart or pause your project when performing maintenance.

Restart project
Your project will not be available for a few minutes.
Restart project

Pause project
Your project will not be accessible while it is paused.
Pause project

Project usage

Usage statistics now live under your organization settings.

Project usage statistics have been moved
You may view your project's usage under your organization's settings
View project usage

Custom Domains

Present a branded experience to your users.

Custom domains are a Pro Plan add-on
Paid Plans come with free vanity subdomains or Custom Domains for an additional $10/month per domain.
Enable add-on

Transfer Project

Transfer your project to a different organization.

Transfer project to another organization
To transfer projects, the owner must be a member of both the source and target organizations.
Transfer project

Delete Project

Permanently remove your project and its database.

Deleting this project will also remove your database and uninstall the resource on Vercel.
Make sure you have made a backup if you want to keep your data, and that no Vercel project is connected to this resource.
Delete project


8:09
supabase.com/dashl
28
80
GestaltView Artifi... FREE
Manifest Index La...
main PRODUCTION
Connect
Feedback
Search...
Storage
MANAGE
Files
Analytics NEW
Vectors NEW
CONFIGURATION
S3
S3 Configuration
Connection
Connect to your bucket using any S3-compatible service via the S3 protocol
Docs
S3 protocol connection
Allow clients to connect to Supabase Storage via the S3 protocol
Endpoint
https://fdqykmefgyuytwnqcthg.s
Copy
Region
us-west-2
Copy
Save
Access keys
Manage your access keys for this project
New access key
NAME
KEY ID
CREATED AT
indexlayeranylitics_keys
6861037c2a2a7a3
Copy
Today
gedtaltvector_keys
e73752aeea46a22
Copy
Today
gestaltvector_keys
ae99ca316b2fc3e
Copy
Today

8:11 • 80
supabase.com/dashl 28

Observability

GENERAL
Query Performance
API Gateway

PRODUCT
Database
Data API
Auth
Edge Functions
Storage
Realtime

CUSTOM REPORTS
No custom reports yet
Create and save custom reports to track your project metrics
+ New custom report

Database

Source: Primary Database

Last 60 minutes | Feb 6, 7:11pm → Feb 6, 8:11pm

Memory usage

411.32 MB

Feb 6, 2026, 07:16pm



CPU usage

0.29%

Feb 6, 2026, 07:16pm



Disk Input/Output operations per second (IOPS)

4

Feb 6, 2026, 07:16pm

Disk throughput

This chart is available from Team plan and above

Upgrade to Team

Database Connections

5

Feb 6, 2026, 07:16pm



Disk Usage

256.19 MB

8:11 • 80
supabase.com/dashl 28

Observability

GENERAL
Query Performance
API Gateway

PRODUCT
Database
Data API
Auth
Edge Functions
Storage
Realtime

CUSTOM REPORTS
No custom reports yet
Create and save custom reports to track your project metrics
New custom report

Data API

Last 60 minutes Feb 6, 7:11pm → Feb 6, 8:11pm
Add filter

Total Requests

4



Request	Count
GET 200 /rest/v1/	2
HEAD 200 /rest-admin/v1/ready	2

Response Errors

No data to show
It may take up to 24 hours for data to refresh

Response Speed

503.25 ms



Request	Count	Avg
GET 200 /rest/v1/	2	550.50ms
HEAD 200 /rest-admin/v1/ready	2	456.00ms

Network Traffic

Ingress
0 MB

Egress
0 MB



Export Metrics to your dashboards. Get started for free!

parent varchar
session_id uuid
instances
id uuid
uuid uuid
raw_base_config text
created_at timestamptz
updated_at timestamptz
audit_log_entries
instance_id uuid
id uuid
payload json
created_at timestamptz
ip_address varchar
schema_migrations
version varchar
mfa_amr_claims
session_id uuid
created_at timestamptz
updated_at timestamptz
authentication_method text
id uuid
identities
provider_id text
user_id uuid
identity_data jsonb
provider text
last_sign_in_at timestamptz
created_at timestamptz
updated_at timestamptz
email text
id uuid
sessions
id uuid
user_id uuid
created_at timestamptz
updated_at timestamptz
factor_id uuid
a... aal_level
not_after timestamptz
refreshed_at timestamp
user_agent text
ip inet
tag text
oauth_client_id uuid
refresh_token_hmac_k... text
refresh_token_counter bigint
scop... text
mfa_factors
id uuid
user_id uuid
friendly_name text
factor_type factor_type
stat... factor_status
created_at timestamptz
updated_at timestamptz
secret text
phone text
last_challenged_at timestamptz
web_authn_credential jsonb
web_authn_aaguid uuid
last_webauthn_challen... jsonb
mfa_challenges
id uuid
factor_id uuid
created_at timestamptz
verified_at timestamptz
ip_address inet
otp_code text
web_authn_session_d... jsonb
sso_domains
id uuid
sso_provider_id uuid
domain text
created_at timestamptz
updated_at timestamptz
sso_providers
id uuid
resource_id text
created_at timestamptz
updated_at timestamptz
disabled bool
flow_state
id uuid
user_id uuid
auth_code text
code_challenge... code_challenge_m...
code_challenge text
provider_type text
provider_access_token text
provider_refresh_token text
created_at timestamptz
updated_at timestamptz
authentication_method text
auth_code_issued_at timestamptz
invite_token text
referrer text
oauth_client_state_id uuid
linking_target_id uuid
email_optional bool
saml_relay_states
id uuid
sso_provider_id uuid
request_id text
for_email text
redirect_to text
created_at timestamptz
updated_at timestamptz
flow_state_id uuid
saml_providers
id uuid
sso_provider_id uuid
entity_id text
metadata_xml text
metadata_url text
attribute_mapping jsonb
created_at timestamptz
updated_at timestamptz
name_id_format text
oauth_client_states
id uuid
provider_type text
code_verifier text
created_at timestamptz
one_time_tokens
id uuid
user_id uuid
token_type one_time_token_type
token_hash text
relates_to text
created_at timestamp
updated_at timestamp
users
instance_id uuid
id uuid
aud varchar
role varchar
email varchar
encrypted_password varchar
email_confirmed_at timestamptz
invited_at timestamptz
confirmation_token varchar
confirmation_sent_at timestamptz
recovery_token varchar
recovery_sent_at timestamptz
email_change_token_n... varchar
email_change varchar
email_change_sent_at timestamptz
last_sign_in_at timestamptz
raw_app_meta_data jsonb
raw_user_meta_data jsonb
is_super_admin bool
created_at timestamptz
updated_at timestamptz
phone text
phone_confirmed_at timestamptz
phone_change text
phone_change_token varchar
phone_change_sent_at timestamptz
confirmed_at timestamptz
email_change_token_c... varchar
email_change_confirm... int2
banned_until timestamptz
reauthentication_token varchar
reauthentication_sent_... timestamptz
is_sso_user bool
deleted_at timestamptz
is_anonymous bool
client_secret_hash text
registration_t... oauth_registration...
redirect_uris text
grant_types text
client_name text
client_uri text
logo_uri text
created_at timestamptz
updated_at timestamptz
deleted_at timestamptz
client_type oauth_client_type
token_endpoint_auth_... text
oauth_authorizations
id uuid
authorization_id text
client_id uuid
user_id uuid
redirect_uri text
scope text
state text
resource text
code_challenge text
code_challenge... code_challenge_m...
response_type oauth_response_type
stat... oauth_authorization_status
authorization_code text
created_at timestamptz
expires_at timestamptz

parent varchar
session_id uuid
instances
id uuid
uuid uuid
raw_base_config text
created_at timestamptz
updated_at timestamptz
audit_log_entries
instance_id uuid
id uuid
payload json
created_at timestamptz
ip_address varchar
schema_migrations
version varchar
mfa_amr_claims
session_id uuid
created_at timestamptz
updated_at timestamptz
authentication_method text
id uuid
identities
provider_id text
user_id uuid
identity_data jsonb
provider text
last_sign_in_at timestamptz
created_at timestamptz
updated_at timestamptz
email text
id uuid
sessions
id uuid
user_id uuid
created_at timestamptz
updated_at timestamptz
factor_id uuid
a... aal_level
not_after timestamptz
refreshed_at timestamp
user_agent text
ip inet
tag text
oauth_client_id uuid
refresh_token_hmac_k... text
refresh_token_counter bigint
scop... text
mfa_factors
id uuid
user_id uuid
friendly_name text
factor_type factor_type
stat... factor_status
created_at timestamptz
updated_at timestamptz
secret text
phone text
last_challenged_at timestamptz
web_authn_credential jsonb
web_authn_aaguid uuid
last_webauthn_challen... jsonb
mfa_challenges
id uuid
factor_id uuid
created_at timestamptz
verified_at timestamptz
ip_address inet
otp_code text
web_authn_session_d... jsonb
sso_domains
id uuid
sso_provider_id uuid
domain text
created_at timestamptz
updated_at timestamptz
sso_providers
id uuid
resource_id text
created_at timestamptz
updated_at timestamptz
disabled bool
flow_state
id uuid
user_id uuid
auth_code text
code_challenge... code_challenge_m...
code_challenge text
provider_type text
provider_access_token text
provider_refresh_token text
created_at timestamptz
updated_at timestamptz
authentication_method text
auth_code_issued_at timestamptz
invite_token text
referrer text
oauth_client_state_id uuid
linking_target_id uuid
email_optional bool
saml_relay_states
id uuid
sso_provider_id uuid
request_id text
for_email text
redirect_to text
created_at timestamptz
updated_at timestamptz
flow_state_id uuid
saml_providers
id uuid
sso_provider_id uuid
entity_id text
metadata_xml text
metadata_url text
attribute_mapping jsonb
created_at timestamptz
updated_at timestamptz
name_id_format text
oauth_client_states
id uuid
provider_type text
code_verifier text
created_at timestamptz
one_time_tokens
id uuid
user_id uuid
token_type one_time_token_type
token_hash text
relates_to text
created_at timestamp
updated_at timestamp
users
instance_id uuid
id uuid
aud varchar
role varchar
email varchar
encrypted_password varchar
email_confirmed_at timestamptz
invited_at timestamptz
confirmation_token varchar
confirmation_sent_at timestamptz
recovery_token varchar
recovery_sent_at timestamptz
email_change_token_n... varchar
email_change varchar
email_change_sent_at timestamptz
last_sign_in_at timestamptz
raw_app_meta_data jsonb
raw_user_meta_data jsonb
is_super_admin bool
created_at timestamptz
updated_at timestamptz
phone text
phone_confirmed_at timestamptz
phone_change text
phone_change_token varchar
phone_change_sent_at timestamptz
confirmed_at timestamptz
email_change_token_c... varchar
email_change_confirm... int2
banned_until timestamptz
reauthentication_token varchar
reauthentication_sent_... timestamptz
is_sso_user bool
deleted_at timestamptz
is_anonymous bool
client_secret_hash text
registration_t... oauth_registration...
redirect_uris text
grant_types text
client_name text
client_uri text
logo_uri text
created_at timestamptz
updated_at timestamptz
deleted_at timestamptz
client_type oauth_client_type
token_endpoint_auth_... text
oauth_authorizations
id uuid
authorization_id text
client_id uuid
user_id uuid
redirect_uri text
scope text
state text
resource text
code_challenge text
code_challenge... code_challenge_m...
response_type oauth_response_type
stat... oauth_authorization_status
authorization_code text
created_at timestamptz
expires_at timestamptz

8:11 • 80
supabase.com/dashl 28

Observability

GENERAL
Query Performance
API Gateway

PRODUCT
Database
Data API
Auth
Edge Functions
Storage
Realtime

CUSTOM REPORTS
No custom reports yet
Create and save custom reports to track your project metrics
New custom report

Last 60 minutes Feb 6, 7:11pm → Feb 6, 8:11pm

Feb 6, 2026, 07:11pm Feb 6, 2026, 08:11pm

Sign Ups
0
Feb 6, 2026, 07:18pm



Password Reset Requests
0
No data to show
It may take up to 24 hours for data to refresh

Monitoring

Track authentication errors by status code and error type to identify issues and improve user experience.

Status Code

API Gateway Auth Errors
0
No data to show
It may take up to 24 hours for data to refresh

Auth Errors by Code
0
No data to show
It may take up to 24 hours for data to refresh

Performance

Monitor sign-in and sign-up performance metrics including average, percentiles, and request counts to ensure optimal authentication speed.

Sign In Processing Time
0
No data to show
It may take up to 24 hours for data to refresh

Sign In Processing Time Percentiles
This chart is available from Pro plan and above
Upgrade to Pro

Sign Up Processing Time
Feb 6, 2026, 07:18pm



Sign Up Processing Time Percentiles
This chart is available from Pro plan and above
Upgrade to Pro

Auth API Gateway

Monitor user activity, sign-ins, sign-ups, and password reset requests to understand how users



GestaltView Artifi... FREE / Manifest Index La... / main PRODUCTION Connect Feedback Search... ⌘

Table Editor | SQL Editor | About Database

```
1  create table todos (
2    id bigint generated by
     default,
3    task text,
4    status status default 'Not
     Started',
5    user_id uuid references
     auth.users not null,
6    inserted_at timestamp with
```

	id	task	status
	1	Create a project	Complete
	2	Read documentation	Complete
	3	Build application	In progress
	4	Connect Supabase	In progress
	5	Deploy project	Not

Explore our other products

Supabase provides all the backend features you need to build a product. You can use it completely, or just the features you need.

Authentication

A complete user management system that works without any additional tools.

Explore Auth | About Auth

Storage

Store, organize, and serve any file types of any size from multiple buckets.

Explore Storage | About Storage

Edge Functions

Write custom code without deploying or scaling servers, with fast deploy times and low latency.

Explore Functions | About Functions

Realtime

Listen to your PostgreSQL database in realtime via websockets.

Explore Realtime | About Realtime

Connect to your project

Interact with your database through the Supabase client libraries and your API keys.

API settings | Docs

PROJECT API

Your API is secured behind an API gateway which requires an API Key for every request.
You can use the parameters below to use Supabase client libraries.

Project URL

https://fdqykmefgyuytwnqcthg.supabase.co Copy

A RESTful endpoint for querying and managing your database.

Publishable API Key

sb_publishable_MmKlcM-huaJcHPo6Z0Adfg_L65MT_X0 Copy

This key is safe to use in a browser if you have enabled Row Level Security (RLS) for your tables and configured policies. You may also use the secret key which can be found here to bypass RLS.

Choose your preferred framework

Connect to your project from a variety of frameworks, ORMs, an MCP server, or even directly via connection string.

Connect

Client libraries