# Introduction to Musical Corpus Studies

***Release 0.0.1***

**Fabian C. Moss**

**Aug 25, 2020**

# CONTENT

**Warning:** This material is still (heavily) under construction and might change throughout the course!

You can help improving the course and let me know about any errors and inconsistencies that you find or suggest other ways of improving the course.

## Welcome!

These pages present the content of the course "Introduction to Musical Corpus Studies", given at University of Cologne in Fall 2020.

In the last two decades *Musical Corpus Studies* evolved from a niche discipline into a veritable research area. The growing availability of digital and digitized musical data as well as the application and development of modern methodologies from computer science, machine learning, and data science cast new light on old musicological questions and generate entirely novel approaches to empirical music research.

Moreover, the general methodological and epistemological approach of Musical Corpus Studies allows to transcend traditional intra-musicological boundaries between its sub-disciplintes (historical/systematic/ethnological/...) without sacrificing the respective specific viewpoints and perspectives.

This course offers a fundamental and practical introduction into these topics. It demonstrates, explores, and critically reflects central thematic areas and methods by means of a number of case studies. Among the contents are:

CHAPTER

ONE

# ORGANIZATION

## 1.1 Schedule

The following table outlines the schedule and summarizes the contents of this course.

| No. | Date | Time | Room | Topic | Corpus | Methods |
|---|---|---|---|---|---|---|
| 1 | Fr., 13.11.2020 | 16:00-17:20 Uhr | Neuer Seminarraum 1.315 | Introduction / Background | | |
| 2 | | 17:40-19:00 Uhr | | Folk Songs, Melodies, Pitches and Intervals | Essen Folk Song Collection | frequencies, mean, variance |
| 3 | Sa., 14.11.2020 | 09:00-10:20 Uhr | Neuer Seminarraum 1.315 | Jazz Solos, Melodies | Weimar Jazz Database | Regular Expressions |
| 4 | | 10:40-12:00 Uhr | | Beethoven's string quartets Harmony | Annotated Beethoven Corpus | $n$-grams, Markov models |
| | | 12:00-13:00 Uhr | | Lunch Break | | |
| 5 | | 13:00-14:20 Uhr | | Pop Charts Billboard 100, harmony, | McGill Billboard Dataset | Hidden Markov Models |
| 6 | | 14:40-16:00 Uhr | | Free group work | | |
| 7 | Fr., 11.12.2020 | 10:00-11:20 Uhr | Alter Seminarraum 1.408 | Brazilian Choro, harmony, form, | Choro Songbook Corpus | Context-Free Grammars |
| 8 | | 11:40-13:00 Uhr | | 19th century piano music, harmony | DCML Piano Corpus | Probabilistic CFGs |
| 9 | Sa., 12.12.2020 | 09:00-10:20 Uhr | Neuer Seminarraum 1.315 | Malian Percussion Music, rhythm, meter | Interpersonal Entrainment in Music Performance: Malian Jembe | |
| 10 | | 10:40-12:00 Uhr | | Electronic Music 1950-1990 | Curated Corpus of Historical Electronic Music | |
| | | 12:00-13:00 Uhr | | Lunch Break | | |
| 11 | | 13:00-14:20 Uhr | | Free group work | | |
| 12 | | 14:40-16:00 Uhr | | Recapitulation and conclusion | | |

## 1.2 Credits

Ich gehe in der Seminarplanung von 12 Semesterwochen à 2 SWS aus, für das gesamte Blockseminar also 24 SWS. Das Seminar wird mit 3 CP bewertet, was 90 Stunden aktiver Arbeit entspricht. Davon entfallen 24 SWS an die Präsenzzeit im Seminar plus 48 SWS an Vor- und Nachbereitung der Seminarsitzungen. Die verbleibenden 18 SWS sind für die Lektüre der Fachliteratur vorgesehen.

CHAPTER

TWO

# INTRODUCTION / BACKGROUND

Fig. 2.1: Image by Victoria Alexander on Unsplash.

## 2.1 What are Musical Corpus Studies?

tbc... (text from diss?)

## 2.2 Epistemological goals

tbc. . .

## 2.3 Issues

tbc [Coo06][Hon06][Hur13][Mar16][NR16][Pug15][Sch16][TV13]

## 2.4 MCS and traditional musicology

tbc

CHAPTER

# THREE

# FOLK SONGS AND THE MELODIC ARC

CHAPTER

# FOUR

# SOLOS IN THE *WEIMAR JAZZ DATABASE*

Fig. 4.1: Photo by Janine Robinson on Unsplash

The first project we will have a look at is the Jazzomat project. Transcriptions of Jazz solos. [Pfl17]

CHAPTER

FIVE

# HARMONY IN BEETHOVEN'S STRING QUARTETS

## 5.1 Access the data

The data lies on the GitHub repository DCMLab/ABC. Either download the `.tsv` file directly and open it in pandas or load it from the URL as follows:

```
import pandas as pd

df = pd.read_csv("https://github.com/DCMLab/ABC/corpus.tsv", sep="\t")
```

The corpus is now stored in the variable `df`.

## 5.2 Harmonic Annotations

- regular expressions

[NHMR18][MNHM19]

## 5.3 Chord Transitions

- n-grams

CHAPTER

SIX

# BILLBOARD POP CHARTS

Fig. 6.1: Photo by israel palacio on Unsplash.

Clustering analysis in [SVJ+20].

CHAPTER

SEVEN

# BRAZILIAN CHORO

Fig. 7.1: A 2019 musical tribute to renowned choro composer Jacob do Bandolim, on the 50th anniversary of his death in Sao Paulo, Brazil. (c) Governo do Estado de Sao Paulo / CC BY 2.0

## 7.1 Data

The *Choro Songbook Corpus* contains transcriptions of the chord symbols of 295 Choro pieces [MSFR20]. It is available on Zenodo or Github. See this link for a performance of the piece "Lamentos"

As before, we can import our data from a public resource.

```
df = pd.read_csv("https://raw.githubusercontent.com/DCMLab/choro/1.1/data/choro.tsv",␣
↪sep=\t")
```

And display the first rows of the data frame:

```
df.head()
```

CHAPTER

# EIGHT

# HISTORY OF TONALITY




Fig. 8.1: Photo by Marius Masalar on Unsplash.

## 8.1 Principle Component Analysis

Since the dimensionality of $\Delta^{V-1}$ is 35, it is impossible to visualize this space and pieces in it to see whether their arrangement contains any meaningful information. We address this problem by using a method for *dimensionality reduction* called *Principal Component Analysis* (PCA) [Bis06] that projects the data into a lower-dimensional space while at the same time maintaining as many characteristic properties of the original space as possible. PCA thus can aid to achieve a better understanding of the global structure of the space.[1]

[1] While PCA is one of the most commonly used methods for dimensionality reduction, there are many others (sometimes relying on particular assumptions about the distribution of the data). In a qualitative comparison, *Locally Linear Embedding* [RS00] achieved a similar picture, whereas

PCA considers the data to be represented as a matrix

$$X = \begin{bmatrix} x_1^\top \\ \vdots \\ x_D^\top \end{bmatrix} \in [0,1]^{D \times V},\ x_d \in \Delta^{V-1},$$

where the rows are given by the $D$ data points, the pieces in the corpus, and the columns are given by the $V$ features, the number of distinct tonal pitch-classes in the vocabulary. All entries in $X$ range between 0 and 1 and all rows of $X$ sum to 1 because the pieces are represented as distributions. PCA determines the $M \leq V$ largest directions and magnitudes of the variance in the data in $X$ by first calculating the *covariance matrix*

$$K_X = \mathrm{cov}[X, X] = \mathrm{E}[(X - \bar{x})(X - \bar{x})^\top] \in \mathbb{R}^{D \times D},$$

where E denotes the expected value and $\bar{x} \in [0,1]^V$ is the mean of the columns of $X$. The main directions of the variance in the data and their magnitude is given by the eigenvectors $w_i$ and eigenvalues $\lambda_i$ of $K_X$ which can be calculated by solving

$$K \cdot w_i = \lambda \cdot w_i.$$

The projection into the lower-dimensional space is then achieved by selecting the $M$ largest eigenvalues and their corresponding eigenvectors and transform the data to $X'$, the dimensionality reduction of $X$ by

$$X' = X \cdot [w_1, \ldots, w_M] \in \mathbb{R}^{D \times M}$$

The sum of all eigenvalues $\lambda_i$ is the total amount of variance in the data and the variance explained by each principal component is given by $\lambda_i / \sum_j \lambda_j$.

In the present context, $X$ was transformed to have zero mean before applying PCA but that the variance was not standardized to 1. This was done because the features all are on the same scale and because the differences in the variance between the respective tonal pitch-classes is of particular interest here.

*t-distributed Stochastic Neighbor Embedding* (t-SNE) [VDMH08] that does emphasize the local over the global structure of the data did not. We opted here for PCA because it preserves most of the global structure and the interpretation of the results is straight-forward.

CHAPTER

NINE

# MALIAN PERCUSSION MUSIC

CHAPTER

# TEN

# ELECTRONIC MUSIC 1950-1990

Fig. 10.1: Photo by Antoine Julien on Unsplash.

CHAPTER

ELEVEN

# CONCLUSION

Final thoughts, critical discussion. . .

[Some image]

In the engagement with these topics the course also introduces elementary methods from natural language and music processing, as well as statistics, data analysis and visualization.

# BIBLIOGRAPHY


[Bis06] Christopher M. Bishop. *Pattern Recognition and Machine Learning*. Springer, 2006.

[Coo06] Nicholas Cook. Border Crossings: A Commentary on Henkjan Honing's "On the Growing Role of Observation, Formalization and Experimental Method in Musicology". *Empirical Musicology Review*, 1(1):7–11, 2006.

[Hon06] Henkjan Honing. On the Growing Role of Observation, Formalization and Experimental Method in Musicology. *Empirical Musicology Review*, 1(1):2–6, 2006.

[Hur13] David Huron. On the Virtuous and the Vexatious in an Age of Big Data. *Music Perception: An Interdisciplinary Journal*, 31(1):4–9, 2013.

[Mar16] Alan Marsden. *Music Analysis by Computer: Ontology and Epistemology*. Springer, 2016.

[MNHM19] Fabian C. Moss, Markus Neuwirth, Daniel Harasim, and Rohrmeier Martin. Statistical characteristics of tonal harmony: a corpus study of beethoven's string quartets. *PLoS ONE*, 14(6):e0217242, 2019. doi:10.1371/journal.pone.0217242.

[MSFR20] Fabian C. Moss, Willian Souza Fernandes, and Martin Rohrmeier. Harmony and form in Brazilian Choro: A corpus-driven approach to musical style analysis. *Journal of New Music Research*, 2020. doi:10.1080/09298215.2020.1797109.

[NHMR18] Markus Neuwirth, Daniel Harasim, Fabian C. Moss, and Martin Rohrmeier. The Annotated Beethoven Corpus (ABC): A Dataset of Harmonic Analyses of All Beethoven String Quartets. *Frontiers in Digital Humanities*, 5(July):1–5, 2018. doi:10.3389/fdigh.2018.00016.

[NR16] Markus Neuwirth and Martin Rohrmeier. Wie wissenschaftlich muss Musiktheorie sein? Chancen und Herausforderungen musikalischer Korpusforschung. *Zeitschrift der Gesellschaft für Musiktheorie*, 13(2):171–193, 2016. doi:10.31751/915.

[Pfl17] Martin Pfleiderer. *Inside the Jazzomat: New Perspectives for Jazz Research*. Schott, 2017.

[Pug15] Laurent Pugin. The challenge of data in digital musicology. *Frontiers in Digital Humanities*, 2(4):1–3, 2015. doi:10.3389/fdigh.2015.00004.

[RS00] S. T. Roweis and L. K. Saul. Nonlinear dimensionality reduction by locally linear embedding. *Science*, 290(5500):2323–2326, 2000. doi:10.1126/science.290.5500.2323.

[Sch16] Kris Schaffer. What is computational musicology? online, 2016. URL: https://medium.com/@krisshaffer/what-is-computational-musicology-f25ee0a65102.

[SVJ+20] Kris Schaffer, Esther Vasiete, Brandon Jacquez, Aaron Davis, Diego Escalante, Calvin Hicks, Joshua McCann, Camille Noufi, and Paul Salminen. A cluster analysis of harmony in the McGill Billboard dataset. *Empirical Musicology Review*, 14(3–4):146–162, 2020. doi:10.18061/emr.v14i3-4.5576.

[TV13] David Temperley and Leigh VanHandel. Introduction to the Special Issue on Corpus Methods. *Music Perception: An Interdisciplinary Journal*, 31(1):1–3, 2013.

[VDMH08] L. Van Der Maaten and G. Hinton. Visualizing data using t-SNE. *Journal of Machine Learning Research*, 9(November):2579–2605, 2008.