


Pruebas que demuestre escenarios límite

Postman interface showing a POST request to `http://localhost:8500/api/v1/transactions/transfer`. The request body is a JSON object: `{ "desde": "ACC-001", "hacia": "ACC-002", "monto": -50000 }`. The response status is **422 Unprocessable Entity**, with a size of 73 Bytes and a time of 30 ms. The response body is: `{ "error": "El monto debe ser un número positivo real mayor a cero." }`.

Postman interface showing a POST request to `http://localhost:8500/api/v1/transactions/transfer`. The request body is a JSON object: `{ "desde": "ACC-001", "hacia": "ACC-002", "monto": "cien_mil" }`. The response status is **422 Unprocessable Entity**, with a size of 78 Bytes and a time of 20 ms. The response body is: `{ "error": "El monto de la transferencia debe ser un número válido." }`.

Postman interface showing a POST request to `http://localhost:8500/api/v1/transactions/transfer`. The request body is a JSON object: `{ "desde": "ACC-001", "hacia": "ACC-003", "monto": 5000 }`. The response status is **404 Not Found**, with a size of 58 Bytes and a time of 22 ms. The response body is: `{ "error": "Una o ambas cuentas no existen en el sistema." }`.

Postman interface showing a POST request to `http://localhost:8500/api/v1/accounts/admin/bypass-status`. The request body is a JSON object: `{ "id": "ACC-003", "status": "ACTIVA" }`. The response status is **401 Unauthorized**, with a size of 48 Bytes and a time of 33 ms. The response body is: `{ "error": "No autorizado. Token inválido." }`.



Envio correcto

