

Recursive Estimation	
Fabio Bühler, fabuehle@ethz.ch Version: 3. August 2024	
1 Probability Theory	
1.1 Random Variables	
1.1.1 Discrete Random Variables	
DRV – Discrete Random Variable defined by $\mathcal{X}, p_x : \mathcal{X} \rightarrow \mathbb{R}$ $\mathcal{X} \subset \mathbb{Z}$ of all possible outcomes $p_x(\bar{x}) \geq 0$ and $\sum_{\bar{x} \in \mathcal{X}} p_x(\bar{x}) = 1$ or $\sum_{\bar{x} \in \mathcal{X}} p_{x y}(\bar{x} \bar{y}) = 1$	
Margin. / Sum Rule	$p(\bar{x}) = \sum_{\bar{y} \in \mathcal{Y}} p_{xy}(\bar{x}, \bar{y})$
Cond. / Product Rule	$p_{x y}(\bar{x} \bar{y}) := \frac{p_{xy}(\bar{x}, \bar{y})}{p_y(\bar{y})}$
Total Prob. Theorem	$p_x(\bar{x}) := \sum_{\bar{y} \in \mathcal{Y}} p_{x y}(\bar{x} \bar{y})p_y(\bar{y})$
1.1.2 Continuous Random Variables	
CRV – Continuous Random Variable: DRV $\sum \rightsquigarrow$ CRV $\int$ - Set $\mathcal{X} \subset \mathbb{R}$ section of real line - PDF p_x satisfies $p_x(\bar{x}) \geq 0$ and $\int_{\mathcal{X}} p_x(\bar{x})d\bar{x} = 1$	
Caution: $Pr(x = \bar{x}) = 0,$ $Pr(x \in (a, b)) = \int_a^b p(\bar{x})d\bar{x}$	
1.1.3 Conditional PDF	
Conditional PDF	
Margin. / Sum Rule	$p(\bar{x} \bar{z}) = \sum_{\bar{y} \in \mathcal{Y}} p_{xy z}(\bar{x}, \bar{y} \bar{z})$
Cond. / Product Rule	$p_{x yz}(\bar{x} \bar{y}, \bar{z}) := \frac{p_{xy z}(\bar{x}, \bar{y} \bar{z})}{p_{y z}(\bar{y} \bar{z})}$
Independence	
$p(x y) = p(x) \Leftrightarrow p(y x) = p(y) \Leftrightarrow p(x, y) = p(x)p(y)$ $p(x, y, z) = p(x, y z)p(z) \rightarrow x, y$ indep. $p(x, y z) = p(z x, y)$	
Conditional Independence	
The knowledge of z makes x and y independent:	
$p(x y, z) = p(x z) \Leftrightarrow p(x, y z) = p(x z)p(y z)$	
Caution!!!! in general we still have: $p(x, y) \neq p(x)p(y)$	
Caution!!!! Independence $\nRightarrow$ Conditional Independence	
1.2 Expectation and Variance	
1.2.1 Expectation	
Definition: <i>Integral for CRV</i>	
$\mathbb{E}_x[x] = \sum_{\bar{x} \in \mathcal{X}} \bar{x}p_x(\bar{x})$	
Linearity: $\mathbb{E}_{xy}[a + bx + cy] = a + b\mathbb{E}_x[x] + c\mathbb{E}_y[y]$ Multi Variable: $\mathbb{E}_{xy}[g(x, y)] = \sum_{\bar{y}} \sum_{\bar{x}} g(\bar{x}, \bar{y})p_{xy}(\bar{x}, \bar{y})$ Intependence of $x, y \Rightarrow$ $\mathbb{E}_{xy}[xy] = \mathbb{E}_x[x]\mathbb{E}_y[y]$	
Law of Unconcious Statistician for $y = g(x)$	
$\mathbb{E}_y[y] = \sum_{\bar{y} \in \mathcal{Y}} \bar{y}p_y(\bar{y}) = \sum_{\bar{x} \in \mathcal{X}} g(\bar{x})p_x(\bar{x})$	
1.2.2 Variance (generally a matrix)	
$\text{Var}_x[x] = \mathbb{E}_x\left[(x - \mathbb{E}_x[x])(x - \mathbb{E}_x[x])^\top\right] \stackrel{1D}{=} \mathbb{E}_x\left[x^2\right] - \mathbb{E}_x[x]^2$	
Linearity	
$\text{Var}_x[a + bX + cY] = b^2 \text{Var}_X[x] + c^2 \text{Var}_Y[y] + 2bc \text{Cov}[X, Y]$	
Covariance: if independent $\text{Cov}(X, Y) = 0$	
$\text{Cov}[X, Y] = \mathbb{E}[(X - \mathbb{E}[X])(Y - \mathbb{E}[Y])]$	
1.3 Distribution Sampling	
CDF – Cumulative Distribution Function	
$\hat{F}_x(\bar{x}) := \sum_{i=-\infty}^{\bar{x}} \hat{p}_x(i) = Pr(x \leq \bar{x}) = \int_{-\infty}^{\bar{x}} p_x(\hat{x})d\hat{x}$	
A1 – 1 DRV $\bar{u}$ sample of $u \sim \mathcal{U}$, solve for $\bar{x}$ such that:	
$\hat{F}_x(\bar{x} - 1) < \bar{u} \leq \hat{F}_x(\bar{x})$	
A2 – Multiple DRV or CRV	
Works for finite & infinite # of elements	

- Decompose $\widehat{p}(\bar{x}, \bar{y}) = \widehat{p}_{x y}(\bar{x} \bar{y})\widehat{p}_y(\bar{y})$ - Apply A1 to get sample $\bar{y}$ via $\widehat{p}_y(\bar{y})$ - With $\bar{y}$ fixed, apply A1 to get sample $\bar{x}$ via $\widehat{p}_{x y}(\bar{x} \bar{y})$ A3 – 1 CRV $\widehat{p}_x$: pw-conti., bounded. $u \sim \mathcal{U}(0, 1)$ and solve: $\bar{u} = F_x(\bar{x}) \rightarrow \bar{x} = F_x^{-1}(\bar{u})$	
1.4 Change of Variables	
DRV: $x = g(y)$	
$p_x(\bar{x}) = \sum_{\bar{y} \in \mathcal{Y}: g(\bar{y}) = \bar{x}} p_y(\bar{y})$	
CRV general case $y = g(x), \rightarrow x = g^{-1}(y)$:	
$p_y(\bar{y}) = \frac{p_x(\bar{x})}{\left \frac{dg}{dx}(\bar{x})\right }, \quad \bar{x} = g^{-1}(y)$	
CRV – Multivar. & Indep. Case: $z = x + y$	
$p_z(\bar{z}) = \sum_{\bar{x} \in \mathcal{X}} p_x(\bar{x})p_y(\bar{z} - \bar{x})$	
CRV – Multivar. & Cond. Case: $z = g(w, x), w = h(z, x)$	
Assumptions: - $g(w, x), p_w$ cont. diff'bar - $g(w, x)$ strictly monotonic - For scalars $\det(x)$ is just x	
$p_{z x}(\bar{z} \bar{x}) = p_w(h(\bar{z}, \bar{x}) \bar{x}) \cdot \left \det\left(\frac{\partial}{\partial w}g(h(\bar{z}, \bar{x}), \bar{x})\right)\right ^{-1}$	
1.5 Miscellaneous	
Indep. multiplication: $z = xy \rightarrow p(z) = \sum_Y p_x(\frac{z}{y})p_y(y)$	
Uniform Distribution	
$p(x) = \begin{cases} \frac{1}{b-a} & a \leq x \leq b \\ 0 & \text{else} \end{cases} \quad \left \quad \begin{aligned} \mathbb{E}\{x\} &= \frac{a+b}{2} \\ \text{Var}\{x\} &= \frac{(b-a)^2}{12} \end{aligned} \right.$	
Triangular Distribution	
$p(x) = \begin{cases} \frac{2(x-a)}{(b-a)(c-a)} & a \leq x \leq c \\ \frac{2(b-x)}{(b-a)(b-c)} & c \leq x \leq b \\ 0 & \text{else} \end{cases}$	
$F(x) = \begin{cases} 0 & x < a \\ \frac{(x-a)^2}{(b-a)(c-a)} & a \leq x \leq c \\ 1 - \frac{(b-x)^2}{(b-a)(b-c)} & c \leq x \leq b \\ 1 & x > b \end{cases}$	
$\mathbb{E}\{x\} = \frac{a+b+c}{3}, \quad \text{Var}\{x\} = \frac{a^2+b^2+c^2-ab-ac-bc}{18}$	
Gaussian Distribution	
PDF Gaussian distributed vector CRV $y = (y_1, \dots, y_D)$	
$p(x) = \frac{1}{(2\pi)^{D/2} \det(\Sigma)^{1/2}} \exp\left(-\frac{(x - \mu)^T \Sigma^{-1} (x - \mu)}{2}\right)$	
$\rightsquigarrow$ fully characterized by mean $\mu \in \mathbb{R}^D$ and var $\Sigma \in \mathbb{R}^{D \times D}$ (Scalar: $D = 1, \sigma^2 = \det(\Sigma) \rightarrow \det(\Sigma)^{1/2} = \sigma$)	
$p(x) = \frac{1}{\sqrt{2\pi}\sigma^2} \exp\left(-\frac{(x - \mu)^2}{2\sigma^2}\right) \quad \left \quad \begin{aligned} \mathbb{E}\{x\} &= \mu \\ \text{Var}\{x\} &= \sigma^2 \end{aligned} \right.$	
Sum of two independent Gaussians:	
$x_1 \sim \mathcal{N}(\mu_1, \Sigma_1), x_2 \sim \mathcal{N}(\mu_2, \sigma_2) \rightarrow z = M_1x_1 + M_2x_2$	
$z \sim \mathcal{N}(M_1\mu_1 + M_2\mu_2, M_1\Sigma_1M_1^T + M_2\Sigma_2M_2^T)$	
Diagonal Variance with $\Sigma = \text{diag}(\sigma_1^2, \dots, \sigma_D^2), \mu = [\mu_D]$ $\rightsquigarrow y_i$ mut.indep. iff Σ diag.	
$p(y) = \prod_{i=1}^D \frac{1}{\sqrt{2\pi}\sigma_i^2} \exp\left(-\frac{(y_i - \mu_i)^2}{2\sigma_i^2}\right)$	
Dependent Gaussians:	
$\Sigma_{x \pm y} = \Sigma_x + \Sigma_y \pm \Sigma_{xy} \pm \Sigma_{xy}^T, \mu_{x \pm y} = \mu_x \pm \mu_y$	

2 Bayesian Tracking
2.1 Bayes Theorem
Definition: (Applies to discrete and continuous random variables) $p(x y) = \frac{p(y x)p(x)}{p(y)}$
x =system state, $p(x)$ =prior belief of state, z =observations related to state $p(z x)$ =observation likelihood, $p(x z)$ =posterior belief of state $p(z)$ =normalization constant $= \sum_x p(z x)p(x)$ For multiple observations:
$\underbrace{p(x z_1, \dots, z_N)}_{\text{posterior}} = \frac{\overbrace{p(x)}^{\text{prior}} \prod_i \overbrace{p(z_i x)}^{\text{observation likelihood}}}{\underbrace{\sum_{x \in \mathcal{X}} p(x) \prod_i p(z_i x)}_{\text{normalization}}}$
2.2 Bayesian Tracking
Model Objective: Calculate pdf of state $p(x(k) z(1:k))$ $x(k) = q_{k-1}(x(k-1), v(k-1)) \in \mathcal{X}$ $z(k) = h_k(x(k), w(k))$
Prior Update - State Prediction
$p(x(k) z(1:k-1)) = \sum_{x(k-1)} \underbrace{p(x(k) x(k-1))}_{\text{process model}} \underbrace{p(x(k-1) z(1:k-1))}_{\text{previous iteration}}$
Measurement Update
$p(\bar{x}(k) \bar{z}(1:k)) = \frac{\overbrace{p(\bar{z}(k) \bar{x}(k))}^{\text{measurement model}} \underbrace{p(\bar{x}(k) \bar{z}(1:k-1))}_{\text{prior}}}{\underbrace{\sum_{i \in \mathcal{X}} p(\bar{z}(k) i)p(i \bar{z}(1:k-1))}_{\text{normalization}}}$
Computer Implementation
1. Enumerate state space $\mathcal{X} = \{0, 1, \dots, N-1\}$ 2. Posterior define $\mathbf{a}_{k k}^i := p_{x(k) z(1:k)}(i \bar{z}(1:k))$ 3. Prior define $\mathbf{a}_{k k-1}^i := p_{x(k) z(1:k-1)}(i \bar{z}(1:k-1))$
Initialization $\mathbf{a}_{0 0}^i = p_{x(0)}(i) \quad i = 0, \dots, N-1$
$\left. \begin{aligned} \mathbf{a}_{k k-1}^i &= \sum_{j=0}^{N-1} p_{x(k) x(k-1)}(i j) \mathbf{a}_{k-1 k-1}^j \\ \mathbf{a}_{k k}^i &= \frac{p_{z(k) x(k)}(\bar{z}(k) i) \mathbf{a}_{k k-1}^i}{\sum_{j=0}^{N-1} p_{z(k) x(k)}(\bar{z}(k) j) \mathbf{a}_{k k-1}^j} \end{aligned} \right\} \text{Iterate } k > 0$
3 Extracting Estimates
4 Kalman Filter
5 Particle Filter
6 Observer Based Control