

Literature search report – run 20260828T160426

scitech-librarian 3.2.2

August 29, 2026

Generated by scitech-librarian 3.2 (report level: simple). Every number below is reproducible from the archived run directory 20260828T160426.

Item	Value
Run started	2026-08-28 16:04:26
Duration	42 s
Query file	queries.example.json
Blocks	PSC, MLP, NOV, QC
Backends / sources	openalex, arxiv, inspire
Mode	full fetch, up to 300 records per block and backend
Non-curated venue filter	on
Open-access lookup	not run
Journal metrics	on file for 103 journals
Filters	none
Interrupted	no

Search strategy

Each block is one structural query – a conjunction of synonym groups, (a OR b) AND (c OR d) – rendered into every backend’s native grammar. The strings below are exactly what was sent (PRISMA-S item 8).

Block PSC: Perovskite solar cell degradation under humidity

Purpose: grounding block – expect thousands of hits; use it to sanity-check that every backend is reachable and the counts are plausible

(perovskite solar cell OR halide perovskite photovoltaic) AND (degradation OR stability OR encapsulation)
AND (humidity OR moisture OR water ingress)

Backend	Query string sent
openalex	("perovskite solar cell" OR "halide perovskite photovoltaic") AND (degradation OR stability OR encapsulation) AND (humidity OR moisture OR "water ingress")
arxiv	(all:"perovskite solar cell" OR all:"halide perovskite photovoltaic") AND (all:"degradation" OR all:"stability" OR all:"encapsulation")
inspire	("perovskite solar cell" or "halide perovskite photovoltaic") and ("degradation" or "stability" or "encapsulation") and ("humidity" or "moisture" or "water ingress")

Block MLP: Machine-learned interatomic potentials for amorphous materials

Purpose: a narrower intersection – expect hundreds; good for testing record fetch and RIS export

(machine learning potential OR machine-learned interatomic potential OR neural network potential) AND (amorphous OR glass OR disordered solid) AND (molecular dynamics OR structure prediction)

arXiv receives groups [0, 1] only (nested-boolean limitation).

Backend	Query string sent
openalex	("machine learning potential" OR "machine-learned interatomic potential" OR "neural network potential") AND (amorphous OR glass OR "disordered solid") AND ("molecular dynamics" OR "structure prediction")
arxiv	(all:"machine learning potential" OR all:"machine-learned interatomic potential" OR all:"neural network potential") AND (all:"amorphous" OR all:"glass" OR all:"disordered solid")
inspire	("machine learning potential" or "machine-learned interatomic potential" or "neural network potential") and ("amorphous" or "glass" or "disordered solid") and ("molecular dynamics" or "structure prediction")

Block NOV: EXAMPLE NOVELTY CHECK: origami metamaterials as topological acoustic pumps

Purpose: novelty-check pattern – a SMALL number is the good outcome; read every hit by hand before claiming a gap

(origami OR kirigami) AND (acoustic metamaterial OR phononic crystal) AND (topological pumping OR Thouless pump OR edge state)

Backend	Query string sent
openalex	(origami OR kirigami) AND ("acoustic metamaterial" OR "phononic crystal") AND ("topological pumping" OR "Thouless pump" OR "edge state")
arxiv	(all:"origami" OR all:"kirigami") AND (all:"acoustic metamaterial" OR all:"phononic crystal")
inspire	("origami" or "kirigami") and ("acoustic metamaterial" or "phononic crystal") and ("topological pumping" or "Thouless pump" or "edge state")

Block QC: Quasicrystal photonics (arXiv-tuned example)

Purpose: demonstrates arxiv_groups: arXiv chokes on deeply nested booleans, so name the two groups it should get

(quasicrystal OR quasiperiodic lattice) AND (photonic OR waveguide OR optical lattice) AND (localization OR critical states OR fractal spectrum)

arXiv receives groups [0, 2] only (nested-boolean limitation).


Backend	Query string sent
openalex	(quasicrystal OR "quasiperiodic lattice") AND (photonic OR waveguide OR "optical lattice") AND (localization OR "critical states" OR "fractal spectrum")
arxiv	(all:"quasicrystal" OR all:"quasiperiodic lattice") AND (all:"localization" OR all:"critical states" OR all:"fractal spectrum")
inspire	("quasicrystal" or "quasiperiodic lattice") and ("photonic" or "waveguide" or "optical lattice") and ("localization" or "critical states" or "fractal spectrum")

Results summary

Block	openalex	arxiv	inspire	Identified	Retrieved	Unique
PSC	4569	175	0	4,744	475	474
MLP	238	138	0	376	344	313
NOV	0	0	0	0	0	0
QC	154	414	17	585	467	439
Total	4,961	727	17	5,705	1286	1226

Identified = database hit counts (not comparable across backends: proximity operators are dropped and stemming differs). Retrieved = records actually downloaded after the venue filter, capped by `--limit`. Unique = after DOI/title deduplication across all sources.

PRISMA 2020 flow



Stage	n
Records identified from databases	5,705
openalex	4,961
arxiv	727
inspire	17
Records retrieved (downloaded / ingested)	1,323
Removed before screening: automation (non-curated venues)	37
Removed before screening: duplicates	60
Records to screen (unique)	1,226
Records screened	1,226 (assumed = unique)
Records excluded at screening	-
Reports sought for retrieval	-
Reports not retrieved	-
Reports assessed for eligibility	-
Studies included	-
Reports of included studies	-

Automation stages are computed from the data; '-' marks manual stages not yet recorded in prisma.json. Note that 'identified' counts hits reported by each database while 'retrieved' is what was downloaded within --limit, so the two differ on large blocks.

PRISMA-S search-reporting checklist

Item	Requirement	This search
1	Database name	openalex, arxiv, inspire (documented public APIs)
2	Multi-database searching	3 databases, one structural query per block rendered into each native grammar; see Search strategy
3	Study registries	not applicable
4	Online resources and browsing	none recorded
5	Citation searching	not performed
6	Contacts	none recorded
7	Other methods	none
8	Full search strategies	reported verbatim per backend under Search strategy; archived in queries.json
9	Limits and restrictions	record download capped at 300 per block and backend, most-cited first; no date, language or document-type limits applied
10	Search filters	venue filter on: records from non-curated repositories (Zenodo, Figshare, SSRN...) removed
11	Prior work	none
12	Updates	3 earlier run(s) archived; counts tracked in counts_history.csv
13	Dates of searches	searched on 2026-08-28 16:04:26
14	Peer review	none
15	Total records	5,705 identified from databases; 1,323 retrieved; 1,226 unique
16	Deduplication	exact DOI match, else first 90 characters of the lower-cased title; 60 duplicates removed

Top 10 records per block

Deduplicated across sources, sorted by cited. The complete set is in all_records.csv / .ris.

Block PSC (474 unique)

Title	Authors	Year	Venue	Cited	DOI	OpenAlex 2-yr mean citedness
Incorporation of rubidium cations into perovskite solar cells improves photovoltaic performance	Michael Saliba; Taisuke Matsui; Konrad Domanski et al.	2016	Science	3691	10.1126/science.aah5557	156466 (2026)
High-efficiency two-dimensional Ruddlesden-Popper perovskite solar cells	Hsinhan Tsai; Wanyi Nie; Jean-Christophe Blancon et al.	2016	Nature	3361	10.1038/nature18306	156466 (2026)
Efficient, stable and scalable perovskite solar cells using poly(3-hexylthiophene)	Eui Hyuk Jung; Nam Joong Jeon; Eun Young Park et al.	2019	Nature	2318	10.1038/s41586-019-1036-3	156466 (2026)
A Layered Hybrid Perovskite Solar-Cell Absorber with Enhanced Moisture Stability	Ian C. P. Smith; Eric T. Hoke; Diego Solís-Ibarra et al.	2014	Angewandte Chemie International Edition	2006	10.1002/anie.201406406	156466 (2026)
Review of recent progress in chemical stability of perovskite solar cells	Guangda Niu; Xudong Guo; Liduo Wang	2014	Journal of Materials Chemistry A	1945	10.1039/c4ta04994b	156466 (2026)
Understanding Degradation Mechanisms and Improving Stability of Perovskite Photovoltaics	Caleb C. Boyd; Rongrong Cheacharoen; Tomas Leijtens et al.	2018	Chemical Reviews	1767	10.1021/acs.chenrev.8b00326	156466 (2026)
Formamidinium and Cesium Hybridization for Photo- and Moisture-Stable Perovskite Solar Cell	Jin-Wook Lee; Deok-Hwan Kim; Hui-Seon Kim et al.	2015	Advanced Energy Materials	1661	10.1002/aenm.201500613	156466 (2026)
23.6%-efficient monolithic perovskite/silicon tandem solar cells with improved stability	Kevin A. Bush; Axel F. Palmstrom; Zhengshan J. Yu et al.	2017	Nature Energy	1533	10.1038/nenergy.2017.9	156466 (2026)
Investigation of CH ₃ NH ₃ PbI ₃ Degradation Rates and Mechanisms in Controlled Humidity Environments Using in Situ Techniques	Jinli Yang; Braden D. Siempelkamp; Dianyi Liu et al.	2015	ACS Nano	1342	10.1021/nn506861k	156466 (2026)
Carbon Nanotube/Polymer Composites as a Highly Stable Hole Collection Layer in Perovskite Solar Cells	Severin N. Habisreutinger; Tomas Leijtens; Giles E. Eperon et al.	2014	Nano Letters	1198	10.1021/nl501982b	156466 (2026)

Block MLP (313 unique)

Title	Authors	Year	Venue	Cited	DOI	OpenAlex 2-yr mean citedness
Atom-centered symmetry functions for constructing high-dimensional neural network potentials	Jörg Behler	2011	The Journal of Chemical Physics	1644	10.1063/1.3553717	156466 (2026)
Realistic Atomistic Structure of Amorphous Silicon from Machine-Learning-Driven Molecular Dynamics	Volker L. Deringer; Noam Bernstein; Albert P. Bartók et al.	2018	The Journal of Physical Chemistry Letters	269	10.1021/acs.jpclett.8b00902	156466 (2026)
Machine-learned interatomic potentials by active learning: amorphous and liquid hafnium dioxide	Ganesh Sivaraman; Anand Narayanan Krishnamoorthy; Matthias Baur et al.	2020	npj Computational Materials	185	10.1038/s41524-020-00367-7	156466 (2026)
Machine-learned interatomic potentials by active learning: amorphous and liquid hafnium dioxide	Ganesh Sivaraman; Anand Narayanan Krishnamoorthy; Matthias Baur et al.	2019	Cambridge University Engineering Department Publications Database	184	10.17863/cam.5544	156466 (2026)
Growth Mechanism and Origin of High sp ³ Content in Tetrahedral Amorphous Carbon	Miguel A. Caro; Volker L. Deringer; Jari Koskinen et al.	2018	Physical Review Letters	178	10.1103/physrevlett.120.166101	156466 (2026)
Constructing first-principles phase diagrams of amorphous Li _x Si using machine-learning-assisted sampling with an evolutionary algorithm	Nongnuch Artrith; Alexander Urban; Gerbrand Ceder	2018	The Journal of Chemical Physics	155	10.1063/1.5017661	156466 (2026)
Study of Li atom diffusion in amorphous Li ₃ PO ₄ with neural network potential	Wenwen Li; Yasunobu Ando; Emi Minamitani et al.	2017	The Journal of Chemical Physics	154	10.1063/1.4997242	156466 (2026)

Title	Authors	Year	Venue	Cited	DOI	OpenAlex 2-yr mean citedness
Impact of the Local Environment on Li Ion Transport in Inorganic Components of Solid Electrolyte Interphases	Taiping Hu; Jianxin Tian; Fuzhi Dai et al.	2022	Journal of the American Chemical Society	107	10.1021/jacs.2c11521	
Thermal conductivity modeling using machine learning potentials: application to crystalline and amorphous silicon	Xin Qian; Shiyu Peng; Xiaobo Li et al.	2019	Materials Today Physics	103	10.1016/j.mtphys.2019.100140	
A unified deep neural network potential capable of predicting thermal conductivity of silicon in different phases	Ruiyang Li; Eungkyu Lee; Tengfei Luo	2020	Materials Today Physics	102	10.1016/j.mtphys.2020.100181	

Block QC (439 unique)

Title	Authors	Year	Venue	Cited	DOI	OpenAlex 2-yr mean citedness
Hyperuniform states of matter	Salvatore Torquato	2018	Physics Reports	485	10.1016/j.physrep.2018.03.001	
Localization and delocalization of light in photonic moiré lattices	Peng Wang; Yuanlin Zheng; Xianfeng Chen et al.	2019	Nature	482	10.1038/s41586-019-1851-6	
Delocalization of a disordered bosonic system by repulsive interactions	B. Deissler; Matteo Zaccanti; G. Roati et al.	2010	Nature Physics	273	10.1038/nphys1635	
Topological triple phase transition in non-Hermitian Floquet quasicrystals	Sebastian Weidemann; Mark Kremer; Stefano Longhi et al.	2022	Nature	225	10.1038/s41586-021-04253-0	
Disorder-Enhanced Transport in Photonic Quasicrystals	Liad Levi; Mikael C. Rechtsman; Barak Freedman et al.	2011	Science	205	10.1126/science.1202977	
Generalized Aubry-André self-duality and mobility edges in non-Hermitian quasiperiodic lattices	Tong Liu; Hao Guo; Yong Pu et al.	2020	Physical review. B	148	10.1103/physrevb.102.024205	
Topological Phase Transitions and Mobility Edges in Non-Hermitian Quasicrystals	Quan Lin; Tianyu Li; Lei Xiao et al.	2022	Physical Review Letters	136	10.1103/physrevlett.129.113601	
Localization and delocalization of light in photonic moiré lattices	Peng Wang; Yuanlin Zheng; Xianfeng Chen et al.	2020	LA Referencia (Red Federada de Repositorios Institucionales de Publicaciones Científicas)	121	(link)	
Bose-Einstein condensates in optical quasicrystal lattices	Laurent Sanchez-Palencia; L. Santos	2005	Physical Review A	117	10.1103/physreva.72.053607	
Observing Localization in a 2D Quasicrystalline Optical Lattice	Matteo Sbroscia; Konrad Viebahn; Edward Carter et al.	2020	Physical Review Letters	105	10.1103/physrevlett.125.200604	

Suggestions

- Block PSC: openalex 4,569 hits – a generic term is probably driving this; tighten a group or add a more specific one before reading.
- Block PSC: counts differ >20x across backends (175 to 4,569); grammar and coverage diverge, so do not compare these numbers – discover here, quote one source.
- Block NOV: zero hits on every backend. Either the intersection is genuinely empty (a finding – check the synonyms first) or one group is too narrow; try dropping one group and rerunning.
- Block QC: counts differ >20x across backends (17 to 414); grammar and coverage diverge, so do not compare these numbers – discover here, quote one source.
- 2 block/backend pair(s) hit the `--limit` cap (300); raise it (largest total 4,569) if you need the complete record set rather than the most-cited slice.
- No citation-grade backend (Scopus, Web of Science, NASA ADS) was in this search; add ADS (free token) or Scopus before quoting counts.

- Open-access status was not looked up; rerun with `--pdfs` (optionally `--pdf-blocks`) to collect legal OA PDF links via Unpaywall.
- The PRISMA flow's manual stages are empty: fill in `prisma.json` (screened / excluded / assessed / included) and rerun `report.py` to complete the diagram.
- Block PSC: total hits changed from 14,620 (run 20260828T100120) to 4,744; count drift is expected as indexes grow, but a large jump usually means the query changed – diff `queries.json` between the runs.
- Block MLP: total hits changed from 838 (run 20260828T100120) to 376; count drift is expected as indexes grow, but a large jump usually means the query changed – diff `queries.json` between the runs.
- Block QC: total hits changed from 978 (run 20260828T100120) to 585; count drift is expected as indexes grow, but a large jump usually means the query changed – diff `queries.json` between the runs.