

|                                                                                                 |                                             |                                           |                       |                  |
|-------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------|-----------------------|------------------|
| <br>NPCIT Cloud | TASKS - TAREFAS                             |                                           |                       | Página<br>1 de 6 |
|                                                                                                 | VIRTUAL NETWORKS – CRIANDO ZONA DNS PRIVADA |                                           |                       |                  |
|                                                                                                 | Setor Responsável<br>LABORATÓRIO            | Analista Responsável<br>Nome: Fábio Silva | Emissão<br>21/01/2026 | Versão<br>1.0    |


## 1. OBJETIVO:

Delinear passos para criar uma zona de DNS privada.


## 2. ATIVIDADES:

1) Para configurar o DNS de uma VM no Azure:


- Pesquise Virtual Networks e selecione a VNET que foi criada.



- Em seguida, em SETTINGS clique em DNS.
- Na opção DNS SERVER em *Azure provided DNS service* clique em (Change).




Todas as VMs recebem automaticamente informações do DNS do AZURE. Caso precise alterar para uma máquina VM que será o servidor DNS principal, clique no CUSTOM.




|                                                                                                 |                                             |                                           |                       |                  |
|-------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------|-----------------------|------------------|
| <br>NPCIT Cloud | TASKS - TAREFAS                             |                                           |                       | Página<br>2 de 6 |
|                                                                                                 | VIRTUAL NETWORKS – CRIANDO ZONA DNS PRIVADA |                                           |                       |                  |
|                                                                                                 | Setor Responsável<br>LABORATÓRIO            | Analista Responsável<br>Nome: Fábio Silva | Emissão<br>21/01/2026 | Versão<br>1.0    |

- Após alterar, todas as VMs devem ser reiniciadas. *\*Em ambiente de teste execute o comando ipconfig /renew*




2) Criando DNS privado.

- Pesquise PRIVATE DNS ZONE.




- Em seguida clique em CRIAR.



|                                                                                                 |                                             |                                           |                       |                  |
|-------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------|-----------------------|------------------|
| <br>NPCIT Cloud | TASKS - TAREFAS                             |                                           |                       | Página<br>3 de 6 |
|                                                                                                 | VIRTUAL NETWORKS – CRIANDO ZONA DNS PRIVADA |                                           |                       |                  |
|                                                                                                 | Setor Responsável<br>LABORATÓRIO            | Analista Responsável<br>Nome: Fábio Silva | Emissão<br>21/01/2026 | Versão<br>1.0    |

- Em BASIC preencha as informações.



Basics Private DNS Zone Editor Virtual Network Links Tags Review + Create

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription \* ⓘ Azure subscription 1


Resource group \* ⓘ rg-az104-mod04  
[Create new](#)

### Instance details

Name \* npcit.online

Resource group location \* ⓘ (Europe) North Europe

- Em private DNS ZONE EDITOR preencha caso deseja importar registros DNS de algum outro servidor.



Basics Private DNS Zone Editor Virtual Network Links Tags Review + Create

Upload a Private DNS zone file ⓘ

Drag and drop the files or [Browse for files](#)

Private DNS Zone Editor

```
1 ;Copy your DNS zone here
```

- Clique em AVANÇAR para VIRTUAL NETWORK LINKS e TAGS.

O que é um Virtual Network Link?

*É a ligação que diz ao Azure:*

*“Essa VNet pode usar essa zona DNS privada para resolver nomes”.*

*Sem esse link, a VNet não consegue resolver os registros DNS da zona privada.*

|                                                                                  |                                             |                                           |                       |                  |
|----------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------|-----------------------|------------------|
|  | TASKS - TAREFAS                             |                                           |                       | Página<br>4 de 6 |
|                                                                                  | VIRTUAL NETWORKS – CRIANDO ZONA DNS PRIVADA |                                           |                       |                  |
|                                                                                  | Setor Responsável<br>LABORATÓRIO            | Analista Responsável<br>Nome: Fábio Silva | Emissão<br>21/01/2026 | Versão<br>1.0    |

Validation passed

Basics Private DNS Zone Editor Virtual Network Links Tags Review + Create

Subscription Azure subscription 1

Resource group rg-az104-mod04

Resource group location North Europe

Name npcit.online

**DNS Zone Record Set(s)**

Number of record sets 0 record set(s)

**Virtual network link(s)**

Number of Virtual Network Links 0 virtual network link(s)

**Tags**

Create < Previous Next >

3) Adicionando virtual network link.

Criando uma zona de registro DNS para as máquinas virtuais nesta VNET.

- Clique em DNS MANAGEMENT > virtual network links > ADD.

npcit.online | Virtual Network Links

Private DNS zone

Search

+ Add Refresh Delete Give feedback

Search virtual network links

Fetches 0 virtual Network link(s).

0 Virtual Network links selected

Link Name

Locks Properties DNS Management Recordsets Virtual Network Links

|                                                                                  |                                             |                                           |                       |                  |
|----------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------|-----------------------|------------------|
|  | TASKS - TAREFAS                             |                                           |                       | Página<br>5 de 6 |
|                                                                                  | VIRTUAL NETWORKS – CRIANDO ZONA DNS PRIVADA |                                           |                       |                  |
|                                                                                  | Setor Responsável<br>LABORATÓRIO            | Analista Responsável<br>Nome: Fábio Silva | Emissão<br>21/01/2026 | Versão<br>1.0    |

- Preencha as informações necessárias.

### Add Virtual Network Link

npcit.online

Only virtual networks with Resource Manager deployment model are supported for linking with Private DNS zones. Virtual networks with Classic deployment model are not supported.

☐ I know the resource ID of virtual network ⓘ

Subscription \*  
Azure subscription 1

Virtual Network \*  
vnet-hml (rg-az104-mod04)

#### Configuration

☒ Enable auto registration ⓘ

☐ Enable fallback to internet ⓘ

[Create](#) [Cancel](#) [Give feedback](#)

- O procedimento foi concluído com sucesso.

+ Add Refresh Delete Give feedback

Search virtual network links

Fetches 1 virtual Network link(s).

0 Virtual Network links selected

| Link Name     | Link Status | Virtual Network | Auto-Registration | Fallback to Internet |
|---------------|-------------|-----------------|-------------------|----------------------|
| link-vnet-hml | Completed   | vnet-hml        | Enabled           | Disabled             |

- Para verificar se as máquinas virtuais foram registradas, clique em DNS MANAGEMENT > RECORDSETS.

DNS Management

- Recordsets
- Virtual Network Links
- Monitoring
- Alerts
- Metrics
- Advisor recommendations
- Automation
- CLI / PS
- Tasks
- Export template
- Help

Add or remove favorites by pressing Ctrl+Shift+F

A record set is a collection of records in a zone that have the same name and are the same type. Record sets will be automatically fetched in batches of 100 as you scroll through the existing record sets. [Learn more](#)

Search

Fetches 3 record set(s).

0 record sets selected

| Name      | Type | TTL  | Value                                                                                                                                                           | Auto registered |
|-----------|------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| @         | SOA  | 3600 | Email: azureprivatedns-host.microsoft.com<br>Host: azureprivatedns.net<br>Refresh: 3600<br>Retry: 300<br>Expire: 2419200<br>Minimum TTL: 10<br>Serial number: 1 | False           |
| srv-win01 | A    | 10   | 10.0.1.4                                                                                                                                                        | True            |
| srv-win02 | A    | 10   | 10.0.2.4                                                                                                                                                        | True            |

|                                                                                                 |                                             |                                           |                       |                  |
|-------------------------------------------------------------------------------------------------|---------------------------------------------|-------------------------------------------|-----------------------|------------------|
| <br>NPCIT Cloud | TASKS - TAREFAS                             |                                           |                       | Página<br>6 de 6 |
|                                                                                                 | VIRTUAL NETWORKS – CRIANDO ZONA DNS PRIVADA |                                           |                       |                  |
|                                                                                                 | Setor Responsável<br>LABORATÓRIO            | Analista Responsável<br>Nome: Fábio Silva | Emissão<br>21/01/2026 | Versão<br>1.0    |

- Para verificar se a comunicação está sendo realizada entre as máquinas virtuais pelo DNS execute o PING informando o nome da VM junto com o sufixo customizado.

```

PS C:\Users\admin.fabio> hostname
srv-win01
PS C:\Users\admin.fabio> ping srv-win02.npcit.online

Pinging srv-win02.npcit.online [10.0.2.4] with 32 bytes of data:
Reply from 10.0.2.4: bytes=32 time=1ms TTL=128
Reply from 10.0.2.4: bytes=32 time=1ms TTL=128
Reply from 10.0.2.4: bytes=32 time=5ms TTL=128
Reply from 10.0.2.4: bytes=32 time<1ms TTL=128

Ping statistics for 10.0.2.4:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 5ms, Average = 1ms
PS C:\Users\admin.fabio> |

```