

Introduction to the laboratory



Outline

What we shall do

The three classes of models and the acronyms used

Notation

A deliberate choice: continuous variables only

Map of the models

Structure of each chapter

Course organization

What we shall do

Introduction: What we shall do

- ▶ In this section we see the **purpose** of the laboratory
- ▶ We shall use mathematical programming as a tool for *decision making*, not merely for computation
- ▶ Understanding the goal guides us through all the sessions that follow

From the managerial problem to the model

- ▶ Every chapter starts from a **concrete managerial problem**:
 - ▶ how much to produce, where to locate a service
 - ▶ which price to set, how much risk to accept
- ▶ The problem becomes an **optimization model**
- ▶ The model is implemented in **Python** and solved with a **solver**

Interrogating the model

- ▶ Above all, the model is *interrogated*:
 - ▶ how much is one extra hour of capacity worth?
 - ▶ does the solution hold up if the data change by 5%?
 - ▶ which trade-off would we recommend to a decision maker?

The right question

- ▶ At the end of every laboratory session the question is not only
“what is the optimum?”
but
“which decision do we recommend and how robust is it?”
- ▶ The value of a model lies in the **quality of the recommendation** it allows us to formulate

Summary: What we shall do

- ▶ Managerial problem $\rightarrow$ model $\rightarrow$ Python and solver
- ▶ The model does not just return a number: it must be **interrogated**
- ▶ The final goal is a **robust recommendation** for the decision maker

The three classes of models and the acronyms used

Introduction: The three classes of models

- ▶ All the models of the course belong to **three classes**
- ▶ We denote them by the standard international acronyms: LP, QP, NLP
- ▶ Recognizing the class of a model tells us which tools we can use to solve and interpret it

LP, QP and NLP

- ▶ **LP** (*Linear Programming*): the objective and the constraints are linear functions of the variables
- ▶ **QP** (*Quadratic Programming*): quadratic objective, linear constraints
- ▶ **NLP** (*Nonlinear Programming*): general nonlinear objective or constraints

Convex problems

- ▶ A problem is *convex* when every local minimum is also global (precise definition in chapter 2)
- ▶ For LP this is **always** true
- ▶ For QP and NLP it **depends on the functions**: we shall point it out every time
- ▶ The other recurring acronyms are defined at first use in the respective chapter

Summary: The three classes of models

- ▶ **LP**: everything linear
- ▶ **QP**: quadratic objective, linear constraints
- ▶ **NLP**: general nonlinear objective or constraints
- ▶ LP is always convex; for QP and NLP convexity must be checked

Notation

Introduction: Notation

- ▶ Throughout the course the **same notational convention** applies
- ▶ A uniform notation lets us read every model without ambiguity
- ▶ We see how scalars, sets, data, vectors, matrices, graphs, dual variables and solutions are written

Scalars, indices and sets

- ▶ **Scalars and indices:** lowercase italic letters
(x_{it} , b_t , λ , i , t)
- ▶ **Sets of objects indexed by numbers:** the objects of a model (products, channels, securities, vehicles, districts, scenarios) are numbered

$$i \in \{1, 2, \dots, n\}$$

so that the notation of the text is already that of the model being built

- ▶ *Counts* are positive integers ($n \in \mathbb{Z}_{\geq 1}$)

Data, vectors, matrices and graphs

- ▶ **Numerical data:** rational values, $\mathbb{Q}_{>0}$ or $\mathbb{Q}_{\geq 0}$
(the data of a real instance are always machine numbers)
- ▶ **Vectors:** lowercase boldface letters ($\mathbf{x}$, $\mathbf{w}$, $\boldsymbol{\mu}$); all vectors are column vectors and $\mathbf{a}'\mathbf{b}$ denotes the scalar product
- ▶ **Matrices:** uppercase boldface letters ($\mathbf{Q}$, $\mathbf{A}$); $\mathbf{Q} \succeq 0$ means positive semidefinite
- ▶ **Graphs:** $G = (N, A)$ with nodes N and arcs A (the only sets that are not enumerated, by their very nature)

Dual variables and solutions

- ▶ **Dual variables:** π_i , one per constraint
- ▶ **Reduced costs:** $\bar{c}_j$; **slacks:** $\bar{s}_i$
- ▶ **Solutions:**
 - ▶ unknown variables are written plain (x_j, π_i)
 - ▶ the *bar* denotes the values of a *feasible* solution ($\bar{x}_j, \bar{\pi}_i, \bar{s}_i, \bar{c}_j$)
 - ▶ the *tilde* those of an *optimal* one ($\tilde{x}_j, \tilde{\pi}_i, \tilde{z}$)

How every model is written

- ▶ Every coefficient and every set is *defined before being used*
- ▶ In every model:
 - (i) the variables are introduced explicitly before the formulation
 - (ii) the objective and each family of constraints carry an equation number
 - (iii) the non-negativity constraints, which define the variables, close the model
 - (iv) after the model, a list describes the objective and the constraints family by family, with the number of constraints in each

Summary: Notation

- ▶ Lowercase italic for scalars and indices, boldface for vectors (lowercase) and matrices (uppercase)
- ▶ Enumerated sets $\{1, \dots, n\}$; rational data
- ▶ π_i duals, $\bar{c}_j$ reduced costs, $\bar{s}_j$ slacks
- ▶ Bar = feasible solution, tilde = optimal solution
- ▶ Every model: variables, numbered objective and constraints, non-negativity, description

A deliberate choice: continuous variables only



Introduction: Continuous variables only

- ▶ All the models of the course use **exclusively continuous variables**
- ▶ No binary or integer variables
- ▶ It is a deliberate choice: let us see its **three motivations**

Three motivations

1. **Teaching:** with continuous variables we can rely on duality, shadow prices and the KKT conditions, the tools that turn a numerical solution into an economic explanation; with binary variables these tools are lost or weakened
2. **Coverage:** a surprising number of real decisions is naturally continuous: quantities, flows, portfolio weights, prices, power levels, coordinates
3. **Progression:** the same application can move from LP to QP and NLP, showing how the expressive power of the model grows without changing tool

Summary: Continuous variables only

- ▶ Continuous variables only, by choice
- ▶ So **duality**, **shadow prices** and **KKT** apply
- ▶ Many real decisions are already continuous
- ▶ Expressive power grows: $LP \rightarrow QP \rightarrow NLP$

Map of the models

Introduction: Map of the models

- ▶ We see the **applications** we shall tackle in the course
- ▶ For each one: the chapter, the class of the model and the central concept
- ▶ The map shows the path from linear applications to nonlinear and stochastic ones

Map of the models (1/3)

Ch.	Application	Class	Central concept
4	Multi-period production and inventory	LP / QP	duality, capacity, smoothing
5	Supply chain and sustainability	LP / NLP	flows, congestion, CO ₂
6	Markowitz portfolio	QP	risk-return
7	Pricing and revenue management	NLP	elasticity and capacity

Map of the models (2/3)

Ch.	Application	Class	Central concept
8	Advertising budget	convex NLP	diminishing returns
9	Continuous location	convex NLP	efficiency-equity
10	Electric vehicle charging	LP / QP	energy, peaks
11	Capacity and waiting times	convex NLP	capacity-waiting

Map of the models (3/3)

Ch.	Application	Class	Central concept
12	Newsvendor and variants	stoch. LP	deciding before knowing
13	VaR and CVaR	LP	tail risk
14	Arbitrage and pricing	LP	the duality that prices
15	Support Vector Machine	QP	optimization for ML

Summary: Map of the models

- ▶ Twelve managerial, financial and machine learning applications
- ▶ All the classes are represented: LP, QP, convex NLP and stochastic LP
- ▶ Every application has a **central concept** to take home

Structure of each chapter

Introduction: Structure of each chapter

- ▶ Every application chapter follows the **same eight-step outline**
- ▶ The outline is designed to be replicated in the **laboratory reports**
- ▶ Knowing it helps you find your way in every chapter

The eight-step outline (1/2)

1. **Managerial motivation:** the problem told as a business decision
2. **Guided construction of the model:** sets, parameters, variables, constraints and objective, explained line by line
3. **Numerical example worked out by hand:** a minimal instance solved with all the steps, to understand the mechanism before switching on the solver
4. **Case study:** a realistic instance with reproducible data (CSV)

The eight-step outline (2/2)

5. **Python/Gurobi implementation:** the complete code, with comments
6. **Results:** the solver output translated into managerial language
7. **Sensitivity analysis:** shadow prices, scenarios, trade-offs
8. **Exercises:** from verification to a small research extension

Observation 1: Warning

The numbers reported in each chapter are generated by the scripts in the `python/` folder: running `python3 run_all.py` regenerates data, tables and figures.

If you modify the data, the numbers in the lecture notes must be regenerated.

Summary: Structure of each chapter

- ▶ Motivation → model → example by hand → case study
- ▶ Code → results → sensitivity → exercises
- ▶ Use the same outline in your reports
- ▶ All the numbers can be regenerated by the Python scripts

Course organization

Introduction: Course organization

- ▶ We see the **essential path** of the course
- ▶ The details are in chapter 17

The essential path: four laboratory sessions

1. Production and inventory with duality and shadow prices
2. Markowitz and the efficient frontier
3. Nonlinear modelling (pricing or budget)
4. A project of your own choice with a managerial presentation

Summary: Course organization

- ▶ Four sessions: production, Markowitz, nonlinear, project

Final summary (1/2)

The purpose:

- ▶ Mathematical programming as a decision-making tool
- ▶ A model is solved and then **interrogated**

The tools:

- ▶ Three classes of models: LP, QP, NLP
- ▶ Continuous variables only: duality, shadow prices, KKT

Final summary (2/2)

The method:

- ▶ A uniform notation in all models
- ▶ Twelve applications, each with a central concept
- ▶ The same eight-step outline in every chapter

The course:

- ▶ Four lab sessions: production, Markowitz, nonlinear, project