



POLITECNICO
MILANO 1863

13 November 2016

PowerEnJoy

Requirements Analysis and Specifications Document

Blanco	Federica	875487
Casasopra	Fabiola	864412

Software Engineering 2 Project
2016/2017

Contents

1	Introduction	1
1.1	Purpose	1
1.2	Scope	1
1.3	Domain Properties	2
1.4	Actors	2
1.5	Goals	2
1.6	Definitions, acronyms, abbreviations	3
1.6.1	Definitions	3
1.6.2	Acronyms	4
1.6.3	Abbreviations	4
1.7	Overview	4
1.8	Reference Documents	5
2	Overall Description	6
2.1	Product perspective	6
2.2	Product functions	6
2.3	User characteristics	6
2.4	Constraints	6
2.5	Assumptions and Dependencies	7
3	Specific Requirements	8
3.1	External Interface Requirements	8
3.1.1	User Interface	8
3.1.2	Hardware Interfaces	18
3.1.3	Software Interfaces	18
3.2	Functional Requirements	18
3.3	Scenario Identification	21
3.3.1	Scenario 1: Registration and Log in	21
3.3.2	Scenario 2: Reserve a car	21
3.3.3	Scenario 3: Pick up a car	22
3.3.4	Scenario 4: Charge, park and lock a car	22
3.3.5	Scenario 5: Transaction	22
3.3.6	Scenario 6: Reservation expired	23
3.4	UML Models	23
3.4.1	Use Case Diagram	23
3.4.2	Use Case Description	25
3.5	Performance Requirements	35
3.6	Design Constraints	35
3.7	Software System Attributes	35

3.7.1	Availability	35
3.7.2	Security	35
3.7.3	Maintainability	35
3.7.4	Portability	35
3.8	Other Requirements	35
4	Appendix	36

List of Figures

1	Log In Page mockup	8
2	Registration Form mockup	9
3	Personal Page mockup	10
4	Reservation Page mockup	11
5	Reservation Timer Page mockup	12
6	Reservation Expired Page mockup	13
7	Safe Areas Page mockup	14
8	Power Grid Station Page mockup	15
9	User's Transactions Page mockup	16
10	Car Screen mockup	17
11	Use Case Diagram	24

List of Tables

1	Registration Use Case	25
2	Log in Use Case	26
3	Modify profile Use Case	27
4	Verify transaction Use Case	28
5	Search safe area Use Case	29
6	Search power grid station Use Case	30
7	Reserve a car Use Case	31
8	Delete a reservation Use Case	32
9	Confirm to be near the reserved car Use Case	33
10	See the reservation timer Use Case	34

1 Introduction

In this chapter there are the main purpose of this document, the project's scope and its actors and goals, some definitions who help to understand the content of the document and some reference documents that are used to make this one.

1.1 Purpose

This document is called *Requirements Analysis and Specifications Document*, also known as the acronym RASD. Its purpose is to communicate to customers what is understood about functional and not-functional requirements based, the limitations and obstacles for implementing this system, the constraints founded and for modeling the customer's need. This document is also addressed to developers and programmers who have to implement all the requirements then it must be more complete and correct than possible. It is a contract with customers therefore it must show use cases to allow everyone to understand what the system will do and in what domain it can be used. Project manager can use this document to make an evaluation of costs and size of the project.

1.2 Scope

The aim of the project called PowerEnJoy is to provide a car-sharing service that involves only electric cars. All people who want to share a car must be able to register at the system using credentials such as name, surname, e-mail, nickname and giving a valid information payment (number of credit card) that is needed to pay for the service. When the user receives the password to log in, he can find available cars in a specific location and, if he wants, he can reserve it. The system unlocks the car as soon as the user is nearby and keeps informed of the amount of the service with a screen on the car; when the car is in one of the safe areas, indicated in a list that can be consulted on-line, the system locks it after the person exits from it. The project has also the purpose to encourage people to leave at home their pollutant cars and take with other people the electric car: in fact if there are at least two passengers with the driver he has a 10 per cent discount on the ride. If the user leaves the car in the safe area with more than half of the battery he has a 20 per cent discount on the ride and if he recharged the car he will have 30 per cent discount. But if the user leaves the car far away from a safe area or with more than 80 per cent of empty battery, the system charges 30 per cent more on the ride.

1.3 Domain Properties

We supposed that our domain has this properties:

- D1** The nickname and the e-mail are unique to identify an user.
- D2** The e-mail must be syntactically correct and must correspond to an existing server.
- D3** The car's position can be knowed thanks to GPS.
- D4** The charge is calculated considering time passed using the car, given a specific fee per minute.
- D5** In the car there is a sensor that idicates how many people there are in the car and another sensor which indicates the battery level.
- D6** For each car there is an insurance.
- D7** Reservation's time must be included between 00:00 and 23:59.
- D8** The position inserted by the user must be an existing place.

1.4 Actors

Here there are a list of the actors who can operate with the system.

- > **VISITOR**: the person who visits the systems but that is not log-in in the site, he can only see the home page and the page with the form for the registration, where he must provide all the requested information. Moreover, he has the possibility to log-in with the password given by the system when the registration is successfully committed.
- > **USER**: the person who has successfully log-in. He can do all the operations provided by the system through the user interface such as reserve a car or consult the list of available cars or say to the system that he is nearby the reserved car.

1.5 Goals

In this section we want to explain exhaustively what are our system's goal.

- G1** The system must be able to allow visitor to register.
- G2** The system must be able to give a password to a visitor successfully registered and allow him to modify his profile.
- G3** The system must be able to allow visitor to log in.

- G4** The system must be able to provide to the user the list of available cars near his position or a specific location.
- G5** The system must be able to allow user to reserve a car up to one hour before it is picked up.
- G6** If the user is near his reserved car the system must unlock it.
- G7** The system must be able to charge the user and shows all transaction's details.
- G8** The system must be able to keep informed the user about the charge through a display in the car.
- G9** The system must inform the user about the reservation timer. If the user not pick up the car after one hour from the registration, the system must be able to delete the registration giving a fee of 1 euro to the user.
- G10** The system must allow user to delete a reservation before one hour is passed.
- G11** If a registration is deleted the system must be able to make the car available.
- G12** The system must lock a car when it is left in a safe area.
- G13** The system must be able to apply discount if is verified one case.
- G14** The system must be able to apply an increase to the amount of a ride if is verified a specific case.
- G15** The system must show to the user a list of safe areas near a specific position.
- G16** The system must show to the user a list of power grid station near a specific position.

1.6 Definitions, acronyms, abbreviations

1.6.1 Definitions

This section is necessary for avoid ambiguity or misunderstanding during the reading of this document.

- **VISITOR:** he is a person that is not register in the system, he can only see the homepage and go to the form for the registration.
- **USER:** he is a person that is registered in the system; he is identified by a name, surname, nickname, e-mail, password (given by the system at the end of the registration), telephone number, address and all the

payment information such as number of credit card and card's deadline that must be verified by the system. He can do all the services that are provided by "*PowerEnJoy*".

- **CAR**: we intend an electric car that can be shared through the system. It can be available or reserved and the system will lock and unlock it when is necessary. It is parked in a safe area.
- **RIDE**: with this term we intend all the route that a user accomplishes with the same car from the moment when he pick up the car to the moment when I left it in a safe area.
- **CHARGE**: we intend the debt that the user must pay at the end of a ride; it is calculate from a specific amount of money per minute which start from the begin of the ride to the end of it. That can be also modified by some discount, if is verified a particular situation, or a fee. It exists also a charge if the user reserve a car but he don't pick it up after one hour from the reservation.

1.6.2 Acronyms

Here there is the acronims list:

RASD Requirements Analysis and Specifications Document

UML Unified Modeling Language

API Application Programming Interface

DB DataBase

OS Operating System

1.6.3 Abbreviations

- **Gn** : indicates the goal's number
- **Rn** : indicates the requirement's number for a specific goal
- **Dn** : indicates the domain's number

1.7 Overview

This document is structured in four parts:

Part 1 In the first part there is an introduction with this document's purpose, the scope of this project and its aim, the actor that can use the system and in which way, some definitions to avoid misunderstanding during the

reading of the document and, most important, the goal of our project described all in brief but comprehensive way.

Part 2 In the second part there are more specifications about the requirements, the interfaces with external agents, constraints and assumptions.

Part 3 The third part is very important because there are all the models for the requirement: they are modeled using UML diagrams such as *Use Case* and *Sequence Diagram* and using Alloy. They are very important to understand all the functionality of the system.

Part 4 In this part there is the Appendix with other informations and the hour spent by all of us to make this document.

1.8 Reference Documents

- Specification document: Assignments AA 2016-2017.pdf
- Standard for RASD: IEEE Std 29148-2011
- API information: <https://developers.google.com/maps/documentation/geolocation/intro>

2 Overall Description

In this chapter we explain the product prospective and major functionality and the characteristic of the user that we image will use this application. We also write all the constraints we have found and all the assumptions that we have made because the requirements are not very clear in all their parts.

2.1 Product perspective

Our application is a self-contained product based on a client interface that helps the user to use this applications. It uses an API for the geolocation provided by *Google Maps* because we need to know the car and user's position. It is supported by common browser such as "*Chrome*". It is also closely linked with a DB that contains all user and car data and the list of safe areas. Because of our assumptions, the system must collaborate with the motorization's system to check user's driving license and with an external society which provides car's insurance.

2.2 Product functions

2.3 User characteristics

The user we expect will use our application is a person that want to share a car every time near his position, in an efficient and rapid way; he is also a person who is interested in the problem of pollution because our system involves only electric car. Our application doesn't require a particular ability in using IT equipment: in fact, he must only be able to insert his credential for registration and log in and set the position from where he wants to share the car. Thanks to the position, the system will do all the operation to lock and unlock the car and charge the user.

2.4 Constraints

Our software must be used at the same time by a lot of user; it mustn't consume a lot of battery and memory. It is very important that is followed a policy of privacy: in fact, if the user doesn't sign and approve the warranty of privacy, the system can't be used. The privacy's policy is very important and is a constraint for the system develop because for the use of the application we must know the position of the user and that can't be done without the approval of the user. Another constraint is that, since we use a Google API, we must follow its regulation and developer guide.

2.5 Assumptions and Dependencies

1. There isn't a privileged user: all the users can do the same things and there isn't a limitation in system's use.
2. The visitors can only see the homepage, the registration's form and the log in page.
3. There isn't dependency from users.
4. A user can't reserve two cars at the same hour at the same day: he can reserve only one car each time.
5. There is a user's page with the payment history: so, the user can see all details for a specific payment because all the operation must be clear. This is a warranty of correctness between system's owner and users.
6. When a reservation is deleted because one hour is passed, the user is informed through a notification like this: *"The reservation for car X at the hour Y for the day Z is deleted because is passed one hour. You must pay a fee of 1 euro"*.
7. In the list of available cars is specified the car model with all the details so the user can select the best one for his needs. It is also indicated whether the vehicle is suitable for the transport of disabled persons.
8. During the reservation there is a remainder to know when the reservation will expire.
9. In the site there is a list of possible discount and its details.
10. During the registration we ask the user to insert his driving license's number: in this way the system can verify if it is valid or not.
11. The system provides the opportunity to receive through the e-mail the password, if the user doesn't remember it.
12. The car's insurance is provided by an external society whereby we have stipulate a contract.

3 Specific Requirements

3.1 External Interface Requirements

3.1.1 User Interface

In this section, we will present some mockup to make the reader better understand the idea of the structure of the final web page and application.

Log In

The mockup in Figure 1 shows the login page of PowerEnJoy. Here, a VISITOR can log in into the application.




Figure 1: Log In Page mockup

Registration Form

The mockup in Figure 2 shows the registration form, where a VISITOR can sign up to access the service.

The figure displays two mockups of the PowerEnjoy Registration Form. On the left is a smartphone mockup, and on the right is a desktop browser mockup. Both versions feature the PowerEnjoy logo (a blue car icon with a lightning bolt) and the text 'PowerEnjoy REGISTRATION FORM'. The form includes four input fields: 'Username', 'Email Address', 'Credit Card Number', and 'Driving licence'. Below these fields is a checkbox labeled 'I accept the Terms of Service' and a blue 'Register Now!' button. The desktop version also includes a link 'Already an account? Login' at the bottom.

PowerEnjoy
REGISTRATION FORM

Username
Email Address
Credit Card Number
Driving licence

☐ I accept the Terms of Service

Register Now!

PowerEnjoy
REGISTRATION FORM

Username
Email Address
Credit Card Number
Driving licence

☐ I accept the Terms of Service

Register Now!

Already an account? [Login](#)

Figure 2: Registration Form mockup

Personal page

The mockup in Figure 3 shows the personal page of a USER, from where he can update his data, such as, for example, the profile picture, the password and the payment information.




Figure 3: Personal Page mockup

Reservation page

The mockup in Figure 4 shows the page from which a USER can reserve a car nearby him or near to a selected address for an hour. He can also see how much time takes to get from the selected point to the car and its condition: level of charge and if it is plugged in a power grid station.




Figure 4: Reservation Page mockup

Once the USER has made his reservation, the page and application will show him a 1 hour timer, as shown in Figure 5, in order to remind him how much time he has left to go and pick up the reserved car. In this time, the USER can decide to cancel his prenotation by clicking on the button "Cancel". Only when the USER is nearby the car, he will be able to click the "I'm there" button to unlock the reserved car.




Figure 5: Reservation Timer Page mockup

If the car is not picked up within an hour, the reservation expires: the USER is reminded that he has to pay a fee of 1 EUR, as shown in Figure 6.




Figure 6: Reservation Expired Page mockup

Safe Areas page

The mockup in Figure 7 shows the page where the USER can visualize the safe areas around him or around a selected address.




Figure 7: Safe Areas Page mockup

Power Grid Stations page

The mockup in Figure 8 shows the page where the USER can visualize the power grid stations around him or around a selected address.




Figure 8: Power Grid Station Page mockup

User's transactions page

The mockup in Figure 9 shows the page where the USER can visualize his transactions and the relative details, such as the date of the ride, its duration and the discount or the increase on the fee to be paid.




Figure 9: User's Transactions Page mockup

Car Screen

The mockup in Figure 10 shows the car screen where useful information are visualized, for example the current level of charge, the duration of the rent and how much the USER has to pay before any discount or increase on the fee are applied.




Figure 10: Car Screen mockup

3.1.2 Hardware Interfaces

Device should be enabled with Internet and GPS receiver.

3.1.3 Software Interfaces

The user's browser should be HTML5 compatible and the resolution should be at least 1280x720 for a satisfactory user experience.

3.2 Functional Requirements

In this section we explain all the functional requirements necessary to reach a specific goal. For each goal that was mentioned in the first section here we write its requirements.

G1 :

- R1- During the registration visitors can't choose an username already in use.
- R2- During the registration visitors can't choose an e-mail already in use.
- R3- During the registration visitors must insert valid credit card's information.
- R4- During the registration visitors must insert a valid driving license.
- R5- During the registration visitors must agree with the privacy conditions to use the system.

G2 :

- R1- The registration must be successfully completed.
- R2- The user must insert the correct old password.
- R3- The user must repeat twice the new password.
- R4- The user must upload a valid picture.

G3 :

- R1- The user must be registered at the system.
- R2- In the log in form the user must insert the correct username.
- R3- In the log in form the user must insert the correct password.
- R4- If the visitor insert the wrong data, the system shows an error and return to the log in page.

- R5– If the user doesn't remember the password he can receive it through a special command.

G4 :

- R1– The user must insert a valid address or give to the system his position.
- R2– All cars position must be known.
- R3– All cars are set as available or not.
- R4– The list of nearest cars is made through calculate the distance between car and user's position.

G5 :

- R1– The user must be correctly logged in.
- R2– The user must select which car he wants.
- R3– The user must select only date and times valid for the reservation.

G6 :

- R1– The position of the user and the car must be the same.
- R2– The reservation must not be expired.
- R3– The system must recognize the correct car reserved by a specific user to unlock the correct one.

G7 :

- R1– The car's engine must ignite.
- R2– An amount of money per minute is set.
- R3– The final charge is based on the duration of the car use.
- R4– The system must show all user's transactions.
- R5– The user must select a specific transaction to see its details.

G8 :

- R1– There must be a display on the car that communicates with the system.
- R2– The charge is updated every minute.

G9 :

- R1- It must be passed one hour from the registration.
- R2- Is applied a fee of 1 euro to the user involved.
- R3- The reservation is deleted.
- R4- In the page there is a timer.

G10 :

- R1- The user must be correctly logged in.
- R2- The user must go to the reservation page.
- R3- Mustn't be passed one hour from the reservation.

G11 :

- R1- The reservation is correctly deleted by a user or it is expired.
- R2- The car is set available in the list.

G12 :

- R1- A list of safe areas must be available to the user.
- R2- The car must be left in a safe area.
- R3- The user and all any passengers must exit from the car.

G13 :

- R1- The car must be used by a user.
- R2- Discounts are in a list where is defined all details.
- R3- In the car there is a sensor which counts how many people there are in the car, if they are three or more a discount is applied.
- R4- In the car there is a sensor which controls how many battery is empty, if it is no more than 50 per cent the system applied a discount.
- R5- If the user takes care to link the car to recharge the car he will have a discount.

G14 :

- R1- The car must have been recently used.
- R2- Most of 80 per cent of the battery is empty.
- R3- The car is left far away from a safe area.

G15 :

- R1- The user must go to the specific page.
- R2- The user must insert a correct position.

G16 :

- R1- The user must go to the specific page.
- R2- The user must insert a correct position.

3.3 Scenario Identification

3.3.1 Scenario 1: Registration and Log in

Monica is a ecologist girl who everyday goes at work by train because her work place is attainable only by train or by car. One day she goes to the train station but there is a strike, she is desperate: how can she go to work? Talking with other people in the station she learns that exists a car-sharing that provides only electric cars and that she can reserve a car trough an application on her mobile phone, this application is "*PowerEnJoy*". She quickly goes to the web site and download the app but to use it she must register giving some data, her driving license number and her credit card information; she insert all the correct data and as soon as she press the registration button in her mail box arrives a new e-mail with a password to access the system: she is now a new user. In the log in page she insert her username and the password recieved so she can easily enter in the system. Monica is now in her personal page where she can change the password or insert a picture to personalize her profile.

3.3.2 Scenario 2: Reserve a car

Mario wants to reserve an electric car to go with his girlfriend to have a pic-nic in a beautiful meadow in mountain. He quickly enters in the "*PowerEnJoy*" app and goes to the reservation page that is very simple to use: he only must insert a position and the system will search for an available car nearby. In the box he can insert his specific position activating his Smartphone GPS or insert a different one: he chooses the first option. In the map on the reservation page appear immediately two cars that are available, when he select one of them he can see a curtain with the time distance between him and the car, the car's level of the battery and its status like "charging". He choose the best one and pressed the button "***Reserve!***": immediately the

reservation is confirmed and appears a timer to remind him that he has one hour to pick up the car.

3.3.3 Scenario 3: Pick up a car

Luca has reserved a car and now, thanks to the map in the reservation page, he walked towards the car. As soon as he is nearby the car he pressed the button "*I'm there!*", the system compares his position and the car's position: they are the same so the car is unlocked and Luca can enter in it. In the car there is a screen where he can see his username, the car's number, the battery level so he can know when he must charge the car and, very important, the time passed from the moment he has picked up the car with the corresponding amount to pay.

3.3.4 Scenario 4: Charge, park and lock a car

Maria is, from a long time, using a car picked up through the "*PowerEnJoy*" app, she goes everywhere to do shopping so she consume a lot of battery. She see that the battery level is low and she must charge it; she know that in the app there is a page to consult the list of power grid station near a specific position so no one will remain "on foot". She access the app using her Smartphone and goes to the needed page, she activates her GPS so in the map appears a station that she can reach quickly; when she arrives she links the car to charge it. After that she continues her shopping; when she has finished all the commissions she wants to park the car in a safe area so, just as she has done before, she goes to the safe area's page, insert her position and a list of areas will appears on the map. She chooses for the best one and goes there, as soon as she park the car and exit from it the system automatically lock it.

3.3.5 Scenario 5: Transaction

Fabio is in a shop and, at the moment to pay, the shop assistant tell to him that he has reached the daily credit card's limit. He is furious and can not understand how it is possible, suddenly he reminds that in the morning he has picked up a car from "*PowerEnJoy*" and he thinks that the system has charged him more than necessary. Fortunately in the app there is a page with the details of all the transaction; he access in his personal page and goes to the transaction's page: here there is a list and, when one of the list entry is selected, all its details appear. He selected that corresponding to the morning reservation: the charge is correct because is specified the time of car using

and the amount calculates from a specified cost per minute. He has spent his money in an another way.

3.3.6 Scenario 6: Reservation expired

Giusy telephone starts ringing: is her best friend who tells that she not need to share a car because someone will go to get her. Giusy has already make a car reservation but she knows that she can delete it without problems because in the app reservation page there is a button specific to do this action. "There is no hurry" thinks Giusy so she continues to do her work: she has forget that the reservation will last only one hour. After a lot of time she remember that has not delete the car reservation yet so she takes her computer and goes to the site but when she arrives at the reservation's page there is a surprise: the timer strikes 00:00 and there is a red written " The reservation time is expired. You will be charged 1 euro fee.". Next time she will pay more attention.

3.4 UML Models

3.4.1 Use Case Diagram

The Figure 11 shows the actors involved in the system, how they relate with it and all the ways in which they can use the functionalities provided by "*PowerEnJoy*".




Figure 11: Use Case Diagram

3.4.2 Use Case Description

Registration

Actor	Visitor
Goal	G1
Requirements Associated	G1.R1,G1.R2,G1.R3,G1.R4,G1.R5
Precondition	The Visitor reach the registration form after access the application home page
Trigger	The Visitor has press the "Register Now!" button
Successful end condition	The Visitor is now a new User
Failed end condition	The Visitor is requested to try again because an error occurs
Main flow	<ol style="list-style-type: none">1. The Visitor completes the registration form with all the necessary data.2. The Visitor submits the form.3. The system verifies that nickname and e-mail are not in used.4. The system saves all the visitor's data in the database.5. The system shows a confirmation message.
Extensions	
Inclusions	"See the registration form"

Table 1: Registration Use Case

Log In

Actor	Visitor
Goal	G3
Requirements Associated	G3.R1,G3.R2,G3.R3,G3.R4,G3.R5
Precondition	The Visitor reach the log in form after correctly register at the system
Trigger	The Visitor has press the "Sign In!" button
Successful end condition	The Visitor is now a User and can do all the operations
Failed end condition	The Visitor doesn't insert the correct data or is not registered
Main flow	<ol style="list-style-type: none">1. The Visitor insert username and password.2. The Visitor submits the log in form.3. The system verifies the data.4. The system shows the User page.
Extensions	
Inclusions	"Registration","Modify profile", "Verify transactions", "Reserve a car", "Search power grid stations", "Search safe areas"

Table 2: Log in Use Case

Modify profile

Actor	User
Goal	G2
Requirements Associated	G2.R1,G2.R2,G2.R3,G2.R4
Precondition	The User must be logged in
Trigger	The User has press the "Update" button
Successful end condition	The User's data are correctly upadated
Failed end condition	The new data are not correctly updated
Main flow	<ol style="list-style-type: none">1. The Visitor insert old password and/or a new picture.2. The Visitor submits the update form.3. The system verifies the data.4. The system must save the new update in the database.5. The system shows a confirmation message.
Extensions	
Inclusions	

Table 3: Modify profile Use Case

Verify transactions

Actor	User
Goal	G7
Requirements Associated	G7.R4,G7.R5
Precondition	The User must be logged in
Trigger	The User has selected a specific transaction from a list
Successful end condition	The User see all the selected transaction's details
Failed end condition	The User receives an error message
Main flow	1. The system shows all the user's transaction. 2. The User selects one form the list.
Extensions	
Inclusions	

Table 4: Verify transaction Use Case

Search safe area

Actor	User
Goal	G15
Requirements Associated	G15.R1,G15.R2
Precondition	The User must be logged in
Trigger	The User has insert a correct position.
Successful end condition	The User see all the nearest safe areas
Failed end condition	The User receives an error message
Main flow	1. The user insert a correct position or activate the GPS. 2. The system shows on the map the safe areas. 3. The system must have a list of all the safe areas.
Extensions	
Inclusions	"Select a position"

Table 5: Search safe area Use Case

Search power grid station

Actor	User
Goal	G16
Requirements Associated	G16. R1 ,G16. R2
Precondition	The User must be logged in
Trigger	The User has insert a correct position.
Successful end condition	The User see all the nearest power grid stations
Failed end condition	The User receives an error message
Main flow	<ol style="list-style-type: none">1. The user insert a correct position or activate the GPS.2. The system shows on the map the power grid stations.3. The system must have a list of all the power grid stations.
Extensions	
Inclusions	"Select a position"

Table 6: Search power grid station Use Case

Reserve a car

Actor	User
Goal	G4,G5
Requirements Associated	G4.R1,G4.R2,G4.R3,G4.R4, G5.R1,G5.R2,G5.R3
Precondition	The User must be logged in
Trigger	The User has pressed the "Reserve!" button
Successful end condition	The User see all the nearest available cars
Failed end condition	The User receives an error message
Main flow	<ol style="list-style-type: none">1. The user insert a correct position or activate the GPS.2. The system shows on the map the available car.3. The User must select one of the cars.4. The system must shows all the selected car's detail.5. The User must submit the reservation form.6. The system saves all the reservation's details and start shows a timer.
Extensions	
Inclusions	"Select a position","Delete the reservation", "Confirm near car", "Select an available car"(that includes "See all car's details"), "See the reservation's timer"

Table 7: Reserve a car Use Case

Delete a reservation

Actor	User
Goal	G10,G11
Requirements Associated	G10.R1,G10.R2,G10.R3,G11.R1,G11.R2
Precondition	The User must have made a reservation
Trigger	The User has pressed the "Delete!" button
Successful end condition	The User receives a confirmation message
Failed end condition	The User receives an error message
Main flow	1. The user go to the reservation page. 2. The reservation must not be expired. 3. The system must set the car as available.
Extensions	
Inclusions	

Table 8: Delete a reservation Use Case

Confirm to be near the reserved car

Actor	User
Goal	G6
Requirements Associated	G6.R1,G6.R2,G6.R3
Precondition	The User must have made a reservation and must be near the car
Trigger	The User has pressed the "I'm There!" button
Successful end condition	The car is unlocked
Failed end condition	The car remains locked
Main flow	1. The user goes to the reservation page. 2. The reservation must not be expired. 3. The position of the user and the car must be the same.
Extensions	
Inclusions	

Table 9: Confirm to be near the reserved car Use Case

See the reservation timer

Actor	User
Goal	G9
Requirements Associated	G9.R4
Precondition	The User must have made a reservation
Trigger	The User goes to the reservation page
Successful end condition	The timer is showed
Failed end condition	The User receives an error message
Main flow	1. The user go to the reservation page. 2. The user must have made a reservation.
Extensions	
Inclusions	

Table 10: See the reservation timer Use Case

3.5 Performance Requirements

Performance must be acceptable to guarantee a quiet good level of usability, in fact we supposed the time between the reservation confirmation and the timer start is equal to zero as well as the time between the user arrival near the car and its unlock. The system performance is closely linked with user internet connection and so independent from our develop.

3.6 Design Constraints

All design constraints are linked with the language used to program.

3.7 Software System Attributes

3.7.1 Availability

Our system can be accessed in each time the user wants, it's only needs the internet connection so its availability is closely related to it presence. The fact that the system is always accessible does not guarantee the presence of available car: this is independent from our system.

3.7.2 Security

The user's data are all protected by the use of password and database's cryptography trough MD5 function. The transaction must be authorized by the user's bank and all its details are consultable in a user's page called "*My Transaction*" so the user can be sure that his credit card will not be used illegally.

3.7.3 Maintainability

The system maintainability depends on the API's develop but thanks to all the document it will be simple in the future to adapt the software to any change.

3.7.4 Portability

The application can be used to any OS so it has a very good portability.

3.8 Other Requirements

4 Appendix