

ZAP por Informe de Escaneo Checkmarx

Generated with  ZAP on mar 12 may 2026, at 14:33:24

ZAP Versión: 2.17.0

ZAP by [Checkmarx](#)

Contents

- [About This Report](#)
 - [Report Parameters](#)
- [Summaries](#)
 - [Alert Counts by Risk and Confidence](#)
 - [Alert Counts by Site and Risk](#)
 - [Alert Counts by Alert Type](#)
 - [Insights](#)
- [Alerts](#)
 - [Risk=Medio, Confidence=Alta \(2\)](#)
 - [Risk=Bajo, Confidence=Alta \(1\)](#)
 - [Risk=Informativo, Confidence=Alta \(1\)](#)
 - [Risk=Informativo, Confidence=Media \(1\)](#)

- [Risk=Informativo, Confidence=Baja \(1\)](#)
- [Appendix](#)
 - [Alert Types](#)

About This Report

Report Parameters

Contexts

No contexts were selected, so all contexts were included by default.

Sites

The following sites were included:

- <http://localhost:3000>

(If no sites were selected, all sites were included by default.)

An included site must also be within one of the included contexts for its data to be included in the report.

Risk levels

Included: [Alto](#), [Medio](#), [Bajo](#), [Informativo](#)

Excluded: None

Confidence levels

Included: [Confirmado por Usuario](#), [Alta](#), [Media](#), [Baja](#)

Excluded: [Confirmado por Usuario](#), [Alta](#), [Media](#), [Baja](#), [Falso positivo](#)

Summaries

Alert Counts by Risk and Confidence

This table shows the number of alerts for each level of risk and confidence included in the report.

(The percentages in brackets represent the count as a percentage of the total number of alerts included in the report, rounded to one decimal place.)

		Confidence				
Risk		Confirmado por Usuario	Alta	Media	Baja	Total
	Alto	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)
	Medio	0 (0,0 %)	2 (33,3 %)	0 (0,0 %)	0 (0,0 %)	2 (33,3 %)
	Bajo	0 (0,0 %)	1 (16,7 %)	0 (0,0 %)	0 (0,0 %)	1 (16,7 %)
	Informativo	0 (0,0 %)	1 (16,7 %)	1 (16,7 %)	1 (16,7 %)	3 (50,0 %)
	Total	0 (0,0 %)	4 (66,7 %)	1 (16,7 %)	1 (16,7 %)	6 (100%)

Alert Counts by Site and Risk

This table shows, for each site for which one or more alerts were raised, the number of alerts raised at each risk level.

Alerts with a confidence level of "False Positive" have been excluded from these counts.

(The numbers in brackets are the number of alerts raised for the site at or above that risk level.)

		Risk			
		Alto	Medio	Bajo	Informativo
		(= Alto)	(>= Medio)	(>= Bajo)	(>= Informa tivo)
http://localhost:3000		0	2	1	3
Site		(0)	(2)	(3)	(6)

Alert Counts by Alert Type

This table shows the number of alerts of each alert type, together with the alert type's risk level.

(The percentages in brackets represent each count as a percentage, rounded to one decimal place, of the total number of alerts included in this report.)

Alert type	Risk	Count
CSP: Failure to Define Directive with No Fallback	Medio	5 (83,3 %)
CSP: style-src unsafe-inline	Medio	5 (83,3 %)
El servidor filtra información de versión a través del campo "Server" del encabezado de respuesta HTTP	Bajo	5 (83,3 %)
Atributo de elemento HTML controlable por el usuario (XSS potencial)	Informativo	2 (33,3 %)
Total		6

Alert type	Risk	Count
Petición de Autenticación Identificada	Informativo	1 (16,7 %)
Respuesta de Gestión de Sesión Identificada	Informativo	5 (83,3 %)
Total		6

Insights

This table shows information that is likely to be very relevant to you, but which is not related to vulnerabilities, or potentially even related to the application in question.

Level	Razón	Site	Descripción	Statistic
Bajo	Advertencia		ZAP errors logged - see the zap.log file for details	2
Bajo	Advertencia		ZAP warnings logged - see the zap.log file for details	5
Información	Informativo	http://localhost:3000	Percentage of responses with status code 2xx	58 %
Información	Informativo	http://localhost:3000	Percentage of responses with status code 3xx	2 %
Información	Informativo	http://localhost:3000	Percentage of responses with status code 4xx	39 %

Level	Razón	Site	Descripción	Statistic
Información	Informativo	http://localhost:3000	Percentage of endpoints with content type text/html	100 %
Información	Informativo	http://localhost:3000	Percentage of endpoints with method GET	71 %
Información	Informativo	http://localhost:3000	Percentage of endpoints with method POST	28 %
Información	Informativo	http://localhost:3000	Count of total endpoints	7

Alerts

Risk=Medio, Confidence=Alta (2)

http://localhost:3000 (2)

CSP: Failure to Define Directive with No Fallback (1)

► GET http://localhost:3000/

CSP: style-src unsafe-inline (1)

► GET http://localhost:3000/

Risk=Bajo, Confidence=Alta (1)

<http://localhost:3000> (1)

El servidor filtra información de versión a través del campo "Server" del encabezado de respuesta HTTP (1)

► GET <http://localhost:3000/>

Risk=Informativo, Confidence=Alta (1)

<http://localhost:3000> (1)

Petición de Autenticación Identificada (1)

► POST <http://localhost:3000/login>

Risk=Informativo, Confidence=Media (1)

<http://localhost:3000> (1)

Respuesta de Gestión de Sesión Identificada (1)

► GET <http://localhost:3000/login>

Risk=Informativo, Confidence=Baja (1)

<http://localhost:3000> (1)

Atributo de elemento HTML controlable por el usuario (XSS potencial) (1)

► POST <http://localhost:3000/register>

Appendix

Alert Types

This section contains additional information on the types of alerts in the report.

CSP: Failure to Define Directive with No Fallback

Source	raised by a passive scanner (CSP)
CWE ID	693
WASC ID	15
Reference	▪ https://www.w3.org/TR/CSP/ ▪ https://caniuse.com/#search=content+security+policy ▪ https://content-security-policy.com/ ▪ https://github.com/HtmlUnit/htmlunit-csp ▪ https://web.dev/articles/csp#resource-options

CSP: style-src unsafe-inline

Source	raised by a passive scanner (CSP)
CWE ID	693
WASC ID	15
Reference	▪ https://www.w3.org/TR/CSP/ ▪ https://caniuse.com/#search=content+security

[y+policy](#)

- <https://content-security-policy.com/>
- <https://github.com/HtmlUnit/htmlunit-csp>
- <https://web.dev/articles/csp#resource-options>

El servidor filtra información de versión a través del campo "Server" del encabezado de respuesta HTTP

Source	raised by a passive scanner (Cabecera de Respuesta del Servidor HTTP)
CWE ID	497
WASC ID	13
Reference	▪ https://httpd.apache.org/docs/current/mod/core.html#servertokens ▪ https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10) ▪ https://www.troyhunt.com/shhh-dont-let-your-response-headers/

Atributo de elemento HTML controlable por el usuario (XSS potencial)

Source	raised by a passive scanner (Atributo de elemento HTML controlable por el usuario (XSS potencial) .)
CWE ID	20
WASC ID	20

Reference

■ https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html

Petición de Autenticación Identificada**Source**

raised by a passive scanner ([Petición de Autenticación Identificada](#))

Reference

■ <https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/>

Respuesta de Gestión de Sesión Identificada**Source**

raised by a passive scanner ([Respuesta de Gestión de Sesión Identificada](#))

Reference

■ <https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/>