Namespace Fl.Shared.Utils.Components.Logging.Extensions.Builder

Classes

LoggingWebApplicationBuilderExtensions

Class LoggingWebApplicationBuilderExtensions

Namespace: Fl.Shared.Utils.Components.Logging.Extensions.Builder

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public static class LoggingWebApplicationBuilderExtensions
```

Inheritance

object ← LoggingWebApplicationBuilderExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddSerilogLogging(WebApplicationBuilder)

```
public static WebApplicationBuilder AddSerilogLogging(this
WebApplicationBuilder builder)
```

Parameters

`builder` WebApplicationBuilder

Returns

WebApplicationBuilder

Namespace Fl.Shared.Utils.Components.Logging.Extensions.Either

Classes

EitherLoggingExtensions

Class EitherLoggingExtensions

Namespace: Fl.Shared.Utils.Components.Logging.Extensions.Either

Assembly: Fl.Shared.Utils.Components.dll

```
public static class EitherLoggingExtensions
```

Inheritance

object ← EitherLoggingExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

TeeLog<T>(EitherAsync<Error, T>, ILogger, string)

```
public static EitherAsync<Error, T> TeeLog<T>(this EitherAsync<Error, T> value,
ILogger logger, string componentName)
```

Parameters

`value` EitherAsync<Error, T>

`logger` ILogger

`componentName` string

Returns

EitherAsync<Error, T>

Type Parameters

`T`

TeeLog<T>(EitherAsync<Error, T>, ILogger, string, params object[])

```
public static EitherAsync<Error, T> TeeLog<T>(this EitherAsync<Error, T> value,
ILogger logger, string template, params object[] parameters)
```

Parameters

`value` EitherAsync<Error, T>

`logger` ILogger

`template` string

`parameters` object[]

Returns

EitherAsync<Error, T>

Type Parameters

`T`

TeeLog<T>(Either<Error, T>, ILogger, string)

```
public static Either<Error, T> TeeLog<T>(this Either<Error, T> value, ILogger
logger, string componentName)
```

Parameters

`value` Either<Error, T>

`logger` ILogger

`componentName` string

Returns

Either<Error, T>

Type Parameters

T

TeeLog<T>(Either<Error, T>, ILogger, string, params object[])

```
public static Either<Error, T> TeeLog<T>(this Either<Error, T> value, ILogger
logger, string template, params object[] parameters)
```

Parameters

value Either<Error, T>

logger ILogger

template string

parameters object[]

Returns

Either<Error, T>

Type Parameters

T

Namespace Fl.Shared.Utils.Components.Logging.Extensions.Error

Classes

ErrorExtensions

Class ErrorExtensions

Namespace: Fl.Shared.Utils.Components.Logging.Extensions.Error

Assembly: Fl.Shared.Utils.Components.dll

```
public static class ErrorExtensions
```

Inheritance

object ← ErrorExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

ToLoggingAction(Error, ILogger, string)

```
public static Action ToLoggingAction(this Error err, ILogger logger,
string componentName)
```

Parameters

`err` Error

`logger` ILogger

`componentName` string

Returns

Action

ToLoggingAction(Error, ILogger, string, params object[])

```
public static Action ToLoggingAction(this Error err, ILogger logger, string
template, params object[] parameters)
```

Parameters

`err` Error

`logger` ILogger

`template` string

`parameters` object[]

Returns

Action

Namespace Fl.Shared.Utils.Components.Logging.Extensions.HostBuilder

Classes

HostBuilderExtensions

Class HostBuilderExtensions

Namespace: Fl.Shared.Utils.Components.Logging.Extensions.HostBuilder

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public static class HostBuilderExtensions
```

Inheritance

object ← HostBuilderExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddSerilogLogging(IHostBuilder, SerilogConfiguration)

```
public static IHostBuilder AddSerilogLogging(this IHostBuilder builder,
SerilogConfiguration cfg)
```

Parameters

`builder` IHostBuilder

`cfg` SerilogConfiguration

Returns

IHostBuilder

AddSerilogLogging(IHostBuilder, IConfiguration)

```
public static IHostBuilder AddSerilogLogging(this IHostBuilder builder,
IConfiguration configuration)
```

Parameters

`builder` IHostBuilder

`configuration` IConfiguration

Returns

IHostBuilder

Namespace Fl.Shared.Utils.Components.Logging.Extensions.LoggerConfiguration

Classes

LoggerConfigurationExtensions

Class LoggerConfigurationExtensions

Namespace: Fl.Shared.Utils.Components.Logging.Extensions.LoggerConfiguration

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public static class LoggerConfigurationExtensions
```

Inheritance

object ← LoggerConfigurationExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

ConfigureDefault(LoggerConfiguration)

```
public static LoggerConfiguration ConfigureDefault(this LoggerConfiguration config)
```

Parameters

`config` LoggerConfiguration

Returns

LoggerConfiguration

ConfigureDefault(LoggerConfiguration, SerilogConfiguration)

```
public static LoggerConfiguration ConfigureDefault(this LoggerConfiguration config,
SerilogConfiguration cfg)
```

Parameters

`config` LoggerConfiguration

`cfg` SerilogConfiguration

Returns

LoggerConfiguration

ConfigureDefault(LoggerConfiguration, LogEventLevel)

```
public static LoggerConfiguration ConfigureDefault(this LoggerConfiguration config,
LogEventLevel level)
```

Parameters

`config` LoggerConfiguration

`level` LogEventLevel

Returns

LoggerConfiguration

ConfigureDefault(LoggerConfiguration, LogEventLevel, IDictionary<string, LogEventLevel>)

```
public static LoggerConfiguration ConfigureDefault(this LoggerConfiguration config,
LogEventLevel level, IDictionary<string, LogEventLevel> overrides)
```

Parameters

`config` LoggerConfiguration

`level` LogEventLevel

`overrides` IDictionary<string, LogEventLevel>

Returns

LoggerConfiguration

Namespace Fl.Shared.Utils.Components.Logging.Models

Classes

SerilogConfiguration

Class SerilogConfiguration

Namespace: Fl.Shared.Utils.Components.Logging.Models

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public record SerilogConfiguration : IEquatable<SerilogConfiguration>
```

Inheritance

object ← SerilogConfiguration

Implements

IEquatable<SerilogConfiguration>

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Customer

```
public string Customer { get; init; }
```

Property Value

string

Environment

```
public string Environment { get; init; }
```

Property Value

string

MinimumLevel

```
public LogEventLevel MinimumLevel { get; init; }
```

Property Value

LogEventLevel

Overrides

```
public IDictionary<string, LogEventLevel> Overrides { get; init; }
```

Property Value

IDictionary<string, LogEventLevel>

System

```
public string System { get; init; }
```

Property Value

string

Namespace Fl.Shared.Utils.Components.Web.Endpoints

Interfaces

IEndpoint

Interface IEndpoint

Namespace: Fl.Shared.Utils.Components.Web.Endpoints

Assembly: Fl.Shared.Utils.Components.dll

```
public interface IEndpoint
```

Methods

DefineEndpoints(WebApplication)

```
WebApplication DefineEndpoints(WebApplication app)
```

Parameters

`app` WebApplication

Returns

WebApplication

Namespace Fl.Shared.Utils.Components.Web.Extensions.ServiceCollection

Classes

EndpointServiceCollectionExtensions

JsonSerializationServiceCollectionExtensions

RoutingBasePathServiceCollectionExtensions

ServiceCollectionExtensions

Class EndpointServiceCollectionExtensions

Namespace: Fl.Shared.Utils.Components.Web.Extensions.ServiceCollection

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage]
public static class EndpointServiceCollectionExtensions
```

Inheritance

object ← EndpointServiceCollectionExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddEndpointDefinitions(IServiceCollection, params Assembly[])

```
public static IServiceCollection AddEndpointDefinitions(this IServiceCollection
services, params Assembly[] assemblies)
```

Parameters

`services` IServiceCollection

`assemblies` Assembly[]

Returns

IServiceCollection

AddEndpointDefinitions(IServiceCollection, params Type[])

```
public static IServiceCollection AddEndpointDefinitions(this IServiceCollection
services, params Type[] scanMarkers)
```

Parameters

`services` IServiceCollection

`scanMarkers` Type[]

Returns

IServiceCollection

Class JsonSerializationServiceCollectionExtensions

Namespace: Fl.Shared.Utils.Components.Web.Extensions.ServiceCollection

Assembly: Fl.Shared.Utils.Components.dll

```
public static class JsonSerializationServiceCollectionExtensions
```

Inheritance

object ← JsonSerializationServiceCollectionExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddJsonSerializationConfiguration(IServiceCollection)

```
public static IServiceCollection AddJsonSerializationConfiguration(this
IServiceCollection services)
```

Parameters

`services` IServiceCollection

Returns

IServiceCollection

Class RoutingBasePathServiceCollectionExtensions

Namespace: Fl.Shared.Utils.Components.Web.Extensions.ServiceCollection

Assembly: Fl.Shared.Utils.Components.dll

```
public static class RoutingBasePathServiceCollectionExtensions
```

Inheritance

object ← RoutingBasePathServiceCollectionExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddRoutingBasePath(IServiceCollection, IConfiguration)

```
public static IServiceCollection AddRoutingBasePath(this IServiceCollection
services, IConfiguration configuration)
```

Parameters

`services` IServiceCollection

`configuration` IConfiguration

Returns

IServiceCollection

Class ServiceCollectionExtensions

Namespace: Fl.Shared.Utils.Components.Web.Extensions.ServiceCollection

Assembly: Fl.Shared.Utils.Components.dll

```
public static class ServiceCollectionExtensions
```

Inheritance

object ← ServiceCollectionExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddDefaultComponents(IServiceCollection, IConfiguration)

```
public static IServiceCollection AddDefaultComponents(this IServiceCollection
services, IConfiguration config)
```

Parameters

`services` IServiceCollection

`config` IConfiguration

Returns

IServiceCollection

AddFromAppConfiguration<T>(IServiceCollection, IConfiguration)

```
public static IServiceCollection AddFromAppConfiguration<T>(this IServiceCollection
services, IConfiguration config) where T : class, new()
```

Parameters

`services` IServiceCollection

`config` IConfiguration

Returns

IServiceCollection

Type Parameters

`T`

Namespace Fl.Shared.Utils.Components.Web.Extensions.WebApplication

Classes

ApplicationBuilderExtensions

EndpointWebApplicationExtensions

RoutingBasePathWebApplicationExtensions

Class ApplicationBuilderExtensions

Namespace: Fl.Shared.Utils.Components.Web.Extensions.WebApplication

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public static class ApplicationBuilderExtensions
```

Inheritance

object ← ApplicationBuilderExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

UseDefaultMiddlewares(WebApplication)

```
public static WebApplication UseDefaultMiddlewares(this WebApplication app)
```

Parameters

`app` WebApplication

Returns

WebApplication

Class EndpointWebApplicationExtensions

Namespace: Fl.Shared.Utils.Components.Web.Extensions.WebApplication

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "Static method involving extension
method calls")]
public static class EndpointWebApplicationExtensions
```

Inheritance

object ← EndpointWebApplicationExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

UseEndpointDefinitions(WebApplication)

```
public static WebApplication UseEndpointDefinitions(this WebApplication app)
```

Parameters

app WebApplication

Returns

WebApplication

Class RoutingBasePathWebApplicationExtensions

Namespace: Fl.Shared.Utils.Components.Web.Extensions.WebApplication

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "untestable sealed class WebApplication")]
public static class RoutingBasePathWebApplicationExtensions
```

Inheritance

object ← RoutingBasePathWebApplicationExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

UseRoutingBasePath(WebApplication)

```
public static WebApplication UseRoutingBasePath(this WebApplication app)
```

Parameters

`app` WebApplication

Returns

WebApplication

Namespace Fl.Shared.Utils.Components.Web.Middlewares.ExceptionHandler

Classes

ExceptionHandlerApplicationBuilderExtensions

JsonExceptionHandlerMiddleware

RequestLogContextServiceCollectionExtensions

Class ExceptionHandlerApplicationBuilderExtensions

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.ExceptionHandler

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public static class ExceptionHandlerApplicationBuilderExtensions
```

Inheritance

object ← ExceptionHandlerApplicationBuilderExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

UseJsonExceptionHandler(WebApplication)

```
public static WebApplication UseJsonExceptionHandler(this WebApplication app)
```

Parameters

`app` WebApplication

Returns

WebApplication

Class JsonExceptionHandlerMiddleware

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.ExceptionHandler

Assembly: Fl.Shared.Utils.Components.dll

```
public class JsonExceptionHandlerMiddleware : IMiddleware
```

Inheritance

object ← JsonExceptionHandlerMiddleware

Implements

IMiddleware

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

InvokeAsync(HttpContext, RequestDelegate)

Request handling method.

```
public Task InvokeAsync(HttpContext context, RequestDelegate next)
```

Parameters

`context` HttpContext

The HttpContext for the current request.

`next` RequestDelegate

The delegate representing the remaining middleware in the request pipeline.

Returns

Task

A Task that represents the execution of this middleware.

Class RequestLogContextServiceCollectionExtensions

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.ExceptionHandler

Assembly: Fl.Shared.Utils.Components.dll

```
public static class RequestLogContextServiceCollectionExtensions
```

Inheritance

object ← RequestLogContextServiceCollectionExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddExceptionHandler(IServiceCollection)

```
public static IServiceCollection AddExceptionHandler(this
IServiceCollection services)
```

Parameters

`services` IServiceCollection

Returns

IServiceCollection

Namespace Fl.Shared.Utils.Components.Web.Middlewares.RequestLogContext

Classes

RequestLogContextApplicationBuilderExtensions

RequestLogContextMiddleware

RequestLogContextServiceCollectionExtensions

Class RequestLogContextApplicationBuilderExtensions

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.RequestLogContext

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public static class RequestLogContextApplicationBuilderExtensions
```

Inheritance

object ← RequestLogContextApplicationBuilderExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

UseRequestLogContext(WebApplication)

```
public static WebApplication UseRequestLogContext(this WebApplication app)
```

Parameters

`app` WebApplication

Returns

WebApplication

Class RequestLogContextMiddleware

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.RequestLogContext

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "it uses global static LogContext")]
public class RequestLogContextMiddleware : IMiddleware
```

Inheritance

object ← RequestLogContextMiddleware

Implements

IMiddleware

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

RequestLogContextMiddleware(ICorrelationContextAccessor)

```
public RequestLogContextMiddleware(ICorrelationContextAccessor accessor)
```

Parameters

`accessor` ICorrelationContextAccessor

Methods

InvokeAsync(HttpContext, RequestDelegate)

Request handling method.

```
public Task InvokeAsync(HttpContext context, RequestDelegate next)
```

Parameters

`context` HttpContext

The HttpContext for the current request.

`next` RequestDelegate

The delegate representing the remaining middleware in the request pipeline.

Returns

Task

A Task that represents the execution of this middleware.

Class RequestLogContextServiceCollectionExtensions

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.RequestLogContext

Assembly: Fl.Shared.Utils.Components.dll

```
public static class RequestLogContextServiceCollectionExtensions
```

Inheritance

object ← RequestLogContextServiceCollectionExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddRequestLogContext(IServiceCollection)

```
public static IServiceCollection AddRequestLogContext(this
IServiceCollection services)
```

Parameters

`services` IServiceCollection

Returns

IServiceCollection

Namespace Fl.Shared.Utils.Components.Web.Middlewares.ServiceDescription

Classes

RequestLogContextServiceCollectionExtensions

ServiceDescriptionApplicationBuilderExtensions

ServiceDescriptionMiddleware

ServiceDescriptionWebApplicationBuilderExtensions

Class RequestLogContextServiceCollectionExtensions

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.ServiceDescription

Assembly: Fl.Shared.Utils.Components.dll

```
public static class RequestLogContextServiceCollectionExtensions
```

Inheritance

object ← RequestLogContextServiceCollectionExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddServiceDescription(IServiceCollection, IConfiguration)

```
public static IServiceCollection AddServiceDescription(this IServiceCollection
services, IConfiguration configuration)
```

Parameters

`services` IServiceCollection

`configuration` IConfiguration

Returns

IServiceCollection

Class ServiceDescriptionApplicationBuilderExtensions

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.ServiceDescription

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public static class ServiceDescriptionApplicationBuilderExtensions
```

Inheritance

object ← ServiceDescriptionApplicationBuilderExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

UseServiceDescription(WebApplication)

```
public static WebApplication UseServiceDescription(this WebApplication app)
```

Parameters

`app` WebApplication

Returns

WebApplication

Class ServiceDescriptionMiddleware

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.ServiceDescription

Assembly: Fl.Shared.Utils.Components.dll

```
public class ServiceDescriptionMiddleware : IMiddleware
```

Inheritance

object ← ServiceDescriptionMiddleware

Implements

IMiddleware

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

ServiceDescriptionMiddleware(ServiceDescription)

```
public ServiceDescriptionMiddleware(ServiceDescription serviceDescription)
```

Parameters

`serviceDescription` ServiceDescription

Methods

InvokeAsync(HttpContext, RequestDelegate)

Request handling method.

```
public Task InvokeAsync(HttpContext context, RequestDelegate next)
```

Parameters

`context` HttpContext

The HttpContext for the current request.

`next` RequestDelegate

The delegate representing the remaining middleware in the request pipeline.

Returns

Task

A Task that represents the execution of this middleware.

Class ServiceDescriptionWebApplicationBuilderExtensions

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.ServiceDescription

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public static class ServiceDescriptionWebApplicationBuilderExtensions
```

Inheritance

object ← ServiceDescriptionWebApplicationBuilderExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddServiceDescriptionConfiguration(WebApplicationBuilder)

```
public static WebApplicationBuilder AddServiceDescriptionConfiguration(this
WebApplicationBuilder builder)
```

Parameters

`builder` WebApplicationBuilder

Returns

WebApplicationBuilder

AddServiceDescriptionConfiguration(WebApplicationBuilder, string)

```
public static WebApplicationBuilder AddServiceDescriptionConfiguration(this
WebApplicationBuilder builder, string jsonFile)
```

Parameters

`builder` WebApplicationBuilder

`jsonFile` string

Returns

WebApplicationBuilder

Namespace Fl.Shared.Utils.Components.Web.Middlewares.TraceLogContext

Classes

TraceLogContextApplicationBuilderExtensions

TraceLogContextMiddleware

TraceLogContextServiceCollectionExtensions

Class TraceLogContextApplicationBuilderExtensions

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.TraceLogContext

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public static class TraceLogContextApplicationBuilderExtensions
```

Inheritance

object ← TraceLogContextApplicationBuilderExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

UseTraceLogContext(WebApplication)

```
public static WebApplication UseTraceLogContext(this WebApplication app)
```

Parameters

`app` WebApplication

Returns

WebApplication

Class TraceLogContextMiddleware

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.TraceLogContext

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "it uses global static LogContext")]
public class TraceLogContextMiddleware : IMiddleware
```

Inheritance

object ← TraceLogContextMiddleware

Implements

IMiddleware

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

InvokeAsync(HttpContext, RequestDelegate)

Request handling method.

```
public Task InvokeAsync(HttpContext context, RequestDelegate next)
```

Parameters

`context` HttpContext

The HttpContext for the current request.

`next` RequestDelegate

The delegate representing the remaining middleware in the request pipeline.

Returns

Task

A Task that represents the execution of this middleware.

Class TraceLogContextServiceCollectionExtensions

Namespace: Fl.Shared.Utils.Components.Web.Middlewares.TraceLogContext

Assembly: Fl.Shared.Utils.Components.dll

```
[ExcludeFromCodeCoverage(Justification = "static extension methods")]
public static class TraceLogContextServiceCollectionExtensions
```

Inheritance

object ← TraceLogContextServiceCollectionExtensions

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

AddTraceLogContext(IServiceCollection)

```
public static IServiceCollection AddTraceLogContext(this IServiceCollection
services)
```

Parameters

`services` IServiceCollection

Returns

IServiceCollection

Namespace Fl.Shared.Utils.Components.Web.Models

Classes

ErrorResponse

RoutingConfiguration

ServiceDescription

Class ErrorResponse

Namespace: Fl.Shared.Utils.Components.Web.Models

Assembly: Fl.Shared.Utils.Components.Web.Models.dll

```
public record ErrorResponse : IEquatable<ErrorResponse>
```

Inheritance

object ← ErrorResponse

Implements

IEquatable<ErrorResponse>

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

ErrorResponse(string)

```
public ErrorResponse(string Message)
```

Parameters

`Message` string

Properties

Message

```
public string Message { get; init; }
```

Property Value

string

Class RoutingConfiguration

Namespace: Fl.Shared.Utils.Components.Web.Models

Assembly: Fl.Shared.Utils.Components.Web.Models.dll

```
[ExcludeFromCodeCoverage]
public record RoutingConfiguration : IEquatable<RoutingConfiguration>
```

Inheritance

object ← RoutingConfiguration

Implements

IEquatable<RoutingConfiguration>

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Fields

Default

```
public static readonly RoutingConfiguration Default
```

Field Value

RoutingConfiguration

Properties

PathBase

```
public string PathBase { get; init; }
```

Property Value

string

Class ServiceDescription

Namespace: Fl.Shared.Utils.Components.Web.Models

Assembly: Fl.Shared.Utils.Components.Web.Models.dll

```
[ExcludeFromCodeCoverage]
public record ServiceDescription : IEquatable<ServiceDescription>
```

Inheritance

object ← ServiceDescription

Implements

IEquatable<ServiceDescription>

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Properties

Name

```
public string Name { get; init; }
```

Property Value

string

Version

```
public string Version { get; init; }
```

Property Value

string

Namespace Fl.Shared.Utils.Mappers

Classes

DataHttpContentMapper<T>

Interfaces

IApiResultMapper<T>

IMapper<T1, T2>

Class DataHttpContentMapper<T>

Namespace: Fl.Shared.Utils.Mappers

Assembly: Fl.Shared.Utils.Mappers.dll

```
public class DataHttpContentMapper<T> : IApiResultMapper<T>, IMapper<Option<T>,
IResult>, IMapper<Error, IResult>
```

Type Parameters

`T`

Inheritance

object ← DataHttpContentMapper<T>

Implements

IApiResultMapper<T>, IMapper<Option<T>, IResult>, IMapper<Error, IResult>

Inherited Members

object.Equals(object) , object.Equals(object, object) , object.GetHashCode() , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

Map(Error)

```
public IResult Map(Error item)
```

Parameters

`item` Error

Returns

IResult

Map(Option<T>)

```
public IResult Map(Option<T> item)
```

Parameters

`item` Option<T>

Returns

IResult

Interface IApiResultMapper<T>

Namespace: Fl.Shared.Utils.Mappers

Assembly: Fl.Shared.Utils.Mappers.dll

```
public interface IApiResultMapper<T> : IMapper<Option<T>, IResult>,
IMapper<Error, IResult>
```

Type Parameters

T

Inherited Members

IMapper<Option<T>, IResult>.Map(Option<T>) , IMapper<Error, IResult>.Map(Error)

Interface IMapper<T1, T2>

Namespace: Fl.Shared.Utils.Mappers

Assembly: Fl.Shared.Utils.Mappers.dll

```
public interface IMapper<in T1, out T2>
```

Type Parameters

`T1`

`T2`

Methods

Map(T1)

```
T2 Map(T1 item)
```

Parameters

`item` T1

Returns

T2