fmocdmac — FM's OCD LaTeX Macro[*]

Fabio Mogavero

fm@fabiomogavero.com

Released 2021/05/10

Abstract

This package contains almost all the latex macros I heavily use in my tcs research activity and, in particular, in the writing of conference and journal articles. As few of my co-authors have kindly pointed out, and probably many have thought, they are somehow a clear expression of an underlying ocd-like behavior... hence the name!

1 Implementation & Usage

1 ⟨*package⟩

Required external packages:

```
2
3 \RequirePackage{etoolbox}
4
5 \RequirePackage{xargs}
6 \RequirePackage{xspace}
7 \RequirePackage{stringstrings}
8
```

Package options:

```
9
10 %% Auxiliary packages
11 \newif\ifaux@ \aux@false
12 \DeclareOption{aux}{\aux@true}
13 \DeclareOption{noaux}{\aux@false}
14
15
16 %% AMS defaults
17 \newif\ifamsdef@ \amsdef@true
18 \DeclareOption{noamsdef}{\amsdef@false}
19
20 %% AMS theorem tools
21 \newif\ifamsthm@ \amsthm@true
22 \DeclareOption{noamsthm}{\amsthm@false}
23
24 %% Theorem tools
25 \newif\ifthmtls@ \thmtls@true
26 \DeclareOption{nothmtls}{\thmtls@false}
27
28 %% Enumeration tools
29 \newif\ifenmtls@ \enmtls@true
30 \DeclareOption{noenmtls}{\enmtls@false}
31
32 %% Hyper reference
33 \newif\ifhypref@ \hypref@true
34 \DeclareOption{nohypref}{\hypref@false}
35
36 %% Font tools
```

---

[*]This document describes version v0.4 of the fmocdmac package, last revised 2021/05/10.

```latex
37 \newif\iffnttls@ \fnttls@true
38 \DeclareOption{nofnttls}{\fnttls@false}
39
40
41 %% Camera-ready version
42 \newif\ifcrv@ \crv@false
43 \DeclareOption{crv}{\crv@true}
44
45 %% Change bars
46 \newif\ifchgbar@ \chgbar@false
47 \DeclareOption{chgbar}{\chgbar@true}
48
49 %% Line numbers
50 \newif\iflinnum@ \linnum@false
51 \DeclareOption{linnum}{\linnum@true}
52
53
54 %% Text macro generation
55 \newif\iftxtgen@ \txtgen@false
56 \DeclareOption{txtgen}{\txtgen@true}
57 \DeclareOption{notxtgen}
58   {\txtgen@false\text@false\com@false\gam@false\log@false\aut@false}
59
60 %% Math macro generation
61 \newif\ifmthgen@ \mthgen@false
62 \DeclareOption{mthgen}{\mthgen@true}
63 \DeclareOption{nomthgen}
64   {\mthgen@false\math@false\gam@false\log@false\aut@false}
65
66
67 %% Elementary macros for text
68 \newif\iftext@ \text@false
69 \DeclareOption{text}{\text@true\txtgen@true}
70 \DeclareOption{notext}{\text@false}
71
72 %% Elementary macros for math
73 \newif\ifmath@ \math@false
74 \DeclareOption{math}{\math@true\mthgen@true}
75 \DeclareOption{nomath}{\math@false}
76
77
78 %% Macros for computational-complexity classes
79 \newif\ifcom@ \com@false
80 \DeclareOption{com}{\com@true\txtgen@true}
81 \DeclareOption{nocom}{\com@false}
82
83
84 %% Macros for games
85 \newif\ifgam@ \gam@false
86 \DeclareOption{gam}{\gam@true\txtgen@true\mthgen@true}
87 \DeclareOption{nogam}{\gam@false}
88
89 %% Macros for logics
90 \newif\iflog@ \log@false
91 \DeclareOption{log}{\log@true\txtgen@true\mthgen@true}
92 \DeclareOption{nolog}{\log@false}
93
94 %% Macros for automata
95 \newif\ifaut@ \aut@false
96 \DeclareOption{aut}{\aut@true\txtgen@true\mthgen@true}
97 \DeclareOption{noaut}{\aut@false}
98
99
```

```
100 %% Format-related tricks
101 \newif\iffrm@ \frm@false
102 \DeclareOption{frm}{\frm@true}
103 \DeclareOption{nofrm}{\frm@false}
104
105 %% Figure-related tricks
106 \newif\iffig@ \fig@false
107 \DeclareOption{fig}{\fig@true}
108 \DeclareOption{nofig}{\fig@false}
109
110 %% Table-related tricks
111 \newif\iftab@ \tab@false
112 \DeclareOption{tab}{\tab@true}
113 \DeclareOption{notab}{\tab@false}
114
115 %% Algorithm-related tricks
116 \newif\ifalg@ \alg@false
117 \DeclareOption{alg}{\alg@true}
118 \DeclareOption{noalg}{\alg@false}
119
```

Option-processing code:

```
120
121 \DeclareOption*{\PackageWarning{fmocdmac}{Unknown~'\CurrentOption'}}%
122
123 \ExecuteOptions{aux,txtgen,mthgen,text,math,com,gam,log,aut}%
124
125 \ProcessOptions\relax%
126
127 \ifcsdef{if@twocolumn}{}{\newif\if@twocolumn}
128
129 %%****************************************************************************%%
130 %%** Auxiliary Tricks ********************************************************%%
131 %%****************************************************************************%%
132 \ifaux@
133
134 \ifamsdef@
135   % AMS Packages
136   \RequirePackage{amsmath}
137   \RequirePackage{amssymb}
138   \interdisplaylinepenalty=2500
139 \fi
140
141 \ifamsthm@
142   % AMS Theorem Tools
143   \RequirePackage{amsthm}
144 \fi
145
146 \ifthmtls@
147   % Theorem Tools
148   \RequirePackage{thmtools, thm-restate}
149 \fi
150
151 \ifenmtls@
152   % Enumeration Tools
153   \RequirePackage{paralist}
154 \fi
155
156 \ifhypref@
157   % Hyper References
158   \RequirePackage{hyperref}
159 \fi
160
161 \iffnttls@
```

```
162   % Font Tools
163   \RequirePackage[final]{microtype}
164 \fi
165
166 \ifcrv@
167   % Camera-Ready Version
168
169   %%...
170
171 \else
172   % Draft Version
173
174   %%...
175
176   \ifchgbar@
177     % Change Bars
178     \RequirePackage{changebar}
179   \fi
180
181   \iflinnum@
182     % Line Numbers
183     \if@twocolumn
184       \RequirePackage[switch, columnwise, mathlines]{lineno}\linenumbers
185     \else
186       \RequirePackage[columnwise, mathlines]{lineno}\linenumbers
187     \fi
188   \fi
189
190   %%...
191
192 \fi
193
194 \fi
195 %%**********************************************************************%%
196 %%**********************************************************************%%
197 %%** Auxiliary Font Declarations ***************************************%%
198 %%**********************************************************************%%
```

\mathbbo — **Bbo Math Font:** ... to do!

```
199 \ifdef{\mathbbo}{}{\DeclareMathAlphabet{\mathbbo}{U}{bbold}{m}{n}}
```

\matheus — **Eus Math Font:** ... to do!

```
200 \ifdef{\matheus}{}{\DeclareMathAlphabet{\matheus}{U}{eus}{m}{n}}
```

\mathpzc — **Pzc Math Font:** ... to do!

```
201 \ifdef{\mathpzc}{}{\DeclareMathAlphabet{\mathpzc}{T1}{pzc}{m}{it}}
```

\mathscr — **Scr Math Font:** ... to do!

```
202 \ifdef{\mathscr}{}{\DeclareMathAlphabet{\mathscr}{U}{rsfs}{m}{n}}

203 %%**********************************************************************%%
204 %%**********************************************************************%%
205 %%** Auxiliary Alphabet Letters ****************************************%%
206 %%**********************************************************************%%
```

\omicron — **Auxiliary Greek lowercase letter:** ... to do!

```
207 \csdef{omicron}{o}
```

\Alpha, ... — **Auxiliary Greek uppercase letters:** ... to do!

```
208 \csdef{Alpha}{A} \csdef{Beta}{B} \csdef{Epsilon}{E} \csdef{varEpsilon}{E}
209 \csdef{Zeta}{Z} \csdef{Eta}{H} \csdef{Iota}{I} \csdef{Kappa}{K}
210 \csdef{varKappa}{K} \csdef{Mu}{M} \csdef{Nu}{N} \csdef{Omicron}{O}
211 \csdef{Rho}{P} \csdef{varRho}{P} \csdef{Tau}{T} \csdef{Chi}{X}
```

```
212 %%*********************************************************************%%
```

```
213 %%*********************************************************************%%
214 %%** Tools *************************************************************%%
215 %%*********************************************************************%%
```

\empchk   **Emptiness check:** \empchk{$\langle A \rangle$}{$\langle B \rangle$} evaluates to the empty string, if Argument $\langle A \rangle$ is empty, and to Argument $\langle B \rangle$, otherwise.

- \empchk{}{B} = ""
- \empchk{A}{B} = "B"

```
216 \newcommand{\empchk}[2]
217   {\if&#1&\else#2\fi}
```

\defval   **Default value:** \defval{$\langle A \rangle$}{$\langle B \rangle$} evaluates to Argument $\langle B \rangle$, if Argument $\langle A \rangle$ is empty, and to Argument $\langle A \rangle$ itself, otherwise.

- \defval{}{B} = "B"
- \defval{A}{B} = "A"

```
218 \newcommand{\defval}[2]
219   {\if&#1&#2\else#1\fi}
```

```
220 %%*********************************************************************%%
```

\arglef   **Left extension:** \arglef{$\langle A \rangle$}{$\langle B \rangle$} evaluates to the concatenation $\langle AB \rangle$ of the two arguments, if Argument $\langle B \rangle$ is non-empty, and to the empty string, otherwise.

- \arglef{A}{} = ""
- \arglef{A}{B} = "AB"

```
221 \newcommand{\arglef}[2]
222   {\empchk{#2}{#1\allowbreak#2}}
```

\argrig   **Right extension:** \argrig{$\langle A \rangle$}{$\langle B \rangle$} evaluates to the concatenation $\langle AB \rangle$ of the two arguments, if Argument $\langle A \rangle$ is non-empty, and to the empty string, otherwise.

- \argrig{}{B} = ""
- \argrig{A}{B} = "AB"

```
223 \newcommand{\argrig}[2]
224   {\empchk{#1}{#1\allowbreak#2}}
```

\argmid   **Middle extension:** \argmid{$\langle A \rangle$}{$\langle B \rangle$}{$\langle C \rangle$} evaluates to the concatenation $\langle ABC \rangle$ of the three arguments, if Argument $\langle B \rangle$ is non-empty, and to the empty string, otherwise.

- \argmid{A}{}{C} = ""
- \argmid{A}{B}{C} = "ABC"

```
225 \newcommand{\argmid}[3]
226   {\empchk{#2}{#1\allowbreak#2\allowbreak#3}}
```

\argsep   **Separators:** \argsep{$\langle A \rangle$}{$\langle B \rangle$}{$\langle C \rangle$} evaluates to Argument $\langle C \rangle$, if Argument $\langle A \rangle$ is empty, to Argument $\langle A \rangle$, if Argument $\langle C \rangle$ is empty, and to the concatenation $\langle ABC \rangle$, otherwise.

- \argsep{}{B}{C} = "C"
- \argsep{A}{B}{} = "A"
- \argsep{A}{}{C} = "AC"
- \argsep{A}{B}{C} = "ABC"

```
227 \newcommand{\argsep}[3]
228   {\if&#1&#3\else#1\allowbreak\arglef{#2}{#3}\fi}
```

```
229 %%*********************************************************************%%
```

\varcmd **Variadic commands:** `\varcmd{`⟨*A*⟩`}{`⟨*B*⟩`}{`⟨*C*⟩`}{`⟨*D*⟩`}{`⟨*E*⟩`}{`⟨*F*⟩`}` ... to do!

```
230 \newcommand{\varcmd}[6]
231   {\expandafter\newcommand\csname gobble#1arg\endcsname[2]
232     {\csname check#1arg\endcsname{\argsep{##1}{#4}{##2}}}%
233   \expandafter\newcommand\csname check#1arg\endcsname[1]
234     {\csname @ifnextchar\endcsname%
235       \bgroup{\csname gobble#1arg\endcsname{##1}}{#2{##1#5}#6}}%
236   \expandafter\newcommand\csname#1\endcsname[1]
237     {\csname check#1arg\endcsname{#3##1}}}
```

```
238 %%*************************************************************************%%
```

\seqoftag **Sequence of tags:** `\seqoftag{`⟨*A*⟩`}{`⟨*B*⟩`}{`⟨*C*⟩`}` ... to do!

```
239 \newcommand{\seqoftag}[3]
240   {\@for\itr:={#1}\do%
241     {\expandafter\csedef{\itr#2}%
242       {\noexpand\csname #3\endcsname{\itr}}}}
```

\seqofcmd **Sequence of commands:** `\seqofcmd{`⟨*A*⟩`}{`⟨*B*⟩`}{`⟨*C*⟩`}` ... to do!

```
243 \newcommand{\seqofcmd}[3]
244   {\@for\itr:={#1}\do%
245     {\expandafter\csedef{\itr#2}%
246       {\noexpand\csname #3\endcsname{\csname \itr\endcsname}}}}
```

```
247 %%*************************************************************************%%
```

\seqoflatlow **Sequence of Latin lowercase letters:** `\seqoflatlow{`⟨*A*⟩`}{`⟨*B*⟩`}` ... to do!

```
248 \newcommand{\seqoflatlow}
249   {\seqoftag{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w,x,y,z}}
```

\seqoflatupp **Sequence of Latin uppercase letters:** `\seqoflatupp{`⟨*A*⟩`}{`⟨*B*⟩`}` ... to do!

```
250 \newcommand{\seqoflatupp}
251   {\seqoftag{A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,R,S,T,U,V,W,X,Y,Z}}
```

\seqoflatlet **Sequence of Latin letters:** `\seqoflatlet{`⟨*A*⟩`}{`⟨*B*⟩`}` ... to do!

```
252 \newcommand{\seqoflatlet}[2]
253   {\seqoflatlow{#1}{#2}\seqoflatupp{#1}{#2}}
```

```
254 %%*************************************************************************%%
```

\seqofgrklow **Sequence of Greek lowercase letters:** `\seqofgrklow{`⟨*A*⟩`}{`⟨*B*⟩`}` ... to do!

```
255 \newcommand{\seqofgrklow}
256   {\seqofcmd{alpha,beta,gamma,delta,epsilon,varepsilon,zeta,eta,theta,vartheta,%
257   iota,kappa,varkappa,lambda,mu,nu,xi,omicron,pi,varpi,rho,varrho,sigma,%
258   varsigma,tau,upsilon,phi,varphi,chi,psi,omega}}
```

\seqofgrkupp **Sequence of Greek uppercase letters:** `\seqofgrkupp{`⟨*A*⟩`}{`⟨*B*⟩`}` ... to do!

```
259 \newcommand{\seqofgrkupp}
260   {\seqofcmd{Alpha,Beta,Gamma,Delta,Epsilon,varEpsilon,Zeta,Eta,Theta,varTheta,%
261   Iota,Kappa,varKappa,Lambda,Mu,Nu,Xi,Omicron,Pi,varPi,Rho,varRho,Sigma,%
262   varSigma,Tau,Upsilon,Phi,varPhi,Chi,Psi,Omega}}
```

\seqofgrklet **Sequence of Greek letters:** `\seqofgrklet{`⟨*A*⟩`}{`⟨*B*⟩`}` ... to do!

```
263 \newcommand{\seqofgrklet}[2]
264   {\seqofgrklow{#1}{#2}\seqofgrkupp{#1}{#2}}
```

```
265 %%*************************************************************************%%
```

\seqoflow **Sequence of lowercase letters:** `\seqoflow{`⟨*A*⟩`}{`⟨*B*⟩`}` ... to do!

```
266 \newcommand{\seqoflow}[2]
267   {\seqoflatlow{#1}{#2}\seqofgrklow{#1}{#2}}
```

\seqofupp **Sequence of uppercase letters:** `\seqofupp{⟨A⟩}{⟨B⟩}` ... to do!

```
268 \newcommand{\seqofupp}[2]
269   {\seqoflatupp{#1}{#2}\seqofgrkupp{#1}{#2}}
```

\seqoflet **Sequence of all letters:** `\seqoflet{⟨A⟩}{⟨B⟩}` ... to do!

```
270 \newcommand{\seqoflet}[2]
271   {\seqoflow{#1}{#2}\seqofupp{#1}{#2}}
```

```
272 %%**********************************************************************%%
273 %%**********************************************************************%%
274 %%** Text Meta Commands ************************************************%%
275 %%**********************************************************************%%
```

\newtxt ... to do!

- `\newtxt[\rmfamily]{Name}[sub][sup][Ext]` = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext"
- `\newtxt[\sffamily]{Name}[sub][sup][Ext]` = "Name$_{\mathsf{sub}}^{\mathsf{sup}}$Ext"
- `\newtxt[\ttfamily]{Name}[sub][sup][Ext]` = "Name$_{\mathtt{sub}}^{\mathtt{sup}}$Ext"

```
276 \newcommandx{\newtxt}[5][1=, 3=, 4=, 5=]
277   {\text{#1#2\txtsubsup[#1]{#3}{#4}#5}\xspace}
```

\newtxtsty ... to do!

- `\newtxtsty{\rmfamily}{Name}[sub][sup][Ext]` = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext"
- `\newtxtsty{\rmfamily}[\sffamily]{Name}[sub][sup][Ext]` = "Name$_{\mathsf{sub}}^{\mathsf{sup}}$Ext"
- `\newtxtsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Ext]` = "Name$_{\mathtt{sub}}^{\mathtt{sup}}$Ext"

```
278 \newcommandx{\newtxtsty}[2][2=]
279   {\newtxt[\defval{#2}{#1}]}
```

\newtxtarg ... to do!

- `\newtxtarg[\rmfamily]{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext1(Arg)Ext2"
- `\newtxtarg[\sffamily]{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "Name$_{\mathsf{sub}}^{\mathsf{sup}}$Ext1(Arg)Ext2"
- `\newtxtarg[\ttfamily]{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "Name$_{\mathtt{sub}}^{\mathtt{sup}}$Ext1(Arg)Ext2"

```
280 \newcommandx{\newtxtarg}[7][1=, 3=, 4=, 5=, 7=]
281   {\newtxt[#1]{#2}[#3][#4][#5\argmid{(}{#6}{)}]#7}
```

\newtxtargsty ... to do!

- `\newtxtargsty{\rmfamily}{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext1(Arg)Ext2"
- `\newtxtargsty{\rmfamily}[\sffamily]{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "Name$_{\mathsf{sub}}^{\mathsf{sup}}$Ext1(Arg)Ext2"
- `\newtxtargsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "Name$_{\mathtt{sub}}^{\mathtt{sup}}$Ext1(Arg)Ext2"

```
282 \newcommandx{\newtxtargsty}[2][2=]
283   {\newtxtarg[\defval{#2}{#1}]}
```

\newtxtoarg ... to do!

- `\newtxtoarg[\rmfamily]{Name}[sub][sup][Arg]` = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$(Arg)"
- `\newtxtoarg[\sffamily]{Name}[sub][sup][Arg]` = "Name$_{\mathsf{sub}}^{\mathsf{sup}}$(Arg)"
- `\newtxtoarg[\ttfamily]{Name}[sub][sup][Arg]` = "Name$_{\mathtt{sub}}^{\mathtt{sup}}$(Arg)"

```
284 \newcommandx{\newtxtoarg}[5][1=, 3=, 4=, 5=]
285   {\newtxtarg[#1]{#2}[#3][#4][]{#5}[]}
```

\newtxtoargsty ... to do!

- `\newtxtoargsty{\rmfamily}{Name}[sub][sup][Arg]` = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$(Arg)"
- `\newtxtoargsty{\rmfamily}[\sffamily]{Name}[sub][sup][Arg]` = "Name$_{\mathsf{sub}}^{\mathsf{sup}}$(Arg)"
- `\newtxtoargsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Arg]` = "Name$_{\mathtt{sub}}^{\mathtt{sup}}$(Arg)"

```
286 \newcommandx{\newtxtoargsty}[2][2=]
287   {\newtxtoarg[\defval{#2}{#1}]}
```

\newtxtpar ... to do!

- \newtxtpar[\rmfamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext1[Par]Ext2"
- \newtxtpar[\sffamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext1[Par]Ext2"
- \newtxtpar[\ttfamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext1[Par]Ext2"

```
288 \newcommandx{\newtxtpar}[7][1=, 3=, 4=, 5=, 7=]
289   {\newtxt[#1]{#2}[#3][#4][#5\argmid{[}{#6}{]}]#7}
```

\newtxtparsty   ... to do!

- \newtxtparsty{\rmfamily}{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext1[Par]Ext2"
- \newtxtparsty{\rmfamily}[\sffamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext1[Par]Ext2"
- \newtxtparsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext1[Par]Ext2"

```
290 \newcommandx{\newtxtparsty}[2][2=]
291   {\newtxtpar[\defval{#2}{#1}]}
```

\newtxtopar   ... to do!

- \newtxtopar[\rmfamily]{Name}[sub][sup][Par] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$[Par]"
- \newtxtopar[\sffamily]{Name}[sub][sup][Par] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$[Par]"
- \newtxtopar[\ttfamily]{Name}[sub][sup][Par] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$[Par]"

```
292 \newcommandx{\newtxtopar}[5][1=, 3=, 4=, 5=]
293   {\newtxtpar[#1]{#2}[#3][#4][]{#5}[]}
```

\newtxtoparsty   ... to do!

- \newtxtoparsty{\rmfamily}{Name}[sub][sup][Par] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$[Par]"
- \newtxtoparsty{\rmfamily}[\sffamily]{Name}[sub][sup][Par] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$[Par]"
- \newtxtoparsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Par] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$[Par]"

```
294 \newcommandx{\newtxtoparsty}[2][2=]
295   {\newtxtopar[\defval{#2}{#1}]}
```

\txtsubsup   ... to do!

- \txtsubsup{sub}{} = "$_{\mathrm{sub}}$"; \txtsubsup{}{sup} = "$^{\mathrm{sup}}$"; \txtsubsup{sub}{sup} = "$_{\mathrm{sub}}^{\mathrm{sup}}$"
- \txtsubsup[\sffamily]{Aa}{Bb} = "$_{\mathrm{Aa}}^{\mathrm{Bb}}$"
- \txtsubsup[\ttfamily]{Aa}{Bb} = "$_{\mathrm{Aa}}^{\mathrm{Bb}}$"

```
296 \newcommand{\txtsubsup}[3][]
297   {\ensuremath{\empchk{#2}{_{\text{#1#2}}}\empchk{#3}{^{\text{#1#3}}}}}
```

```
298 %%*********************************************************************%%
```

\txt   ... to do!

- \txt{Name}[sub][sup][Ext] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext"
- \txt[\scshape]{Name}[sub][sup][Ext] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext"
- \txt[\bfseries]{Name}[sub][sup][Ext] = "**Name$_{\mathbf{sub}}^{\mathbf{sup}}$Ext**"

```
299 \newcommand{\txt}
300   {\newtxtsty{\txtsty}}
```

\txtarg   ... to do!

- \txtarg{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext1(Arg)Ext2"
- \txtarg[\scshape]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$Ext1(Arg)Ext2"
- \txtarg[\bfseries]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "**Name$_{\mathbf{sub}}^{\mathbf{sup}}$Ext1(Arg)Ext2**"

```
301 \newcommand{\txtarg}
302   {\newtxtargsty{\txtsty}}
```

\txtoarg   ... to do!

- \txtoarg{Name}[sub][sup][Arg] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$(Arg)"
- \txtoarg[\scshape]{Name}[sub][sup][Arg] = "Name$_{\mathrm{sub}}^{\mathrm{sup}}$(Arg)"
- \txtoarg[\bfseries]{Name}[sub][sup][Arg] = "**Name$_{\mathbf{sub}}^{\mathbf{sup}}$(Arg)**"

```
303 \newcommand{\txtoarg}
304   {\newtxtoargsty{\txtsty}}
```

\txtpar   ... to do!

- \txtpar{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name$_\mathrm{sub}^\mathrm{sup}$Ext1[Par]Ext2"
- \txtpar[\scshape]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name$_\mathrm{SUB}^\mathrm{SUP}$Ext1[Par]Ext2"
- \txtpar[\bfseries]{Name}[sub][sup][Ext1]{Par}[Ext2] = "**Name$_\mathrm{sub}^\mathrm{sup}$Ext1[Par]Ext2**"

```
305 \newcommand{\txtpar}
306   {\newtxtparsty{\txtsty}}
```

\txtopar   ... to do!

- \txtopar{Name}[sub][sup][Par] = "Name$_\mathrm{sub}^\mathrm{sup}$[Par]"
- \txtopar[\scshape]{Name}[sub][sup][Par] = "Name$_\mathrm{SUB}^\mathrm{SUP}$[Par]"
- \txtopar[\bfseries]{Name}[sub][sup][Par] = "**Name$_\mathrm{sub}^\mathrm{sup}$[Par]**"

```
307 \newcommand{\txtopar}
308   {\newtxtoparsty{\txtsty}}
```

\txtsty   ... to do!

```
309 \newcommand{\txtsty}
310   {\mdseries\upshape\rmfamily}

311 %%********************************************************************%%
```

\cmdtxt   ... to do!

- \cmdtxt{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
  \txtNewCmd{Name}[sub][sup][Ext] = Name$_\mathrm{SUB}^\mathrm{SUP}$Ext

```
312 \newcommand{\cmdtxt}[1]
313   {\csdef{txt#1}{\newtxtsty{\csname txtsty#1\endcsname}}}
```

\cmdtxtarg   ... to do!

- \cmdtxtarg{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
  \txtargNewCmd{Name}[sub][sup][Ext1]{Arg}[Ext2] = Name$_\mathrm{SUB}^\mathrm{SUP}$Ext1(Arg)Ext2

```
314 \newcommand{\cmdtxtarg}[1]
315   {\csdef{txtarg#1}{\newtxtargsty{\csname txtsty#1\endcsname}}}
```

\cmdtxtoarg   ... to do!

- \cmdtxtoarg{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
  \txtoargNewCmd{Name}[sub][sup][Arg] = Name$_\mathrm{SUB}^\mathrm{SUP}$(Arg)

```
316 \newcommand{\cmdtxtoarg}[1]
317   {\csdef{txtoarg#1}{\newtxtoargsty{\csname txtsty#1\endcsname}}}
```

\cmdtxtpar   ... to do!

- \cmdtxtpar{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
  \txtparNewCmd{Name}[sub][sup][Ext1]{Par}[Ext2] = Name$_\mathrm{SUB}^\mathrm{SUP}$Ext1[Par]Ext2

```
318 \newcommand{\cmdtxtpar}[1]
319   {\csdef{txtpar#1}{\newtxtparsty{\csname txtsty#1\endcsname}}}
```

\cmdtxtopar   ... to do!

- \cmdtxtopar{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
  \txtoparNewCmd{Name}[sub][sup][Par] = Name$_\mathrm{SUB}^\mathrm{SUP}$[Par]

```
320 \newcommand{\cmdtxtopar}[1]
321   {\csdef{txtopar#1}{\newtxtoparsty{\csname txtsty#1\endcsname}}}
```

\cmdtxtall   ... to do!

- \cmdtxtall{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
  \txtNewCmd{Name}[sub][sup][Ext] = Name$_\mathrm{SUB}^\mathrm{SUP}$Ext
  \txtargNewCmd{Name}[sub][sup][Ext1]{Arg}[Ext2] = Name$_\mathrm{SUB}^\mathrm{SUP}$Ext1(Arg)Ext2
  \txtoargNewCmd{Name}[sub][sup][Arg] = Name$_\mathrm{SUB}^\mathrm{SUP}$(Arg)
  \txtparNewCmd{Name}[sub][sup][Ext1]{Par}[Ext2] = Name$_\mathrm{SUB}^\mathrm{SUP}$Ext1[Par]Ext2
  \txtoparNewCmd{Name}[sub][sup][Par] = Name$_\mathrm{SUB}^\mathrm{SUP}$[Par]

```
322 \newcommand{\cmdtxtall}[1]
323   {\cmdtxt{#1}\cmdtxtarg{#1}\cmdtxtoarg{#1}\cmdtxtpar{#1}\cmdtxtopar{#1}}
```

```
324 %%******************************************************************%%
```

\usrtxt   ... to do!

- \usrtxt{cmdName}{Suf}{}; \cmdNameSuf $=$ cmdName
  \usrtxt{cmdName}{Suf}{arg}; \cmdNameSuf{Arg} $=$ cmdName(Arg)
  \usrtxt{cmdName}{Suf}{par}; \cmdNameSuf{Par} $=$ cmdName[Par]

- \usrtxt{cmdName}{Suf}{}[newName]; \cmdNameSuf $=$ newName
  \usrtxt{cmdName}{Suf}{arg}[newName]; \cmdNameSuf{Arg} $=$ newName(Arg)
  \usrtxt{cmdName}{Suf}{par}[newName]; \cmdNameSuf{Par} $=$ newName[Par]

```
325 \newcommandx\usrtxt}[4][4=]
326   {\csdef{#1#2}{\csname txt#3\endcsname{\defval{#4}{#1}}}}
```

```
327 %%******************************************************************%%
328 %%******************************************************************%%
329 %%** Math Meta Commands ********************************************%%
330 %%******************************************************************%%
```

\newmth   ... to do!

- \newmth[mathrm]{Name}[sub][sup][Ext] $=$ "$\mathrm{Name}^{sup}_{sub}Ext$"
- \newmth[mathsf]{Name}[sub][sup][Ext] $=$ "$\mathsf{Name}^{sup}_{sub}Ext$"
- \newmth[mathtt]{Name}[sub][sup][Ext] $=$ "$\mathtt{Name}^{sup}_{sub}Ext$"

```
331 \newcommandx\newmth}[5][1=, 3=, 4=, 5=]
332   {\ensuremath{\csname#1\endcsname{#2}\mthsubsup{#3}{#4}#5}}
```

\newmthsty   ... to do!

- \newmthsty{mathrm}{Name}[sub][sup][Ext] $=$ "$\mathrm{Name}^{sup}_{sub}Ext$"
- \newmthsty{mathrm}[mathsf]{Name}[sub][sup][Ext] $=$ "$\mathsf{Name}^{sup}_{sub}Ext$"
- \newmthsty{mathrm}[mathtt]{Name}[sub][sup][Ext] $=$ "$\mathtt{Name}^{sup}_{sub}Ext$"

```
333 \newcommandx\newmthsty}[2][2=]
334   {\newmth[\defval{#2}{#1}]}
```

\newmtharg   ... to do!

- \newmtharg[mathrm]{Name}[sub][sup][Ext1]{Arg}[Ext2] $=$ "$\mathrm{Name}^{sup}_{sub}Ext1(Arg)Ext2$"
- \newmtharg[mathsf]{Name}[sub][sup][Ext1]{Arg}[Ext2] $=$ "$\mathsf{Name}^{sup}_{sub}Ext1(Arg)Ext2$"
- \newmtharg[mathtt]{Name}[sub][sup][Ext1]{Arg}[Ext2] $=$ "$\mathtt{Name}^{sup}_{sub}Ext1(Arg)Ext2$"

```
335 \newcommandx\newmtharg}[7][1=, 3=, 4=, 5=, 7=]
336   {\newmth[#1]{#2}[#3][#4][#5\argmid{\!\left(}{#6}{\right)}\arglef{\!}{#7}]}
```

\newmthargsty   ... to do!

- \newmthargsty{mathrm}{Name}[sub][sup][Ext1]{Arg}[Ext2] $=$ "$\mathrm{Name}^{sup}_{sub}Ext1(Arg)Ext2$"
- \newmthargsty{mathrm}[mathsf]{Name}[sub][sup][Ext1]{Arg}[Ext2] $=$ "$\mathsf{Name}^{sup}_{sub}Ext1(Arg)Ext2$"
- \newmthargsty{mathrm}[mathtt]{Name}[sub][sup][Ext1]{Arg}[Ext2] $=$ "$\mathtt{Name}^{sup}_{sub}Ext1(Arg)Ext2$"

```
337 \newcommandx\newmthargsty}[2][2=]
338   {\newmtharg[\defval{#2}{#1}]}
```

\newmthoarg   ... to do!

- \newmthoarg[mathrm]{Name}[sub][sup][Arg] $=$ "$\mathrm{Name}^{sup}_{sub}(Arg)$"
- \newmthoarg[mathsf]{Name}[sub][sup][Arg] $=$ "$\mathsf{Name}^{sup}_{sub}(Arg)$"
- \newmthoarg[mathtt]{Name}[sub][sup][Arg] $=$ "$\mathtt{Name}^{sup}_{sub}(Arg)$"

```
339 \newcommandx\newmthoarg}[5][1=, 3=, 4=, 5=]
340   {\newmtharg[#1]{#2}[#3][#4][]{#5}[]}
```

\newmthoargsty   ... to do!

- \newmthoargsty{mathrm}{Name}[sub][sup][Arg] $=$ "$\mathrm{Name}^{sup}_{sub}(Arg)$"

- $\newmthoargsty\{mathrm\}[mathsf]\{Name\}[sub][sup][Arg] =$ "$\mathrm{Name}_{sub}^{sup}(Arg)$"
- $\newmthoargsty\{mathrm\}[mathtt]\{Name\}[sub][sup][Arg] =$ "$\mathrm{Name}_{sub}^{sup}(Arg)$"

```
341 \newcommandx{\newmthoargsty}[2][2=]
342   {\newmthoarg[\defval{#2}{#1}]}
```

\newmthpar   ... to do!

- $\newmthpar[mathrm]\{Name\}[sub][sup][Ext1]\{Par\}[Ext2] =$ "$\mathrm{Name}_{sub}^{sup}Ext1[Par]Ext2$"
- $\newmthpar[mathsf]\{Name\}[sub][sup][Ext1]\{Par\}[Ext2] =$ "$\mathsf{Name}_{sub}^{sup}Ext1[Par]Ext2$"
- $\newmthpar[mathtt]\{Name\}[sub][sup][Ext1]\{Par\}[Ext2] =$ "$\mathtt{Name}_{sub}^{sup}Ext1[Par]Ext2$"

```
343 \newcommandx{\newmthpar}[7][1=, 3=, 4=, 5=, 7=]
344   {\newmth[#1]{#2}[#3][#4][#5\argmid{\!\left[}{#6}{\right]\arglef{\!}{#7}}]}
```

\newmthparsty   ... to do!

- $\newmthparsty\{mathrm\}\{Name\}[sub][sup][Ext1]\{Par\}[Ext2] =$ "$\mathrm{Name}_{sub}^{sup}Ext1[Par]Ext2$"
- $\newmthparsty\{mathrm\}[mathsf]\{Name\}[sub][sup][Ext1]\{Par\}[Ext2] =$ "$\mathsf{Name}_{sub}^{sup}Ext1[Par]Ext2$"
- $\newmthparsty\{mathrm\}[mathtt]\{Name\}[sub][sup][Ext1]\{Par\}[Ext2] =$ "$\mathtt{Name}_{sub}^{sup}Ext1[Par]Ext2$"

```
345 \newcommandx{\newmthparsty}[2][2=]
346   {\newmthpar[\defval{#2}{#1}]}
```

\newmthopar   ... to do!

- $\newmthopar[mathrm]\{Name\}[sub][sup][Par] =$ "$\mathrm{Name}_{sub}^{sup}[Par]$"
- $\newmthopar[mathsf]\{Name\}[sub][sup][Par] =$ "$\mathsf{Name}_{sub}^{sup}[Par]$"
- $\newmthopar[mathtt]\{Name\}[sub][sup][Par] =$ "$\mathtt{Name}_{sub}^{sup}[Par]$"

```
347 \newcommandx{\newmthopar}[5][1=, 3=, 4=, 5=]
348   {\newmthpar[#1]{#2}[#3][#4][]{#5}[]}
```

\newmthoparsty   ... to do!

- $\newmthoparsty\{mathrm\}\{Name\}[sub][sup][Par] =$ "$\mathrm{Name}_{sub}^{sup}[Par]$"
- $\newmthoparsty\{mathrm\}[mathsf]\{Name\}[sub][sup][Par] =$ "$\mathsf{Name}_{sub}^{sup}[Par]$"
- $\newmthoparsty\{mathrm\}[mathtt]\{Name\}[sub][sup][Par] =$ "$\mathtt{Name}_{sub}^{sup}[Par]$"

```
349 \newcommandx{\newmthoparsty}[2][2=]
350   {\newmthopar[\defval{#2}{#1}]}
```

\mthsubsup   ... to do!

```
351 \newcommand{\mthsubsup}[2]
352   {\empchk{#1}{_{#1}}\empchk{#2}{^{#2}}}
```

```
353 %%*****************************************************************************%%
```

\mth   ... to do!

- $\mth\{Name\}[sub][sup][Ext] =$ "$Name_{sub}^{sup}Ext$"
- $\mth[mathbf]\{Name\}[sub][sup][Ext] =$ "$\mathbf{Name}_{sub}^{sup}Ext$"
- $\mth[mathtt]\{Name\}[sub][sup][Ext] =$ "$\mathtt{Name}_{sub}^{sup}Ext$"

```
354 \newcommand{\mth}
355   {\newmthsty{\mthsty}}
```

\mtharg   ... to do!

- $\mtharg\{Name\}[sub][sup][Ext1]\{Arg\}[Ext2] =$ "$Name_{sub}^{sup}Ext1(Arg)Ext2$"
- $\mtharg[mathbf]\{Name\}[sub][sup][Ext1]\{Arg\}[Ext2] =$ "$\mathbf{Name}_{sub}^{sup}Ext1(Arg)Ext2$"
- $\mtharg[mathtt]\{Name\}[sub][sup][Ext1]\{Arg\}[Ext2] =$ "$\mathtt{Name}_{sub}^{sup}Ext1(Arg)Ext2$"

```
356 \newcommand{\mtharg}
357   {\newmthargsty{\mthsty}}
```

\mthoarg   ... to do!

- $\mthoarg\{Name\}[sub][sup][Arg] =$ "$Name_{sub}^{sup}(Arg)$"

- $\mathtt{\backslash mthoarg[mathbf]\{Name\}[sub]\,[sup]\,[Arg]} = \text{``}\mathbf{Name}_{sub}^{sup}(Arg)\text{''}$
- $\mathtt{\backslash mthoarg[mathtt]\{Name\}[sub]\,[sup]\,[Arg]} = \text{``}\mathtt{Name}_{sub}^{sup}(Arg)\text{''}$

```
358 \newcommand{\mthoarg}
359   {\newmthoargsty{\mthsty}}
```

\mthpar ... to do!

- $\mathtt{\backslash mthpar\{Name\}[sub]\,[sup]\,[Ext1]\{Par\}[Ext2]} = \text{``}Name_{sub}^{sup}Ext1[Par]Ext2\text{''}$
- $\mathtt{\backslash mthpar[mathbf]\{Name\}[sub]\,[sup]\,[Ext1]\{Par\}[Ext2]} = \text{``}\mathbf{Name}_{sub}^{sup}Ext1[Par]Ext2\text{''}$
- $\mathtt{\backslash mthpar[mathtt]\{Name\}[sub]\,[sup]\,[Ext1]\{Par\}[Ext2]} = \text{``}\mathtt{Name}_{sub}^{sup}Ext1[Par]Ext2\text{''}$

```
360 \newcommand{\mthpar}
361   {\newmthparsty{\mthsty}}
```

\mthopar ... to do!

- $\mathtt{\backslash mthopar\{Name\}[sub]\,[sup]\,[Par]} = \text{``}Name_{sub}^{sup}[Par]\text{''}$
- $\mathtt{\backslash mthopar[mathbf]\{Name\}[sub]\,[sup]\,[Par]} = \text{``}\mathbf{Name}_{sub}^{sup}[Par]\text{''}$
- $\mathtt{\backslash mthopar[mathtt]\{Name\}[sub]\,[sup]\,[Par]} = \text{``}\mathtt{Name}_{sub}^{sup}[Par]\text{''}$

```
362 \newcommand{\mthopar}
363   {\newmthoparsty{\mthsty}}
```

\mthsty ... to do!

```
364 \newcommand{\mthsty}
365   {}
```

```
366 %%********************************************************************%%
```

\cmdmth ... to do!

- $\mathtt{\backslash cmdmth\{NewCmd\};\ \backslash newcommand\{mthstyNewCmd\}\{\backslash mathtt\};}$
  $\mathtt{\backslash mthNewCmd\{Name\}[sub]\,[sup]\,[Ext]} = Name_{sub}^{sup}Ext$

```
367 \newcommand{\cmdmth}[1]
368   {\csdef{mth#1}{\newmthsty{mthsty#1}}}
```

\cmdmtharg ... to do!

- $\mathtt{\backslash cmdmtharg\{NewCmd\};\ \backslash newcommand\{mthstyNewCmd\}\{\backslash mathtt\};}$
  $\mathtt{\backslash mthargNewCmd\{Name\}[sub]\,[sup]\,[Ext1]\{Arg\}[Ext2]} = Name_{sub}^{sup}Ext1(Arg)Ext2$

```
369 \newcommand{\cmdmtharg}[1]
370   {\csdef{mtharg#1}{\newmthargsty{mthsty#1}}}
```

\cmdmthoarg ... to do!

- $\mathtt{\backslash cmdmthoarg\{NewCmd\};\ \backslash newcommand\{mthstyNewCmd\}\{\backslash mathtt\};}$
  $\mathtt{\backslash mthoargNewCmd\{Name\}[sub]\,[sup]\,[Arg]} = Name_{sub}^{sup}(Arg)$

```
371 \newcommand{\cmdmthoarg}[1]
372   {\csdef{mthoarg#1}{\newmthoargsty{mthsty#1}}}
```

\cmdmthpar ... to do!

- $\mathtt{\backslash cmdmthpar\{NewCmd\};\ \backslash newcommand\{mthstyNewCmd\}\{\backslash mathtt\};}$
  $\mathtt{\backslash mthparNewCmd\{Name\}[sub]\,[sup]\,[Ext1]\{Par\}[Ext2]} = Name_{sub}^{sup}Ext1[Par]Ext2$

```
373 \newcommand{\cmdmthpar}[1]
374   {\csdef{mthpar#1}{\newmthparsty{mthsty#1}}}
```

\cmdmthopar ... to do!

- $\mathtt{\backslash cmdmthopar\{NewCmd\};\ \backslash newcommand\{mthstyNewCmd\}\{\backslash mathtt\};}$
  $\mathtt{\backslash mthoparNewCmd\{Name\}[sub]\,[sup]\,[Par]} = Name_{sub}^{sup}[Par]$

```
375 \newcommand{\cmdmthopar}[1]
376   {\csdef{mthopar#1}{\newmthoparsty{mthsty#1}}}
```

\cmdmthall ... to do!

- \cmdmthall{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
  $\mathtt{mthNewCmd}\{Name\}[sub][sup][Ext] = Name_{sub}^{sup}Ext$
  $\mathtt{mthargNewCmd}\{Name\}[sub][sup][Ext1]\{Arg\}[Ext2] = Name_{sub}^{sup}Ext1(Arg)Ext2$
  $\mathtt{mthoargNewCmd}\{Name\}[sub][sup][Arg] = Name_{sub}^{sup}(Arg)$
  $\mathtt{mthparNewCmd}\{Name\}[sub][sup][Ext1]\{Par\}[Ext2] = Name_{sub}^{sup}Ext1[Par]Ext2$
  $\mathtt{mthoparNewCmd}\{Name\}[sub][sup][Par] = Name_{sub}^{sup}[Par]$

```
377 \newcommand{\cmdmthall}[1]
378   {\cmdmth{#1}\cmdmtharg{#1}\cmdmthoarg{#1}\cmdmthpar{#1}\cmdmthopar{#1}}
```

```
379 %%*************************************************************************%%
```

\usrmth   ... to do!

- \usrmth{cmdName}{Suf}{}; $\mathtt{\backslash cmdNameSuf} = cmdName$
  \usrmth{cmdName}{Suf}{arg}; $\mathtt{\backslash cmdNameSuf}\{Arg\} = cmdName(Arg)$
  \usrmth{cmdName}{Suf}{par}; $\mathtt{\backslash cmdNameSuf}\{Par\} = cmdName[Par]$
- \usrmth{cmdName}{Suf}{}[newName]; $\mathtt{\backslash cmdNameSuf} = newName$
  \usrmth{cmdName}{Suf}{arg}[newName]; $\mathtt{\backslash cmdNameSuf}\{Arg\} = newName(Arg)$
  \usrmth{cmdName}{Suf}{par}[newName]; $\mathtt{\backslash cmdNameSuf}\{Par\} = newName[Par]$

```
380 \newcommandx{\usrmth}[4][4=]
381   {\csdef{#1#2}{\csname mth#3\endcsname{\defval{#4}{#1}}}}
```

```
382 %%*************************************************************************%%
```

\usrmthlatlow   ... to do!

```
383 \newcommandx{\usrmthlatlow}[4][4=]
384   {\usrmth{#1}{#2}{#3}[#4]\seqoflatlow{#1#2}{mth#3}}
```

\usrmthlatupp   ... to do!

```
385 \newcommandx{\usrmthlatupp}[4][4=]
386   {\usrmth{#1}{#2}{#3}[#4]\seqoflatupp{#1#2}{mth#3}}
```

\usrmthlatlet   ... to do!

```
387 \newcommandx{\usrmthlatlet}[4][4=]
388   {\usrmth{#1}{#2}{#3}[#4]\seqoflatlet{#1#2}{mth#3}}
```

\usrmthgrklow   ... to do!

```
389 \newcommandx{\usrmthgrklow}[4][4=]
390   {\usrmth{#1}{#2}{#3}[#4]\seqofgrklow{#1#2}{mth#3}}
```

\usrmthgrkupp   ... to do!

```
391 \newcommandx{\usrmthgrkupp}[4][4=]
392   {\usrmth{#1}{#2}{#3}[#4]\seqofgrkupp{#1#2}{mth#3}}
```

\usrmthgrklet   ... to do!

```
393 \newcommandx{\usrmthgrklet}[4][4=]
394   {\usrmth{#1}{#2}{#3}[#4]\seqofgrklet{#1#2}{mth#3}}
```

\usrmthlow   ... to do!

```
395 \newcommandx{\usrmthlow}[4][4=]
396   {\usrmth{#1}{#2}{#3}[#4]\seqoflow{#1#2}{mth#3}}
```

\usrmthupp   ... to do!

```
397 \newcommandx{\usrmthupp}[4][4=]
398   {\usrmth{#1}{#2}{#3}[#4]\seqofupp{#1#2}{mth#3}}
```

\usrmthlet   ... to do!

```
399 \newcommandx{\usrmthlet}[4][4=]
400   {\usrmth{#1}{#2}{#3}[#4]\seqoflet{#1#2}{mth#3}}
```

```
401 %%*************************************************************************%%
```

```
402 %%*******************************************************************%%
403 %%** Text Macro Generators *****************************************%%
404 %%*******************************************************************%%
405 \iftxtgen@
```

\txtdef, ... to do!

- \txtdef{Name}[sub][sup][Ext] $= Name_{\mathrm{sub}}^{\mathrm{sup}}Ext$

- \txtargdef{Name}[sub][sup][Ext1]{Arg}[Ext2] $= Name_{\mathrm{sub}}^{\mathrm{sup}}Ext1(Arg)Ext2$

- \txtpardef{Name}[sub][sup][Ext1]{Par}[Ext2] $= Name_{\mathrm{sub}}^{\mathrm{sup}}Ext1[Par]Ext2$

```
406 %% Style for Definitions
407 \cmdtxtall{def}\newcommand{\txtstydef}{\bfseries\em}
```

\cmdtxtdef   ... to do!

- \cmdtxtdef{cmdName};
  \cmdName[sub][sub][ext] $= cmdName_{\mathrm{sub}}^{\mathrm{sub}}ext$

- \cmdtxtdef{cmdName}[newName];
  \cmdName[sub][sub][ext] $= newName_{\mathrm{sub}}^{\mathrm{sub}}ext$

```
408 \newcommandx{\cmdtxtdef}[2][2=]
409   {\usrtxt{#1}{}{def}[#2]}
```

\cmdtxtargdef   ... to do!

- \cmdtxtargdef{cmdName};
  \cmdName[sub][sub][ext1]{arg}[ext2] $= cmdName_{\mathrm{sub}}^{\mathrm{sub}}ext1(arg)ext2$

- \cmdtxtargdef{cmdName}[newName];
  \cmdName[sub][sub][ext1]{arg}[ext2] $= newName_{\mathrm{sub}}^{\mathrm{sub}}ext1(arg)ext2$

```
410 \newcommandx{\cmdtxtargdef}[2][2=]
411   {\usrtxt{#1}{}{argdef}[#2]}
```

\cmdtxtoargdef   ... to do!

- \cmdtxtoargdef{cmdName};
  \cmdName[sub][sub][arg] $= cmdName_{\mathrm{sub}}^{\mathrm{sub}}(arg)$

- \cmdtxtoargdef{cmdName}[newName];
  \cmdName[sub][sub][arg] $= newName_{\mathrm{sub}}^{\mathrm{sub}}(arg)$

```
412 \newcommandx{\cmdtxtoargdef}[2][2=]
413   {\usrtxt{#1}{}{oargdef}[#2]}
```

\cmdtxtpardef   ... to do!

- \cmdtxtpardef{cmdName};
  \cmdName[sub][sub][ext1]{par}[ext2] $= cmdName_{\mathrm{sub}}^{\mathrm{sub}}ext1[par]ext2$

- \cmdtxtpardef{cmdName}[newName];
  \cmdName[sub][sub][ext1]{par}[ext2] $= newName_{\mathrm{sub}}^{\mathrm{sub}}ext1[par]ext2$

```
414 \newcommandx{\cmdtxtpardef}[2][2=]
415   {\usrtxt{#1}{}{pardef}[#2]}
```

\cmdtxtopardef   ... to do!

- \cmdtxtopardef{cmdName};
  \cmdName[sub][sub][par] $= cmdName_{\mathrm{sub}}^{\mathrm{sub}}[par]$

- \cmdtxtopardef{cmdName}[newName];
  \cmdName[sub][sub][par] $= newName_{\mathrm{sub}}^{\mathrm{sub}}[par]$

```
416 \newcommandx{\cmdtxtopardef}[2][2=]
417   {\usrtxt{#1}{}{opardef}[#2]}
```

\txtabr, ... to do!

- \txtabr{Name}[sub][sup][Ext] $= Name_{\mathrm{sub}}^{\mathrm{sup}}Ext$

- \txtargabr{Name}[sub][sup][Ext1]{Arg}[Ext2] $= Name_{\mathrm{sub}}^{\mathrm{sup}}Ext1(Arg)Ext2$

- \txtparabr{Name}[sub][sup][Ext1]{Par}[Ext2] $= Name_{\mathrm{sub}}^{\mathrm{sup}}Ext1[Par]Ext2$

```
418 %% Style for Abbreviations
419 \cmdtxtall{abr}\newcommand{\txtstyabr}{\em}
```

\cmdtxtabr   ... to do!

- \cmdtxtabr{cmdName};
  \cmdName[sub][sub][ext] $= cmdName^{\mathrm{sub}}_{\mathrm{sub}}ext$

- \cmdtxtabr{cmdName}[newName];
  \cmdName[sub][sub][ext] $= newName^{\mathrm{sub}}_{\mathrm{sub}}ext$

```
420 \newcommandx{\cmdtxtabr}[2][2=]
421   {\usrtxt{#1}{}{abr}[#2]}
```

\cmdtxtargabr   ... to do!

- \cmdtxtargabr{cmdName};
  \cmdName[sub][sub][ext1]{arg}[ext2] $= cmdName^{\mathrm{sub}}_{\mathrm{sub}}ext1(arg)ext2$

- \cmdtxtargabr{cmdName}[newName];
  \cmdName[sub][sub][ext1]{arg}[ext2] $= newName^{\mathrm{sub}}_{\mathrm{sub}}ext1(arg)ext2$

```
422 \newcommandx{\cmdtxtargabr}[2][2=]
423   {\usrtxt{#1}{}{argabr}[#2]}
```

\cmdtxtoargabr   ... to do!

- \cmdtxtoargabr{cmdName};
  \cmdName[sub][sub][arg] $= cmdName^{\mathrm{sub}}_{\mathrm{sub}}(arg)$

- \cmdtxtoargabr{cmdName}[newName];
  \cmdName[sub][sub][arg] $= newName^{\mathrm{sub}}_{\mathrm{sub}}(arg)$

```
424 \newcommandx{\cmdtxtoargabr}[2][2=]
425   {\usrtxt{#1}{}{oargabr}[#2]}
```

\cmdtxtparabr   ... to do!

- \cmdtxtparabr{cmdName};
  \cmdName[sub][sub][ext1]{par}[ext2] $= cmdName^{\mathrm{sub}}_{\mathrm{sub}}ext1[par]ext2$

- \cmdtxtparabr{cmdName}[newName];
  \cmdName[sub][sub][ext1]{par}[ext2] $= newName^{\mathrm{sub}}_{\mathrm{sub}}ext1[par]ext2$

```
426 \newcommandx{\cmdtxtparabr}[2][2=]
427   {\usrtxt{#1}{}{parabr}[#2]}
```

\cmdtxtoparabr   ... to do!

- \cmdtxtoparabr{cmdName};
  \cmdName[sub][sub][par] $= cmdName^{\mathrm{sub}}_{\mathrm{sub}}[par]$

- \cmdtxtoparabr{cmdName}[newName];
  \cmdName[sub][sub][par] $= newName^{\mathrm{sub}}_{\mathrm{sub}}[par]$

```
428 \newcommandx{\cmdtxtoparabr}[2][2=]
429   {\usrtxt{#1}{}{oparabr}[#2]}

430 %%*********************************************************************%%
```

\txtname, ... to do!

- \txtname{Name}[sub][sup][Ext] $= \mathrm{NAME}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
- \txtargname{Name}[sub][sup][Ext1]{Arg}[Ext2] $= \mathrm{NAME}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT1}(\mathrm{ARG})\mathrm{EXT2}$
- \txtparname{Name}[sub][sup][Ext1]{Par}[Ext2] $= \mathrm{NAME}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT1}[\mathrm{PAR}]\mathrm{EXT2}$

```
431 %% Style for Names
432 \cmdtxtall{name}\newcommand{\txtstyname}{\mdseries\scshape\sffamily}
```

\cmdtxtname   ... to do!

- \cmdtxtname{cmdName};
  \cmdName[sub][sub][ext] $= \mathrm{CMDNAME}^{\mathrm{SUB}}_{\mathrm{SUB}}\mathrm{EXT}$

- \cmdtxtname{cmdName}[newName];
  \cmdName[sub][sub][ext] $= \mathrm{NEWNAME}^{\mathrm{SUB}}_{\mathrm{SUB}}\mathrm{EXT}$

```
433 \newcommandx{\cmdtxtname}[2][2=]
434   {\usrtxt{#1}{}{name}[#2]}
```

\cmdtxtargname ... to do!

- \cmdtxtargname{cmdName};
  \cmdName[sub][sub][ext1]{arg}[ext2] = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}(\textsc{arg})\textsc{ext2}$

- \cmdtxtargname{cmdName}[newName];
  \cmdName[sub][sub][ext1]{arg}[ext2] = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}(\textsc{arg})\textsc{ext2}$

```
435 \newcommandx{\cmdtxtargname}[2][2=]
436   {\usrtxt{#1}{}{argname}[#2]}
```

\cmdtxtoargname ... to do!

- \cmdtxtoargname{cmdName};
  \cmdName[sub][sub][arg] = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}(\textsc{arg})$

- \cmdtxtoargname{cmdName}[newName];
  \cmdName[sub][sub][arg] = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}(\textsc{arg})$

```
437 \newcommandx{\cmdtxtoargname}[2][2=]
438   {\usrtxt{#1}{}{oargname}[#2]}
```

\cmdtxtparname ... to do!

- \cmdtxtparname{cmdName};
  \cmdName[sub][sub][ext1]{par}[ext2] = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}[\textsc{par}]\textsc{ext2}$

- \cmdtxtparname{cmdName}[newName];
  \cmdName[sub][sub][ext1]{par}[ext2] = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}[\textsc{par}]\textsc{ext2}$

```
439 \newcommandx{\cmdtxtparname}[2][2=]
440   {\usrtxt{#1}{}{parname}[#2]}
```

\cmdtxtoparname ... to do!

- \cmdtxtoparname{cmdName};
  \cmdName[sub][sub][par] = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}[\textsc{par}]$

- \cmdtxtoparname{cmdName}[newName];
  \cmdName[sub][sub][par] = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}[\textsc{par}]$

```
441 \newcommandx{\cmdtxtoparname}[2][2=]
442   {\usrtxt{#1}{}{oparname}[#2]}
```

\txtcom, ... to do!

- \txtcom{Name}[sub][sup][Ext] = $\textsc{Name}^{\textsc{sup}}_{\textsc{sub}}\textsc{Ext}$
- \txtargcom{Name}[sub][sup][Ext1]{Arg}[Ext2] = $\textsc{Name}^{\textsc{sup}}_{\textsc{sub}}\textsc{Ext1}(\textsc{Arg})\textsc{Ext2}$
- \txtparcom{Name}[sub][sup][Ext1]{Par}[Ext2] = $\textsc{Name}^{\textsc{sup}}_{\textsc{sub}}\textsc{Ext1}[\textsc{Par}]\textsc{Ext2}$

```
443 %% Style for Complexities
444 \cmdtxtall{com}\newcommand{\txtstycom}{\mdseries\scshape\rmfamily}
```

\cmdtxtcom ... to do!

- \cmdtxtcom{cmdName};
  \cmdName[sub][sub][ext] = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext}$

- \cmdtxtcom{cmdName}[newName];
  \cmdName[sub][sub][ext] = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext}$

```
445 \newcommandx{\cmdtxtcom}[2][2=]
446   {\usrtxt{#1}{}{com}[#2]}
```

\cmdtxtargcom ... to do!

- \cmdtxtargcom{cmdName};
  \cmdName[sub][sub][ext1]{arg}[ext2] = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}(\textsc{arg})\textsc{ext2}$

- \cmdtxtargcom{cmdName}[newName];
  \cmdName[sub][sub][ext1]{arg}[ext2] = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}(\textsc{arg})\textsc{ext2}$

```
447 \newcommandx{\cmdtxtargcom}[2][2=]
448   {\usrtxt{#1}{}{argcom}[#2]}
```

16

`\cmdtxtoargcom`   ... to do!

- `\cmdtxtoargcom{cmdName}`;
  `\cmdName[sub][sub][arg]` $= \text{CMDNAME}^{\text{SUB}}_{\text{SUB}}(\text{ARG})$

- `\cmdtxtoargcom{cmdName}[newName]`;
  `\cmdName[sub][sub][arg]` $= \text{NEWNAME}^{\text{SUB}}_{\text{SUB}}(\text{ARG})$

```
449 \newcommandx{\cmdtxtoargcom}[2][2=]
450   {\usrtxt{#1}{}{oargcom}[#2]}
```

`\cmdtxtparcom`   ... to do!

- `\cmdtxtparcom{cmdName}`;
  `\cmdName[sub][sub][ext1]{par}[ext2]` $= \text{CMDNAME}^{\text{SUB}}_{\text{SUB}}\text{EXT1}[\text{PAR}]\text{EXT2}$

- `\cmdtxtparcom{cmdName}[newName]`;
  `\cmdName[sub][sub][ext1]{par}[ext2]` $= \text{NEWNAME}^{\text{SUB}}_{\text{SUB}}\text{EXT1}[\text{PAR}]\text{EXT2}$

```
451 \newcommandx{\cmdtxtparcom}[2][2=]
452   {\usrtxt{#1}{}{parcom}[#2]}
```

`\cmdtxtoparcom`   ... to do!

- `\cmdtxtoparcom{cmdName}`;
  `\cmdName[sub][sub][par]` $= \text{CMDNAME}^{\text{SUB}}_{\text{SUB}}[\text{PAR}]$

- `\cmdtxtoparcom{cmdName}[newName]`;
  `\cmdName[sub][sub][par]` $= \text{NEWNAME}^{\text{SUB}}_{\text{SUB}}[\text{PAR}]$

```
453 \newcommandx{\cmdtxtoparcom}[2][2=]
454   {\usrtxt{#1}{}{oparcom}[#2]}

455 \fi
456 %%********************************************************************%%

457 %%********************************************************************%%
458 %%** Math Macro Generators *******************************************%%
459 %%********************************************************************%%
460 \ifmthgen@
```

`\mthname, ...`   ... to do!

- `\mthname{NAME}[sub][sup][Ext]` $= \mathcal{NAME}^{sup}_{sub}Ext$
- `\mthargname{NAME}[sub][sup][Ext1]{Arg}[Ext2]` $= \mathcal{NAME}^{sup}_{sub}Ext1(Arg)Ext2$
- `\mthparname{NAME}[sub][sup][Ext1]{Par}[Ext2]` $= \mathcal{NAME}^{sup}_{sub}Ext1[Par]Ext2$

```
461 %% Style for Names
462 \cmdmthall{name}\newcommand{\mthstyname}{\mathcal}
```

`\AName, ...`   ... to do!

$\mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}, \mathcal{E}, \mathcal{F}, \mathcal{G}, \mathcal{H}, \mathcal{I}, \mathcal{J}, \mathcal{K}, \mathcal{L}, \mathcal{M}, \mathcal{N}, \mathcal{O}, \mathcal{P}, \mathcal{Q}, \mathcal{R}, \mathcal{S}, \mathcal{T}, \mathcal{U}, \mathcal{V}, \mathcal{W}, \mathcal{X}, \mathcal{Y}, \mathcal{Z}$

```
463 \seqoflatupp{Name}{mthname}
```

`\cmdmthname`   ... to do!

- `\cmdmthname{CMDNAME}`;
  `\CMDNAMEName[sub][sub][ext]` $= \mathcal{CMDNAME}^{sub}_{sub}ext$

- `\cmdmthname{cmdName}[NEWNAME]`;
  `\cmdNameName[sub][sub][ext]` $= \mathcal{NEWNAME}^{sub}_{sub}ext$

```
464 \newcommandx{\cmdmthname}[2][2=]
465   {\usrmth{#1}{Name}{name}[#2]}
```

`\cmdmthargname`   ... to do!

- `\cmdmthargname{CMDNAME}`;
  `\CMDNAMEName[sub][sub][ext1]{arg}[ext2]` $= \mathcal{CMDNAME}^{sub}_{sub}ext1(arg)ext2$

- `\cmdmthargname{cmdName}[NEWNAME]`;
  `\cmdNameName[sub][sub][ext1]{arg}[ext2]` $= \mathcal{NEWNAME}^{sub}_{sub}ext1(arg)ext2$

```
466 \newcommandx{\cmdmthargname}[2][2=]
467   {\usrmth{#1}{Name}{argname}[#2]}
```

`\cmdmthoargname`   ... to do!

- `\cmdmthoargname{CMDNAME};`
  `\CMDNAMEName[sub][sub][arg]` $= \mathcal{CMDNAME}^{sub}_{sub}(arg)$

- `\cmdmthoargname{cmdName}[NEWNAME];`
  `\cmdNameName[sub][sub][arg]` $= \mathcal{NEWNAME}^{sub}_{sub}(arg)$

468 `\newcommandx{\cmdmthoargname}[2][2=]`
469   `{\usrmth{#1}{Name}{oargname}[#2]}`

`\cmdmthparname`   ... to do!

- `\cmdmthparname{CMDNAME};`
  `\CMDNAMEName[sub][sub][ext1]{par}[ext2]` $= \mathcal{CMDNAME}^{sub}_{sub}ext1[par]ext2$

- `\cmdmthparname{cmdName}[NEWNAME];`
  `\cmdNameName[sub][sub][ext1]{par}[ext2]` $= \mathcal{NEWNAME}^{sub}_{sub}ext1[par]ext2$

470 `\newcommandx{\cmdmthparname}[2][2=]`
471   `{\usrmth{#1}{Name}{parname}[#2]}`

`\cmdmthoparname`   ... to do!

- `\cmdmthoparname{CMDNAME};`
  `\CMDNAMEName[sub][sub][par]` $= \mathcal{CMDNAME}^{sub}_{sub}[par]$

- `\cmdmthoparname{cmdName}[NEWNAME];`
  `\cmdNameName[sub][sub][par]` $= \mathcal{NEWNAME}^{sub}_{sub}[par]$

472 `\newcommandx{\cmdmthoparname}[2][2=]`
473   `{\usrmth{#1}{Name}{oparname}[#2]}`

`\mthfam, ...`   ... to do!

- `\mthfam{NAME}[sub][sup][Ext]` $= \mathscr{NAME}^{sup}_{sub}Ext$
- `\mthargfam{NAME}[sub][sup][Ext1]{Arg}[Ext2]` $= \mathscr{NAME}^{sup}_{sub}Ext1(Arg)Ext2$
- `\mthparfam{NAME}[sub][sup][Ext1]{Par}[Ext2]` $= \mathscr{NAME}^{sup}_{sub}Ext1[Par]Ext2$

474 `%% Style for Families`
475 `\cmdmthall{fam}\newcommand{\mthstyfam}{\mathscr}`

`\AFam, ...`   ... to do!
$\mathscr{A},\mathscr{B},\mathscr{C},\mathscr{D},\mathscr{E},\mathscr{F},\mathscr{G},\mathscr{H},\mathscr{I},\mathscr{J},\mathscr{K},\mathscr{L},\mathscr{M},\mathscr{N},\mathscr{O},\mathscr{P},\mathscr{Q},\mathscr{R},\mathscr{S},\mathscr{T},\mathscr{U},\mathscr{V},\mathscr{W},\mathscr{X},\mathscr{Y},\mathscr{Z}$
476 `\seqoflatupp{Fam}{mthfam}`

`\cmdmthfam`   ... to do!

- `\cmdmthfam{CMDNAME};`
  `\CMDNAMEFam[sub][sub][ext]` $= \mathscr{CMDNAME}^{sub}_{sub}ext$

- `\cmdmthfam{cmdName}[NEWNAME];`
  `\cmdNameFam[sub][sub][ext]` $= \mathscr{NEWNAME}^{sub}_{sub}ext$

477 `\newcommandx{\cmdmthfam}[2][2=]`
478   `{\usrmth{#1}{Fam}{fam}[#2]}`

`\cmdmthargfam`   ... to do!

- `\cmdmthargfam{CMDNAME};`
  `\CMDNAMEFam[sub][sub][ext1]{arg}[ext2]` $= \mathscr{CMDNAME}^{sub}_{sub}ext1(arg)ext2$

- `\cmdmthargfam{cmdName}[NEWNAME];`
  `\cmdNameFam[sub][sub][ext1]{arg}[ext2]` $= \mathscr{NEWNAME}^{sub}_{sub}ext1(arg)ext2$

479 `\newcommandx{\cmdmthargfam}[2][2=]`
480   `{\usrmth{#1}{Fam}{argfam}[#2]}`

`\cmdmthoargfam`   ... to do!

- `\cmdmthoargfam{CMDNAME};`
  `\CMDNAMEFam[sub][sub][arg]` $= \mathscr{CMDNAME}^{sub}_{sub}(arg)$

- `\cmdmthoargfam{cmdFam}[NEWNAME];`
  `\cmdFamFam[sub][sub][arg]` $= \mathscr{NEWNAME}^{sub}_{sub}(arg)$

```
481 \newcommandx{\cmdmthoargfam}[2][2=]
482   {\usrmth{#1}{Fam}{oargfam}[#2]}
```

\cmdmthparfam ... to do!

- \cmdmthparfam{CMDNAME};
  \CMDNAMEFam[sub][sub][ext1]{par}[ext2] $= \mathcal{CMDNAME}^{sub}_{sub}ext1[par]ext2$

- \cmdmthparfam{cmdName}[NEWNAME];
  \cmdNameFam[sub][sub][ext1]{par}[ext2] $= \mathcal{NEWNAME}^{sub}_{sub}ext1[par]ext2$

```
483 \newcommandx{\cmdmthparfam}[2][2=]
484   {\usrmth{#1}{Fam}{parfam}[#2]}
```

\cmdmthoparfam ... to do!

- \cmdmthoparfam{CMDNAME};
  \CMDNAMEFam[sub][sub][par] $= \mathcal{CMDNAME}^{sub}_{sub}[par]$

- \cmdmthoparfam{cmdFam}[NEWNAME];
  \cmdFamFam[sub][sub][par] $= \mathcal{NEWNAME}^{sub}_{sub}[par]$

```
485 \newcommandx{\cmdmthoparfam}[2][2=]
486   {\usrmth{#1}{Fam}{oparfam}[#2]}
```

\mthcls, ... to do!

- \mthcls{NAME}[sub][sup][Ext] $= \mathcal{NAME}^{sup}_{sub}Ext$

- \mthargcls{NAME}[sub][sup][Ext1]{Arg}[Ext2] $= \mathcal{NAME}^{sup}_{sub}Ext1(Arg)Ext2$

- \mthparcls{NAME}[sub][sup][Ext1]{Par}[Ext2] $= \mathcal{NAME}^{sup}_{sub}Ext1[Par]Ext2$

```
487 %% Style for Classes
488 \cmdmthall{cls}\newcommand{\mthstycls}{\matheus}
```

\ACls, ... to do!

$\mathcal{A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z}$

```
489 \seqoflatupp{Cls}{mthcls}
```

\cmdmthcls ... to do!

- \cmdmthcls{CMDNAME};
  \CMDNAMECls[sub][sub][ext] $= \mathcal{CMDNAME}^{sub}_{sub}ext$

- \cmdmthcls{cmdName}[NEWNAME];
  \cmdNameCls[sub][sub][ext] $= \mathcal{NEWNAME}^{sub}_{sub}ext$

```
490 \newcommandx{\cmdmthcls}[2][2=]
491   {\usrmth{#1}{Cls}{cls}[#2]}
```

\cmdmthargcls ... to do!

- \cmdmthargcls{CMDNAME};
  \CMDNAMECls[sub][sub][ext1]{arg}[ext2] $= \mathcal{CMDNAME}^{sub}_{sub}ext1(arg)ext2$

- \cmdmthargcls{cmdName}[NEWNAME];
  \cmdNameCls[sub][sub][ext1]{arg}[ext2] $= \mathcal{NEWNAME}^{sub}_{sub}ext1(arg)ext2$

```
492 \newcommandx{\cmdmthargcls}[2][2=]
493   {\usrmth{#1}{Cls}{argcls}[#2]}
```

\cmdmthoargcls ... to do!

- \cmdmthoargcls{CMDNAME};
  \CMDNAMECls[sub][sub][arg] $= \mathcal{CMDNAME}^{sub}_{sub}(arg)$

- \cmdmthoargcls{cmdCls}[NEWNAME];
  \cmdClsCls[sub][sub][arg] $= \mathcal{NEWNAME}^{sub}_{sub}(arg)$

```
494 \newcommandx{\cmdmthoargcls}[2][2=]
495   {\usrmth{#1}{Cls}{oargcls}[#2]}
```

\cmdmthparcls ... to do!

- \cmdmthparcls{CMDNAME};
  \CMDNAMECls[sub][sub][ext1]{par}[ext2] $= \mathcal{CMDNAME}^{sub}_{sub}ext1[par]ext2$

19

- \cmdmthparcls{cmdName}[NEWNAME];
  \cmdNameCls[sub][sub][ext1]{par}[ext2] $= \mathcal{NEWNAME}_{sub}^{sub} ext1[par] ext2$

496 \newcommandx\{\cmdmthparcls}[2][2=]
497　{\usrmth{#1}{Cls}{parcls}[#2]}

\cmdmthoparcls　... to do!

- \cmdmthoparcls{CMDNAME};
  \CMDNAMECls[sub][sub][par] $= \mathcal{CMDNAME}_{sub}^{sub}[par]$

- \cmdmthoparcls{cmdCls}[NEWNAME];
  \cmdClsCls[sub][sub][par] $= \mathcal{NEWNAME}_{sub}^{sub}[par]$

498 \newcommandx\{\cmdmthoparcls}[2][2=]
499　{\usrmth{#1}{Cls}{oparcls}[#2]}

\mthsig, ...　... to do!

- \mthsig{Name}[sub][sup][Ext] $= \mathcal{Name}_{sub}^{sup} Ext$
- \mthargsig{Name}[sub][sup][Ext1]{Arg}[Ext2] $= \mathcal{Name}_{sub}^{sup} Ext1(Arg) Ext2$
- \mthparsig{Name}[sub][sup][Ext1]{Par}[Ext2] $= \mathcal{Name}_{sub}^{sup} Ext1[Par] Ext2$

500 %% Style for Signatures
501 \cmdmthall{sig}\newcommand{\mthstysig}{\mathpzc}

\aSig, ...　... to do!
$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
$\mathcal{A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z}$
$\alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega$

502 \seqoflatlet{Sig}{mthsig}\seqofgrklow{Sig}{mthsig}

\cmdmthsig　... to do!

- \cmdmthsig{cmdName};
  \cmdNameSig[sub][sub][ext] $= \mathit{cmdName}_{sub}^{sub} ext$

- \cmdmthsig{cmdName}[NewName];
  \cmdNameSig[sub][sub][ext] $= \mathit{NewName}_{sub}^{sub} ext$

503 \newcommandx\{\cmdmthsig}[2][2=]
504　{\usrmth{#1}{Sig}{sig}[#2]}

\cmdmthargsig　... to do!

- \cmdmthargsig{cmdName};
  \cmdNameSig[sub][sub][ext1]{arg}[ext2] $= \mathit{cmdName}_{sub}^{sub} ext1(arg) ext2$

- \cmdmthargsig{cmdName}[NewName];
  \cmdNameSig[sub][sub][ext1]{arg}[ext2] $= \mathit{NewName}_{sub}^{sub} ext1(arg) ext2$

505 \newcommandx\{\cmdmthargsig}[2][2=]
506　{\usrmth{#1}{Sig}{argsig}[#2]}

\cmdmthoargsig　... to do!

- \cmdmthoargsig{cmdName};
  \cmdNameSig[sub][sub][arg] $= \mathit{cmdName}_{sub}^{sub}(arg)$

- \cmdmthoargsig{cmdSig}[NewName];
  \cmdSigSig[sub][sub][arg] $= \mathit{NewName}_{sub}^{sub}(arg)$

507 \newcommandx\{\cmdmthoargsig}[2][2=]
508　{\usrmth{#1}{Sig}{oargsig}[#2]}

\cmdmthparsig　... to do!

- \cmdmthparsig{cmdName};
  \cmdNameSig[sub][sub][ext1]{par}[ext2] $= \mathit{cmdName}_{sub}^{sub} ext1[par] ext2$

- \cmdmthparsig{cmdName}[NewName];
  \cmdNameSig[sub][sub][ext1]{par}[ext2] $= \mathit{NewName}_{sub}^{sub} ext1[par] ext2$

509 \newcommandx\{\cmdmthparsig}[2][2=]
510　{\usrmth{#1}{Sig}{parsig}[#2]}

`\cmdmthoparsig`   ... to do!

- `\cmdmthoparsig{cmdName};`
  `\cmdNameSig[sub][sub][par]` $= cmd\mathcal{N}ame^{sub}_{sub}[par]$

- `\cmdmthoparsig{cmdSig}[NewName];`
  `\cmdSigSig[sub][sub][par]` $= \mathcal{N}ew\mathcal{N}ame^{sub}_{sub}[par]$

```
511 \newcommandx{\cmdmthoparsig}[2][2=]
512   {\usrmth{#1}{Sig}{oparsig}[#2]}
```

`\mthstr, ...`   ... to do!

- `\mthstr{Name}[sub][sup][Ext]` $= \mathfrak{Name}^{sup}_{sub}Ext$
- `\mthargstr{Name}[sub][sup][Ext1]{Arg}[Ext2]` $= \mathfrak{Name}^{sup}_{sub}Ext1(Arg)Ext2$
- `\mthparstr{Name}[sub][sup][Ext1]{Par}[Ext2]` $= \mathfrak{Name}^{sup}_{sub}Ext1[Par]Ext2$

```
513 %% Style for Structures
514 \cmdmthall{str}\newcommand{\mthstystr}{\mathfrak}
```

`\aStr, ...`   ... to do!

$\mathfrak{a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z}$
$\mathfrak{A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z}$
$\alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega$

```
515 \seqoflatlet{Str}{mthstr}\seqofgrklow{Str}{mthstr}
```

`\cmdmthstr`   ... to do!

- `\cmdmthstr{cmdName};`
  `\cmdNameStr[sub][sub][ext]` $= cmd\mathfrak{Name}^{sub}_{sub}ext$

- `\cmdmthstr{cmdName}[NewName];`
  `\cmdNameStr[sub][sub][ext]` $= \mathfrak{NewName}^{sub}_{sub}ext$

```
516 \newcommandx{\cmdmthstr}[2][2=]
517   {\usrmth{#1}{Str}{str}[#2]}
```

`\cmdmthargstr`   ... to do!

- `\cmdmthargstr{cmdName};`
  `\cmdNameStr[sub][sub][ext1]{arg}[ext2]` $= cmd\mathfrak{Name}^{sub}_{sub}ext1(arg)ext2$

- `\cmdmthargstr{cmdName}[NewName];`
  `\cmdNameStr[sub][sub][ext1]{arg}[ext2]` $= \mathfrak{NewName}^{sub}_{sub}ext1(arg)ext2$

```
518 \newcommandx{\cmdmthargstr}[2][2=]
519   {\usrmth{#1}{Str}{argstr}[#2]}
```

`\cmdmthoargstr`   ... to do!

- `\cmdmthoargstr{cmdName};`
  `\cmdNameStr[sub][sub][arg]` $= cmd\mathfrak{Name}^{sub}_{sub}(arg)$

- `\cmdmthoargstr{cmdStr}[NewName];`
  `\cmdStrStr[sub][sub][arg]` $= \mathfrak{NewName}^{sub}_{sub}(arg)$

```
520 \newcommandx{\cmdmthoargstr}[2][2=]
521   {\usrmth{#1}{Str}{oargstr}[#2]}
```

`\cmdmthparstr`   ... to do!

- `\cmdmthparstr{cmdName};`
  `\cmdNameStr[sub][sub][ext1]{par}[ext2]` $= cmd\mathfrak{Name}^{sub}_{sub}ext1[par]ext2$

- `\cmdmthparstr{cmdName}[NewName];`
  `\cmdNameStr[sub][sub][ext1]{par}[ext2]` $= \mathfrak{NewName}^{sub}_{sub}ext1[par]ext2$

```
522 \newcommandx{\cmdmthparstr}[2][2=]
523   {\usrmth{#1}{Str}{parstr}[#2]}
```

`\cmdmthoparstr`   ... to do!

- `\cmdmthoparstr{cmdName};`
  `\cmdNameStr[sub][sub][par]` $= cmd\mathfrak{Name}^{sub}_{sub}[par]$

- \cmdmthoparstr{cmdStr}[NewName];
  \cmdStrStr[sub][sub][par] $= \mathfrak{New\,Name}^{sub}_{sub}[par]$

524 \newcommandx{\cmdmthoparstr}[2][2=]
525   {\usrmth{#1}{Str}{oparstr}[#2]}

\mthset, ... to do!

- \mthset{Name}[sub][sup][Ext] $=$ Name$^{sup}_{sub}Ext$
- \mthargset{Name}[sub][sup][Ext1]{Arg}[Ext2] $=$ Name$^{sup}_{sub}Ext1(Arg)Ext2$
- \mthparset{Name}[sub][sup][Ext1]{Par}[Ext2] $=$ Name$^{sup}_{sub}Ext1[Par]Ext2$

526 %% Style for Sets
527 \cmdmthall{set}\newcommand{\mthstyset}{\mathrm}

\aSet, ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, o, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω
A, B, Γ, Δ, E, E, Z, H, Θ, $\varTheta$, I, K, K, Λ, M, N, Ξ, O, Π, $\varPi$, P, P, Σ, $\varSigma$, T, Υ, Φ, $\varPhi$, X, Ψ, Ω

528 \seqoflet{Set}{mthset}

\cmdmthset   ... to do!

- \cmdmthset{cmdName};
  \cmdNameSet[sub][sub][ext] $=$ cmdName$^{sub}_{sub}ext$
- \cmdmthset{cmdName}[NewName];
  \cmdNameSet[sub][sub][ext] $=$ NewName$^{sub}_{sub}ext$

529 \newcommandx{\cmdmthset}[2][2=]
530   {\usrmth{#1}{Set}{set}[#2]}

\cmdmthargset   ... to do!

- \cmdmthargset{cmdName};
  \cmdNameSet[sub][sub][ext1]{arg}[ext2] $=$ cmdName$^{sub}_{sub}ext1(arg)ext2$
- \cmdmthargset{cmdName}[NewName];
  \cmdNameSet[sub][sub][ext1]{arg}[ext2] $=$ NewName$^{sub}_{sub}ext1(arg)ext2$

531 \newcommandx{\cmdmthargset}[2][2=]
532   {\usrmth{#1}{Set}{argset}[#2]}

\cmdmthoargset   ... to do!

- \cmdmthoargset{cmdName};
  \cmdNameSet[sub][sub][arg] $=$ cmdName$^{sub}_{sub}(arg)$
- \cmdmthoargset{cmdSet}[NewName];
  \cmdSetSet[sub][sub][arg] $=$ NewName$^{sub}_{sub}(arg)$

533 \newcommandx{\cmdmthoargset}[2][2=]
534   {\usrmth{#1}{Set}{oargset}[#2]}

\cmdmthparset   ... to do!

- \cmdmthparset{cmdName};
  \cmdNameSet[sub][sub][ext1]{par}[ext2] $=$ cmdName$^{sub}_{sub}ext1[par]ext2$
- \cmdmthparset{cmdName}[NewName];
  \cmdNameSet[sub][sub][ext1]{par}[ext2] $=$ NewName$^{sub}_{sub}ext1[par]ext2$

535 \newcommandx{\cmdmthparset}[2][2=]
536   {\usrmth{#1}{Set}{parset}[#2]}

\cmdmthoparset   ... to do!

- \cmdmthoparset{cmdName};
  \cmdNameSet[sub][sub][par] $=$ cmdName$^{sub}_{sub}[par]$
- \cmdmthoparset{cmdSet}[NewName];
  \cmdSetSet[sub][sub][par] $=$ NewName$^{sub}_{sub}[par]$

537 \newcommandx{\cmdmthoparset}[2][2=]
538   {\usrmth{#1}{Set}{oparset}[#2]}

`\cmdmthsetext`   ... to do!

```
539 \newcommandx{\cmdmthsetext}[3][2=, 3=]
540   {\cmdmthset{#1}[#2]\caselower[q]{#1}%
541    \usrmthlet{\thestring}{Sym}{sym}
542      [\defval{#3}{\defval{\empchk{#2}{\lowercase{#2}}}{\thestring}}]%
543    \usrmthlet{\thestring}{Elm}{elm}
544      [\defval{#3}{\defval{\empchk{#2}{\lowercase{#2}}}{\thestring}}]}
```

`\mthrel, ...`   ... to do!

- `\mthrel{Name}[sub][sup][Ext]` $= Name^{sup}_{sub}Ext$
- `\mthargrel{Name}[sub][sup][Ext1]{Arg}[Ext2]` $= Name^{sup}_{sub}Ext1(Arg)Ext2$
- `\mthparrel{Name}[sub][sup][Ext1]{Par}[Ext2]` $= Name^{sup}_{sub}Ext1[Par]Ext2$

```
545 %% Style for Relations
546 \cmdmthall{rel}\newcommand{\mthstyrel}{\mathit}
```

`\aRel, ...`   ... to do!

$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
$A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, L, T, U, V, W, X, Y, Z$
$\alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega$
$A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega$

```
547 \seqoflet{Rel}{mthrel}
```

`\cmdmthrel`   ... to do!

- `\cmdmthrel{cmdName};`
  `\cmdNameRel[sub][sub][ext]` $= cmdName^{sub}_{sub}ext$
- `\cmdmthrel{cmdName}[NewName];`
  `\cmdNameRel[sub][sub][ext]` $= NewName^{sub}_{sub}ext$

```
548 \newcommandx{\cmdmthrel}[2][2=]
549   {\usrmth{#1}{Rel}{rel}[#2]}
```

`\cmdmthargrel`   ... to do!

- `\cmdmthargrel{cmdName};`
  `\cmdNameRel[sub][sub][ext1]{arg}[ext2]` $= cmdName^{sub}_{sub}ext1(arg)ext2$
- `\cmdmthargrel{cmdName}[NewName];`
  `\cmdNameRel[sub][sub][ext1]{arg}[ext2]` $= NewName^{sub}_{sub}ext1(arg)ext2$

```
550 \newcommandx{\cmdmthargrel}[2][2=]
551   {\usrmth{#1}{Rel}{argrel}[#2]}
```

`\cmdmthoargrel`   ... to do!

- `\cmdmthoargrel{cmdName};`
  `\cmdNameRel[sub][sub][arg]` $= cmdName^{sub}_{sub}(arg)$
- `\cmdmthoargrel{cmdRel}[NewName];`
  `\cmdRelRel[sub][sub][arg]` $= NewName^{sub}_{sub}(arg)$

```
552 \newcommandx{\cmdmthoargrel}[2][2=]
553   {\usrmth{#1}{Rel}{oargrel}[#2]}
```

`\cmdmthparrel`   ... to do!

- `\cmdmthparrel{cmdName};`
  `\cmdNameRel[sub][sub][ext1]{par}[ext2]` $= cmdName^{sub}_{sub}ext1[par]ext2$
- `\cmdmthparrel{cmdName}[NewName];`
  `\cmdNameRel[sub][sub][ext1]{par}[ext2]` $= NewName^{sub}_{sub}ext1[par]ext2$

```
554 \newcommandx{\cmdmthparrel}[2][2=]
555   {\usrmth{#1}{Rel}{parrel}[#2]}
```

`\cmdmthoparrel`   ... to do!

- `\cmdmthoparrel{cmdName};`
  `\cmdNameRel[sub][sub][par]` $= cmdName^{sub}_{sub}[par]$

- \cmdmthoparrel{cmdRel}[NewName];
  \cmdRelRel[sub][sub][par] $= NewName_{sub}^{sub}[par]$

556 \newcommandx{\cmdmthoparrel}[2][2=]
557   {\usrmth{#1}{Rel}{oparrel}[#2]}

\mthfun, ... to do!

- \mthfun{Name}[sub][sup][Ext] $= \mathsf{Name}_{sub}^{sup}Ext$
- \mthargfun{Name}[sub][sup][Ext1]{Arg}[Ext2] $= \mathsf{Name}_{sub}^{sup}Ext1(Arg)Ext2$
- \mthparfun{Name}[sub][sup][Ext1]{Par}[Ext2] $= \mathsf{Name}_{sub}^{sup}Ext1[Par]Ext2$

558 %% Style for Functions
559 \cmdmthall{fun}\newcommand{\mthstyfun}{\mathsf}

\aFun, ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, o, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω
A, B, Γ, Δ, E, E, Z, H, Θ, Θ, I, K, K, Λ, M, N, Ξ, O, Π, Π, P, P, Σ, Σ, T, Υ, Φ, Φ, X, Ψ, Ω

560 \seqoflet{Fun}{mthfun}

\cmdmthfun   ... to do!

- \cmdmthfun{cmdName};
  \cmdNameFun[sub][sub][ext] $= \mathsf{cmdName}_{sub}^{sub}ext$
- \cmdmthfun{cmdName}[NewName];
  \cmdNameFun[sub][sub][ext] $= \mathsf{NewName}_{sub}^{sub}ext$

561 \newcommandx{\cmdmthfun}[2][2=]
562   {\usrmth{#1}{Fun}{fun}[#2]}

\cmdmthargfun   ... to do!

- \cmdmthargfun{cmdName};
  \cmdNameFun[sub][sub][ext1]{arg}[ext2] $= \mathsf{cmdName}_{sub}^{sub}ext1(arg)ext2$
- \cmdmthargfun{cmdName}[NewName];
  \cmdNameFun[sub][sub][ext1]{arg}[ext2] $= \mathsf{NewName}_{sub}^{sub}ext1(arg)ext2$

563 \newcommandx{\cmdmthargfun}[2][2=]
564   {\usrmth{#1}{Fun}{argfun}[#2]}

\cmdmthoargfun   ... to do!

- \cmdmthoargfun{cmdName};
  \cmdNameFun[sub][sub][arg] $= \mathsf{cmdName}_{sub}^{sub}(arg)$
- \cmdmthoargfun{cmdFun}[NewName];
  \cmdFunFun[sub][sub][arg] $= \mathsf{NewName}_{sub}^{sub}(arg)$

565 \newcommandx{\cmdmthoargfun}[2][2=]
566   {\usrmth{#1}{Fun}{oargfun}[#2]}

\cmdmthparfun   ... to do!

- \cmdmthparfun{cmdName};
  \cmdNameFun[sub][sub][ext1]{par}[ext2] $= \mathsf{cmdName}_{sub}^{sub}ext1[par]ext2$
- \cmdmthparfun{cmdName}[NewName];
  \cmdNameFun[sub][sub][ext1]{par}[ext2] $= \mathsf{NewName}_{sub}^{sub}ext1[par]ext2$

567 \newcommandx{\cmdmthparfun}[2][2=]
568   {\usrmth{#1}{Fun}{parfun}[#2]}

\cmdmthoparfun   ... to do!

- \cmdmthoparfun{cmdName};
  \cmdNameFun[sub][sub][par] $= \mathsf{cmdName}_{sub}^{sub}[par]$
- \cmdmthoparfun{cmdFun}[NewName];
  \cmdFunFun[sub][sub][par] $= \mathsf{NewName}_{sub}^{sub}[par]$

569 \newcommandx{\cmdmthoparfun}[2][2=]
570   {\usrmth{#1}{Fun}{oparfun}[#2]}

\mthsym, ... to do!

- \mthsym{Name}[sub][sup][Ext] $=$ Name$_{sub}^{sup}Ext$
- \mthargsym{Name}[sub][sup][Ext1]{Arg}[Ext2] $=$ Name$_{sub}^{sup}Ext1(Arg)Ext2$
- \mthparsym{Name}[sub][sup][Ext1]{Par}[Ext2] $=$ Name$_{sub}^{sup}Ext1[Par]Ext2$

```
571 %% Style for Symbols
572 \cmdmthall{sym}\newcommand{\mthstysym}{\mathtt}
```

\aSym, ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
$\alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega$
A, B, Γ, Δ, E, E, Z, H, θ, Θ, I, K, K, Λ, M, N, Ξ, O, Π, Π, P, P, Σ, Σ, T, Υ, Φ, Φ, X, Ψ, Ω

```
573 \seqoflet{Sym}{mthsym}
```

\cmdmthsym   ... to do!

- \cmdmthsym{cmdName};
  \cmdNameSym[sub][sub][ext] $=$ cmdName$_{sub}^{sub}ext$
- \cmdmthsym{cmdName}[NewName];
  \cmdNameSym[sub][sub][ext] $=$ NewName$_{sub}^{sub}ext$

```
574 \newcommandx{\cmdmthsym}[2][2=]
575   {\usrmth{#1}{Sym}{sym}[#2]}
```

\cmdmthargsym   ... to do!

- \cmdmthargsym{cmdName};
  \cmdNameSym[sub][sub][ext1]{arg}[ext2] $=$ cmdName$_{sub}^{sub}ext1(arg)ext2$
- \cmdmthargsym{cmdName}[NewName];
  \cmdNameSym[sub][sub][ext1]{arg}[ext2] $=$ NewName$_{sub}^{sub}ext1(arg)ext2$

```
576 \newcommandx{\cmdmthargsym}[2][2=]
577   {\usrmth{#1}{Sym}{argsym}[#2]}
```

\cmdmthoargsym   ... to do!

- \cmdmthoargsym{cmdName};
  \cmdNameSym[sub][sub][arg] $=$ cmdName$_{sub}^{sub}(arg)$
- \cmdmthoargsym{cmdSym}[NewName];
  \cmdSymSym[sub][sub][arg] $=$ NewName$_{sub}^{sub}(arg)$

```
578 \newcommandx{\cmdmthoargsym}[2][2=]
579   {\usrmth{#1}{Sym}{oargsym}[#2]}
```

\cmdmthparsym   ... to do!

- \cmdmthparsym{cmdName};
  \cmdNameSym[sub][sub][ext1]{par}[ext2] $=$ cmdName$_{sub}^{sub}ext1[par]ext2$
- \cmdmthparsym{cmdName}[NewName];
  \cmdNameSym[sub][sub][ext1]{par}[ext2] $=$ NewName$_{sub}^{sub}ext1[par]ext2$

```
580 \newcommandx{\cmdmthparsym}[2][2=]
581   {\usrmth{#1}{Sym}{parsym}[#2]}
```

\cmdmthoparsym   ... to do!

- \cmdmthoparsym{cmdName};
  \cmdNameSym[sub][sub][par] $=$ cmdName$_{sub}^{sub}[par]$
- \cmdmthoparsym{cmdSym}[NewName];
  \cmdSymSym[sub][sub][par] $=$ NewName$_{sub}^{sub}[par]$

```
582 \newcommandx{\cmdmthoparsym}[2][2=]
583   {\usrmth{#1}{Sym}{oparsym}[#2]}
```

\mthelm, ... to do!

- \mthelm{Name}[sub][sup][Ext] $=$ $Name_{sub}^{sup}Ext$
- \mthargelm{Name}[sub][sup][Ext1]{Arg}[Ext2] $=$ $Name_{sub}^{sup}Ext1(Arg)Ext2$

- \mthparelm{Name}[sub][sup][Ext1]{Par}[Ext2] $= Name_{sub}^{sup}Ext1[Par]Ext2$

584 %% Style for Elements
585 \cmdmthall{elm}\newcommand{\mthstyelm}{\mathnormal}

\aElm, ... to do!
$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
$A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z$
$\alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega$
$A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega$

586 \seqoflet{Elm}{mthelm}

\cmdmthelm   ... to do!

- \cmdmthelm{cmdName};
  \cmdNameElm[sub][sub][ext] $= cmdName_{sub}^{sub}ext$

- \cmdmthelm{cmdName}[NewName];
  \cmdNameElm[sub][sub][ext] $= NewName_{sub}^{sub}ext$

587 \newcommandx\cmdmthelm}[2][2=]
588   {\usrmth{#1}{Elm}{elm}[#2]}

\cmdmthargelm   ... to do!

- \cmdmthargelm{cmdName};
  \cmdNameElm[sub][sub][ext1]{arg}[ext2] $= cmdName_{sub}^{sub}ext1(arg)ext2$

- \cmdmthargelm{cmdName}[NewName];
  \cmdNameElm[sub][sub][ext1]{arg}[ext2] $= NewName_{sub}^{sub}ext1(arg)ext2$

589 \newcommandx\cmdmthargelm}[2][2=]
590   {\usrmth{#1}{Elm}{argelm}[#2]}

\cmdmthoargelm   ... to do!

- \cmdmthoargelm{cmdName};
  \cmdNameElm[sub][sub][arg] $= cmdName_{sub}^{sub}(arg)$

- \cmdmthoargelm{cmdElm}[NewName];
  \cmdElmElm[sub][sub][arg] $= NewName_{sub}^{sub}(arg)$

591 \newcommandx\cmdmthoargelm}[2][2=]
592   {\usrmth{#1}{Elm}{oargelm}[#2]}

\cmdmthparelm   ... to do!

- \cmdmthparelm{cmdName};
  \cmdNameElm[sub][sub][ext1]{par}[ext2] $= cmdName_{sub}^{sub}ext1[par]ext2$

- \cmdmthparelm{cmdName}[NewName];
  \cmdNameElm[sub][sub][ext1]{par}[ext2] $= NewName_{sub}^{sub}ext1[par]ext2$

593 \newcommandx\cmdmthparelm}[2][2=]
594   {\usrmth{#1}{Elm}{parelm}[#2]}

\cmdmthoparelm   ... to do!

- \cmdmthoparelm{cmdName};
  \cmdNameElm[sub][sub][par] $= cmdName_{sub}^{sub}[par]$

- \cmdmthoparelm{cmdElm}[NewName];
  \cmdElmElm[sub][sub][par] $= NewName_{sub}^{sub}[par]$

595 \newcommandx\cmdmthoparelm}[2][2=]
596   {\usrmth{#1}{Elm}{oparelm}[#2]}

597 %%**%%

\cmdmthsymelm   ... to do!

- \cmdmthsymelm{cmdName};
  \cmdNameSym[sub][sub][ext] $= cmdName_{sub}^{sub}ext$
  \cmdNameElm[sub][sub][ext] $= cmdName_{sub}^{sub}ext$

26

- $\bullet$ \cmdmthsymelm{cmdName}[NewName];
  \cmdNameSym[sub][sub][ext] $=$ NewName$_{sub}^{sub}ext$
  \cmdNameElm[sub][sub][ext] $= NewName_{sub}^{sub}ext$

```
598 \newcommandx{\cmdmthsymelm}[2][2=]
599   {\cmdmthsym{#1}[#2]%
600    \cmdmthelm{#1}[#2]}
```

\cmdmthargsymelm   ... to do!

- $\bullet$ \cmdmthargsymelm{cmdName};
  \cmdNameSym[sub][sub][ext1]{arg}[ext2] $=$ cmdName$_{sub}^{sub}ext1(arg)ext2$
  \cmdNameElm[sub][sub][ext1]{arg}[ext2] $= cmdName_{sub}^{sub}ext1(arg)ext2$

- $\bullet$ \cmdmthargsymelm{cmdName}[NewName];
  \cmdNameSym[sub][sub][ext1]{arg}[ext2] $=$ NewName$_{sub}^{sub}ext1(arg)ext2$
  \cmdNameElm[sub][sub][ext1]{arg}[ext2] $= NewName_{sub}^{sub}ext1(arg)ext2$

```
601 \newcommandx{\cmdmthargsymelm}[2][2=]
602   {\cmdmthargsym{#1}[#2]%
603    \cmdmthargelm{#1}[#2]}
```

\cmdmthoargsymelm   ... to do!

- $\bullet$ \cmdmthoargsymelm{cmdName};
  \cmdNameSym[sub][sub][arg] $=$ cmdName$_{sub}^{sub}(arg)$
  \cmdNameElm[sub][sub][arg] $= cmdName_{sub}^{sub}(arg)$

- $\bullet$ \cmdmthoargsymelm{cmdName}[NewName];
  \cmdNameSym[sub][sub][arg] $=$ NewName$_{sub}^{sub}(arg)$
  \cmdNameElm[sub][sub][arg] $= NewName_{sub}^{sub}(arg)$

```
604 \newcommandx{\cmdmthoargsymelm}[2][2=]
605   {\cmdmthoargsym{#1}[#2]%
606    \cmdmthoargelm{#1}[#2]}
```

\cmdmthparsymelm   ... to do!

- $\bullet$ \cmdmthparsymelm{cmdName};
  \cmdNameSym[sub][sub][ext1]{par}[ext2] $=$ cmdName$_{sub}^{sub}ext1[par]ext2$
  \cmdNameElm[sub][sub][ext1]{par}[ext2] $= cmdName_{sub}^{sub}ext1[par]ext2$

- $\bullet$ \cmdmthparsymelm{cmdName}[NewName];
  \cmdNameSym[sub][sub][ext1]{par}[ext2] $=$ NewName$_{sub}^{sub}ext1[par]ext2$
  \cmdNameElm[sub][sub][ext1]{par}[ext2] $= NewName_{sub}^{sub}ext1[par]ext2$

```
607 \newcommandx{\cmdmthparsymelm}[2][2=]
608   {\cmdmthparsym{#1}[#2]%
609    \cmdmthparelm{#1}[#2]}
```

\cmdmthoparsymelm   ... to do!

- $\bullet$ \cmdmthoparsymelm{cmdName};
  \cmdNameSym[sub][sub][par] $=$ cmdName$_{sub}^{sub}[par]$
  \cmdNameElm[sub][sub][par] $= cmdName_{sub}^{sub}[par]$

- $\bullet$ \cmdmthoparsymelm{cmdName}[NewName];
  \cmdNameSym[sub][sub][par] $=$ NewName$_{sub}^{sub}[par]$
  \cmdNameElm[sub][sub][par] $= NewName_{sub}^{sub}[par]$

```
610 \newcommandx{\cmdmthoparsymelm}[2][2=]
611   {\cmdmthoparsym{#1}[#2]%
612    \cmdmthoparelm{#1}[#2]}
```

```
613 %%***********************************************************************%%
```

\mthlopr, ... to do!

- $\bullet$ \mthlopr{\oplus}[sub][sup][Ext] $= \oplus_{sub}^{sup} Ext$

```
614 %% Style for Sentences
615 \cmdmth{lopr}\newcommand{\mthstylopr}[1]{\textstyle\mathop{#1}}
```

\cmdmthlopr   ... to do!

- \cmdmthlopr{cmdName};
  \cmdNameOpr[sub][sub][ext] $= cmdName^{sub}_{sub}\, ext$

- \cmdmthlopr{cmdName}[\oplus];
  \cmdNameOpr[sub][sub][ext] $= \oplus^{sub}_{sub}\, ext$

616 \newcommandx\{\cmdmthlopr\}[2][2=]
617   \{\usrmth\{#1\}\{Opr\}\{lopr\}[#2]\}

\mthlrel, ... to do!

- \mthlrel{\preceq}[sub][sup][Ext] $= \preceq^{sup}_{sub} Ext$

618 %% Style for Sentences
619 \cmdmth{lrel}\newcommand{\mthstylrel}{\mathrel}

\cmdmthlrel   ... to do!

- \cmdmthlrel{cmdName};
  \cmdNameRel[sub][sub][ext] $= cmdName^{sub}_{sub}\, ext$

- \cmdmthlrel{cmdName}[\preceq];
  \cmdNameRel[sub][sub][ext] $= \preceq^{sub}_{sub}\, ext$

620 \newcommandx\{\cmdmthlrel\}[2][2=]
621   \{\usrmth\{#1\}\{Rel\}\{lrel\}[#2]\}

622 %%**%%

\mthsnt, ... to do!

- \mthsnt{Name}[sub][sup][Ext] $= \mathsf{Name}^{sup}_{sub} Ext$
- \mthargsnt{Name}[sub][sup][Ext1]{Arg}[Ext2] $= \mathsf{Name}^{sup}_{sub} Ext1 (Arg) Ext2$
- \mthparsnt{Name}[sub][sup][Ext1]{Par}[Ext2] $= \mathsf{Name}^{sup}_{sub} Ext1 [Par] Ext2$

623 %% Style for Sentences
624 \cmdmthall{snt}\newcommand{\mthstysnt}{\mathsf}

\aSnt, ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
$\alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega$
$A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega$

625 \seqoflet{Snt}{mthsnt}

\cmdmthsnt   ... to do!

- \cmdmthsnt{cmdName};
  \cmdNameSnt[sub][sub][ext] $= \mathsf{cmdName}^{sub}_{sub} ext$

- \cmdmthsnt{cmdName}[NewName];
  \cmdNameSnt[sub][sub][ext] $= \mathsf{NewName}^{sub}_{sub} ext$

626 \newcommandx\{\cmdmthsnt\}[2][2=]
627   \{\usrmth\{#1\}\{Snt\}\{snt\}[#2]\}

\cmdmthargsnt   ... to do!

- \cmdmthargsnt{cmdName};
  \cmdNameSnt[sub][sub][ext1]{arg}[ext2] $= \mathsf{cmdName}^{sub}_{sub} ext1 (arg) ext2$

- \cmdmthargsnt{cmdName}[NewName];
  \cmdNameSnt[sub][sub][ext1]{arg}[ext2] $= \mathsf{NewName}^{sub}_{sub} ext1 (arg) ext2$

628 \newcommandx\{\cmdmthargsnt\}[2][2=]
629   \{\usrmth\{#1\}\{Snt\}\{argsnt\}[#2]\}

\cmdmthoargsnt   ... to do!

- \cmdmthoargsnt{cmdName};
  \cmdNameSnt[sub][sub][arg] $= \mathsf{cmdName}^{sub}_{sub} (arg)$

- \cmdmthoargsnt{cmdName}[NewName];
  \cmdNameSnt[sub][sub][arg] $= \mathsf{NewName}^{sub}_{sub} (arg)$

```
630 \newcommandx{\cmdmthoargsnt}[2][2=]
631   {\usrmth{#1}{Snt}{oargsnt}[#2]}
```

\cmdmthparsnt   ... to do!

- \cmdmthparsnt{cmdName};
  \cmdNameSnt[sub][sub][ext1]{par}[ext2] = cmdName$_{sub}^{sub}$ext1[par]ext2

- \cmdmthparsnt{cmdName}[NewName];
  \cmdNameSnt[sub][sub][ext1]{par}[ext2] = NewName$_{sub}^{sub}$ext1[par]ext2

```
632 \newcommandx{\cmdmthparsnt}[2][2=]
633   {\usrmth{#1}{Snt}{parsnt}[#2]}
```

\cmdmthoparsnt   ... to do!

- \cmdmthoparsnt{cmdName};
  \cmdNameSnt[sub][sub][par] = cmdName$_{sub}^{sub}$[par]

- \cmdmthoparsnt{cmdName}[NewName];
  \cmdNameSnt[sub][sub][par] = NewName$_{sub}^{sub}$[par]

```
634 \newcommandx{\cmdmthoparsnt}[2][2=]
635   {\usrmth{#1}{Snt}{oparsnt}[#2]}
```

\mthfrm, ... to do!

- \mthfrm{Name}[sub][sup][Ext] = $Name_{sub}^{sup}Ext$
- \mthargfrm{Name}[sub][sup][Ext1]{Arg}[Ext2] = $Name_{sub}^{sup}Ext1(Arg)Ext2$
- \mthparfrm{Name}[sub][sup][Ext1]{Par}[Ext2] = $Name_{sub}^{sup}Ext1[Par]Ext2$

```
636 %% Style for Formulae
637 \cmdmthall{frm}\newcommand{\mthstyfrm}{\mathit}
```

\aFrm, ... to do!
$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
$A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z$
$\alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega$
$A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega$

```
638 \seqoflet{Frm}{mthfrm}
```

\cmdmthfrm   ... to do!

- \cmdmthfrm{cmdName};
  \cmdNameFrm[sub][sub][ext] = $cmdName_{sub}^{sub}ext$

- \cmdmthfrm{cmdName}[NewName];
  \cmdNameFrm[sub][sub][ext] = $NewName_{sub}^{sub}ext$

```
639 \newcommandx{\cmdmthfrm}[2][2=]
640   {\usrmth{#1}{Frm}{frm}[#2]}
```

\cmdmthargfrm   ... to do!

- \cmdmthargfrm{cmdName};
  \cmdNameFrm[sub][sub][ext1]{arg}[ext2] = $cmdName_{sub}^{sub}ext1(arg)ext2$

- \cmdmthargfrm{cmdName}[NewName];
  \cmdNameFrm[sub][sub][ext1]{arg}[ext2] = $NewName_{sub}^{sub}ext1(arg)ext2$

```
641 \newcommandx{\cmdmthargfrm}[2][2=]
642   {\usrmth{#1}{Frm}{argfrm}[#2]}
```

\cmdmthoargfrm   ... to do!

- \cmdmthoargfrm{cmdName};
  \cmdNameFrm[sub][sub][arg] = $cmdName_{sub}^{sub}(arg)$

- \cmdmthoargfrm{cmdName}[NewName];
  \cmdNameFrm[sub][sub][arg] = $NewName_{sub}^{sub}(arg)$

```
643 \newcommandx{\cmdmthoargfrm}[2][2=]
644   {\usrmth{#1}{Frm}{oargfrm}[#2]}
```

\cmdmthparfrm   ... to do!

- \cmdmthparfrm{cmdName};
  \cmdNameFrm[sub][sub][ext1]{par}[ext2] $= cmdName_{sub}^{sub}ext1[par]ext2$

- \cmdmthparfrm{cmdName}[NewName];
  \cmdNameFrm[sub][sub][ext1]{par}[ext2] $= NewName_{sub}^{sub}ext1[par]ext2$

```
645 \newcommandx{\cmdmthparfrm}[2][2=]
646   {\usrmth{#1}{Frm}{parfrm}[#2]}
```

\cmdmthoparfrm   ... to do!

- \cmdmthoparfrm{cmdName};
  \cmdNameFrm[sub][sub][par] $= cmdName_{sub}^{sub}[par]$

- \cmdmthoparfrm{cmdName}[NewName];
  \cmdNameFrm[sub][sub][par] $= NewName_{sub}^{sub}[par]$

```
647 \newcommandx{\cmdmthoparfrm}[2][2=]
648   {\usrmth{#1}{Frm}{oparfrm}[#2]}
```

```
649 %%**********************************************************************%%
```

\mthmat, ... to do!

- \mthmat{Name}[sub][sup][Ext] $= \mathbf{Name}_{sub}^{sup}Ext$
- \mthargmat{Name}[sub][sup][Ext1]{Arg}[Ext2] $= \mathbf{Name}_{sub}^{sup}Ext1(Arg)Ext2$
- \mthparmat{Name}[sub][sup][Ext1]{Par}[Ext2] $= \mathbf{Name}_{sub}^{sup}Ext1[Par]Ext2$

```
650 %% Style for Matrices
651 \cmdmthall{mat}\newcommand{\mthstymat}[1]{\boldsymbol{\mathsf{#1}}}
```

\aMat, ... to do!
a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
$\boldsymbol{\alpha}, \boldsymbol{\beta}, \boldsymbol{\gamma}, \boldsymbol{\delta}, \boldsymbol{\epsilon}, \boldsymbol{\varepsilon}, \boldsymbol{\zeta}, \boldsymbol{\eta}, \boldsymbol{\theta}, \boldsymbol{\vartheta}, \boldsymbol{\iota}, \boldsymbol{\kappa}, \boldsymbol{\varkappa}, \boldsymbol{\lambda}, \boldsymbol{\mu}, \boldsymbol{\nu}, \boldsymbol{\xi}, \mathbf{o}, \boldsymbol{\pi}, \boldsymbol{\varpi}, \boldsymbol{\rho}, \boldsymbol{\varrho}, \boldsymbol{\sigma}, \boldsymbol{\varsigma}, \boldsymbol{\tau}, \boldsymbol{\upsilon}, \boldsymbol{\phi}, \boldsymbol{\varphi}, \boldsymbol{\chi}, \boldsymbol{\psi}, \boldsymbol{\omega}$
$\mathbf{A}, \mathbf{B}, \boldsymbol{\Gamma}, \boldsymbol{\Delta}, \mathbf{E}, \mathbf{E}, \mathbf{Z}, \mathbf{H}, \boldsymbol{\Theta}, \boldsymbol{\Theta}, \mathbf{I}, \mathbf{K}, \mathbf{K}, \boldsymbol{\Lambda}, \mathbf{M}, \mathbf{N}, \boldsymbol{\Xi}, \mathbf{O}, \boldsymbol{\Pi}, \boldsymbol{\Pi}, \mathbf{P}, \mathbf{P}, \boldsymbol{\Sigma}, \boldsymbol{\Sigma}, \mathbf{T}, \boldsymbol{\Upsilon}, \boldsymbol{\Phi}, \boldsymbol{\Phi}, \mathbf{X}, \boldsymbol{\Psi}, \boldsymbol{\Omega}$

```
652 \seqoflet{Mat}{mthmat}
```

\cmdmthmat   ... to do!

- \cmdmthmat{cmdName};
  \cmdNameMat[sub][sub][ext] $= \mathbf{cmdName}_{sub}^{sub}ext$

- \cmdmthmat{cmdName}[NewName];
  \cmdNameMat[sub][sub][ext] $= \mathbf{NewName}_{sub}^{sub}ext$

```
653 \newcommandx{\cmdmthmat}[2][2=]
654   {\usrmth{#1}{Mat}{mat}[#2]}
```

\cmdmthargmat   ... to do!

- \cmdmthargmat{cmdName};
  \cmdNameMat[sub][sub][ext1]{arg}[ext2] $= \mathbf{cmdName}_{sub}^{sub}ext1(arg)ext2$

- \cmdmthargmat{cmdName}[NewName];
  \cmdNameMat[sub][sub][ext1]{arg}[ext2] $= \mathbf{NewName}_{sub}^{sub}ext1(arg)ext2$

```
655 \newcommandx{\cmdmthargmat}[2][2=]
656   {\usrmth{#1}{Mat}{argmat}[#2]}
```

\cmdmthoargmat   ... to do!

- \cmdmthoargmat{cmdName};
  \cmdNameMat[sub][sub][arg] $= \mathbf{cmdName}_{sub}^{sub}(arg)$

- \cmdmthoargmat{cmdName}[NewName];
  \cmdNameMat[sub][sub][arg] $= \mathbf{NewName}_{sub}^{sub}(arg)$

```
657 \newcommandx{\cmdmthoargmat}[2][2=]
658   {\usrmth{#1}{Mat}{oargmat}[#2]}
```

\cmdmthparmat   ... to do!

- \cmdmthparmat{cmdName};
  \cmdNameMat[sub][sub][ext1]{par}[ext2] $= \mathbf{cmdName}_{sub}^{sub}ext1[par]ext2$

- \cmdmthparmat{cmdName}[NewName];
  \cmdNameMat[sub][sub][ext1]{par}[ext2] $= \textbf{NewName}^{sub}_{sub}ext1[par]ext2$

```
659 \newcommandx\cmdmthparmat}[2][2=]
660   {\usrmth{#1}{Mat}{parmat}[#2]}
```

\cmdmthoparmat ... to do!

- \cmdmthoparmat{cmdName};
  \cmdNameMat[sub][sub][par] $= \textbf{cmdName}^{sub}_{sub}[par]$

- \cmdmthoparmat{cmdName}[NewName];
  \cmdNameMat[sub][sub][par] $= \textbf{NewName}^{sub}_{sub}[par]$

```
661 \newcommandx\cmdmthoparmat}[2][2=]
662   {\usrmth{#1}{Mat}{oparmat}[#2]}
```

\mthvec, ... to do!

- \mthvec{Name}[sub][sup][Ext] $= \boldsymbol{Name}^{sup}_{sub}Ext$

- \mthargvec{Name}[sub][sup][Ext1]{Arg}[Ext2] $= \boldsymbol{Name}^{sup}_{sub}Ext1(Arg)Ext2$

- \mthparvec{Name}[sub][sup][Ext1]{Par}[Ext2] $= \boldsymbol{Name}^{sup}_{sub}Ext1[Par]Ext2$

```
663 %% Style for Vectors
664 \cmdmthall{vec}\newcommand{\mthstyvec}[1]{\boldsymbol{\mathit{#1}}}
```

\aVec, ... to do!
$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
$A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z$
$\alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega$
$A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega$

```
665 \seqoflet{Vec}{mthvec}
```

\cmdmthvec ... to do!

- \cmdmthvec{cmdName};
  \cmdNameVec[sub][sub][ext] $= \boldsymbol{cmdName}^{sub}_{sub}ext$

- \cmdmthvec{cmdName}[NewName];
  \cmdNameVec[sub][sub][ext] $= \boldsymbol{NewName}^{sub}_{sub}ext$

```
666 \newcommandx\cmdmthvec}[2][2=]
667   {\usrmth{#1}{Vec}{vec}[#2]}
```

\cmdmthargvec ... to do!

- \cmdmthargvec{cmdName};
  \cmdNameVec[sub][sub][ext1]{arg}[ext2] $= \boldsymbol{cmdName}^{sub}_{sub}ext1(arg)ext2$

- \cmdmthargvec{cmdName}[NewName];
  \cmdNameVec[sub][sub][ext1]{arg}[ext2] $= \boldsymbol{NewName}^{sub}_{sub}ext1(arg)ext2$

```
668 \newcommandx\cmdmthargvec}[2][2=]
669   {\usrmth{#1}{Vec}{argvec}[#2]}
```

\cmdmthoargvec ... to do!

- \cmdmthoargvec{cmdName};
  \cmdNameVec[sub][sub][arg] $= \boldsymbol{cmdName}^{sub}_{sub}(arg)$

- \cmdmthoargvec{cmdName}[NewName];
  \cmdNameVec[sub][sub][arg] $= \boldsymbol{NewName}^{sub}_{sub}(arg)$

```
670 \newcommandx\cmdmthoargvec}[2][2=]
671   {\usrmth{#1}{Vec}{oargvec}[#2]}
```

\cmdmthparvec ... to do!

- \cmdmthparvec{cmdName};
  \cmdNameVec[sub][sub][ext1]{par}[ext2] $= \boldsymbol{cmdName}^{sub}_{sub}ext1[par]ext2$

- \cmdmthparvec{cmdName}[NewName];
  \cmdNameVec[sub][sub][ext1]{par}[ext2] $= \boldsymbol{NewName}^{sub}_{sub}ext1[par]ext2$

```
672 \newcommandx\cmdmthparvec}[2][2=]
673   {\usrmth{#1}{Vec}{parvec}[#2]}
```

\cmdmthoparvec ... to do!

- \cmdmthoparvec{cmdName};
  \cmdNameVec[sub][sub][par] $= cmdName_{sub}^{sub}[par]$
- \cmdmthoparvec{cmdName}[NewName];
  \cmdNameVec[sub][sub][par] $= NewName_{sub}^{sub}[par]$

```
674 \newcommandx{\cmdmthoparvec}[2][2=]
675   {\usrmth{#1}{Vec}{oparvec}[#2]}

676 \fi
677 %%***********************************************************************%%
678 %%***********************************************************************%%
679 %%** Elementary Macros for Text ****************************************%%
680 %%***********************************************************************%%
681 \iftext@

682 %%** Latin Abbreviations ***********************************************%%
```

\adhoc
- \adhoc $= ad\ hoc$

```
683 \cmdtxtabr{adhoc}[ad hoc]
```

\afortiori
- \afortiori $= a\ fortiori$

```
684 \cmdtxtabr{afortiori}[a fortiori]
```

\apriori
- \apriori $= a\ priori$

```
685 \cmdtxtabr{apriori}[a priori]
```

\aposteriori
- \aposteriori $= a\ posteriori$

```
686 \cmdtxtabr{aposteriori}[a posteriori]
```

\cf
- \cf $= cf.$

```
687 \cmdtxtabr{cf}[cf.]
```

\dedicto
- \dedicto $= de\ dicto$

```
688 \cmdtxtabr{dedicto}[de dicto]
```

\defacto
- \defacto $= de\ facto$

```
689 \cmdtxtabr{defacto}[de facto]
```

\dere
- \dere $= de\ re$

```
690 \cmdtxtabr{dere}[de re]
```

\divideetimpera
- \divideetimpera $= divide\ et\ impera$

```
691 \cmdtxtabr{divideetimpera}[divide et impera]
```

\eg
- \eg $= e.g.$

```
692 \cmdtxtabr{eg}[e.g.]
```

\ergo
- \ergo $= ergo$

```
693 \cmdtxtabr{ergo}
```

\errata
- \errata $= errata$

```
694 \cmdtxtabr{errata}
```

\erratum
- \erratum $= erratum$

```
695 \cmdtxtabr{erratum}
```

\etal
- \etal $= et\ al.$

```
696 \cmdtxtabr{etal}[et al.]
```

\etc	• \etc = *etc.*
	697 \cmdtxtabr{etc}[etc.]
\ie	• \ie = *i.e.*
	698 \cmdtxtabr{ie}[i.e.]
\mutatismutandis	• \mutatismutandis = *mutatis mutandis*
	699 \cmdtxtabr{mutatismutandis}[mutatis mutandis]
\percontra	• \percontra = *per contra*
	700 \cmdtxtabr{percontra}[per contra]
\primafacie	• \primafacie = *prima facie*
	701 \cmdtxtabr{primafacie}[prima facie]
\viceversa	• \viceversa = *vice versa*
	702 \cmdtxtabr{viceversa}[vice versa]
\vs	• \vs = *vs.*
	703 \cmdtxtabr{vs}[vs.]
\viz	• \viz = *viz.*
	704 \cmdtxtabr{viz}[viz.]
	705 %%**%%
\Dedicto	• \Dedicto = *De dicto*
	706 \cmdtxtabr{Dedicto}[De dicto]
\Defacto	• \Defacto = *De facto*
	707 \cmdtxtabr{Defacto}[De facto]
\Dere	• \Dere = *De re*
	708 \cmdtxtabr{Dere}[De re]
\Divideetimpera	• \Divideetimpera = *Divide et impera*
	709 \cmdtxtabr{Divideetimpera}[Divide et impera]
\Eg	• \Eg = *E.g.*
	710 \cmdtxtabr{Eg}[E.g.]
\Errata	• \Errata = *Errata*
	711 \cmdtxtabr{Errata}
\Erratum	• \Erratum = *Erratum*
	712 \cmdtxtabr{Erratum}
\Percontra	• \Percontra = *Per contra*
	713 \cmdtxtabr{Percontra}[Per contra]
\Primafacie	• \Primafacie = *Prima facie*
	714 \cmdtxtabr{Primafacie}[Prima facie]
\Viceversa	• \Viceversa = *Vice versa*
	715 \cmdtxtabr{Viceversa}[Vice versa]
	716 %%** Italian Abbreviations **%%
	...
	717 %%**%%

...

718 %%** French Abbreviations **%%

\role   • \role = *rôle*

719 \cmdtxtabr{role}[r\^{o}le]

720 %%**%%

\Role   • \Role = *Rôle*

721 \cmdtxtabr{Role}[R\^{o}le]

722 %%** English Abbreviations ***%%

\aka   • \aka = *a.k.a.*

723 \cmdtxtabr{aka}[a.k.a.]

\contd   • \contd = *contd.*

724 \cmdtxtabr{contd}[contd.]

\iff   • \iff = *iff*

725 \cmdtxtabr{iff}

\stx   • \stx = *s.t.*

726 \cmdtxtabr{stx}[s.t.]

\resp   • \resp = *resp.*

727 \cmdtxtabr{resp}[resp.]

\wrt   • \wrt = *w.r.t.*

728 \cmdtxtabr{wrt}[w.r.t.]

\wlogx   • \wlogx = *w.l.o.g.*

729 \cmdtxtabr{wlogx}[w.l.o.g.]

730 %%**%%

\Contd   • \Contd = *Contd.*

731 \cmdtxtabr{Contd}[Contd.]

\Wlogx   • \Wlogx = *W.l.o.g.*

732 \cmdtxtabr{Wlogx}[W.l.o.g.]

733 \fi
734 %%**%%

735 %%**%%
736 %%** Elementary Macros for Math **%%
737 %%**%%
738 \ifmath@

739 %%** General Notation **%%

\defeq, \seteq ...

740 \DeclareRobustCommand{\defeq}
741   {\mthlopr{\triangleq}}
742 \DeclareRobustCommand{\seteq}
743   {\mthlopr{:=}}

744 %%**%%

34

\implies, ...

```
745 \DeclareRobustCommand{\implies}
746   {\mthlrel{\Rightarrow}}
747 \DeclareRobustCommand{\notimplies}
748   {\mthlrel{\not\Rightarrow}}
```

\coimplies, ...

```
749 \DeclareRobustCommand{\coimplies}
750   {\mthlrel{\Leftrightarrow}}
751 \DeclareRobustCommand{\notcoimplies}
752   {\mthlrel{\not\!\Leftrightarrow}}

753 %%***********************************************************************%%
```

\cmodels, ...

```
754 \DeclareRobustCommand{\cmodels}
755   {\mthlrel{\models}}
756 \DeclareRobustCommand{\notcmodels}
757   {\mthlrel{\not\models}}
```

\cequiv, ...

```
758 \DeclareRobustCommand{\cequiv}
759   {\mthlrel{\equiv}}
760 \DeclareRobustCommand{\notcequiv}
761   {\mthlrel{\not\equiv}}

762 %%***********************************************************************%%
```

\dual, \adj, ...

```
763 \DeclareRobustCommand{\dual}[1]
764   {\mth{\overline{#1}}}
765 \DeclareRobustCommand{\adj}[1]
766   {\mth{\mathring{#1}}}
767 \DeclareRobustCommand{\der}[1]
768   {\mth{\widehat{#1}}}
769 \DeclareRobustCommand{\trn}[1]
770   {\mth{\widetilde{#1}}}
```

\vec ...

```
771 \DeclareRobustCommand{\vec}[1]
772   {\mth{\mathaccent"017E{#1}}}

773 %%***********************************************************************%%
```

\enumeration, ...

```
774 \varcmd{enumeration}{\mth}{}{,}{}{}
775 \varcmd{enumerationx}{\mth}{}{;}{}{}
```

\sequence, ...

```
776 \varcmd{sequence}{\mth}{\left[}{,}{\right]}{}
777 \varcmd{sequencel}{\mth}{\left[}{,}{\right.}{}
778 \varcmd{sequencer}{\mth}{\left.}{,}{\right]}{}
779 \varcmd{sequencex}{\mth}{\left[}{;}{\right]}{}
780 \varcmd{sequencexl}{\mth}{\left[}{;}{\right.}{}
781 \varcmd{sequencexr}{\mth}{\left.}{;}{\right]}{}
```

\tuple, ...

```
782 \varcmd{tuple}{\mth}{\left\langle}{,}{\right\rangle}{}
783 \varcmd{tuplel}{\mth}{\left\langle}{,}{\right.}{}
784 \varcmd{tupler}{\mth}{\left.}{,}{\right\rangle}{}
785 \varcmd{tuplex}{\mth}{\left\langle}{;}{\right\rangle}{}
786 \varcmd{tuplexl}{\mth}{\left\langle}{;}{\right.}{}
787 \varcmd{tuplexr}{\mth}{\left.}{;}{\right\rangle}{}
```

```
788 %%** Sets ********************************************************%%
```

\set ...
```
789 \DeclareRobustCommand{\set}[2]
790   {\argmid{\{}{\argsep{#1}{\mid}{#2}}{\}}}
```

\card ...
```
791 \DeclareRobustCommand{\card}[1]
792   {\mth{\argmid{\lvert}{#1}{\rvert}}}
```

\pow ...
```
793 \DeclareRobustCommand{\pow}[1]
794   {\mth{2^{\defval{#1}{\cdot}}}}
```

\denot ...
```
795 \DeclareRobustCommand{\denot}[1]
796   {\mth{\argmid{\lVert}{#1}{\rVert}}}
```

```
797 %%** Relations ********************************************************%%
```

\emptyrel ...
```
798 \DeclareRobustCommand{\emptyrel}
799   {\mth{\varnothing}}
```

```
800 %%********************************************************************%%
```

\dom, \cod, ...
```
801 \DeclareRobustCommand{\dom}
802   {\mthargfun{dom}}
803 \DeclareRobustCommand{\cod}
804   {\mthargfun{cod}}
805 \DeclareRobustCommand{\rng}
806   {\mthargfun{rng}}
807 \DeclareRobustCommand{\img}
808   {\mthargfun{img}}
```

```
809 %%********************************************************************%%
```

\prj ...
```
810 \DeclareRobustCommand{\prj}
811   {\mthargfun{prj}}
```

\rst ...
```
812 \DeclareRobustCommand{\rst}
813   {\mthlopr{\upharpoonright}}
```

\cmp ...
```
814 \DeclareRobustCommand{\cmp}
815   {\mthlopr{\circ}}
```

```
816 %%** Functions ********************************************************%%
```

\emptyfun ...
```
817 \DeclareRobustCommand{\emptyfun}
818   {\mth{\varnothing}}
```

```
819 %%********************************************************************%%
```

\pto, \pmapsto ...
```
820 \DeclareMathOperator{\pto}
821   {\ensuremath{\rightharpoonup}}
822 \DeclareMathOperator{\pmapsto}
823   {\ensuremath{\mathrel{\raisebox{0.5ex}{\footnotesize$\llcorner}$}}%
824     \kern-1.5ex\rightharpoonup}}
```

`%%***********************************************************************%%`

\Aomega, \AOmega ...

826 `\DeclareRobustCommand{\Aomega}`
827 `  {\mthargset{\omega}}`
828 `\DeclareRobustCommand{\AOmega}`
829 `  {\mthargset{\Omega}}`

\Atheta, \ATheta ...

830 `\DeclareRobustCommand{\Atheta}`
831 `  {\mthargset{\theta}}`
832 `\DeclareRobustCommand{\ATheta}`
833 `  {\mthargset{\Theta}}`

\Aomicron, ...

834 `\DeclareRobustCommand{\Aomicron}`
835 `  {\mthargset{\omicron}}`
836 `\DeclareRobustCommand{\AOmicron}`
837 `  {\mthargset{\Omicron}}`

838 `%%** Numbers ***********************************************************%%`

\SetB ...

839 `\DeclareRobustCommand{\SetB}`
840 `  {\mthset[mathbb]{B}}`

\SetF ...

841 `\DeclareRobustCommand{\SetF}`
842 `  {\mthset[mathbb]{F}}`

\SetN, ...

843 `\DeclareRobustCommand{\SetN}`
844 `  {\mthset[mathbb]{N}}`
845 `\DeclareRobustCommand{\SetNI}[1][]`
846 `  {\SetN[\infty #1]}`

\SetZ, ...

847 `\DeclareRobustCommand{\SetZ}`
848 `  {\mthset[mathbb]{Z}}`
849 `\DeclareRobustCommand{\SetZI}[1][]`
850 `  {\SetZ[\pm\infty #1]}`
851 `\DeclareRobustCommand{\SetZPI}[1][]`
852 `  {\SetZ[+\infty #1]}`
853 `\DeclareRobustCommand{\SetZNI}[1][]`
854 `  {\SetZ[-\infty #1]}`

\SetQ, ...

855 `\DeclareRobustCommand{\SetQ}`
856 `  {\mthset[mathbb]{Q}}`
857 `\DeclareRobustCommand{\SetQI}[1][]`
858 `  {\SetQ[\pm\infty #1]}`
859 `\DeclareRobustCommand{\SetQPI}[1][]`
860 `  {\SetQ[+\infty #1]}`
861 `\DeclareRobustCommand{\SetQNI}[1][]`
862 `  {\SetQ[-\infty #1]}`

\SetR, ...

863 `\DeclareRobustCommand{\SetR}`
864 `  {\mthset[mathbb]{R}}`
865 `\DeclareRobustCommand{\SetRI}[1][]`
866 `  {\SetR[\pm\infty #1]}`
867 `\DeclareRobustCommand{\SetRPI}[1][]`
868 `  {\SetR[+\infty #1]}`
869 `\DeclareRobustCommand{\SetRNI}[1][]`
870 `  {\SetR[-\infty #1]}`

```
         \SetC, ...  ...
                    871 \DeclareRobustCommand{\SetC}
                    872   {\mthset[mathbb]{C}}
                    873 \DeclareRobustCommand{\SetCI}[1][]
                    874   {\SetC[\infty #1]}

                    875 %%***********************************************************************%%

          \num, ...  ...
                    876 \DeclareRobustCommand{\num}[1]
                    877   {\mth{[#1]}}
                    878 \DeclareRobustCommand{\numcc}[2]
                    879   {\mth{[\argsep{#1}{,}{#2}]}}
                    880 \DeclareRobustCommand{\numco}[2]
                    881   {\mth{[\argsep{#1}{,}{#2})}}
                    882 \DeclareRobustCommand{\numoc}[2]
                    883   {\mth{(\argsep{#1}{,}{#2}]}}
                    884 \DeclareRobustCommand{\numoo}[2]
                    885   {\mth{(\argsep{#1}{,}{#2})}}

                    886 %%***********************************************************************%%

     \floor, \ceil  ...
                    887 \DeclareRobustCommand{\floor}[1]
                    888   {\mth{\argmid{\left\lfloor}{#1}{\right\rfloor}}}
                    889 \DeclareRobustCommand{\ceil}[1]
                    890   {\mth{\argmid{\left\lceil}{#1}{\right\rceil}}}

                    891 %%***********************************************************************%%

               \arg  ...
                    892 \DeclareRobustCommand{\arg}
                    893   {\mthfun{arg}}

         \evn, \odd  ...
                    894 \DeclareRobustCommand{\evn}
                    895   {\mthfun{evn}}
                    896 \DeclareRobustCommand{\odd}
                    897   {\mthfun{odd}}

          \bst, ...  ...
                    898 \DeclareRobustCommand{\bst}
                    899   {\mthfun{bst}}
                    900 \DeclareRobustCommand{\argbst}
                    901   {\mthfun{arg bst}}

 \min, \max, ...  ...
                    902 \DeclareRobustCommand{\min}
                    903   {\mthfun{min}}
                    904 \DeclareRobustCommand{\max}
                    905   {\mthfun{max}}
                    906 \DeclareRobustCommand{\argmin}
                    907   {\mthfun{arg min}}
                    908 \DeclareRobustCommand{\argmax}
                    909   {\mthfun{arg max}}

         \inf, \sup  ...
                    910 \DeclareRobustCommand{\inf}
                    911   {\mthfun{inf}}
                    912 \DeclareRobustCommand{\sup}
                    913   {\mthfun{sup}}

                    914 %%** Sequences ********************************************************%%
```

\emptyseq   ...

915 \DeclareRobustCommand{\emptyseq}
916   {\mth{\varepsilon}}

\fst, \lst   ...

917 \DeclareRobustCommand{\fst}
918   {\mthargfun{fst}}
919 \DeclareRobustCommand{\lst}
920   {\mthargfun{lst}}

921 \fi
922 %%**%%
923 %%**%%
924 %%** Macros for Computational-Complexity Classes *****************************%%
925 %%**%%
926 \ifcom@

\defcomcls   ... to do!

- \defcomcls{CompClass};

  \CompClass[sub][sup][ext] $= \text{COMPCLASS}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoCompClass[sub][sup][ext] $= \text{COCOMPCLASS}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \CompClassE[sub][sup][ext] $= \text{COMPCLASS-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoCompClassE[sub][sup][ext] $= \text{COCOMPCLASS-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \CompClassH[sub][sup][ext] $= \text{COMPCLASS-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoCompClassH[sub][sup][ext] $= \text{COCOMPCLASS-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \CompClassC[sub][sup][ext] $= \text{COMPCLASS-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoCompClassC[sub][sup][ext] $= \text{COCOMPCLASS-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

  \NCompClass[sub][sup][ext] $= \text{NCOMPCLASS}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoNCompClass[sub][sup][ext] $= \text{CONCOMPCLASS}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \NCompClassE[sub][sup][ext] $= \text{NCOMPCLASS-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoNCompClassE[sub][sup][ext] $= \text{CONCOMPCLASS-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \NCompClassH[sub][sup][ext] $= \text{NCOMPCLASS-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoNCompClassH[sub][sup][ext] $= \text{CONCOMPCLASS-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \NCompClassC[sub][sup][ext] $= \text{NCOMPCLASS-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoNCompClassC[sub][sup][ext] $= \text{CONCOMPCLASS-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

  \UCompClass[sub][sup][ext] $= \text{UCOMPCLASS}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoUCompClass[sub][sup][ext] $= \text{COUCOMPCLASS}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \UCompClassE[sub][sup][ext] $= \text{UCOMPCLASS-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoUCompClassE[sub][sup][ext] $= \text{COUCOMPCLASS-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \UCompClassH[sub][sup][ext] $= \text{UCOMPCLASS-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoUCompClassH[sub][sup][ext] $= \text{COUCOMPCLASS-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \UCompClassC[sub][sup][ext] $= \text{UCOMPCLASS-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoUCompClassC[sub][sup][ext] $= \text{COUCOMPCLASS-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

  \ACompClass[sub][sup][ext] $= \text{ACOMPCLASS}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoACompClass[sub][sup][ext] $= \text{COACOMPCLASS}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \ACompClassE[sub][sup][ext] $= \text{ACOMPCLASS-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoACompClassE[sub][sup][ext] $= \text{COACOMPCLASS-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \ACompClassH[sub][sup][ext] $= \text{ACOMPCLASS-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoACompClassH[sub][sup][ext] $= \text{COACOMPCLASS-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \ACompClassC[sub][sup][ext] $= \text{ACOMPCLASS-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoACompClassC[sub][sup][ext] $= \text{COACOMPCLASS-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

- \defcomcls{CompClass}[NewClass];

  \CompClass[sub][sup][ext] $= \text{NEWCLASS}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoCompClass[sub][sup][ext] $= \text{CONEWCLASS}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \CompClassE[sub][sup][ext] $= \text{NEWCLASS-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoCompClassE[sub][sup][ext] $= \text{CONEWCLASS-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  \CompClassH[sub][sup][ext] $= \text{NEWCLASS-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$;
  \CoCompClassH[sub][sup][ext] $= \text{CONEWCLASS-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

$\CompClassC[sub][sup][ext] = \text{NEWCLASS-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT};$

$\texttt{\textbackslash CompClassC[sub][sup][ext]} = \text{NEWCLASS-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT};$

`\CompClassC[sub][sup][ext]` $= \text{NEWCLASS-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoCompClassC[sub][sup][ext]` $= \text{CONEWCLASS-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT}$

`\NCompClass[sub][sup][ext]` $= \text{NNEWCLASS}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoNCompClass[sub][sup][ext]` $= \text{CONNEWCLASS}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
`\NCompClassE[sub][sup][ext]` $= \text{NNEWCLASS-EASY}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoNCompClassE[sub][sup][ext]` $= \text{CONNEWCLASS-EASY}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
`\NCompClassH[sub][sup][ext]` $= \text{NNEWCLASS-HARD}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoNCompClassH[sub][sup][ext]` $= \text{CONNEWCLASS-HARD}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
`\NCompClassC[sub][sup][ext]` $= \text{NNEWCLASS-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoNCompClassC[sub][sup][ext]` $= \text{CONNEWCLASS-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT}$

`\UCompClass[sub][sup][ext]` $= \text{UNEWCLASS}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoUCompClass[sub][sup][ext]` $= \text{COUNEWCLASS}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
`\UCompClassE[sub][sup][ext]` $= \text{UNEWCLASS-EASY}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoUCompClassE[sub][sup][ext]` $= \text{COUNEWCLASS-EASY}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
`\UCompClassH[sub][sup][ext]` $= \text{UNEWCLASS-HARD}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoUCompClassH[sub][sup][ext]` $= \text{COUNEWCLASS-HARD}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
`\UCompClassC[sub][sup][ext]` $= \text{UNEWCLASS-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoUCompClassC[sub][sup][ext]` $= \text{COUNEWCLASS-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT}$

`\ACompClass[sub][sup][ext]` $= \text{ANEWCLASS}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoACompClass[sub][sup][ext]` $= \text{COANEWCLASS}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
`\ACompClassE[sub][sup][ext]` $= \text{ANEWCLASS-EASY}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoACompClassE[sub][sup][ext]` $= \text{COANEWCLASS-EASY}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
`\ACompClassH[sub][sup][ext]` $= \text{ANEWCLASS-HARD}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoACompClassH[sub][sup][ext]` $= \text{COANEWCLASS-HARD}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
`\ACompClassC[sub][sup][ext]` $= \text{ANEWCLASS-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT};$
`\CoACompClassC[sub][sup][ext]` $= \text{COANEWCLASS-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT}$

```
927 \newcommandx{\defcomcls}[2][2=]
928   {\defcomclssem{#1}{\defval{#2}{#1}}%
929   \defcomclssem{#1}{\defval{#2}{#1}}[Co]}
930 \newcommandx{\defcomclssem}[3][3=]
931   {\defcomclsred{#3#1}{#2}[#3]%
932   \defcomclsred{#3N#1}{#2}[#3N]%
933   \defcomclsred{#3U#1}{#2}[#3U]%
934   \defcomclsred{#3A#1}{#2}[#3A]}
935 \newcommandx{\defcomclsred}[3][3=]
936   {\defcomclscmd{#1}{#2}[#3]%
937   \defcomclscmd{#1E}{#2}[#3][-easy]%
938   \defcomclscmd{#1H}{#2}[#3][-hard]%
939   \defcomclscmd{#1C}{#2}[#3][-complete]}%
940 \newcommandx{\defcomclscmd}[4][3=, 4=]
941   {\csdef{#1}{\txtcom{#3#2#4}}}}
```

```
942 %%*************************************************************************%%
```

`\Time, ...`
- `\Time[sub][sup][ext]` $= \text{TIME}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\TimeE[sub][sup][ext]` $= \text{TIME-EASY}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\TimeH[sub][sup][ext]` $= \text{TIME-HARD}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\TimeC[sub][sup][ext]` $= \text{TIME-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT}$

- `\NTime[sub][sup][ext]` $= \text{NTIME}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\NTimeE[sub][sup][ext]` $= \text{NTIME-EASY}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\NTimeH[sub][sup][ext]` $= \text{NTIME-HARD}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\NTimeC[sub][sup][ext]` $= \text{NTIME-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT}$

- `\UTime[sub][sup][ext]` $= \text{UTIME}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\UTimeE[sub][sup][ext]` $= \text{UTIME-EASY}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\UTimeH[sub][sup][ext]` $= \text{UTIME-HARD}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\UTimeC[sub][sup][ext]` $= \text{UTIME-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT}$

- `\ATime[sub][sup][ext]` $= \text{ATIME}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\ATimeE[sub][sup][ext]` $= \text{ATIME-EASY}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\ATimeH[sub][sup][ext]` $= \text{ATIME-HARD}_{\text{SUB}}^{\text{SUP}}\text{EXT}$
  `\ATimeC[sub][sup][ext]` $= \text{ATIME-COMPLETE}_{\text{SUB}}^{\text{SUP}}\text{EXT}$

943 `\defcomcls{Time}`

\Space, ...
- \Space[sub][sup][ext] = $\mathrm{SPACE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \SpaceE[sub][sup][ext] = $\mathrm{SPACE\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \SpaceH[sub][sup][ext] = $\mathrm{SPACE\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \SpaceC[sub][sup][ext] = $\mathrm{SPACE\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- \NSpace[sub][sup][ext] = $\mathrm{NSPACE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NSpaceE[sub][sup][ext] = $\mathrm{NSPACE\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NSpaceH[sub][sup][ext] = $\mathrm{NSPACE\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NSpaceC[sub][sup][ext] = $\mathrm{NSPACE\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- \USpace[sub][sup][ext] = $\mathrm{USPACE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \USpaceE[sub][sup][ext] = $\mathrm{USPACE\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \USpaceH[sub][sup][ext] = $\mathrm{USPACE\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \USpaceC[sub][sup][ext] = $\mathrm{USPACE\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- \ASpace[sub][sup][ext] = $\mathrm{ASPACE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ASpaceE[sub][sup][ext] = $\mathrm{ASPACE\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ASpaceH[sub][sup][ext] = $\mathrm{ASPACE\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ASpaceC[sub][sup][ext] = $\mathrm{ASPACE\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

944 `\defcomcls{Space}`

\LogTime, ...
- \LogTime[sub][sup][ext] = $\mathrm{LOGTIME}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \LogTimeE[sub][sup][ext] = $\mathrm{LOGTIME\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \LogTimeH[sub][sup][ext] = $\mathrm{LOGTIME\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \LogTimeC[sub][sup][ext] = $\mathrm{LOGTIME\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- \NLogTime[sub][sup][ext] = $\mathrm{NLOGTIME}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NLogTimeE[sub][sup][ext] = $\mathrm{NLOGTIME\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NLogTimeH[sub][sup][ext] = $\mathrm{NLOGTIME\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NLogTimeC[sub][sup][ext] = $\mathrm{NLOGTIME\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- \ULogTime[sub][sup][ext] = $\mathrm{ULOGTIME}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ULogTimeE[sub][sup][ext] = $\mathrm{ULOGTIME\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ULogTimeH[sub][sup][ext] = $\mathrm{ULOGTIME\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ULogTimeC[sub][sup][ext] = $\mathrm{ULOGTIME\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- \ALogTime[sub][sup][ext] = $\mathrm{ALOGTIME}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ALogTimeE[sub][sup][ext] = $\mathrm{ALOGTIME\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ALogTimeH[sub][sup][ext] = $\mathrm{ALOGTIME\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ALogTimeC[sub][sup][ext] = $\mathrm{ALOGTIME\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

945 `\defcomcls{LogTime}`

\LogSpace, ...
- \LogSpace[sub][sup][ext] = $\mathrm{LOGSPACE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \LogSpaceE[sub][sup][ext] = $\mathrm{LOGSPACE\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \LogSpaceH[sub][sup][ext] = $\mathrm{LOGSPACE\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \LogSpaceC[sub][sup][ext] = $\mathrm{LOGSPACE\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- \NLogSpace[sub][sup][ext] = $\mathrm{NLOGSPACE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NLogSpaceE[sub][sup][ext] = $\mathrm{NLOGSPACE\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NLogSpaceH[sub][sup][ext] = $\mathrm{NLOGSPACE\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NLogSpaceC[sub][sup][ext] = $\mathrm{NLOGSPACE\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- \ULogSpace[sub][sup][ext] = $\mathrm{ULOGSPACE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ULogSpaceE[sub][sup][ext] = $\mathrm{ULOGSPACE\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ULogSpaceH[sub][sup][ext] = $\mathrm{ULOGSPACE\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ULogSpaceC[sub][sup][ext] = $\mathrm{ULOGSPACE\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- \ALogSpace[sub][sup][ext] = $\mathrm{ALOGSPACE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ALogSpaceE[sub][sup][ext] = $\mathrm{ALOGSPACE\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ALogSpaceH[sub][sup][ext] = $\mathrm{ALOGSPACE\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \ALogSpaceC[sub][sup][ext] = $\mathrm{ALOGSPACE\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

946 `\defcomcls{LogSpace}`

\PTime, ...
- \PTime[sub][sup][ext] = $\mathrm{PTIME}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \PTimeE[sub][sup][ext] = $\mathrm{PTIME\text{-}EASY}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \PTimeH[sub][sup][ext] = $\mathrm{PTIME\text{-}HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \PTimeC[sub][sup][ext] = $\mathrm{PTIME\text{-}COMPLETE}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

41

- $\bullet$ \NPTime[sub][sup][ext] $= \mathrm{NPT{\scriptsize IME}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NPTimeE[sub][sup][ext] $= \mathrm{NPT{\scriptsize IME\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NPTimeH[sub][sup][ext] $= \mathrm{NPT{\scriptsize IME\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NPTimeC[sub][sup][ext] $= \mathrm{NPT{\scriptsize IME\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- $\bullet$ \UPTime[sub][sup][ext] $= \mathrm{UPT{\scriptsize IME}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \UPTimeE[sub][sup][ext] $= \mathrm{UPT{\scriptsize IME\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \UPTimeH[sub][sup][ext] $= \mathrm{UPT{\scriptsize IME\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \UPTimeC[sub][sup][ext] $= \mathrm{UPT{\scriptsize IME\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- $\bullet$ \APTime[sub][sup][ext] $= \mathrm{APT{\scriptsize IME}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \APTimeE[sub][sup][ext] $= \mathrm{APT{\scriptsize IME\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \APTimeH[sub][sup][ext] $= \mathrm{APT{\scriptsize IME\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \APTimeC[sub][sup][ext] $= \mathrm{APT{\scriptsize IME\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

947 \defcomcls{PTime}

\PSpace, ...

- $\bullet$ \PSpace[sub][sup][ext] $= \mathrm{PS{\scriptsize PACE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \PSpaceE[sub][sup][ext] $= \mathrm{PS{\scriptsize PACE\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \PSpaceH[sub][sup][ext] $= \mathrm{PS{\scriptsize PACE\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \PSpaceC[sub][sup][ext] $= \mathrm{PS{\scriptsize PACE\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- $\bullet$ \NPSpace[sub][sup][ext] $= \mathrm{NPS{\scriptsize PACE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NPSpaceE[sub][sup][ext] $= \mathrm{NPS{\scriptsize PACE\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NPSpaceH[sub][sup][ext] $= \mathrm{NPS{\scriptsize PACE\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NPSpaceC[sub][sup][ext] $= \mathrm{NPS{\scriptsize PACE\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- $\bullet$ \UPSpace[sub][sup][ext] $= \mathrm{UPS{\scriptsize PACE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \UPSpaceE[sub][sup][ext] $= \mathrm{UPS{\scriptsize PACE\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \UPSpaceH[sub][sup][ext] $= \mathrm{UPS{\scriptsize PACE\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \UPSpaceC[sub][sup][ext] $= \mathrm{UPS{\scriptsize PACE\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- $\bullet$ \APSpace[sub][sup][ext] $= \mathrm{APS{\scriptsize PACE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \APSpaceE[sub][sup][ext] $= \mathrm{APS{\scriptsize PACE\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \APSpaceH[sub][sup][ext] $= \mathrm{APS{\scriptsize PACE\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \APSpaceC[sub][sup][ext] $= \mathrm{APS{\scriptsize PACE\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

948 \defcomcls{PSpace}

\QPTime, ...

- $\bullet$ \QPTime[sub][sup][ext] $= \mathrm{QPT{\scriptsize IME}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \QPTimeE[sub][sup][ext] $= \mathrm{QPT{\scriptsize IME\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \QPTimeH[sub][sup][ext] $= \mathrm{QPT{\scriptsize IME\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \QPTimeC[sub][sup][ext] $= \mathrm{QPT{\scriptsize IME\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- $\bullet$ \NQPTime[sub][sup][ext] $= \mathrm{NQPT{\scriptsize IME}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NQPTimeE[sub][sup][ext] $= \mathrm{NQPT{\scriptsize IME\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NQPTimeH[sub][sup][ext] $= \mathrm{NQPT{\scriptsize IME\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NQPTimeC[sub][sup][ext] $= \mathrm{NQPT{\scriptsize IME\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- $\bullet$ \UQPTime[sub][sup][ext] $= \mathrm{UQPT{\scriptsize IME}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \UQPTimeE[sub][sup][ext] $= \mathrm{UQPT{\scriptsize IME\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \UQPTimeH[sub][sup][ext] $= \mathrm{UQPT{\scriptsize IME\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \UQPTimeC[sub][sup][ext] $= \mathrm{UQPT{\scriptsize IME\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- $\bullet$ \AQPTime[sub][sup][ext] $= \mathrm{AQPT{\scriptsize IME}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \AQPTimeE[sub][sup][ext] $= \mathrm{AQPT{\scriptsize IME\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \AQPTimeH[sub][sup][ext] $= \mathrm{AQPT{\scriptsize IME\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \AQPTimeC[sub][sup][ext] $= \mathrm{AQPT{\scriptsize IME\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

949 \defcomcls{QPTime}

\QPSpace, ...

- $\bullet$ \QPSpace[sub][sup][ext] $= \mathrm{QPS{\scriptsize PACE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \QPSpaceE[sub][sup][ext] $= \mathrm{QPS{\scriptsize PACE\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \QPSpaceH[sub][sup][ext] $= \mathrm{QPS{\scriptsize PACE\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \QPSpaceC[sub][sup][ext] $= \mathrm{QPS{\scriptsize PACE\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- $\bullet$ \NQPSpace[sub][sup][ext] $= \mathrm{NQPS{\scriptsize PACE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NQPSpaceE[sub][sup][ext] $= \mathrm{NQPS{\scriptsize PACE\text{-}EASY}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NQPSpaceH[sub][sup][ext] $= \mathrm{NQPS{\scriptsize PACE\text{-}HARD}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$
  \NQPSpaceC[sub][sup][ext] $= \mathrm{NQPS{\scriptsize PACE\text{-}COMPLETE}}^{\mathrm{SUP}}_{\mathrm{SUB}}\mathrm{EXT}$

- `\UQPSpace[sub][sup][ext]` $=$ $\text{UQPSPACE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UQPSpaceE[sub][sup][ext]` $=$ $\text{UQPSPACE-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UQPSpaceH[sub][sup][ext]` $=$ $\text{UQPSPACE-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UQPSpaceC[sub][sup][ext]` $=$ $\text{UQPSPACE-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

- `\AQPSpace[sub][sup][ext]` $=$ $\text{AQPSPACE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\AQPSpaceE[sub][sup][ext]` $=$ $\text{AQPSPACE-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\AQPSpaceH[sub][sup][ext]` $=$ $\text{AQPSPACE-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\AQPSpaceC[sub][sup][ext]` $=$ $\text{AQPSPACE-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

950 `\defcomcls{QPSpace}`

`\ExpTime, ...`

- `\ExpTime[sub][sup][ext]` $=$ $\text{EXPTIME}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ExpTimeE[sub][sup][ext]` $=$ $\text{EXPTIME-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ExpTimeH[sub][sup][ext]` $=$ $\text{EXPTIME-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ExpTimeC[sub][sup][ext]` $=$ $\text{EXPTIME-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

- `\NExpTime[sub][sup][ext]` $=$ $\text{NEXPTIME}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NExpTimeE[sub][sup][ext]` $=$ $\text{NEXPTIME-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NExpTimeH[sub][sup][ext]` $=$ $\text{NEXPTIME-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NExpTimeC[sub][sup][ext]` $=$ $\text{NEXPTIME-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

- `\UExpTime[sub][sup][ext]` $=$ $\text{UEXPTIME}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UExpTimeE[sub][sup][ext]` $=$ $\text{UEXPTIME-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UExpTimeH[sub][sup][ext]` $=$ $\text{UEXPTIME-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UExpTimeC[sub][sup][ext]` $=$ $\text{UEXPTIME-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

- `\AExpTime[sub][sup][ext]` $=$ $\text{AEXPTIME}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\AExpTimeE[sub][sup][ext]` $=$ $\text{AEXPTIME-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\AExpTimeH[sub][sup][ext]` $=$ $\text{AEXPTIME-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\AExpTimeC[sub][sup][ext]` $=$ $\text{AEXPTIME-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

951 `\defcomcls{ExpTime}`

`\ExpSpace, ...`

- `\ExpSpace[sub][sup][ext]` $=$ $\text{EXPSPACE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ExpSpaceE[sub][sup][ext]` $=$ $\text{EXPSPACE-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ExpSpaceH[sub][sup][ext]` $=$ $\text{EXPSPACE-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ExpSpaceC[sub][sup][ext]` $=$ $\text{EXPSPACE-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

- `\NExpSpace[sub][sup][ext]` $=$ $\text{NEXPSPACE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NExpSpaceE[sub][sup][ext]` $=$ $\text{NEXPSPACE-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NExpSpaceH[sub][sup][ext]` $=$ $\text{NEXPSPACE-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NExpSpaceC[sub][sup][ext]` $=$ $\text{NEXPSPACE-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

- `\UExpSpace[sub][sup][ext]` $=$ $\text{UEXPSPACE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UExpSpaceE[sub][sup][ext]` $=$ $\text{UEXPSPACE-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UExpSpaceH[sub][sup][ext]` $=$ $\text{UEXPSPACE-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UExpSpaceC[sub][sup][ext]` $=$ $\text{UEXPSPACE-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

- `\AExpSpace[sub][sup][ext]` $=$ $\text{AEXPSPACE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\AExpSpaceE[sub][sup][ext]` $=$ $\text{AEXPSPACE-EASY}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\AExpSpaceH[sub][sup][ext]` $=$ $\text{AEXPSPACE-HARD}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\AExpSpaceC[sub][sup][ext]` $=$ $\text{AEXPSPACE-COMPLETE}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

952 `\defcomcls{ExpSpace}`

953 `%%****************************************************************************%%`

...

954 `\fi`
955 `%%****************************************************************************%%`
956 `%%****************************************************************************%%`
957 `%%** Macros for Games ********************************************************%%`
958 `%%****************************************************************************%%`
959 `\ifgam@`

960 `%%** Logic Games *************************************************************%%`

`\SATG, ...`   ...

961 `%% Satisfiability Games`
962 `\cmdtxtoparname{SATG}[Sat]`

```
963
964 %% Validity Games
965 \cmdtxtoparname{VALG}[Val]
966
967 %% Evaluation Games
968 \cmdtxtoparname{EVLG}[Evl]
969
970 %% Synthesis Games
971 \cmdtxtoparname{SYNG}[Syn]
972
973 %% Model-Checking Games
974 \cmdtxtoparname{MCG}[MC]
975
976 %% Ehrenfeucht-Fraisse Games
977 \cmdtxtoparname{EFG}[EF]

978 %%** Syntax ******************************************************%%
```

`\PlrSym, \OppSym`   ...

```
979 \newcommand{\plrsym}{E}
980 \cmdmthsym{Plr}[\plrsym]
981 \newcommand{\oppsym}{A}
982 \cmdmthsym{Opp}[\oppsym]
```

`\ArenaName, ...`   ...

```
983 \newcommand{\arenaname}{A}
984 \usrmthlatupp{Arena}{Name}{name}[\arenaname]
```

`\PosSet, ...`   ...

```
985 \newcommand{\possym}{v}
986 \newcommand{\posset}{Ps}
987 \cmdmthsetext{Pos}[\posset][\possym]
988 \cmdmthsymelm{ipos}[\possym_{I}]
989 \cmdmthsymelm{fpos}[\possym_{F}]
990 \cmdmthset{PPos}[\posset_{\PlrSym}]
991 \cmdmthsymelm{ppos}[\possym_{\PlrSym}]
992 \cmdmthset{OPos}[\posset_{\OppSym}]
993 \cmdmthsymelm{opos}[\possym_{\OppSym}]
```

`\MovRel`   ...

```
994 \newcommand{\movrel}{Mv}
995 \cmdmthrel{Mov}[\movrel]
```

`\GameName, ...`   ...

```
996 \newcommand{\gamename}{\Game}
997 \usrmthlatupp{Game}{Name}{name}[\gamename]
```

`\WinSet`   ...

```
998 \newcommand{\winset}{Wn}
999 \cmdmthset{Win}[\winset]
```

`\ObsSet, \obsFun`   ...

```
1000 \newcommand{\obsset}{Ob}
1001 \cmdmthset{Obs}[\obsset]
1002 \cmdmthfun{obs}
```

```
1003 %%** Semantics ***************************************************%%
```

`\PthSet, \pthFun`   ...

```
1004 \newcommand{\pthsym}{\pi}
1005 \newcommand{\pthset}{Pth}
1006 \cmdmthsetext{Pth}[\pthset][\pthsym]
1007 \cmdmthfun{pth}
```

```
    \HstSet, ...      ...
                     1008 \newcommand{\hstsym}{\rho}
                     1009 \newcommand{\hstset}{Hst}
                     1010 \cmdmthsetext{Hst}[\hstset][\hstsym]
                     1011 \cmdmthset{PHst}[\hstset_{\PlrSym}]
                     1012 \cmdmthsymelm{phst}[\hstsym_{\PlrSym}]
                     1013 \cmdmthset{OHst}[\hstset_{\OppSym}]
                     1014 \cmdmthsymelm{ohst}[\hstsym_{\OppSym}]
                     1015 \cmdmthfun{hst}

\PlaySet,\playFun    ...
                     1016 \newcommand{\playsym}{\pi}
                     1017 \newcommand{\playset}{Play}
                     1018 \cmdmthsetext{Play}[\playset][\playsym]
                     1019 \cmdmthfun{play}

    \StrSet, ...      ...
                     1020 \newcommand{\strsym}{\sigma}
                     1021 \newcommand{\strset}{Str}
                     1022 \cmdmthsetext{Str}[\strset][\strsym]
                     1023 \cmdmthset{PStr}[\strset_{\PlrSym}]
                     1024 \cmdmthsymelm{pstr}[\strsym_{\PlrSym}]
                     1025 \cmdmthset{OStr}[\strset_{\OppSym}]
                     1026 \cmdmthsymelm{ostr}[\strsym_{\OppSym}]

\PrfSet, \prfFun     ...
                     1027 \newcommand{\prfsym}{\xi}
                     1028 \newcommand{\prfset}{Prf}
                     1029 \cmdmthsetext{Prf}[\prfset][\prfsym]

\preFun, \sucFun     ...
                     1030 \newcommand{\prefun}{pre}
                     1031 \cmdmthoargfun{pre}[\prefun]
                     1032 \newcommand{\sucfun}{suc}
                     1033 \cmdmthoargfun{suc}[\sucfun]

\entFun, \escFun     ...
                     1034 \newcommand{\entfun}{ent}
                     1035 \cmdmthoargfun{ent}[\entfun]
                     1036 \newcommand{\escfun}{esc}
                     1037 \cmdmthoargfun{esc}[\escfun]

\intFun, \outFun     ...
                     1038 \newcommand{\intfun}{int}
                     1039 \cmdmthoargfun{int}[\intfun]
                     1040 \newcommand{\outfun}{out}
                     1041 \cmdmthoargfun{out}[\outfun]

\atrFun, \rchFun     ...
                     1042 \newcommand{\atrfun}{atr}
                     1043 \cmdmthoargfun{atr}[\atrfun]
                     1044 \newcommand{\rchfun}{rch}
                     1045 \cmdmthoargfun{rch}[\rchfun]

       \solFun      ...
                     1046 \newcommand{\solfun}{sol}
                     1047 \cmdmthoargfun{sol}[\solfun]

                     1048 %%** Qualitative Games on Graph *********************************************%%
```

```
1049 %% Buchi Games
1050 \cmdtxtoparname{BG}
1051
1052 %% Co-Buchi Games
1053 \cmdtxtoparname{CG}
1054
1055 %% Parity Games
1056 \cmdtxtoparname{PG}
1057
1058 %% Rabin Games
1059 \cmdtxtoparname{RG}
1060
1061 %% Streett Games
1062 \cmdtxtoparname{SG}
1063
1064 %% Muller Games
1065 \cmdtxtoparname{MG}

1066 %%** Syntax ********************************************************%%
```

\PrtSet, \prtFun ...

```
1067 \newcommand{\prtsym}{p}
1068 \newcommand{\prtset}{Pr}
1069 \cmdmthsetext{Prt}[\prtset][\prtsym]
1070 \cmdmthfun{prt}[pr]

1071 %%** Semantics *****************************************************%%

     ...

1072 %%** Quantitative Games on Graph ***********************************%%
```

\EG, ...

```
1073 %% Energy Games
1074 \cmdtxtoparname{EG}
1075
1076 %% Mean-Payoff Games
1077 \cmdtxtoparname{MPG}
1078
1079 %% Discounted-Payoff Games
1080 \cmdtxtoparname{DPG}

1081 %%** Syntax ********************************************************%%
```

\WghSet, \wghFun ...

```
1082 \newcommand{\wghsym}{w}
1083 \newcommand{\wghset}{Wg}
1084 \cmdmthsetext{Wgh}[\wghset][\wghsym]
1085 \cmdmthfun{wgh}[wg]

1086 %%** Semantics *****************************************************%%

     ...

1087 \fi
1088 %%****************************************************************************%%
1089 %%****************************************************************************%%
1090 %%** Macros for Logics ******************************************************%%
1091 %%****************************************************************************%%
1092 \iflog@

1093 %%** Propositional Logics ***************************************************%%
```

46

```
\BF, \QBF, ...   ...
              1094 % Boolean Formulae
              1095 \cmdtxtoparname{BF}
              1096
              1097 % Quantified Boolean Formulae
              1098 \DeclareRobustCommand{\QBF}
              1099   {{\txtname{Q}}\BF}
              1100 \DeclareRobustCommand{\EBF}
              1101   {\ensuremath{\exists}\BF}
              1102 \DeclareRobustCommand{\UBF}
              1103   {\ensuremath{\forall}\BF}

              1104 %%** Syntax ******************************************************%%

\LogSig, ...   ...
              1105 \newcommand{\logsig}{L}
              1106 \usrmthlatupp{Log}{Sig}{sig}[\logsig]

    \Tt, \Ff   ...
              1107 \newcommand{\ttsym}{\top}
              1108 \usrmth{Tt}{}{sym}[\ttsym]
              1109 \newcommand{\ffsym}{\bot}
              1110 \usrmth{Ff}{}{sym}[\ffsym]

  \APSet, ...  ...
              1111 \newcommand{\apsym}{p}
              1112 \newcommand{\apset}{AP}
              1113 \cmdmthsetext{AP}[\apset][\apsym]
              1114 \cmdmthfun{ap}\usrmth{ap}{}{argfun}

        \sub   ...
              1115 \usrmth{sub}{}{argfun}

  \Cnt, \Qnt   ...
              1116 \usrmth{Cnt}{}{sym}[Cn]
              1117 \usrmth{Qnt}{}{sym}[Qn]

  \QAE, \QEA   ...
              1118 \usrmth{QAE}{}{sym}[\forall\exists]
              1119 \usrmth{QEA}{}{sym}[\exists\forall]

\QntSet, ...   ...
              1120 \newcommand{\qntsym}{\wp}
              1121 \newcommand{\qntset}{Qn}
              1122 \cmdmthsetext{Qnt}[\qntset][\qntsym]

        \free  ...
              1123 \usrmth{free}{}{argfun}

  \dep, \alt   ...
              1124 \usrmth{dep}{}{argfun}
              1125 \usrmth{alt}{}{argfun}

   \pnf, \nnf  ...
              1126 \cmdtxtabr{pnf}
              1127 \cmdtxtabr{nnf}

              1128 %%** Semantics ***************************************************%%

\LogStr, ...   ...
              1129 \newcommand{\logstr}{L}
              1130 \usrmthlatupp{Log}{Str}{str}[\logstr]
```

47

```
\ValSet, ...   ...
            1131 \newcommand{\valsym}{\xi}
            1132 \newcommand{\valset}{Val}
            1133 \cmdmthsetext{Val}[\valset][\valsym]

\AsgSet, ...   ...
            1134 \newcommand{\asgsym}{\chi}
            1135 \newcommand{\asgset}{Asg}
            1136 \cmdmthsetext{Asg}[\asgset][\asgsym]

            1137 %%** First-Order Logics I ***************************************%%

   \FOL, ...   ...
            1138 % First-Order Logic
            1139 \cmdtxtoparname{FOL}[Fol]
            1140
            1141 % Monadic First-Order Logic
            1142 \DeclareRobustCommand{\MFOL}
            1143    {{\txtname{M}}\FOL}

            1144 %%** Syntax ***********************************************************%%

\VarSig, ...   ...
            1145 \newcommand{\varsig}{V}
            1146 \usrmthlatupp{Var}{Sig}{sig}[\varsig]
            1147 \newcommand{\varsym}{x}
            1148 \newcommand{\varset}{Vr}
            1149 \cmdmthsetext{Var}[\varset][\varsym]
            1150 \usrmth{var}{}{argfun}[vr]
            1151 \cmdmthfun{dim}[dm]\usrmth{dim}{}{argfun}[dm]

\ConSig, ...   ...
            1152 \newcommand{\consig}{C}
            1153 \usrmthlatupp{Con}{Sig}{sig}[\consig]
            1154 \newcommand{\consym}{c}
            1155 \newcommand{\conset}{Cn}
            1156 \cmdmthsetext{Con}[\conset][\consym]
            1157 \usrmth{con}{}{argfun}[cn]

\FunSig, ...   ...
            1158 \newcommand{\funsig}{F}
            1159 \usrmthlatupp{Fun}{Sig}{sig}[\funsig]
            1160 \newcommand{\funsym}{f}
            1161 \newcommand{\funset}{Fn}
            1162 \cmdmthsetext{Fun}[\funset][\funsym]
            1163 \usrmth{fun}{}{argfun}[fn]
            1164 \cmdmthfun{art}[ar]\usrmth{art}{}{argfun}[ar]

\TerSig, ...   ...
            1165 \newcommand{\tersig}{T}
            1166 \usrmthlatupp{Ter}{Sig}{sig}[\tersig]
            1167 \newcommand{\tersym}{t}
            1168 \newcommand{\terset}{Tr}
            1169 \cmdmthsetext{Ter}[\terset][\tersym]
            1170 \usrmth{ter}{}{argfun}

\RelSig, ...   ...
            1171 \newcommand{\relsig}{R}
            1172 \usrmthlatupp{Rel}{Sig}{sig}[\relsig]
            1173 \newcommand{\relsym}{r}
            1174 \newcommand{\relset}{Rl}
            1175 \cmdmthsetext{Rel}[\relset][\relsym]
            1176 \usrmth{rel}{}{argfun}[rl]
```

```
      \skm   ...
             1177 \usrmth{skm}{}{argfun}

             1178 %%** Semantics *************************************************%%

 \ConStr, ...  ...
             1179 \newcommand{\constr}{C}
             1180 \usrmthlatupp{Con}{Str}{str}[\constr]

 \FunStr, ...  ...
             1181 \newcommand{\funstr}{F}
             1182 \usrmthlatupp{Fun}{Str}{str}[\funstr]

 \TerStr, ...  ...
             1183 \newcommand{\terstr}{T}
             1184 \usrmthlatupp{Ter}{Str}{str}[\terstr]

 \RelStr, ...  ...
             1185 \newcommand{\relstr}{R}
             1186 \usrmthlatupp{Rel}{Str}{str}[\relstr]

             1187 %%** First-Order Logics II ************************************%%

     \IF, ...  ...
             1188 % Independence-Friendly Logic
             1189 \cmdtxtoparname{IF}

                ...
             1190 %%** Syntax ***************************************************%%

                ...
             1191 %%** Semantics ************************************************%%

                ...
             1192 %%** Second-Order Logics I ************************************%%

    \SOL, ...  ...
             1193 % Second-Order Logic
             1194 \cmdtxtoparname{SOL}[Sol]
             1195
             1196 % Monadic Second-Order Logic
             1197 \DeclareRobustCommand{\MSOL}
             1198   {{\txtname{M}}\SOL}

             1199 %%** Syntax ***************************************************%%
\FVarSet, ...  ...
             1200 \newcommand{\fvarsym}{x}
             1201 \newcommand{\fvarset}{FVr}
             1202 \cmdmthsetext{FVar}[\fvarset][\fvarsym]

\SVarSet, ...  ...
             1203 \newcommand{\svarsym}{X}
             1204 \newcommand{\svarset}{SVr}
             1205 \cmdmthsetext{SVar}[\svarset][\svarsym]

             1206 %%** Semantics ************************************************%%

                ...
             1207 %%** Second-Order Logics II ***********************************%%
```

```
\TL, \PL, ...    ...
              1208 % Tree Logic
              1209 \cmdtxtoparname{TL}
              1210
              1211 % Monadic Tree Logic
              1212 \DeclareRobustCommand{\MTL}
              1213   {{\txtname{M}}\TL}
              1214
              1215 % Path Logic
              1216 \cmdtxtoparname{PL}
              1217
              1218 % Monadic Path Logic
              1219 \DeclareRobustCommand{\MPL}
              1220   {{\txtname{M}}\PL}

              1221 %%** Syntax *****************************************************%%

                  ...

              1222 %%** Semantics *************************************************%%

                  ...

              1223 %%** Modal Logics I ********************************************%%

\ML, \QML, ...   ...
              1224 % Modal Logic
              1225 \cmdtxtoparname{ML}
              1226
              1227 % Quantified Modal Logic
              1228 \DeclareRobustCommand{\QML}
              1229   {{\txtname{Q}}\ML}
              1230 \DeclareRobustCommand{\EML}
              1231   {\ensuremath{\exists}\ML}
              1232 \DeclareRobustCommand{\UML}
              1233   {\ensuremath{\forall}\ML}

              1234 %%** Syntax *****************************************************%%

        \Opr   ...
              1235 \usrmth{Opr}{}{sym}[Op]

  \DMod, \BMod  ...
              1236 \usrmth{DMod}{}{sym}[\Diamond]
              1237 \usrmth{BMod}{}{sym}[\Box]

   \Exs, \All   ...
              1238 \DeclareRobustCommand{\Exs}[1]
              1239   {\mth{\defval{\argmid{\langle}{#1}{\rangle}}{\DMod}}}
              1240 \DeclareRobustCommand{\All}[1]
              1241   {\mth{\defval{\argmid{\left[}{#1}{\right]}}{\BMod}}}

              1242 %%** Semantics *************************************************%%

  \KrpStr, ...   ...
              1243 \newcommand{\krpstr}{K}
              1244 \usrmthlatupp{Krp}{Str}{str}[\krpstr]

  \WrlSet, ...   ...
              1245 \newcommand{\wrlsym}{w}
              1246 \newcommand{\wrlset}{W}
              1247 \cmdmthsetext{Wrl}[\wrlset][\wrlsym]
              1248 \cmdmthsymelm{iwrl}[\wrlsym_{I}]
```

```
\AccRel, \TrnRel  ...
              1249 \newcommand{\accsym}{R}
              1250 \cmdmthrel{Acc}[\accsym]
              1251 \cmdmthrel{Trn}[\accsym]

        \labFun  ...
              1252 \newcommand{\labsym}{\lambda}
              1253 \cmdmthfun{lab}[\labsym]

\PthSet, \pthFun  ...
              1254 \providecommand{\pthsym}{\pi}
              1255 \providecommand{\pthset}{Pth}
              1256 \cmdmthsetext{Pth}[\pthset][\pthsym]
              1257 \cmdmthfun{pth}

              1258 %%** Modal Logics II ******************************************************%%

  \MC, \QMC, ...  ...
              1259 % Mu Calculus
              1260 \cmdtxtoparname{MC}[\ensuremath{\mu}-Calculus]
              1261
              1262 % Quantified Modal Logic
              1263 \DeclareRobustCommand{\QMC}
              1264   {{\txtname{Q}}\MC}
              1265 \DeclareRobustCommand{\EMC}
              1266   {\ensuremath{\exists}\MC}
              1267 \DeclareRobustCommand{\UMC}
              1268   {\ensuremath{\forall}\MC}

              1269 %%** Syntax ******************************************************%%

                 ...

              1270 %%** Semantics ******************************************************%%

                 ...

              1271 %%** Temporal Logics I ******************************************************%%

 \PTL, \LTL, ...  ...
              1272 % Propositional Temporal Logic
              1273 \cmdtxtoparname{PTL}
              1274
              1275 % Quantified Propositional Temporal Logic
              1276 \DeclareRobustCommand{\QPTL}
              1277   {{\txtname{Q}}\PTL}
              1278 \DeclareRobustCommand{\EPTL}
              1279   {\ensuremath{\exists}\PTL}
              1280 \DeclareRobustCommand{\UPTL}
              1281   {\ensuremath{\forall}\PTL}
              1282
              1283 % Linear Temporal Logic
              1284 \cmdtxtoparname{LTL}
              1285
              1286 % Quantified Linear Temporal Logic
              1287 \DeclareRobustCommand{\QLTL}
              1288   {{\txtname{Q}}\LTL}
              1289 \DeclareRobustCommand{\ELTL}
              1290   {\ensuremath{\exists}\LTL}
              1291 \DeclareRobustCommand{\ULTL}
              1292   {\ensuremath{\forall}\LTL}

              1293 %%** Syntax ******************************************************%%
```

```
\X, ...    ...
          1294 \usrmth{X}{}{sym}[X\,]
          1295 \usrmth{F}{}{sym}[F\,]
          1296 \usrmth{G}{}{sym}[G\,]
          1297 \usrmth{U}{}{sym}[\,U\,]
          1298 \usrmth{R}{}{sym}[\,R\,]

\Y, ...    ...
          1299 \usrmth{Y}{}{sym}[G\,]
          1300 \usrmth{P}{}{sym}[P\,]\let\SavePilcrow\P
          1301 \usrmth{H}{}{sym}[H\,]\let\SaveDoubleAcute\H
          1302 \usrmth{S}{}{sym}[\,S\,]\let\SaveSectionSymbol\S
          1303 \usrmth{B}{}{sym}[\,B\,]

          1304 %%** Semantics ***************************************************%%

              ...

          1305 %%** Temporal Logics II ******************************************%%

\PDL, \CTL, ...    ...
          1306
          1307 % Propositional Dynamic Logic
          1308 \cmdtxtoparname{PDL}
          1309
          1310 % Computation Tree Logic
          1311 \cmdtxtoparname{CTL}
          1312
          1313 % Quantified Computation Tree Logic
          1314 \DeclareRobustCommand{\QCTL}
          1315   {{\txtname{Q}}\CTL}
          1316 \DeclareRobustCommand{\ECTL}
          1317   {\ensuremath{\exists}\CTL}
          1318 \DeclareRobustCommand{\UCTL}
          1319   {\ensuremath{\forall}\CTL}
          1320
          1321 % Improved Computation Tree Logic
          1322 \cmdtxtoparname{CTLP}[CTL$^{+}$]
          1323
          1324 % Quantified Improved Computation Tree Logic
          1325 \DeclareRobustCommand{\QCTLP}
          1326   {{\txtname{Q}}\CTLP}
          1327 \DeclareRobustCommand{\ECTLP}
          1328   {\ensuremath{\exists}\CTLP}
          1329 \DeclareRobustCommand{\UCTLP}
          1330   {\ensuremath{\forall}\CTLP}
          1331
          1332 % Full Computation Tree Logic
          1333 \cmdtxtoparname{CTLS}[CTL*]
          1334
          1335 % Quantified Full Computation Tree Logic
          1336 \DeclareRobustCommand{\QCTLS}
          1337   {{\txtname{Q}}\CTLS}
          1338 \DeclareRobustCommand{\ECTLS}
          1339   {\ensuremath{\exists}\CTLS}
          1340 \DeclareRobustCommand{\UCTLS}
          1341   {\ensuremath{\forall}\CTLS}

          1342 %%** Syntax *******************************************************%%

\E, \A    ...
          1343 \usrmth{E}{}{sym}
          1344 \usrmth{A}{}{sym}

          1345 %%** Semantics ****************************************************%%
```

```
          ...
     1346 %%** Strategic Logics I ******************************************************%%

\ATL, ...  ...
     1347 % Alternating Temporal Logic
     1348 \cmdtxtoparname{ATL}
     1349
     1350 % Quantified Alternating Temporal Logic
     1351 \DeclareRobustCommand{\QATL}
     1352   {{\txtname{Q}}\ATL}
     1353 \DeclareRobustCommand{\EATL}
     1354   {\ensuremath{\exists}\ATL}
     1355 \DeclareRobustCommand{\UATL}
     1356   {\ensuremath{\forall}\ATL}
     1357
     1358 % Improved Alternating Temporal Logic
     1359 \cmdtxtoparname{ATLP}[ATL$^{+}$]
     1360
     1361 % Quantified Improved Alternating Temporal Logic
     1362 \DeclareRobustCommand{\QATLP}
     1363   {{\txtname{Q}}\ATLP}
     1364 \DeclareRobustCommand{\EATLP}
     1365   {\ensuremath{\exists}\ATLP}
     1366 \DeclareRobustCommand{\UATLP}
     1367   {\ensuremath{\forall}\ATLP}
     1368
     1369 % Full Alternating Temporal Logic
     1370 \cmdtxtoparname{ATLS}[ATL*]
     1371
     1372 % Quantified Full Alternating Temporal Logic
     1373 \DeclareRobustCommand{\QATLS}
     1374   {{\txtname{Q}}\ATLS}
     1375 \DeclareRobustCommand{\EATLS}
     1376   {\ensuremath{\exists}\ATLS}
     1377 \DeclareRobustCommand{\UATLS}
     1378   {\ensuremath{\forall}\ATLS}

     1379 %%** Syntax ******************************************************%%

\EExs, \AAll  ...
     1380 \DeclareRobustCommand{\EExs}[1]
     1381   {\mth{\argmid{\langle\!\langle}{\defval{#1}{\emptyset}}{\rangle\!\rangle}}}
     1382 \DeclareRobustCommand{\AAll}[1]
     1383   {\mth{\argmid{\left[\left[}{\defval{#1}{\emptyset}}{\right]\right]}}}

     1384 %%** Semantics ******************************************************%%

\CGS  ...
     1385 \cmdtxtname{CGS}

\CGSStr, ...  ...
     1386 \newcommand{\cgsstr}{G}
     1387 \usrmthlatupp{CGS}{Str}{str}[\cgsstr]

\AgnSet, ...  ...
     1388 \newcommand{\agnsym}{a}
     1389 \newcommand{\agnset}{Ag}
     1390 \cmdmthsetext{Agn}[\agnset][\agnsym]

\PosSet, ...  ...
     1391 \providecommand{\possym}{v}
     1392 \providecommand{\posset}{Ps}
     1393 \cmdmthsetext{Pos}[\posset][\possym]
```

```
              1394 \cmdmthsymelm{ipos}[\possym_{I}]
              1395 \cmdmthsymelm{fpos}[\possym_{F}]
              1396 \cmdmthset{PPos}[\posset_{\PlrSym}]
              1397 \cmdmthsymelm{ppos}[\possym_{\PlrSym}]
              1398 \cmdmthset{OPos}[\posset_{\OppSym}]
              1399 \cmdmthsymelm{opos}[\possym_{\OppSym}]

\SttSet, ...   ...
              1400 \newcommand{\sttsym}{s}
              1401 \newcommand{\sttset}{St}
              1402 \cmdmthsetext{Stt}[\sttset][\sttsym]
              1403 \cmdmthset{IStt}[\sttset_{I}]
              1404 \cmdmthsymelm{istt}[\sttsym_{I}]
              1405 \cmdmthset{FStt}[\sttset_{F}]
              1406 \cmdmthsymelm{fstt}[\sttsym_{F}]

\ActSet, ...   ...
              1407 \newcommand{\actsym}{c}
              1408 \newcommand{\actset}{Ac}
              1409 \cmdmthsetext{Act}[\actset][\actsym]

\DecSet, ...   ...
              1410 \newcommand{\decsym}{d}
              1411 \newcommand{\decset}{Dc}
              1412 \cmdmthsetext{Dec}[\decset][\decsym]

    \movFun    ...
              1413 \newcommand{\movsym}{\tau}
              1414 \cmdmthfun{mov}[\movsym]

\HstSet, ...   ...
              1415 \providecommand{\hstsym}{\rho}
              1416 \providecommand{\hstset}{Hst}
              1417 \cmdmthsetext{Hst}[\hstset][\hstsym]
              1418 \cmdmthset{PHst}[\hstset_{\PlrSym}]
              1419 \cmdmthsymelm{phst}[\hstsym_{\PlrSym}]
              1420 \cmdmthset{OHst}[\hstset_{\OppSym}]
              1421 \cmdmthsymelm{ohst}[\hstsym_{\OppSym}]
              1422 \cmdmthfun{hst}

\PlaySet,\playFun  ...
              1423 \providecommand{\playsym}{\pi}
              1424 \providecommand{\playset}{Play}
              1425 \cmdmthsetext{Play}[\playset][\playsym]
              1426 \cmdmthfun{play}

\StrSet, ...   ...
              1427 \providecommand{\strsym}{\sigma}
              1428 \providecommand{\strset}{Str}
              1429 \cmdmthsetext{Str}[\strset][\strsym]
              1430 \cmdmthset{PStr}[\strset_{\PlrSym}]
              1431 \cmdmthsymelm{pstr}[\strsym_{\PlrSym}]
              1432 \cmdmthset{OStr}[\strset_{\OppSym}]
              1433 \cmdmthsymelm{ostr}[\strsym_{\OppSym}]

\PrfSet, \prfFun  ...
              1434 \providecommand{\prfsym}{\xi}
              1435 \providecommand{\prfset}{Prf}
              1436 \cmdmthsetext{Prf}[\prfset][\prfsym]

              1437 %%** Strategic Logics II ******************************************************%%
```

```
1438 % Strategy Logic
1439 \cmdtxtoparname{SL}
1440
1441 \DeclareRobustCommand{\ESL}
1442   {\ensuremath{\exists}\SL}
1443 \DeclareRobustCommand{\USL}
1444   {\ensuremath{\forall}\SL}
1445
1446 \DeclareRobustCommand{\FSL}
1447   {{\txtname{F}}\SL}
1448
1449 \DeclareRobustCommand{\EFSL}
1450   {\ensuremath{\exists}\FSL}
1451 \DeclareRobustCommand{\UFSL}
1452   {\ensuremath{\forall}\FSL}
1453
1454 % One-Goal Strategy Logic
1455 \DeclareRobustCommandx{\OGSL}[3][1=, 2=, 3=]
1456   {\SL[#1][#2][1g\arglef{,}{#3}]}
1457
1458 \DeclareRobustCommand{\EOGSL}
1459   {\ensuremath{\exists}\OGSL}
1460 \DeclareRobustCommand{\UOGSL}
1461   {\ensuremath{\forall}\OGSL}
1462
1463 \DeclareRobustCommand{\FOGSL}
1464   {{\txtname{F}}\OGSL}
1465
1466 \DeclareRobustCommand{\EFOGSL}
1467   {\ensuremath{\exists}\FOGSL}
1468 \DeclareRobustCommand{\UFOGSL}
1469   {\ensuremath{\forall}\FOGSL}
1470
1471 % Conjunctive-Goal Strategy Logic
1472 \DeclareRobustCommandx{\CGSL}[3][1=, 2=, 3=]
1473   {\SL[#1][#2][cg\arglef{,}{#3}]}
1474
1475 \DeclareRobustCommand{\ECGSL}
1476   {\ensuremath{\exists}\CGSL}
1477 \DeclareRobustCommand{\UCGSL}
1478   {\ensuremath{\forall}\CGSL}
1479
1480 \DeclareRobustCommand{\FCGSL}
1481   {{\txtname{F}}\xGSL}
1482
1483 \DeclareRobustCommand{\EFCGSL}
1484   {\ensuremath{\exists}\FCGSL}
1485 \DeclareRobustCommand{\UFCGSL}
1486   {\ensuremath{\forall}\FCGSL}
1487
1488 % Disjunctive-Goal Strategy Logic
1489 \DeclareRobustCommandx{\DGSL}[3][1=, 2=, 3=]
1490   {\SL[#1][#2][dg\arglef{,}{#3}]}
1491
1492 \DeclareRobustCommand{\EDGSL}
1493   {\ensuremath{\exists}\DGSL}
1494 \DeclareRobustCommand{\UDGSL}
1495   {\ensuremath{\forall}\DGSL}
1496
1497 \DeclareRobustCommand{\FDGSL}
1498   {{\txtname{F}}\xGSL}
1499
```

55

```latex
1500 \DeclareRobustCommand{\EFDGSL}
1501   {\ensuremath{\exists}\FDGSL}
1502 \DeclareRobustCommand{\UFDGSL}
1503   {\ensuremath{\forall}\FDGSL}
1504
1505 % Alternating-Goal Strategy Logic
1506 \DeclareRobustCommandx{\AGSL}[3][1=, 2=, 3=]
1507   {\SL[#1][#2][ag\arglef{,}{#3}]}
1508
1509 \DeclareRobustCommand{\EAGSL}
1510   {\ensuremath{\exists}\AGSL}
1511 \DeclareRobustCommand{\UAGSL}
1512   {\ensuremath{\forall}\AGSL}
1513
1514 \DeclareRobustCommand{\FAGSL}
1515   {{\txtname{F}}\xGSL}
1516
1517 \DeclareRobustCommand{\EFAGSL}
1518   {\ensuremath{\exists}\FAGSL}
1519 \DeclareRobustCommand{\UFAGSL}
1520   {\ensuremath{\forall}\FAGSL}
1521
1522 % Extended-Goal Strategy Logic
1523 \DeclareRobustCommandx{\EGSL}[3][1=, 2=, 3=]
1524   {\SL[#1][#2][eg\arglef{,}{#3}]}
1525
1526 \DeclareRobustCommand{\EEGSL}
1527   {\ensuremath{\exists}\EGSL}
1528 \DeclareRobustCommand{\UEGSL}
1529   {\ensuremath{\forall}\EGSL}
1530
1531 \DeclareRobustCommand{\FEGSL}
1532   {{\txtname{F}}\xGSL}
1533
1534 \DeclareRobustCommand{\EFEGSL}
1535   {\ensuremath{\exists}\FEGSL}
1536 \DeclareRobustCommand{\UFEGSL}
1537   {\ensuremath{\forall}\FEGSL}
1538
1539 % Boolean-Goal Strategy Logic
1540 \DeclareRobustCommandx{\BGSL}[3][1=, 2=, 3=]
1541   {\SL[#1][#2][bg\arglef{,}{#3}]}
1542
1543 \DeclareRobustCommand{\EBGSL}
1544   {\ensuremath{\exists}\BGSL}
1545 \DeclareRobustCommand{\UBGSL}
1546   {\ensuremath{\forall}\BGSL}
1547
1548 \DeclareRobustCommand{\FBGSL}
1549   {{\txtname{F}}\xGSL}
1550
1551 \DeclareRobustCommand{\EFBGSL}
1552   {\ensuremath{\exists}\FBGSL}
1553 \DeclareRobustCommand{\UFBGSL}
1554   {\ensuremath{\forall}\FBGSL}
1555
1556 % Nested-Goal Strategy Logic
1557 \DeclareRobustCommandx{\NGSL}[3][1=, 2=, 3=]
1558   {\SL[#1][#2][ng\arglef{,}{#3}]}
1559
1560 \DeclareRobustCommand{\ENGSL}
1561   {\ensuremath{\exists}\NGSL}
1562 \DeclareRobustCommand{\UNGSL}
```

```
1563     {\ensuremath{\forall}\NGSL}
1564
1565 \DeclareRobustCommand{\FNGSL}
1566     {{\txtname{F}}\xGSL}
1567
1568 \DeclareRobustCommand{\EFNGSL}
1569     {\ensuremath{\exists}\FNGSL}
1570 \DeclareRobustCommand{\UFNGSL}
1571     {\ensuremath{\forall}\FNGSL}
1572
1573 % Undefined-Goal Strategy Logic
1574 \DeclareRobustCommandx{\XGSL}[3][1=, 2=, 3=]
1575     {\SL[#1][#2][xg\arglef{,}{#3}]}
1576
1577 \DeclareRobustCommand{\EXGSL}
1578     {\ensuremath{\exists}\XGSL}
1579 \DeclareRobustCommand{\UXGSL}
1580     {\ensuremath{\forall}\XGSL}
1581
1582 \DeclareRobustCommand{\FXGSL}
1583     {{\txtname{F}}\xGSL}
1584
1585 \DeclareRobustCommand{\EFXGSL}
1586     {\ensuremath{\exists}\FXGSL}
1587 \DeclareRobustCommand{\UFXGSL}
1588     {\ensuremath{\forall}\FXGSL}
1589 %%** Syntax ****************************************************%%
```

\BndSet, ...

```
1590 \newcommand{\bndsym}{\flat}
1591 \newcommand{\bndset}{Bn}
1592 \cmdmthsetext{Bnd}[\bndset][\bndsym]
1593 \usrmth{bnd}{}{argfun}
```

        \psn   ...

```
1594 \usrmth{psn}{}{argfun}
1595 %%** Semantics ************************************************%%
```

    \nxtFun   ...

```
1596 \newcommand{\nxtfun}{nxt}
1597 \cmdmthfun{nxt}[\nxtfun]
1598 \fi
1599 %%***********************************************************************%%
1600 %%***********************************************************************%%
1601 %%** Macros for Automata ************************************************%%
1602 %%***********************************************************************%%
1603 \ifaut@
1604 %%** Finite Word Automata *******************************************%%
```

    \DWA, ...

```
1605 \cmdtxtoparname{DWA}\cmdtxtoparname{NWA}\cmdtxtoparname{UWA}\cmdtxtoparname{AWA}
1606
1607 \cmdtxtoparname{DFW}\cmdtxtoparname{NFW}\cmdtxtoparname{UFW}\cmdtxtoparname{AFW}
1608 \cmdtxtoparname{DBW}\cmdtxtoparname{NBW}\cmdtxtoparname{UBW}\cmdtxtoparname{ABW}
1609 \cmdtxtoparname{DCW}\cmdtxtoparname{NCW}\cmdtxtoparname{UCW}\cmdtxtoparname{ACW}
1610 \cmdtxtoparname{DPW}\cmdtxtoparname{NPW}\cmdtxtoparname{UPW}\cmdtxtoparname{APW}
1611 \cmdtxtoparname{DRW}\cmdtxtoparname{NRW}\cmdtxtoparname{URW}\cmdtxtoparname{ARW}
1612 \cmdtxtoparname{DSW}\cmdtxtoparname{NSW}\cmdtxtoparname{USW}\cmdtxtoparname{ASW}
1613 \cmdtxtoparname{DMW}\cmdtxtoparname{NMW}\cmdtxtoparname{UMW}\cmdtxtoparname{AMW}
```

```
\GFG, \PD, ...    ...
             1614 \cmdtxtoparname{GFG}
             1615
             1616 \cmdtxtoparname{PD}
             1617
             1618 %% ...

             1619 %%** Syntax ********************************************************%%

\AutName, ...    ...
             1620 \newcommand{\autname}{A}
             1621 \usrmthlatupp{Aut}{Name}{name}[\autname]
             1622 \newcommand{\autset}{Aut}
             1623 \cmdmthset{Aut}[\autset]

      \WAutSet    ...
             1624 \newcommand{\wautset}{WAut}
             1625 \cmdmthset{WAut}[\wautset]

   \SttSet, ...    ...
             1626 \def\sttsym{q}
             1627 \def\sttset{Q}
             1628 \cmdmthsetext{Stt}[\sttset][\sttsym]
             1629 \cmdmthset{IStt}[\sttset_{I}]
             1630 \cmdmthsymelm{istt}[\sttsym_{I}]
             1631 \cmdmthset{FStt}[\sttset_{F}]
             1632 \cmdmthsymelm{fstt}[\sttsym_{F}]

   \SymSet, ...    ...
             1633 \newcommand{\symsym}{\sigma}
             1634 \newcommand{\symset}{\Sigma}
             1635 \cmdmthsetext{Sym}[\symset][\symsym]

      \trnFun    ...
             1636 \newcommand{\trnsym}{\delta}
             1637 \cmdmthfun{trn}[\trnsym]

             1638 %%** Semantics *****************************************************%%

      \LangFun    ...
             1639 \newcommand{\langfun}{L}
             1640 \cmdmthfun{Lang}[\langfun]

   \WrdSet, ...    ...
             1641 \newcommand{\wrdsym}{w}
             1642 \newcommand{\wrdset}{Wr}
             1643 \cmdmthsetext{Wrd}[\wrdset][\wrdsym]

             1644 %%** Finite Tree Automata ******************************************%%

      \DTA, ...    ...
             1645 \cmdtxtoparname{DTA}\cmdtxtoparname{NTA}\cmdtxtoparname{UTA}\cmdtxtoparname{ATA}
             1646
             1647 \cmdtxtoparname{DFT}\cmdtxtoparname{NFT}\cmdtxtoparname{UFT}\cmdtxtoparname{AFT}
             1648 \cmdtxtoparname{DBT}\cmdtxtoparname{NBT}\cmdtxtoparname{UBT}\cmdtxtoparname{ABT}
             1649 \cmdtxtoparname{DCT}\cmdtxtoparname{NCT}\cmdtxtoparname{UCT}\cmdtxtoparname{ACT}
             1650 \cmdtxtoparname{DPT}\cmdtxtoparname{NPT}\cmdtxtoparname{UPT}\cmdtxtoparname{APT}
             1651 \cmdtxtoparname{DRT}\cmdtxtoparname{NRT}\cmdtxtoparname{URT}\cmdtxtoparname{ART}
             1652 \cmdtxtoparname{DST}\cmdtxtoparname{NST}\cmdtxtoparname{UST}\cmdtxtoparname{AST}
             1653 \cmdtxtoparname{DMT}\cmdtxtoparname{NMT}\cmdtxtoparname{UMT}\cmdtxtoparname{AMT}

             1654 %%** Syntax ********************************************************%%
```

```
      \TAutSet   ...
                 1655 \newcommand{\tautset}{TAut}
                 1656 \cmdmthset{TAut}[\tautset]

 \DirSet, ...    ...
                 1657 \newcommand{\dirsym}{d}
                 1658 \newcommand{\dirset}{\Lambda}
                 1659 \cmdmthsetext{Dir}[\dirset][\dirsym]

                 1660 %%** Semantics ***************************************************%%

 \TreeSet, ...   ...
                 1661 \newcommand{\treesym}{T}
                 1662 \newcommand{\treeset}{Tr}
                 1663 \cmdmthsetext{Tree}[\treeset][\treesym]

      \wotFun    ...
                 1664 \newcommand{\wotfun}{wot}
                 1665 \cmdmthfun{wot}[\wotfun]

                 1666 \fi
                 1667 %%*************************************************************************%%

                 1668 %%*************************************************************************%%
                 1669 %%** Format Tricks ********************************************************%%
                 1670 %%*************************************************************************%%
                 1671 \iffrm@

      ...   ...
                 1672 %%...

                 1673 \fi
                 1674 %%*************************************************************************%%

                 1675 %%*************************************************************************%%
                 1676 %%** Figure Tricks ********************************************************%%
                 1677 %%*************************************************************************%%
                 1678 \iffig@

      ...   ...
                 1679 %%...

                 1680 \fi
                 1681 %%*************************************************************************%%

                 1682 %%*************************************************************************%%
                 1683 %%** Table Tricks *********************************************************%%
                 1684 %%*************************************************************************%%
                 1685 \iftab@

      ...   ...
                 1686 %%...

                 1687 \fi
                 1688 %%*************************************************************************%%

                 1689 %%*************************************************************************%%
                 1690 %%** Algorithm Tricks *****************************************************%%
                 1691 %%*************************************************************************%%
                 1692 \ifalg@

                 1693 \RequirePackage[ruled,vlined]{algorithm2e}
                 1694 \setlength{\algomargin}{1.25em}
                 1695 \DontPrintSemicolon
                 1696 \SetInd{0.25em}{0.5em}
```

```
    \Signature   ...
                 1697 \SetKw{Signature}{signature}

   \Macro, ...   ...
                 1698 \SetKwFor{Macro}{macro}{}{}
                 1699 \SetKwFor{Function}{function}{}{}
                 1700 \SetKwFor{Procedure}{procedure}{}{}

        \Let     ...
                 1701 \SetKwFor{Let}{let}{in}{}

\True, \False   ...
                 1702 \SetKw{True}{true}
                 1703 \SetKw{False}{false}

   \GoTo, ...    ...
                 1704 \SetKw{GoTo}{goto}
                 1705 \SetKw{Break}{break}
                 1706 \SetKw{Continue}{continue}

    \MIf, ...    ...
                 1707 \SetKwIF{MIf}{MElseIf}{MElse}{\#if}{\#then}{\#else \#if}{\#else}{\#endif}

        \nlr     ...
                 1708 \DeclareRobustCommand{\nlr}[1]
                 1709   {\addtocounter{AlgoLine}{1}%
                 1710   \nlset{\arabic{AlgoLine}-\addtocounter{AlgoLine}{#1}\arabic{AlgoLine}}}

                 1711 \fi
                 1712 %%****************************************************************************%%

                 1713 \endinput
                 1714 ⟨/package⟩
```

2 Change History

3 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

67