fmocdmac — FM's OCD LATEX Macro*

Fabio Mogavero fm@fabiomogavero.com

Released 2023/05/01

Abstract

This package contains almost all the latex macros I heavily use in my tcs research activity and, in particular, in the writing of conference and journal articles. As few of my co-authors have kindly pointed out, and probably many have thought, they are somehow a clear expression of an underlying ocd-like behavior... hence the name!

1 Implementation & Usage

 $1 \langle *package \rangle$

Required external packages:

```
2
3 \RequirePackage{etoolbox}
4
5 \RequirePackage{xargs}
6 \RequirePackage{xspace}
7 \RequirePackage{stringstrings}
```

Package options:

```
10 %% Auxiliary packages
11 \newif\ifaux@ \aux@false
12 \DeclareOption{aux}{\aux@true}
13 \DeclareOption{noaux}{\aux@false}
15 %% AMS defaults
16 \newif\ifamsdef@ \amsdef@true
17 \DeclareOption{noamsdef}{\amsdef@false}
19 %% AMS theorem tools
20 \newif\ifamsthm@ \amsthm@true
21 \DeclareOption{noamsthm}{\amsthm@false}
23 %% Extended Theorem tools
24 \newif\ifthmtls@ \thmtls@true
25 \DeclareOption{nothmtls}{\thmtls@false}
27 %% Enumeration tools
28 \newif\ifenmtls@ \enmtls@true
29 \DeclareOption{noenmtls}{\enmtls@false}
31 %% Hyper reference
32 \newif\ifhypref@ \hypref@true
33 \DeclareOption{nohypref}{\hypref@false}
```

^{*}This document describes version v0.17 of the fmocdmac package, last revised 2023/05/01.

```
35 %% Font tools
36 \newif\iffnttls@ \fnttls@true
37 \DeclareOption{nofnttls}{\fnttls@false}
39 %% Camera-ready version
40 \newif\ifcrv@ \crv@false
41 \DeclareOption{crv}{\crv@true}
43 %% Change bars
44 \newif\ifchgbar@ \chgbar@false
45 \DeclareOption{chgbar}{\chgbar@true}
47 %% Line numbers
48 \newif\iflinnum@ \linnum@false
49 \DeclareOption{linnum}{\linnum@true}
51
52 %% Text macro generation
53 \newif\iftxtgen@ \txtgen@false
54 \DeclareOption{txtgen}{\txtgen@true}
55 \DeclareOption{notxtgen}
    {\txtgen@false\txt@false\com@false\gam@false\log@false\aut@false}
57
58 %% Math macro generation
59 \newif\ifmthgen@ \mthgen@false
60 \DeclareOption{mthgen}{\mthgen@true}
61 \label{lem:continuous} 61 \label{lem:continuous} \\
    {\mthgen@false\mth@false\gam@false\log@false\aut@false}
63
65 %% Elementary macros for text
66 \newif\iftxt@ \txt@false
67 \DeclareOption{txt}{\txt@true\txtgen@true}
68 \label{lem:continuity} $$ \operatorname{DeclareOption}_{notxt}_{\text{txt@false}} $$
69
70 %% Elementary macros for math
71 \newif\ifmth@ \mth@false
72 \DeclareOption{mth}{\mth@true\mthgen@true}
73 \DeclareOption{nomth}{\mth@false}
76 %% Macros for computational-complexity classes
77 \newif\ifcom@ \com@false
78 \DeclareOption{com}{\com@true\txtgen@true}
79 \DeclareOption{nocom}{\com@false}
82 \%\% Macros for games
83 \newif\ifgam@ \gam@false
84 \DeclareOption{gam}{\gam@true\txtgen@true\mthgen@true}
85 \DeclareOption{nogam}{\gam@false}
87 %% Macros for logics
88 \newif\iflog@ \log@false
89 \DeclareOption{log}{\log@true\txtgen@true\mthgen@true}
90 \DeclareOption{nolog}{\log@false}
91
92 %% Macros for automata
93 \newif\ifaut@ \aut@false
94 \DeclareOption{aut}{\aut@true\txtgen@true\mthgen@true}
95 \DeclareOption{noaut}{\aut@false}
97
```

```
98 %% Format-related tricks
          99 \newif\iffrm@ \frm@false
          100 \DeclareOption{frm}{\frm@true}
          101 \DeclareOption{nofrm}{\frm@false}
          102
          103
          104 %% Figure-related tricks
          105 \newif\iffig@ \fig@false
          106 \DeclareOption{fig}{\fig@true}
          107 \DeclareOption{nofig}{\fig@false}
          108
          109 %% Wrapfig package
          110 \newif\ifwrpfig@ \wrpfig@true
          111 \DeclareOption{nowrpfig}{\wrpfig@false}
          112
          113
          114 %% Table-related tricks
          115 \newif\iftab@ \tab@false
          116 \DeclareOption{tab}{\tab@true}
          117 \DeclareOption{notab}{\tab@false}
          118
          119
          120 %% Algorithm-related tricks
          121 \newif\ifalg@ \alg@false
          122 \DeclareOption{alg}{\alg@true}
          123 \DeclareOption{noalg}{\alg@false}
          124
         Option-processing code:
          126 \DeclareOption*{\PackageWarning{fmocdmac}{Unknown~'\CurrentOption'}}%
          128 \ExecuteOptions{aux,txtgen,mthgen,txt,mth,com,gam,log,aut}%
          130 \ProcessOptions\relax%
          132 \ifcsdef{if@twocolumn}{}{\newif\if@twocolumn}
         Package main body:
          \omicron Auxiliary Greek lowercase letter: ... to do!
          138 \csdef{omicron}{o}
\Alpha, ... Auxiliary Greek uppercase letters: ... to do!
          139 \csdef{Alpha}{A} \csdef{Beta}{B} \csdef{Epsilon}{E} \csdef{varEpsilon}{E}
          140 \csdef{Zeta}{Z} \csdef{Eta}{H} \csdef{Iota}{I} \csdef{Kappa}{K}
          141 \csdef{varKappa}{K} \csdef{Mu}{M} \csdef{Nu}{N} \csdef{Omicron}{O}
          142 \end{P} \csdef{Rho}{P} \csdef{Tau}{T} \csdef{Chi}{X}
          \empths Emptiness check: \empchk{\langle A\rangle} {\langle B\rangle} evaluates to the empty string, if Argument \langle A \rangle is empty,
         and to Argument \langle B \rangle, otherwise.
            • \empchk{}{B} = ""
            • \empchk{A}{B} = "B"
```

```
147 \newcommand{\empchk}[2]
                {\left\{ if & 1 \right\} }
\defval Default value: \defval{\langle A \rangle}{\langle B \rangle} evaluates to Argument \langle B \rangle, if Argument \langle A \rangle is empty, and to
          Argument \langle A \rangle itself, otherwise.
              • \defval{}{B} = "B"
              • \defval{A}{B} = "A"
           149 \newcommand{\defval}[2]
                 {\left\{\frac{4}{2}\right\}}
           \ Left extension: \ arglef\{\langle A \rangle\}\{\langle B \rangle\} evaluates to the concatenation \langle AB \rangle of the two arguments, if
          Argument \langle B \rangle is non-empty, and to the empty string, otherwise.
              • \arglef{A}{} = ""
              • \arglef{A}{B} = "AB"
           152 \newcommand{\arglef}[2]
                {\empchk{#2}{#1#2}}
\argrig Right extension: \argrig{\langle A\rangle} \{\langle B\rangle}$ evaluates to the concatenation \langle AB \rangle of the two arguments,
          if Argument \langle A \rangle is non-empty, and to the empty string, otherwise.
              • \argrig{}{B} = ""
              • \argrig{A}{B} = "AB"
           154 \newcommand{\argrig}[2]
                {\empchk{#1}{#1#2}}
          Middle extension: \argmid{\langle A \rangle}{\langle A \rangle}{\langle C \rangle} evaluates to the concatenation \langle ABC \rangle of the three
          arguments, if Argument \langle B \rangle is non-empty, and to the empty string, otherwise.
              • \argmid{A}{}{C} = ""
              • \argmid{A}{B}{C} = "ABC"
           156 \newcommand{\argmid}[3]
                {\empchk{#2}{#1#2#3}}
          Separators: \argsep\{\langle A \rangle\}\{\langle B \rangle\}\{\langle C \rangle\} evaluates to Argument \langle C \rangle, if Argument \langle A \rangle is empty, to
\argsep
          Argument \langle A \rangle, if Argument \langle C \rangle is empty, and to the concatenation \langle ABC \rangle, otherwise.
              • \argsep{}{B}{C} = "C"
              • \argsep{A}{B}{} = "A"
              • \argsep{A}{}{C} = "AC"
              • \argsep{A}{B}{C} = "ABC"
            158 \newcommand{\argsep}[3]
                 {\if&#1&#3\else#1\arglef{#2}{#3}\fi}
           Variadic commands: \forall A \in \{\langle A \rangle\} \{\langle B \rangle\} \{\langle C \rangle\} \{\langle E \rangle\} \{\langle E \rangle\} \{\langle F \rangle\} \dots \text{ to do!}
           161 \newcommand{\varcmd}[6]
                 {\expandafter\newcommand\csname gobble#1arg\endcsname[2]
           162
                    {\csname check#1arg\endcsname{\argsep{##1}{#4}{\empchk{##2}{{##2}}}}}
           163
           164
                 \expandafter\newcommand\csname check#larg\endcsname[1]
           165
                    {\csname @ifnextchar\endcsname%
           166
                      \bgroup{\csname gobble#1arg\endcsname{##1}}{#2{##1#5}#6}}%
           167
                 \expandafter\newcommand\csname#1\endcsname[1]
                    {\csname check#larg\endcsname{#3##1}}}
           168
```

```
\seqoftag Sequence of tags: \seqoftag\{\langle A \rangle\}\{\langle B \rangle\}\{\langle C \rangle\} ... to do!
               170 \newcommand{\seqoftag}[3]
                    {\expandafter\csedef{\itr#2}%
               172
                        {\noexpand\csname #3\endcsname{\itr}}}
               173
   \seqofcmd Sequence of commands: \seqofcmd{\langle A\rangle}{\langle B\rangle}{\langle C\rangle} \text{... to do!}
               174 \newcommand{\seqofcmd}[3]
                   {\@for\itr:={#1}\do%
                      {\expandafter\csedef{\itr#2}%
               176
                        {\noexpand\csname #3\endcsname{\csname \itr\endcsname}}}}
               177
               \seqoflatlow Sequence of Latin lowercase letters: \seqoflatlow\{\langle A \rangle\}\{\langle B \rangle\} ... to do!
               179 \newcommand{\seqoflatlow}
                   {\seqoftag{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w,x,y,z}}
\seqoflatupp Sequence of Latin uppercase letters: \seqoflatupp\{\langle A \rangle\}\{\langle B \rangle\} ... to do!
               181 \newcommand{\seqoflatupp}
                   {\seqoftag{A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,R,S,T,U,V,W,X,Y,Z}}
\sequence of Latin letters: \sequence \{A\} \{\Bar{B}\} \... to do!
               183 \newcommand{\seqoflatlet}[2]
                   {\seqoflatlow{#1}{#2}\seqoflatupp{#1}{#2}}
               \seqofgrklow Sequence of Greek lowercase letters: \seqofgrklow\{\langle A \rangle\}\{\langle B \rangle\} ... to do!
               186 \newcommand{\seqofgrklow}
                    {\seqofcmd{alpha,beta,gamma,delta,epsilon,varepsilon,zeta,eta,theta,vartheta,%
                    iota,kappa,varkappa,lambda,mu,nu,xi,omicron,pi,varpi,rho,varrho,sigma,%
               189
                    varsigma,tau,upsilon,phi,varphi,chi,psi,omega}}
             Sequence of Greek uppercase letters: \ensuremath{\mathsf{Valighter}} \{A\} \} \{\langle B \rangle \} \dots \text{ to do!}
\seqofgrkupp
               190 \newcommand{\seqofgrkupp}
                    {\seqofcmd{Alpha,Beta,Gamma,Delta,Epsilon,varEpsilon,Zeta,Eta,Theta,varTheta,%
               192
                    Iota, Kappa, varKappa, Lambda, Mu, Nu, Xi, Omicron, Pi, varPi, Rho, varRho, Sigma, %
                    varSigma,Tau,Upsilon,Phi,varPhi,Chi,Psi,Omega}}
\seqofgrklet Sequence of Greek letters: \seqofgrklet\{\langle A \rangle\}\{\langle B \rangle\} ... to do!
               194 \newcommand{\seqofgrklet}[2]
                    \label{lower} $$\{ \simeq fgrklow{#1}{#2}\simeq fgrkupp{#1}{#2} \}$
               Sequence of lowercase letters: \seqoflow{\langle A \rangle}{\langle B \rangle} ... to do!
               197 \newcommand{\seqoflow}[2]
                   {\seqoflatlow{#1}{#2}\seqofgrklow{#1}{#2}}
              Sequence of uppercase letters: \seqofupp{\langle A \rangle}{\langle B \rangle} ... to do!
   \seqofupp
               199 \newcommand{\seqofupp}[2]
                   {\seqoflatupp{#1}{#2}\seqofgrkupp{#1}{#2}}
   \seqoflet Sequence of all letters: \seqoflet\{\langle A \rangle\}\{\langle B \rangle\} ... to do!
               201 \newcommand{\seqoflet}[2]
                   {\seqoflow{#1}{#2}\seqofupp{#1}{#2}}
```

```
207 \ifaux@
208
209 \ightharpoonup 209 \ightharpoonup 209 \ightharpoonup 209 \grapharpoonup 209 \grapha
210 % AMS Packages
            \RequirePackage{mathtools}
             \RequirePackage{amssymb}
            \RequirePackage{stmaryrd}
         \interdisplaylinepenalty=2500
215\fi
216
217 \ifamsthm@
218 % AMS Theorem Tools
219
           \RequirePackage{amsthm}
220 \fi
221
222 \ifthmtls@
223 % Extended Theorem Tools
             \RequirePackage{thmtools, thm-restate}
225 \fi
226
227 \ifenmtls@
228 % Enumeration Tools
           \RequirePackage{paralist}
230 \fi
231
232 \ifhypref@
233 % Hyper References
             \RequirePackage{hyperref}
             \hypersetup {
                                                      = {},
236
                 pdfsubject
                 pdfkeywords
                                                   = {},
237
                 pdfproducer = {},
238
                  pdfcreator
                                                     = {},
239
                  pdfpagemode = {UseNone},
240
                  pdfstartview = {FitH},
241
242
                 urlcolor
                                                     = {blue},
243
                  colorlinks
244 }
245 \fi
246
247 \iffnttls@
248 % Font Tools
249 \RequirePackage[final]{microtype}
250\fi
251
252 \ifcrv@
253 % Camera-Ready Version
254
255
            %%...
257 \ensuremath{\setminus} else
           % Draft Version
258
259
            %%...
260
261
262
             \ifchgbar@
263
                  % Change Bars
                   \RequirePackage{changebar}
264
265
266
```

```
\iflinnum@
                           267
                           268
                                       % Line Numbers
                           269
                                       \if@twocolumn
                                           \RequirePackage[switch, columnwise, mathlines]{lineno}\linenumbers
                           270
                           271
                                           \RequirePackage[columnwise, mathlines]{lineno}\linenumbers
                           272
                                       \fi
                           273
                                   \fi
                           274
                           275
                           276
                                   %%...
                           278 \fi
                           279
                           280 \fi
                           \mathbbo Bbo Math Font: ... to do!
                           285 \left\{ \mathbf{Mathbbo}_{\ mathbbo}_{\ mathbboo}_{\ mathbb
        \matheus Eus Math Font: ... to do!
                           286 \left\{ \mathbb{U}_{matheus} \right\} \\
        \mathpzc Pzc Math Font: ... to do!
                           287 \left\{ \mathbf{T1}_{pzc}_{m}_{it} \right\}
        \mathscr Scr Math Font: ... to do!
                           288 \ifdef{\mathscr}{}{\DeclareMathAlphabet{\mathscr}{U}{rsfs}{m}{n}}
                           \newtxt ... to do!
                               • \newtxt[\rmfamily]{Name}[sub][sup][Ext] = "Name_sup_Ext"
                               • \newtxt[\sffamily]{Name}[sub][sup][Ext] = "Name_sup_Ext"
                               293 \newcommandx{\newtxt}[5][1=, 3=, 4=, 5=]
                           294 {\text{#1#2\txtsubsup[#1]{#3}{#4}#5}\xspace}
     \newtxtsty ... to do!
                               • \mbox{\mbox{$Name} [sub] [sup] [Ext] = "Name} \mbox{\mbox{$Sub Ext"}} = "Name} \mbox{$Sub Ext"}
                                \bullet \texttt{\newtxtsty}(\texttt{\nmfamily}[\texttt{\name}][\texttt{sub}][\texttt{sup}][\texttt{Ext}] = \texttt{``Name}^{\texttt{sup}}_{\texttt{sub}}[\texttt{Ext}] 
                                \bullet \mathtt{Name}_{\mathtt{sup}}[\mathtt{Name}_{\mathtt{Sup}}][\mathtt{Ext}] = \mathtt{Name}_{\mathtt{sup}}^{\mathtt{Sup}}[\mathtt{Ext}] 
                           295 \newcommandx{\newtxtsty}[2][2=]
                           296 {\text{wtxt}[\defval{#2}{\#1}]}
     \newtxtarg ... to do!
                                \bullet \texttt{ \  \  } [\texttt{Ext1}] \texttt{ \  \  } [\texttt{Ext2}] = \texttt{``Name}^{\sup}_{\sup} \texttt{Ext1}(\texttt{Arg}) \texttt{Ext2}" 
                               • \newtxtarg[\sffamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name_sup_Ext1(Arg)Ext2"
                               • \newtxtarg[\ttfamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name_sup_Ext1(Arg)Ext2"
                           297 \newcommandx{\newtxtarg}[7][1=, 3=, 4=, 5=, 7=]
                           298 {\newtxt[#1]{#2}[#3][#4][\argmid{#5(}{#6}{)#7}]}
\newtxtargsty ... to do!
                                \bullet \texttt{ \newtxtargsty{\nmfamily}{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name^{\sup}_{sub} Ext1(Arg) Ext2" }
```

```
• \newtxtargsty{\rmfamily}[\sffamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name*ub Ext1(Arg)Ext2"
                     • \newtxtargsty{\rmfamily}[\ttfamily]{\Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name_sub_Ext1(Arg)Ext2"
                  299 \newcommandx{\newtxtargsty}[2][2=]
                      {\newtxtarg[\defval{#2}{#1}]}
   \newtxtoarg ... to do!
                     • \newtxtoarg[\rmfamily]{Name}[sub][sup][Arg] = "Name_{\text{sub}}^{\text{sup}}(Arg)"
                     • \newtxtoarg[\sffamily]{Name}[sub][sup][Arg] = "Name_sup_(Arg)"
                     • \newtxtoarg[\ttfamily]{Name}[sub][sup][Arg] = "Name_sub_(Arg)"
                  301 \newcommandx{\newtxtoarg}[5][1=, 3=, 4=, 5=]
                       {\newtxtarg[#1]{#2}[#3][#4][]{#5}[]}
\newtxtoargsty ... to do!
                     • \newtxtoargsty{\rmfamily}{Name}[sub][sup][Arg] = "Name_sup_(Arg)"
                     • \newtxtoargsty{\rmfamily}[\sffamily]{Name}[sub][sup][Arg] = "Name_sub_(Arg)"
                     • \newtxtoargsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Arg] = "Name_sub_sub_(Arg)"
                  303 \newcommandx{\newtxtoargsty}[2][2=]
                       {\newtxtoarg[\defval{#2}{#1}]}
    \newtxtpar ... to do!
                      \bullet \texttt{ \  \  } \texttt{[Ext1] \{Par\}[Ext2]} = \texttt{``Name}^{\sup}_{\sup} \texttt{Ext1}[Par] \texttt{Ext2''} 
                      \bullet \texttt{\ \ } \texttt{[Ext2]} = \texttt{``Name}^{sup} \texttt{\ \ } \texttt{[Ext2]} = \texttt{``Name}^{sup} \texttt{\ \ } \texttt{Ext1} \texttt{\ \ } \texttt{[Par]} \texttt{\ \ } \texttt{Ext2}'' 
                     • \newtxtpar[\ttfamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name_sub_Ext1[Par]Ext2"
                  305 \newcommandx{\newtxtpar}[7][1=, 3=, 4=, 5=, 7=]
                       {\newtxt[#1]{#2}[#3][#4][\argmid{#5[}{#6}{]#7}]}
 \newtxtparsty ... to do!
                     \bullet \ \texttt{Name} \ \texttt{[sub] [sup] [Ext1] \{Par\} [Ext2]} = "Name_{sub}^{sup} \texttt{Ext1} [Par] \texttt{Ext2}"
                     • \newtxtparsty{\rmfamily}[\sffamily]{\Name}[sub][sup][Ext1]{\Par}[Ext2] = "Name_sub_Ext1[\Par]Ext2"
                     • \newtxtparsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "NamesubExt1[Par]Ext2"
                  307 \newcommandx{\newtxtparsty}[2][2=]
                       {\newtxtpar[\defval{#2}{#1}]}
   \newtxtopar ... to do!
                     • \newtxtopar[\rmfamily]{Name}[sub][sup][Par] = "Name_sub_[Par]"
                     • \newtxtopar[\sffamily]{Name}[sub][sup][Par] = "Name_sub_[Par]"
                     • \newtxtopar[\ttfamily]{Name}[sub][sup][Par] = "Name_sub_[Par]"
                  309 \newcommandx{\newtxtopar}[5][1=, 3=, 4=, 5=]
                       {\newtxtpar[#1]{#2}[#3][#4][]{#5}[]}
\newtxtoparsty ... to do!
                     • \newtxtoparsty{\rmfamily}{Name}[sub][sup][Par] = "Name_{\text{sub}}^{\text{sup}}[Par]"
                     • \newtxtoparsty{\rmfamily}[\sffamily]{Name}[sub][sup][Par] = "Name_sub[Par]"
                     • \newtxtoparsty{\rmfamily}[\ttfamily]{\Name}[sub][sup][Par] = "Name_sup_[Par]"
                  311 \newcommandx{\newtxtoparsty}[2][2=]
                       {\newtxtopar[\defval{#2}{#1}]}
    \txtsubsup ... to do!
                     • \txtsubsup[\sffamily]{Aa}{Bb} = "Bb" Aa
                     • \text{txtsubsup[}\text{Aa}{Bb} = \text{``Bb''}
                  313 \newcommand{\txtsubsup}[3][]
                       {\ensuremath{\empchk{#2}{_{\text{#1#2}}}\empchk{#3}{^{\text{#1#3}}}}}
```

```
\txt ... to do!
                                 • \txt{Name}[sub][sup][Ext] = "Name_sub_Ext"
                                 • \text{txt[\scshape]{Name}[sub][sup][Ext]} = \text{"Name}_{Sub}^{SUP}EXT"
                                  • \text{txt[\bfseries]}\{\text{Name}\}[\text{sub}][\text{sup}][\text{Ext}] = \text{``Name}_{\text{sub}}^{\text{sup}}\text{Ext''}
                            316 \newcommand{\txt}
                            317 {\newtxtsty{\txtsty}}
        \txtarg ... to do!
                                 • \txtarg{Name} [sub] [sup] [Ext1] {Arg} [Ext2] = "Name sup Ext1(Arg)Ext2"
                                 • \txtarg[\schape]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name_{SUB}^{SUP}Ext1(Arg)Ext2"
                                  • \txtarg[\bfseries]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name_{\text{sub}}^{\text{sup}}Ext1(Arg)Ext2"
                             318 \newcommand{\txtarg}
                            319 {\newtxtargsty{\txtsty}}
      \txtoarg ... to do!
                                 • \txtoarg{Name}[sub][sup][Arg] = "Name<sup>sup</sup><sub>sub</sub>(Arg)"
                                  • \txtoarg[\schape] {Name} [sub] [sup] [Arg] = "Name_{SUB}^{SUP} (Arg)"
                                 • \t Name [Name] [Sub] [Sup] [Arg] = "Name [Sub] [Arg]"
                             320 \newcommand{\txtoarg}
                            321 {\newtxtoargsty{\txtsty}}
        \txtpar ... to do!
                                  \bullet \texttt{ \txtpar{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name} \\ \text{ \textsup} \\ \text{Ext1[Par]Ext2"} 
                                  • \txtpar[\schape]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name_{SUP}^{SUP}Ext1[Par]Ext2"
                                  • \t = \t [\t Ext2] = \t [\t Ext2] = \t [\t Ext1] = \t [\t Ext2] = \t [\t Ext2] = \t [\t Ext1] = \t [\t Ext2] = \t [\t Ext2]
                            322 \newcommand{\txtpar}
                            323 {\newtxtparsty{\txtsty}}
      \txtopar ... to do!
                                 • \text{txtopar{Name}[sub][sup][Par]} = \text{"Name}_{\text{sub}}^{\text{sup}}[Par]"
                                 • \txtopar[\scshape]{Name}[sub][sup][Par] = "NAME_SUB[PAR]"
                                 • \t \ [sub] [sup] [Par] = "Name\t \ [Par]"
                            324 \newcommand{\txtopar}
                                    {\newtxtoparsty{\txtsty}}
        \txtsty ... to do!
                            326 \newcommand{\txtsty}
                                      {\mdseries\upshape\rmfamily}
                            \cmdtxt ... to do!
                                 • \cmdtxt{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                                     \mathsf{TxtNewCmd}\{\mathsf{Name}\}[\mathsf{sub}][\mathsf{Ext}] = \mathsf{Name}^{\mathsf{SUP}}_{\mathsf{SUB}}\mathsf{Ext}
                             329 \newcommand{\cmdtxt}[1]
                                     {\csdef{txt#1}{\newtxtsty{\csname txtsty#1\endcsname}}}
  \cmdtxtarg ... to do!
                                 • \cmdtxtarg{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                                     \label{eq:local_local_sup} $$ \text{$\tt Lxt1]_{Arg}[Ext2] = Name_{SUB}^{SUP}Ext1(Arg)Ext2}$
                            331 \newcommand{\cmdtxtarg}[1]
                            332 {\csdef{txtarg#1}{\newtxtargsty{\csname txtsty#1\endcsname}}}
\cmdtxtoarg ... to do!
                                  \cmdtxtoarg{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                                     \t \ [sub] [sup] [Arg] = NAME_{SUB}^{SUP} (Arg)
```

```
333 \newcommand{\cmdtxtoarg}[1]
                                                 {\csdef{txtoarg#1}{\newtxtoargsty{\csname txtsty#1\endcsname}}}
  \cmdtxtpar ... to do!
                                             • \cmdtxtpar{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                                                 \label{eq:local_cond_sup} $$ \operatorname{LEXT1}_{\operatorname{Par}}[\operatorname{Ext2}] = \operatorname{Name}_{\operatorname{SUB}}^{\operatorname{SUP}}[\operatorname{Ext1}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{SUB}}^{\operatorname{SUP}}[\operatorname{Ext1}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{SUB}}^{\operatorname{SUP}}[\operatorname{Ext2}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{SUB}}^{\operatorname{Ext2}}[\operatorname{Ext2}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{SUB}}^{\operatorname{Ext2}}[\operatorname{Ext2}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{Ext2}}^{\operatorname{Ext2}}[\operatorname{Ext2}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{Ext2}}^{\operatorname{Ext2}}[\operatorname{Ext2}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{Ext2}}^{\operatorname{Ext2}}[\operatorname{Ext2}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{Ext2}}^{\operatorname{Ext2}}[\operatorname{Ext2}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{Ext2}}^{\operatorname{Ext2}}[\operatorname{Ext2}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{Ext2}}^{\operatorname{Ext2}}[\operatorname{Ext2}_{\operatorname{Par}}] = \operatorname{Name}_{\operatorname{Ext2}}^{\operatorname{Ext2}}[\operatorname{Ext2}_{\operatorname{Ext2}}] = \operatorname{Name}_{\operatorname{Ext2}}^{\operatorname{Ext2}}[\operatorname{Ext2}] = \operatorname{Ext2}[\operatorname{Ext2}] = \operatorname{Ext2}[\operatorname{Ex
                                      335 \newcommand{\cmdtxtpar}[1]
                                                 {\csdef{txtpar#1}{\newtxtparsty{\csname txtsty#1\endcsname}}}
\cmdtxtopar ... to do!
                                             \cmdtxtopar{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                                                 \verb|\txtoparNewCmd{Name}[sub][sup][Par] = \verb|\Name|^{SUP}[Par]|
                                      337 \newcommand{\cmdtxtopar}[1]
                                                 {\csdef{txtopar#1}{\newtxtoparsty{\csname txtsty#1\endcsname}}}
  \cmdtxtall ... to do!
                                             • \cmdtxtall{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                                                 \verb|\txtNewCmd{Name}[sub][sup][Ext]| = \verb|\txtNewCmd{Sup}Ext|
                                                 \verb|\txtargNewCmd{Name}[sub][sup][Ext1]{Arg}[Ext2] = \verb|\Name|_{SUB}Ext1(Arg)Ext2|
                                                  \verb|\txtoargNewCmd{Name}[sub][sup][Arg] = \verb|\NAME_{SUB}^{SUP}(Arg)|
                                                  \texttt{\txtparNewCmd} \{ \texttt{Name} \} [\texttt{sub}] [\texttt{sup}] [\texttt{Ext1}] \{ \texttt{Par} \} [\texttt{Ext2}] = \texttt{Name}_{\texttt{sub}}^{\texttt{SUP}} \texttt{Ext1} [\texttt{Par}] \texttt{Ext2}
                                                  \txtoparNewCmd{Name}[sub][sup][Par] = Name_{SUB}^{SUP}[Par]
                                      339 \newcommand{\cmdtxtall}[1]
                                      340 {\cmdtxt{#1}\cmdtxtarg{#1}\cmdtxtoarg{#1}\cmdtxtpar{#1}\cmdtxtopar{#1}}
                                     \usrtxt ... to do!
                                             • \usrtxt{cmdName}{Suf}{}; \cmdNameSuf = cmdName
                                                  \t \text{Suf}_{arg}; \t \text{Arg} = \text{cmdName}(Arg)
                                                  • \usrtxt{cmdName}{Suf}{}[newName]; \cmdNameSuf = newName
                                                  \t {cmdName} {Suf} {arg} [newName]; \t {Arg} = newName(Arg)
                                                 \usrtxt{cmdName}{Suf}{par}[newName]; \cmdNameSuf{Par} = newName[Par]
                                      342 \mbox{ } \mbox{usrtxt}[4][4=]
                                      343 {\csdef{\#1}#2}{\csname txt#3\endcsname{\defval{\#4}{\#1}}}
                                      \newmth ... to do!
                                             • \newmth[mathrm] {Name} [sub] [sup] [Ext] = "Name_{sub}^{sup} Ext"
                                             ullet \newmth[mathsf]{Name}[sub][sup][Ext] = "Name_{sub}^{sup}Ext"
                                             • \newmth[mathtt]{Name}[sub][sup][Ext] = "Name_{sub}^{sup}Ext"
                                      348 \newcommandx{\newmth}[5][1=, 3=, 4=, 5=]
                                                 {\ensuremath{\csname#1\endcsname{#2}\mthsubsup{#3}{#4}#5}}
  \newmthsty ... to do!
                                             \bullet \ \texttt{\ \ } [\mathtt{Sub}] \ [\mathtt{Ext}] = "\mathtt{Name}^{sup}_{\mathtt{cut}} Ext"
                                              \bullet \verb| \newmthsty{mathrm}[mathsf]{Name}[sub][sup][Ext] = "Name_{sub}^{sup}Ext" 
                                             • \newmthsty{mathrm}[mathtt]{Name}[sub][sup][Ext] = "Name_{sub}^{sup}Ext"
                                      350 \newcommandx{\newmthsty}[2][2=]
                                                 {\newmth[\defval{#2}{#1}]}
  \newmtharg ... to do!
                                             • \newmtharg[mathrm] {Name} [sub] [sup] [Ext1] {Arg^{Ex^{2}}} [Ext2] = "Name_{sub}^{sup} Ext1 (Arg^{Ex^{Ex}}) Ext2"
```

```
 \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                                                                                                                                                                                                                 \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ 
                                                                                                                                                                                                                                                 \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ 
                                                                                                                                                                                                                                                • \newmtharg*[mathtt]{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}}[Ext2] = "Name _{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2"
                                                                                                                                                                                                                352 \newcommand{\newmtharg}
                                                                                                                                                                                                                                                                    {\@ifstar{\@snewmtharg}{\@newmtharg}}
                                                                                                                                                                                                                354 \newcommandx{\Onewmtharg}[7][1=, 3=, 4=, 5=, 7=]
                                                                                                                                                                                                                                                                        {\newmth[#1]{#2}[#3][#4][\argmid{#5\!\left(}{#6}{\right)\arglef{\!}{#7}}]}
                                                                                                                                                                                                                  356 \newcommandx{\@snewmtharg}[7][1=, 3=, 4=, 5=, 7=]
                                                                                                                                                                                                                                                                      {\newmth[#1]{#2}[#3][#4][\argmid{#5(}{#6}{)#7}]}
           \newmthargsty ... to do!
                                                                                                                                                                                                                                                • \newmthargsty{mathrm}{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}}[Ext2] = "Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2"
                                                                                                                                                                                                                                                 \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                                                                                                                                                                                                                • \newmthargsty*{mathrm}{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = "Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2"
                                                                                                                                                                                                                                                 \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ 
                                                                                                                                                                                                                                                 \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                                                                                                                                                                                  358 \newcommand{\newmthargsty}
                                                                                                                                                                                                                                                              {\@ifstar{\@snewmthargsty}{\@newmthargsty}}
                                                                                                                                                                                                                  360 \newcommandx{\@newmthargsty}[2][2=]
                                                                                                                                                                                                                                                                            {\newmtharg[\defval{#2}{#1}]}
                                                                                                                                                                                                                362 \newcommandx{\@snewmthargsty}[2][2=]
                                                                                                                                                                                                                                                                            {\newmtharg*[\defval{#2}{#1}]}
                                       \newmthoarg \dots to do!
                                                                                                                                                                                                                                                • \newmthoarg[mathrm] {Name} [sub] [sup] [Arg^{Ex^{Ex}}] = "Name_{sub}^{sup} (Arg^{Ex^{Ex}})"
                                                                                                                                                                                                                                               \bullet \ \texttt{Name} \ \texttt{[Sub] [Sup] [Arg^{Ex^{}}]} = \ \texttt{"Name} \ \texttt{up} \ \Big(Arg^{Ex^{Ex}}\Big) "
                                                                                                                                                                                                                                               \bullet \ \texttt{\newmthoarg[mathtt]{Name}[sub][sup][Arg^{\{Ex^{}\}\}}]} = \ \texttt{\newmthoarg[mathtt]{Arg^{Ex^{Ex}}}}) "
                                                                                                                                                                                                                                                \bullet \ \texttt{\ \ } \ \texttt{\ \ \ } \ \texttt{\ \ } 
                                                                                                                                                                                                                                                • \newmthoarg*[mathsf]{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup}(Arg^{Ex^{Ex}})" = "Name_{sub}^{sup}(Arg^{Ex})" = "Name_{sub}^{sup}(Arg^{Ex})" = "Name_{sub}^{sup}(Arg^{Ex})" = "Name_{sub}^{sup}(Arg^{E
                                                                                                                                                                                                                                                 \bullet \verb| \newmthoarg*[mathtt]{Name}[sub][sup][Arg^{\{Ex^{\{Ex\}}\}}] = "Name_{sub}^{sup}(Arg^{Ex^{Ex}})" 
                                                                                                                                                                                                                  364 \newcommand{\newmthoarg}
                                                                                                                                                                                                                                                                        {\@ifstar{\@snewmthoarg}{\@newmthoarg}}
                                                                                                                                                                                                                  366 \newcommandx{\Onewmthoarg}[5][1=, 3=, 4=, 5=]
                                                                                                                                                                                                                                                                              {\newmtharg[#1]{#2}[#3][#4][]{#5}[]}
                                                                                                                                                                                                                  368 \newcommandx{\@snewmthoarg}[5][1=, 3=, 4=, 5=]
                                                                                                                                                                                                                                                                            {\newmtharg*[#1]{#2}[#3][#4][]{#5}[]}
\newmthoargsty ... to do!
                                                                                                                                                                                                                                                • \newmthoargsty{mathrm}{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup} (Arg^{Ex^{Ex}})" = "Name_{sub}^{sub} (Arg^{Ex})" = "Name_{sub}^{s
                                                                                                                                                                                                                                                 \bullet \ \texttt{\  \  } \ \texttt{\  \  \  } \ \texttt{\  \  } \ \texttt{\  \  \ } \ \texttt{\  \  } \ \texttt{\  \  } \ \texttt{\  \  } \ \texttt{\  \  } \ \texttt{\  \
                                                                                                                                                                                                                                              • \newmthoargsty*{mathrm}{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup}(Arg^{Ex^{Ex}})"
                                                                                                                                                                                                                                                 \bullet \verb| \newmthoargsty*{mathrm}[mathsf]{Name}[sub][sup][Arg^{Ex^{*}}] = "Name_{sub}^{sup}(Arg^{Ex^{Ex}})" = "Name_{sub}^{sub}(Arg^{Ex^{Ex}})" = "Name_{sub}^{sub}(Arg^{Ex^{Ex}
                                                                                                                                                                                                                                                 \bullet \verb| \newmthoargsty*{mathrm}[mathtt]{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup}(Arg^{Ex^{Ex}})" = "Name_{sub}^{sup}(Arg^{Ex})" = "Name_{sub}^{sup}(Arg^{Ex})" = "Name_{sub}^{sup}(Arg^{Ex})" = "Name_{sub}^{sup}(Arg^{Ex})" = "Name_{sub}^{
```

```
370 \newcommand{\newmthoargsty}
                                                                                                                                                                                                                      {\@ifstar{\@snewmthoargsty}{\@newmthoargsty}}
                                                                                                                                                                           372 \newcommandx{\@newmthoargsty}[2][2=]
                                                                                                                                                                           373 {\newmthoarg[\defval{#2}{#1}]}
                                                                                                                                                                           374 \newcommandx{\@snewmthoargsty}[2][2=]
                                                                                                                                                                                                                        {\newmthoarg*[\defval{#2}{#1}]}
                                \newmthpar ... to do!
                                                                                                                                                                                                      \bullet \ \texttt{Name} \ \texttt{[Sub] [Sup] [Ext1] \{Par^{\{Ex^{\{Ex\}\}}\}} \ \texttt{[Ext2]} = "Name} \ sub \ \texttt{Ext1} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext1} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext1} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex^{Ex}} \Big] \ Ext2" \\ = "Name \ sub \ \texttt{Ext2} \ \Big[ Par^{Ex} \ Par^{E
                                                                                                                                                                                                      \bullet \ \texttt{\newmthpar[mathtt]{Name}[sub][sub][Ext1]{Par^{Ex^{-}{Ex}}}} \ [\texttt{Ext2}] = "\texttt{Name}_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2" = "\texttt{\newmthpar[mathtt]{Par^{Ex^{Ex}}}} \Big] Ext2" = "\texttt{\newmthpar[mathtt]{Par^{Ex^{Ex}}}}} \Big] Ext2" = "\texttt{\newmthpar[mathtt]{Par^{Ex^{Ex}}}} \Big] Ext2" = "\texttt{\newmthpar[matht]{Par^{Ex^{Ex}}}} \Big] Ext2" = "\texttt{\newmthpar[mathtt]{Par^{Ex^{Ex}}}} \Big] Ext2" = "\texttt{\newmthpar[matht]{Par^{Ex^{Ex}}}} \Big] Ext2" = "\texttt{
                                                                                                                                                                                                       \bullet \mathtt{Name}^{\sup}_{sub}[\mathtt{Sup}][\mathtt{Ext1}] \\ \{\mathtt{Par}^{\mathsf{Ex}^{\mathsf{Ex}}}\}\}[\mathtt{Ext2}] = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext2" \\ \exists t \in [t] \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup}_{sub}Ext2" \\ \mathsf{Ext2} = \mathtt{``Name}^{\sup
                                                                                                                                                                                                       \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ 
                                                                                                                                                                                                       \bullet \mathtt{Name}^{sup}_{sub}[\mathtt{Ext1}] \\ \{\mathtt{Par}^{\mathsf{Ex}^{\mathsf{Ex}}}\}\} \\ [\mathtt{Ext2}] = \mathtt{``Name}^{sup}_{sub} \\ Ext1[Par^{\mathsf{Ex}^{\mathsf{Ex}}}] \\ Ext2" \\ \mathsf{Ext2} \\ \mathsf{Ext3} \\ \mathsf{Ext4} \\ 
                                                                                                                                                                            376 \newcommand{\newmthpar}
                                                                                                                                                                                                                                    {\@ifstar{\@snewmthpar}{\@newmthpar}}
                                                                                                                                                                            378 \mbox{ newcommandx{\constraint}[7][1=, 3=, 4=, 5=, 7=]}
                                                                                                                                                                                                                                    {\mathbb{4}}  {\newmth[#1]{#2}[#3][#4][\argmid{#5\!\left[}{#6}{\right]\arglef{\!}{#7}}]}
                                                                                                                                                                            380 \newcommandx{\@snewmthpar}[7][1=, 3=, 4=, 5=, 7=]
                                                                                                                                                                                                                                  {\newmth[#1]{#2}[#3][#4][\argmid{#5[}{#6}{]#7}]}
\newmthparsty ... to do!
                                                                                                                                                                                                       \bullet \mathtt{Name}_{sub}^{sup}[\mathtt{Sup}] \mathtt{[Ext1]} \mathtt{[Par^{Ex^*}[Ext2]} = \mathtt{``Name}_{sub}^{sup}Ext1 \middle| Par^{Ex^{Ex}} \middle| Ext2 \mathtt{''} \mathsf{Ext2} \mathsf{''} \mathsf{''} \mathsf{Ext2} \mathsf{''} \mathsf{''} \mathsf{Ext2} \mathsf{''} \mathsf{''} \mathsf{Ext2} \mathsf{''} \mathsf
                                                                                                                                                                                                      \bullet \texttt{ \  \  } [\texttt{Ext2}] = \texttt{``Name}_{sub}^{sup}[\texttt{Ext1}] \{\texttt{Par}^{\texttt{Ex}^{\texttt{Ex}}}\} \\ [\texttt{Ext2}] = \texttt{``Name}_{sub}^{sup}[\texttt{Ext1}] \Big[Par^{\texttt{Ex}^{\texttt{Ex}}}\Big] \\ Ext2 \\ \texttt{'`} [\texttt{Ext2}] = \texttt{``Name}_{sub}^{sup}[\texttt{Ext1}] \Big[Par^{\texttt{Ex}^{\texttt{Ex}}}\Big] \\ \texttt{'`} [\texttt{Ext2}] = \texttt{``Name}_{sub}^{sup}[\texttt{Ext2}] \\ \texttt{'`} [\texttt{Ext2}] = \texttt{``Name}_{sub}^{sub}[\texttt{Ext2}] \\ \texttt{'`} 
                                                                                                                                                                                                       \bullet \mathtt{Newmthparsty\{mathrm\}[mathtt]\{Name\}[sub][sup][Ext1]\{Par^{\{Ex^{\{Ex\}\}}\}[Ext2]} = \mathtt{``Name}_{sub}^{sup}Ext1\Big[Par^{Ex^{Ex}}\Big]Ext2\mathtt{''} } \\
                                                                                                                                                                                                       \bullet \texttt{\newmthparsty*\{mathrm\}\{Name\}[sub][sup][Ext1]\{Par^{\{Ex^{\{Ex\}\}}\}[Ext2]} = "Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2"] } \\ 
                                                                                                                                                                                                       \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ 
                                                                                                                                                                                                       \bullet \texttt{\newmthparsty*\{mathrm\}[mathtt]\{Name\}[sub][sup][Ext1]\{Par^{\{Ex^{\{Ex\}\}}\}[Ext2]} = \texttt{``Name}^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2"] = \texttt{``Name}^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2"] = \texttt{``Name}^{sup}_{sub}Ext1[Par^{Sup}_{sub}Ext1] = \texttt{``Name}^{sup}_{sub}Ext1[Par^{Sup}_{sub}Ext2] = \texttt{``Name}^{sup}_{sub}Ext2[Par^{Sup}_{sub}Ext2] = \texttt{``Name}^{sup}_{sub}Ext2[Par^{Sup}_{sub}Ext2] = \texttt{``Name}^{sup}_{sub}Ext2[Par^{Sup}_{sub}Ext2] = \texttt{``Name}^{sup}_{sub}Ext2[Par^{Sup}_{sub}Ext2] = \texttt{``Name}^{sub}Ext2[Par^{Sup}_{sub}Ext2] = \texttt{``Name}^{sub}E
                                                                                                                                                                            382 \newcommand{\newmthparsty}
                                                                                                                                                                                                                                  {\@ifstar{\@snewmthparsty}{\@newmthparsty}}
                                                                                                                                                                            384 \newcommandx{\@newmthparsty}[2][2=]
                                                                                                                                                                                                                                  386 \newcommandx{\@snewmthparsty}[2][2=]
                                                                                                                                                                                                                               {\newmthpar*[\defval{#2}{#1}]}
                      \newmthopar ... to do!
                                                                                                                                                                                                      • \newmthopar[mathrm] {Name} [sub] [sup] [Par^{Ex^{Ex}}] = "Name_{sub}^{sup} | Par^{Ex^{Ex}}|"
                                                                                                                                                                                                     • \newmthopar[mathtt]{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                                                                                                                                                      • \newmthopar*[mathrm]{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                                                                                                                                                      \bullet \verb| \newmthopar*[mathtt]{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]" 
                                                                                                                                                                            388 \newcommand{\newmthopar}
                                                                                                                                                                                                                      {\@ifstar{\@snewmthopar}{\@newmthopar}}
                                                                                                                                                                            390 \newcommandx{\Onewmthopar}[5][1=, 3=, 4=, 5=]
                                                                                                                                                                                                                         {\newmthpar[#1]{#2}[#3][#4][]{#5}[]}
                                                                                                                                                                            392 \newcommandx{\@snewmthopar}[5][1=, 3=, 4=, 5=]
                                                                                                                                                                                                                               {\newmthpar*[#1]{#2}[#3][#4][]{#5}[]}
```

\newmthoparsty ... to do!

```
• \newmthoparsty{mathrm}{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                                                                  • \newmthoparsty*{mathrm}{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                                                                   \bullet \verb| \newmthoparsty*{mathrm}[mathsf]{Name}[sub][sup][Par^{Ex^{Ex}}]] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]" 
                                                                                                                  \bullet \verb| \normalle | \normalle 
                                                                                                394 \newcommand{\newmthoparsty}
                                                                                                                                {\@ifstar{\@snewmthoparsty}{\@newmthoparsty}}
                                                                                               396 \newcommandx{\@newmthoparsty}[2][2=]
                                                                                                                                {\newmthopar[\defval{#2}{#1}]}
                                                                                                398 \newcommandx{\@snewmthoparsty}[2][2=]
                                                                                                                               {\newmthopar*[\defval{#2}{#1}]}
\mthsubsup ... to do!
                                                                                               400 \newcommand{\mthsubsup}[2]
                                                                                                                                    {\empchk{#1}{_{#1}}\empchk{#2}{^{#2}}}
                                             \mth ... to do!
                                                                                                                 • \mathbb{Sup}[Sup][Ext] = "Name^{sup}_{sub}Ext"
                                                                                                                  • \mathbf{Name}_{sub}^{sup}[\mathbf{Ext}] = \mathbf{Name}_{sub}^{sup}Ext
                                                                                                                  • \mathbf{L} = \mathbf{L} 
                                                                                                403 \newcommand{\mth}
                                                                                                                         {\newmthsty{\mthsty}}
                      \mtharg ... to do!
                                                                                                                  • \mtharg{Name} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}} [Ext2] = "Name_{sub}^{sup} Ext1 (Arg^{Ex^{Ex}}) Ext2"
                                                                                                                  \bullet \ \texttt{\normalfine} \
                                                                                                                  \bullet \ \texttt{\name} \ \texttt{\na
                                                                                                                  \bullet \ \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\  }} \texttt{\ \ }} \texttt{\  }} \texttt{\ \ }} \texttt{
                                                                                                                  • \mtharg*[mathtt] {Name} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}}} [Ext2] = "Name _{sub}^{sup} Ext1(Arg^{Ex^{Ex}})Ext2"
                                                                                                405 \newcommand{\mtharg}
                                                                                                                            {\@ifstar{\newmthargsty*{\mthsty}}{\newmthargsty{\mthsty}}}
               \mthoarg ... to do!
                                                                                                                 • \mthoarg{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup} \left(Arg^{Ex^{Ex}}\right)"
                                                                                                                 • \mthoarg[mathbf] {Name} [sub] [sup] [Arg^{Ex^{Ex}}] = "Name_{sub}^{sup} (Arg^{Ex^{Ex}})"
                                                                                                                 • \mthoarg*{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup}(Arg^{Ex^{Ex}})"
                                                                                                                  407 \newcommand{\mthoarg}
                                                                                                                             {\@ifstar{\newmthoargsty*{\mthsty}}{\newmthoargsty{\mthsty}}}
                      \mthpar ... to do!
                                                                                                                  • \mthpar{Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = "Name_{sub}^{sup} Ext1 [Par^{Ex^{Ex}}] Ext2"
```

```
• \mthpar[mathbf]{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = "Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}] Ext2"
                                                                       • \mthpar*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = "Name^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2"
                                                                       • \mthpar*[mathbf] {Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = "Name _{sub}^{sup} Ext1 [Par^{Ex^{Ex}}] Ext2"
                                                                       • \mthpar*[mathtt] {Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = "Name _{sub}^{sup} Ext1[Par^{Ex^{Ex}}] Ext2"
                                                            409 \newcommand{\mthpar}
                                                                                  {\@ifstar{\newmthparsty*{\mthsty}}}{\newmthparsty{\mthsty}}}
            \mthopar ... to do!
                                                                     • \mthopar{Name} [sub] [sup] [Par^{Ex^{Ex}}] = "Name_{sub}^{sup} [Par^{Ex^{Ex}}]"
                                                                       • \mthopar[mathbf]{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup} | Par^{Ex^{Ex}}|"
                                                                      \bullet \  \, \texttt{\bar{Ex^{Ex}}} = \texttt{\bar{Name}} [\texttt{Sub}] [\texttt{Sup}] [\texttt{Par^{Ex^{Ex}}}] = \texttt{\bar{Name}} [Par^{Ex^{Ex}}] "
                                                                       • \mthopar*{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                       • \mthopar*[mathbf]{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                        \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                            411 \newcommand{\mthopar}
                                                                                   {\@ifstar{\newmthoparsty*{\mthsty}}{\newmthoparsty{\mthsty}}}
                \mthsty ... to do!
                                                           413 \newcommand{\mthsty}
                                                                               {}
                                                            \cmdmth ... to do!
                                                                      • \cmdmth{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                              \mathbb{E}_{sub}[sub][sup][Ext] = \mathbb{E}_{sub}[Ext]
                                                            416 \newcommand{\cmdmth}[1]
                                                                               {\csdef{mth#1}{\newmthsty{mthsty#1}}}
   \cmdmtharg ... to do!
                                                                      • \cmdmtharg{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                               \mthargNewCmd{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                              \verb|\mathragNewCmd*{Name}[sub][sup][Ext1]{Arg^{Ex^{-}}{Ex}}| [Ext2] = \verb|\mathragNewCmd*{Name}[sub][sup][Ext1]{Arg^{Ex^{-}}{Ex}}| Ext2| = |\mathragNewCmd*{Name}[sub][sup][ext1]| | Ext2| = |\mathragNewCmd*{Name}[sub][sup][ext2]| | Ext2| = |\mathragNewCmd*{Name}[sub][sub][ext2]| | Ext2| = |\mathragNewCmd*{Name}[sub][sub][ext2]| | Ext2| = |\mathragNewCmd*{Name}[sub][sub][ext2]| | Ext2| = |\mathragNewCmd*{Name}[sub][ext2]| | Ext2| = |\mathragNewCm
                                                            418 \newcommand{\cmdmtharg}[1]
                                                                             {\csdef{mtharg#1}%
                                                                                            {\@ifstar{\newmthargsty*{mthsty#1}}}{\newmthargsty{mthsty#1}}}
                                                            420
\cmdmthoarg \dots to do!
                                                                       • \cmdmthoarg{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                               \verb|\mbox| \verb|\mbox| | [sup] [Arg^{\{Ex^{\{Ex\}}\}}] = \verb|\mbox| | [sup] [Arg^{Ex^{Ex}}] |
                                                                               \verb|\mbox| \verb|\mbox| thoargNewCmd*{\tt Name}[sub][sup][Arg^{Ex^{Ex}}] = \verb|\mbox| ame_{sub}^{sup}(Arg^{Ex^{Ex}})
                                                            421 \newcommand{\cmdmthoarg}[1]
                                                                              {\csdef{mthoarg#1}%
                                                                                            {\@ifstar{\newmthoargsty*{mthsty#1}}}{\newmthoargsty{mthsty#1}}}}
                                                            423
   \cmdmthpar ... to do!
                                                                       \cmdmthpar{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                               \verb|\mbox| \textbf{Sub} [\textbf{Sub}] [\textbf{Ext1}] \{ \texttt{Par}^{\{\texttt{Ex}\}} \} [\texttt{Ext2}] = \texttt{Name}_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 = \texttt{Name}_{sub}^{sup} Ext2 = \texttt{Name}_{sub}^{sub} Ext2 = \texttt{Name}_{sub}^{sub
                                                                              \verb|\mathparNewCmd*{Name}[sub][sup][Ext1]{Par^{Ex^{-}}{Ex}}] Ext2] = \verb|\mathparNewCmd*{Name}[sub][sup][Ext1]{Par^{Ex^{-}}{Ex}}] Ext2] = |\mathparNewCmd*{Name}[sub][sup][ext1]{Par^{Ex^{-}}{Ex}}] Ext2
```

```
424 \newcommand{\cmdmthpar}[1]
                                                                                                                {\csdef{mthpar#1}%
                                                                                        126
                                                                                                                                 {\@ifstar{\newmthparsty*{mthsty#1}}}{\newmthparsty{mthsty#1}}}
            \cmdmthopar ... to do!
                                                                                                      • \cmdmthopar{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                                                               \label{eq:local_local_problem} $$ \mathbf{Sup}[\sup][\operatorname{Par}_{Ex}^{Ex}] = \operatorname{Name}_{sub}^{sup}\Big[\operatorname{Par}_{Ex}^{Ex}^{Ex}\Big] = \operatorname{Name
                                                                                                                \verb|\mathoparNewCmd*{Name}[sub][sup][Par^{Ex^{-}}{Ex^{-}}] = \verb|\mathoparNewCmd*{Name}| Par^{Ex^{-}}{Ex^{-}}
                                                                                        427 \newcommand{\cmdmthopar}[1]
                                                                                                              {\csdef{mthopar#1}%
                                                                                        429
                                                                                                                                 {\@ifstar{\newmthoparsty*{mthsty#1}}}{\newmthoparsty{mthsty#1}}}}
                \cmdmthall ... to do!
                                                                                                     • \cmdmthall{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                                                                \mbox{\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\
                                                                                                               \label{eq:lambda} $$\operatorname{Lamp}(\operatorname{Ex^{Ex}}) = \operatorname{Name}_{sub}^{sup}(Arg^{Ex^{Ex}}) = \operatorname{Name}_{sub}^{sub}(Arg^{Ex^{Ex}}) = \operatorname{Na
                                                                                                               \verb|\mbox| \verb| Sub| [sup] [Arg^{Ex^*}[Ex^*]] = \verb|\mbox| arg^{Ex^*}(Arg^{Ex^{Ex^*}})
                                                                                                               \verb| \mathbf{Name} [\mathbf{Sub}] [\mathbf{Sup}] [\mathbf{Ext1}] \{ \mathbf{Par}^{\{\mathbf{Ex}^{\}}\}} [\mathbf{Ext2}] = \mathbf{Name}_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 = \mathbf{Name}_{sub}^{sup} Ext2 = \mathbf{Name}_{s
                                                                                                               \mathbb{E}^{Ex^{Ex}} = \mathbb{E}^{Ex^{Ex}} = \mathbb{E}^{Ex^{Ex}}
                                                                                        430 \newcommand{\cmdmthall}[1]
                                                                                                               {\cmdmth{#1}\cmdmtharg{#1}\cmdmthoarg{#1}\cmdmthopar{#1}\cmdmthopar{#1}}
                                                                                        \usrmth ... to do!
                                                                                                      • \sl = cmdName 
                                                                                                                \usrmth{cmdName}{Suf}{arg};
                                                                                                                \label{eq:cmdName} $$\operatorname{Arg}^{Ex^{Ex}}$ = cmdName \Big(Arg^{Ex^{Ex}}\Big)$
                                                                                                                \verb|\cmdNameSuf*{Arg^{Ex^{Ex}}}| = cmdName(Arg^{Ex^{Ex}})|
                                                                                                                \usrmth{cmdName}{Suf}{par};
                                                                                                                \label{eq:cmdName} $$ \operatorname{Ex^{Ex}}$ = cmdName \Big| Par^{Ex^{Ex}} \Big| $$
                                                                                                                \verb|\cmdNameSuf*{Par^{Ex^{Ex}}}| = cmdName[Par^{Ex^{Ex}}]|
                                                                                                        \usrmth{cmdName}{Suf}{arg}[newName];
                                                                                                                \label{eq:local_cond_norm} $$ \operatorname{Larg}^{Ex^*} = newName \Big( Arg^{Ex^{Ex}} \Big) $$
                                                                                                                \label{eq:cmdName} $$\operatorname{Arg}^{Ex^{Ex}}$ = newName(Arg^{Ex^{Ex}})$
                                                                                                                \usrmth{cmdName}{Suf}{par}[newName];
                                                                                                                \verb|\cmdNameSuf{Par^{Ex^{Ex}}}| = newName | Par^{Ex^{Ex}}|
                                                                                                               \verb|\cmdNameSuf*{Par^{Ex^{Fx}}}| = newName[Par^{Ex^{Ex}}]|
                                                                                        433 \newcommandx{\usrmth}[4][4=]
                                                                                                                    {\csdef{#1#2}{\%}}
                                                                                        434
                                                                                        435
                                                                                                                                            {\c mth #3\ends name *{\defval {#4}{#1}}}%
                                                                                        436
                                                                                        437
                                                                                                                                            {\csname mth#3\endcsname{\defval{#4}{#1}}}%
                                                                                        438
                                                                                                                   }}
\usrmthlatlow ... to do!
                                                                                       440 \newcommandx{\usrmthlatlow}[4][4=]
                                                                                                               {\usrmth{#1}{#2}{#3}[#4]\seqoflatlow{#1#2}{mth#3}}
```

```
\usrmthlatupp ... to do!
             442 \newcommandx{\usrmthlatupp}[4][4=]
             \usrmthlatlet ... to do!
             444 \newcommandx{\usrmthlatlet}[4][4=]
             445 \{ \text{usrmth} \{ \#1 \} \{ \#3 \} [ \#4 ] \ seqoflatlet \{ \#1 \#2 \} \{ \#3 \} \} \}
\usrmthgrklow ... to do!
             446 \newcommandx{\usrmthgrklow}[4][4=]
             447 \quad {\bf \{\{41\}\{\#2\}\{\#3\}[\#4]\} } 
\usrmthgrkupp ... to do!
             448 \newcommandx{\usrmthgrkupp}[4][4=]
                {\usrmth{#1}{#2}{#3}[#4]\seqofgrkupp{#1#2}{mth#3}}
\usrmthgrklet ... to do!
             450 \newcommandx{\usrmthgrklet}[4][4=]
                 {\usrmth{#1}{#2}{#3}[#4]\seqofgrklet{#1#2}{mth#3}}
  \usrmthlow ... to do!
             452 \mbox{ newcommandx{\usrmthlow}[4][4=]}
             \usrmthupp ... to do!
             454 \newcommandx{\usrmthupp}[4][4=]
                 {\usrmth{#1}{#2}{#3}[#4]\seqofupp{#1#2}{mth#3}}
  \usrmthlet ... to do!
             456 \newcommandx{\usrmthlet}[4][4=]
                 {\left\{ usrmth{#1}{#2}{#3}[#4] \seqoflet{#1#2}{mth#3} \right\}}
             462 \iftxtgen@
\txtdef, ... to do!
               ullet \txtdef{Name}[sub][sup][Ext] = Name_{sub}^{sup}Ext
               ullet \txtargdef{Name}[sub] [sup] [Ext1] {Arg} [Ext2] = Name_{sub}^{sup}Ext1(Arg)Ext2
               ullet \txtpardef{Name}[sub][sup][Ext1]{Par}[Ext2] = Name_{sub}^{sup}Ext1[Par]Ext2
             463 %% Style for Definitions
             464 \texttt{\def}\newcommand{\texttt{\txtstydef}}{\texttt{\normalfont}} 
  \cmdtxtdef ... to do!
               • \cmdtxtdef{cmdName};
                 \verb|\cmdName[sub][sub][ext]| = cmdName_{sub}^{sub}ext
               • \cmdtxtdef{cmdName}[newName];
                 \verb|\cmdName[sub][sub][ext]| = newName_{sub}^{sub}ext
             465 \newcommandx{\cmdtxtdef}[2][2=]
             466 {\usrtxt{#1}{}{def}[#2]}
\cmdtxtargdef ... to do!
               \cmdtxtargdef{cmdName};
                 \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
               • \cmdtxtargdef{cmdName}[newName];
                 \cmdName[sub][sub][ext1]\{arg\}[ext2] = newName_{sub}^{sub}ext1(arg)ext2
```

```
467 \newcommandx{\cmdtxtargdef}[2][2=]
                       {\usrtxt{#1}{}{argdef}[#2]}
\cmdtxtoargdef ... to do!
                     • \cmdtxtoargdef{cmdName};
                       \colon = cmdName[sub][sub][arg] = cmdName^{sub}_{sub}(arg)
                      \cmdtxtoargdef{cmdName}[newName];
                       \colon = newName[sub][sub][arg] = newName^{sub}_{sub}(arg)
                   469 \newcommandx{\cmdtxtoargdef}[2][2=]
                  470 {\usrtxt{#1}{}{oargdef}[#2]}
 \cmdtxtpardef ... to do!
                     • \cmdtxtpardef{cmdName};
                       \cmdName[sub][sub][ext1]\{par\}[ext2] = cmdName_{sub}^{sub}ext1/par]ext2
                     • \cmdtxtpardef{cmdName}[newName];
                        \verb|\cmdName[sub][sub][ext1]{par}[ext2] = newName_{sub}^{sub}ext1[par]ext2
                   471 \newcommandx{\cmdtxtpardef}[2][2=]
                  472 {\usrtxt{#1}{}{pardef}[#2]}
\cmdtxtopardef ... to do!
                      \cmdtxtopardef{cmdName};
                       \verb|\cmdName[sub][sub][par]| = cmdName_{sub}^{sub}/par|
                      • \cmdtxtopardef{cmdName}[newName];
                       \cmdName[sub][sub][par] = newName_{sub}^{sub}/par
                   473 \newcommandx{\cmdtxtopardef}[2][2=]
                  474 {\usrtxt{#1}{}{opardef}[#2]}
  \txtabr, ... to do!
                     ullet \txtabr{Name} [sub] [sup] [Ext] = Name_{
m sub}^{
m sup} Ext
                     • \txtargabr{Name} [sub] [sup] [Ext1] {Arg} [Ext2] = Name_{sub}^{sup} Ext1(Arg)Ext2
                       \bullet \ \texttt{\txtparabr{Name}[sub][sub][Ext1]{Par}[Ext2]} = Name^{\sup}_{\sup} Ext1[Par]Ext2
                   475 %% Style for Abbreviations
                  476 \cmdtxtall{abr}\newcommand{\txtstyabr}{\em}
    \cmdtxtabr ... to do!
                     • \cmdtxtabr{cmdName};
                       \verb|\cmdName[sub][sub][ext]| = cmdName_{\rm sub}^{\rm sub}ext
                     • \cmdtxtabr{cmdName}[newName];
                       \colon dName[sub][sub][ext] = newName_{sub}^{sub}ext
                   477 \newcommandx{\cmdtxtabr}[2][2=]
                       {\usrtxt{#1}{}{abr}[#2]}
 \cmdtxtargabr ... to do!
                     • \cmdtxtargabr{cmdName};
                       \cmdName[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                      • \cmdtxtargabr{cmdName}[newName];
                       \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = newName_{\rm sub}^{\rm sub}ext1(arg)ext2
                   479 \newcommandx{\cmdtxtargabr}[2][2=]
                  480 {\usrtxt{#1}{}{argabr}[#2]}
\cmdtxtoargabr ... to do!
                     • \cmdtxtoargabr{cmdName};
                       \colon dName[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                      \cmdtxtoargabr{cmdName}[newName];
                       \colon = newName[sub][sub][arg] = newName[sub](arg)
                   481 \newcommandx{\cmdtxtoargabr}[2][2=]
                   482 {\usrtxt{#1}{}{oargabr}[#2]}
```

```
\cmdtxtparabr ... to do!
                                                                 • \cmdtxtparabr{cmdName};
                                                                       \cmdName[sub][sub][ext1][par][ext2] = cmdName_{sub}^{sub}ext1[par]ext2
                                                                 • \cmdtxtparabr{cmdName} [newName];
                                                                       \verb|\cmdName[sub][sub][ext1]{par}[ext2] = newName^{\rm sub}_{\rm sub}ext1/par]ext2
                                                          483 \newcommandx{\cmdtxtparabr}[2][2=]
                                                                      {\usrtxt{#1}{}{parabr}[#2]}
   \cmdtxtoparabr ... to do!
                                                                 • \cmdtxtoparabr{cmdName};
                                                                       \cmdName[sub][sub][par] = cmdName_{
m sub}^{
m sub}/par/
                                                                 \cmdtxtoparabr{cmdName}[newName];
                                                                       \verb|\cmdName[sub][sub][par]| = newName_{\rm sub}^{\rm sub}[par]|
                                                         485 \newcommandx{\cmdtxtoparabr}[2][2=]
                                                                      {\usrtxt{#1}{}{oparabr}[#2]}
                                                         \txtname, ... to do!
                                                                 • \text{txtname}\{\text{Name}\}[\text{sub}][\text{Ext}] = \text{Name}^{\text{SUP}}_{\text{SUB}}Ext
                                                                 • \text{txtargname}\{\text{Name}\}[\text{sub}][\text{sup}][\text{Ext1}]\{\text{Arg}\}[\text{Ext2}] = \text{Name}_{\text{SUB}}^{\text{SUP}}\text{Ext1}(\text{Arg})\text{Ext2}
                                                                 • \text{txtparname}\{\text{Name}\}[\text{sub}][\text{sup}][\text{Ext1}]\{\text{Par}\}[\text{Ext2}] = \text{Name}_{\text{Sub}}^{\text{SUP}}\text{Ext1}[\text{Par}]\text{Ext2}
                                                         488 %% Style for Names
                                                         489 \cmdtxtall{name}\newcommand{\txtstyname}{\normalfont\mdseries\scshape\sffamily}
             \cmdtxtname ... to do!
                                                                 • \cmdtxtname{cmdName}:
                                                                       \c MDNAME_{SUB}^{SUB} [sub] [ext] = CMDNAME_{SUB}^{SUB}EXT
                                                                 • \cmdtxtname{cmdName}[newName];
                                                                       \cmdName[sub][sub][ext] = NEWNAME_{SUB}^{SUB}EXT
                                                          490 \newcommandx{\cmdtxtname}[2][2=]
                                                         491 {\usrtxt{#1}{}{name}[#2]}
   \cmdtxtargname ... to do!
                                                                 • \cmdtxtargname{cmdName};
                                                                       \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName[sub][ext1][ext2][ext2] = \verb|\cmdName[sub][ext1][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][
                                                                 • \cmdtxtargname{cmdName}[newName];
                                                                       \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = \verb|\newName[sub][sub][ext1]{arg}[ext2] = \verb|\newName[sub][sub][ext1]{arg}[ext2] = \verb|\newName[sub][sub][ext1][ext2][ext2] = \verb|\newName[sub][sub][ext1][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ex
                                                         492 \newcommandx{\cmdtxtargname}[2][2=]
                                                                       {\usrtxt{#1}{}{argname}[#2]}
\cmdtxtoargname ... to do!
                                                                 • \cmdtxtoargname{cmdName};
                                                                       \verb|\cmdName[sub][sub][arg]| = CMDNAME_{SUB}^{SUB}(ARG)
                                                                 • \cmdtxtoargname{cmdName}[newName];
                                                                       \verb|\cmdName[sub][sub][arg]| = NEWNAME^{SUB}_{SUB}(ARG)
                                                         494 \newcommandx{\cmdtxtoargname}[2][2=]
                                                                      {\usrtxt{#1}{}{oargname}[#2]}
   \cmdtxtparname ... to do!
                                                                 • \cmdtxtparname{cmdName};
                                                                       \verb|\cmdName[sub][sub][ext1]{par}[ext2] = CMDNAME_{SUB}^{SUB}EXT1[PAR]EXT2|
                                                                 • \cmdtxtparname{cmdName}[newName];
                                                                       \verb|\cmdName[sub][sub][ext1]{par}[ext2] = \verb|\newName[sub][sub][ext1]{par}[ext2]
                                                         496 \newcommandx{\cmdtxtparname}[2][2=]
                                                         497 {\usrtxt{#1}{}{parname}[#2]}
```

```
\cmdtxtoparname ... to do!
                                                                 • \cmdtxtoparname{cmdName};
                                                                       \label{eq:cmdName} $$ \operatorname{CMDNAME}_{SUB}^{SUB}[PAR] = \operatorname{CMDNAME}_{SUB}^{SUB}[PAR] $$
                                                                 \cmdtxtoparname{cmdName} [newName];
                                                                       \colon = NEWNAME_{SUB}^{SUB}[PAR]
                                                          498 \newcommandx{\cmdtxtoparname}[2][2=]
                                                                       {\usrtxt{#1}{}{oparname}[#2]}
         \txtcom, ... to do!
                                                                 • \t \text{Name} [ \text{sub} ] [ \text{sup} ] [ \text{Ext} ] = \text{Name}_{\text{SUB}}^{\text{SUP}} \text{Ext}
                                                                  \bullet \texttt{ \txtargcom{Name}[sub][sup][Ext1]{Arg}[Ext2] = Name_{sub}^{SUP}Ext1(Arg)Ext2} 
                                                                 • \text{txtparcom{Name}[sub][sup][Ext1]{Par}[Ext2]} = \text{Name}_{\text{SUB}}^{\text{SUP}} \text{Ext1}[Par] \text{Ext2}
                                                         500 %% Style for Complexities
                                                         501 \cmdtxtall{com}\newcommand{\txtstycom}{\normalfont\mdseries\scshape\rmfamily}
                \cmdtxtcom ... to do!
                                                                 • \cmdtxtcom{cmdName};
                                                                       \cmdName[sub][sub][ext] = CMDNAME_{SUB}^{SUB}EXT
                                                                 • \cmdtxtcom{cmdName}[newName];
                                                                       \verb|\cmdName[sub][sub][ext]| = \verb|\cmdName[sub][sub][ext]| = \verb|\cmdName[sub][sub][ext]|
                                                         502 \newcommandx{\cmdtxtcom}[2][2=]
                                                         503 {\usrtxt{#1}{}{com}[#2]}
      \cmdtxtargcom ... to do!
                                                                 • \cmdtxtargcom{cmdName};
                                                                       \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = CMDNAME_{SUB}^{SUB}EXT1(ARG)EXT2
                                                                 • \cmdtxtargcom{cmdName}[newName];
                                                                       \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = \verb|\newName[sub][sub][ext1]{arg}[ext2] = \verb|\newName[sub][sub][ext1]{arg}[ext2] = \verb|\newName[sub][sub][ext1][ext2][ext2] = \verb|\newName[sub][sub][ext1][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ex
                                                          504 \newcommandx{\cmdtxtargcom}[2][2=]
                                                         505 {\usrtxt{#1}{}{argcom}[#2]}
   \cmdtxtoargcom ... to do!
                                                                 • \cmdtxtoargcom{cmdName};
                                                                       \colon 
                                                                 • \cmdtxtoargcom{cmdName}[newName];
                                                                       \verb|\cmdName[sub][sub][arg]| = NEWNAME^{SUB}_{SUB}(ARG)
                                                         506 \newcommandx{\cmdtxtoargcom}[2][2=]
                                                                       {\usrtxt{#1}{}{oargcom}[#2]}
      \cmdtxtparcom ... to do!
                                                                 \cmdtxtparcom{cmdName};
                                                                       \label{lem:cmdName} $$ \operatorname{[sub][sub][ext1][par][ext2]} = \operatorname{CMDNAME}_{\operatorname{SUB}}^{\operatorname{SUB}} \operatorname{EXT1[par]EXT2} $$
                                                                 • \cmdtxtparcom{cmdName} [newName];
                                                                       508 \newcommandx{\cmdtxtparcom}[2][2=]
                                                                       {\usrtxt{#1}{}{parcom}[#2]}
   \cmdtxtoparcom ... to do!
                                                                 • \cmdtxtoparcom{cmdName};
                                                                       \colon = CMDNAME_{SUB}^{SUB}[PAR]
                                                                 \cmdtxtoparcom{cmdName}[newName];
                                                                       \verb|\cmdName[sub][sub][par]| = NEWNAME_{SUB}^{SUB}[PAR]|
                                                         510 \newcommandx{\cmdtxtoparcom}[2][2=]
                                                         511 {\usrtxt{#1}{}{oparcom}[#2]}
```

```
517 \ifmthgen@
  \mthname, ... to do!
                     • \mthname{NAME}[sub][sup][Ext] = \mathcal{NAME}^{sup}_{sub}Ext
                     • \mthparname{NAME}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = \mathcal{NAME}^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2
                     518 %% Style for Names
                  519 \cmdmthall{name}\newcommand{\mthstyname}{\mathcal}
    \AName, ... to do!
                 \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}, \mathcal{E}, \mathcal{F}, \mathcal{G}, \mathcal{H}, \mathcal{I}, \mathcal{J}, \mathcal{K}, \mathcal{L}, \mathcal{M}, \mathcal{N}, \mathcal{O}, \mathcal{P}, \mathcal{Q}, \mathcal{R}, \mathcal{S}, \mathcal{T}, \mathcal{U}, \mathcal{V}, \mathcal{W}, \mathcal{X}, \mathcal{Y}, \mathcal{Z}
                  520 \seqoflatupp{Name}{mthname}
    \cmdmthname ... to do!
                     • \cmdmthname{CMDNAME};
                       \CMDNAMEName[sub][sub][ext] = \mathcal{CMDNAME}_{sub}^{sub}ext
                     • \cmdmthname{cmdName}[NEWNAME];
                       \verb|\cmdNameName[sub][sub][ext]| = \mathcal{NEWNAME}^{sub}_{sub}ext
                  521 \newcommandx{\cmdmthname}[2][2=]
                       {\usrmth{#1}{Name}{name}[#2]}
 \cmdmthargname ... to do!
                     • \cmdmthargname{CMDNAME};
                       \verb|\CMDNAMEName[sub][sub][ext1]{arg}[ext2] = \mathcal{CMDNAME}_{sub}^{sub}ext1(arg)ext2
                     • \cmdmthargname{cmdName}[NEWNAME];
                       \verb|\cmdNameName[sub][sub][ext1]{arg}[ext2] = \mathcal{NEWNAME}_{sub}^{sub}ext1(arg)ext2
                  523 \newcommandx{\cmdmthargname}[2][2=]
                      {\usrmth{#1}{Name}{argname}[#2]}
\cmdmthoargname ... to do!
                     \cmdmthoargname{CMDNAME};
                       \verb|\CMDNAMEName[sub][sub][arg]| = \mathcal{CMDNAME}^{sub}_{sub}(arg)
                     • \cmdmthoargname{cmdName}[NEWNAME];
                       \verb|\cmdNameName[sub][sub][arg]| = \mathcal{NEWNAME}^{sub}_{sub}(arg)
                  525 \mbox{\cmdmthoargname} \mbox{[2] [2=]}
                      {\usrmth{#1}{Name}{oargname}[#2]}
 \cmdmthparname ... to do!
                     • \cmdmthparname{CMDNAME};
                       \CMDNAMEName[sub][sub][ext1]{par}[ext2] = \mathcal{CMDNAME}_{sub}^{sub}ext1[par]ext2
                     • \cmdmthparname{cmdName}[NEWNAME];
                       \verb|\cmdNameName[sub][sub][ext1]{par}[ext2] = \mathcal{NEWNAME}^{sub}_{sub}ext1[par]ext2
                  527 \newcommandx{\cmdmthparname}[2][2=]
                      {\usrmth{#1}{Name}{parname}[#2]}
                 ... to do!
\cmdmthoparname
                     \cmdmthoparname{CMDNAME};
                       \verb|\CMDNAMEName[sub][sub][par]| = \mathcal{CMDNAME}_{sub}^{sub}[par]
                     • \cmdmthoparname{cmdName}[NEWNAME];
                       \cmdNameName[sub] [sub] [par] = \mathcal{NEWNAME}_{sub}^{sub}[par]
```

```
529 \newcommandx{\cmdmthoparname}[2][2=]
                                                   {\usrmth{#1}{Name}{oparname}[#2]}
    \mthfam, ... to do!
                                              • \mthfam{NAME} [sub] [sup] [Ext] = \mathcal{N} \mathcal{A} \mathcal{M} \mathcal{E}^{sup}_{sub} Ext
                                              \bullet \  \  \, \texttt{ hthargfam{NAME}[sub][sup][Ext1]{Arg^{Ex^{*}}}} \  \, \texttt{ [Ext2]} = \mathcal{NAME}_{sub}^{sup} Ext1 \Big(Arg^{Ex^{Ex}}\Big) Ext2 \\ = \mathcal{NAME}_{sub}^{sup} Ext2 \\ = \mathcal{NAME}_{sub}^{sub} Ext2 \\ = \mathcal{
                                               • \mthparfam{NAME} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = \mathcal{N}\mathcal{A}\mathcal{M}\mathcal{E}^{sup}_{sub}Ext1 \Big[Par^{Ex^{Ex}}\Big]Ext2
                                               531 %% Style for Families
                                        532 \cmdmthall{fam}\newcommand{\mthstvfam}{\mathscr}
         \AFam, ... to do!
                                      \mathscr{A}, \mathscr{B}, \mathscr{C}, \mathscr{D}, \mathscr{E}, \mathscr{F}, \mathscr{G}, \mathscr{H}, \mathscr{I}, \mathscr{J}, \mathscr{H}, \mathscr{L}, \mathscr{M}, \mathscr{N}, \mathscr{O}, \mathscr{P}, \mathscr{Q}, \mathscr{R}, \mathscr{S}, \mathscr{T}, \mathscr{U}, \mathscr{V}, \mathscr{W}, \mathscr{X}, \mathscr{Y}, \mathscr{Z}
                                        533 \seqoflatupp{Fam}{mthfam}
         \cmdmthfam ... to do!
                                              • \cmdmthfam{CMDNAME};
                                                   \verb|\CMDNAMEFam[sub][sub][ext]| = \mathscr{CMDNAMEFam}[sub][sub][ext]| = \mathscr{CMDNAMEFam}[sub][sub][ext]|
                                              • \cmdmthfam{cmdName}[NEWNAME];
                                                   \verb|\cmdNameFam[sub][sub][ext]| = \mathscr{NEWNAME}^{sub}_{sub}ext
                                        534 \newcommandx{\cmdmthfam}[2][2=]
                                                   {\usrmth{#1}{Fam}{fam}[#2]}
  \cmdmthargfam ... to do!
                                              • \cmdmthargfam{CMDNAME};
                                                   \CMDNAMEFam[sub][sub][ext1]{arg}[ext2] = \mathscr{CMDNAMEFam}[sub][sub][ext1]
                                               • \cmdmthargfam{cmdName}[NEWNAME];
                                                   \verb|\cmdNameFam[sub][sub][ext1]{arg}[ext2] = \mathscr{NEWNAME}^{sub}_{sub}ext1(arg)ext2
                                        536 \newcommandx{\cmdmthargfam}[2][2=]
                                        537 {\usrmth{#1}{Fam}{argfam}[#2]}
\cmdmthoargfam ... to do!
                                              \cmdmthoargfam{CMDNAME};
                                                   \cmdmthoargfam{cmdFam} [NEWNAME];
                                                   \cmbox{cmdFamFam[sub] [sub] [arg]} = \mathcal{NEWNAME}_{sub}^{sub}(arg)
                                        538 \newcommandx{\cmdmthoargfam}[2][2=]
                                        539 {\usrmth{#1}{Fam}{oargfam}[#2]}
  \cmdmthparfam ... to do!
                                               \cmdmthparfam{CMDNAME};
                                                   \CMDNAMEFam[sub][sub][ext1]{par}[ext2] = \mathscr{CMDNAMEFam}[sub][sub][ext1][par]ext2
                                              • \cmdmthparfam{cmdName}[NEWNAME];
                                                   \verb|\cmdNameFam[sub][sub][ext1]{par}[ext2] = \mathscr{NEWNAME}^{sub}_{sub}ext1[par]ext2
                                         540 \newcommandx{\cmdmthparfam}[2][2=]
                                        541 {\usrmth{#1}{Fam}{parfam}[#2]}
\cmdmthoparfam ... to do!
                                              \cmdmthoparfam{CMDNAME};
                                                   \CMDNAMEFam[sub][sub][par] = \mathscr{CMDNAMEFam}[sub][par]
                                               • \cmdmthoparfam{cmdFam}[NEWNAME];
                                                   \label{eq:cmdFamFam} $$ \operatorname{[sub]}[\operatorname{par}] = \mathcal{NEWNAME}^{sub}_{sub}[\operatorname{par}] $$
                                        542 \newcommandx{\cmdmthoparfam}[2][2=]
                                        543 {\usrmth{#1}{Fam}{oparfam}[#2]}
```

```
\mthcls, ... to do!
                                                                        • \mthcls{NAME}[sub][sup][Ext] = \mathcal{NAME}_{sub}^{sup}Ext
                                                                        • \mthargcls{NAME}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = \mathcal{NAME}_{sub}^{sup}Ext1\left(Arg^{Ex^{Ex}}\right)Ext2
                                                                        • \mthargcls*{NAME}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}}[Ext2] = \mathcal{NAME}_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                        \bullet \ \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ } \texttt{\ \ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\ \ \ \ } \texttt{\ \ \ } \texttt{\ \ \ }} \texttt{\ \ \ } \texttt{\
                                                                        • \mthparcls*{NAME}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = NAME^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2
                                                               544 %% Style for Classes
                                                              545 \cmdmthall{cls}\newcommand{\mthstycls}{\matheus}
               \ACls, ... to do!
                                                           A, B, C, D, E, F, G, H, J, J, X, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                                                              546 \seqoflatupp{Cls}{mthcls}
               \cmdmthcls ... to do!
                                                                        • \cmdmthcls{CMDNAME}:
                                                                              \CMDNAMECls[sub][sub][ext] = \mathcal{CMDNAME}_{sub}^{sub}ext
                                                                        • \cmdmthcls{cmdName}[NEWNAME];
                                                                              \colon 2000 \color 2000 \colon 2000 \colon 2000 \color 2000 \col
                                                               547 \newcommandx{\cmdmthcls}[2][2=]
                                                               548 {\usrmth{#1}{Cls}{cls}[#2]}
   \cmdmthargcls ... to do!
                                                                        • \cmdmthargcls{CMDNAME};
                                                                              \CMDNAMECls[sub][sub][ext1]{arg}[ext2] = \mathcal{CMDNAME}_{sub}^{sub}ext1(arg)ext2
                                                                        • \cmdmthargcls{cmdName}[NEWNAME];
                                                                              \cmdNameCls[sub][sub][ext1]{arg}[ext2] = NEWNAME_{sub}^{sub}ext1(arg)ext2
                                                               549 \newcommandx{\cmdmthargcls}[2][2=]
                                                                              {\usrmth{#1}{Cls}{argcls}[#2]}
\cmdmthoargcls ... to do!
                                                                        • \cmdmthoargcls{CMDNAME};
                                                                              \CMDNAMECls[sub][sub] [arg] = \text{CMDNAME}_{sub}^{sub}(arg)
                                                                        • \cmdmthoargcls{cmdCls}[NEWNAME];
                                                                              \cmdClsCls[sub][sub][arg] = NEWNAME_{sub}^{sub}(arg)
                                                               551 \newcommandx{\cmdmthoargcls}[2][2=]
                                                              552 {\usrmth{#1}{Cls}{oargcls}[#2]}
   \cmdmthparcls ... to do!
                                                                        • \cmdmthparcls{CMDNAME};
                                                                              \CMDNAMECls[sub][sub][ext1]{par}[ext2] = \text{CMDNAME}_{sub}^{sub}ext1[par]ext2
                                                                        • \cmdmthparcls{cmdName}[NEWNAME];
                                                                              \verb|\cmdNameCls[sub][sub][ext1]{par}[ext2] = NEWNAME_{sub}^{sub}ext1|par|ext2|
                                                               553 \newcommandx{\cmdmthparcls}[2][2=]
                                                              554 {\usrmth{#1}{Cls}{parcls}[#2]}
\cmdmthoparcls ... to do!
                                                                        • \cmdmthoparcls{CMDNAME};
                                                                              \CMDNAMECls[sub][sub][par] = \mathcal{CMDNAME}_{sub}^{sub}[par]
                                                                        • \cmdmthoparcls{cmdCls}[NEWNAME];
                                                                              \cmdClsCls[sub][sub][par] = \mathcal{NEWNAME}_{sub}^{sub}[par]
                                                               555 \newcommandx{\cmdmthoparcls}[2][2=]
                                                              556 {\usrmth{#1}{Cls}{oparcls}[#2]}
       \mthsig, ... to do!
                                                                        • \mthsig{Name} [sub] [sup] [Ext] = Name_{sub}^{sup} Ext
```

```
• \mthargsig{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                                                        \bullet \  \  \, \texttt{\bare}^{sup}[\texttt{Sub}][\texttt{Sup}][\texttt{Ext1}] \\ \{\texttt{Arg}^*(\texttt{Ex}^*)\}[\texttt{Ext2}] \\ = \mathcal{N} \\ ame_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}}) \\ = \mathcal{N} \\ ame_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(Arg^{Ex^{Ex}})Ext2(
                                                                                                        \bullet \  \  \, \texttt{ hthparsig{Name}[sub][sub][Ext1]{Par^{Ex^{\{Ex\}}\}}[Ext2]} = \mathcal{N}\!\mathit{ame}^{sup}_{sub}Ext1\Big[Par^{Ex^{Ex}}\Big]Ext2\Big] = \mathcal{N}\!\mathit{ame}^{sup}_{sub}Ext1\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex}}\Big]Ext2\Big[Par^{Ex}\Big]Ext2\Big[Par^{Ex}}\Big]Ext2\Big[Par^{Ex}\Big]Ext2\Big[Par^{Ex}}\Big]Ext2\Big[Par^{Ex}\Big]Ext2\Big[Par^{Ex}\Big]Ext2
                                                                                                        • \mthparsig*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = \mathcal{A}
                                                                                           557 %% Style for Signatures
                                                                                          558 \cmdmthall{sig}\newcommand{\mthstysig}{\mathpzc}
                     \aSig, ... to do!
                                                                                      a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, \chi, y, z
                                                                                      \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}, \mathcal{E}, \mathcal{F}, \mathcal{G}, \mathcal{H}, \mathcal{I}, \mathcal{I}, \mathcal{K}, \mathcal{L}, \mathcal{M}, \mathcal{N}, \mathcal{O}, \mathcal{P}, \mathcal{Q}, \mathcal{R}, \mathcal{S}, \mathcal{T}, \mathcal{U}, \mathcal{V}, \mathcal{W}, \mathcal{X}, \mathcal{Y}, \mathcal{Z}
                                                                                      \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                                                                                          559 \seqoflatlet{Sig}{mthsig}\seqofgrklow{Sig}{mthsig}
                     \cmdmthsig ... to do!
                                                                                                       • \cmdmthsig{cmdName};
                                                                                                                 \colon dNameSig[sub][sub][ext] = cmdName_{sub}^{sub}ext
                                                                                                        • \cmdmthsig{cmdName}[NewName];
                                                                                                                 \colon dNameSig[sub][sub][ext] = NewName_{sub}^{sub}ext
                                                                                          560 \newcommandx{\cmdmthsig}[2][2=]
                                                                                                              {\usrmth{#1}{Sig}{sig}[#2]}
     \cmdmthargsig ... to do!
                                                                                                       • \cmdmthargsig{cmdName};
                                                                                                                 \verb|\cmdNameSig[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                                                                                                        • \cmdmthargsig{cmdName}[NewName];
                                                                                                                 \cmdNameSig[sub][sub][ext1]{arg}[ext2] = \mathcal{N}ewName_{sub}^{sub}ext1(arg)ext2
                                                                                           562 \newcommandx{\cmdmthargsig}[2][2=]
                                                                                         563 {\usrmth{#1}{Sig}{argsig}[#2]}
\cmdmthoargsig ... to do!
                                                                                                       • \cmdmthoargsig{cmdName};
                                                                                                                 \colon 
                                                                                                        • \cmdmthoargsig{cmdSig}[NewName];
                                                                                                                 \colored{cmdSigSig[sub][sub][arg]} = \mathcal{N}ew\mathcal{N}ame_{sub}^{sub}(arg)
                                                                                          564 \newcommandx{\cmdmthoargsig}[2][2=]
                                                                                          565 {\usrmth{#1}{Sig}{oargsig}[#2]}
     \cmdmthparsig ... to do!
                                                                                                        \cmdmthparsig{cmdName};
                                                                                                                 \verb|\cmdNameSig[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2|
                                                                                                        • \cmdmthparsig{cmdName}[NewName];
                                                                                                                 \colone{line} 
                                                                                           566 \newcommandx{\cmdmthparsig}[2][2=]
                                                                                                               {\usrmth{#1}{Sig}{parsig}[#2]}
\cmdmthoparsig ... to do!
                                                                                                       • \cmdmthoparsig{cmdName};
                                                                                                                 \colon dNameSig[sub][sub][par] = cmdName_{sub}^{sub}[par]
                                                                                                        • \cmdmthoparsig{cmdSig}[NewName];
                                                                                                                 \colored{cmdSigSig[sub][sub][par]} = \mathcal{N}ew\mathcal{N}ame_{sub}^{sub}[par]
                                                                                          568 \newcommandx{\cmdmthoparsig}[2][2=]
                                                                                         569 {\usrmth{#1}{Sig}{oparsig}[#2]}
          \mthstr, ... to do!
                                                                                                       • \mthstr{Name} [sub] [sup] [Ext] = \mathfrak{Name}_{sub}^{sup} Ext
```

```
• \mthargstr*{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}}[Ext2] = \mathfrak{Name}_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                                                        \bullet \  \  \, \texttt{ \mthparstr{Name} [sub] [sup] [Ext1] {Par^{Ex^{}}}} [Ext2] = \mathfrak{Name}_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \mathfrak{Name}_{sub}^{sup} Ext2 \\ = \mathfrak{Name}_{sub}^{sub}^{sup} Ext2 \\ = \mathfrak{Name}_{sub}^{sup} Ext2 \\ = \mathfrak{Name}_{sub}^{sub}^{sup} Ext2 \\ = \mathfrak{Name}_{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{sub}^{su
                                                                                                        • \mthparstr*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = \mathfrak{Name}_{cub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                                                                                          570 %% Style for Structures
                                                                                         571 \cmdmthall{str}\newcommand{\mthstystr}{\mathfrak}
                     \aStr, ... to do!
                                                                                      \mathfrak{a}, \mathfrak{b}, \mathfrak{c}, \mathfrak{d}, \mathfrak{e}, \mathfrak{f}, \mathfrak{g}, \mathfrak{h}, \mathfrak{i}, \mathfrak{j}, \mathfrak{k}, \mathfrak{l}, \mathfrak{m}, \mathfrak{n}, \mathfrak{o}, \mathfrak{p}, \mathfrak{q}, \mathfrak{r}, \mathfrak{s}, \mathfrak{t}, \mathfrak{u}, \mathfrak{v}, \mathfrak{w}, \mathfrak{r}, \mathfrak{g}, \mathfrak{g}
                                                                                     \mathfrak{A}, \mathfrak{B}, \mathfrak{C}, \mathfrak{D}, \mathfrak{E}, \mathfrak{F}, \mathfrak{G}, \mathfrak{H}, \mathfrak{H}
                                                                                     \alpha,\,\beta,\,\gamma,\,\delta,\,\epsilon,\,\varepsilon,\,\zeta,\,\eta,\,\theta,\,\vartheta,\,\iota,\,\kappa,\,\varkappa,\,\lambda,\,\mu,\,\nu,\,\xi,\,\mathfrak{o},\,\pi,\,\varpi,\,\rho,\,\varrho,\,\sigma,\,\varsigma,\,\tau,\,\upsilon,\,\phi,\,\varphi,\,\chi,\,\psi,\,\omega
                                                                                         572 \seqoflatlet{Str}{mthstr}\seqofgrklow{Str}{mthstr}
                     \cmdmthstr ... to do!
                                                                                                       • \cmdmthstr{cmdName};
                                                                                                                \cmdNameStr[sub][sub][ext] = \mathfrak{cmdName}_{sub}^{sub}ext
                                                                                                        • \cmdmthstr{cmdName}[NewName];
                                                                                                                 \cmbox{\cm} \cmdNameStr[sub] [sub] [ext] = \mathfrak{New}\mathfrak{Name}^{sub}_{sub}ext
                                                                                          573 \newcommandx{\cmdmthstr}[2][2=]
                                                                                                               {\usrmth{#1}{Str}{str}[#2]}
     \cmdmthargstr ... to do!
                                                                                                       • \cmdmthargstr{cmdName};
                                                                                                                 \verb|\cmdNameStr[sub][sub][ext1]{arg}[ext2] = \verb|\cmdMames|^{sub}_{sub}ext1(arg)ext2
                                                                                                        • \cmdmthargstr{cmdName}[NewName];
                                                                                                                \label{lem:lemma:sub:ext1} $$ \operatorname{CmdNameStr}[\operatorname{sub}][\operatorname{sub}][\operatorname{ext1}] = \operatorname{\mathfrak{NewName}}_{\operatorname{sub}}^{\operatorname{sub}} ext1(\operatorname{arg})ext2
                                                                                           575 \newcommandx{\cmdmthargstr}[2][2=]
                                                                                                                {\usrmth{#1}{Str}{argstr}[#2]}
\cmdmthoargstr ... to do!
                                                                                                       • \cmdmthoargstr{cmdName};
                                                                                                                \cmdNameStr[sub] [sub] [arg] = cmd\Re ame_{sub}^{sub}(arg)
                                                                                                        • \cmdmthoargstr{cmdStr}[NewName];
                                                                                                                \cmdStrStr[sub] [sub] [arg] = \mathfrak{NewName}_{sub}^{sub}(arg)
                                                                                          577 \newcommandx{\cmdmthoargstr}[2][2=]
                                                                                         578 {\usrmth{#1}{Str}{oargstr}[#2]}
     \cmdmthparstr ... to do!
                                                                                                       • \cmdmthparstr{cmdName};
                                                                                                                \verb|\cmdNameStr[sub][sub][ext1]{par}[ext2] = cmd \mathfrak{Namc}_{sub}^{sub} ext1[par]ext2
                                                                                                        • \cmdmthparstr{cmdName} [NewName];
                                                                                                                \cmdNameStr[sub] [sub] [ext1] {par} [ext2] = \mathfrak{NewName}_{sub}^{sub}ext1[par]ext2
                                                                                          579 \newcommandx{\cmdmthparstr}[2][2=]
                                                                                         580 {\usrmth{#1}{Str}{parstr}[#2]}
\cmdmthoparstr ... to do!
                                                                                                        \cmdmthoparstr{cmdName};
                                                                                                                 \verb|\cmdNameStr[sub][sub][par]| = \mathfrak{cmdMame}_{sub}^{sub}[par]|
                                                                                                        • \cmdmthoparstr{cmdStr}[NewName];
                                                                                                                \c Manuel Manu
                                                                                          581 \newcommandx{\cmdmthoparstr}[2][2=]
                                                                                                                {\usrmth{#1}{Str}{oparstr}[#2]}
          \mthset, ... to do!
                                                                                                       • \mathbb{N} [sub] [sup] [Ext] = \mathbb{N} ame \mathbb{N} \mathbb{N}
                                                                                                       • \mthargset{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
```

```
• \mthparset{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                      583 %% Style for Sets
                   584 \cmdmthall{set}\newcommand{\mthstyset}{\mathrm}
    \aSet, ... to do!
                  a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                  A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                  \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                  A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega
                   585 \seqoflet{Set}{mthset}
    \cmdmthset ... to do!
                      • \cmdmthset{cmdName};
                        \verb|\cmdNameSet[sub][sub][ext]| = cmdName_{sub}^{sub}ext
                      • \cmdmthset{cmdName}[NewName];
                        \colon = NewName_{sub}^{sub} = NewName_{sub}^{sub} ext
                    586 \newcommandx{\cmdmthset}[2][2=]
                   587 {\usrmth{#1}{Set}{set}[#2]}
 \cmdmthargset ... to do!
                      • \cmdmthargset{cmdName};
                         \verb|\cmdNameSet[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                      • \cmdmthargset{cmdName}[NewName];
                         \verb|\cmdNameSet[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                    588 \newcommandx{\cmdmthargset}[2][2=]
                         {\usrmth{#1}{Set}{argset}[#2]}
\cmdmthoargset ... to do!
                      \cmdmthoargset{cmdName};
                        \colon = cmdNameSet[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                      • \cmdmthoargset{cmdSet}[NewName];
                        \colon = NewName_{sub}^{sub}(arg) = NewName_{sub}^{sub}(arg)
                    590 \newcommandx{\cmdmthoargset}[2][2=]
                   591 {\usrmth{#1}{Set}{oargset}[#2]}
 \cmdmthparset ... to do!
                      \cmdmthparset{cmdName};
                        \verb|\cmdNameSet[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2|
                      • \cmdmthparset{cmdName}[NewName];
                        \cmdNameSet[sub][sub][ext1]{par}[ext2] = NewName_{sub}^{sub}ext1[par]ext2
                    592 \newcommandx{\cmdmthparset}[2][2=]
                         {\usrmth{#1}{Set}{parset}[#2]}
\cmdmthoparset ... to do!
                      \cmdmthoparset{cmdName};
                        \verb|\cmdNameSet[sub][sub][par]| = cmdName_{sub}^{sub}[par]|
                      • \cmdmthoparset{cmdSet}[NewName];
                        \colored{cmdSetSet[sub][sub][par]} = NewName_{sub}^{sub}[par]
                   594 \newcommandx{\cmdmthoparset}[2][2=]
                        {\usrmth{#1}{Set}{oparset}[#2]}
 \cmdmthsetext ... to do!
                   596 \newcommandx{\cmdmthsetext}[3][2=, 3=]
                         {\cmdmthset{#1}[#2]\caselower[q]{#1}%
                          \usrmthlet{\thestring}{Sym}{sym}
                   598
                            [\defval{#3}{\defval{\empchk{#2}}{\defval{\empchk{#2}}}}{\defval{\empchk{#2}}} 
                   599
                          \usrmthlet{\thestring}{Elm}{elm}
```

[\defval{#3}{\defval{\empchk{#2}{\lowercase{#2}}}{\thestring}}]}

```
\mthrel, ... to do!
                                                                  ullet \mthrel{Name}[sub][sup][Ext] = Name_{sub}^{sup}Ext
                                                                   \bullet \ \texttt{\normalfine}[Sub][Sub][Ext1] \\ \{ \texttt{Arg^{Ex^{Ex}}} \} \\ [Ext2] = Name_{sub}^{sup} Ext1 \Big( Arg^{Ex^{Ex}} \Big) \\ Ext2 \\ [Ext2] = Name_{sub}^{sup} Ext1 \Big( Arg^{Ex^{Ex}} \Big) \\ [Ext2] = Name_{sub}^{sup} Ext2 \Big( Arg^{Ex} \Big) \\ [Ext2] 
                                                                  • \mthargrel*{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                   \bullet \  \, \texttt{\barrel{Name}[sub][sup][Ext1]{Par^{Ex^{}}}} \  \, [\texttt{Ext2}] = Name_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = Name_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] \\ = Name_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] \\ = Name_{sub}^{sup} Ext1 \\ = Name_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] \\ = Name_{sub}^{sup} Ext2 \\ 
                                                                  • \mthparrel*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2
                                                          602 %% Style for Relations
                                                         603 \cmdmthall{rel}\newcommand{\mthstyrel}{\mathit}
             \aRel, ... to do!
                                                      a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                                                       A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, L, T, U, V, W, X, Y, Z
                                                      \begin{array}{l} \alpha,\,\beta,\,\gamma,\,\delta,\,\epsilon,\,\varepsilon,\,\zeta,\,\eta,\,\theta,\,\vartheta,\,\iota,\,\kappa,\,\varkappa,\,\lambda,\,\mu,\,\nu,\,\xi,\,o,\,\pi,\,\varpi,\,\rho,\,\varrho,\,\sigma,\,\varsigma,\,\tau,\,\upsilon,\,\phi,\,\varphi,\,\chi,\,\psi,\,\omega\\ A,\,B,\,\Gamma,\,\Delta,\,E,\,E,\,Z,\,H,\,\Theta,\,\Theta,\,I,\,K,\,K,\,\Lambda,\,M,\,N,\,\Xi,\,O,\,\Pi,\,\Pi,\,P,\,P,\,\Sigma,\,\Sigma,\,T,\,\Upsilon,\,\Phi,\,\Phi,\,X,\,\Psi,\,\Omega \end{array}
                                                         604 \seqoflet{Rel}{mthrel}
             \cmdmthrel ... to do!
                                                                  • \cmdmthrel{cmdName};
                                                                        \verb|\cmdNameRel[sub][sub][ext]| = cmdName_{sub}^{sub}ext|
                                                                  • \cmdmthrel{cmdName}[NewName];
                                                                        \colon dNameRel[sub][sub][ext] = NewName_{sub}^{sub}ext
                                                          605 \newcommandx{\cmdmthrel}[2][2=]
                                                                       {\usrmth{#1}{Rel}{rel}[#2]}
   \cmdmthargrel ... to do!
                                                                  • \cmdmthargrel{cmdName};
                                                                        \cmdNameRel[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                                                                  • \cmdmthargrel{cmdName}[NewName];
                                                                        \cmdNameRel[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                                                          607 \newcommandx{\cmdmthargrel}[2][2=]
                                                                        {\usrmth{#1}{Rel}{argrel}[#2]}
\cmdmthoargrel ... to do!
                                                                  • \cmdmthoargrel{cmdName};
                                                                        \colon dNameRel[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                                                                  • \cmdmthoargrel{cmdRel}[NewName];
                                                                        \colon drel [sub] [sub] [arg] = NewName_{sub}^{sub} (arg)
                                                         609 \newcommandx{\cmdmthoargrel}[2][2=]
                                                         610 {\usrmth{#1}{Rel}{oargrel}[#2]}
   \cmdmthparrel ... to do!
                                                                  • \cmdmthparrel{cmdName};
                                                                        \verb|\cmdNameRel[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2|
                                                                  • \cmdmthparrel{cmdName}[NewName];
                                                                        \verb|\cmdNameRel[sub][sub][ext1]{par}[ext2] = NewName_{sub}^{sub}ext1[par]ext2|
                                                         611 \newcommandx{\cmdmthparrel}[2][2=]
                                                         612 {\usrmth{#1}{Rel}{parrel}[#2]}
\cmdmthoparrel ... to do!
                                                                  • \cmdmthoparrel{cmdName};
                                                                        \verb|\cmdNameRel[sub][sub][par]| = cmdName_{sub}^{sub}[par]|
                                                                  • \cmdmthoparrel{cmdRel}[NewName];
                                                                        \colon dRelRel[sub][sub][par] = NewName_{sub}^{sub}[par]
                                                         613 \newcommandx{\cmdmthoparrel}[2][2=]
                                                         614 {\usrmth{#1}{Rel}{oparrel}[#2]}
```

```
\mthfun, ... to do!
                                                                   • \mathbb{S}_{sub}[Sub][Sup][Ext] = \mathbb{N}_{sub}Ext
                                                                   • \mthargfun{Name} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}} [Ext2] = Name_{sub}^{sup} Ext1 \left(Arg^{Ex^{Ex}}\right) Ext2
                                                                   \bullet \  \  \, \texttt{\bar{largfun*{Name}[sub][sup][Ext1]{Arg^{Ex^{-}{Ex}}}}[\texttt{Ext2}] = \mathsf{Name}^{sup}_{sub}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                   \bullet \  \, \texttt{\bar{Name}[sub][sub][Ext1][Par^{Ex^{*}}]} \  \, [\texttt{Ext2}] \  \, = \  \, \texttt{\bar{Name}} \  \, Ext1 \  \, \Big[ Par^{Ex^{Ex}} \Big] \  \, Ext2 \  \, ] \  \, Ext2 \  \, [Ext2] \  \, = \  \, \texttt{\bar{Name}} \  \, Ext1 \  \, \Big[ Par^{Ex^{Ex}} \Big] \  \, Ext2 \  \, Ext2 \  \, \Big] \  \, Ext2 \  \, Ext2
                                                                   615 %% Style for Functions
                                                          616 \mbox{\mbox{\mbox{$\sim$}} \mbox{\mbox{$\sim$}} \mbox{\mbox{\mbox{$\sim$}}} \mbox{\mbox{\mbox{\mbox{$\sim$}}}} \mbox{\mbox{\mbox{$\sim$}}} \mbox{\mbox{\mbox{$\sim$}}} \mbox{\mbox{\mbox{$\sim$}}} \mbox{\mbox{\mbox{$\sim$}}} \mbox{\mbox{\mbox{$\sim$}}} \mbox{\mbox{\mbox{$\sim$}}} \mbox{\mbox{\mbox{$\sim$}}} \mbox{\mbox{\mbox{$\sim$}}} \mbox{\mbox{\mbox{$\sim$}}} \mbox{\mbox{\mbo
             \aFun, ... to do!
                                                       \begin{array}{l} a,\,b,\,c,\,d,\,e,\,f,\,g,\,h,\,i,\,j,\,k,\,l,\,m,\,n,\,o,\,p,\,q,\,r,\,s,\,t,\,u,\,v,\,w,\,x,\,y,\,z\\ A,\,B,\,C,\,D,\,E,\,F,\,G,\,H,\,I,\,J,\,K,\,L,\,M,\,N,\,O,\,P,\,Q,\,R,\,S,\,T,\,U,\,V,\,W,\,X,\,Y,\,Z \end{array}
                                                       \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                                                       A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega
                                                          617 \seqoflet{Fun}{mthfun}
             \cmdmthfun ... to do!
                                                                   • \cmdmthfun{cmdName};
                                                                         \cmdNameFun[sub][sub][ext] = cmdName_{sub}^{sub}ext
                                                                   • \cmdmthfun{cmdName}[NewName];
                                                                         \c MameFun[sub][sub][ext] = NewName_{sub}^{sub}ext
                                                           618 \newcommandx{\cmdmthfun}[2][2=]
                                                                         {\usrmth{#1}{Fun}{fun}[#2]}
   \cmdmthargfun ... to do!
                                                                   • \cmdmthargfun{cmdName};
                                                                         \verb|\cmdNameFun[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName||_{sub}^{sub} ext1(arg)ext2
                                                                   • \cmdmthargfun{cmdName}[NewName];
                                                                         \cmdNameFun[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                                                           620 \newcommandx{\cmdmthargfun}[2][2=]
                                                                         {\usrmth{#1}{Fun}{argfun}[#2]}
\cmdmthoargfun ... to do!
                                                                   • \cmdmthoargfun{cmdName};
                                                                         \colon = cmdNameFun[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                                                                   • \cmdmthoargfun{cmdFun}[NewName];
                                                                         \verb|\cmdFunFun[sub][sub][arg]| = \verb|NewName|_{sub}^{sub}(arg)
                                                          622 \newcommandx{\cmdmthoargfun}[2][2=]
                                                          623 {\usrmth{#1}{Fun}{oargfun}[#2]}
   \cmdmthparfun ... to do!
                                                                   • \cmdmthparfun{cmdName};
                                                                         \verb|\cmdNameFun[sub][sub][ext1]{par}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1[par]ext2|
                                                                   • \cmdmthparfun{cmdName} [NewName];
                                                                         \verb|\cmdNameFun[sub][sub][ext1]{par}[ext2] = \verb|\cmdNamesub| ext1[par]ext2|
                                                          624 \newcommandx{\cmdmthparfun}[2][2=]
                                                                       {\usrmth{#1}{Fun}{parfun}[#2]}
                                                          625
\cmdmthoparfun ... to do!
                                                                   • \cmdmthoparfun{cmdName};
                                                                         \verb|\cmdNameFun[sub][sub][par]| = \verb|\cmdName|^{sub}[par]|
                                                                   • \cmdmthoparfun{cmdFun} [NewName];
                                                                         \cmdFunFun[sub][sub][par] = NewName_{sub}^{sub}[par]
                                                          626 \newcommandx{\cmdmthoparfun}[2][2=]
                                                          627 {\usrmth{#1}{Fun}{oparfun}[#2]}
```

```
\mthsym, ... to do!
                                                                                                       • \mathbb{E}_{sub}[Sub][Sup][Ext] = \mathbb{E}_{sub}Ext
                                                                                                        • \mthargsym{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                                                        \bullet \  \, \texttt{\bar{Exx}{Ex}} [\texttt{Ext2}] = \texttt{Name}_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \Big] = \texttt{\bar{Ext}{Ex}} [Ext2] = \texttt{\bar{Ext}{Ex}} [Par^{Ex^{Ex}}] Ext2 \Big] = \texttt{\bar{Ex}} [Ext2] = \texttt{\bar{Ex}} [Ex
                                                                                                        • \mthparsym*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                                                                                           628 %% Style for Symbols
                                                                                         629 \cmdmthall{sym}\newcommand{\mthstysym}{\mathtt}
                     \aggreen \
                                                                                     a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                                                                                      A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                                                                                      \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \zeta, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                                                                                      A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega
                                                                                          630 \seqoflet{Sym}{mthsym}
                     \cmdmthsym ... to do!
                                                                                                       • \cmdmthsym{cmdName};
                                                                                                                \cmdmthsym{cmdName}[NewName];
                                                                                                                \c MameSym[sub][sub][ext] = NewName_{sub}^{sub}ext
                                                                                           631 \newcommandx{\cmdmthsym}[2][2=]
                                                                                                                {\usrmth{#1}{Sym}{sym}[#2]}
     \cmdmthargsym ... to do!
                                                                                                       • \cmdmthargsym{cmdName};
                                                                                                                 \verb|\cmdNameSym[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1(arg)ext2|
                                                                                                       • \cmdmthargsym{cmdName}[NewName];
                                                                                                                \verb|\cmdNameSym[sub][sub][ext1]{arg}[ext2] = \verb|\cmdNameSym[sub][ext1]{arg}[ext2] = \verb|\cmdNameSym[sub][ext1]{arg}[ext2] = \verb|\cmdNameSym[sub][ext1][ext2] = \verb|\cmdNameSym[sub][ext1][ext2] = \verb|\cmdNameSym[sub][ext1][ext2] = \verb|\cmdNameSym[sub][ext1][ext2] = \verb|\cmdNameSym[sub][ext1][ext2] = \verb|\cmdNameSym[sub][ext1][ext2] = \verb|\cmdNameSym[sub][ext1][ext2][ext2] = \verb|\cmdNameSym[sub][ext1][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][e
                                                                                           633 \newcommandx{\cmdmthargsym}[2][2=]
                                                                                                                  {\usrmth{#1}{Sym}{argsym}[#2]}
\cmdmthoargsym ... to do!
                                                                                                       \cmdmthoargsym{cmdName};
                                                                                                                \colon 
                                                                                                        • \cmdmthoargsym{cmdSym}[NewName];
                                                                                                                \verb|\cmdSymSym[sub][sub][arg]| = \verb|\NewName|_{sub}^{sub}(arg)
                                                                                          635 \newcommandx{\cmdmthoargsym}[2][2=]
                                                                                                                {\usrmth{#1}{Sym}{oargsym}[#2]}
     \cmdmthparsym ... to do!
                                                                                                        \cmdmthparsym{cmdName};
                                                                                                                \verb|\cmdNameSym[sub][sub][ext1]{par}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1[par]ext2|
                                                                                                        • \cmdmthparsym{cmdName}[NewName];
                                                                                                                \cmdNameSym[sub][sub][ext1]{par}[ext2] = NewName_{sub}^{sub}ext1[par]ext2
                                                                                          637 \mbox{ \newcommandx{\cmdmthparsym}[2][2=]}
                                                                                                              {\usrmth{#1}{Sym}{parsym}[#2]}
                                                                                         638
\cmdmthoparsym ... to do!
                                                                                                       • \cmdmthoparsym{cmdName};
                                                                                                                \c MameSym[sub][sub][par] = cmdName_{sub}^{sub}[par]
                                                                                                        \cmdmthoparsym{cmdSym}[NewName];
                                                                                                                \cmdSymSym[sub][sub][par] = NewName_{sub}^{sub}[par]
                                                                                           639 \newcommandx{\cmdmthoparsym}[2][2=]
                                                                                                             {\usrmth{#1}{Sym}{oparsym}[#2]}
```

```
\mthelm, ... to do!
                                                                                            \bullet \ \texttt{\normalfont{Name}[sub][sup][Ext]} = Name_{sub}^{sup}Ext 
                                                                                            \bullet \ \texttt{\normalfont{Name}[sub][sub][Ext1][Arg^{Ex^{*}}][Ext2]} = Name_{sub}^{sup}Ext1\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big) = Name_{sub}^{sup}Ext1\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big) = Name_{sub}^{sub}Ext1\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big) = Name_{sub}^{sub}Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex^{Ex}}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^{Ex}\Big)Ext2\Big(Arg^
                                                                                            \bullet \  \, \texttt{\colored} = Name \ 
                                                                                           • \mthparelm{Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = Name_{sub}^{sup} Ext1 [Par^{Ex^{Ex}}] Ext2
                                                                                            • \mthparelm*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2
                                                                                641 %% Style for Elements
                                                                               642 \mbox{ \cmdmthall{elm}\newcommand{\mbox{\mbox{\cmthstyelm}}{\mbox{\cmdmthall}}}
                   \all lm, ... to do!
                                                                           a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                                                                            A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                                                                           \begin{array}{l} \alpha,\,\beta,\,\gamma,\,\delta,\,\epsilon,\,\varepsilon,\,\zeta,\,\eta,\,\theta,\,\vartheta,\,\iota,\,\kappa,\,\varkappa,\,\lambda,\,\mu,\,\nu,\,\xi,\,o,\,\pi,\,\varpi,\,\rho,\,\varrho,\,\sigma,\,\varsigma,\,\tau,\,\upsilon,\,\phi,\,\varphi,\,\chi,\,\psi,\,\omega\\ A,\,B,\,\Gamma,\,\Delta,\,E,\,E,\,Z,\,H,\,\Theta,\,\Theta,\,I,\,K,\,K,\,\Lambda,\,M,\,N,\,\Xi,\,O,\,\Pi,\,\Pi,\,P,\,P,\,\Sigma,\,\Sigma,\,T,\,\Upsilon,\,\Phi,\,\Phi,\,X,\,\Psi,\,\Omega \end{array}
                                                                                643 \seqoflet{Elm}{mthelm}
                   \cmdmthelm ... to do!
                                                                                           • \cmdmthelm{cmdName};
                                                                                                    \colon = cmdNameElm[sub][sub][ext] = cmdName_{sub}^{sub}ext
                                                                                            • \cmdmthelm{cmdName}[NewName];
                                                                                                    \colon = NewName_{sub}^{sub}[sub][ext] = NewName_{sub}^{sub}ext
                                                                                 644 \newcommandx{\cmdmthelm}[2][2=]
                                                                                                  {\usrmth{#1}{Elm}{elm}[#2]}
    \cmdmthargelm ... to do!
                                                                                           • \cmdmthargelm{cmdName};
                                                                                                    \verb|\cmdNameElm[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                                                                                           • \cmdmthargelm{cmdName}[NewName];
                                                                                                    \cmdNameElm[sub][sub][ext1]{arg}[ext2] = NewName^{sub}_{sub}ext1(arg)ext2
                                                                                 646 \newcommandx{\cmdmthargelm}[2][2=]
                                                                                                   {\usrmth{#1}{Elm}{argelm}[#2]}
\cmdmthoargelm ... to do!
                                                                                           • \cmdmthoargelm{cmdName};
                                                                                                    \colon 
                                                                                            • \cmdmthoargelm{cmdElm}[NewName];
                                                                                                    \verb|\cmdElmElm[sub][sub][arg]| = NewName_{sub}^{sub}(arg)
                                                                                648 \newcommandx{\cmdmthoargelm}[2][2=]
                                                                                649 {\usrmth{#1}{Elm}{oargelm}[#2]}
    \cmdmthparelm ... to do!
                                                                                            • \cmdmthparelm{cmdName};
                                                                                                    \verb|\cmdNameElm[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2|
                                                                                            • \cmdmthparelm{cmdName}[NewName];
                                                                                                    \verb|\cmdNameElm[sub][sub][ext1]{par}[ext2] = NewName_{sub}^{sub}ext1[par]ext2
                                                                                650 \newcommandx{\cmdmthparelm}[2][2=]
                                                                               651 {\usrmth{#1}{Elm}{parelm}[#2]}
\cmdmthoparelm ... to do!
                                                                                           • \cmdmthoparelm{cmdName};
                                                                                                    \verb|\cmdNameElm[sub][sub][par]| = cmdName_{sub}^{sub}[par]|
                                                                                            • \cmdmthoparelm{cmdElm}[NewName];
                                                                                                    \colon = NewName_{sub}^{sub}[par] = NewName_{sub}^{sub}[par]
                                                                                 652 \newcommandx{\cmdmthoparelm}[2][2=]
                                                                                653 {\usrmth{#1}{Elm}{oparelm}[#2]}
```

```
\cmdmthsymelm ... to do!
                                                                                          \cmdmthsymelm{cmdName};
                                                                                                 \colonerge{cmdNameSym[sub][sub][ext]} = cmdName_{sub}^{sub}ext
                                                                                                 {\tt \cmdNameElm[sub][sub][ext]} = cmdName^{sub}_{sub}ext
                                                                                          • \cmdmthsymelm{cmdName}[NewName];
                                                                                                 \verb|\cmdNameSym[sub][sub][ext]| = \verb|\NewName|_{sub}^{sub} ext|
                                                                                                 \cmdNameElm[sub][sub][ext] = NewName_{sub}^{sub}ext
                                                                               655 \mbox{ \cmdmthsymelm}[2][2=]
                                                                                                   {\cmdmthsym{#1}[#2]%
                                                                               657
                                                                                                    \cmdmthelm{#1}[#2]}
   \c cmdmthargsymelm ... to do!
                                                                                         • \cmdmthargsymelm{cmdName};
                                                                                                 \verb|\cmdNameSym[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1(arg)ext2|
                                                                                                 \verb|\cmdNameElm[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                                                                                          • \cmdmthargsymelm{cmdName}[NewName];
                                                                                                 \verb|\cmdNameSym[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName|_{sub}^{sub} ext1(arg) ext2
                                                                                                 \verb|\cmdNameElm[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                                                                                658 \newcommandx{\cmdmthargsymelm}[2][2=]
                                                                                                    {\cmdmthargsym{#1}[#2]%
                                                                               660
                                                                                                    \cmdmthargelm{#1}[#2]}
\cmdmthoargsymelm ... to do!
                                                                                          \cmdmthoargsymelm{cmdName};
                                                                                                 \cmdNameSym[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                                                                                                 \colon dNameElm[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                                                                                          • \cmdmthoargsymelm{cmdName}[NewName];
                                                                                                 \colone{line} 
                                                                                                 \colone{locality} \colone{lo
                                                                                661 \newcommandx{\cmdmthoargsymelm}[2][2=]
                                                                                                   {\cmdmthoargsym{#1}[#2]%
                                                                                                    \cmdmthoargelm{#1}[#2]}
                                                                               663
   \cmdmthparsymelm ... to do!
                                                                                          \cmdmthparsymelm{cmdName};
                                                                                                 \verb|\cmdNameSym[sub][sub][ext1]{par}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1[par]ext2|
                                                                                                 \verb|\cmdNameElm[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2|
                                                                                          • \cmdmthparsymelm{cmdName}[NewName];
                                                                                                 \verb|\cmdNameSym[sub][sub][ext1]{par}[ext2] = \verb|\cmdNames|^{sub}_{sub}ext1[par]ext2|
                                                                                                 \colone{lm} [sub] [sub] [ext1] [par] [ext2] = NewName_{sub}^{sub} ext1[par] ext2
                                                                                664 \newcommandx{\cmdmthparsymelm}[2][2=]
                                                                                                     {\cmdmthparsym{#1}[#2]%
                                                                               666
                                                                                                    \cmdmthparelm{#1}[#2]}
                                                                         ... to do!
\cmdmthoparsymelm
                                                                                          • \cmdmthoparsymelm{cmdName};
                                                                                                 \verb|\cmdNameSym[sub][sub][par]| = \verb|\cmdName|^{sub}_{sub}[par]|
                                                                                                 \colone{locality} \colone{lo
                                                                                          \cmdmthoparsymelm{cmdName}[NewName];
                                                                                                 \verb|\cmdNameSym[sub][sub][par]| = \verb|\NewName|_{sub}^{sub}[par]|
                                                                                                 667 \newcommandx{\cmdmthoparsymelm}[2][2=]
                                                                                                     {\cmdmthoparsym{#1}[#2]%
                                                                                                    \cmdmthoparelm{#1}[#2]}
                                                                               \mthluop, ... to do!
```

```
• \mthluop{\oplus}[sub][sup][Ext] = \bigoplus_{sub}^{sup} Ext
                                                      • \mthlbop{\oplus}[sub][sup][Ext] = \bigoplus_{sub}^{sup} Ext
                                               671 %% Style for \LaTex Operators
                                                672 \mbox{ \normand{\mbstyluop}[1]{\textstyle\mathop{#1}}}
                                               673 \cmdmth{lbop}\newcommand{\mthstylbop}[1]{\textstyle\mathbin{#1}}
\cmdmthluop, ... to do!
                                                      \cmdmthluop{cmdName};
                                                          \verb|\cmdNameUOp[sub][sub][ext]| = cmdName_{sub}^{sub} ext|
                                                      • \cmdmthluop{cmdName}[\oplus];
                                                          \verb|\cmdNameUOp[sub][sub][ext]| = \oplus_{sub}^{sub} ext
                                                      • \cmdmthlbop{cmdName};
                                                          \cmdNameBOp[sub][sub][ext] = cmdName_{sub}^{sub}ext
                                                      • \cmdmthlbop{cmdName}[\oplus];
                                                          \colon = 0 [sub] [sub] [ext] = \oplus_{sub}^{sub} ext
                                                674 \newcommandx{\cmdmthluop}[2][2=]
                                                675 {\usrmth{#1}{UOp}{luop}[#2]}
                                               676 \newcommandx{\cmdmthlbop}[2][2=]
                                                         {\usrmth{#1}{BOp}{1bop}[#2]}
                    \mthlrel ... to do!
                                                     • \mthlrel{\preceq}[sub][sup][Ext] = \leq_{sub}^{sup} Ext
                                               678 %% Style for \LaTex Relations
                                               679 \cmdmth{lrel}\newcommand{\mthstylrel}{\mathrel}
            \cmdmthlrel ... to do!
                                                     • \cmdmthlrel{cmdName};
                                                          \verb|\cmdNameRel[sub][sub][ext]| = cmdName_{sub}^{sub}\ ext|
                                                      • \cmdmthlrel{cmdName}[\preceq];
                                                          \verb|\cmdNameRel[sub][sub][ext]| = \preceq_{sub}^{sub} ext
                                                680 \newcommandx{\cmdmthlrel}[2][2=]
                                                         {\usrmth{#1}{Rel}{lrel}[#2]}
                                               \mthsnt, ... to do!
                                                     • \mathbb{N} [sub] [sup] [Ext] = \mathbb{N} = \mathbb{N}
                                                     \bullet \  \  \, \texttt{Name}[sub][sup][Ext1] \{ \texttt{Arg} \  \  \, \texttt{Ex} \} \} [Ext2] = \mathsf{Name}^{sup}_{sub} Ext1 \Big( Arg^{Ex^{Ex}} \Big) Ext2 \Big) = \mathsf{Name}^{sup}_{sub} Ext2 \Big) = \mathsf{Name}^{sub}_{sub} Ext2 \Big) =
                                                     \bullet \  \  \, \texttt{Name} \texttt{[sub][sup][Ext1]\{Arg^{\{Ex^{}\}}\}[Ext2]} = \mathsf{Name}^{sup}_{sub}Ext1(Arg^{Ex^{Ex}})Ext2
                                                     • \mthparsnt{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                                                      683 %% Style for Sentences
                                               684 \verb|\cmdmthall{snt}\\ \newcommand{\verb|\mthstysnt|}{\mathsf}
               \aSnt, ... to do!
                                             a,\,b,\,c,\,d,\,e,\,f,\,g,\,h,\,i,\,j,\,k,\,l,\,m,\,n,\,o,\,p,\,q,\,r,\,s,\,t,\,u,\,v,\,w,\,x,\,y,\,z
                                             A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                                             \alpha,\,\beta,\,\gamma,\,\delta,\,\epsilon,\,\varepsilon,\,\zeta,\,\eta,\,\theta,\,\vartheta,\,\iota,\,\kappa,\,\varkappa,\,\lambda,\,\mu,\,\nu,\,\xi,\,\mathsf{o},\,\pi,\,\varpi,\,\rho,\,\varrho,\,\sigma,\,\varsigma,\,\tau,\,\upsilon,\,\phi,\,\varphi,\,\chi,\,\psi,\,\omega
                                             \mathsf{A},\,\mathsf{B},\,\mathsf{\Gamma},\,\Delta,\,\mathsf{E},\,\mathsf{E},\,\mathsf{Z},\,\mathsf{H},\,\Theta,\,\varTheta,\,\mathsf{I},\,\mathsf{K},\,\mathsf{K},\,\mathsf{\Lambda},\,\mathsf{M},\,\mathsf{N},\,\Xi,\,\mathsf{O},\,\mathsf{\Pi},\,\varPi,\,\mathsf{P},\,\mathsf{P},\,\Sigma,\,\varSigma,\,\mathsf{T},\,\Upsilon,\,\Phi,\,\varPhi,\,\mathsf{X},\,\Psi,\,\Omega
                                               685 \seqoflet{Snt}{mthsnt}
               \cmdmthsnt ... to do!
                                                     \cmdmthsnt{cmdName};
                                                          \verb|\cmdNameSnt[sub][sub][ext]| = \verb|\cmdName|_{sub}^{sub} ext|
                                                      • \cmdmthsnt{cmdName}[NewName];
                                                          \verb|\cmdNameSnt[sub][sub][ext]| = \verb|NewName|_{sub}^{sub} ext|
```

```
686 \newcommandx{\cmdmthsnt}[2][2=]
                           {\usrmth{#1}{Snt}{snt}[#2]}
 \cmdmthargsnt ... to do!
                         • \cmdmthargsnt{cmdName};
                           \cmdNameSnt[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                         • \cmdmthargsnt{cmdName}[NewName];
                           \cmdNameSnt[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                      688 \newcommandx{\cmdmthargsnt}[2][2=]
                          {\usrmth{#1}{Snt}{argsnt}[#2]}
\cmdmthoargsnt ... to do!
                         \cmdmthoargsnt{cmdName};
                           \verb|\cmdNameSnt[sub][sub][arg]| = \verb|\cmdName|_{sub}^{sub}(arg)|
                         • \cmdmthoargsnt{cmdName}[NewName];
                           \colon = NewNameSnt[sub][sub][arg] = NewName_{sub}^{sub}(arg)
                      690 \newcommandx{\cmdmthoargsnt}[2][2=]
                          {\usrmth{#1}{Snt}{oargsnt}[#2]}
 \cmdmthparsnt ... to do!
                         • \cmdmthparsnt{cmdName};
                           \verb|\cmdNameSnt[sub][sub][ext1]{par}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1[par]ext2|
                         • \cmdmthparsnt{cmdName}[NewName];
                           \cmdNameSnt[sub][sub][ext1]{par}[ext2] = NewName_{sub}^{sub}ext1[par]ext2
                      692 \newcommandx{\cmdmthparsnt}[2][2=]
                           {\usrmth{#1}{Snt}{parsnt}[#2]}
\cmdmthoparsnt ... to do!
                         \cmdmthoparsnt{cmdName};
                           \verb|\cmdNameSnt[sub][sub][par]| = \verb|\cmdNameSnt[sub][par]|
                         • \cmdmthoparsnt{cmdName}[NewName];
                           \colon = NewNameSnt[sub][sub][par] = NewName_{sub}^{sub}[par]
                      694 \newcommandx{\cmdmthoparsnt}[2][2=]
                      695 {\usrmth{#1}{Snt}{oparsnt}[#2]}
  \mthfrm, ... to do!
                         • \mthfrm{Name} [sub] [sup] [Ext] = Name_{sub}^{sup}Ext
                         • \mthargfrm{Name} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}} [Ext2] = Name_{sub}^{sup} Ext1 (Arg^{Ex^{Ex}}) Ext2
                         • \mthargfrm*{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                         • \mthparfrm{Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}}} [Ext2] = Name_{sub}^{sup} Ext1 [Par^{Ex^{Ex}}] Ext2
                         \bullet \  \  \, \texttt{\bare}[sub][sub][sup][Ext1][Par^{Ex^*}]Ext2] = Name^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2] = Name^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2
                      696 %% Style for Formulae
                      697 \mbox{\cmmand{\mathbf{frm}}\newcommand{\mathbf{frm}}{\mathbf{frm}}}
     \aFrm, ... to do!
                     a,\ b,\ c,\ d,\ e,\ f,\ g,\ h,\ i,\ j,\ k,\ l,\ m,\ n,\ o,\ p,\ q,\ r,\ s,\ t,\ u,\ v,\ w,\ x,\ y,\ z
                     A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                     \alpha,\,\beta,\,\gamma,\,\delta,\,\epsilon,\,\varepsilon,\,\zeta,\,\eta,\,\theta,\,\vartheta,\,\iota,\,\kappa,\,\varkappa,\,\lambda,\,\mu,\,\nu,\,\xi,\,o,\,\pi,\,\varpi,\,\rho,\,\varrho,\,\sigma,\,\varsigma,\,\tau,\,\upsilon,\,\phi,\,\varphi,\,\chi,\,\psi,\,\omega
                     A,\,B,\,\Gamma,\,\Delta,\,E,\,E,\,Z,\,H,\,\Theta,\,\Theta,\,I,\,K,\,K,\,\Lambda,\,M,\,N,\,\Xi,\,O,\,\Pi,\,\Pi,\,P,\,P,\,\Sigma,\,\Sigma,\,T,\,\varUpsilon,\,\Phi,\Phi,\,X,\,\Psi,\,\Omega
                      698 \seqoflet{Frm}{mthfrm}
     \cmdmthfrm ... to do!
                         • \cmdmthfrm{cmdName};
                           \verb|\cmdNameFrm[sub][sub][ext]| = cmdName_{sub}^{sub}ext
                         • \cmdmthfrm{cmdName}[NewName];
                           \verb|\cmdNameFrm[sub][sub][ext]| = NewName_{sub}^{sub}ext
```

```
699 \newcommandx{\cmdmthfrm}[2][2=]
                        {\usrmth{#1}{Frm}{frm}[#2]}
 \cmdmthargfrm ... to do!
                      • \cmdmthargfrm{cmdName};
                        \cmdNameFrm[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                      • \cmdmthargfrm{cmdName}[NewName];
                        \cmdNameFrm[sub] [sub] [ext1] {arg} [ext2] = NewName_{sub}^{sub}ext1(arq)ext2
                   701 \newcommandx{\cmdmthargfrm}[2][2=]
                   702 {\usrmth{#1}{Frm}{argfrm}[#2]}
\cmdmthoargfrm ... to do!
                      • \cmdmthoargfrm{cmdName};
                        \colon dNameFrm[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                      • \cmdmthoargfrm{cmdName}[NewName];
                        \colon = NewName_{sub}^{sub}(arg) = NewName_{sub}^{sub}(arg)
                    703 \newcommandx{\cmdmthoargfrm}[2][2=]
                   704 {\usrmth{#1}{Frm}{oargfrm}[#2]}
 \cmdmthparfrm ... to do!
                      • \cmdmthparfrm{cmdName};
                        \verb|\cmdNameFrm[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2|
                      • \cmdmthparfrm{cmdName}[NewName];
                        \verb|\cmdNameFrm[sub][sub][ext1]{par}[ext2] = NewName_{sub}^{sub}ext1[par]ext2
                   705 \newcommandx{\cmdmthparfrm}[2][2=]
                        {\usrmth{#1}{Frm}{parfrm}[#2]}
\cmdmthoparfrm ... to do!
                      • \cmdmthoparfrm{cmdName};
                         \verb|\cmdNameFrm[sub][sub][par]| = cmdName_{sub}^{sub}[par]|
                      • \cmdmthoparfrm{cmdName}[NewName];
                        \cmdNameFrm[sub][sub][par] = NewName_{sub}^{sub}[par]
                    707 \newcommandx{\cmdmthoparfrm}[2][2=]
                        {\usrmth{#1}{Frm}{oparfrm}[#2]}
                   \mthmat, ... to do!
                      • \mathbb{E}_{sub}[sub][sup][Ext] = \mathbf{Name}_{sub}^{sup}Ext
                      • \mthargmat{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                      • \mthargmat*{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                      • \mthparmat{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                      • \mthparmat*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                    710 %% Style for Matrices
                   711 \cmdmthall{mat}\newcommand{\mthstymat}[1]{\boldsymbol{\mathsf{#1}}}
                  a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                  A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                  \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                  A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega
                   712 \seqoflet{Mat}{mthmat}
    \cmdmthmat ... to do!
                      \cmdmthmat{cmdName};
                        \cmdNameMat[sub][sub][ext] = cmdName_{sub}^{sub}ext
```

```
\cmdmthmat{cmdName} [NewName];
                         \verb|\cmdNameMat[sub][sub][ext]| = \verb|NewName|^{sub}_{sub}ext|
                    713 \newcommandx{\cmdmthmat}[2][2=]
                         {\usrmth{#1}{Mat}{mat}[#2]}
 \cmdmthargmat ... to do!
                       • \cmdmthargmat{cmdName};
                         \cmdNameMat[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                       • \cmdmthargmat{cmdName}[NewName];
                         \c Mame Mat[sub][sub][ext1]{arg}[ext2] = New Name _{sub}^{sub} ext1(arg)ext2
                    715 \newcommandx{\cmdmthargmat}[2][2=]
                    716 {\usrmth{#1}{Mat}{argmat}[#2]}
\cmdmthoargmat ... to do!
                       • \cmdmthoargmat{cmdName};
                         \cmdNameMat[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                       • \cmdmthoargmat{cmdName}[NewName];
                         \colon = NewName_{sub}^{sub}(arg) = NewName_{sub}^{sub}(arg)
                    717 \newcommandx{\cmdmthoargmat}[2][2=]
                    718 {\usrmth{#1}{Mat}{oargmat}[#2]}
 \cmdmthparmat ... to do!
                       • \cmdmthparmat{cmdName};
                         \cmdNameMat[sub][sub][ext1]\{par\}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2
                       • \cmdmthparmat{cmdName}[NewName];
                         \verb|\cmdNameMat[sub][sub][ext1]{par}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1[par]ext2|
                    719 \newcommandx{\cmdmthparmat}[2][2=]
                         {\usrmth{#1}{Mat}{parmat}[#2]}
\cmdmthoparmat ... to do!
                       • \cmdmthoparmat{cmdName};
                         \colon = cmdName_{sub}^{sub}[par] = cmdName_{sub}^{sub}[par]
                       • \cmdmthoparmat{cmdName}[NewName];
                         \cmb{NameMat}[sub][sub][par] = NewName_{sub}^{sub}[par]
                    721 \newcommandx{\cmdmthoparmat}[2][2=]
                         {\usrmth{#1}{Mat}{oparmat}[#2]}
  \mthvec, ... to do!
                       • \mthvec{Name}[sub][sup][Ext] = Name_{sub}^{sup}Ext
                       • \mthargvec{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                       • \mthargvec*{Name}[sub][sup][Ext1]{Arg^{Ex^{2}}}[Ext2] = Name^{sup}_{sub}Ext1(Arg^{Ex^{Ex}})Ext2
                       \bullet \  \, \texttt{\bar{Ext1}[Ext1][Ext1][Ext2]} = Name_{sub}^{sup}Ext1\Big[Par^{Ex^{Ex}}\Big]Ext2
                       • \mthparvec*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2
                    723 %% Style for Vectors
                    724 \cmdmthall{vec}\newcommand{\mthstyvec}[1]{\boldsymbol{\mathit{#1}}}
    \aVec, ... to do!
                   a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                   A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                   \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, v, \phi, \varphi, \chi, \psi, \omega
                   A,\,B,\,\Gamma,\,\Delta,\,E,\,E,\,Z,\,H,\,\Theta,\,\Theta,\,I,\,K,\,K,\,\Lambda,\,M,\,N,\,\Xi,\,O,\,\Pi,\,\Pi,\,P,\,P,\,\Sigma,\,\Sigma,\,T,\,\Upsilon,\,\Phi,\Phi,\,X,\,\Psi,\,\Omega
                    725 \sline {Vec}{mthvec}
    \cmdmthvec ... to do!
                       \cmdmthvec{cmdName};
                         \verb|\cmdNameVec[sub][sub][ext]| = cmdName^{sub}_{sub}ext|
```

```
• \cmdmthvec{cmdName} [NewName];
                  \cmdNameVec[sub][sub][ext] = NewName_{sub}^{sub}ext
              726 \newcommandx{\cmdmthvec}[2][2=]
                  {\usrmth{#1}{Vec}{vec}[#2]}
\cmdmthargvec ... to do!
                • \cmdmthargvec{cmdName};
                  \cmdNameVec[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arq)ext2
                • \cmdmthargvec{cmdName}[NewName];
                  \cmdNameVec[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arq)ext2
              728 \newcommandx{\cmdmthargvec}[2][2=]
                 {\usrmth{#1}{Vec}{argvec}[#2]}
\cmdmthoargvec ... to do!
                • \cmdmthoargvec{cmdName};
                  \verb|\cmdNameVec[sub][sub][arg]| = cmdName_{sub}^{sub}(arg)
                • \cmdmthoargvec{cmdName}[NewName];
                  \colon = NewName_{sub}^{sub}[arg] = NewName_{sub}^{sub}(arg)
              730 \newcommandx{\cmdmthoargvec}[2][2=]
                 {\usrmth{#1}{Vec}{oargvec}[#2]}
\cmdmthparvec ... to do!
                \cmdmthparvec{cmdName};
                  \verb|\cmdNameVec[sub][sub][ext1]{par}[ext2] = cmdName^{sub}_{sub}ext1[par]ext2
                • \cmdmthparvec{cmdName} [NewName];
                  \cmdNameVec[sub][sub][ext1]\{par\}[ext2] = NewName_{sub}^{sub}ext1[par]ext2
              732 \newcommandx{\cmdmthparvec}[2][2=]
                  {\usrmth{#1}{Vec}{parvec}[#2]}
\cmdmthoparvec ... to do!
                • \cmdmthoparvec{cmdName};
                  \colon dNameVec[sub][sub][par] = cmdName^{sub}_{sub}[par]
                • \cmdmthoparvec{cmdName}[NewName];
                  \colon = NewName_{sub}^{sub}[par] = NewName_{sub}^{sub}[par]
              734 \newcommandx{\cmdmthoparvec}[2][2=]
              735 {\usrmth{#1}{Vec}{oparvec}[#2]}
              736 \fi
              741 \iftxt@
              \adhoc
                • \adhoc = ad\ hoc
              743 \cmdtxtabr{adhoc}[ad hoc]
                • \arrange a fortiori
   \afortiori
              744 \cmdtxtabr{afortiori}[a fortiori]
                • \arrange a priori
     \apriori
              745 \cmdtxtabr{apriori}[a priori]
 \aposteriori
                • \aposteriori = a posteriori
              746 \cmdtxtabr{aposteriori}[a posteriori]
         \cf
                • \backslash cf = cf.
              747 \cmdtxtabr{cf}[cf.]
```

```
\dedicto
                        • \del{dedicto} = de \ dicto
                     748 \cmdtxtabr{dedicto}[de dicto]
         \defacto
                        \bullet \ \texttt{\ \ } defacto = \mathit{defacto}
                     749 \cmdtxtabr{defacto}[de facto]
            \dere
                        • \forall dere = de \ re
                     750 \cmdtxtabr{dere}[de re]
                        • \divideetimpera = divide et impera
\divideetimpera
                     751 \cmdtxtabr{divideetimpera}[divide et impera]
              \eg
                        • \backslash eg = e.g.
                     752 \cmdtxtabr{eg}[e.g.]
                        • \ensuremath{\backslash} \text{ergo} = ergo
            \ergo
                     753 \cmdtxtabr{ergo}
                        • \errata = errata
          \errata
                     754 \cmdtxtabr{errata}
                        • \erratum = erratum
         \erratum
                     755 \cmdtxtabr{erratum}
            \etal
                        • \ensuremath{\backslash} \mathtt{etal} = et \ al.
                     756 \cmdtxtabr{etal}[et al.]
             \etc
                        • \ensuremath{\backslash} \mathsf{etc} = etc.
                     757 \cmdtxtabr{etc}[etc.]
                        • \forallie = i.e.
              \ie
                     758 \cmdtxtabr{ie}[i.e.]
                        \bullet \mutatismutandis = mutatis mutandis
\mutatismutandis
                     759 \cmdtxtabr{mutatismutandis}[mutatis mutandis]
                        • \percontra = per contra
      \percontra
                     760 \cmdtxtabr{percontra}[per contra]
     \primafacie
                        • \propty primafacie = prima\ facie
                     761 \cmdtxtabr{primafacie}[prima facie]
      \viceversa
                        • \forall viceversa = vice versa
                     762 \cmdtxtabr{viceversa}[vice versa]
                        • \vert vs = vs.
              \vs
                     763 \cmdtxtabr{vs}[vs.]
                        • \viz = viz.
             \viz
                     764 \cmdtxtabr{viz}[viz.]
                     \Afortiori
                        • \land Afortiori = A \ fortiori
                     766 \cmdtxtabr{Afortiori}[A fortiori]
        \Apriori
                        • \Apriori = A priori
                     767 \cmdtxtabr{Apriori}[A priori]
```

```
\Aposteriori
                • \Aposteriori = A posteriori
              768 \cmdtxtabr{Aposteriori}[A posteriori]
      \Dedicto
                769 \cmdtxtabr{Dedicto} [De dicto]
      \Defacto
                • \ensuremath{\texttt{Defacto}} = De\ facto
              770 \cmdtxtabr{Defacto}[De facto]
                • \Dere = De re
        \Dere
              771 \cmdtxtabr{Dere}[De re]
\Divideetimpera
                • \Divideetimpera = Divide \ et \ impera
              772 \cmdtxtabr{Divideetimpera}[Divide et impera]
                • \backslash Eg = E.g.
          \Eg
              773 \cmdtxtabr{Eg}[E.g.]
      \Errata
                • \Errata = Errata
              774 \cmdtxtabr{Errata}
                • \Erratum = Erratum
      \Erratum
              775 \cmdtxtabr{Erratum}
\Mutatismutandis
                • \Mathemath{\mathsf{Mutatis}} mutandis = Mutatis mutandis
              776 \cmdtxtabr{Mutatismutandis} [Mutatis mutandis]
    \Percontra
                • \ensuremath{\mbox{\sc Percontra}} = Per\ contra
              777 \cmdtxtabr{Percontra}[Per contra]
    \Primafacie
                \bullet \Primafacie = Prima\ facie
              778 \cmdtxtabr{Primafacie}[Prima facie]
    \Viceversa
                • \Viceversa = Vice versa
              779 \cmdtxtabr{Viceversa}[Vice versa]
              • \n aif = naif
        \n
              783 \cmdtxtabr{naif}[na\"{i}f]
       \naive
                • \ne naive = naive
              784 \mbox{cmdtxtabr{naive}[na\"{i}ve]}
                • \role = r\hat{o}le
        \role
              785 \cmdtxtabr{role}[r\^{o}le]
              \Role
                787 \cmdtxtabr{Role}[R\^{o}le]
```

```
\aka
            789 \cmdtxtabr{aka}[a.k.a.]
     \contd
            • \contd = contd.
           790 \cmdtxtabr{contd}[contd.]
      \iff
            • \iff = iff
           791 \cmdtxtabr{iff}
      \iht
            • \iht = i.h.t.
           792 \cmdtxtabr{iht}[i.h.t.]
            • \ \ \ \ stx = s.t.
      \stx
           793 \cmdtxtabr{stx}[s.t.]
            • \resp = resp.
      \resp
           794 \cmdtxtabr{resp}[resp.]
            • \wrt = w.r.t.
      \wrt
           795 \cmdtxtabr{wrt}[w.r.t.]
            • \wdots w.l.o.g.
     \wlogx
           796 \cmdtxtabr{wlogx}[w.l.o.g.]
           • \Contd = Contd.
     \Contd
           798 \cmdtxtabr{Contd}[Contd.]
     \Wlogx
            • \Wlogx = W.l.o.g.
           799 \cmdtxtabr{Wlogx}[W.l.o.g.]
           800 \fi
           805 \ifmth@
           \defeq, \seteq ...
          807 \DeclareRobustCommand{\defeq}
             {\@ifstar%
          808
               {\bf \{\text{\textup{def}}\}{=}}}%
           809
               {\mthlbop{\triangleq}}}
           810
           811 \DeclareRobustCommand{\seteq}
             {\@ifstar{\mthlbop{\Coloneqq}}}{\mthlbop{\coloneqq}}}
           \implies, ... ...
          814 \DeclareRobustCommand{\implies}
             {\mthlrel{\Rightarrow}}
           816 \DeclareRobustCommand{\notimplies}
          817 {\mthlrel{\not\Rightarrow}}
\implied, ... ...
          818 \DeclareRobustCommand{\implied}
           819 {\mthlrel{\Leftarrow}}
           820 \DeclareRobustCommand{\notimplied}
           821 {\mthlrel{\not\Leftarrow}}
```

```
\coimplies, ... ...
                                                                                      822 \verb|\DeclareRobustCommand{\coimplies}|
                                                                                      823 {\mthlrel{\Leftrightarrow}}
                                                                                       824 \DeclareRobustCommand{\notcoimplies}
                                                                                       825 {\bf \{not}!\Leftrightarrow\}}
                                                                                       \cmodels, ... ...
                                                                                      827 \DeclareRobustCommand{\cmodels}
                                                                                      828 {\mthlrel{\models}}
                                                                                       829 \DeclareRobustCommand{\notcmodels}
                                                                                       830 {\mthlrel{\not\models}}
                     \cequiv, ... ...
                                                                                      831 \DeclareRobustCommand{\cequiv}
                                                                                       832 {\mthlrel{\equiv}}
                                                                                       833 \DeclareRobustCommand{\notcequiv}
                                                                                       834 {\mthlrel{\not\equiv}}
                                                                                       \denot ...
                                                                                      836 \DeclareRobustCommand{\denot}
                                                                                       837 {\@ifstar{\@denot}{\@denot[\left][\right]}}
                                                                                       838 \DeclareRobustCommandx{\@denot}[3][1=, 2=]
                                                                                                           {\mth{\argmid{#1\llbracket}{#3}{#2\rrbracket}}}
                                                                                       \dual, \adj, ...
                                                                                      841 \DeclareRobustCommand{\dual}[1]
                                                                                      842 {\mth{\overline{#1}}}
                                                                                      843 \DeclareRobustCommand{\adj}[1]
                                                                                      844 {\mth{\mathring{#1}}}
                                                                                       845 \DeclareRobustCommand{\der}[1]
                                                                                       846 {\mth{\widehat{#1}}}
                                                                                       847 \DeclareRobustCommand{\trn}[1]
                                                                                       848 {\mth{\widetilde{#1}}}
                                                        \vec ...
                                                                                       849 \DeclareRobustCommand{\vec}
                                                                                       850 {\c}^{\c}
                                                                                       851 \DeclareRobustCommand{\@vec}[1]
                                                                                       852 {\mth{\mathaccent"017E{#1}}}
                                                                                        853 \DeclareRobustCommand{\@svec}[1]
                                                                                                      {\mth{\overline{#1}}}
                                                                                       \enumeration, ... ...
                                                                                      856 \varcmd{enumeration}{\mth}{}{,}{}{}
                                                                                      857 \voremmath{\mbox{varcmd}\{\mbox{enumerationx}}{\mbox{\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$}\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$}\mbox{$}\mbox{$\mbox{$}\mbox{$}\mbox{$}\mbox{$\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mb
            \sequence, ... ...
                                                                                        858 \DeclareRobustCommand{\sequence}
                                                                                                          {\@ifstar{\@ssequence}{\@sequence}}
                                                                                        860 \varcmd{@sequence}{\mth}{\left[\frac{1}{,}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}{\left[\right]\frac{1}{,}}
                                                                                       862 \verb|\DeclareRobustCommand{\sequencel}|
                                                                                       863 {\@ifstar{\@ssequencel}{\@sequencel}}
                                                                                       864 \c {\tt Mth}{\tt [}{\tt,}{\tt ight.}{\tt ig
                                                                                        865 \varcmd{@ssequencel}{\mth}{[}{,}{}}
```

```
866 \DeclareRobustCommand{\sequencer}
                              {\@ifstar{\@ssequencer}{\@sequencer}}
                       868 \varcmd{@sequencer}{\mth}{\left.}{,}{\right]}{}
                       870 \DeclareRobustCommand{\sequencex}
                       871 {\@ifstar{\@ssequencex}{\@sequencex}}
                       872 \ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{
                       873 \varcmd{@ssequencex}{\mth}{[]{;}{]}}{}
                       874 \DeclareRobustCommand{\sequencex1}
                       875 {\@ifstar{\@ssequencexl}{\@sequencexl}}
                       876 \varcmd{@sequencexl}{\mth}{\left[}{;}{\right.}{}
                       877 \varcmd{@ssequencex1}{\mth}{[]{;}{}}
                       878 \DeclareRobustCommand{\sequencexr}
                               {\@ifstar{\@ssequencexr}{\@sequencexr}}
                        880 \varcmd{@sequencexr}{\mth}{\left.}{;}{\right]}{}
                       881 \varcmd{@ssequencexr}{\mth}{}{;}{]}{}
\tuple, ...
                       882 \DeclareRobustCommand{\tuple}
                              {\@ifstar{\@stuple}{\@tuple}}
                       884 \varcmd{@tuple}{\mth}{\left\langle}{,}{\right\rangle}{}
                       885 \varcmd{@stuple}{\mth}{\langle}{,}{\rangle}{}
                        886 \DeclareRobustCommand{\tuplel}
                               {\@ifstar{\@stuplel}{\@tuplel}}
                        888 \varcmd{@tuplel}{\mth}{\left\langle}{,}{\right.}{}
                       889 \varcmd{@stuplel}{\mth}{\langle}{,}{}}
                       890 \DeclareRobustCommand{\tupler}
                       891 {\@ifstar{\@stupler}{\@tupler}}
                       892 \c {\tt Qtupler}{\tt t.}{\tt,}{\tt right\rangle}{\tt}
                       893 \varcmd{@stupler}{\mth}{}{,}{\mrms}{}
                       894 \DeclareRobustCommand{\tuplex}
                       895 {\@ifstar{\@stuplex}{\@tuplex}}
                       896 \varcmd{@tuplex}{\mth}{\left\langle}{;}{\right\rangle}{}
                       897 \varcmd{@stuplex}{\mth}{\langle}{;}{\rangle}{}
                       898 \DeclareRobustCommand{\tuplex1}
                       899 {\@ifstar{\@stuplexl}{\@tuplexl}}
                       900 \varcmd{@tuplexl}{\mth}{\left\langle}{;}{\right.}{}
                       901 \varcmd{@stuplexl}{\mth}{\langle}{;}{}}
                       902 \DeclareRobustCommand{\tuplexr}
                       903 {\@ifstar{\@stuplexr}{\@tuplexr}}
                       905 \\ \varcmd{@stuplexr}{\mth}{}{;}{\rangle}{}
                       \set, ... ...
                       907 \DeclareRobustCommand{\set}
                       908 {\@ifstar{\@set}{\@set[\left][\middle][\right]}}
                       909 \DeclareRobustCommandx{\@set}[5][1=, 2=, 3=]
                       910 {\mth{\argmid{#1\lbrace}{\argsep{#4}{\,#2\vert\,}{#5}}{#3\rbrace}}}
                       911 \DeclareRobustCommand{\set1}
                       912 {\@ifstar{\@setl}{\@setl[\left][\right]}}
                       913 \DeclareRobustCommandx{\@setl}[3][1=, 2=]
                       914 {\mth{\argmid{#1\lbrace}{#3}{\,#2\vert\!}}}
                       915 \DeclareRobustCommand{\setr}
                               {\@ifstar{\@setr}{\@setr[\left.][\right]}}
                       917 \DeclareRobustCommandx{\@setr}[3][1=, 2=]
                              {\mth{\argmid{#1}{#3}{#2\rbrace}}}
          \card ...
                       919 \DeclareRobustCommand{\card}
                       920 {\@ifstar{\@card}{\@card[\left][\right]}}
                       921 \DeclareRobustCommandx{\@card}[3][1=, 2=]
                       922 {\mth{\argmid{#1\lvert}{#3}{#2\rvert}}}
```

```
\pow ...
           923 \DeclareRobustCommand{\pow}[1]
           \emptyrel
           926 \DeclareRobustCommand{\emptyrel}
           927 {\mth{\varnothing}}
           \dom, \cod, ... ...
           929 \usrmth{dom}{}{argfun}
           930 \usrmth{cod}{}{argfun}
           931 \usrmth{rng}{}{argfun}
           932 \usrmth{img}{}{argfun}
           \prj ...
           934 \DeclareRobustCommand{\prj}
           935 {\mthargfun{prj}}
       \rst ...
           936 \DeclareRobustCommand{\rst}
           937 {\mthlbop{\upharpoonright}}
       \cmp ...
           938 \DeclareRobustCommand{\cmp}
             {\mthlbop{\circ}}
           \emptyfun
           941 \DeclareRobustCommand{\emptyfun}
             {\mth{\varnothing}}
           \pto, \pmapsto
           944 \DeclareMathOperator{\pto}
             {\ensuremath{\rightharpoonup}}
           946 \DeclareMathOperator{\pmapsto}
              \kern-1.5ex\rightharpoonup}}}
           \fix, \ifp, ... ...
           950 \usrmth{fix}{}{fun}
           951 \usrmth{ifp}{}{fun}
           952 \mbox{ }\mbox{lfp}{fun}
           953 \usrmth{gfp}{}{fun}
           \Aomega, \AOmega
           955 \usrmth{Aomega}{}{argset}[\omega]
           956 \usrmth{AOmega}{}{argset}[\Omega]
\Atheta, \ATheta ...
           957 \usrmth{Atheta}{}{argset}[\theta]
           958 \usrmth{ATheta}{}{argset}[\Theta]
```

```
\Aomicron, ... ...
               959 \usrmth{Aomicron}{}{argset}[\omicron]
               960 \usrmth{AOmicron}{}{argset}[\Omicron]
               \SetB ...
               962 \DeclareRobustCommand{\SetB}
               963 {\mthset[mathbb]{B}}
        \SetF ...
               964 \DeclareRobustCommand{\SetF}
               965 {\mthset[mathbb]{F}}
   \SetN, ... ...
               966 \DeclareRobustCommand{\SetN}
               967 {\mthset[mathbb]{N}}
               968 \DeclareRobustCommand{\SetNI}[1][]
               969 {\SetN[\infty #1]}
   \SetZ, ... ...
               970 \DeclareRobustCommand{\SetZ}
               971 {\mthset[mathbb]{Z}}
               972 \DeclareRobustCommand{\SetZI}[1][]
               973 {\SetZ[\pm\infty #1]}
               974 \DeclareRobustCommand{\SetZPI}[1][]
               975 {\SetZ[+\infty #1]}
               976 \DeclareRobustCommand{\SetZNI}[1][]
               977 {\SetZ[-\infty #1]}
   \SetQ, ... ...
               978 \DeclareRobustCommand{\SetQ}
               979 {\mthset[mathbb]{Q}}
               980 \DeclareRobustCommand{\SetQI}[1][]
               981 {\SetQ[\pm\infty #1]}
               982 \DeclareRobustCommand{\SetQPI}[1][]
               983 {\SetQ[+\infty #1]}
               984 \DeclareRobustCommand{\SetQNI}[1][]
               985 {\SetQ[-\infty #1]}
   \SetR, ... ...
               986 \DeclareRobustCommand{\SetR}
               987 {\mthset[mathbb]{R}}
               988 \DeclareRobustCommand{\SetRI}[1][]
               989 {\SetR[\pm\infty #1]}
               990 \DeclareRobustCommand{\SetRPI}[1][]
               991 {\SetR[+\infty #1]}
               992 \DeclareRobustCommand{\SetRNI}[1][]
               993 {\SetR[-\infty #1]}
   \SetC, ... ...
               994 \DeclareRobustCommand{\SetC}
               995 {\mthset[mathbb]{C}}
               996 \DeclareRobustCommand{\SetCI}[1][]
               997 {\SetC[\infty #1]}
               \num, ... ...
              999 \DeclareRobustCommand{\num}[1]
              1000 {\mth{[#1]}}
              1001 \DeclareRobustCommand{\numcc}[2]
              1002 {\mth{[\argsep{#1}{,}{#2}]}}
```

```
1003 \DeclareRobustCommand{\numco}[2]
                                              {\mth{[\argsep{#1}{,}{#2})}}
                                   1005 \DeclareRobustCommand{\numoc}[2]
                                             {\mth{(\argsep{#1}{,}{#2}]}}
                                   1007 \DeclareRobustCommand{\numoo}[2]
                                              {\mth{(\argsep{#1}{,}{#2})}}
                                   \abs, \norm
                                   1010 \DeclareRobustCommand{\abs}
                                               {\@ifstar{\@abs}{\@abs[\left][\right]}}
                                   1012 \DeclareRobustCommandx{\@abs}[3][1=, 2=]
                                              {\mth{\argmid{#1\lvert}{#3}{#2\rvert}}}
                                   1014 \DeclareRobustCommand{\norm}
                                               {\@ifstar{\@norm}{\@norm[\left][\right]}}
                                   1016 \DeclareRobustCommandx{\@norm}[3][1=, 2=]
                                              {\mth{\argmid{#1\lVert}{#3}{#2\rVert}}}
    \floor, \ceil ...
                                   1018 \DeclareRobustCommand{\floor}
                                               {\@ifstar{\@floor}{\@floor[\left][\right]}}
                                   1020 \DeclareRobustCommandx{\@floor}[3][1=, 2=]
                                               {\mth{\argmid{#1\lfloor}{#3}{#2\rfloor}}}
                                   1022 \DeclareRobustCommand{\ceil}
                                               {\@ifstar{\@ceil}{\@ceil[\left][\right]}}
                                   1024 \DeclareRobustCommandx{\@ceil}[3][1=, 2=]
                                             {\mth{\argmid{#1\lceil}{#3}{#2\rceil}}}
                                   \arg ...
                                   \evn, \odd ...
                                   1028 \mbox{ \norm}{fun}{fun}
                                   1029 \mbox{ \norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\norm}{\n
            \bst, ... ...
                                   1030 \mbox{ \norm} \{bst}{\fun}
                                   1031 \usrmth{argbst}{}{fun}[arg\,bst]
\min, \max, ... ...
                                   1032 \mbox{ }\mbox{usrmth{min}{fmin}{fun}}
                                   1033 \operatorname{menth{max}{fun}}
                                   1034 \usrmth{argmin}{}{fun}[arg\,min]
                                   1035 \mbox{usrmth{argmax}{fun}[arg\mbox{,max}]}
          \inf, \sup ...
                                   1036 \mbox{ }\mbox{usrmth{inf}{fun}}
                                   1037 \sl \{sup}{fun}
                                   \emptyseq
                                   1039 \DeclareRobustCommand{\emptyseq}
                                             {\mth{\varepsilon}}
                                   1040
                      \len ...
                                   1041 \DeclareRobustCommand{\len}
                                              {\@ifstar{\@len}{\@len[\left][\right]}}
                                   1043 \DeclareRobustCommandx{\@len}[3][1=, 2=]
                                             {\mth{\argmid{#1\lvert}{#3}{#2\rvert}}}
```

```
\fst, \lst ...
                           1045 \mbox{ } \mbox
                           1046 \usrmth{lst}{}{argfun}
                           1047 \fi
                           1052 \ifcom@
     \defcomcls ... to do!
                                 • \defcomcls{CompClass};
                                    \compClass[sub][sup][arg] = CompCLASS_{SUB}^{SUP}(ARG)
                                 • \defcomcls{CompClass}[NewClass];
                                    \CompClass[sub][sup][arg] = NEWCLASS_{SUB}^{SUP}(ARG)
                           1053 \newcommandx{\defcomcls}[2][2=]
                                    {\csdef{#1}{\txtoargcom{\defval{#2}{#1}}}}
\defcomclsgrp ... to do!
                                 • \defcomclsgrp{CompClass};
                                    \verb|\CompClass[sub][sup][arg]| = \operatorname{COMPCLASS}^{SUP}_{SUB}(ARG)
                                    \verb|\CoCompClass[sub][sup][arg]| = CoCompClass[$^{SUP}_{SUB}(ARG)|
                                    \verb|\CompClassE[sub][sup][arg]| = CompClass-Easy_{SUB}^{SUP}(ARG)
                                    \CoCompClassE[sub][sup][arg] = CoCompClass-Easy_{SUB}^{SUP}(ARG)
                                    \verb|\CompClassH[sub][sup][arg]| = CompClass-Hard_{SUB}^{SUP}(ARG)
                                    \verb|\CoCompClassH[sub][sup][arg]| = CoCompClass-Hard_{SUB}^{SUP}(ARG)
                                    \verb|\CompClassC[sub][sup][arg]| = CompClass-complete_{SUB}^{SUP}(ARG)
                                    \verb|\CoCompClassC[sub][sup][arg]| = CoCompClass-complete_{SuB}^{SUP}(ARG)
                                    \DCompClass[sub][sup][arg] = DCompClass[sub](ARG)
                                    \CoDCompClass[sub][sup][arg] = CoDCompCLASS_{SUB}^{SUP}(ARG)
                                    \label{eq:decompClassEsub} $$ [\sup] [arg] = DCOMPCLASS-EASY_{SUB}^{SUP}(ARG) $$
                                    \verb|\CoDCompClassE[sub][sup][arg]| = CoDCoMPCLASS-EASY_{SUB}^{SUP}(ARG)
                                    \verb|\DCompClassH[sub][sup][arg]| = DCompClass-Hard_{SUB}^{SUP}(ARG)
                                    \verb|\CoDCompClassH[sub][sup][arg]| = CoDCompClass-Hard_{SUB}^{SUP}(ARG)
                                    \verb|\DCompClassC[sub][sup][arg]| = DComPCLASS-COMPLETE_{SUB}^{SUP}(ARG)
                                    \CoDCompClassC[sub][sup][arg] = CoDCompClass-CompLete_{Sub}^{SUP}(ARG)
                                    \NCompClass[sub][sup][arg] = NCompCLASS_{SUB}^{SUP}(ARG)
                                    \verb|\ConCompClass[sub][sup][arg]| = ConCompClass_{SUB}^{SUP}(ARG)
                                    \NCompClassE[sub][sup][arg] = NCompClass-Easy_{SUB}^{SUP}(ARG)
                                    \ConCompClassE[sub][sup][arg] = ConCompClass-Easy_{SUB}^{SUP}(ARG)
                                    \NCompClassH[sub][sup][arg] = NCompClass-Hard_{SUB}^{SUP}(ARG)
                                    \ConCompClassH[sub][sup][arg] = ConCompClass-Hard_{SUB}^{SUP}(ARG)
                                    \NCompClassC[sub][sup][arg] = NCOMPCLASS-COMPLETE_{SUB}^{SUP}(ARG)
                                    \ConCompClassC[sub][sup][arg] = ConCompClass-Complete_{SUB}^{SUP}(ARG)
                                    \UCompClass[sub][sup][arg] = UCompClass_{SUB}^{SUP}(ARG)
                                    \verb|\CoUCompClass[sub][sup][arg]| = CoUCompClass_{SUB}^{SUP}(ARG)
                                    \verb|\UCompClassE[sub][sup][arg]| = UCOMPCLASS-EASY_{SUB}^{SUP}(ARG)
                                    \verb|\CoUCompClassE[sub][sup][arg]| = CoUCoMPCLASS-EASY_{SUB}^{SUP}(ARG)
                                    \verb|\UCompClassH[sub][sup][arg]| = UCOMPCLASS-HARD_{SUB}^{SUP}(ARG)
                                    \verb|\CoUCompClassH[sub][sup][arg]| = CoUCompClass-Hard_{SUB}^{SUP}(ARG)
                                    \label{eq:ucompClassC} $$\UCompClassC[sub][sup][arg] = UCompClass-CompLete_{SUB}^{SUP}(ARG)$
                                    \Coulomb{CoulompClassC[sub][sup][arg]} = CoulompClass-Complete_{Sub}^{SUP}(ARG)
                                    \triangle CompClass[sub][sup][arg] = ACOMPCLASS_{SUB}^{SUP}(ARG)
```

```
\CoACompClass[sub][sup][arg] = CoACompCLass_{SUB}^{SUP}(ARG)
      \triangle CompClassE[sub][sup][arg] = ACOMPCLASS-EASY_{SUB}^{SUP}(ARG)
      \verb|\CoACompClassE[sub][sup][arg]| = CoACompClass-Easy_{SUB}^{SUP}(ARG)
      \label{eq:acompClassHard} $$ \Delta CompClassHard_{SUB}^{SUP}(ARG) = ACompClass-Hard_{SUB}^{SUP}(ARG) $$
      \verb|\CoACompClassH[sub][sup][arg]| = CoACompClass-Hard_{SUB}^{SUP}(ARG)
      \verb|\ACompClassC[sub][sup][arg]| = ACOMPCLASS-COMPLETE_{SUB}^{SUP}(ARG)
      \CoACompClassC[sub][sup][arg] = CoACompClass-Complete_{SUB}^{SUP}(ARG)
    \defcomclsgrp{CompClass}[NewClass];
      \CompClass[sub][sup][arg] = NEWCLASS_{SUB}^{SUP}(ARG)
      \CoCompClass[sub][sup][arg] = CoNewClass_{SUB}^{SUP}(ARG)
      \CompClassE[sub][sup][arg] = NewClass-easy_{SUB}^{SUP}(ARG)
      \verb|\CoCompClassE[sub][sup][arg]| = CoNewClass-easy_{SUB}^{SUB}(ARG)
      \verb|\CompClassH[sub][sup][arg]| = NewClass-Hard_{SUB}^{SUP}(ARG)
      \CoCompClassH[sub][sup][arg] = CONEWCLASS-HARD_{SUB}^{SUP}(ARG)
      \CompClassC[sub][sup][arg] = NewClass-Complete_{SUB}^{SUP}(ARG)
      \CoCompClassC[sub][sup][arg] = CoNewClass-CompLete_{SUB}^{SUP}(ARG)
      \verb|\DCompClass[sub][sup][arg]| = DNewClass_{SUB}^{SUP}(ARG)
      \verb|\CoDCompClass[sub][sup][arg]| = CoDNewClass_{SUB}^{SUP}(ARG)
      \label{eq:decompClassE} $$\D{\compClassE[sub][sup][arg]} = DNEWCLASS-EASY_{SUB}^{SUP}(ARG)
      \CoDCompClassE[sub][sup][arg] = CoDNEWCLASS-EASY_{SUB}^{SUP}(ARG)
      \label{eq:decompClassH} $$\D{\compClassH[sub][sup][arg]} = DNEWCLASS-HARD_{SUB}^{SUP}(ARG)
      \verb|\CodCompClassH[sub][sup][arg]| = CoDNewClass-Hard_{Sub}^{SUP}(ARG)
      \DCompClassC[sub][sup][arg] = DNEWCLASS-COMPLETE_{SUB}^{SUP}(ARG)
      \verb|\CoDCompClassC[sub][sup][arg]| = CoDNewClass-Complete_{SUB}^{SUP}(ARG)
      \verb|\NCompClass[sub][sup][arg]| = NNEWCLASS_{SUB}^{SUP}(ARG)
      \verb|\ConCompClass[sub][sup][arg]| = ConNewClass_{SUB}^{SUP}(ARG)
      \NCompClassE[sub][sup][arg] = NNEWCLASS-EASY_{SUB}^{SUP}(ARG)
      \ConCompClassE[sub][sup][arg] = ConNewClass-Easy_{SUB}^{SUP}(Arg)
      \verb|\NCompClassH[sub][sup][arg]| = NNewClass-Hard_{SUB}^{SUP}(ARG)
      \ConCompClassH[sub][sup][arg] = ConNewClass-Hard_{Sub}^{Sup}(Arg)
      \verb|NCompClassC[sub][sup][arg]| = NNEWCLASS-COMPLETE_{SUB}^{SUP}(ARG)
      \ConCompClassC[sub][sup][arg] = ConNewClass-Complete_{Sub}^{SUP}(Arg)
      \verb|\UCompClass[sub][sup][arg]| = UNEWCLASS^{SUP}_{SUB}(ARG)
      \verb|\CoUCompClass[sub][sup][arg]| = CoUNEWCLASS_{SUB}^{SUP}(ARG)
      \UCompClassE[sub][sup][arg] = UNEWCLASS-EASY_{SUB}^{SUP}(ARG)
      \Coulomb Class E[sub][sup][arg] = Counting Class-Easy_{SUB}^{SUP}(ARG)
      \UCompClassH[sub][sup][arg] = UNEWCLASS-HARD_{SUB}^{SUP}(ARG)
      \verb|\CoUCompClassH[sub][sup][arg]| = CoUNEWCLASS-HARD_{SUB}^{SUP}(ARG)
      \UCompClassC[sub][sup][arg] = UNEWCLASS-COMPLETE_{SUB}^{SUP}(ARG)
      \Coulomb Class C[sub][sup][arg] = Council New Class-Complete E_{Sub}^{SUP}(ARG)
      \Lambda CompClass[sub][sup][arg] = ANEWCLASS_{SUB}^{SUP}(ARG)
      \CoACompClass[sub][sup][arg] = CoANEWCLASS_{SUB}^{SUP}(ARG)
      \verb|\ACompClassE[sub][sup][arg]| = ANEWCLASS-EASY_{SUB}^{SUP}(ARG)
      \verb|\CoACompClassE[sub][sup][arg]| = CoANewClass-Easy_{SUB}^{SUP}(ARG)
      \label{eq:accompClassH} $$ \Delta CompClassH[sub][sup][arg] = ANEWCLASS-HARD_{SUB}^{SUP}(ARG) $$
      \CoACompClassH[sub][sup][arg] = CoANEWCLASS-HARD_{SUB}^{SUP}(ARG)
      \verb|\ACompClassC[sub][sup][arg]| = ANEWCLASS-COMPLETE_{SUB}^{SUP}(ARG)
      \CoACompClassC[sub][sup][arg] = CoANEWCLASS-COMPLETE_{SUB}^{SUP}(ARG)
1055 \newcommandx{\defcomclsgrp}[2][2=]
       {\displaystyle \{ \cdot \}_{i=1}^{t} }
       \defcomclsgrpsem{#1}{\defval{#2}{#1}}[Co]}
1058 \newcommandx{\defcomclsgrpsem}[3][3=]
       {\defcomclsgrpred{#3#1}{#2}[#3]%
       \defcomclsgrpred{#3D#1}{#2}[#3D]%
       \defcomclsgrpred{#3N#1}{#2}[#3N]%
       \defcomclsgrpred{#3U#1}{#2}[#3U]%
       \defcomclsgrpred{#3A#1}{#2}[#3A]}
1064 \newcommandx{\defcomclsgrpred}[3][3=]
      {\defcomclsgrpcmd{#1}{#2}[#3]%
```

1056

1057

1059

1060 1061

1062

```
\defcomclsgrpcmd{#1E}{#2}[#3][-easy]%
                   1067
                          \defcomclsgrpcmd{#1H}{#2}[#3][-hard]%
                   1068
                         \defcomclsgrpcmd{#1C}{#2}[#3][-complete]}%
                   1069 \newcommandx{\defcomclsgrpcmd}[4][3=, 4=]
                         {\csdef{#1}{\txtoargcom{#3#2#4}}}
       \defcomhrc ... to do!
                       \defcomhrc{CompHierarchy};
                         CompHierarchy[sub][sup][par] = COMPHIERARCHY<sup>SUP</sup><sub>SUB</sub>[PAR]
                       • \defcomhrc{CompHierarchy} [NewHierarchy];
                         CompHierarchy[sub] [sup] [par] = NEWHIERARCHY<sup>SUP</sup><sub>SUB</sub>[PAR]
                   1071 \newcommandx{\defcomhrc}[2][2=]
                         {\csdef{#1}{\txtoparcom{\defval{#2}{#1}}}}
                   \Easy, \Hard, ...
                   1074 \cmdtxtcom{Easy}
                   1075 \cmdtxtcom{Hard}
                   1076 \cmdtxtcom{Complete}
                   • \FPT[sub] [sup] [arg] = FPT_{SUB}^{SUP}(ARG)
             \FPT
                   1078 \defcomcls{FPT}
                   • Time[sub][sup][arg] = TIME_{SUB}^{SUP}(ARG)
       \Time, ...
                         TimeE[sub][sup][arg] = TIME-EASY_{SUB}^{SUP}(ARG)
                        TimeH[sub][sup][arg] = TIME-HARD_{SUB}^{SUP}(ARG)
                        TimeC[sub][sup][arg] = TIME-COMPLETE_{SUB}^{SUP}(ARG)
                       • DTime[sub][sup][arg] = DTIME_{SUB}^{SUP}(ARG)
                         \DTimeE[sub][sup][arg] = DTIME-EASY_{SUB}^{SUP}(ARG)
                         \DTimeH[sub][sup][arg] = DTIME-HARD_{SUB}^{SUP}(ARG)
                         \verb|\DTimeC[sub][sup][arg]| = DTIME-COMPLETE_{SUR}^{SUP}(ARG)
                       • \NTime[sub][sup][arg] = NTIME_{SUB}^{SUP}(ARG)
                         \TimeE[sub][sup][arg] = NTIME-EASY_{SUB}^{SUP}(ARG)
                         \NTimeH[sub][sup][arg] = NTIME-HARD_{SUB}^{SUP}(ARG)
                         \NTimeC[sub][sup][arg] = NTIME-COMPLETE_{SUB}^{SUP}(ARG)
                       • \UTime[sub][sup][arg] = UTIME_{SUB}^{SUP}(ARG)
                         \UTimeE[sub][sup][arg] = UTIME-EASY_{SUB}^{SUP}(ARG)
                         \UTimeC[sub][sup][arg] = UTIME-COMPLETE_{SUB}^{SUP}(ARG)
                       • ATime[sub][sup][arg] = ATIME_{SUB}^{SUP}(ARG)
                         \texttt{\ATimeE[sub][sup][arg]} = \operatorname{ATIME-EASY}^{SUP}_{SUB}(ARG)
                        \Delta TimeH[sub][sup][arg] = ATIME-HARD_{SUB}^{SUP}(ARG)
                         \Delta TimeC[sub][sup][arg] = ATIME-COMPLETE_{SUB}^{SUP}(ARG)
                   1080 \defcomclsgrp{Time}
                       • Space[sub][sup][arg] = Space[Sub](ARG)
      \Space, ...
                         \SpaceE[sub][sup][arg] = SPACE-EASY_{SUB}^{SUP}(ARG)
                         \SpaceH[sub][sup][arg] = SPACE-HARD_{SUB}^{SUP}(ARG)
                         \SpaceC[sub][sup][arg] = SPACE-COMPLETE_{SUB}^{SUP}(ARG)
                       • \DSpace[sub] [sup] [arg] = DSPACE_{SUB}^{SUP}(ARG)
                         \verb|\DSpaceE[sub][sup][arg]| = \mathrm{DSPACE\text{-}EASY}^{SUP}_{SUB}(ARG)
                         \texttt{DSpaceH[sub][sup][arg]} = DSPACE-HARD_{SUB}^{SUP}(ARG)
                         \texttt{DSpaceC[sub][sup][arg]} = DSPACE-COMPLETE_{SUB}^{SUP}(ARG)
```

```
\verb|\NSpaceE[sub][sup][arg]| = NSPACE-EASY_{SUB}^{SÚP}(ARG)
                          \NSpaceH[sub][sup][arg] = NSPACE-HARD_{SUB}^{SUP}(ARG)
                          \verb|\NSpaceC[sub][sup][arg]| = NSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                        • USpace[sub][sup][arg] = USPACE_{SUB}^{SUP}(ARG)
                          \verb|\USpaceE[sub][sup][arg]| = USPACE-EASY_{SUB}^{SUP}(ARG)
                          \verb|\USpaceH[sub][sup][arg]| = USPACE-HARD_{SUB}^{SUP}(ARG)
                          \USpaceC[sub][sup][arg] = USPACE-COMPLETE_{SUB}^{SUP}(ARG)
                        • ASpace[sub][sup][arg] = ASPACE_{SUB}^{SUP}(ARG)
                          ASpaceE[sub][sup][arg] = ASPACE-EASY_{SUB}^{SUP}(ARG)
                          ASpaceH[sub][sup][arg] = ASPACE-HARD_{SUB}^{SUP}(ARG)
                          \verb|\ASpaceC[sub][sup][arg]| = ASPACE-COMPLETE_{SUB}^{SUP}(ARG)
                   1081 \defcomclsgrp{Space}
 \LogTime, ...
                        \bullet \ \ \texttt{LogTime[sub][sup][arg]} = \texttt{LogTime}^{\texttt{SUP}}_{\texttt{SUB}}(\texttt{ARG})
                          \verb|\LogTimeE[sub][sup][arg]| = \operatorname{LogTime-EASY}^{SUP}_{SUB}(ARG)
                          \verb|\LogTimeH[sub][sup][arg]| = LogTime-Hard_{SUB}^{SUP}(ARG)
                          \lceil LogTimeC[sub][sup][arg] = LogTime-Complete_{SUB}^{SUP}(ARG)
                        • \DLogTime[sub][sup][arg] = DLogTime_{SUB}^{SUP}(ARG)
                          \label{eq:decomposition} $$\DLogTimeE[sub][sup][arg] = DLogTime-EASY_{SUB}^{SUP}(ARG)$
                          \verb|\DLogTimeH[sub][sup][arg]| = DLogTime-HARD_{SUB}^{SUP}(ARG)
                          \DLogTimeC[sub][sup][arg] = DLogTime-Complete_{SUB}^{SUP}(ARG)
                        • \NLogTime[sub][sup][arg] = NLogTime_{SUB}^{SUP}(ARG)
                          \NLogTimeE[sub][sup][arg] = NLogTime-EASY_{SUB}^{SUP}(ARG)
                          \verb|\NLogTimeH[sub][sup][arg]| = NLOGTIME-HARD_{SUB}^{SUP}(ARG)
                          \NLogTimeC[sub][sup][arg] = NLogTime-Complete_{SUB}^{SUP}(ARG)
                        • \ULogTime[sub][sup][arg] = ULogTime_{SUB}^{SUP}(ARG)
                          \label{eq:ULogTimeEsub} $$ \ULogTimeE[sub] [sup] [arg] = ULogTime-EASY_{SUB}^{SUP}(ARG) $$
                          \verb|VLogTimeH[sub][sup][arg]| = ULogTime-Hard_{SUB}^{SUP}(ARG)
                          \ULogTimeC[sub][sup][arg] = ULogTIME-COMPLETE_{SUB}^{SUP}(ARG)
                        • ALogTime[sub][sup][arg] = ALogTime_{SUB}^{SUP}(ARG)
                          ALogTimeE[sub][sup][arg] = ALogTime-EASY_{SUB}^{SUP}(ARG)
                          \ALogTimeH[sub][sup][arg] = ALogTime-HARD_{SUB}^{SUP}(ARG)
                          ALogTimeC[sub][sup][arg] = ALogTime-Complete_{SUB}^{SUP}(ARG)
                    1082 \defcomclsgrp{LogTime}
\LogSpace, ...
                        • LogSpace[sub][sup][arg] = LogSpace_{SUB}^{SUP}(ARG)
                          LogSpaceE[sub][sup][arg] = LogSpace-Easy_{SUB}^{SUP}(ARG)
                          \LogSpaceH[sub][sup][arg] = LogSpace-Hard_{SUB}^{SUP}(Arg)
                          \texttt{LogSpaceC[sub][sup][arg]} = \texttt{LogSpace-complete}^{\texttt{SUP}}_{\texttt{SUB}}(\texttt{Arg})
                        • \DLogSpace[sub][sup][arg] = DLogSpace_{SUB}^{SUP}(ARG)
                          \label{eq:decomposition} $$\DLogSpaceE[sub][sup][arg] = DLogSpace-Easy_{SUB}^{SUP}(ARG)$
                          \DLogSpaceH[sub][sup][arg] = DLogSpace-Hard_{SUB}^{SUP}(Arg)
                          \DLogSpaceC[sub][sup][arg] = DLogSpace-Complete_{SUB}^{SUP}(ARG)
                        • NLogSpace[sub][sup][arg] = NLogSpace_{SUB}^{SUP}(ARG)
                          \NLogSpaceE[sub][sup][arg] = NLogSpace-Easy_{SUB}^{SUP}(ARG)
                          \NLogSpaceH[sub][sup][arg] = NLogSpace-HardSup(Arg)
                          \NLogSpaceC[sub][sup][arg] = NLogSpace-Complete_{SUB}^{SUP}(Arg)
                        \ULogSpaceE[sub][sup][arg] = ULogSpace-Easy_{SUB}^{SUP}(ARG)
                          \ULogSpaceH[sub][sup][arg] = ULogSpace-Hard_{SUB}^{SUP}(Arg)
                          \ULogSpaceC[sub][sup][arg] = ULogSpace-Complete_{SUB}^{SUP}(ARG)
                        \bullet \ \ \texttt{ALogSpace[sub][sup][arg]} = ALogSpace[sub](ARG)
                          \verb|\ALogSpaceE[sub][sup][arg]| = ALogSpace-easy_{SUB}^{SUP}(ARG)
                          ALogSpaceH[sub][sup][arg] = ALogSpace-Hard_{SUB}^{SUP}(Arg)
                          ALogSpaceC[sub][sup][arg] = ALogSpace-Complete_{SUB}^{SUP}(ARG)
                   1083 \defcomclsgrp{LogSpace}
```

• $\NSpace[sub][sup][arg] = NSPACE_{SUB}^{SUP}(ARG)$

```
\verb|\PTimeE[sub][sup][arg]| = PTIME-EASY_{SUB}^{SUP}(ARG)
                           \P [sub] [sup] [arg] = PTIME-HARD_{SUB}^{SUP}(ARG)
                           \PTimeC[sub][sup][arg] = PTIME-COMPLETE_{SUB}^{SUP}(ARG)
                         \bullet \ \ \texttt{\baseline}[\mathtt{sub}][\mathtt{sup}][\mathtt{arg}] = \mathrm{DPTIME}^{\mathtt{SUP}}_{\mathtt{SUB}}(\mathtt{ARG})
                           \verb|\DPTimeE[sub][sup][arg]| = \mathrm{DPTIME\text{-}EASY}^{SUP}_{SUB}(\mathrm{ARG})
                           \label{eq:def:DPTimeH} $$ \operatorname{DPTIME-HARD}^{SUP}_{SUB}(ARG) $$
                           \label{eq:def:DPTimeC} $$ \DPTimeC[sub][sup][arg] = DPTIME-COMPLETE_{SUB}^{SUP}(ARG) $$
                         • \NPTime[sub][sup][arg] = NPTIME_{SUB}^{SUP}(ARG)
                           \NPTimeE[sub][sup][arg] = NPTIME-EASY_{SUB}^{SUP}(ARG)
                           \label{eq:nptimeH} $$ \DTimeH[sub][sup][arg] = NPTIME-HARD_{SUB}^{SUP}(ARG) $$
                           \NPTimeC[sub][sup][arg] = NPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                         • \UPTime[sub][sup][arg] = UPTIME_{SUB}^{SUP}(ARG)
                           \label{eq:uptimeEsub} $$ \operatorname{UPTIME-EASY}^{SUP}_{SUB}(ARG) = \operatorname{UPTIME-EASY}^{SUP}_{SUB}(ARG) $$
                           \verb|\UPTimeH[sub][sup][arg]| = UPTIME-HARD_{SUB}^{SUP}(ARG)
                           \UPTimeC[sub][sup][arg] = UPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                         \bullet \ \ \texttt{\ APTime[sub][sup][arg]} = \mathrm{APTIME}^{SUP}_{SUB}(\mathrm{ARG})
                           \texttt{\APTimeE[sub][sup][arg]} = \operatorname{APTIME-EASY}^{SUP}_{SUB}(\operatorname{ARG})
                           \verb| APTimeH[sub][sup][arg] = APTIME-HARD_{SUB}^{SUP}(ARG)
                           \triangle PTimeC[sub][sup][arg] = APTIME-COMPLETE_{SUB}^{SUP}(ARG)
                    1084 \defcomclsgrp{PTime}
                         • \PSpace[sub][sup][arg] = PSPACE_{SUB}^{SUP}(ARG)
\PSpace, ...
                           \PSpaceE[sub][sup][arg] = PSPACE-EASY_{SUB}^{SUP}(ARG)
                           \label{eq:pspaceH} $$ \PSpaceH[sub][sup] = PSpace-HARD_{SUB}^{SUP}(ARG) $$
                           \PSpaceC[sub][sup][arg] = PSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                         • \DPSpace[sub][sup][arg] = DPSPACE_{SUB}^{SUP}(ARG)
                           \label{eq:decomposition} $$ \DPSpaceE[sub][sup][arg] = DPSpace-EASY_{SUB}^{SUP}(ARG) $$
                           \label{eq:def:DPSpaceH} $$ \DPSpaceH[sub] [sup] [arg] = DPSpace-HARD_{SUB}^{SUP}(ARG) $$
                           \DPSpaceC[sub][sup][arg] = DPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                         • \NPSpace[sub][sup][arg] = NPSPACE_{SUB}^{SUP}(ARG)
                           \verb|\NPSpaceE[sub][sup][arg]| = NPSPACE-EASY_{SUB}^{SUP}(ARG)
                           \verb|\NPSpaceH[sub][sup][arg]| = NPSPACE-HARD_{SUB}^{SUP}(ARG)
                           \label{eq:NPSpaceCsub} $$ \NPSpaceC[sub] [sup] [arg] = NPSpace-Complete_{Sub}^{SUP}(ARG) $$
                         • \UPSpace[sub][sup][arg] = UPSPACE_{SUB}^{SUP}(ARG)
                           \UPSpaceE[sub][sup][arg] = UPSPACE-EASY_{SUB}^{SUP}(ARG)
                           \verb|\UPSpaceH[sub][sup][arg]| = UPSPACE-HARD_{SUB}^{SUP}(ARG)
                           \UPSpaceC[sub][sup][arg] = UPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                         • APSpace[sub][sup][arg] = APSPACE_{SUB}^{SUP}(ARG)
                           APSpaceE[sub][sup][arg] = APSPACE-EASY_{SUB}^{SUP}(ARG)
                           APSpaceH[sub][sup][arg] = APSPACE-HARD_{SUB}^{SUP}(ARG)
                           APSpaceC[sub][sup][arg] = APSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                    1085 \setminus defcomclsgrp{PSpace}
                         • \QPTime[sub][sup][arg] = QPTIME_{SUB}^{SUP}(ARG)
\QPTime, ...
                           \label{eq:QPTimeEsub} $$ \operatorname{[sup][arg]} = \operatorname{QPTIME-EASY}^{\operatorname{SUP}}_{\operatorname{SUB}}(\operatorname{ARG}) $$
                           \verb|\QPTimeH[sub][sup][arg]| = \mathrm{QPTIME-HARD}^{SUP}_{SUB}(ARG)
                           \QPTimeC[sub][sup][arg] = QPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                         • \DQPTime[sub][sup][arg] = DQPTIME_{SUB}^{SUP}(ARG)
                           \verb|\DQPTimeE[sub][sup][arg]| = DQPTIME-EASY_{SUB}^{SUP}(ARG)
                           \texttt{DQPTimeH[sub][sup][arg]} = \mathrm{DQPTIME}\text{-}\mathrm{HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}(\mathrm{ARG})
                           \label{eq:def-DQPTimeC} $$ \DQPTimeC[sub] [sup] [arg] = DQPTIME-COMPLETE_{SUB}^{SUP}(ARG) $$
                         • \NQPTime[sub][sup][arg] = NQPTIME_{SUB}^{SUP}(ARG)
                           \NQPTimeE[sub][sup][arg] = NQPTIME-EASY_{SUB}^{SUP}(ARG)
                           \NQPTimeH[sub][sup][arg] = NQPTIME-HARD_{SUB}^{SUP}(ARG)
                           \NQPTimeC[sub][sup][arg] = NQPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                         • \UQPTime[sub][sup][arg] = UQPTIME_{SUB}^{SUP}(ARG)
                           \verb|VQPTimeE[sub][sup][arg]| = UQPTIME-EASY_{SUB}^{SUP}(ARG)
                           \UQPTimeH[sub][sup][arg] = UQPTIME-HARD_{SUB}^{SUP}(ARG)
                           \UQPTimeC[sub][sup][arg] = UQPTIME-COMPLETE_{SUB}^{SUP}(ARG)
```

• \P [sub] [sup] [arg] = \Pr [MESUB (ARG)

\PTime, ...

```
\verb| AQPTimeE[sub][sup][arg] = AQPTIME-EASY_{SUB}^{SUP}(ARG)
                           \texttt{AQPTimeH[sub][sup][arg]} = AQPTIME-HARD_{SUB}^{SUP}(ARG)
                          \label{eq:aptimeC} $$ AQPTimeC[sub] [sup] [arg] = AQPTIME-COMPLETE_{SUB}^{SUP}(ARG) $$
                    1086 \defcomclsgrp{QPTime}
                         \bullet \ \texttt{QPSpace[sub][sup][arg]} = \mathrm{QPSpace}^{SUP}_{SUB}(ARG) 
 \QPSpace, ...
                          \verb|\QPSpaceE[sub][sup][arg]| = QPSpace-easy_{Sub}^{SUP}(ARG)
                           \label{eq:QPSpaceH} $$ \QPSpaceH[sub] [sup] [arg] = QPSpace-HARD_{SUB}^{SUP}(ARG) $$
                          \QPSpaceC[sub][sup][arg] = QPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                        • \DQPSpace[sub][sup][arg] = DQPSPACE_{SUB}^{SUP}(ARG)
                          \label{eq:def-DQPSpace} $$ \DQPSpaceE[sub][sup][arg] = DQPSpace-EASY_{SUB}^{SUP}(ARG) $$
                          \texttt{DQPSpaceH[sub][sup][arg]} = DQPSPACE-HARD_{SUB}^{SUP}(ARG)
                          \DQPSpaceC[sub][sup][arg] = DQPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                        • \NQPSpace[sub][sup][arg] = NQPSPACE_{SUB}^{SUP}(ARG)
                           \verb|NQPSpaceE[sub][sup][arg]| = NQPSPACE-EASY_{SUB}^{SUP}(ARG)
                          \verb|NQPSpaceH[sub][sup][arg]| = NQPSPACE-HARD_{SUB}^{SUP}(ARG)
                           \NQPSpaceC[sub][sup][arg] = NQPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                        • \UQPSpace[sub][sup][arg] = UQPSPACE_{SUB}^{SUP}(ARG)
                          \verb|VQPSpaceE[sub][sup][arg]| = UQPSPACE-EASY_{SUB}^{SUP}(ARG)
                          \verb|VQPSpaceH[sub][sup][arg]| = UQPSPACE-HARD_{SUB}^{SUP}(ARG)
                           \verb|VQPSpaceC[sub][sup][arg] = UQPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                        • AQPSpace[sub][sup][arg] = AQPSPACE_{SUB}^{SUP}(ARG)
                          \texttt{AQPSpaceE[sub][sup][arg]} = AQPSPACE-EASY_{SUB}^{SUP}(ARG)
                          \verb|\AQPSpaceH[sub][sup][arg]| = \mathrm{AQPSPACE}\text{-}\mathrm{HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}(\mathrm{ARG})
                          \label{eq:approx} $$ AQPSpaceC[sub][sup][arg] = AQPSpace-COMPLETE_{SUB}^{SUP}(ARG) $$
                    1087 \defcomclsgrp{QPSpace}
                        • \ExpTime[sub][sup][arg] = EXPTIME_SUB(ARG)
 \ExpTime, ...
                          \ExpTimeE[sub][sup][arg] = EXPTIME-EASY_{SUB}^{SUP}(ARG)
                          \ExpTimeH[sub][sup][arg] = EXPTIME-HARD_{SUB}^{SUP}(ARG)
                          \texttt{\complete}[sub][sup][arg] = EXPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                        \verb|\DExpTimeE[sub][sup][arg]| = DEXPTIME-EASY_{SUB}^{SUP}(ARG)
                          \DExpTimeH[sub][sup][arg] = DExpTIME-HARD_{SUB}^{SUP}(ARG)
                           \texttt{\DExpTimeC[sub][sup][arg]} = DEXPTIME-COMPLETE_{SUB}^{SUB}(ARG)
                        • NExpTime[sub][sup][arg] = NEXPTIME_{SUB}^{SUP}(ARG)
                           \NExpTimeE[sub][sup][arg] = NEXPTIME-EASY_{SUB}^{SUP}(ARG)
                          \NExpTimeH[sub][sup][arg] = NEXPTIME-HARD_{SUB}^{SUP}(ARG)
                          \NExpTimeC[sub][sup][arg] = NEXPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                        • \UExpTime[sub][sup][arg] = UEXPTIME_{SUB}^{SUP}(ARG)
                          \UExpTimeE[sub][sup][arg] = UEXPTIME-EASY_{SUB}^{SUP}(ARG)
                           \UExpTimeH[sub][sup][arg] = UEXPTIME-HARD_{SUB}^{SUP}(ARG)
                          \UExpTimeC[sub][sup][arg] = UEXPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                        • \Delta ExpTime[sub][sup][arg] = AEXPTIME_{SUB}^{SUP}(ARG)
                          \Delta ExpTimeE[sub][sup][arg] = AEXPTIME-EASY_{SUR}^{SUP}(ARG)
                          \Delta ExpTimeH[sub][sup][arg] = AEXpTIME-HARD_{SUR}^{SUP}(ARG)
                          \Delta ExpTimeC[sub][sup][arg] = AEXPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                    1088 \defcomclsgrp{ExpTime}
                        \bullet \ \texttt{\ \ } \texttt{[sup][arg]} = \texttt{ExpSpace[sub][sup]}[\texttt{arg]} = \texttt{ExpSpace[sub]}(\texttt{Arg})
\ExpSpace, ...
                          \ExpSpaceE[sub][sup][arg] = EXPSPACE-EASY_{SUB}^{SUP}(ARG)
                          \verb|\ExpSpaceH[sub][sup][arg]| = EXPSPACE-HARD_{SUB}^{SUP}(ARG)
                          \verb|\ExpSpaceC[sub][sup][arg]| = EXPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                        \label{eq:decomposition} $$ \DExpSpaceE[sub][sup][arg] = DExpSpace-Easy_{SUB}^{SUP}(ARG) $$
                           \verb|\DExpSpaceH[sub][sup][arg]| = DEXPSPACE-HARD_{SUB}^{SUP}(ARG)
                          \verb|\DExpSpaceC[sub][sup][arg]| = DEXPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
```

• $AQPTime[sub][sup][arg] = AQPTIME_{SUB}^{SUP}(ARG)$

```
• \NExpSpace[sub][sup][arg] = NExpSpace[sub](ARG)
                 \verb|NExpSpaceE[sub][sup][arg]| = NEXPSPACE-EASY_{SUB}^{SÚP}(ARG)
                 \NExpSpaceH[sub][sup][arg] = NEXPSPACE-HARD_{SUB}^{SUP}(ARG)
                 \verb|NExpSpaceC[sub][sup][arg]| = NEXPSPACE-COMPLETE^{SUP}_{SUB}(ARG)
               • \UExpSpace[sub][sup][arg] = UExpSpace[sub](ARG)
                 \verb|\UExpSpaceE[sub][sup][arg]| = UEXPSPACE-EASY_{SUB}^{SUP}(ARG)
                 \verb|\UExpSpaceH[sub][sup][arg]| = UEXPSPACE-HARD_{SUB}^{SUP}(ARG)
                 \label{eq:uexpspaceC} $$ \UExpSpaceC[sub][sup] [arg] = UExpSpace-Complete_{SUB}^{SUP}(ARG) $$
               • \Delta ExpSpace[sub][sup][arg] = AEXPSPACE_{SUB}^{SUP}(ARG)
                 \verb|\AExpSpaceE[sub][sup][arg]| = AEXPSPACE-EASY_{SUB}^{SUP}(ARG)
                 \texttt{AExpSpaceH[sub][sup][arg]} = \text{AExpSpace-HARD}^{SUP}_{SUB}(ARG)
                 \label{eq:alphaexpSpaceC[sub][sup]} $$ [arg] = AEXPSPACE-COMPLETE_{SUB}^{SUP}(ARG) $$
            1089 \defcomclsgrp{ExpSpace}
            \PH
               • \PH[sub][sup][par] = PH_{SUB}^{SUP}[PAR]
            1091 \defcomhrc{PH}
       \WH
               • WH[sub][sup][par] = W_{SUB}^{SUP}[PAR]
            1092 \defcomhrc{WH}[W]
               • AH[sub][sup][par] = A_{SUB}^{SUP}[PAR]
       \AH
            1093 \defcomhrc{AH}[A]
               ullet \DLH[sub][sup][par] =\Delta_{	ext{SUB}}^{	ext{SUP}}[	ext{PAR}]
\DLH, \DBH
               ullet \DBH[sub][sup][par] = oldsymbol{\Delta}_{	ext{SUB}}^{	ext{SUP}}[	ext{PAR}]
            1094 \defcomhrc{DLH}[{\mth{\Delta}}]
            1095 \defcomhrc{DBH}[{\mth[mathbf]{\Delta}}]
\ELH, \EBH
               ullet \ELH[sub][sup][par] = \Sigma_{
m SUB}^{
m SUP}[{
m PAR}]
               ullet \EBH[sub][sup][par] = oldsymbol{\Sigma}^{	ext{SUP}}_{	ext{SUB}}[	ext{PAR}]
            1096 \defcomhrc{ELH}[{\mth{\Sigma}}]
            1097 \defcomhrc{EBH}[{\mth[mathbf]{\Sigma}}]
\ULH, \UBH
               • \ULH[sub][sup][par] = \Pi_{SUB}^{SUP}[PAR]
               ullet \UBH[sub][sup][par] = oldsymbol{\Pi}^{	ext{SUP}}_{	ext{SUB}}[	ext{PAR}]
            1098 \defcomhrc{ULH}[{\mth{\Pi}}]
            1099 \defcomhrc{UBH}[{\mth[mathbf]{\Pi}}]
            1100 \fi
            1104 %%*****
            1105 \ifgam@
            \SATG, ...
            1107 %% Satisfiability Games
            1108 \cmdtxtoparname{SATG}[Sat]
            1109
            1110 %% Validity Games
            1111 \cmdtxtoparname{VALG}[Val]
            1112
            1113 %% Evaluation Games
            1114 \cmdtxtoparname{EVLG}[Ev1]
            1116 %% Synthesis Games
            1117 \cmdtxtoparname{SYNG}[Syn]
```

```
1118
                                         1119 %% Model-Checking Games
                                         1120 \cmdtxtoparname{MCG} [MC]
                                         1122 %% Ehrenfeucht-Fraisse Games
                                         1123 \cmdtxtoparname{EFG}[EF]
                                         \PlrSym, \OppSym
                                         1125 \newcommand{\plrsym}{E}
                                         1126 \cmdmthsym{Plr}[\plrsym]
                                         1127 \newcommand{\oppsym}{A}
                                        1128 \verb|\cmdmthsym{Opp}| [\verb|\oppsym]|
  \ArenaName, ...
                                        1129 \newcommand{\arenaname}{A}
                                        1130 \usrmthlatupp{Arena}{Name}{name} [\arenaname]
         \PosSet, ... ...
                                        1131 \newcommand{\possym}{v}
                                        1132 \newcommand{\posset}{Ps}
                                        1133 \cmdmthsetext{Pos}[\posset][\possym]
                                         1134 \cmdmthsymelm{ipos}[\possym_{I}]
                                         1135 \cmdmthsymelm{fpos}[\possym_{F}]
                                         1136 \verb|\cmdmthset{PPos}[\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\possest_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\posset_{\po
                                         1137 \cmdmthsymelm{ppos}[\possym_{\PlrSym}]
                                         1138 \cmdmthset{OPos}[\posset_{\OppSym}]
                                         1139 \cmdmthsymelm{opos}[\possym_{\OppSym}]
                    \PlrFun ...
                                         1140 \newcommand{\plrfun}{pl}
                                         1141 \cmdmthfun{plr}[\plrfun]
                    \MovRel ...
                                         1142 \newcommand{\movrel}{Mv}
                                         1143 \cmdmthrel{Mov}[\movrel]
    \GameName, ... ...
                                         1144 \newcommand{\gamename}{\Game}
                                         1145 \usrmthlatupp{Game}{Name}{name}[\gamename]
                    \WinSet ...
                                         1146 \mbox{ } \mbox{newcommand{\winset}{Wn}}
                                         1147 \cmdmthset{Win}[\winset]
\ObsSet, \obsFun
                                         1148 \newcommand{\obsset}{Ob}
                                         1149 \cmdmthset{Obs}[\obsset]
                                         1150 \cmdmthfun{obs}
                                         \PthSet, \pthFun
                                         1152 \neq \{ pthsym \} \{ pi \}
                                         1153 \newcommand{\pthset}{Pth}
                                         1154 \cmdmthsetext{Pth} [\pthset] [\pthsym]
                                        1155 \cmdmthfun{pth}
         \HstSet, ... ...
                                        1156 \newcommand{\hstsym}{\rho}
                                         1157 \newcommand{\hstset}{Hst}
                                         1158 \cmdmthsetext{Hst}[\hstset][\hstsym]
```

```
1159 \cmdmthset{PHst}[\hstset_{\PlrSym}]
                                           1160 \cmdmthsymelm{phst}[\hstsym_{\PlrSym}]
                                           1161 \cmdmthset{OHst}[\hstset_{\OppSym}]
                                           1162 \verb|\cmdmthsymelm{ohst}| [\verb|\hstsym_{\colored}]|
                                           1163 \cmdmthfun{hst}
\PlaySet,\playFun
                                            1164 \newcommand{\playsym}{\pi}
                                           1165 \newcommand{\playset}{Play}
                                           1166 \cmdmthsetext{Play}[\playset][\playsym]
                                           1167 \cmdmthfun{play}
           \StrSet, ... ...
                                           1168 \newcommand{\strsym}{\sigma}
                                           1169 \newcommand{\strset}{Str}
                                           1170 \cmdmthsetext{Str}[\strset][\strsym]
                                           1171 \cmdmthset{PStr}[\strset_{\PlrSym}]
                                           1172 \cmdmthsymelm{pstr}[\strsym_{\PlrSym}]
                                           1173 \cmdmthset{OStr}[\strset_{\OppSym}]
                                           1174 \cmdmthsymelm{ostr}[\strsym_{\OppSym}]
 \PrfSet, \prfFun
                                           1175 \newcommand{\prfsym}{\xi}
                                           1176 \newcommand{\prfset}{Prf}
                                           1177 \cmdmthsetext{Prf}[\prfset][\prfsym]
  \preFun, \sucFun
                                           1178 \newcommand{\prefun}{pre}
                                           1179 \cmdmthoargfun{pre}[\prefun]
                                           1180 \newcommand{\sucfun}{suc}
                                           1181 \cmdmthoargfun{suc}[\sucfun]
 \entFun, \escFun
                                           1182 \neq \{entfun\} 
                                            1183 \cmdmthoargfun{ent}[\entfun]
                                           1184 \newcommand{\escfun}{esc}
                                           1185 \cmdmthoargfun{esc}[\escfun]
 \intFun, \outFun ...
                                           1186 \mbox{ }\mbox{\command{\tintfun}{int}}
                                           1187 \cmdmthoargfun{int}[\intfun]
                                           1188 \newcommand{\outfun}{out}
                                           1189 \cmdmthoargfun{out}[\outfun]
  \atrFun, \rchFun ...
                                           1190 \newcommand{\atrfun}{atr}
                                           1191 \cmdmthoargfun{atr}[\atrfun]
                                           1192 \mbox{ } \mbox
                                           1193 \cmdmthoargfun{rch}[\cmdmthoargfun]
                    \liftFun
                                           1194 \newcommand{\liftfun}{lift}
                                           1195 \cmdmthoargfun{lift}[\liftfun]
                       \solFun
                                           1196 \newcommand{\solfun}{sol}
                                           1197 \cmdmthoargfun{sol}[\solfun]
```

```
\BG, ... ...
             1199 %% Buchi Games
             1200 \cmdtxtoparname{BG}
             1202 %% Co-Buchi Games
             1203 \cmdtxtoparname{CG}
             1204
             1205 %% Parity Games
             1206 \cmdtxtoparname{PG}
             1207
             1208 %% Rabin Games
             1209 \cmdtxtoparname{RG}
             1210
             1211 %% Streett Games
             1212 \cmdtxtoparname{SG}
             1213
             1214 %% Muller Games
             1215 \cmdtxtoparname{MG}
             \EvnSym, \OddSym
             1217 \newcommand{\evnsym}{0}
             1218 \cmdmthsym{Evn}[\evnsym]
             1219 \newcommand{\oddsym}{1}
             1220 \cmdmthsym{Odd}[\oddsym]
\PrtSet, \prtFun ...
             1221 \newcommand{\prtsym}{p}
             1222 \newcommand{\prtset}{Pr}
             1223 \cmdmthsetext{Prt}[\prtset][\prtsym]
             1224 \cmdmthfun{prt}[pr]
             \EG, ... ...
             1227 %% Energy Games
             1228 \cmdtxtoparname{EG}
             1229
             1230 %% Mean-Payoff Games
             1231 \cmdtxtoparname{MPG}
             1232
             1233 %% Discounted-Payoff Games
             1234 \cmdtxtoparname{DPG}
             \MaxSym, \MinSym
             1236 \newcommand{\maxsym}{\oplus}
             1237 \cmdmthsym{Max}[\maxsym]
             1238 \newcommand{\minsym}{\boxminus}
             1239 \cmdmthsym{Min}[\minsym]
\WghSet, \wghFun ...
             1240 \mbox{ } \mbox{newcommand{\wghsym}{w}}
             1241 \newcommand{\wghset}{Wg}
             1242 \cmdmthsetext{Wgh} [\wghset] [\wghsym]
             1243 \cmdmthfun{wgh} [wg]
```

```
1245 \fi
                              1250 \iflog@
                              \BF, \QBF, ... ...
                              1252 % Boolean Formulae
                              1253 \cmdtxtoparname{BF}
                              1254
                              1255 % Quantified Boolean Formulae
                              1256 \DeclareRobustCommand{\QBF}
                                        {\{\text{txtname}\{Q\}\}\setminus BF\}}
                              1258 \DeclareRobustCommand{\EBF}
                              1259 {\ensuremath{\exists}\BF}
                              1260 \DeclareRobustCommand{\UBF}
                              1261 {\ensuremath{\forall}\BF}
                              \LogSig, ... ...
                              1263 \newcommand{\lceil \log sig \rceil}{L}
                              1264 \usrmthlatupp{Log}{Sig}{sig}[\logsig]
           \Tt, \Ff ...
                              1265 \mbox{ } \mbox
                              1266 \usrmth{Tt}{}{sym}[\ttsym]
                              1267 \mbox{ \newcommand{\ffsym}{\bot}}
                              1268 \operatorname{ff}{sym}[\ffsym]
   \LNeg, \LNot ...
                              1269 \newcommand{\lnegsym}{\neg}
                              1270 \usrmth{LNeg}{}{luop}[\lnegsym]
                              1271 \newcommand{\lnotsym}{\sim}
                              1272 \usrmth{LNot}{}{luop}[\lnotsym]
   \LCon, \LDis ...
                              1273 \mbox{lconsym}{{\land}}
                              1274 \usrmth{LCon}{}{lbop}[\lconsym]
                              1275 \newcommand{\ldissym}{\lor}
                              1276 \t LDis{}{lbop}[\ldissym]
   \LImp, \LCoi ...
                              1277 \newcommand{\limpsym}{\rightarrow}
                              1278 \usrmth{LImp}{}{lbop}[\limpsym]
                              1279 \newcommand{\lcoisym}{\leftrightarrow}
                              1280 \usrmth{LCoi}{}{lbop}[\lcoisym]
   \LExs, \LAll ...
                              1281 \newcommand{\lexssym}{\exists}
                              1282 \usrmth{LExs}{}{luop}[\lexssym]
                              1283 \newcommand{\lallsym}{\forall}
                              1284 \usrmth{LAll}{}{luop}[\lallsym]
      \APSet, ... ...
                              1285 \newcommand{\apsym}{p}
                              1286 \mbox{ } \mbox{apset}{AP}
                              1287 \cmdmthsetext{AP}[\apset][\apsym]
```

1288 \cmdmthfun{ap}\usrmth{ap}{}{argfun}

```
\sub ...
               1289 \usrmth{sub}{}{argfun}
\Cnt, \Qnt, \Sym ...
               1290 \usrmth{Cnt}{}{sym}[C]
               1291 \usrmth{Qnt}{}{sym}[Q]
               1292 \usrmth{Sym}{}{sym}[\odot]
     \QAE, \QEA ...
               1293 \usrmth{QAE}{}{sym}[\forall\exists]
               1294 \operatorname{QEA}{{\text{sym}}[\text{exists}]}
   \QntSet, ... ...
               1295 \newcommand{\qntsym}{\wp}
               1296 \mbox{ } \mbox{qntset}{Qn}
               1297 \cmdmthsetext{Qnt}[\qntset][\qntsym]
  \free, \bound ...
               1298 \usrmth{free}{}{argfun}
               1299 \usrmth{bound}{}{argfun}
     \dep, \alt ...
               1300 \verb|\argfun| 
               1301 \usrmth{alt}{}{argfun}
\cnf, \dnf, ... ...
               1302 \cmdtxtabr{cnf}
               1303 \cmdtxtabr{dnf}
               1304 \cmdtxtabr{pnf}
               1305 \mbox{cmdtxtabr{nnf}}
               \LogStr, ... ...
               1307 \newcommand{\logstr}{L}
               1308 \usrmthlatupp{Log}{Str}{str}[\logstr]
   \ValSet, ... ...
               1309 \newcommand{\valsym}{\xi}
               1310 \newcommand{\valset}{Val}
               1311 \cmdmthsetext{Val}[\valset][\valsym]
   \AsgSet, ... ...
               1312 \newcommand{\asgsym}{\chi}
               1313 \newcommand{\asgset}{Asg}
               1314 \cmdmthsetext{Asg}[\asgset][\asgsym]
               \FOL, ... ...
               1316 % First-Order Logic
               1317 \cmdtxtoparname{FOL} [Fol]
               1318 \cmdtxtoparname{F0}[F0]
               1319
               1320 % Monadic First-Order Logic
               1321 \DeclareRobustCommand{\MFOL}
                    {{\txtname{M}}\FOL}
               1323 \DeclareRobustCommand{\MFO}
                    \{\{\text{txtname}\{M\}\}\F0\}
```

```
\VarSig, ... ...
                                                1326 \newcommand{\varsig}{V}
                                                1327 \usrmthlatupp{Var}{Sig}{sig}[\varsig]
                                                1328 \rightarrow \{x\}
                                                1329 \newcommand{\varset}{Vr}
                                                 1330 \cmdmthsetext{Var}[\varset][\varsym]
                                                 1331 \usrmth{var}{}{argfun}[vr]
                                                1332 \cmdmthfun{dim}[dm]\usrmth{dim}{}{argfun}[dm]
\ConSig, ... ...
                                                1333 \newcommand{\consig}{C}
                                                1334 \usrmthlatupp{Con}{Sig}{sig}[\consig]
                                                1335 \newcommand{\consym}{c}
                                                 1336 \newcommand{\conset}{Cn}
                                                 1337 \cmdmthsetext{Con} [\conset] [\consym]
                                                1338 \usrmth{con}{}{argfun}[cn]
\FunSig, ... ...
                                                1339 \newcommand{\funsig}{F}
                                                1340 \usrmthlatupp{Fun}{Sig}{sig}[\funsig]
                                                1341 \newcommand{\funsym}{f}
                                                1342 \newcommand{\funset}{Fn}
                                                 1343 \cmdmthsetext{Fun}[\funset][\funsym]
                                                 1344 \usrmth{fun}{}{argfun}[fn]
                                                 1345 \cmdmthfun{art}[ar]\usrmth{art}{}{argfun}[ar]
\TerSig, ...
                                                1346 \newcommand{\tersig}{T}
                                                1347 \usrmthlatupp{Ter}{Sig}{sig}[\tersig]
                                                 1348 \newcommand{\tersym}{t}
                                                 1349 \newcommand{\terset}{Tr}
                                                 1350 \cmdmthsetext{Ter}[\terset][\tersym]
                                                 1351 \usrmth{ter}{}{argfun}
\RelSig, ... ...
                                                1352 \newcommand{\relsig}{R}
                                                1353 \usrmthlatupp{Rel}{Sig}{sig}[\relsig]
                                                 1354 \mbox{ } \mbox{newcommand{\relsym}{r}}
                                                 1355 \newcommand{\relset}{Rl}
                                                 1356 \cmdmthsetext{Rel}[\relset][\relsym]
                                                 1357 \usrmth{rel}{}{argfun}[rl]
                            \skm ...
                                                 1358 \mbox{\sc } {skm}{{\sc }}{argfun}
                                                \ConStr, ... ...
                                                1360 \mbox{ }\mbox{constr}{C}
                                                1361 \usrmthlatupp{Con}{Str}{str}[\constr]
\FunStr, ... ...
                                                1362 \mbox{ } \mbox
                                                1363 \usrmthlatupp{Fun}{Str}{str}[\funstr]
\TerStr, ... ...
                                                1364 \mbox{ } \mbox
                                                1365 \usrmthlatupp{Ter}{Str}{str}[\terstr]
\RelStr, ... ...
                                                 1366 \mbox{ } \mbox{newcommand{\relstr}{R}}
                                                 1367 \usrmthlatupp{Rel}{Str}{str}[\relstr]
```

```
\DF, \IF, ... ...
             1369 % Dependence-Friendly Logic
             1370 \cmdtxtoparname{DF}
             1372 % Independence-Friendly Logic
             1373 \cmdtxtoparname{IF}
             1375 % Dependence/Independence-Friendly Logic
             1376 \cmdtxtoparname{DIF}
             1378 % Dependence Logic
             1379 \cmdtxtoparname{DL}
             1380
             1381 % Team Logic
             1382 \cmdtxtoparname{TL}
             1384 % Alternating Dependence-Friendly Logic
             1385 \cmdtxtoparname{ADF}
             1386
             1387 \% Alternating Independence-Friendly Logic
             1388 \cmdtxtoparname{AIF}
             1390 % Alternating Dependence/Independence-Friendly Logic
             1391 \cmdtxtoparname{ADIF}
             \LEExs, \LAA11
             1393 \newcommand{\leexssym}{\Sigma}
             1394 \usrmth{LEExs}{}{luop}[\leexssym]
             1395 \newcommand{\laallsym}{\Pi}
             1396 \usrmth{LAAll}{}{luop}[\laallsym]
             \SOL, ...
             1399 % Second-Order Logic
             1400 \cmdtxtoparname{SOL}[Sol]
             1401 \cmdtxtoparname{SO}
             1402
             1403 % Weak Second-Order Logic
             1404 \DeclareRobustCommand{\WSOL}
                 {{\txtname{W}}\SOL}
             1406 \DeclareRobustCommand{\WSO}
             1407
                 {{\txtname{W}}\SO}
             1408
             1409 % coWeak Second-Order Logic
             1410 \DeclareRobustCommand{\coWSOL}
                 {{\txtname{coW}}\SOL}
             1412 \DeclareRobustCommand{\coWSO}
                 {{\txtname{coW}}\SO}
             1413
             1415 % Monadic Second-Order Logic
             1416 \DeclareRobustCommand{\MSOL}
             1417 \{\{\text{txtname}\{M\}\}\}\
             1418 \DeclareRobustCommand{\MSO}
             1419 {{\txtname{M}}\SO}
```

```
1421 % Weak Monadic Second-Order Logic
             1422 \DeclareRobustCommand{\WMSOL}
             1423 \{\{\text{txtname}\{W\}\}\}\
             1424 \DeclareRobustCommand{\WMSO}
                  {{\txtname{W}}\MSO}
             1425
             1426
             1427 % coWeak Monadic Second-Order Logic
             1428 \DeclareRobustCommand{\coWMSOL}
                  {{\txtname{coW}}\MSOL}
             1430 \DeclareRobustCommand{\coWMSO}
                  {{\txtname{coW}}\MSO}
             \FVarSet, ... ...
             1433 \newcommand{\fvarsym}{x}
             1434 \newcommand{\fvarset}{FVr}
             1435 \cmdmthsetext{FVar}[\fvarset][\fvarsym]
\SVarSet, ... ...
             1436 \newcommand{\svarsym}{X}
             1437 \newcommand{\svarset}{SVr}
             1438 \cmdmthsetext{SVar}[\svarset][\svarsym]
             \TL, \PL, ...
             1441 % Tree Logic
             1442 \cmdtxtoparname{TL}
             1444 % Weak Tree Logic
             1445 \DeclareRobustCommand{\WTL}
                  {\{\text{txtname}\{W\}}\TL\}
             1446
             1448 % coWeak Tree Logic
             1449 \DeclareRobustCommand{\coWTL}
             1450
                  {{\txtname{coW}}\TL}
             1452 % Monadic Tree Logic
             1453 \DeclareRobustCommand{\MTL}
                  {\{\text{txtname}\{M\}}\TL\}
             1454
             1455
             1456 % Weak Monadic Tree Logic
             1457 \DeclareRobustCommand{\WMTL}
                  {{\txtname{W}}\MTL}
             1458
             1459
             1460 % coWeak Monadic Tree Logic
             1461 \DeclareRobustCommand{\coWMTL}
                  {{\txtname{coW}}\MTL}
             1463
             1464 % Path Logic
             1465 \cmdtxtoparname{PL}
             1466
             1467 % Weak Path Logic
             1468 \DeclareRobustCommand{\WPL}
                  {\{\text{txtname}\{W\}}\PL\}
             1471 % coWeak Path Logic
             1472 \DeclareRobustCommand{\coWPL}
             1473 \{\{\text{txtname}\{\text{coW}\}\}\}
```

1420

```
1474
            1475 % Monadic Path Logic
            1476 \DeclareRobustCommand{\MPL}
                {\{\text{txtname}\{M\}}\PL\}
            1477
            1478
            1479 % Weak Monadic Path Logic
            1480 \DeclareRobustCommand{\WMPL}
                 {{\txtname{W}}\MPL}
            1482
            1483 % coWeak Monadic Path Logic
            1484 \DeclareRobustCommand{\coWMPL}
                {{\txtname{coW}}\MPL}
            \ML, \GML, ... ...
            1489 % Modal Logic
            1490 \cmdtxtoparname{ML}
            1491
            1492 % Graded Modal Logic
            1493 \DeclareRobustCommand{\GML}
                {\{\text{txtname}\{G\}\}\setminus ML\}}
            1495
            1496 % Quantified Modal Logic
            1497 \DeclareRobustCommand{\QML}
                {\{\text{txtname}\{Q\}\}\}ML}
            1499 \DeclareRobustCommand{\EML}
                {\ensuremath{\exists}\ML}
            1501 \DeclareRobustCommand{\UML}
            1502 {\ensuremath{\forall}\ML}
            \Opr ...
            1504 \usrmth{Opr}{}{sym}[Op]
 \DMod, \BMod ...
            1505 \verb|\usrmth{DMod}{{}} sym{[\Diamond]}
            1506 \usrmth{BMod}{}{sym}[\Box]
   \Exs, \All ...
            1507 \DeclareRobustCommand{\Exs}[1]
                {\mth{\defval{\argmid{\langle}{#1}{\rangle}}}\DMod}}}
            1509 \DeclareRobustCommand{\All}[1]
                {\mth{\defval{\argmid{\left[}{#1}{\right]}}{\BMod}}}
            \KrpStr, ... ...
            1512 \newcommand{\krpstr}{K}
            1513 \usrmthlatupp{Krp}{Str}{str}[\krpstr]
 \WrlSet, ... ...
            1514 \newcommand{\wrlsym}{w}
            1515 \newcommand{\wrlset}{W}
            1516 \cmdmthsetext{Wrl}[\wrlset][\wrlsym]
            1517 \cmdmthsymelm{iwrl}[\wrlsym_{I}]
```

```
\AccRel, \TrnRel
               1518 \newcommand{\accsym}{R}
               1519 \cmdmthrel{Acc}[\accsym]
              1520 \cmdmthrel{Trn}[\accsym]
       \labFun ...
              1521 \newcommand{\labsym}{\labsym}{\labsym}
              1522 \cmdmthfun{lab}[\labsym]
\PthSet, \pthFun
               1523 \providecommand{\pthsym}{\pi}
               1524 \providecommand{\pthset}{Pth}
               1525 \cmdmthsetext{Pth} [\pthset] [\pthsym]
               1526 \cmdmthfun{pth}
               \MC, \GMC, ...
              1528 % Mu Calculus
              1529 \cmdtxtoparname{MC}[\ensuremath{\mu}-Calculus]
              1531 % Graded Mu Calculus
              1532 \DeclareRobustCommand{\GMC}
              1533
                   {{\txtname{G}}\MC}
               1535 % Quantified Mu Calculus
               1536 \DeclareRobustCommand{\QMC}
                   {\{\text{txtname}\{Q\}\}\setminus MC\}}
               1538 \DeclareRobustCommand{\EMC}
               1539 {\ensuremath{\exists}\MC}
               1540 \verb|\DeclareRobustCommand{\UMC}|
                   {\ensuremath{\forall}\MC}
              1541
              1542
              1543 % Alternation-Free Mu Calculus
               1544 \DeclareRobustCommand{\AFMC}
                   {{\txtname{AF}}\MC}
              1545
              1546
               1547 % Alternation-Free Graded Mu Calculus
               1548 \DeclareRobustCommand{\AFGMC}
              1549
                   {{\txtname{AF}}\GMC}
               1550
               1551 % Quantified Alternation-Free Mu Calculus
               1552 \DeclareRobustCommand{\QAFMC}
                   {{\txtname{Q}}\AFMC}
               1554 \DeclareRobustCommand{\EAFMC}
                   {\ensuremath{\exists}\AFMC}
               1556 \DeclareRobustCommand{\UAFMC}
               1557
                   {\ensuremath{\forall}\AFMC}
               1558
               \PTL, \LTL, ...
              1562 % Propositional Temporal Logic
              1563 \cmdtxtoparname{PTL}
               1565 % Quantified Propositional Temporal Logic
```

```
1567
                    {\{\text{txtname}\{Q\}\}\PTL\}}
                1568 \DeclareRobustCommand{\EPTL}
                1569 \quad \{\texttt{\ensuremath}\{\texttt{\exists}\}\}
                1570 \DeclareRobustCommand{\UPTL}
                     {\ensuremath{\forall}\PTL}
               1571
               1572
               1573 % Linear Temporal Logic
               1574 \cmdtxtoparname{LTL}
                1576 % Quantified Linear Temporal Logic
                1577 \DeclareRobustCommand{\QLTL}
                     {\{\text{txtname}\{Q\}\}\setminus LTL\}}
                1579 \DeclareRobustCommand{\ELTL}
                1580 {\ensuremath{\exists}\LTL}
                1581 \DeclareRobustCommand{\ULTL}
                1582 {\ensuremath{\forall}\LTL}
               \X, ... ...
               1584 \operatorname{X}{{}}{sym}[X\,]
               1585 \usrmth{F}{}{sym}[F\,]
               1586 \operatorname{Usrmth}{G}{sym}[G\,]
                1587 \usrmth{U}{sym}[\,U\,]
               1588 \usrmth{R}{}{sym}[\,R\,]
       \Y, ... ...
                1589 \usrmth{Y}{}{sym}[G\,]
               1590 \usrmth{P}{}{sym}[P\,]\let\SavePilcrow\P
                1591 \mbox{\sc h}_{H},]\left( \mbox{\sc h} \right)
                1592 \mbox{usrmth{S}{}{sym}[\,S\,]\leq SaveSectionSymbol\S}
                1593 \usrmth{B}{}{sym}[\,B\,]
                \PDL, \CTL, ...
                1597 % Propositional Dynamic Logic
                1598 \cmdtxtoparname{PDL}
                1599
                1600 % Computation Tree Logic
                1601 \cmdtxtoparname{CTL}
               1602
                1603 % Weak Computation Tree Logic
                1604 \DeclareRobustCommand{\WCTL}
                    {\{\text{txtname}{W}\}\CTL}
                1607 % Quantified Computation Tree Logic
                1608 \DeclareRobustCommand{\QCTL}
                     {\{\text{txtname}\{Q\}\}\CTL\}}
                1610 \DeclareRobustCommand{\ECTL}
                    {\ensuremath{\exists}\CTL}
                1612 \DeclareRobustCommand{\UCTL}
                1613 {\ensuremath{\forall}\CTL}
                1615 % Improved Computation Tree Logic
                1616 \cmdtxtoparname{CTLP}[CTL$^{+}$]
                1618 % Weak Improved Computation Tree Logic
                1619 \DeclareRobustCommand{\WCTLP}
```

1566 \DeclareRobustCommand{\QPTL}

```
{{\txtname{W}}\CTLP}
          1621
          1622 % Quantified Improved Computation Tree Logic
          1623 \DeclareRobustCommand{\QCTLP}
              {\{\text{txtname}\{Q\}\}\CTLP\}}
          1625 \DeclareRobustCommand{\ECTLP}
          1626 {\ensuremath{\exists}\CTLP}
          1627 \DeclareRobustCommand{\UCTLP}
               {\ensuremath{\forall}\CTLP}
          1630 % Full Computation Tree Logic
          1631 \cmdtxtoparname{CTLS}[CTL*]
          1632
          1633\ \% Weak Full Computation Tree Logic
          1634 \verb|\DeclareRobustCommand{\WCTLS}|
               {{\txtname{W}}\CTLS}
          1635
          1636
          1637 % Quantified Full Computation Tree Logic
          1638 \DeclareRobustCommand{\QCTLS}
               {{\txtname{Q}}\CTLS}
          1640 \DeclareRobustCommand{\ECTLS}
               {\ensuremath{\exists}\CTLS}
          1642 \DeclareRobustCommand{\UCTLS}
          1643 {\ensuremath{\forall}\CTLS}
          \E, \A ...
          1645 \operatorname{LSYm}
          1646 \usrmth{A}{}{sym}
          \ATL, ...
          1649 % Alternating Temporal Logic
          1650 \cmdtxtoparname{ATL}
          1652 % Weak Alternating Tree Logic
          1653 \DeclareRobustCommand{\WATL}
          1654
               {\{\text{Xtname}\{W\}\}\setminus ATL\}}
          1655
          1656 % Quantified Alternating Temporal Logic
          1657 \DeclareRobustCommand{\QATL}
          1658 \quad \{\{\text{txtname}\{Q\}\} \setminus ATL\}
          1659 \DeclareRobustCommand{\EATL}
          1660 {\ensuremath{\exists}\ATL}
          1661 \DeclareRobustCommand{\UATL}
          1662
               {\ensuremath{\forall}\ATL}
          1664 % Improved Alternating Temporal Logic
          1665 \cmdtxtoparname{ATLP}[ATL$^{+}$]
          1667 % Weak Improved Alternating Tree Logic
          1668 \DeclareRobustCommand{\WATLP}
               {{\txtname{W}}\ATLP}
          1669
          1671 % Quantified Improved Alternating Temporal Logic
          1672 \DeclareRobustCommand{\QATLP}
               {{\txtname{Q}}\ATLP}
          1674 \DeclareRobustCommand{\EATLP}
              {\ensuremath{\exists}\ATLP}
```

1620

```
1676 \DeclareRobustCommand{\UATLP}
             1677
                   {\ensuremath{\forall}\ATLP}
             1678
             1679 % Full Alternating Temporal Logic
             1680 \cmdtxtoparname{ATLS}[ATL*]
             1682 % Weak Full Alternating Tree Logic
             1683 \DeclareRobustCommand{\WATLS}
             1684 {{\txtname{W}}\ATLS}
             1686 % Quantified Full Alternating Temporal Logic
             1687 \DeclareRobustCommand{\QATLS}
                  {\{\text{txtname}\{Q\}\}\setminus ATLS\}}
             1689 \DeclareRobustCommand{\EATLS}
             1690 {\ensuremath{\exists}\ATLS}
             1691 \DeclareRobustCommand{\UATLS}
             1692 {\ensuremath{\forall}\ATLS}
             \EExs, \AAll
             1694 \DeclareRobustCommand{\EExs}[1]
                 {\mth{\argmid{\langle\!\langle}{\defval{#1}{\emptyset}}{\rangle\!\rangle}}}
             1696 \DeclareRobustCommand{\AAll}[1]
                  {\mth{\argmid{\left[\left[\}{\defval{#1}}{\emptyset}}\right]\right]}}}
             \CGS ...
             1699 \cmdtxtname{CGS}
\CGSStr, ... ...
             1700 \newcommand{\cgsstr}{G}
             1701 \usrmthlatupp{CGS}{Str}{str}[\cgsstr]
\AgnSet, ... ...
             1702 \mbox{newcommand{\agnsym}{a}}
             1703 \newcommand{\agnset}{Ag}
             1704 \cmdmthsetext{Agn}[\agnset][\agnsym]
\PosSet, ... ...
             1705 \providecommand{\possym}{v}
             1706 \providecommand{\posset}{Ps}
             1707 \cmdmthsetext{Pos}[\posset][\possym]
             1708 \cmdmthsymelm{ipos}[\possym_{I}]
             1709 \cmdmthsymelm{fpos}[\possym_{F}]
             1710 \cmdmthset{PPos}[\posset_{\PlrSym}]
             1711 \cmdmthsymelm{ppos}[\possym_{\PlrSym}]
             1712 \cmdmthset{OPos}[\posset_{\OppSym}]
             1713 \cmdmthsymelm{opos}[\possym_{\OppSym}]
\SttSet, ... ...
             1714 \newcommand{\sttsym}{s}
             1715 \mbox{ }\mbox{newcommand{\sttset}{St}}
             1716 \verb|\cmdmthsetext{Stt}| [\verb|\sttset|] [\verb|\sttsym|]
             1717 \cmdmthset{IStt}[\sttset_{I}]
             1718 \cmdmthsymelm{istt}[\sttsym_{I}]
             1719 \cmdmthset{FStt}[\sttset_{F}]
             1720 \cmdmthsymelm{fstt}[\sttsym_{F}]
\ActSet, ... ...
             1721 \newcommand{\actsym}{c}
             1722 \mbox{ newcommand{\actset}{Ac}}
             1723 \cmdmthsetext{Act}[\actsym]
```

```
\DecSet, ... ...
                  1724 \mbox{ \newcommand{\decsym}{d}}
                  1725 \mbox{ \newcommand{\decset}{Dc}}
                  1726 \cmdmthsetext{Dec}[\decset][\decsym]
          \movFun
                  1727 \mbox{ \movsym}{{} tau}
                  1728 \cmdmthfun{mov} [\movsym]
    \HstSet, ... ...
                  1729 \providecommand{\hstsym}{\rho}
                  1730 \providecommand{\hstset}{Hst}
                   1731 \cmdmthsetext{Hst}[\hstset][\hstsym]
                   1732 \cmdmthset{PHst}[\hstset_{\PlrSym}]
                   1733 \cmdmthsymelm{phst}[\hstsym_{\PlrSym}]
                   1734 \cmdmthset{OHst}[\hstset_{\OppSym}]
                   1735 \cmdmthsymelm{ohst}[\hstsym_{\OppSym}]
                   1736 \cmdmthfun{hst}
\PlaySet,\playFun
                   1737 \providecommand{\playsym}{\pi}
                   1738 \providecommand{\playset}{Play}
                   1739 \cmdmthsetext{Play}[\playset][\playsym]
                  1740 \cmdmthfun{play}
    \StrSet, ...
                  1741 \providecommand{\strsym}{\sigma}
                  1742 \providecommand{\strset}{Str}
                  1743 \cmdmthsetext{Str}[\strset][\strsym]
                   1744 \cmdmthset{PStr}[\strset_{\PlrSym}]
                   1745 \verb|\cmdmthsymelm{pstr}[\strsym_{\prox m}]
                   1746 \cmdmthset{OStr}[\strset_{\OppSym}]
                   1747 \cmdmthsymelm{ostr}[\strsym_{\OppSym}]
\PrfSet, \prfFun
                   1748 \providecommand{\prfsym}{\xi}
                   1749 \providecommand{\prfset}{Prf}
                   1750 \cmdmthsetext{Prf}[\prfset][\prfsym]
                   \SL, ... ...
                  1752 % Strategy Logic
                  1753 \cmdtxtoparname{SL}
                  1754
                  1755 \DeclareRobustCommand{\ESL}
                  1756 {\ensuremath{\exists}\SL}
                  1757 \DeclareRobustCommand{\USL}
                        {\ensuremath{\forall}\SL}
                   1760 \DeclareRobustCommand{\FSL}
                   1761
                        {\{\text{txtname}\{F\}\}\SL\}}
                   1762
                   1763 \DeclareRobustCommand{\EFSL}
                        {\ensuremath{\exists}\FSL}
                   1765 \DeclareRobustCommand{\UFSL}
                        {\ensuremath{\forall}\FSL}
                   1766
                   1767
                   1768 % One-Goal Strategy Logic
                   1769 \DeclareRobustCommandx{\OGSL}[3][1=, 2=, 3=]
                        {\SL[#1][#2][1g\arglef{,}{#3}]}
                   1772 \DeclareRobustCommand{\EOGSL}
```

```
{\ensuremath{\exists}\OGSL}
1774 \DeclareRobustCommand{\UOGSL}
1775
      {\ensuremath{\forall}\OGSL}
1776
1777 \DeclareRobustCommand{\FOGSL}
      {{\txtname{F}}\OGSL}
1778
1779
1780 \DeclareRobustCommand{\EFOGSL}
      {\ensuremath{\exists}\FOGSL}
1782 \DeclareRobustCommand{\UFOGSL}
      {\ensuremath{\forall}\FOGSL}
1785\ \% Conjunctive-Goal Strategy Logic
1786 \DeclareRobustCommandx{\CGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][cg\arglef{,}{#3}]}
1787
1788
1789 \DeclareRobustCommand{\ECGSL}
      {\ensuremath{\exists}\CGSL}
1790
1791 \DeclareRobustCommand{\UCGSL}
      {\ensuremath{\forall}\CGSL}
1792
1794 \DeclareRobustCommand{\FCGSL}
1795
      {{\txtname{F}}\xGSL}
1796
1797 \DeclareRobustCommand{\EFCGSL}
      {\ensuremath{\exists}\FCGSL}
1798
1799 \DeclareRobustCommand{\UFCGSL}
      {\ensuremath{\forall}\FCGSL}
1800
1801
1802 % Disjunctive-Goal Strategy Logic
1803 \DeclareRobustCommandx{\DGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][dg\arglef{,}{#3}]}
1805
1806 \DeclareRobustCommand{\EDGSL}
1807
      {\ensuremath{\exists}\DGSL}
1808 \verb|\DeclareRobustCommand{\UDGSL}|
      {\ensuremath{\forall}\DGSL}
1809
1810
1811 \DeclareRobustCommand{\FDGSL}
      {\{ \text{xtname} \{F\} \} \times GSL \}}
1812
1813
1814 \DeclareRobustCommand{\EFDGSL}
      {\ensuremath{\exists}\FDGSL}
1816 \DeclareRobustCommand{\UFDGSL}
1817
      {\ensuremath{\forall}\FDGSL}
1818
1819 % Alternating-Goal Strategy Logic
1820 \DeclareRobustCommandx{\AGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][ag\arglef{,}{#3}]}
1821
1822
1823 \DeclareRobustCommand{\EAGSL}
      {\ensuremath{\exists}\AGSL}
1825 \DeclareRobustCommand{\UAGSL}
      {\ensuremath{\forall}\AGSL}
1827
1828 \DeclareRobustCommand{\FAGSL}
1829
      {\{\text{xcsl}\}\}
1830
1831 \DeclareRobustCommand{\EFAGSL}
      {\ensuremath{\exists}\FAGSL}
1833 \DeclareRobustCommand{\UFAGSL}
1834
      {\ensuremath{\forall}\FAGSL}
1835
```

```
1836 % Extended-Goal Strategy Logic
1837 \DeclareRobustCommandx{\EGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][eg\arglef{,}{#3}]}
1839
1840 \DeclareRobustCommand{\EEGSL}
      {\ensuremath{\exists}\EGSL}
1841
1842 \DeclareRobustCommand{\UEGSL}
      {\ensuremath{\forall}\EGSL}
1843
1844
1845 \DeclareRobustCommand{\FEGSL}
      {\{ \text{xtname}\{F\} \} xGSL \}}
1847
1848 \DeclareRobustCommand{\EFEGSL}
      {\ensuremath{\exists}\FEGSL}
1850 \DeclareRobustCommand{\UFEGSL}
      {\ensuremath{\forall}\FEGSL}
1851
1852
1853 % Boolean-Goal Strategy Logic
1854 \DeclareRobustCommandx{\BGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][bg\arglef{,}{#3}]}
1856
1857 \DeclareRobustCommand{\EBGSL}
      {\ensuremath{\exists}\BGSL}
1859 \DeclareRobustCommand{\UBGSL}
      {\ensuremath{\forall}\BGSL}
1860
1861
1862 \DeclareRobustCommand{\FBGSL}
      {\{ \text{xtname}\{F\} \} \times GSL \}}
1863
1864
1865 \DeclareRobustCommand{\EFBGSL}
      {\ensuremath{\exists}\FBGSL}
1867 \DeclareRobustCommand{\UFBGSL}
1868
      {\ensuremath{\forall}\FBGSL}
1870 \% Nested-Goal Strategy Logic
1871 \DeclareRobustCommandx{\NGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][ng\arglef{,}{#3}]}
1872
1873
1874 \DeclareRobustCommand{\ENGSL}
      {\ensuremath{\exists}\NGSL}
1876 \DeclareRobustCommand{\UNGSL}
      {\ensuremath{\forall}\NGSL}
1879 \DeclareRobustCommand{\FNGSL}
1880
      {\{\text{xtname}\{F\}\}\times GSL\}}
1881
1882 \DeclareRobustCommand{\EFNGSL}
      {\ensuremath{\exists}\FNGSL}
1884 \DeclareRobustCommand{\UFNGSL}
      {\ensuremath{\forall}\FNGSL}
1885
1887 % Undefined-Goal Strategy Logic
1888 \DeclareRobustCommandx{\XGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][xg\arglef{,}{#3}]}
1890
1891 \DeclareRobustCommand{\EXGSL}
      {\ensuremath{\exists}\XGSL}
1893 \DeclareRobustCommand{\UXGSL}
      {\ensuremath{\forall}\XGSL}
1894
1895
1896 \DeclareRobustCommand{\FXGSL}
      {\{\text{xtname}\{F\}\}\xgsl}
1897
1898
```

```
1899 \DeclareRobustCommand{\EFXGSL}
                                                                                                      {\ensuremath{\exists}\FXGSL}
                                                                           1901 \DeclareRobustCommand{\UFXGSL}
                                                                                                    {\ensuremath{\forall}\FXGSL}
                                                                           \BndSet, ... ...
                                                                          1904 \newcommand{\bndsym}{\flat}
                                                                           1905 \newcommand{\bndset}{Bn}
                                                                           1906 \cmdmthsetext{Bnd}[\bndset][\bndsym]
                                                                           1907 \usrmth{bnd}{}{argfun}
                                             \psn ...
                                                                           1908 \usrmth{psn}{}{argfun}
                                                                           \nxtFun
                                                                           1910 \newcommand{\nxtfun}{nxt}
                                                                           1911 \cmdmthfun{nxt}[\nxtfun]
                                                                           1917 \ifaut@
                                                                           \DFA, ... ...
                                                                          1919 \verb|\cmdtxtoparname{DFA}\cmdtxtoparname{AFA}| cmdtxtoparname{AFA} | cmdtxtoparname{AFA}| cmdtxtoparname{AFA}|
                                                                          1920
                                                                          1921 \verb|\cmdtxtoparname{NWA}\cmdtxtoparname{WA}\cmdtxtoparname{AWA}|
                                                                           1923 \verb|\cmdtxtoparname{DFW}\cmdtxtoparname{WFW}\cmdtxtoparname{AFW}| \\
                                                                           1924 \verb|\cmdtxtoparname{NWW}| cmdtxtoparname{WW}| cmdtxtoparname{AWW}| 
                                                                           1925 \verb|\cmdtxtoparname{DBW}\cmdtxtoparname{MBW}\cmdtxtoparname{ABW}|
                                                                           1926 \verb|\cmdtxtoparname{DCW}| cmdtxtoparname{UCW}| cmdtxtoparname{ACW}| cmdtxtoparname{ACW}|
                                                                           1927 \verb|\cmdtxtoparname{DPW}\cmdtxtoparname{MPW}\cmdtxtoparname{APW}|
                                                                           1928 \verb|\cmdtxtoparname{DRW}\cmdtxtoparname{MRW}\cmdtxtoparname{ARW}|
                                                                           1929 \verb|\cmdtxtoparname{DSW}\cmdtxtoparname{ASW}| $$ 1929 \verb|\cmdtxtoparname{USW}\cmdtxtoparname{ASW}| $$ 1929 \verb|\cmdtxtoparname{USW}\cmdtxtoparname{ASW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparname{MSW}\cmdtxtoparna
                                                                           1930 \verb|\cmdtxtoparname{DMW}\cmdtxtoparname{MW}| cmdtxtoparname{AMW}| c
                    \GFG, ... ...
                                                                          1931 \cmdtxtoparname{GFG}
                                                                           1933 \cmdtxtoparname{PD}
                                                                           1934 \cmdtxtoparname{PN}
                                                                           1936 \cmdtxtoparname{LD}
                                                                           1937 \cmdtxtoparname{LN}
                                                                           \AutName, ... ...
                                                                           1939 \newcommand{\autname}{A}
                                                                           1940 \usrmthlatupp{Aut}{Name}{name}[\autname]
                                                                           1941 \newcommand{\autset}{Aut}
                                                                           1942 \cmdmthset{Aut}[\autset]
                         \WAutSet ...
                                                                            1943 \newcommand{\wautset}{WAut}
                                                                           1944 \cmdmthset{WAut}[\wautset]
```

```
\SttSet, ... ...
                                                                                1945 \def\sttsym{q}
                                                                                1946 \def\sttset{Q}
                                                                                 1947 \cmdmthsetext{Stt}[\sttset][\sttsym]
                                                                                 1948 \cmdmthset{IStt}[\sttset_{I}]
                                                                                  1949 \cmdmthsymelm{istt}[\sttsym_{I}]
                                                                                  1950 \verb|\cmdmthset{FStt}| [\sttset_{F}]|
                                                                                 1951 \cmdmthsymelm{fstt}[\sttsym_{F}]
     \SymSet, ... ...
                                                                                 1952 \newcommand{\symsym}{\sigma}
                                                                                  1953 \newcommand{\symset}{\Sigma}
                                                                                  1954 \cmdmthsetext{Sym}[\symset][\symsym]
                                \trnFun ...
                                                                                  1955 \newcommand{\trnsym}{\delta}
                                                                                  1956 \cmdmthfun{trn}[\trnsym]
                                                                                  \LangFun ...
                                                                                  1958 \mbox{newcommand{\langfun}{L}}
                                                                                  1959 \cmdmthfun{Lang}[\langfun]
     \WrdSet, ... ...
                                                                                 1960 \newcommand{\wrdsym}{w}
                                                                                 1961 \newcommand{\wrdset}{Wr}
                                                                                  1962 \cmdmthsetext{Wrd} [\wrdset] [\wrdsym]
                                                                                 \DTA, ... ...
                                                                                1964 \verb|\cmdtxtoparname{DTA}\cmdtxtoparname{ATA}| cmdtxtoparname{TTA}\cmdtxtoparname{TTA}| cmdtxtoparname{TTA}| c
                                                                                  1966 \verb|\cmdtxtoparname{DFT}\cmdtxtoparname{AFT}| cmdtxtoparname{AFT}| 
                                                                                  1967 \verb|\cmdtxtoparname{NWT}| cmdtxtoparname{WWT}| cmdtxtoparname{WWT}|
                                                                                  1968 \cmdtxtoparname{DBT}\cmdtxtoparname{ABT}
                                                                                  1969 \verb|\cmdtxtoparname{DCT}\cmdtxtoparname{ACT}| \\
                                                                                  1970 \verb|\cmdtxtoparname{DPT}\cmdtxtoparname{MPT}| cmdtxtoparname{APT}| 
                                                                                  1971 \verb|\cmdtxtoparname{DRT}\cmdtxtoparname{ART}| \\
                                                                                  1972 \verb|\cmdtxtoparname{DST}\cmdtxtoparname{AST}| \\
                                                                                  1973 \verb|\cmdtxtoparname{DMT}\cmdtxtoparname{MMT}| cmdtxtoparname{MMT}| 
                                                                                  \TAutSet ...
                                                                                 1975 \newcommand{\tautset}{TAut}
                                                                                 1976 \cmdmthset{TAut}[\tautset]
     \DirSet, ... ...
                                                                                 1977 \newcommand{\dirsym}{d}
                                                                                 1978 \newcommand{\dirset}{\Lambda}
                                                                                  1979 \cmdmthsetext{Dir}[\dirset][\dirsym]
                                                                                  \TreeSet, ... ...
                                                                                  1981 \newcommand{\treesym}{T}
                                                                                  1982 \newcommand{\treeset}{Tr}
                                                                                  1983 \cmdmthsetext{Tree} [\treeset] [\treesym]
                                \wotFun ...
                                                                                  1984 \newcommand{\wotfun}{wot}
                                                                                  1985 \cmdmthfun{wot}[\wotfun]
```

```
1986 \fi
     1991 \iffrm@
   1992 %%...
     1993 \fi
     1998 \iffig@
     1999 \RequirePackage{tikz}
     2000 \usetikzlibrary{arrows,graphs,matrix,patterns,shapes}
     2001 \tikzstyle{every node} =
       [draw = none, fill = none, black, thin]
     2003 \tikzstyle{every edge} +=
     2004 [black, thick]
     2005 \tikzstyle{noall} =
     2006 [draw = none, fill = none]
     2007 \tikzstyle{nodraw} =
     2008 [draw = none, fill = white]
     2009 \tikzstyle{nofill} =
     2010 [draw = black, fill = none]
     2011 \ifwrpfig@
     2012 % Wrapfig Package
       \RequirePackage{wrapfig}
     2014 \fi
     2015 \fi
     2020 \iftab@
     2021 %%...
     2022 \fi
     2027 \ifalg@
     2028 \RequirePackage[ruled,vlined]{algorithm2e}
     2029 \DontPrintSemicolon
     2030 \SetInd{0.25em}{0.5em}
     2031 \setlength{\algomargin}{1.25em}
\Signature ...
     2032 \SetKw{Signature}{signature}
\Macro, ... ...
     2033 \SetKwFor{Macro}{macro}{}}
     2034 \SetKwFor{Function}{function}{}}
     2035 \SetKwFor{Procedure}{procedure}{}{}
```

```
\Let ...
             2036 \SetKwFor{Let}{let}{in}{}
\True, \False ...
             2037 \SetKw{True}{true}
             2038 \SetKw{False}{false}
  \From, ... ...
             2039 \SetKw{From}{from}
             2040 \SetKw{To}{to}
             2041 \SetKw{DownTo}{downto}
  \GoTo, ... ...
             2042 \SetKw{GoTo}{goto}
             2043 \SetKw{Break}{break}
             2044 \SetKw{Continue}{continue}
   \MIf, ... ...
             2045 \texttt{MElseIf}{\texttt{MElse}{\*\#if}{\*\#else}\*\#if}{\*\#else}{\*\#endif}
        \nlr ...
             2046 \verb|\DeclareRobustCommand{\nlr}[1]
                  {\addtocounter{AlgoLine}{1}%
             2047
                   \label{localine} $$ \prod_{AlgoLine}{\#1}\arabic{AlgoLine}} $$
             2049 \fi
             2051 \endinput
             2052 \langle /package \rangle
```

2 Change History

v0.0	v0.2
General: First public release $\dots 1$	General: Changes in 'Auxiliary tricks' 1
v0.1	v0.3
General: Algorithm tricks	General: Few problems solved
v0.10	v0.4
General: Small refinements $\dots \dots 1$	
v0.11	General: Refactoring, corrections, and
General: Few additions and corrections \dots 1	extensions
v0.12	v0.5
General: New starred variants 1	General: Figure tricks
v0.13	v0.6
General: Further starred variants $\dots 1$	General: Small refinements
v0.14	v0.7
General: Few additions and corrections \dots 1	General: Refinements, corrections, and
v0.15	
General: Refactoring of dtx sources 1	extensions 1
v0.16	v0.8
General: Small refinements and few additions 1	General: Few refinements and corrections 1
v0.17	v0.9
General: Few additions	General: Small addition to 'Algorithm tricks' 1

3 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

$\mathbf{Symbols}$	\@newmthparsty 383, 384	\@tuple 883
\! 355, 379, 825, 914, 1695	\@norm 1015, 1016	\@tuplel 887
\" 783, 784	\@sequence 859	\@tupler 891
\#	\@sequencel 863	\@tuplex 895
\ , 910, 914, 1031,	\@sequencer 867	\@tuplex1 899
1034, 1035, 1584, 1585,	\@sequencex 871	\@tuplexr 903
1586, 1587, 1588, 1589,	\@sequencex1 875	\@vec 850, 851
1590, 1591, 1592, 1593	\@sequencexr 879	\^ 785, 787
1992, 2021	\@set 908, 909	
\@abs 1011, 1012	\@setl 912, 913	\mathbf{A}
\@card 920, 921	\@setr 916, 917	\abs,_\norm <u>1010</u>
\@ceil 1023, 1024	\@snewmtharg 353, 356	\AccRel, \L TrnRel $\underline{1518}$
\@denot 837, 838	\@snewmthargsty \dots 359, 362	\accsym 1518, 1519, 1520
\@floor 1019, 1020	\@snewmthoarg 365, 368	\ACls, <u>546</u>
\@for 171, 175	\@snewmthoargsty $371, 374$	\actset 1722, 1723
\@ifstar $353, 359, 365,$	\@snewmthopar 389, 392	\ActSet, <u>1721</u>
371, 377, 383, 389, 395,	\@snewmthoparsty $395, 398$	\actsym 1721, 1723
406, 408, 410, 412, 420,	\@snewmthpar 377, 380	\addtocounter 2047, 2048
423, 426, 429, 435, 808,	\@snewmthparsty 383, 386	\adhoc
812, 837, 850, 859, 863,	\@ssequence 859	\aElm, <u>643</u>
867, 871, 875, 879, 883,	\@ssequencel 863	\AFam, _□
887, 891, 895, 899, 903,	\@ssequencer 867	\AFGMC 1548
908, 912, 916, 920, 1011,	\@ssequencex 871	\AFMC 1544, 1553, 1555, 1557
1015, 1019, 1023, 1042	\@ssequencexl 875	\Afortiori <u>766</u>
\@len 1042, 1043	\@ssequencexr 879	\afortiori <u>744</u>
\Onewmtharg 353, 354	\@stuple 883	\aFrm, <u>698</u>
\Onewmthargsty 359, 360	\@stuplel 887	\aFun, <u>617</u>
\@newmthoarg 365, 366	\@stupler 891	\agnset 1703, 1704
\@newmthoargsty 371, 372	\@stuplex	\AgnSet,
\Onewmthopar 389, 390	\@stuplex1 899	\agnsym 1702, 1704
\@newmthoparsty 395, 396	\@stuplexr 903	\AGSL 1820, 1824, 1826
\@newmthpar 377, 378	\@svec 850, 853	\AH <u>1093</u>

700	\page 1074 1070 1000	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
\aka	\BGSL 1854, 1858, 1860	\cmdmthoargfrm 703
\alg@false 121, 123	\BMod 1510	\cmdmthoargfun
\alg@true 122	\bndset 1905, 1906	$\dots \underline{622}, 1179, 1181,$
\algomargin 2031	\BndSet,	1183, 1185, 1187, 1189,
\Alpha, \ \ \ \ \ \ \ \.	\bndsym 1904, 1906	1191, 1193, 1195, 1197
\aMat, <u>712</u>	\boldsymbol 711, 724	\cmdmthoargmat 717
\amsdef@false 17	\bot 1267	\cmdmthoargname $\dots \dots 525$
\amsdef@true 16	\Box	\cmdmthoargrel $\underline{609}$
\amsthm@false 21	\boxminus	\cmdmthoargset $\dots \underline{590}$
\amsthm@true 20	\bst, <u>1030</u>	\cmdmthoargsig $\underline{564}$
\AName, <u>520</u>	C	\cmdmthoargsnt <u>690</u>
\Aomega, ∟\AOmega 955	C	\cmdmthoargstr $\dots 577$
\Aomicron,	\card <u>919</u>	\cmdmthoargsym <u>635</u> , 662
\Aposteriori <u>768</u>	\caselower 597	\cmdmthoargsymelm 661
\aposteriori <u>746</u>	\cdot 924	\cmdmthoargvec 730
\Apriori <u>767</u>	\cequiv, <u>831</u>	\cmdmthopar $427, \overline{431}$
\apriori	\cf	\cmdmthoparcls 555
\apset 1286, 1287	\CGS	\cmdmthoparelm 652, 669
\APSet, <u>1285</u>	\CGSL 1786, 1790, 1792	\cmdmthoparfam <u>542</u>
\apsym 1285, 1287	\cgsstr 1700, 1701	
\arabic 2048	\CGSStr, <u>1700</u>	
\aRel, <u>604</u>	\chgbar@false 44	\cmdmthoparfun 626
\arenaname 1129, 1130	\chgbar@true 45	\cmdmthoparmat 721
\ArenaName, <u>1129</u>	\chi 1312	\cmdmthoparname <u>529</u>
\arg <u>1027</u>	\circ 939	\cmdmthoparrel 613
\arglef . 152 , 159 , 355 , 379 ,	\text{cmdmth} $\underline{416}$, 431, 672, 673, 679	\cmdmthoparset $\underline{594}$
1770, 1787, 1804, 1821,	\cmdmthall 430 , 519, 532, 545,	\cmdmthoparsig $\underline{568}$
1838, 1855, 1872, 1889	558, 571, 584, 603, 616,	\cmdmthoparsnt $\underline{694}$
\argmid $156, 298, 306,$	629, 642, 684, 697, 711, 724	\cmdmthoparstr $\underline{581}$
355, 357, 379, 381, 839,	\cmdmtharg $\underline{418}$, $\underline{431}$	\cmdmthoparsym $\underline{639}$, 668
910, 914, 918, 922, 1013,	\cmdmthargcls 549	$\column{2}{c}$ $\column{2}{c$
1017, 1021, 1025, 1044,	\cmdmthargelm $\dots \underline{646}, 660$	\cmdmthoparvec 734
1508, 1510, 1695, 1697	\cmdmthargfam $\dots \dots 536$	\cmdmthpar 424, 431
\argrig <u>154</u>	\cmdmthargfrm $\dots \dots \underline{701}$	\cmdmthparcls 553
$\texttt{\ } \texttt{argsep} \dots \underline{158}, \underline{163},$	\cmdmthargfun $\dots \dots \underline{620}$	\cmdmthparelm 650, 666
910, 1002, 1004, 1006, 1008	\cmdmthargmat $\dots \dots \underline{715}$	\cmdmthparfam 540
\aSet, <u>585</u>	\cmdmthargname $\dots \dots 523$	\cmdmthparfrm 705
\asgset 1313, 1314	\cmdmthargrel $\underline{607}$	\cmdmthparfun 624
\AsgSet, <u>1312</u>	\cmdmthargset <u>588</u>	\cmdmthparmat 719
\asgsym 1312, 1314	\cmdmthargsig $\underline{562}$	\cmdmthparname 527
\aSig, _□ <u>559</u>	\cmdmthargsnt <u>688</u>	\cmdmthparrel 611
\aSnt, <u>685</u>	\cmdmthargstr $\dots 575$	\cmdmthparset <u>592</u>
\aStr,	\cmdmthargsym <u>633</u> , 659	\cmdmthparsig 566
\aSym, _□ <u>630</u>	\cmdmthargsymelm $\dots \qquad \underline{658}$. • —
Λ theta, Λ Theta 957	\cmdmthargvec 728	\cmdmthparsnt 692
\ATL,	\cmdmthcls	\cmdmthparstr <u>579</u>
\ATLP 1669, 1673, 1675, 1677	\cmdmthelm <u>644</u> , 657	\cmdmthparsym 637, 665
\ATLS 1684, 1688, 1690, 1692	\cmdmthfam <u>534</u>	\cmdmthparsymelm 664
\atrfun 1190, 1191	\cmdmthfrm <u>699</u>	\cmdmthparvec <u>732</u>
$\text{AtrFun,}_{\sqcup}\text{rchFun}$ $\underline{1190}$	\cmdmthfun	\cmdmthrel <u>605</u> , 1143, 1519, 1520
\aut@false 56, 62, 93, 95	618, 1141, 1150, 1155,	\cmdmthset $\frac{586}{597}$, $\frac{1136}{1136}$,
\aut@true 94	1163, 1167, 1224, 1243,	1138, 1147, 1149, 1159,
\autname 1939, 1940	1288, 1332, 1345, 1522,	1161, 1171, 1173, 1710,
\AutName, <u>1939</u>	1526, 1728, 1736, 1740,	1712, 1717, 1719, 1732,
\autset 1941, 1942	1911, 1956, 1959, 1985	1734, 1744, 1746, 1942,
\aux@false 11, 13	\cmdmthlbop 676	1944, 1948, 1950, 1976
\aux@true 12	\cmdmthlrel <u>680</u>	$\colon \colon $
\aVec, <u>725</u>	\cmdmthluop, $\dots \dots \dots$	1133, 1154, 1158, 1166,
_	\cmdmthmat	1170, 1177, 1223, 1242,
В	\cmdmthname <u>521</u>	1287, 1297, 1311, 1314,
\BF,_\QBF,_\ <u>1252</u>	\cmdmthoarg <u>421</u> , 431	1330, 1337, 1343, 1350,
\bfseries 464	\cmdmthoargcls <u>551</u>	1356, 1435, 1438, 1516,
\BG, _□ <u>1199</u>	\cmdmthoargelm $\dots \underline{648}, \underline{663}$	1525, 1704, 1707, 1716,
\bgroup 166	\cmdmthoargfam $\dots 538$	1723, 1726, 1731, 1739,

1849 1850 1000 1048	1000 1007 1000 1000	000 000 000 004 000
1743, 1750, 1906, 1947,	1966, 1967, 1968, 1969,	882, 886, 890, 894, 898,
1954, 1962, 1979, 1983	1970, 1971, 1972, 1973	902, 907, 911, 915, 919,
\cmdmthsig <u>560</u>	\cmdtxtpar <u>335</u> , 340	923, 926, 934, 936, 938,
\cmdmthsnt $\underline{686}$	\cmdtxtparabr 483	941, 962, 964, 966, 968,
\cmdmthstr <u>573</u>	\cmdtxtparcom <u>508</u>	970, 972, 974, 976, 978,
\cmdmthsym	\cmdtxtpardef $\frac{471}{100}$	980, 982, 984, 986, 988,
. <u>631</u> , 656, 1126, 1128,	\cmdtxtparname 496	990, 992, 994, 996, 999,
1218, 1220, 1237, 1239	\cmodels, <u>827</u>	1001, 1003, 1005, 1007,
\cmdmthsymelm <u>655</u> , 1134,	\cmp 938	1010, 1014, 1018, 1022,
1135, 1137, 1139, 1160,	\cnf,_\dnf, \ \frac{1302}{1302}	1039, 1041, 1256, 1258,
1162, 1172, 1174, 1517,	\Cnt, \Qnt, \Sym <u>1290</u>	1260, 1321, 1323, 1404,
1708, 1709, 1711, 1713,	\coimplies, \dots 822	1406, 1410, 1412, 1416,
1718, 1720, 1733, 1735,	\Coloneqq 812	1418, 1422, 1424, 1428,
1745, 1747, 1949, 1951	\coloneqq 812	1430, 1445, 1449, 1453,
\cmdmthvec 726	\com@false 56, 77, 79	1457, 1461, 1468, 1472,
\cmdtxt 329, 340	\com@true	1476, 1480, 1484, 1493,
	\conset 1336, 1337	1497, 1499, 1501, 1507,
\cmdtxtabr	\consig 1333, 1334	1509, 1532, 1536, 1538,
$\frac{477}{748}$, 743, 744, 745, 746,	\ConSig, <u>1333</u>	1540, 1544, 1548, 1552,
747, 748, 749, 750, 751,	\constr 1360, 1361	1554, 1556, 1566, 1568,
752, 753, 754, 755, 756,	\ConStr, <u>1360</u>	1570, 1577, 1579, 1581,
757, 758, 759, 760, 761,	\consym 1335, 1337	1604, 1608, 1610, 1612,
762, 763, 764, 766, 767,	\Contd <u>798</u>	1619, 1623, 1625, 1627,
768, 769, 770, 771, 772,	\contd <u>790</u>	1634, 1638, 1640, 1642,
773, 774, 775, 776, 777,	\coWMPL 1484	1653, 1657, 1659, 1661,
778, 779, 783, 784, 785,	\coWMSO 1430	1668, 1672, 1674, 1676,
787, 789, 790, 791, 792,	\coWMSOL 1428	1683, 1687, 1689, 1691,
793, 794, 795, 796, 798,	\coWMTL 1461	1694, 1696, 1755, 1757,
799, 1302, 1303, 1304, 1305	\coWPL 1472	1760, 1763, 1765, 1772,
\cmdtxtall <u>339</u> , 464, 476, 489, 501	\coWSO 1412	1774, 1777, 1780, 1782,
\cmdtxtarg 331 , 340	\coWSOL 1410	1789, 1791, 1794, 1797,
\cmdtxtargabr 479	\coWTL 1449	1799, 1806, 1808, 1811,
\cmdtxtargcom 504	\crv@false 40	1814, 1816, 1823, 1825,
\cmdtxtargdef <u>467</u>	\crv@true 41	1828, 1831, 1833, 1840,
\cmdtxtargname 492	\csdef 138, 139, 140, 141, 142,	1842, 1845, 1848, 1850,
\cmdtxtcom <u>502</u> , 1074, 1075, 1076	330, 332, 334, 336, 338,	1857, 1859, 1862, 1865,
\cmdtxtdef 465	343, 417, 419, 422, 425,	1867, 1874, 1876, 1879,
\cmdtxtname 490, 1699	428, 434, 1054, 1070, 1072	1882, 1884, 1891, 1893,
\cmdtxtoarg 333, 340	\csedef 172, 176	1896, 1899, 1901, 2046
	\csname 162, 163,	\DeclareRobustCommandx 838,
	164, 165, 166, 167, 168,	909, 913, 917, 921, 1012,
\cmdtxtoargcom <u>506</u>	173, 177, 330, 332, 334,	1016, 1020, 1024, 1043,
\cmdtxtoargdef $\dots \frac{469}{100}$	336, 338, 343, 349, 436, 437	1769, 1786, 1803, 1820,
\cmdtxtoargname $\dots \qquad \underline{494}$	\CTLP 1620, 1624, 1626, 1628	1837, 1854, 1871, 1888
\cmdtxtopar 337 , 340	\CTLS 1635, 1639, 1641, 1643	\decset 1725, 1726
\cmdtxtoparabr 485	\CurrentOption 126	\DecSet, <u>1724</u>
$\verb \cmdtxtoparcom \underline{510}$	•	\decsym 1724, 1726
\cmdtxtopardef 473	D	
\cmdtxtoparname	\DeclareMathAlphabet	\Dedicto
498, 1108, 1111,	285, 286, 287, 288	\dedicto \frac{748}{1045}
1114, 1117, 1120, 1123,	\DeclareMathOperator 944, 946	\def 1945, 1946
1200, 1203, 1206, 1209,	\DeclareOption 12, 13,	\Defacto <u>770</u>
1212, 1215, 1228, 1231,	17, 21, 25, 29, 33, 37,	\defacto <u>749</u>
1234, 1253, 1317, 1318,		\defcomcls <u>1053</u> , 1078
1370, 1373, 1376, 1379,	41, 45, 49, 54, 55, 60,	
1510, 1515, 1510, 1519.	41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78,	\defcomclsgrp
	61, 67, 68, 72, 73, 78,	
1370, 1373, 1370, 1379, 1382, 1385, 1388, 1391, 1400, 1401, 1442, 1465,	61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94,	\defcomclsgrp
1382, 1385, 1388, 1391, 1400, 1401, 1442, 1465,	61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107,	\defcomclsgrp $\frac{1055}{1080}$, $\frac{1081}{1081}$,
1382, 1385, 1388, 1391, 1400, 1401, 1442, 1465, 1490, 1529, 1563, 1574,	61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126	\defcomclsgrp 1055, 1080, 1081, 1082, 1083, 1084, 1085,
1382, 1385, 1388, 1391, 1400, 1401, 1442, 1465,	61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 807,	\defcomclsgrp
1382, 1385, 1388, 1391, 1400, 1401, 1442, 1465, 1490, 1529, 1563, 1574, 1598, 1601, 1616, 1631, 1650, 1665, 1680, 1753,	$\begin{array}{c} 61,\ 67,\ 68,\ 72,\ 73,\ 78,\\ 79,\ 84,\ 85,\ 89,\ 90,\ 94,\\ 95,\ 100,\ 101,\ 106,\ 107,\\ 111,\ 116,\ 117,\ 122,\ 123,\ 126\\ \\ \texttt{\beclareRobustCommand} 807,\\ 811,\ 814,\ 816,\ 818,\ 820,\\ \end{array}$	\defcomclsgrp
1382, 1385, 1388, 1391, 1400, 1401, 1442, 1465, 1490, 1529, 1563, 1574, 1598, 1601, 1616, 1631, 1650, 1665, 1680, 1753, 1919, 1921, 1923, 1924,	$\begin{array}{c} 61,\ 67,\ 68,\ 72,\ 73,\ 78,\\ 79,\ 84,\ 85,\ 89,\ 90,\ 94,\\ 95,\ 100,\ 101,\ 106,\ 107,\\ 111,\ 116,\ 117,\ 122,\ 123,\ 126\\ \\ \begin{array}{c} \texttt{\beclareRobustCommand} & 807,\\ 811,\ 814,\ 816,\ 818,\ 820,\\ 822,\ 824,\ 827,\ 829,\ 831,\\ \end{array}$	\defcomclsgrp
1382, 1385, 1388, 1391, 1400, 1401, 1442, 1465, 1490, 1529, 1563, 1574, 1598, 1601, 1616, 1631, 1650, 1665, 1680, 1753,	$\begin{array}{c} 61,\ 67,\ 68,\ 72,\ 73,\ 78,\\ 79,\ 84,\ 85,\ 89,\ 90,\ 94,\\ 95,\ 100,\ 101,\ 106,\ 107,\\ 111,\ 116,\ 117,\ 122,\ 123,\ 126\\ \\ \begin{array}{c} \texttt{\beclareRobustCommand} 807,\\ 811,\ 814,\ 816,\ 818,\ 820,\\ 822,\ 824,\ 827,\ 829,\ 831,\\ 833,\ 836,\ 841,\ 843,\ 845,\\ \end{array}$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
1382, 1385, 1388, 1391, 1400, 1401, 1442, 1465, 1490, 1529, 1563, 1574, 1598, 1601, 1616, 1631, 1650, 1665, 1680, 1753, 1919, 1921, 1923, 1924, 1925, 1926, 1927, 1928,	$\begin{array}{c} 61,\ 67,\ 68,\ 72,\ 73,\ 78,\\ 79,\ 84,\ 85,\ 89,\ 90,\ 94,\\ 95,\ 100,\ 101,\ 106,\ 107,\\ 111,\ 116,\ 117,\ 122,\ 123,\ 126\\ \\ \begin{array}{c} \texttt{\beclareRobustCommand} & 807,\\ 811,\ 814,\ 816,\ 818,\ 820,\\ 822,\ 824,\ 827,\ 829,\ 831,\\ \end{array}$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$

\defcomhrc $\underline{1071}$, $\underline{1091}$,	\EG,	1675, 1690, 1756, 1764,
1092, 1093, 1094, 1095,	\EGSL 1837, 1841, 1843	1773, 1781, 1790, 1798,
1096, 1097, 1098, 1099	\ELH, ⊔\EBH <u>1096</u>	1807, 1815, 1824, 1832,
\defeq, \square \seteq 807	\else 148, 150, 159, 257, 271	1841, 1849, 1858, 1866,
\defval <u>149</u> ,	\ELTL 1579	1875, 1883, 1892, 1900
296, 300, 304, 308, $\overline{312}$,	\em 464, 476	\expandafter
		-
343, 351, 361, 363, 373,	\EMC 1538	162, 164, 167, 172, 176
375, 385, 387, 397, 399,	\EML 1499	\ExpSpace, <u>1089</u>
436, 437, 599, 601, 924,	\empchk <u>147</u> , 153, 155,	\ExpTime,
1054, 1056, 1057, 1072,	_	=
	157, 163, 314, 401, 599, 601	\Exs, _□ \All <u>1507</u>
1508, 1510, 1695, 1697	\emptyfun <u>941</u>	
\Delta 1094, 1095	\emptyrel 926	${f F}$
\delta 1955	\emptyseq 1039	\FAGSL 1828, 1832, 1834
\denot 836		
	\emptyset 1695, 1697	\FBGSL 1862, 1866, 1868
\dep,_\alt <u>1300</u>	\endcsname 162, 163,	\FCGSL 1794, 1798, 1800
\der 845	164, 165, 166, 167, 168,	\FDGSL 1811, 1815, 1817
\Dere <u>771</u>	173, 177, 330, 332, 334,	
\dere 750		\FEGSL 1845, 1849, 1851
\DF, _{\\\\} \IF, _{\\\\\} \\	336, 338, 343, 349, 436, 437	\ffsym 1267, 1268
	\endinput 2051	\fi . 148, 150, 159, 215, 220,
\DFA, _□	\ENGSL 1874	225, 230, 245, 250, 265,
\DGSL 1803, 1807, 1809	\enmtls@false 29	
\Diamond 1505	•	273, 274, 278, 280, 512,
\dirset 1978, 1979	\enmtls@true 28	736, 800, 1047, 1100,
· · · · · · · · · · · · · · · · · · ·	\ensuremath 314,	1245, 1912, 1986, 1993,
\DirSet, _□ <u>1977</u>	349, 945, 947, 1259,	2014, 2015, 2022, 2049
\dirsym 1977, 1979		
\Divideetimpera 772	1261, 1500, 1502, 1529,	\fig@false 105, 107
	1539, 1541, 1555, 1557,	\fig@true 106
_	1569, 1571, 1580, 1582,	\fix,_\\ifp, <u>950</u>
\DLH, _□ \DBH <u>1094</u>	1611, 1613, 1626, 1628,	-
\DMod 1508	1641, 1643, 1660, 1662,	\flat 1904
\DMod, _□ \BMod <u>1505</u>		\floor, \ceil <u>1018</u>
\do 171, 175	1675, 1677, 1690, 1692,	\FNGSL 1879, 1883, 1885
	1756, 1758, 1764, 1766,	\fnttls@false 37
\dom, _ \cod,	1773, 1775, 1781, 1783,	
\DontPrintSemicolon 2029		\fnttls@true 36
· · ·	1790 1792 1798 1800	/Inccisectue
	1790, 1792, 1798, 1800,	\F0 1324
\DTA,	1807, 1809, 1815, 1817,	\F0 1324
		\F0
\DTA,\adj,\.\ \\dual,_\adj,\.\ \\\\ \\\\ \\\\\\\\\\\\\\\\\\\\\\\	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834,	\F0
$\label{eq:dual_loss} $$ \DTA_{,\sqcup} \cdot \ldots \cdot \frac{1964}{841}$$ $$ E$	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851,	\F0
\DTA,\adj,\.\ \\dual,_\adj,\.\ \\\\ \\\\ \\\\\\\\\\\\\\\\\\\\\\\	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868,	\F0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885,	\F0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868,	\F0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885,	\F0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfum	\F0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 1807, 1809, 1815, 1817,\\ 1824, 1826, 1832, 1834,\\ 1841, 1843, 1849, 1851,\\ 1858, 1860, 1866, 1868,\\ 1875, 1877, 1883, 1885,\\ 1892, 1894, 1900, 1902\\ \verb \entfun \dots \dots 1182, 1183\\ \verb \entfun, \entfun \dots \dots \underline{1182} \end{array}$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 1807, 1809, 1815, 1817,\\ 1824, 1826, 1832, 1834,\\ 1841, 1843, 1849, 1851,\\ 1858, 1860, 1866, 1868,\\ 1875, 1877, 1883, 1885,\\ 1892, 1894, 1900, 1902\\ \verb \entfun \dots \dots 1182, 1183\\ \verb \entfun, \entfun \dots \dots \underline{1182} \end{array}$	\FO
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	\FO
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
\DTA, \(\) \\ \frac{1964}{841} \\ \dual, \(\) \adj, \(\) \\ \EAFMC \\ \EAFMC \\ \EAGSL \\ \EASY, \(\) \\ \Hard, \(\) \\ \LATL \\ \EATL \\ \EATLS \\ \EATLS \\ \EBGSL \\ \ERGSL \\ \Rightarrow \\ \ERGSL \\ \Rightarrow \\ \ERGSL \\ \Rightarrow \\ \\ \Rightarrow \\	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
DTA, 1964	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
DTA, 1964	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
DTA, 1964	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
DTA, 1964	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
DTA, 1964	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
DTA, 1964 \dual, \adj, E E E E E E E E E E E E E E	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
DTA, 1964	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
DTA, 1964	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
DTA, 1964	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
DTA, 1964 \dual, \adj, E E E E E E E E E E E E E E E	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	\FO
DTA, 1964	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	\FO
DTA, 1964 \dual, \adj, E E E E E E E E E E E E E E E	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	\FO
DTA, 1964 \dual, \adj, E \E, \A	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	\FO
DTA, 1964	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	\FO
DTA, 1964	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	\FO
DTA, 1964 \dual, \adj, E \E, \A	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	\FO
DTA, 1964	1807, 1809, 1815, 1817, 1824, 1826, 1832, 1834, 1841, 1843, 1849, 1851, 1858, 1860, 1866, 1868, 1875, 1877, 1883, 1885, 1892, 1894, 1900, 1902 \entfun	\FO

${f G}$	K	\lVert 1017
\gam@false 56, 62, 83, 85	\kern 948	\lvert 922, 1013, 1044
\gam@true 84	\krpstr 1512, 1513	2.6
\Game 1144	\KrpStr, <u>1512</u>	M
\gamename 1144, 1145	${f L}$	\Macro, \(\ldots \)
\GameName,	\laallsym 1395, 1396	\mathbbo 285
\GFG, _□	\labFun <u>1521</u>	\mathbin 673
(do10, <u>2012</u>	$\verb \labsym \dots \dots 1521, 1522 $	\mathcal 519
Н	\lallsym 1283, 1284	\matheus <u>286</u> , 545
\H1591	\Lambda 1978 \lambda 1521	\mathfrak 571 \mathit 603, 697, 724
\hstset	\land	\mathrormal 642
1157, 1158, 1159, 1161,	\LangFun <u>1958</u>	\mathop 672
1730, 1731, 1732, 1734 \HstSet,	\langfun 1958, 1959	\mathpzc <u>287</u> , 558
\hstsym	\langle	\mathrel 679, 947
1156, 1158, 1160, 1162,	884, 885, 888, 889, 896,	\mathring 844
1729, 1731, 1733, 1735	897, 900, 901, 1508, 1695 \LaTex 671, 678	\mathrm 584 \mathscr 288, 532
\hypersetup 235	\lbrace 910, 914	\mathsf
\hypref@false 33	\lceil 1025	\mathtt 629
\hypref@true 32	\lcoisym 1279, 1280	\maxsym 1236, 1237
I	\LCon, \LDis	\MaxSym, \ \MinSym \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
\ie	\lconsym 1273, 1274 \ldissym 1275, 1276	$\MC, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
\if $148, 150, \overline{159}$	\LEExs,_\LAA11 1393	\MFO 1323
\if@twocolumn 132, 269	\leexssym 1393, 1394	\MFOL 1321
\ifalg@ 121, 2027	\left 355, 379, 837,	\middle 908
\ifamsdef@ 16, 209	860, 864, 868, 872, 876,	\MIf,
\ifamsthm@	880, 884, 888, 892, 896,	\min, _\max,
\ifaux@	900, 904, 908, 912, 916, 920, 1011, 1015, 1019,	\minsym 1238, 1239 \ML,_\GML,_\ 1489
\ifchgbar@ 44, 262	1023, 1042, 1510, 1697	\models 828, 830
\ifcom@ 77, 1052	\Leftarrow 819, 821	\movFun
\ifcrv@ 40, 252	\Leftrightarrow 823, 825	\MovRel <u>1142</u>
\ifcsdef 132	\leftrightarrow 1279	\movrel 1142, 1143
\ifdef 285, 286, 287, 288 \ifenmtls@ 28, 227	\len	\movsym 1727, 1728 \MPL 1476, 1481, 1485
\iff	\let 1590, 1591, 1592	\MSO 1418, 1425, 1431
\iffig@ 105, 1998	\LExs,_\LA11 <u>1281</u>	\MSOL 1416, 1423, 1429
\iffnttls@ 36, 247		\mth $\underline{403}$, 839,
\iffrm@ 99, 1991	\lift\[\lift\] \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	842, 844, 846, 848, 852,
\ifgam@ 83, 1105	\liftFun <u>1194</u> \liftfun <u>1194</u> , 1195	854, 856, 857, 860, 861, 864, 865, 868, 869, 872,
\iffypref@ 32, 232	\LImp,_\LCoi	873, 876, 877, 880, 881,
\iflinnum@ 48, 267 \iflog@ 88, 1250	\limpsym 1277, 1278	884, 885, 888, 889, 892,
\iffmth@ 71, 805	\linenumbers 270, 272	893, 896, 897, 900, 901,
\ifmthgen@ 59, 517	\linnum@false 48	904, 905, 910, 914, 918,
\iftab@ 115, 2020	\linnum@true 49 \llbracket 839	922, 924, 927, 942, 1000, 1002, 1004, 1006, 1008,
\ifthmtls@ 24, 222	\llcorner 947	1013, 1017, 1021, 1025,
\iftxt0 66, 741	\LNeg,_\LNot <u>1269</u>	1040, 1044, 1094, 1095,
\iftxtgen@ 53, 462	\lnegsym 1269, 1270	1096, 1097, 1098, 1099,
\ifwrpfig@ 110, 2011 \iht 792	\lnotsym 1271, 1272	1508, 1510, 1695, 1697
\implied, 818	\log@false 56, 62, 88, 90	\mth@false 62, 71, 73 \mth@true 72
\implies, 814	\log@true 89 \logsig 1263, 1264	\mth@true
\inf,_\sup <u>1036</u>	\LogSig	\mthargfun 935
$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	\LogSpace,	\mthcls, <u>544</u>
983, 985, 989, 991, 993, 997	\logstr 1307, 1308	\mthelm, <u>641</u>
\interdisplaylinepenalty 214	\LogStr,	\mthfam, <u>531</u>
\intfun 1186, 1187 \intFun,_\outFun 1186	\LogTime,	\mthfrm, 696 \mthfun, 615
\itr 171, 172, 173, 175, 176, 177	\lowercase 599, 601	\mthfun, \dots $\underline{615}$ \mthgen@false \dots $\underline{59}$, $\underline{62}$
, . , , = , = , =		J, v=

\mthgen@true . 60, 72, 84, 89, 94	551, 553, 555, 560, 562,	\OGSL 1769, 1773, 1775, 1778
\mthlbop 809, 810, 812, 937, 939	564, 566, 568, 573, 575,	\Omega 956
\mthlrel	577, 579, 581, 586, 588,	\omega 955
<u>678,</u> 815, 817, 819, 821,	590, 592, 594, 596, 605,	\Omicron 960
823, 825, 828, 830, 832, 834	607, 609, 611, 613, 618,	\omicron 138, 959
\mthluop, \ldots \cdot \	620, 622, 624, 626, 631,	\oplus 1236
\mthmat, 710	633, 635, 637, 639, 644,	\OppSym
\mthname, <u>518</u>	646, 648, 650, 652, 655,	1138, 1139, 1161, 1162,
\mthoarg 407	658, 661, 664, 667, 674,	1173, 1174, 1712, 1713,
\mthopar 411	676, 680, 686, 688, 690,	1734, 1735, 1746, 1747
\mthpar $\underline{409}$	692, 694, 699, 701, 703,	\oppsym 1127, 1128
\mthrel, <u>602</u>	705, 707, 713, 715, 717,	\Opr <u>1504</u>
\mthset $\dots 963$,	719, 721, 726, 728, 730,	\outfun 1188, 1189
965, 967, 971, 979, 987, 995	732, 734, 1053, 1055,	\overline 842, 854
\mthset, <u>583</u>	1058, 1064, 1069, 1071	
\mthsig, 557	\newif $11, 16, 20, 24, 28, 32,$	P
\mthsnt, <u>683</u>	36, 40, 44, 48, 53, 59,	\P 1590
\mthstr, 570	66, 71, 77, 83, 88, 93,	\PackageWarning 126
\mthsty	99, 105, 110, 115, 121, 132	\PDL,,,\CTL,,, 1596
404, 406, 408, 410, 412, 413		\Percontra 777
· · · · · · · · · · · · · · · · · · ·	\newmth	·
\mthstycls 545	<u>348</u> , 351, 355, 357, 379, 381	\percontra <u>760</u>
\mthstyelm 642	\newmtharg 352 , 361 , 363 , 367 , 369	\PH
\mthstyfam 532	\newmthargsty $\underline{358}$, 406 , 420	\Pi 1098, 1099, 1395
\mthstyfrm 697	\newmthoarg \ldots \frac{364}{373}, \frac{375}{375}	\pi 1152, 1164, 1523, 1737
\mthstyfun 616	\newmthoargsty . 370 , 408 , 423	\playset 1165, 1166, 1738, 1739
\mthstylbop 673	\newmthopar $\frac{388}{397}$, $\frac{399}{399}$	\PlaySet,\playFun . $\underline{1164}$, $\underline{1737}$
\mthstylrel 679	\newmthoparsty . 394, 412, 429	\playsym 1164, 1166, 1737, 1739
\mthstyluop 672	\newmthpar $376, 385, 387, 391, 393$	\PlrFun <u>1140</u>
\mthstymat 711	\newmthparsty 382, 410, 426	\plrfun 1140, 1141
\mthstyname 519	\newmthsty 350, 404, 417	\PlrSym
\mthstyrel 603	\newtxt 293, 296, 298, 306	1136, 1137, 1159, 1160,
		1171, 1172, 1710, 1711,
•		1732, 1733, 1744, 1745
\mthstysig 558	\newtxtargsty <u>299</u> , 319, 332	
\mthstysnt 684	\newtxtoarg 301, 304	\plrsym 1125, 1126
\mthstystr 571	\newtxtoargsty . <u>303</u> , 321, 334	\PlrSym, _\OppSym <u>1125</u>
\mthstysym 629	\newtxtopar <u>309</u> , 312	\pm 973, 981, 989
\mthstyvec 724	\newtxtoparsty . $\underline{311}$, 325 , 338	\posset
\mthsubsup $349, \underline{400}$	$\texttt{\ \ } \text{\ } \frac{305}{308}, \frac{308}{308}, \frac{310}{308}$	1132, 1133, 1136, 1138,
\mthsym, <u>628</u>	\newtxtparsty 307 , 323 , 336	1706, 1707, 1710, 1712
\mthvec, <u>723</u>	\newtxtsty $295, 317, 330$	\PosSet, <u>1131</u> , <u>1705</u>
\MTL 1453, 1458, 1462	\NGSL 1871, 1875, 1877	\possym
\mu 1529	\nlr <u>2046</u>	1131, 1133, 1134, 1135,
\Mutatismutandis 776	\nlset 2048	1137, 1139, 1705, 1707,
\mutatismutandis 759	\noexpand 173, 177	1708, 1709, 1711, 1713
(masas12masa11a12	\normalfont 464, 489, 501	\pow <u>923</u>
N	\not 817, 821, 825, 830, 834	\prefun 1178, 1179
\naif 783	\notcequiv 833	\preFun,_\sucFun 1178
	· •	\prfset . 1176, 1177, 1749, 1750
\naive	\notcmodels 829	_
<u> </u>	\notcoimplies 824	\PrfSet,_\\prfFun <u>1175</u> , <u>1748</u>
\newcommandx 293,	\notimplied 820	\prfsym . 1175, 1177, 1748, 1750
295, 297, 299, 301, 303,	\notimplies 816	\Primafacie <u>778</u>
305, 307, 309, 311, 342,	\num, <u>999</u>	\primafacie <u>761</u>
348, 350, 354, 356, 360,	\numcc 1001	\prj <u>934</u>
362, 366, 368, 372, 374,	\numco 1003	\ProcessOptions 130
378, 380, 384, 386, 390,	\numoc 1005	\providecommand
392, 396, 398, 433, 440,	\numoo 1007	1523, 1524, 1705, 1706,
442, 444, 446, 448, 450,	\nxtFun 1910	1729, 1730, 1737, 1738,
452, 454, 456, 465, 467,	\nxtfun 1910, 1911	1741, 1742, 1748, 1749
469, 471, 473, 477, 479,		\prtset 1222, 1223
481, 483, 485, 490, 492,	O	\PrtSet,_\prtFun 1221
494, 496, 498, 502, 504,	\obsset 1148, 1149	\prtsym 1221, 1223
506, 508, 510, 521, 523,		
	\ObsSet, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\psn
525, 527, 529, 534, 536,	\oddsym 1219, 1220	\PSpace,
538, 540, 542, 547, 549,	\odot 1292	\pthset . 1153, 1154, 1524, 1525

\D.1.0 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	a	1407 1419 1410
\PthSet,_\\pthFun . 1152, 1523	S 1500	\S0 1407, 1413, 1419
\pthsym . 1152, 1154, 1523, 1525	\S	\SOL,
\PTime,	\SATG,	\solFun
\PTL, \LTL, \ldots \. \. \. \. \. \. \. \. \. \. \. \. \.	\SaveDoubleAcute 1591	\solfun 1196, 1197
\pto,_\pmapsto <u>944</u>	\SavePilcrow 1590	\Space,
	\SaveSectionSymbol 1592	\stackrel 809
${f Q}$	\scshape 489, 501	\strset
\QAE, □\QEA <u>1293</u>	\seqofcmd <u>174</u> , 187, 191	1169, 1170, 1171, 1173,
\QAFMC 1552	\seqofgrklet <u>194</u> , 451	1742, 1743, 1744, 1746
\QATL 1657	\seqofgrklow	\StrSet,
\QATLP 1672	<u>186</u> , 195, 198, 447, 559, 572	\strsym
\QATLS 1687	\seqofgrkupp $190, 195, 200, 449$	1168, 1170, 1172, 1174,
\QCTL 1608	\seqoflatlet $183, 445, 559, 572$	1741, 1743, 1745, 1747
\QCTLP 1623	\seqoflatlow $\frac{179}{1}$, 184, 198, 441	\sttset
\QCTLS 1638	\seqoflatupp $\dots $ $\underline{181}$,	1715, 1716, 1717, 1719,
\QLTL 1577	184, 200, 443, 520, 533, 546	1946, 1947, 1948, 1950
\QMC 1536	\seqoflet	\SttSet,
\QML 1497	201, 457, 585, 604, 617,	\sttsym
\qntset 1296, 1297	630, 643, 685, 698, 712, 725	1714, 1716, 1718, 1720,
\QntSet, <u>1295</u>	\seqoflow $197, 202, 453$	1945, 1947, 1949, 1951
\qntsym 1295, 1297	\seqoftag 170 , 180, 182	\stx
\QPSpace, <u>1087</u>	\seqofupp $199, 202, 455$	\sub
\QPTime,	\sequence, <u>858</u>	\sucfun 1180, 1181
\QPTL 1566	\sequencel 862	\svarset 1437, 1438
	\sequencer 866	\SVarSet,
${f R}$	\sequencex 870	\svarsym 1436, 1438
\raisebox 947	\sequencex1 874	\symset 1953, 1954
\rangle	\sequencexr 878	\SymSet,
884, 885, 892, 893, 896,	\set, _□ 907	\symsym 1952, 1954
897, 904, 905, 1508, 1695	\SetB <u>962</u>	Th.
\rbrace 910, 918	\SetC, 994	T
\rceil 1025	\SetCI 996	\tab@false 115, 117
\rchfun 1192, 1193	\SetF 964	\tab@true
\relax 130	\SetInd 2030	\tau
\relset 1355, 1356	\SetKw 2032,	\TAutSet <u>1975</u>
\relsig 1352, 1353	2037, 2038, 2039, 2040,	\tautset 1975, 1976
\RelSig, <u>1352</u>	2041, 2042, 2043, 2044	\terset 1349, 1350
\relstr 1366, 1367	\SetKwFor 2033, 2034, 2035, 2036	\tersig 1346, 1347
\RelStr, 1366	\SetKwIF 2045	\TerSig, <u>1346</u>
\relsym 1354, 1356	\setl 911	\terstr 1364, 1365
\RequirePackage 3, 5,	\setlength 2031	\TerStr, \ \frac{1364}{1250}
6, 7, 211, 212, 213, 219,	\SetN, 966	\tersym 1348, 1350 \text 294, 314, 809
224, 229, 234, 249, 264,	\SetNI 968	\textstyle 672, 673
270, 272, 1999, 2013, 2028	\SetQ, _□ <u>978</u>	\textup 809
\resp <u>794</u>	\SetQI 980	\thestring 598, 599, 600, 601
\rfloor 1021	\SetQNI 984	\Theta 958
\rho 1156, 1729	\SetQPI 982	\theta 957
\right 355, 379, 837,	\setr 915	\thmtls@false 25
860, 864, 868, 872, 876,	\SetR, _□ 986	\thmtls@true 24
880, 884, 888, 892, 896,	\SetRI 988	\tikzstyle 2001,
900, 904, 908, 912, 916,	\SetRNI 992	2003, 2005, 2007, 2009
920, 1011, 1015, 1019,	\SetRPI 990	\Time,
1023, 1042, 1510, 1697	\SetZ, _□ 970	\TL,_\\PL,_\
\Rightarrow 815, 817	\SetZI 972	\top 1265
\rightarrow 1277	\SetZNI 976	\treeset 1982, 1983
\rightharpoonup 945, 948	\SetZPI 974	\TreeSet,
\rmfamily 327, 501	\sffamily 489	\treesym 1981, 1983
\Role 787	\Sigma 1096, 1097, 1393, 1953	\triangleq 810
\role 785	\sigma 1168, 1741, 1952	\trn 847
\rrbracket 839	\Signature 2032	\trnFun
\rst <u>936</u>	\sim 1271	\trnsym 1955, 1956
\rVert 1017	\skm <u>1358</u>	\True,_\\False 2037
\rvert 922, 1013, 1044	\SL, <u>1752</u>	\Tt,_\\\\\Ff
, , , ,	·-	·-

\ttsym 1265, 1266	\UFNGSL 1884	\usrtxt
\tuple, <u>882</u>	\UFOGSL 1782	342, 466, 468, 470, 472,
\tuplel 886	\UFSL 1765	474, 478, 480, 482, 484,
\tupler 890	\UFXGSL 1901	486, 491, 493, 495, 497,
\tuplex 894	•	499, 503, 505, 507, 509, 511
	\ULH,_\UBH <u>1098</u>	
\tuplex1 898	\ULTL 1581	\UXGSL 1893
\tuplexr 902	\UMC 1540	3.7
\txt <u>316</u>	\UML 1501	V
\txt@false 56, 66, 68	\UNGSL 1876	\valset 1310, 1311
\txt@true 67	\UOGSL 1774	\ValSet, <u>1309</u>
\txtabr, <u>475</u>	\upharpoonright 937	\valsym 1309, 1311
\txtarg <u>318</u>		\varcmd <u>161</u> ,
\txtcom, 500	• 1 1	856, 857, 860, 861, 864,
\txtdef, 463	\UPTL 1570	865, 868, 869, 872, 873,
\txtgen@false 53, 56	\usetikzlibrary 2000	876, 877, 880, 881, 884,
\txtgen@true	\USL 1757	885, 888, 889, 892, 893,
54, 67, 78, 84, 89, 94	\usrmth <u>433</u> , 441, 443,	896, 897, 900, 901, 904, 905
	445, 447, 449, 451, 453,	
\txtname 1257,	455, 457, 522, 524, 526,	\varepsilon 1040
1322, 1324, 1405, 1407,	528, 530, 535, 537, 539,	\varnothing 927, 942
1411, 1413, 1417, 1419,	541, 543, 548, 550, 552,	\varset 1329, 1330
1423, 1425, 1429, 1431,		\varsig 1326, 1327
1446, 1450, 1454, 1458,	554, 556, 561, 563, 565,	\VarSig, _□ <u>1326</u>
1462, 1469, 1473, 1477,	567, 569, 574, 576, 578,	\varsym 1328, 1330
1481, 1485, 1494, 1498,	580, 582, 587, 589, 591,	\vec <u>849</u>
1533, 1537, 1545, 1549,	593, 595, 606, 608, 610,	\vert 910, 914
1553, 1567, 1578, 1605,	612, 614, 619, 621, 623,	\Viceversa 779
1609, 1620, 1624, 1635,	625, 627, 632, 634, 636,	\viceversa 762
1639, 1654, 1658, 1669,	638, 640, 645, 647, 649,	\viz 764
	651, 653, 675, 677, 681,	\vs
1673, 1684, 1688, 1761,	687, 689, 691, 693, 695,	(vs <u>105</u>
1778, 1795, 1812, 1829,	700, 702, 704, 706, 708,	\mathbf{W}
1846, 1863, 1880, 1897	714, 716, 718, 720, 722,	• •
\txtname, 488		\WATL 1653
		1000
\txtoarg <u>320</u>	727, 729, 731, 733, 735,	\WATLP 1668
\txtoarg <u>320</u> \txtoargcom 1054, 1070	929, 930, 931, 932, 950,	\WATLS 1683
	929, 930, 931, 932, 950, 951, 952, 953, 955, 956,	\WATLS
\txtoargcom 1054, 1070	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027,	\WATLS
\txtoargcom 1054, 1070 \txtopar 324	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031,	\WATLS
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035,	\WATLS
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046,	\WATLS
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272,	\WATLS
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046,	\WATLS
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272,	\WATLS
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280,	$\begin{array}{llllllllllllllllllllllllllllllllllll$
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 317, 319, 321, 323, 325, 326 \txtstyabr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289,	\WATLS
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1298, 1299, 1300,	$\begin{array}{llllllllllllllllllllllllllllllllllll$
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289, 1290, 1291, 1292, 1293,	$\begin{array}{llllllllllllllllllllllllllllllllllll$
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 317, 319, 321, 323, 325, 326 \txtstyabr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtsubsup 294, 313	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1298, 1299, 1300, 1301, 1331, 1332, 1338, 1344, 1345, 1351, 1357,	$\begin{array}{llllllllllllllllllllllllllllllllllll$
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 317, 319, 321, 323, 325, 326 \txtstyabr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtsubsup 294, 313	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1298, 1299, 1300, 1301, 1331, 1332, 1338, 1344, 1345, 1351, 1357, 1358, 1394, 1396, 1504,	$\begin{tabular}{ l l l l l l l l l l l l l l l l l l l$
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1298, 1299, 1300, 1301, 1331, 1332, 1338, 1344, 1345, 1351, 1357, 1358, 1394, 1396, 1504, 1505, 1506, 1584, 1585,	\WATLS
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1298, 1299, 1300, 1301, 1331, 1332, 1338, 1344, 1345, 1351, 1357, 1358, 1394, 1396, 1504, 1505, 1506, 1584, 1585, 1586, 1587, 1588, 1589,	\WATLS
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1298, 1299, 1300, 1301, 1331, 1332, 1338, 1344, 1345, 1351, 1357, 1358, 1394, 1396, 1504, 1505, 1506, 1584, 1585, 1586, 1587, 1588, 1589, 1590, 1591, 1592, 1593,	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 323, 325, 326 \txtstyabr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtsubsup 294, 313 U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 1676 \UATLS 1691	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1298, 1299, 1300, 1301, 1331, 1332, 1338, 1344, 1345, 1351, 1357, 1358, 1394, 1396, 1504, 1505, 1506, 1584, 1585, 1586, 1587, 1588, 1589, 1590, 1591, 1592, 1593, 1645, 1646, 1907, 1908	\WATLS
\txtoargcom	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1298, 1299, 1300, 1301, 1331, 1332, 1338, 1344, 1345, 1351, 1357, 1358, 1394, 1396, 1504, 1505, 1506, 1584, 1585, 1586, 1587, 1588, 1589, 1590, 1591, 1592, 1593, 1645, 1646, 1907, 1908 \usrmthgrklet 450	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 323, 325, 326 \txtstyabr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtsubsup 294, 313 U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 1676 \UATLS 1691	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \texttt{\columnthgrklet} \ \ldots \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 321, 323, 325, 326 \txtstyabr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtsubsup 294, 313 U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 1676 \UATLS 1691 \UBF 1260	929, 930, 931, 932, 950, 951, 952, 953, 955, 956, 957, 958, 959, 960, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1045, 1046, 1266, 1268, 1270, 1272, 1274, 1276, 1278, 1280, 1282, 1284, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1298, 1299, 1300, 1301, 1331, 1332, 1338, 1344, 1345, 1351, 1357, 1358, 1394, 1396, 1504, 1505, 1506, 1584, 1585, 1586, 1587, 1588, 1589, 1590, 1591, 1592, 1593, 1645, 1646, 1907, 1908 \usrmthgrklet 450	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 321, 323, 325, 326 \txtstyabr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtsubsup 294, 313 U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 1676 \UATLS 1691 \UBF 1260 \UBGSL 1859	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \texttt{\columnthgrklet} \ \ldots \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	\WATLS 1683 \WAutSet 1943, 1944 \Wattset 1943, 1944 \WCTL 1604 \WCTLP 1619 \WCTLS 1634 \wghset 1241, 1242 \WghSet, wghFun 1240, 1242 \WH 1092 \Widehat 846 \Widetilde 848 \WinSet 1146, 1147 \Wlogx 799 \Wlogx 796 \WMPL 1480 \WMSO 1424 \WMSOL 1422 \WMTL 1457
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtoparcom 1072 \txtpar 322 \txtsty 323, 325, 326 \txtstyabr 476 \txtstycom 501 \txtstydef 464 \txtstydef 464 \txtstyname 489 \txtsubsup 294, 313 U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 1676 \UATLS 1691 \UBGSL 1859 \UCGSL 1791	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \verb usrmthgrklet $	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtoparcom 322 \txtsty 322 \txtsty 317, 319, 321, 323, 325, 326 \txtstyabr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtsubsup 294, 313 \U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 16676 \UATLS 1691 \UBF 1260 \UBGSL 1859 \UCGSL 1791 \UCTL 1612 \UCTLP 1627	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \verb vsrmthgrklet $	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtoparcom 322 \txtsty 322 \txtsty 317, 319, 321, 323, 325, 326 \txtstyabr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtsubsup 294, 313 \U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 16676 \UATLS 1691 \UBF 1260 \UBGSL 1859 \UCGSL 1791 \UCTL 1612 \UCTLP 1627 \UCTLS 1642	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \verb vsrmthgrklow $	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 323, 325, 326 \txtstybr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtstybsup 294, 313 U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 1676 \UATLS 1691 \UBF 1260 \UBGSL 1859 \UCGSL 1791 \UCTL 1612 \UCTLP 1627 \UCTLS 1642 \UCTLS 1688	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \verb vsrmthgrklow $	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 323, 325, 326 \txtstybr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtstybsup 294, 313 U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 16676 \UATLS 1691 \UBF 1260 \UBGSL 1859 \UCGSL 1791 \UCTL 1612 \UCTLP 1627 \UCTLS 1642 \UDGSL 1808 \UEGSL 1808 \UEGSL 1808	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \verb"usrmthgrklo" $	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 323, 325, 326 \txtstybr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtstybsup 294, 313 U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 1676 \UATLS 1691 \UBGSL 1859 \UCGSL 1791 \UCTL 1612 \UCTLP 1627 \UCTLS 1642 \UCTLS 1642 \UDGSL 1808 \UEGSL 1808 \UEGSL 1808 \UEGSL 1808 \UEGSL 1808 \UEGSL 1808 \UEGSL 1833	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \verb vsrmthgrklow $	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 325, 326 \txtstysbr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtstybsup 294, 313 \U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 1676 \UATLS 1691 \UBF 1260 \UBGSL 1895 \UCGSL 1791 \UCTL 1612 \UCTLP 1627 \UCTLS 1642 \UCTLS 1642 \UDGSL 1808 \UEGSL 1833 \UFBGSL 1833 \UFBGSL 1867	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \verb"usrmthgrklet" \delta \$	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 325, 326 \txtstysbr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtstybsup 294, 313 \U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 1676 \UATLS 1691 \UBF 1260 \UBGSL 1899 \UCGSL 1791 \UCTL 1612 \UCTLP 1627 \UCTLS 1642 \UCTLS 1642 \UDGSL 1833 \UFBGSL 1833 \UFBGSL 1833 \UFBGSL 1833 \UFBGSL 1833 \UFBGSL 1899	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	\WATLS
\txtoargcom 1054, 1070 \txtopar 324 \txtoparcom 1072 \txtpar 322 \txtsty 325, 326 \txtstysbr 476 \txtstycom 501 \txtstydef 464 \txtstyname 489 \txtstybsup 294, 313 \U \UAFMC 1556 \UAGSL 1825 \UATL 1661 \UATLP 1676 \UATLS 1691 \UBF 1260 \UBGSL 1895 \UCGSL 1791 \UCTL 1612 \UCTLP 1627 \UCTLS 1642 \UCTLS 1642 \UDGSL 1808 \UEGSL 1833 \UFBGSL 1833 \UFBGSL 1867	$\begin{array}{c} 929,930,931,932,950,\\ 951,952,953,955,956,\\ 957,958,959,960,1027,\\ 1028,1029,1030,1031,\\ 1032,1033,1034,1035,\\ 1036,1037,1045,1046,\\ 1266,1268,1270,1272,\\ 1274,1276,1278,1280,\\ 1282,1284,1288,1289,\\ 1290,1291,1292,1293,\\ 1294,1298,1299,1300,\\ 1301,1331,1332,1338,\\ 1344,1345,1351,1357,\\ 1358,1394,1396,1504,\\ 1505,1506,1584,1585,\\ 1586,1587,1588,1589,\\ 1590,1591,1592,1593,\\ 1645,1646,1907,1908\\ \\ \verb"usrmthgrklet" \delta \$	\WATLS

\wrpfig@true 110	\mathbf{X}	\xi 1175, 1309, 1748
\wrt <u>795</u>	\X, <u>1584</u>	\xspace 294
\WSO 1406	\XGSL 1888, 1892, 1894	
\WSOL 1404	\xGSL 1795, 1812, 1829,	\mathbf{Y}
\WTL 1445	1846, 1863, 1880, 1897	\Y, _{\u00e4} 1589