fmocdmac — FM's OCD LaTeX Macro*

Fabio Mogavero
fm@fabiomogavero.com

Released 2023/01/23

Abstract

This package contains almost all the latex macros I heavily use in my tcs research activity and, in particular, in the writing of conference and journal articles. As few of my co-authors have kindly pointed out, and probably many have thought, they are somehow a clear expression of an underlying ocd-like behavior... hence the name!

1 Implementation & Usage

1 ⟨*package⟩

Required external packages:

2
3 `\RequirePackage{etoolbox}`
4
5 `\RequirePackage{xargs}`
6 `\RequirePackage{xspace}`
7 `\RequirePackage{stringstrings}`
8

Package options:

9
10 `%% Auxiliary packages`
11 `\newif\ifaux@ \aux@false`
12 `\DeclareOption{aux}{\aux@true}`
13 `\DeclareOption{noaux}{\aux@false}`
14
15 `%% AMS defaults`
16 `\newif\ifamsdef@ \amsdef@true`
17 `\DeclareOption{noamsdef}{\amsdef@false}`
18
19 `%% AMS theorem tools`
20 `\newif\ifamsthm@ \amsthm@true`
21 `\DeclareOption{noamsthm}{\amsthm@false}`
22
23 `%% Extended Theorem tools`
24 `\newif\ifthmtls@ \thmtls@true`
25 `\DeclareOption{nothmtls}{\thmtls@false}`
26
27 `%% Enumeration tools`
28 `\newif\ifenmtls@ \enmtls@true`
29 `\DeclareOption{noenmtls}{\enmtls@false}`
30
31 `%% Hyper reference`
32 `\newif\ifhypref@ \hypref@true`
33 `\DeclareOption{nohypref}{\hypref@false}`
34
35 `%% Font tools`
36 `\newif\iffnttls@ \fnttls@true`

*This document describes version v0.12 of the fmocdmac package, last revised 2023/01/23.

```
\DeclareOption{nofnttls}{\fnttls@false}

%% Camera-ready version
\newif\ifcrv@ \crv@false
\DeclareOption{crv}{\crv@true}

%% Change bars
\newif\ifchgbar@ \chgbar@false
\DeclareOption{chgbar}{\chgbar@true}

%% Line numbers
\newif\iflinnum@ \linnum@false
\DeclareOption{linnum}{\linnum@true}


%% Text macro generation
\newif\iftxtgen@ \txtgen@false
\DeclareOption{txtgen}{\txtgen@true}
\DeclareOption{notxtgen}
  {\txtgen@false\text@false\com@false\gam@false\log@false\aut@false}

%% Math macro generation
\newif\ifmthgen@ \mthgen@false
\DeclareOption{mthgen}{\mthgen@true}
\DeclareOption{nomthgen}
  {\mthgen@false\math@false\gam@false\log@false\aut@false}


%% Elementary macros for text
\newif\iftext@ \text@false
\DeclareOption{text}{\text@true\txtgen@true}
\DeclareOption{notext}{\text@false}

%% Elementary macros for math
\newif\ifmath@ \math@false
\DeclareOption{math}{\math@true\mthgen@true}
\DeclareOption{nomath}{\math@false}


%% Macros for computational-complexity classes
\newif\ifcom@ \com@false
\DeclareOption{com}{\com@true\txtgen@true}
\DeclareOption{nocom}{\com@false}


%% Macros for games
\newif\ifgam@ \gam@false
\DeclareOption{gam}{\gam@true\txtgen@true\mthgen@true}
\DeclareOption{nogam}{\gam@false}

%% Macros for logics
\newif\iflog@ \log@false
\DeclareOption{log}{\log@true\txtgen@true\mthgen@true}
\DeclareOption{nolog}{\log@false}

%% Macros for automata
\newif\ifaut@ \aut@false
\DeclareOption{aut}{\aut@true\txtgen@true\mthgen@true}
\DeclareOption{noaut}{\aut@false}


%% Format-related tricks
\newif\iffrm@ \frm@false
```

```
\DeclareOption{frm}{\frm@true}
\DeclareOption{nofrm}{\frm@false}


%% Figure-related tricks
\newif\iffig@ \fig@false
\DeclareOption{fig}{\fig@true}
\DeclareOption{nofig}{\fig@false}

%% Wrapfig package
\newif\ifwrpfig@ \wrpfig@true
\DeclareOption{nowrpfig}{\wrpfig@false}


%% Table-related tricks
\newif\iftab@ \tab@false
\DeclareOption{tab}{\tab@true}
\DeclareOption{notab}{\tab@false}


%% Algorithm-related tricks
\newif\ifalg@ \alg@false
\DeclareOption{alg}{\alg@true}
\DeclareOption{noalg}{\alg@false}

```

Option-processing code:

```

\DeclareOption*{\PackageWarning{fmocdmac}{Unknown~`\CurrentOption'}}%

\ExecuteOptions{aux,txtgen,mthgen,text,math,com,gam,log,aut}%

\ProcessOptions\relax%

\ifcsdef{if@twocolumn}{}{\newif\if@twocolumn}

%%*****************************************************************************%%
%%** Auxiliary Tricks ********************************************************%%
%%*****************************************************************************%%
\ifaux@

\ifamsdef@
  % AMS Packages
  \RequirePackage{amsmath}
  \RequirePackage{amssymb}
  \RequirePackage{stmaryrd}
  \interdisplaylinepenalty=2500
\fi

\ifamsthm@
  % AMS Theorem Tools
  \RequirePackage{amsthm}
\fi

\ifthmtls@
  % Extended Theorem Tools
  \RequirePackage{thmtools, thm-restate}
\fi

\ifenmtls@
  % Enumeration Tools
  \RequirePackage{paralist}
\fi

```

```
\ifhypref@
  % Hyper References
  \RequirePackage{hyperref}
  \hypersetup {
    pdfsubject    = {},
    pdfkeywords   = {},
    pdfproducer   = {},
    pdfcreator    = {},
    pdfpagemode   = {UseNone},
    pdfstartview  = {FitH},
    urlcolor      = {blue},
    colorlinks
  }
\fi

\iffnttls@
  % Font Tools
  \RequirePackage[final]{microtype}
\fi

\ifcrv@
  % Camera-Ready Version

  %%...

\else
  % Draft Version

  %%...

  \ifchgbar@
    % Change Bars
    \RequirePackage{changebar}
  \fi

  \iflinnum@
    % Line Numbers
    \if@twocolumn
      \RequirePackage[switch, columnwise, mathlines]{lineno}\linenumbers
    \else
      \RequirePackage[columnwise, mathlines]{lineno}\linenumbers
    \fi
  \fi

  %%...

\fi

\fi
%%*************************************************************************%%
%%*************************************************************************%%
%%** Auxiliary Font Declarations *******************************************%%
%%*************************************************************************%%
```

\mathbbo **Bbo Math Font:** ... to do!

```
\ifdef{\mathbbo}{}{\DeclareMathAlphabet{\mathbbo}{U}{bbold}{m}{n}}
```

\matheus **Eus Math Font:** ... to do!

```
\ifdef{\matheus}{}{\DeclareMathAlphabet{\matheus}{U}{eus}{m}{n}}
```

\mathpzc **Pzc Math Font:** ... to do!

```
\ifdef{\mathpzc}{}{\DeclareMathAlphabet{\mathpzc}{T1}{pzc}{m}{it}}
```

\mathscr **Scr Math Font:** ... to do!

```
\ifdef{\mathscr}{}{\DeclareMathAlphabet{\mathscr}{U}{rsfs}{m}{n}}

%%*****************************************************************************%%
%%*****************************************************************************%%
%%** Auxiliary Alphabet Letters ************************************************%%
%%*****************************************************************************%%
```

\omicron **Auxiliary Greek lowercase letter:** ... to do!

```
\csdef{omicron}{o}
```

\Alpha, ... **Auxiliary Greek uppercase letters:** ... to do!

```
\csdef{Alpha}{A} \csdef{Beta}{B} \csdef{Epsilon}{E} \csdef{varEpsilon}{E}
\csdef{Zeta}{Z} \csdef{Eta}{H} \csdef{Iota}{I} \csdef{Kappa}{K}
\csdef{varKappa}{K} \csdef{Mu}{M} \csdef{Nu}{N} \csdef{Omicron}{O}
\csdef{Rho}{P} \csdef{varRho}{P} \csdef{Tau}{T} \csdef{Chi}{X}

%%*****************************************************************************%%
%%*****************************************************************************%%
%%** Tools **********************************************************************%%
%%*****************************************************************************%%
```

\empchk **Emptiness check:** `\empchk{`$\langle A\rangle$`}{`$\langle B\rangle$`}` evaluates to the empty string, if Argument $\langle A\rangle$ is empty, and to Argument $\langle B\rangle$, otherwise.

- `\empchk{}{B}` = “”
- `\empchk{A}{B}` = “B”

```
\newcommand{\empchk}[2]
  {\if&#1&\else#2\fi}
```

\defval **Default value:** `\defval{`$\langle A\rangle$`}{`$\langle B\rangle$`}` evaluates to Argument $\langle B\rangle$, if Argument $\langle A\rangle$ is empty, and to Argument $\langle A\rangle$ itself, otherwise.

- `\defval{}{B}` = “B”
- `\defval{A}{B}` = “A”

```
\newcommand{\defval}[2]
  {\if&#1&#2\else#1\fi}

%%*****************************************************************************%%
```

\arglef **Left extension:** `\arglef{`$\langle A\rangle$`}{`$\langle B\rangle$`}` evaluates to the concatenation $\langle AB\rangle$ of the two arguments, if Argument $\langle B\rangle$ is non-empty, and to the empty string, otherwise.

- `\arglef{A}{}` = “”
- `\arglef{A}{B}` = “AB”

```
\newcommand{\arglef}[2]
  {\empchk{#2}{#1\allowbreak#2}}
```

\argrig **Right extension:** `\argrig{`$\langle A\rangle$`}{`$\langle B\rangle$`}` evaluates to the concatenation $\langle AB\rangle$ of the two arguments, if Argument $\langle A\rangle$ is non-empty, and to the empty string, otherwise.

- `\argrig{}{B}` = “”
- `\argrig{A}{B}` = “AB”

```
\newcommand{\argrig}[2]
  {\empchk{#1}{#1\allowbreak#2}}
```

\argmid **Middle extension:** `\argmid{`$\langle A\rangle$`}{`$\langle B\rangle$`}{`$\langle C\rangle$`}` evaluates to the concatenation $\langle ABC\rangle$ of the three arguments, if Argument $\langle B\rangle$ is non-empty, and to the empty string, otherwise.

- `\argmid{A}{}{C}` = “”
- `\argmid{A}{B}{C}` = “ABC”

```
\newcommand{\argmid}[3]
  {\empchk{#2}{#1\allowbreak#2\allowbreak#3}}
```

\argsep **Separators:** \argsep{⟨A⟩}{⟨B⟩}{⟨C⟩} evaluates to Argument ⟨C⟩, if Argument ⟨A⟩ is empty, to Argument ⟨A⟩, if Argument ⟨C⟩ is empty, and to the concatenation ⟨ABC⟩, otherwise.

- \argsep{}{B}{C} = "C"
- \argsep{A}{B}{} = "A"
- \argsep{A}{}{C} = "AC"
- \argsep{A}{B}{C} = "ABC"

```
\newcommand{\argsep}[3]
  {\if&#1&#3\else#1\allowbreak\arglef{#2}{#3}\fi}

%%*************************************************************************%%
```

\varcmd **Variadic commands:** \varcmd{⟨A⟩}{⟨B⟩}{⟨C⟩}{⟨D⟩}{⟨E⟩}{⟨F⟩} ... to do!

```
\newcommand{\varcmd}[6]
  {\expandafter\newcommand\csname gobble#1arg\endcsname[2]
    {\csname check#1arg\endcsname{\argsep{##1}{#4}{##2}}}%
  \expandafter\newcommand\csname check#1arg\endcsname[1]
    {\csname @ifnextchar\endcsname%
      \bgroup{\csname gobble#1arg\endcsname{##1}}{#2{##1#5}#6}}%
  \expandafter\newcommand\csname#1\endcsname[1]
    {\csname check#1arg\endcsname{#3##1}}}

%%*************************************************************************%%
```

\seqoftag **Sequence of tags:** \seqoftag{⟨A⟩}{⟨B⟩}{⟨C⟩} ... to do!

```
\newcommand{\seqoftag}[3]
  {\@for\itr:={#1}\do%
    {\expandafter\csedef{\itr#2}%
      {\noexpand\csname #3\endcsname{\itr}}}}
```

\seqofcmd **Sequence of commands:** \seqofcmd{⟨A⟩}{⟨B⟩}{⟨C⟩} ... to do!

```
\newcommand{\seqofcmd}[3]
  {\@for\itr:={#1}\do%
    {\expandafter\csedef{\itr#2}%
      {\noexpand\csname #3\endcsname{\csname \itr\endcsname}}}}

%%*************************************************************************%%
```

\seqoflatlow **Sequence of Latin lowercase letters:** \seqoflatlow{⟨A⟩}{⟨B⟩} ... to do!

```
\newcommand{\seqoflatlow}
  {\seqoftag{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w,x,y,z}}
```

\seqoflatupp **Sequence of Latin uppercase letters:** \seqoflatupp{⟨A⟩}{⟨B⟩} ... to do!

```
\newcommand{\seqoflatupp}
  {\seqoftag{A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,R,S,T,U,V,W,X,Y,Z}}
```

\seqoflatlet **Sequence of Latin letters:** \seqoflatlet{⟨A⟩}{⟨B⟩} ... to do!

```
\newcommand{\seqoflatlet}[2]
  {\seqoflatlow{#1}{#2}\seqoflatupp{#1}{#2}}

%%*************************************************************************%%
```

\seqofgrklow **Sequence of Greek lowercase letters:** \seqofgrklow{⟨A⟩}{⟨B⟩} ... to do!

```
\newcommand{\seqofgrklow}
  {\seqofcmd{alpha,beta,gamma,delta,epsilon,varepsilon,zeta,eta,theta,vartheta,%
  iota,kappa,varkappa,lambda,mu,nu,xi,omicron,pi,varpi,rho,varrho,sigma,%
  varsigma,tau,upsilon,phi,varphi,chi,psi,omega}}
```

\seqofgrkupp **Sequence of Greek uppercase letters:** \seqofgrkupp{⟨A⟩}{⟨B⟩} ... to do!

```
\newcommand{\seqofgrkupp}
  {\seqofcmd{Alpha,Beta,Gamma,Delta,Epsilon,varEpsilon,Zeta,Eta,Theta,varTheta,%
  Iota,Kappa,varKappa,Lambda,Mu,Nu,Xi,Omicron,Pi,varPi,Rho,varRho,Sigma,%
  varSigma,Tau,Upsilon,Phi,varPhi,Chi,Psi,Omega}}
```

\seqofgrklet **Sequence of Greek letters:** \seqofgrklet{⟨A⟩}{⟨B⟩} ... to do!

```
\newcommand{\seqofgrklet}[2]
  {\seqofgrklow{#1}{#2}\seqofgrkupp{#1}{#2}}

%%*************************************************************************%%
```

\seqoflow **Sequence of lowercase letters:** \seqoflow{⟨A⟩}{⟨B⟩} ... to do!

```
\newcommand{\seqoflow}[2]
  {\seqoflatlow{#1}{#2}\seqofgrklow{#1}{#2}}
```

\seqofupp **Sequence of uppercase letters:** \seqofupp{⟨A⟩}{⟨B⟩} ... to do!

```
\newcommand{\seqofupp}[2]
  {\seqoflatupp{#1}{#2}\seqofgrkupp{#1}{#2}}
```

\seqoflet **Sequence of all letters:** \seqoflet{⟨A⟩}{⟨B⟩} ... to do!

```
\newcommand{\seqoflet}[2]
  {\seqoflow{#1}{#2}\seqofupp{#1}{#2}}

%%*************************************************************************%%

%%*************************************************************************%%
%%** Text Meta Commands ***************************************************%%
%%*************************************************************************%%
```

\newtxt ... to do!

- \newtxt[\rmfamily]{Name}[sub][sup][Ext] = "$\mathrm{Name}_{\mathrm{sub}}^{\mathrm{sup}}\mathrm{Ext}$"
- \newtxt[\sffamily]{Name}[sub][sup][Ext] = "$\mathsf{Name}_{\mathsf{sub}}^{\mathsf{sup}}\mathsf{Ext}$"
- \newtxt[\ttfamily]{Name}[sub][sup][Ext] = "$\mathtt{Name}_{\mathtt{sub}}^{\mathtt{sup}}\mathtt{Ext}$"

```
\newcommandx{\newtxt}[5][1=, 3=, 4=, 5=]
  {\text{#1#2\txtsubsup[#1]{#3}{#4}#5}\xspace}
```

\newtxtsty ... to do!

- \newtxtsty{\rmfamily}{Name}[sub][sup][Ext] = "$\mathrm{Name}_{\mathrm{sub}}^{\mathrm{sup}}\mathrm{Ext}$"
- \newtxtsty{\rmfamily}[\sffamily]{Name}[sub][sup][Ext] = "$\mathsf{Name}_{\mathsf{sub}}^{\mathsf{sup}}\mathsf{Ext}$"
- \newtxtsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Ext] = "$\mathtt{Name}_{\mathtt{sub}}^{\mathtt{sup}}\mathtt{Ext}$"

```
\newcommandx{\newtxtsty}[2][2=]
  {\newtxt[\defval{#2}{#1}]}
```

\newtxtarg ... to do!

- \newtxtarg[\rmfamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathrm{Name}_{\mathrm{sub}}^{\mathrm{sup}}\mathrm{Ext1(Arg)Ext2}$"
- \newtxtarg[\sffamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathsf{Name}_{\mathsf{sub}}^{\mathsf{sup}}\mathsf{Ext1(Arg)Ext2}$"
- \newtxtarg[\ttfamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathtt{Name}_{\mathtt{sub}}^{\mathtt{sup}}\mathtt{Ext1(Arg)Ext2}$"

```
\newcommandx{\newtxtarg}[7][1=, 3=, 4=, 5=, 7=]
  {\newtxt[#1]{#2}[#3][#4][#5\argmid{(}{#6}{)}#7]}
```

\newtxtargsty ... to do!

- \newtxtargsty{\rmfamily}{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathrm{Name}_{\mathrm{sub}}^{\mathrm{sup}}\mathrm{Ext1(Arg)Ext2}$"
- \newtxtargsty{\rmfamily}[\sffamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathsf{Name}_{\mathsf{sub}}^{\mathsf{sup}}\mathsf{Ext1(Arg)Ext2}$"
- \newtxtargsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathtt{Name}_{\mathtt{sub}}^{\mathtt{sup}}\mathtt{Ext1(Arg)Ext2}$"

```
\newcommandx{\newtxtargsty}[2][2=]
  {\newtxtarg[\defval{#2}{#1}]}
```

\newtxtoarg ... to do!

- \newtxtoarg[\rmfamily]{Name}[sub][sup][Arg] = "$\mathrm{Name}_{\mathrm{sub}}^{\mathrm{sup}}\mathrm{(Arg)}$"
- \newtxtoarg[\sffamily]{Name}[sub][sup][Arg] = "$\mathsf{Name}_{\mathsf{sub}}^{\mathsf{sup}}\mathsf{(Arg)}$"
- \newtxtoarg[\ttfamily]{Name}[sub][sup][Arg] = "$\mathtt{Name}_{\mathtt{sub}}^{\mathtt{sup}}\mathtt{(Arg)}$"

```
\newcommandx{\newtxtoarg}[5][1=, 3=, 4=, 5=]
  {\newtxtarg[#1]{#2}[#3][#4][]{#5}[]}
```

`\newtxtoargsty` ... to do!

- `\newtxtoargsty{\rmfamily}{Name}[sub][sup][Arg]` = "$\text{Name}_{\text{sub}}^{\text{sup}}(\text{Arg})$"
- `\newtxtoargsty{\rmfamily}[\sffamily]{Name}[sub][sup][Arg]` = "$\mathsf{Name}_{\mathsf{sub}}^{\mathsf{sup}}(\mathsf{Arg})$"
- `\newtxtoargsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Arg]` = "$\texttt{Name}_{\texttt{sub}}^{\texttt{sup}}\texttt{(Arg)}$"

```
\newcommandx{\newtxtoargsty}[2][2=]
  {\newtxtoarg[\defval{#2}{#1}]}
```

`\newtxtpar` ... to do!

- `\newtxtpar[\rmfamily]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\text{Name}_{\text{sub}}^{\text{sup}}\text{Ext1[Par]Ext2}$"
- `\newtxtpar[\sffamily]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathsf{Name}_{\mathsf{sub}}^{\mathsf{sup}}\mathsf{Ext1[Par]Ext2}$"
- `\newtxtpar[\ttfamily]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\texttt{Name}_{\texttt{sub}}^{\texttt{sup}}\texttt{Ext1[Par]Ext2}$"

```
\newcommandx{\newtxtpar}[7][1=, 3=, 4=, 5=, 7=]
  {\newtxt[#1]{#2}[#3][#4][#5\argmid{[}{#6}{]}#7]}
```

`\newtxtparsty` ... to do!

- `\newtxtparsty{\rmfamily}{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\text{Name}_{\text{sub}}^{\text{sup}}\text{Ext1[Par]Ext2}$"
- `\newtxtparsty{\rmfamily}[\sffamily]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathsf{Name}_{\mathsf{sub}}^{\mathsf{sup}}\mathsf{Ext1[Par]Ext2}$"
- `\newtxtparsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\texttt{Name}_{\texttt{sub}}^{\texttt{sup}}\texttt{Ext1[Par]Ext2}$"

```
\newcommandx{\newtxtparsty}[2][2=]
  {\newtxtpar[\defval{#2}{#1}]}
```

`\newtxtopar` ... to do!

- `\newtxtopar[\rmfamily]{Name}[sub][sup][Par]` = "$\text{Name}_{\text{sub}}^{\text{sup}}\text{[Par]}$"
- `\newtxtopar[\sffamily]{Name}[sub][sup][Par]` = "$\mathsf{Name}_{\mathsf{sub}}^{\mathsf{sup}}\mathsf{[Par]}$"
- `\newtxtopar[\ttfamily]{Name}[sub][sup][Par]` = "$\texttt{Name}_{\texttt{sub}}^{\texttt{sup}}\texttt{[Par]}$"

```
\newcommandx{\newtxtopar}[5][1=, 3=, 4=, 5=]
  {\newtxtpar[#1]{#2}[#3][#4][]{#5}[]}
```

`\newtxtoparsty` ... to do!

- `\newtxtoparsty{\rmfamily}{Name}[sub][sup][Par]` = "$\text{Name}_{\text{sub}}^{\text{sup}}\text{[Par]}$"
- `\newtxtoparsty{\rmfamily}[\sffamily]{Name}[sub][sup][Par]` = "$\mathsf{Name}_{\mathsf{sub}}^{\mathsf{sup}}\mathsf{[Par]}$"
- `\newtxtoparsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Par]` = "$\texttt{Name}_{\texttt{sub}}^{\texttt{sup}}\texttt{[Par]}$"

```
\newcommandx{\newtxtoparsty}[2][2=]
  {\newtxtopar[\defval{#2}{#1}]}
```

`\txtsubsup` ... to do!

- `\txtsubsup{sub}{}` = "$_{\text{sub}}$"; `\txtsubsup{}{sup}` = "$^{\text{sup}}$"; `\txtsubsup{sub}{sup}` = "$_{\text{sub}}^{\text{sup}}$"
- `\txtsubsup[\sffamily]{Aa}{Bb}` = "$^{\mathsf{Bb}}_{\mathsf{Aa}}$"
- `\txtsubsup[\ttfamily]{Aa}{Bb}` = "$^{\texttt{Bb}}_{\texttt{Aa}}$"

```
\newcommand{\txtsubsup}[3][]
  {\ensuremath{\empchk{#2}{_{\text{#1#2}}}\empchk{#3}{^{\text{#1#3}}}}}
```

```
%%*************************************************************************%%
```

`\txt` ... to do!

- `\txt{Name}[sub][sup][Ext]` = "$\text{Name}_{\text{sub}}^{\text{sup}}\text{Ext}$"
- `\txt[\scshape]{Name}[sub][sup][Ext]` = "$\textsc{Name}_{\textsc{sub}}^{\textsc{sup}}\textsc{Ext}$"
- `\txt[\bfseries]{Name}[sub][sup][Ext]` = "$\mathbf{Name}_{\mathbf{sub}}^{\mathbf{sup}}\mathbf{Ext}$"

```
\newcommand{\txt}
  {\newtxtsty{\txtsty}}
```

`\txtarg` ... to do!

- `\txtarg{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "$\text{Name}_{\text{sub}}^{\text{sup}}\text{Ext1(Arg)Ext2}$"
- `\txtarg[\scshape]{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "$\textsc{Name}_{\textsc{sub}}^{\textsc{sup}}\textsc{Ext1(Arg)Ext2}$"

- `\txtarg[\bfseries]{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "$\mathbf{Name_{sub}^{sup}Ext1(Arg)Ext2}$"

```
\newcommand{\txtarg}
  {\newtxtargsty{\txtsty}}
```

`\txtoarg` ... to do!

- `\txtoarg{Name}[sub][sup][Arg]` = "$\mathrm{Name_{sub}^{sup}(Arg)}$"
- `\txtoarg[\scshape]{Name}[sub][sup][Arg]` = "$\mathrm{NAME_{SUB}^{SUP}(ARG)}$"
- `\txtoarg[\bfseries]{Name}[sub][sup][Arg]` = "$\mathbf{Name_{sub}^{sup}(Arg)}$"

```
\newcommand{\txtoarg}
  {\newtxtoargsty{\txtsty}}
```

`\txtpar` ... to do!

- `\txtpar{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathrm{Name_{sub}^{sup}Ext1[Par]Ext2}$"
- `\txtpar[\scshape]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathrm{NAME_{SUB}^{SUP}EXT1[PAR]EXT2}$"
- `\txtpar[\bfseries]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathbf{Name_{sub}^{sup}Ext1[Par]Ext2}$"

```
\newcommand{\txtpar}
  {\newtxtparsty{\txtsty}}
```

`\txtopar` ... to do!

- `\txtopar{Name}[sub][sup][Par]` = "$\mathrm{Name_{sub}^{sup}[Par]}$"
- `\txtopar[\scshape]{Name}[sub][sup][Par]` = "$\mathrm{NAME_{SUB}^{SUP}[PAR]}$"
- `\txtopar[\bfseries]{Name}[sub][sup][Par]` = "$\mathbf{Name_{sub}^{sup}[Par]}$"

```
\newcommand{\txtopar}
  {\newtxtoparsty{\txtsty}}
```

`\txtsty` ... to do!

```
\newcommand{\txtsty}
  {\mdseries\upshape\rmfamily}

%%*************************************************************************%%
```

`\cmdtxt` ... to do!

- `\cmdtxt{NewCmd}`; `\newcommand{txtstyNewCmd}{\scshape\ttfamily}`; `\txtNewCmd{Name}[sub][sup][Ext]` = $\mathrm{NAME_{SUB}^{SUP}EXT}$

```
\newcommand{\cmdtxt}[1]
  {\csdef{txt#1}{\newtxtsty{\csname txtsty#1\endcsname}}}
```

`\cmdtxtarg` ... to do!

- `\cmdtxtarg{NewCmd}`; `\newcommand{txtstyNewCmd}{\scshape\ttfamily}`; `\txtargNewCmd{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $\mathrm{NAME_{SUB}^{SUP}EXT1(ARG)EXT2}$

```
\newcommand{\cmdtxtarg}[1]
  {\csdef{txtarg#1}{\newtxtargsty{\csname txtsty#1\endcsname}}}
```

`\cmdtxtoarg` ... to do!

- `\cmdtxtoarg{NewCmd}`; `\newcommand{txtstyNewCmd}{\scshape\ttfamily}`; `\txtoargNewCmd{Name}[sub][sup][Arg]` = $\mathrm{NAME_{SUB}^{SUP}(ARG)}$

```
\newcommand{\cmdtxtoarg}[1]
  {\csdef{txtoarg#1}{\newtxtoargsty{\csname txtsty#1\endcsname}}}
```

`\cmdtxtpar` ... to do!

- `\cmdtxtpar{NewCmd}`; `\newcommand{txtstyNewCmd}{\scshape\ttfamily}`; `\txtparNewCmd{Name}[sub][sup][Ext1]{Par}[Ext2]` = $\mathrm{NAME_{SUB}^{SUP}EXT1[PAR]EXT2}$

```
\newcommand{\cmdtxtpar}[1]
  {\csdef{txtpar#1}{\newtxtparsty{\csname txtsty#1\endcsname}}}
```

`\cmdtxtopar` ... to do!

- \cmdtxtopar{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
  \txtoparNewCmd{Name}[sub][sup][Par] = NAME$_{\text{SUB}}^{\text{SUP}}$[PAR]

```
\newcommand{\cmdtxtopar}[1]
  {\csdef{txtopar#1}{\newtxtoparsty{\csname txtsty#1\endcsname}}}
```

\cmdtxtall ... to do!

- \cmdtxtall{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
  \txtNewCmd{Name}[sub][sup][Ext] = NAME$_{\text{SUB}}^{\text{SUP}}$EXT
  \txtargNewCmd{Name}[sub][sup][Ext1]{Arg}[Ext2] = NAME$_{\text{SUB}}^{\text{SUP}}$EXT1(ARG)EXT2
  \txtoargNewCmd{Name}[sub][sup][Arg] = NAME$_{\text{SUB}}^{\text{SUP}}$(ARG)
  \txtparNewCmd{Name}[sub][sup][Ext1]{Par}[Ext2] = NAME$_{\text{SUB}}^{\text{SUP}}$EXT1[PAR]EXT2
  \txtoparNewCmd{Name}[sub][sup][Par] = NAME$_{\text{SUB}}^{\text{SUP}}$[PAR]

```
\newcommand{\cmdtxtall}[1]
  {\cmdtxt{#1}\cmdtxtarg{#1}\cmdtxtoarg{#1}\cmdtxtpar{#1}\cmdtxtopar{#1}}

%%*************************************************************************%%
```

\usrtxt ... to do!

- \usrtxt{cmdName}{Suf}{}; \cmdNameSuf = cmdName
  \usrtxt{cmdName}{Suf}{arg}; \cmdNameSuf{Arg} = cmdName(Arg)
  \usrtxt{cmdName}{Suf}{par}; \cmdNameSuf{Par} = cmdName[Par]
- \usrtxt{cmdName}{Suf}{}[newName]; \cmdNameSuf = newName
  \usrtxt{cmdName}{Suf}{arg}[newName]; \cmdNameSuf{Arg} = newName(Arg)
  \usrtxt{cmdName}{Suf}{par}[newName]; \cmdNameSuf{Par} = newName[Par]

```
\newcommandx{\usrtxt}[4][4=]
  {\csdef{#1#2}{\csname txt#3\endcsname{\defval{#4}{#1}}}}

%%*************************************************************************%%

%%*************************************************************************%%
%%** Math Meta Commands ***************************************************%%
%%*************************************************************************%%
```

\newmth ... to do!

- \newmth[mathrm]{Name}[sub][sup][Ext] = "$\mathrm{Name}_{sub}^{sup}Ext$"
- \newmth[mathsf]{Name}[sub][sup][Ext] = "$\mathsf{Name}_{sub}^{sup}Ext$"
- \newmth[mathtt]{Name}[sub][sup][Ext] = "$\mathtt{Name}_{sub}^{sup}Ext$"

```
\newcommandx{\newmth}[5][1=, 3=, 4=, 5=]
  {\ensuremath{\csname#1\endcsname{#2}\mthsubsup{#3}{#4}#5}}
```

\newmthsty ... to do!

- \newmthsty{mathrm}{Name}[sub][sup][Ext] = "$\mathrm{Name}_{sub}^{sup}Ext$"
- \newmthsty{mathrm}[mathsf]{Name}[sub][sup][Ext] = "$\mathsf{Name}_{sub}^{sup}Ext$"
- \newmthsty{mathrm}[mathtt]{Name}[sub][sup][Ext] = "$\mathtt{Name}_{sub}^{sup}Ext$"

```
\newcommandx{\newmthsty}[2][2=]
  {\newmth[\defval{#2}{#1}]}
```

\newmtharg ... to do!

- \newmtharg[mathrm]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathrm{Name}_{sub}^{sup}Ext1(Arg)Ext2$"
- \newmtharg[mathsf]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathsf{Name}_{sub}^{sup}Ext1(Arg)Ext2$"
- \newmtharg[mathtt]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathtt{Name}_{sub}^{sup}Ext1(Arg)Ext2$"

```
\newcommandx{\newmtharg}[7][1=, 3=, 4=, 5=, 7=]
  {\newmth[#1]{#2}[#3][#4][#5\argmid{\!\left(}{#6}{\right)\arglef{\!}{#7}}]}
```

\newmthargsty ... to do!

- \newmthargsty{mathrm}{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathrm{Name}_{sub}^{sup}Ext1(Arg)Ext2$"
- \newmthargsty{mathrm}[mathsf]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathsf{Name}_{sub}^{sup}Ext1(Arg)Ext2$"
- \newmthargsty{mathrm}[mathtt]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "$\mathtt{Name}_{sub}^{sup}Ext1(Arg)Ext2$"

```
\newcommandx{\newmthargsty}[2][2=]
  {\newmtharg[\defval{#2}{#1}]}
```

`\newmthoarg` ... to do!

- `\newmthoarg[mathrm]{Name}[sub][sup][Arg]` = "$\mathrm{Name}_{sub}^{sup}(Arg)$"
- `\newmthoarg[mathsf]{Name}[sub][sup][Arg]` = "$\mathsf{Name}_{sub}^{sup}(Arg)$"
- `\newmthoarg[mathtt]{Name}[sub][sup][Arg]` = "$\mathtt{Name}_{sub}^{sup}(Arg)$"

```
\newcommandx{\newmthoarg}[5][1=, 3=, 4=, 5=]
  {\newmtharg[#1]{#2}[#3][#4][]{#5}[]}
```

`\newmthoargsty` ... to do!

- `\newmthoargsty{mathrm}{Name}[sub][sup][Arg]` = "$\mathrm{Name}_{sub}^{sup}(Arg)$"
- `\newmthoargsty{mathrm}[mathsf]{Name}[sub][sup][Arg]` = "$\mathsf{Name}_{sub}^{sup}(Arg)$"
- `\newmthoargsty{mathrm}[mathtt]{Name}[sub][sup][Arg]` = "$\mathtt{Name}_{sub}^{sup}(Arg)$"

```
\newcommandx{\newmthoargsty}[2][2=]
  {\newmthoarg[\defval{#2}{#1}]}
```

`\newmthpar` ... to do!

- `\newmthpar[mathrm]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathrm{Name}_{sub}^{sup}Ext1[Par]Ext2$"
- `\newmthpar[mathsf]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathsf{Name}_{sub}^{sup}Ext1[Par]Ext2$"
- `\newmthpar[mathtt]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathtt{Name}_{sub}^{sup}Ext1[Par]Ext2$"

```
\newcommandx{\newmthpar}[7][1=, 3=, 4=, 5=, 7=]
  {\newmth[#1]{#2}[#3][#4][#5\argmid{\!\left[}{#6}{\right]\arglef{\!}{#7}}]}
```

`\newmthparsty` ... to do!

- `\newmthparsty{mathrm}{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathrm{Name}_{sub}^{sup}Ext1[Par]Ext2$"
- `\newmthparsty{mathrm}[mathsf]{Name}[sub][sup] [Ext1]{Par}[Ext2]` = "$\mathsf{Name}_{sub}^{sup}Ext1[Par]Ext2$"
- `\newmthparsty{mathrm}[mathtt]{Name}[sub][sup] [Ext1]{Par}[Ext2]` = "$\mathtt{Name}_{sub}^{sup}Ext1[Par]Ext2$"

```
\newcommandx{\newmthparsty}[2][2=]
  {\newmthpar[\defval{#2}{#1}]}
```

`\newmthopar` ... to do!

- `\newmthopar[mathrm]{Name}[sub][sup][Par]` = "$\mathrm{Name}_{sub}^{sup}[Par]$"
- `\newmthopar[mathsf]{Name}[sub][sup][Par]` = "$\mathsf{Name}_{sub}^{sup}[Par]$"
- `\newmthopar[mathtt]{Name}[sub][sup][Par]` = "$\mathtt{Name}_{sub}^{sup}[Par]$"

```
\newcommandx{\newmthopar}[5][1=, 3=, 4=, 5=]
  {\newmthpar[#1]{#2}[#3][#4][]{#5}[]}
```

`\newmthoparsty` ... to do!

- `\newmthoparsty{mathrm}{Name}[sub][sup][Par]` = "$\mathrm{Name}_{sub}^{sup}[Par]$"
- `\newmthoparsty{mathrm}[mathsf]{Name}[sub][sup][Par]` = "$\mathsf{Name}_{sub}^{sup}[Par]$"
- `\newmthoparsty{mathrm}[mathtt]{Name}[sub][sup][Par]` = "$\mathtt{Name}_{sub}^{sup}[Par]$"

```
\newcommandx{\newmthoparsty}[2][2=]
  {\newmthopar[\defval{#2}{#1}]}
```

`\mthsubsup` ... to do!

```
\newcommand{\mthsubsup}[2]
  {\empchk{#1}{_{#1}}\empchk{#2}{^{#2}}}
```

```
%%*************************************************************************%%
```

`\mth` ... to do!

- `\mth{Name}[sub][sup][Ext]` = "$Name_{sub}^{sup}Ext$"
- `\mth[mathbf]{Name}[sub][sup][Ext]` = "$\mathbf{Name}_{sub}^{sup}Ext$"
- `\mth[mathtt]{Name}[sub][sup][Ext]` = "$\mathtt{Name}_{sub}^{sup}Ext$"

```
\newcommand{\mth}
  {\newmthsty{\mthsty}}
```

`\mtharg` ... to do!

- `\mtharg{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "$Name_{sub}^{sup}Ext1(Arg)Ext2$"
- `\mtharg[mathbf]{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "$\mathbf{Name}_{sub}^{sup}Ext1(Arg)Ext2$"
- `\mtharg[mathtt]{Name}[sub][sup][Ext1]{Arg}[Ext2]` = "$\mathtt{Name}_{sub}^{sup}Ext1(Arg)Ext2$"

```
\newcommand{\mtharg}
  {\newmthargsty{\mthsty}}
```

`\mthoarg` ... to do!

- `\mthoarg{Name}[sub][sup][Arg]` = "$Name_{sub}^{sup}(Arg)$"
- `\mthoarg[mathbf]{Name}[sub][sup][Arg]` = "$\mathbf{Name}_{sub}^{sup}(Arg)$"
- `\mthoarg[mathtt]{Name}[sub][sup][Arg]` = "$\mathtt{Name}_{sub}^{sup}(Arg)$"

```
\newcommand{\mthoarg}
  {\newmthoargsty{\mthsty}}
```

`\mthpar` ... to do!

- `\mthpar{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$Name_{sub}^{sup}Ext1[Par]Ext2$"
- `\mthpar[mathbf]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathbf{Name}_{sub}^{sup}Ext1[Par]Ext2$"
- `\mthpar[mathtt]{Name}[sub][sup][Ext1]{Par}[Ext2]` = "$\mathtt{Name}_{sub}^{sup}Ext1[Par]Ext2$"

```
\newcommand{\mthpar}
  {\newmthparsty{\mthsty}}
```

`\mthopar` ... to do!

- `\mthopar{Name}[sub][sup][Par]` = "$Name_{sub}^{sup}[Par]$"
- `\mthopar[mathbf]{Name}[sub][sup][Par]` = "$\mathbf{Name}_{sub}^{sup}[Par]$"
- `\mthopar[mathtt]{Name}[sub][sup][Par]` = "$\mathtt{Name}_{sub}^{sup}[Par]$"

```
\newcommand{\mthopar}
  {\newmthoparsty{\mthsty}}
```

`\mthsty` ... to do!

```
\newcommand{\mthsty}
  {}
```

```
%%*************************************************************************%%
```

`\cmdmth` ... to do!

- `\cmdmth{NewCmd}`; `\newcommand{mthstyNewCmd}{\mathtt}`; `\mthNewCmd{Name}[sub][sup][Ext]` = $\mathtt{Name}_{sub}^{sup}Ext$

```
\newcommand{\cmdmth}[1]
  {\csdef{mth#1}{\newmthsty{mthsty#1}}}
```

`\cmdmtharg` ... to do!

- `\cmdmtharg{NewCmd}`; `\newcommand{mthstyNewCmd}{\mathtt}`; `\mthargNewCmd{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $\mathtt{Name}_{sub}^{sup}Ext1(Arg)Ext2$

```
\newcommand{\cmdmtharg}[1]
  {\csdef{mtharg#1}{\newmthargsty{mthsty#1}}}
```

`\cmdmthoarg` ... to do!

- `\cmdmthoarg{NewCmd}`; `\newcommand{mthstyNewCmd}{\mathtt}`; `\mthoargNewCmd{Name}[sub][sup][Arg]` = $\mathtt{Name}_{sub}^{sup}(Arg)$

```
\newcommand{\cmdmthoarg}[1]
  {\csdef{mthoarg#1}{\newmthoargsty{mthsty#1}}}
```

`\cmdmthpar` ... to do!

- \cmdmthpar{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
  \mthparNewCmd{Name}[sub][sup][Ext1]{Par}[Ext2] = Name$_{sub}^{sup}Ext1[Par]Ext2$

```
\newcommand{\cmdmthpar}[1]
  {\csdef{mthpar#1}{\newmthparsty{mthsty#1}}}
```

\cmdmthopar ... to do!

- \cmdmthopar{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
  \mthoparNewCmd{Name}[sub][sup][Par] = Name$_{sub}^{sup}[Par]$

```
\newcommand{\cmdmthopar}[1]
  {\csdef{mthopar#1}{\newmthoparsty{mthsty#1}}}
```

\cmdmthall ... to do!

- \cmdmthall{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
  \mthNewCmd{Name}[sub][sup][Ext] = Name$_{sub}^{sup}Ext$
  \mthargNewCmd{Name}[sub][sup][Ext1]{Arg}[Ext2] = Name$_{sub}^{sup}Ext1(Arg)Ext2$
  \mthoargNewCmd{Name}[sub][sup][Arg] = Name$_{sub}^{sup}(Arg)$
  \mthparNewCmd{Name}[sub][sup][Ext1]{Par}[Ext2] = Name$_{sub}^{sup}Ext1[Par]Ext2$
  \mthoparNewCmd{Name}[sub][sup][Par] = Name$_{sub}^{sup}[Par]$

```
\newcommand{\cmdmthall}[1]
  {\cmdmth{#1}\cmdmtharg{#1}\cmdmthoarg{#1}\cmdmthpar{#1}\cmdmthopar{#1}}

%%*************************************************************************%%
```

\usrmth ... to do!

- \usrmth{cmdName}{Suf}{}; \cmdNameSuf = $cmdName$
  \usrmth{cmdName}{Suf}{arg}; \cmdNameSuf{Arg} = $cmdName(Arg)$
  \usrmth{cmdName}{Suf}{par}; \cmdNameSuf{Par} = $cmdName[Par]$
- \usrmth{cmdName}{Suf}{}[newName]; \cmdNameSuf = $newName$
  \usrmth{cmdName}{Suf}{arg}[newName]; \cmdNameSuf{Arg} = $newName(Arg)$
  \usrmth{cmdName}{Suf}{par}[newName]; \cmdNameSuf{Par} = $newName[Par]$

```
\newcommandx{\usrmth}[4][4=]
  {\csdef{#1#2}{\csname mth#3\endcsname{\defval{#4}{#1}}}}

%%*************************************************************************%%
```

\usrmthlatlow ... to do!

```
\newcommandx{\usrmthlatlow}[4][4=]
  {\usrmth{#1}{#2}{#3}[#4]\seqoflatlow{#1#2}{mth#3}}
```

\usrmthlatupp ... to do!

```
\newcommandx{\usrmthlatupp}[4][4=]
  {\usrmth{#1}{#2}{#3}[#4]\seqoflatupp{#1#2}{mth#3}}
```

\usrmthlatlet ... to do!

```
\newcommandx{\usrmthlatlet}[4][4=]
  {\usrmth{#1}{#2}{#3}[#4]\seqoflatlet{#1#2}{mth#3}}
```

\usrmthgrklow ... to do!

```
\newcommandx{\usrmthgrklow}[4][4=]
  {\usrmth{#1}{#2}{#3}[#4]\seqofgrklow{#1#2}{mth#3}}
```

\usrmthgrkupp ... to do!

```
\newcommandx{\usrmthgrkupp}[4][4=]
  {\usrmth{#1}{#2}{#3}[#4]\seqofgrkupp{#1#2}{mth#3}}
```

\usrmthgrklet ... to do!

```
\newcommandx{\usrmthgrklet}[4][4=]
  {\usrmth{#1}{#2}{#3}[#4]\seqofgrklet{#1#2}{mth#3}}
```

\usrmthlow ... to do!

```
\newcommandx{\usrmthlow}[4][4=]
  {\usrmth{#1}{#2}{#3}[#4]\seqoflow{#1#2}{mth#3}}
```

`\usrmthupp` ... to do!

```
\newcommandx{\usrmthupp}[4][4=]
  {\usrmth{#1}{#2}{#3}[#4]\seqofupp{#1#2}{mth#3}}
```

`\usrmthlet` ... to do!

```
\newcommandx{\usrmthlet}[4][4=]
  {\usrmth{#1}{#2}{#3}[#4]\seqoflet{#1#2}{mth#3}}
```

```
%%*****************************************************************************%%
%%*****************************************************************************%%
%%** Text Macro Generators ****************************************************%%
%%*****************************************************************************%%
\iftxtgen@
```

`\txtdef, ...` ... to do!

- `\txtdef{Name}[sub][sup][Ext]` = $Name_{sub}^{sup}Ext$
- `\txtargdef{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $Name_{sub}^{sup}Ext1(Arg)Ext2$
- `\txtpardef{Name}[sub][sup][Ext1]{Par}[Ext2]` = $Name_{sub}^{sup}Ext1[Par]Ext2$

```
%% Style for Definitions
\cmdtxtall{def}\newcommand{\txtstydef}{\normalfont\bfseries\em}
```

`\cmdtxtdef` ... to do!

- `\cmdtxtdef{cmdName}`;
  `\cmdName[sub][sub][ext]` = $cmdName_{sub}^{sub}ext$
- `\cmdtxtdef{cmdName}[newName]`;
  `\cmdName[sub][sub][ext]` = $newName_{sub}^{sub}ext$

```
\newcommandx{\cmdtxtdef}[2][2=]
  {\usrtxt{#1}{}{def}[#2]}
```

`\cmdtxtargdef` ... to do!

- `\cmdtxtargdef{cmdName}`;
  `\cmdName[sub][sub][ext1]{arg}[ext2]` = $cmdName_{sub}^{sub}ext1(arg)ext2$
- `\cmdtxtargdef{cmdName}[newName]`;
  `\cmdName[sub][sub][ext1]{arg}[ext2]` = $newName_{sub}^{sub}ext1(arg)ext2$

```
\newcommandx{\cmdtxtargdef}[2][2=]
  {\usrtxt{#1}{}{argdef}[#2]}
```

`\cmdtxtoargdef` ... to do!

- `\cmdtxtoargdef{cmdName}`;
  `\cmdName[sub][sub][arg]` = $cmdName_{sub}^{sub}(arg)$
- `\cmdtxtoargdef{cmdName}[newName]`;
  `\cmdName[sub][sub][arg]` = $newName_{sub}^{sub}(arg)$

```
\newcommandx{\cmdtxtoargdef}[2][2=]
  {\usrtxt{#1}{}{oargdef}[#2]}
```

`\cmdtxtpardef` ... to do!

- `\cmdtxtpardef{cmdName}`;
  `\cmdName[sub][sub][ext1]{par}[ext2]` = $cmdName_{sub}^{sub}ext1[par]ext2$
- `\cmdtxtpardef{cmdName}[newName]`;
  `\cmdName[sub][sub][ext1]{par}[ext2]` = $newName_{sub}^{sub}ext1[par]ext2$

```
\newcommandx{\cmdtxtpardef}[2][2=]
  {\usrtxt{#1}{}{pardef}[#2]}
```

`\cmdtxtopardef` ... to do!

- `\cmdtxtopardef{cmdName}`;
  `\cmdName[sub][sub][par]` = $cmdName_{sub}^{sub}[par]$
- `\cmdtxtopardef{cmdName}[newName]`;
  `\cmdName[sub][sub][par]` = $newName_{sub}^{sub}[par]$

```
\newcommandx{\cmdtxtopardef}[2][2=]
  {\usrtxt{#1}{}{opardef}[#2]}
```

`\txtabr, ...` ... to do!

- `\txtabr{Name}[sub][sup][Ext]` = $Name_{\text{sub}}^{\text{sup}}Ext$
- `\txtargabr{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $Name_{\text{sub}}^{\text{sup}}Ext1(Arg)Ext2$
- `\txtparabr{Name}[sub][sup][Ext1]{Par}[Ext2]` = $Name_{\text{sub}}^{\text{sup}}Ext1[Par]Ext2$

```
%% Style for Abbreviations
\cmdtxtall{abr}\newcommand{\txtstyabr}{\em}
```

`\cmdtxtabr` ... to do!

- `\cmdtxtabr{cmdName}`;
  `\cmdName[sub][sub][ext]` = $cmdName_{\text{sub}}^{\text{sub}}ext$
- `\cmdtxtabr{cmdName}[newName]`;
  `\cmdName[sub][sub][ext]` = $newName_{\text{sub}}^{\text{sub}}ext$

```
\newcommandx{\cmdtxtabr}[2][2=]
  {\usrtxt{#1}{}{abr}[#2]}
```

`\cmdtxtargabr` ... to do!

- `\cmdtxtargabr{cmdName}`;
  `\cmdName[sub][sub][ext1]{arg}[ext2]` = $cmdName_{\text{sub}}^{\text{sub}}ext1(arg)ext2$
- `\cmdtxtargabr{cmdName}[newName]`;
  `\cmdName[sub][sub][ext1]{arg}[ext2]` = $newName_{\text{sub}}^{\text{sub}}ext1(arg)ext2$

```
\newcommandx{\cmdtxtargabr}[2][2=]
  {\usrtxt{#1}{}{argabr}[#2]}
```

`\cmdtxtoargabr` ... to do!

- `\cmdtxtoargabr{cmdName}`;
  `\cmdName[sub][sub][arg]` = $cmdName_{\text{sub}}^{\text{sub}}(arg)$
- `\cmdtxtoargabr{cmdName}[newName]`;
  `\cmdName[sub][sub][arg]` = $newName_{\text{sub}}^{\text{sub}}(arg)$

```
\newcommandx{\cmdtxtoargabr}[2][2=]
  {\usrtxt{#1}{}{oargabr}[#2]}
```

`\cmdtxtparabr` ... to do!

- `\cmdtxtparabr{cmdName}`;
  `\cmdName[sub][sub][ext1]{par}[ext2]` = $cmdName_{\text{sub}}^{\text{sub}}ext1[par]ext2$
- `\cmdtxtparabr{cmdName}[newName]`;
  `\cmdName[sub][sub][ext1]{par}[ext2]` = $newName_{\text{sub}}^{\text{sub}}ext1[par]ext2$

```
\newcommandx{\cmdtxtparabr}[2][2=]
  {\usrtxt{#1}{}{parabr}[#2]}
```

`\cmdtxtoparabr` ... to do!

- `\cmdtxtoparabr{cmdName}`;
  `\cmdName[sub][sub][par]` = $cmdName_{\text{sub}}^{\text{sub}}[par]$
- `\cmdtxtoparabr{cmdName}[newName]`;
  `\cmdName[sub][sub][par]` = $newName_{\text{sub}}^{\text{sub}}[par]$

```
\newcommandx{\cmdtxtoparabr}[2][2=]
  {\usrtxt{#1}{}{oparabr}[#2]}

%%*************************************************************************%%
```

`\txtname, ...` ... to do!

- `\txtname{Name}[sub][sup][Ext]` = $\textsc{Name}_{\text{SUB}}^{\text{SUP}}\textsc{Ext}$
- `\txtargname{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $\textsc{Name}_{\text{SUB}}^{\text{SUP}}\textsc{Ext1}(\textsc{Arg})\textsc{Ext2}$
- `\txtparname{Name}[sub][sup][Ext1]{Par}[Ext2]` = $\textsc{Name}_{\text{SUB}}^{\text{SUP}}\textsc{Ext1}[\textsc{Par}]\textsc{Ext2}$

```
%% Style for Names
\cmdtxtall{name}\newcommand{\txtstyname}{\normalfont\mdseries\scshape\sffamily}
```

`\cmdtxtname` ... to do!

- `\cmdtxtname{cmdName}`;
  `\cmdName[sub][sub][ext]` = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext}$
- `\cmdtxtname{cmdName}[newName]`;
  `\cmdName[sub][sub][ext]` = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext}$

```
\newcommandx{\cmdtxtname}[2][2=]
  {\usrtxt{#1}{}{name}[#2]}
```

`\cmdtxtargname` ... to do!

- `\cmdtxtargname{cmdName}`;
  `\cmdName[sub][sub][ext1]{arg}[ext2]` = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}(\textsc{arg})\textsc{ext2}$
- `\cmdtxtargname{cmdName}[newName]`;
  `\cmdName[sub][sub][ext1]{arg}[ext2]` = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}(\textsc{arg})\textsc{ext2}$

```
\newcommandx{\cmdtxtargname}[2][2=]
  {\usrtxt{#1}{}{argname}[#2]}
```

`\cmdtxtoargname` ... to do!

- `\cmdtxtoargname{cmdName}`;
  `\cmdName[sub][sub][arg]` = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}(\textsc{arg})$
- `\cmdtxtoargname{cmdName}[newName]`;
  `\cmdName[sub][sub][arg]` = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}(\textsc{arg})$

```
\newcommandx{\cmdtxtoargname}[2][2=]
  {\usrtxt{#1}{}{oargname}[#2]}
```

`\cmdtxtparname` ... to do!

- `\cmdtxtparname{cmdName}`;
  `\cmdName[sub][sub][ext1]{par}[ext2]` = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}[\textsc{par}]\textsc{ext2}$
- `\cmdtxtparname{cmdName}[newName]`;
  `\cmdName[sub][sub][ext1]{par}[ext2]` = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}[\textsc{par}]\textsc{ext2}$

```
\newcommandx{\cmdtxtparname}[2][2=]
  {\usrtxt{#1}{}{parname}[#2]}
```

`\cmdtxtoparname` ... to do!

- `\cmdtxtoparname{cmdName}`;
  `\cmdName[sub][sub][par]` = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}[\textsc{par}]$
- `\cmdtxtoparname{cmdName}[newName]`;
  `\cmdName[sub][sub][par]` = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}[\textsc{par}]$

```
\newcommandx{\cmdtxtoparname}[2][2=]
  {\usrtxt{#1}{}{oparname}[#2]}
```

`\txtcom, ...` ... to do!

- `\txtcom{Name}[sub][sup][Ext]` = $\textsc{Name}^{\textsc{sup}}_{\textsc{sub}}\textsc{Ext}$
- `\txtargcom{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $\textsc{Name}^{\textsc{sup}}_{\textsc{sub}}\textsc{Ext1}(\textsc{Arg})\textsc{Ext2}$
- `\txtparcom{Name}[sub][sup][Ext1]{Par}[Ext2]` = $\textsc{Name}^{\textsc{sup}}_{\textsc{sub}}\textsc{Ext1}[\textsc{Par}]\textsc{Ext2}$

```
%% Style for Complexities
\cmdtxtall{com}\newcommand{\txtstycom}{\normalfont\mdseries\scshape\rmfamily}
```

`\cmdtxtcom` ... to do!

- `\cmdtxtcom{cmdName}`;
  `\cmdName[sub][sub][ext]` = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext}$
- `\cmdtxtcom{cmdName}[newName]`;
  `\cmdName[sub][sub][ext]` = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext}$

```
\newcommandx{\cmdtxtcom}[2][2=]
  {\usrtxt{#1}{}{com}[#2]}
```

\cmdtxtargcom ... to do!

- \cmdtxtargcom{cmdName};
  \cmdName[sub][sub][ext1]{arg}[ext2] = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}(\textsc{arg})\textsc{ext2}$
- \cmdtxtargcom{cmdName}[newName];
  \cmdName[sub][sub][ext1]{arg}[ext2] = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}(\textsc{arg})\textsc{ext2}$

```
\newcommandx{\cmdtxtargcom}[2][2=]
  {\usrtxt{#1}{}{argcom}[#2]}
```

\cmdtxtoargcom ... to do!

- \cmdtxtoargcom{cmdName};
  \cmdName[sub][sub][arg] = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}(\textsc{arg})$
- \cmdtxtoargcom{cmdName}[newName];
  \cmdName[sub][sub][arg] = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}(\textsc{arg})$

```
\newcommandx{\cmdtxtoargcom}[2][2=]
  {\usrtxt{#1}{}{oargcom}[#2]}
```

\cmdtxtparcom ... to do!

- \cmdtxtparcom{cmdName};
  \cmdName[sub][sub][ext1]{par}[ext2] = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}[\textsc{par}]\textsc{ext2}$
- \cmdtxtparcom{cmdName}[newName];
  \cmdName[sub][sub][ext1]{par}[ext2] = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}\textsc{ext1}[\textsc{par}]\textsc{ext2}$

```
\newcommandx{\cmdtxtparcom}[2][2=]
  {\usrtxt{#1}{}{parcom}[#2]}
```

\cmdtxtoparcom ... to do!

- \cmdtxtoparcom{cmdName};
  \cmdName[sub][sub][par] = $\textsc{cmdName}^{\textsc{sub}}_{\textsc{sub}}[\textsc{par}]$
- \cmdtxtoparcom{cmdName}[newName];
  \cmdName[sub][sub][par] = $\textsc{newName}^{\textsc{sub}}_{\textsc{sub}}[\textsc{par}]$

```
\newcommandx{\cmdtxtoparcom}[2][2=]
  {\usrtxt{#1}{}{oparcom}[#2]}

\fi
%%*****************************************************************************%%
%%*****************************************************************************%%
%%** Math Macro Generators *****************************************************%%
%%*****************************************************************************%%
\ifmthgen@
```

\mthname, ... to do!

- \mthname{NAME}[sub][sup][Ext] = $\mathcal{NAME}^{sup}_{sub}Ext$
- \mthargname{NAME}[sub][sup][Ext1]{Arg}[Ext2] = $\mathcal{NAME}^{sup}_{sub}Ext1(Arg)Ext2$
- \mthparname{NAME}[sub][sup][Ext1]{Par}[Ext2] = $\mathcal{NAME}^{sup}_{sub}Ext1[Par]Ext2$

```
%% Style for Names
\cmdmthall{name}\newcommand{\mthstyname}{\mathcal}
```

\AName, ... to do!
$\mathcal{A}$, $\mathcal{B}$, $\mathcal{C}$, $\mathcal{D}$, $\mathcal{E}$, $\mathcal{F}$, $\mathcal{G}$, $\mathcal{H}$, $\mathcal{I}$, $\mathcal{J}$, $\mathcal{K}$, $\mathcal{L}$, $\mathcal{M}$, $\mathcal{N}$, $\mathcal{O}$, $\mathcal{P}$, $\mathcal{Q}$, $\mathcal{R}$, $\mathcal{S}$, $\mathcal{T}$, $\mathcal{U}$, $\mathcal{V}$, $\mathcal{W}$, $\mathcal{X}$, $\mathcal{Y}$, $\mathcal{Z}$

```
\seqoflatupp{Name}{mthname}
```

\cmdmthname ... to do!

- \cmdmthname{CMDNAME};
  \CMDNAMEName[sub][sub][ext] = $\mathcal{CMDNAME}^{sub}_{sub}ext$
- \cmdmthname{cmdName}[NEWNAME];
  \cmdNameName[sub][sub][ext] = $\mathcal{NEWNAME}^{sub}_{sub}ext$

```
\newcommandx{\cmdmthname}[2][2=]
  {\usrmth{#1}{Name}{name}[#2]}
```

`\cmdmthargname` ... to do!

- `\cmdmthargname{CMDNAME}`;
  `\CMDNAMEName[sub][sub][ext1]{arg}[ext2]` = $\mathcal{CMDNAME}^{sub}_{sub}ext1(arg)ext2$
- `\cmdmthargname{cmdName}[NEWNAME]`;
  `\cmdNameName[sub][sub][ext1]{arg}[ext2]` = $\mathcal{NEWNAME}^{sub}_{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargname}[2][2=]
  {\usrmth{#1}{Name}{argname}[#2]}
```

`\cmdmthoargname` ... to do!

- `\cmdmthoargname{CMDNAME}`;
  `\CMDNAMEName[sub][sub][arg]` = $\mathcal{CMDNAME}^{sub}_{sub}(arg)$
- `\cmdmthoargname{cmdName}[NEWNAME]`;
  `\cmdNameName[sub][sub][arg]` = $\mathcal{NEWNAME}^{sub}_{sub}(arg)$

```
\newcommandx{\cmdmthoargname}[2][2=]
  {\usrmth{#1}{Name}{oargname}[#2]}
```

`\cmdmthparname` ... to do!

- `\cmdmthparname{CMDNAME}`;
  `\CMDNAMEName[sub][sub][ext1]{par}[ext2]` = $\mathcal{CMDNAME}^{sub}_{sub}ext1[par]ext2$
- `\cmdmthparname{cmdName}[NEWNAME]`;
  `\cmdNameName[sub][sub][ext1]{par}[ext2]` = $\mathcal{NEWNAME}^{sub}_{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparname}[2][2=]
  {\usrmth{#1}{Name}{parname}[#2]}
```

`\cmdmthoparname` ... to do!

- `\cmdmthoparname{CMDNAME}`;
  `\CMDNAMEName[sub][sub][par]` = $\mathcal{CMDNAME}^{sub}_{sub}[par]$
- `\cmdmthoparname{cmdName}[NEWNAME]`;
  `\cmdNameName[sub][sub][par]` = $\mathcal{NEWNAME}^{sub}_{sub}[par]$

```
\newcommandx{\cmdmthoparname}[2][2=]
  {\usrmth{#1}{Name}{oparname}[#2]}
```

`\mthfam, ...` ... to do!

- `\mthfam{NAME}[sub][sup][Ext]` = $\mathscr{NAME}^{sup}_{sub}Ext$
- `\mthargfam{NAME}[sub][sup][Ext1]{Arg}[Ext2]` = $\mathscr{NAME}^{sup}_{sub}Ext1(Arg)Ext2$
- `\mthparfam{NAME}[sub][sup][Ext1]{Par}[Ext2]` = $\mathscr{NAME}^{sup}_{sub}Ext1[Par]Ext2$

```
%% Style for Families
\cmdmthall{fam}\newcommand{\mthstyfam}{\mathscr}
```

`\AFam, ...` ... to do!
$\mathscr{A}, \mathscr{B}, \mathscr{C}, \mathscr{D}, \mathscr{E}, \mathscr{F}, \mathscr{G}, \mathscr{H}, \mathscr{I}, \mathscr{J}, \mathscr{K}, \mathscr{L}, \mathscr{M}, \mathscr{N}, \mathscr{O}, \mathscr{P}, \mathscr{Q}, \mathscr{R}, \mathscr{S}, \mathscr{T}, \mathscr{U}, \mathscr{V}, \mathscr{W}, \mathscr{X}, \mathscr{Y}, \mathscr{Z}$

```
\seqoflatupp{Fam}{mthfam}
```

`\cmdmthfam` ... to do!

- `\cmdmthfam{CMDNAME}`;
  `\CMDNAMEFam[sub][sub][ext]` = $\mathscr{CMDNAME}^{sub}_{sub}ext$
- `\cmdmthfam{cmdName}[NEWNAME]`;
  `\cmdNameFam[sub][sub][ext]` = $\mathscr{NEWNAME}^{sub}_{sub}ext$

```
\newcommandx{\cmdmthfam}[2][2=]
  {\usrmth{#1}{Fam}{fam}[#2]}
```

`\cmdmthargfam` ... to do!

- `\cmdmthargfam{CMDNAME}`;
  `\CMDNAMEFam[sub][sub][ext1]{arg}[ext2]` = $\mathscr{CMDNAME}^{sub}_{sub}ext1(arg)ext2$
- `\cmdmthargfam{cmdName}[NEWNAME]`;
  `\cmdNameFam[sub][sub][ext1]{arg}[ext2]` = $\mathscr{NEWNAME}^{sub}_{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargfam}[2][2=]
  {\usrmth{#1}{Fam}{argfam}[#2]}
```

`\cmdmthoargfam` ... to do!

- `\cmdmthoargfam{CMDNAME}`;
  `\CMDNAMEFam[sub][sub][arg]` = $\mathscr{CMDNAMEE}^{sub}_{sub}(arg)$
- `\cmdmthoargfam{cmdFam}[NEWNAME]`;
  `\cmdFamFam[sub][sub][arg]` = $\mathscr{NEWNAMEE}^{sub}_{sub}(arg)$

```
\newcommandx{\cmdmthoargfam}[2][2=]
  {\usrmth{#1}{Fam}{oargfam}[#2]}
```

`\cmdmthparfam` ... to do!

- `\cmdmthparfam{CMDNAME}`;
  `\CMDNAMEFam[sub][sub][ext1]{par}[ext2]` = $\mathscr{CMDNAMEE}^{sub}_{sub}ext1[par]ext2$
- `\cmdmthparfam{cmdName}[NEWNAME]`;
  `\cmdNameFam[sub][sub][ext1]{par}[ext2]` = $\mathscr{NEWNAMEE}^{sub}_{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparfam}[2][2=]
  {\usrmth{#1}{Fam}{parfam}[#2]}
```

`\cmdmthoparfam` ... to do!

- `\cmdmthoparfam{CMDNAME}`;
  `\CMDNAMEFam[sub][sub][par]` = $\mathscr{CMDNAMEE}^{sub}_{sub}[par]$
- `\cmdmthoparfam{cmdFam}[NEWNAME]`;
  `\cmdFamFam[sub][sub][par]` = $\mathscr{NEWNAMEE}^{sub}_{sub}[par]$

```
\newcommandx{\cmdmthoparfam}[2][2=]
  {\usrmth{#1}{Fam}{oparfam}[#2]}
```

`\mthcls, ...` ... to do!

- `\mthcls{NAME}[sub][sup][Ext]` = $\mathcal{NAME}^{sup}_{sub}Ext$
- `\mthargcls{NAME}[sub][sup][Ext1]{Arg}[Ext2]` = $\mathcal{NAME}^{sup}_{sub}Ext1(Arg)Ext2$
- `\mthparcls{NAME}[sub][sup][Ext1]{Par}[Ext2]` = $\mathcal{NAME}^{sup}_{sub}Ext1[Par]Ext2$

```
%% Style for Classes
\cmdmthall{cls}\newcommand{\mthstycls}{\matheus}
```

`\ACls, ...` ... to do!
$\mathcal{A}$, $\mathcal{B}$, $\mathcal{C}$, $\mathcal{D}$, $\mathcal{E}$, $\mathcal{F}$, $\mathcal{G}$, $\mathcal{H}$, $\mathcal{I}$, $\mathcal{J}$, $\mathcal{K}$, $\mathcal{L}$, $\mathcal{M}$, $\mathcal{N}$, $\mathcal{O}$, $\mathcal{P}$, $\mathcal{Q}$, $\mathcal{R}$, $\mathcal{S}$, $\mathcal{T}$, $\mathcal{U}$, $\mathcal{V}$, $\mathcal{W}$, $\mathcal{X}$, $\mathcal{Y}$, $\mathcal{Z}$

```
\seqoflatupp{Cls}{mthcls}
```

`\cmdmthcls` ... to do!

- `\cmdmthcls{CMDNAME}`;
  `\CMDNAMECls[sub][sub][ext]` = $\mathcal{CMDNAME}^{sub}_{sub}ext$
- `\cmdmthcls{cmdName}[NEWNAME]`;
  `\cmdNameCls[sub][sub][ext]` = $\mathcal{NEWNAME}^{sub}_{sub}ext$

```
\newcommandx{\cmdmthcls}[2][2=]
  {\usrmth{#1}{Cls}{cls}[#2]}
```

`\cmdmthargcls` ... to do!

- `\cmdmthargcls{CMDNAME}`;
  `\CMDNAMECls[sub][sub][ext1]{arg}[ext2]` = $\mathcal{CMDNAME}^{sub}_{sub}ext1(arg)ext2$
- `\cmdmthargcls{cmdName}[NEWNAME]`;
  `\cmdNameCls[sub][sub][ext1]{arg}[ext2]` = $\mathcal{NEWNAME}^{sub}_{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargcls}[2][2=]
  {\usrmth{#1}{Cls}{argcls}[#2]}
```

`\cmdmthoargcls` ... to do!

- `\cmdmthoargcls{CMDNAME}`;
  `\CMDNAMECls[sub][sub][arg]` = $\mathcal{CMDNAME}^{sub}_{sub}(arg)$

- `\cmdmthoargcls{cmdCls}[NEWNAME]`;
  `\cmdClsCls[sub][sub][arg]` = $\mathcal{NEWNAME}^{sub}_{sub}(arg)$

```
\newcommandx{\cmdmthoargcls}[2][2=]
  {\usrmth{#1}{Cls}{oargcls}[#2]}
```

`\cmdmthparcls` ... to do!

- `\cmdmthparcls{CMDNAME}`;
  `\CMDNAMECls[sub][sub][ext1]{par}[ext2]` = $\mathcal{CMDNAME}^{sub}_{sub}ext1[par]ext2$
- `\cmdmthparcls{cmdName}[NEWNAME]`;
  `\cmdNameCls[sub][sub][ext1]{par}[ext2]` = $\mathcal{NEWNAME}^{sub}_{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparcls}[2][2=]
  {\usrmth{#1}{Cls}{parcls}[#2]}
```

`\cmdmthoparcls` ... to do!

- `\cmdmthoparcls{CMDNAME}`;
  `\CMDNAMECls[sub][sub][par]` = $\mathcal{CMDNAME}^{sub}_{sub}[par]$
- `\cmdmthoparcls{cmdCls}[NEWNAME]`;
  `\cmdClsCls[sub][sub][par]` = $\mathcal{NEWNAME}^{sub}_{sub}[par]$

```
\newcommandx{\cmdmthoparcls}[2][2=]
  {\usrmth{#1}{Cls}{oparcls}[#2]}
```

`\mthsig, ...` ... to do!

- `\mthsig{Name}[sub][sup][Ext]` = $\mathcal{Name}^{sup}_{sub}Ext$
- `\mthargsig{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $\mathcal{Name}^{sup}_{sub}Ext1(Arg)Ext2$
- `\mthparsig{Name}[sub][sup][Ext1]{Par}[Ext2]` = $\mathcal{Name}^{sup}_{sub}Ext1[Par]Ext2$

```
%% Style for Signatures
\cmdmthall{sig}\newcommand{\mthstysig}{\mathpzc}
```

`\aSig, ...` ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
$\mathcal{A}$, $\mathcal{B}$, $\mathcal{C}$, $\mathcal{D}$, $\mathcal{E}$, $\mathcal{F}$, $\mathcal{G}$, $\mathcal{H}$, $\mathcal{I}$, $\mathcal{J}$, $\mathcal{K}$, $\mathcal{L}$, $\mathcal{M}$, $\mathcal{N}$, $\mathcal{O}$, $\mathcal{P}$, $\mathcal{Q}$, $\mathcal{R}$, $\mathcal{S}$, $\mathcal{T}$, $\mathcal{U}$, $\mathcal{V}$, $\mathcal{W}$, $\mathcal{X}$, $\mathcal{Y}$, $\mathcal{Z}$
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, o, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω

```
\seqoflatlet{Sig}{mthsig}\seqofgrklow{Sig}{mthsig}
```

`\cmdmthsig` ... to do!

- `\cmdmthsig{cmdName}`;
  `\cmdNameSig[sub][sub][ext]` = $\mathit{cmdName}^{sub}_{sub}ext$
- `\cmdmthsig{cmdName}[NewName]`;
  `\cmdNameSig[sub][sub][ext]` = $\mathcal{NewName}^{sub}_{sub}ext$

```
\newcommandx{\cmdmthsig}[2][2=]
  {\usrmth{#1}{Sig}{sig}[#2]}
```

`\cmdmthargsig` ... to do!

- `\cmdmthargsig{cmdName}`;
  `\cmdNameSig[sub][sub][ext1]{arg}[ext2]` = $\mathit{cmdName}^{sub}_{sub}ext1(arg)ext2$
- `\cmdmthargsig{cmdName}[NewName]`;
  `\cmdNameSig[sub][sub][ext1]{arg}[ext2]` = $\mathcal{NewName}^{sub}_{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargsig}[2][2=]
  {\usrmth{#1}{Sig}{argsig}[#2]}
```

`\cmdmthoargsig` ... to do!

- `\cmdmthoargsig{cmdName}`;
  `\cmdNameSig[sub][sub][arg]` = $\mathit{cmdName}^{sub}_{sub}(arg)$
- `\cmdmthoargsig{cmdSig}[NewName]`;
  `\cmdSigSig[sub][sub][arg]` = $\mathcal{NewName}^{sub}_{sub}(arg)$

```
\newcommandx{\cmdmthoargsig}[2][2=]
  {\usrmth{#1}{Sig}{oargsig}[#2]}
```

`\cmdmthparsig` ... to do!

- `\cmdmthparsig{cmdName}`;
  `\cmdNameSig[sub][sub][ext1]{par}[ext2]` = $cmdName^{sub}_{sub}ext1[par]ext2$
- `\cmdmthparsig{cmdName}[NewName]`;
  `\cmdNameSig[sub][sub][ext1]{par}[ext2]` = $NewName^{sub}_{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparsig}[2][2=]
  {\usrmth{#1}{Sig}{parsig}[#2]}
```

`\cmdmthoparsig` ... to do!

- `\cmdmthoparsig{cmdName}`;
  `\cmdNameSig[sub][sub][par]` = $cmdName^{sub}_{sub}[par]$
- `\cmdmthoparsig{cmdSig}[NewName]`;
  `\cmdSigSig[sub][sub][par]` = $NewName^{sub}_{sub}[par]$

```
\newcommandx{\cmdmthoparsig}[2][2=]
  {\usrmth{#1}{Sig}{oparsig}[#2]}
```

`\mthstr, ...` ... to do!

- `\mthstr{Name}[sub][sup][Ext]` = $\mathfrak{Name}^{sup}_{sub}Ext$
- `\mthargstr{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $\mathfrak{Name}^{sup}_{sub}Ext1(Arg)Ext2$
- `\mthparstr{Name}[sub][sup][Ext1]{Par}[Ext2]` = $\mathfrak{Name}^{sup}_{sub}Ext1[Par]Ext2$

```
%% Style for Structures
\cmdmthall{str}\newcommand{\mthstystr}{\mathfrak}
```

`\aStr, ...` ... to do!

$\mathfrak{a}$, $\mathfrak{b}$, $\mathfrak{c}$, $\mathfrak{d}$, $\mathfrak{e}$, $\mathfrak{f}$, $\mathfrak{g}$, $\mathfrak{h}$, $\mathfrak{i}$, $\mathfrak{j}$, $\mathfrak{k}$, $\mathfrak{l}$, $\mathfrak{m}$, $\mathfrak{n}$, $\mathfrak{o}$, $\mathfrak{p}$, $\mathfrak{q}$, $\mathfrak{r}$, $\mathfrak{s}$, $\mathfrak{t}$, $\mathfrak{u}$, $\mathfrak{v}$, $\mathfrak{w}$, $\mathfrak{x}$, $\mathfrak{y}$, $\mathfrak{z}$
$\mathfrak{A}$, $\mathfrak{B}$, $\mathfrak{C}$, $\mathfrak{D}$, $\mathfrak{E}$, $\mathfrak{F}$, $\mathfrak{G}$, $\mathfrak{H}$, $\mathfrak{I}$, $\mathfrak{J}$, $\mathfrak{K}$, $\mathfrak{L}$, $\mathfrak{M}$, $\mathfrak{N}$, $\mathfrak{O}$, $\mathfrak{P}$, $\mathfrak{Q}$, $\mathfrak{R}$, $\mathfrak{S}$, $\mathfrak{T}$, $\mathfrak{U}$, $\mathfrak{V}$, $\mathfrak{W}$, $\mathfrak{X}$, $\mathfrak{Y}$, $\mathfrak{Z}$
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, $\mathfrak{o}$, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω

```
\seqoflatlet{Str}{mthstr}\seqofgrklow{Str}{mthstr}
```

`\cmdmthstr` ... to do!

- `\cmdmthstr{cmdName}`;
  `\cmdNameStr[sub][sub][ext]` = $\mathfrak{cmdName}^{sub}_{sub}ext$
- `\cmdmthstr{cmdName}[NewName]`;
  `\cmdNameStr[sub][sub][ext]` = $\mathfrak{NewName}^{sub}_{sub}ext$

```
\newcommandx{\cmdmthstr}[2][2=]
  {\usrmth{#1}{Str}{str}[#2]}
```

`\cmdmthargstr` ... to do!

- `\cmdmthargstr{cmdName}`;
  `\cmdNameStr[sub][sub][ext1]{arg}[ext2]` = $\mathfrak{cmdName}^{sub}_{sub}ext1(arg)ext2$
- `\cmdmthargstr{cmdName}[NewName]`;
  `\cmdNameStr[sub][sub][ext1]{arg}[ext2]` = $\mathfrak{NewName}^{sub}_{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargstr}[2][2=]
  {\usrmth{#1}{Str}{argstr}[#2]}
```

`\cmdmthoargstr` ... to do!

- `\cmdmthoargstr{cmdName}`;
  `\cmdNameStr[sub][sub][arg]` = $\mathfrak{cmdName}^{sub}_{sub}(arg)$
- `\cmdmthoargstr{cmdStr}[NewName]`;
  `\cmdStrStr[sub][sub][arg]` = $\mathfrak{NewName}^{sub}_{sub}(arg)$

```
\newcommandx{\cmdmthoargstr}[2][2=]
  {\usrmth{#1}{Str}{oargstr}[#2]}
```

`\cmdmthparstr` ... to do!

- `\cmdmthparstr{cmdName}`;
  `\cmdNameStr[sub][sub][ext1]{par}[ext2]` = $\mathfrak{cmdName}^{sub}_{sub}ext1[par]ext2$

- `\cmdmthparstr{cmdName}[NewName]`;
  `\cmdNameStr[sub][sub][ext1]{par}[ext2]` = $\mathfrak{NewName}_{sub}^{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparstr}[2][2=]
  {\usrmth{#1}{Str}{parstr}[#2]}
```

`\cmdmthoparstr` ... to do!

- `\cmdmthoparstr{cmdName}`;
  `\cmdNameStr[sub][sub][par]` = $\mathfrak{cmdName}_{sub}^{sub}[par]$
- `\cmdmthoparstr{cmdStr}[NewName]`;
  `\cmdStrStr[sub][sub][par]` = $\mathfrak{NewName}_{sub}^{sub}[par]$

```
\newcommandx{\cmdmthoparstr}[2][2=]
  {\usrmth{#1}{Str}{oparstr}[#2]}
```

`\mthset, ...` ... to do!

- `\mthset{Name}[sub][sup][Ext]` = $\mathrm{Name}_{sub}^{sup}Ext$
- `\mthargset{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $\mathrm{Name}_{sub}^{sup}Ext1(Arg)Ext2$
- `\mthparset{Name}[sub][sup][Ext1]{Par}[Ext2]` = $\mathrm{Name}_{sub}^{sup}Ext1[Par]Ext2$

```
%% Style for Sets
\cmdmthall{set}\newcommand{\mthstyset}{\mathrm}
```

`\aSet, ...` ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, o, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω
A, B, Γ, Δ, E, E, Z, H, Θ, $\varTheta$, I, K, K, Λ, M, N, Ξ, O, Π, $\varPi$, P, P, Σ, $\varSigma$, T, Υ, Φ, $\varPhi$, X, Ψ, Ω

```
\seqoflet{Set}{mthset}
```

`\cmdmthset` ... to do!

- `\cmdmthset{cmdName}`;
  `\cmdNameSet[sub][sub][ext]` = $\mathrm{cmdName}_{sub}^{sub}ext$
- `\cmdmthset{cmdName}[NewName]`;
  `\cmdNameSet[sub][sub][ext]` = $\mathrm{NewName}_{sub}^{sub}ext$

```
\newcommandx{\cmdmthset}[2][2=]
  {\usrmth{#1}{Set}{set}[#2]}
```

`\cmdmthargset` ... to do!

- `\cmdmthargset{cmdName}`;
  `\cmdNameSet[sub][sub][ext1]{arg}[ext2]` = $\mathrm{cmdName}_{sub}^{sub}ext1(arg)ext2$
- `\cmdmthargset{cmdName}[NewName]`;
  `\cmdNameSet[sub][sub][ext1]{arg}[ext2]` = $\mathrm{NewName}_{sub}^{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargset}[2][2=]
  {\usrmth{#1}{Set}{argset}[#2]}
```

`\cmdmthoargset` ... to do!

- `\cmdmthoargset{cmdName}`;
  `\cmdNameSet[sub][sub][arg]` = $\mathrm{cmdName}_{sub}^{sub}(arg)$
- `\cmdmthoargset{cmdSet}[NewName]`;
  `\cmdSetSet[sub][sub][arg]` = $\mathrm{NewName}_{sub}^{sub}(arg)$

```
\newcommandx{\cmdmthoargset}[2][2=]
  {\usrmth{#1}{Set}{oargset}[#2]}
```

`\cmdmthparset` ... to do!

- `\cmdmthparset{cmdName}`;
  `\cmdNameSet[sub][sub][ext1]{par}[ext2]` = $\mathrm{cmdName}_{sub}^{sub}ext1[par]ext2$
- `\cmdmthparset{cmdName}[NewName]`;
  `\cmdNameSet[sub][sub][ext1]{par}[ext2]` = $\mathrm{NewName}_{sub}^{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparset}[2][2=]
  {\usrmth{#1}{Set}{parset}[#2]}
```

\cmdmthoparset ... to do!

- \cmdmthoparset{cmdName};
  \cmdNameSet[sub][sub][par] = $\mathrm{cmdName}_{sub}^{sub}[par]$
- \cmdmthoparset{cmdSet}[NewName];
  \cmdSetSet[sub][sub][par] = $\mathrm{NewName}_{sub}^{sub}[par]$

```
\newcommandx{\cmdmthoparset}[2][2=]
  {\usrmth{#1}{Set}{oparset}[#2]}
```

\cmdmthsetext ... to do!

```
\newcommandx{\cmdmthsetext}[3][2=, 3=]
  {\cmdmthset{#1}[#2]\caselower[q]{#1}%
  \usrmthlet{\thestring}{Sym}{sym}
    [\defval{#3}{\defval{\empchk{#2}{\lowercase{#2}}}{\thestring}}]%
  \usrmthlet{\thestring}{Elm}{elm}
    [\defval{#3}{\defval{\empchk{#2}{\lowercase{#2}}}{\thestring}}]}
```

\mthrel, ... to do!

- \mthrel{Name}[sub][sup][Ext] = $Name_{sub}^{sup}Ext$
- \mthargrel{Name}[sub][sup][Ext1]{Arg}[Ext2] = $Name_{sub}^{sup}Ext1(Arg)Ext2$
- \mthparrel{Name}[sub][sup][Ext1]{Par}[Ext2] = $Name_{sub}^{sup}Ext1[Par]Ext2$

```
%% Style for Relations
\cmdmthall{rel}\newcommand{\mthstyrel}{\mathit}
```

\aRel, ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, L, T, U, V, W, X, Y, Z
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, o, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω
A, B, Γ, Δ, E, E, Z, H, Θ, Θ, I, K, K, Λ, M, N, Ξ, O, Π, Π, P, P, Σ, Σ, T, Υ, Φ, Φ, X, Ψ, Ω

```
\seqoflet{Rel}{mthrel}
```

\cmdmthrel ... to do!

- \cmdmthrel{cmdName};
  \cmdNameRel[sub][sub][ext] = $cmdName_{sub}^{sub}ext$
- \cmdmthrel{cmdName}[NewName];
  \cmdNameRel[sub][sub][ext] = $NewName_{sub}^{sub}ext$

```
\newcommandx{\cmdmthrel}[2][2=]
  {\usrmth{#1}{Rel}{rel}[#2]}
```

\cmdmthargrel ... to do!

- \cmdmthargrel{cmdName};
  \cmdNameRel[sub][sub][ext1]{arg}[ext2] = $cmdName_{sub}^{sub}ext1(arg)ext2$
- \cmdmthargrel{cmdName}[NewName];
  \cmdNameRel[sub][sub][ext1]{arg}[ext2] = $NewName_{sub}^{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargrel}[2][2=]
  {\usrmth{#1}{Rel}{argrel}[#2]}
```

\cmdmthoargrel ... to do!

- \cmdmthoargrel{cmdName};
  \cmdNameRel[sub][sub][arg] = $cmdName_{sub}^{sub}(arg)$
- \cmdmthoargrel{cmdRel}[NewName];
  \cmdRelRel[sub][sub][arg] = $NewName_{sub}^{sub}(arg)$

```
\newcommandx{\cmdmthoargrel}[2][2=]
  {\usrmth{#1}{Rel}{oargrel}[#2]}
```

\cmdmthparrel ... to do!

- \cmdmthparrel{cmdName};
  \cmdNameRel[sub][sub][ext1]{par}[ext2] = $cmdName_{sub}^{sub}ext1[par]ext2$

- `\cmdmthparrel{cmdName}[NewName]`;
  `\cmdNameRel[sub][sub][ext1]{par}[ext2]` = $NewName_{sub}^{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparrel}[2][2=]
  {\usrmth{#1}{Rel}{parrel}[#2]}
```

`\cmdmthoparrel` ... to do!

- `\cmdmthoparrel{cmdName}`;
  `\cmdNameRel[sub][sub][par]` = $cmdName_{sub}^{sub}[par]$
- `\cmdmthoparrel{cmdRel}[NewName]`;
  `\cmdRelRel[sub][sub][par]` = $NewName_{sub}^{sub}[par]$

```
\newcommandx{\cmdmthoparrel}[2][2=]
  {\usrmth{#1}{Rel}{oparrel}[#2]}
```

`\mthfun, ...` ... to do!

- `\mthfun{Name}[sub][sup][Ext]` = $\mathsf{Name}_{sub}^{sup}Ext$
- `\mthargfun{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $\mathsf{Name}_{sub}^{sup}Ext1(Arg)Ext2$
- `\mthparfun{Name}[sub][sup][Ext1]{Par}[Ext2]` = $\mathsf{Name}_{sub}^{sup}Ext1[Par]Ext2$

```
%% Style for Functions
\cmdmthall{fun}\newcommand{\mthstyfun}{\mathsf}
```

`\aFun, ...` ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, o, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω
A, B, Γ, Δ, E, E, Z, H, Θ, $\varTheta$, I, K, K, Λ, M, N, Ξ, O, Π, $\varPi$, P, P, Σ, $\varSigma$, T, Υ, Φ, $\varPhi$, X, Ψ, Ω

```
\seqoflet{Fun}{mthfun}
```

`\cmdmthfun` ... to do!

- `\cmdmthfun{cmdName}`;
  `\cmdNameFun[sub][sub][ext]` = $\mathsf{cmdName}_{sub}^{sub}ext$
- `\cmdmthfun{cmdName}[NewName]`;
  `\cmdNameFun[sub][sub][ext]` = $\mathsf{NewName}_{sub}^{sub}ext$

```
\newcommandx{\cmdmthfun}[2][2=]
  {\usrmth{#1}{Fun}{fun}[#2]}
```

`\cmdmthargfun` ... to do!

- `\cmdmthargfun{cmdName}`;
  `\cmdNameFun[sub][sub][ext1]{arg}[ext2]` = $\mathsf{cmdName}_{sub}^{sub}ext1(arg)ext2$
- `\cmdmthargfun{cmdName}[NewName]`;
  `\cmdNameFun[sub][sub][ext1]{arg}[ext2]` = $\mathsf{NewName}_{sub}^{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargfun}[2][2=]
  {\usrmth{#1}{Fun}{argfun}[#2]}
```

`\cmdmthoargfun` ... to do!

- `\cmdmthoargfun{cmdName}`;
  `\cmdNameFun[sub][sub][arg]` = $\mathsf{cmdName}_{sub}^{sub}(arg)$
- `\cmdmthoargfun{cmdFun}[NewName]`;
  `\cmdFunFun[sub][sub][arg]` = $\mathsf{NewName}_{sub}^{sub}(arg)$

```
\newcommandx{\cmdmthoargfun}[2][2=]
  {\usrmth{#1}{Fun}{oargfun}[#2]}
```

`\cmdmthparfun` ... to do!

- `\cmdmthparfun{cmdName}`;
  `\cmdNameFun[sub][sub][ext1]{par}[ext2]` = $\mathsf{cmdName}_{sub}^{sub}ext1[par]ext2$
- `\cmdmthparfun{cmdName}[NewName]`;
  `\cmdNameFun[sub][sub][ext1]{par}[ext2]` = $\mathsf{NewName}_{sub}^{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparfun}[2][2=]
  {\usrmth{#1}{Fun}{parfun}[#2]}
```

`\cmdmthoparfun` ... to do!

- `\cmdmthoparfun{cmdName}`;
  `\cmdNameFun[sub][sub][par]` = $\mathsf{cmdName}_{sub}^{sub}[par]$
- `\cmdmthoparfun{cmdFun}[NewName]`;
  `\cmdFunFun[sub][sub][par]` = $\mathsf{NewName}_{sub}^{sub}[par]$

```
\newcommandx{\cmdmthoparfun}[2][2=]
  {\usrmth{#1}{Fun}{oparfun}[#2]}
```

`\mthsym, ...` ... to do!

- `\mthsym{Name}[sub][sup][Ext]` = $\mathtt{Name}_{sub}^{sup}Ext$
- `\mthargsym{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $\mathtt{Name}_{sub}^{sup}Ext1(Arg)Ext2$
- `\mthparsym{Name}[sub][sup][Ext1]{Par}[Ext2]` = $\mathtt{Name}_{sub}^{sup}Ext1[Par]Ext2$

```
%% Style for Symbols
\cmdmthall{sym}\newcommand{\mthstysym}{\mathtt}
```

`\aSym, ...` ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, o, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω
A, B, Γ, Δ, E, E, Z, H, Θ, $\mathit{\Theta}$, I, K, K, Λ, M, N, Ξ, O, Π, $\mathit{\Pi}$, P, P, Σ, $\mathit{\Sigma}$, T, Υ, Φ, $\mathit{\Phi}$, X, Ψ, Ω

```
\seqoflet{Sym}{mthsym}
```

`\cmdmthsym` ... to do!

- `\cmdmthsym{cmdName}`;
  `\cmdNameSym[sub][sub][ext]` = $\mathsf{cmdName}_{sub}^{sub}ext$
- `\cmdmthsym{cmdName}[NewName]`;
  `\cmdNameSym[sub][sub][ext]` = $\mathsf{NewName}_{sub}^{sub}ext$

```
\newcommandx{\cmdmthsym}[2][2=]
  {\usrmth{#1}{Sym}{sym}[#2]}
```

`\cmdmthargsym` ... to do!

- `\cmdmthargsym{cmdName}`;
  `\cmdNameSym[sub][sub][ext1]{arg}[ext2]` = $\mathsf{cmdName}_{sub}^{sub}ext1(arg)ext2$
- `\cmdmthargsym{cmdName}[NewName]`;
  `\cmdNameSym[sub][sub][ext1]{arg}[ext2]` = $\mathsf{NewName}_{sub}^{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargsym}[2][2=]
  {\usrmth{#1}{Sym}{argsym}[#2]}
```

`\cmdmthoargsym` ... to do!

- `\cmdmthoargsym{cmdName}`;
  `\cmdNameSym[sub][sub][arg]` = $\mathsf{cmdName}_{sub}^{sub}(arg)$
- `\cmdmthoargsym{cmdSym}[NewName]`;
  `\cmdSymSym[sub][sub][arg]` = $\mathsf{NewName}_{sub}^{sub}(arg)$

```
\newcommandx{\cmdmthoargsym}[2][2=]
  {\usrmth{#1}{Sym}{oargsym}[#2]}
```

`\cmdmthparsym` ... to do!

- `\cmdmthparsym{cmdName}`;
  `\cmdNameSym[sub][sub][ext1]{par}[ext2]` = $\mathsf{cmdName}_{sub}^{sub}ext1[par]ext2$
- `\cmdmthparsym{cmdName}[NewName]`;
  `\cmdNameSym[sub][sub][ext1]{par}[ext2]` = $\mathsf{NewName}_{sub}^{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparsym}[2][2=]
  {\usrmth{#1}{Sym}{parsym}[#2]}
```

`\cmdmthoparsym` ... to do!

- `\cmdmthoparsym{cmdName}`;
  `\cmdNameSym[sub][sub][par]` = $\mathsf{cmdName}_{sub}^{sub}[par]$

- `\cmdmthoparsym{cmdSym}[NewName]`;
  `\cmdSymSym[sub][sub][par]` = $\texttt{NewName}_{sub}^{sub}[par]$

```
\newcommandx{\cmdmthoparsym}[2][2=]
  {\usrmth{#1}{Sym}{oparsym}[#2]}
```

`\mthelm, ...` ... to do!

- `\mthelm{Name}[sub][sup][Ext]` = $Name_{sub}^{sup}Ext$
- `\mthargelm{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $Name_{sub}^{sup}Ext1(Arg)Ext2$
- `\mthparelm{Name}[sub][sup][Ext1]{Par}[Ext2]` = $Name_{sub}^{sup}Ext1[Par]Ext2$

```
%% Style for Elements
\cmdmthall{elm}\newcommand{\mthstyelm}{\mathnormal}
```

`\aElm, ...` ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, o, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω
A, B, Γ, Δ, E, E, Z, H, Θ, Θ, I, K, K, Λ, M, N, Ξ, O, Π, Π, P, P, Σ, Σ, T, Υ, Φ, Φ, X, Ψ, Ω

```
\seqoflet{Elm}{mthelm}
```

`\cmdmthelm` ... to do!

- `\cmdmthelm{cmdName}`;
  `\cmdNameElm[sub][sub][ext]` = $cmdName_{sub}^{sub}ext$
- `\cmdmthelm{cmdName}[NewName]`;
  `\cmdNameElm[sub][sub][ext]` = $NewName_{sub}^{sub}ext$

```
\newcommandx{\cmdmthelm}[2][2=]
  {\usrmth{#1}{Elm}{elm}[#2]}
```

`\cmdmthargelm` ... to do!

- `\cmdmthargelm{cmdName}`;
  `\cmdNameElm[sub][sub][ext1]{arg}[ext2]` = $cmdName_{sub}^{sub}ext1(arg)ext2$
- `\cmdmthargelm{cmdName}[NewName]`;
  `\cmdNameElm[sub][sub][ext1]{arg}[ext2]` = $NewName_{sub}^{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargelm}[2][2=]
  {\usrmth{#1}{Elm}{argelm}[#2]}
```

`\cmdmthoargelm` ... to do!

- `\cmdmthoargelm{cmdName}`;
  `\cmdNameElm[sub][sub][arg]` = $cmdName_{sub}^{sub}(arg)$
- `\cmdmthoargelm{cmdElm}[NewName]`;
  `\cmdElmElm[sub][sub][arg]` = $NewName_{sub}^{sub}(arg)$

```
\newcommandx{\cmdmthoargelm}[2][2=]
  {\usrmth{#1}{Elm}{oargelm}[#2]}
```

`\cmdmthparelm` ... to do!

- `\cmdmthparelm{cmdName}`;
  `\cmdNameElm[sub][sub][ext1]{par}[ext2]` = $cmdName_{sub}^{sub}ext1[par]ext2$
- `\cmdmthparelm{cmdName}[NewName]`;
  `\cmdNameElm[sub][sub][ext1]{par}[ext2]` = $NewName_{sub}^{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparelm}[2][2=]
  {\usrmth{#1}{Elm}{parelm}[#2]}
```

`\cmdmthoparelm` ... to do!

- `\cmdmthoparelm{cmdName}`;
  `\cmdNameElm[sub][sub][par]` = $cmdName_{sub}^{sub}[par]$
- `\cmdmthoparelm{cmdElm}[NewName]`;
  `\cmdElmElm[sub][sub][par]` = $NewName_{sub}^{sub}[par]$

```
\newcommandx{\cmdmthoparelm}[2][2=]
  {\usrmth{#1}{Elm}{oparelm}[#2]}
```

```
%%*************************************************************************%%
```

`\cmdmthsymelm` ... to do!

- `\cmdmthsymelm{cmdName}`;
  `\cmdNameSym[sub][sub][ext]` = $\texttt{cmdName}_{sub}^{sub}ext$
  `\cmdNameElm[sub][sub][ext]` = $cmdName_{sub}^{sub}ext$
- `\cmdmthsymelm{cmdName}[NewName]`;
  `\cmdNameSym[sub][sub][ext]` = $\texttt{NewName}_{sub}^{sub}ext$
  `\cmdNameElm[sub][sub][ext]` = $NewName_{sub}^{sub}ext$

```
\newcommandx{\cmdmthsymelm}[2][2=]
  {\cmdmthsym{#1}[#2]%
   \cmdmthelm{#1}[#2]}
```

`\cmdmthargsymelm` ... to do!

- `\cmdmthargsymelm{cmdName}`;
  `\cmdNameSym[sub][sub][ext1]{arg}[ext2]` = $\texttt{cmdName}_{sub}^{sub}ext1(arg)ext2$
  `\cmdNameElm[sub][sub][ext1]{arg}[ext2]` = $cmdName_{sub}^{sub}ext1(arg)ext2$
- `\cmdmthargsymelm{cmdName}[NewName]`;
  `\cmdNameSym[sub][sub][ext1]{arg}[ext2]` = $\texttt{NewName}_{sub}^{sub}ext1(arg)ext2$
  `\cmdNameElm[sub][sub][ext1]{arg}[ext2]` = $NewName_{sub}^{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargsymelm}[2][2=]
  {\cmdmthargsym{#1}[#2]%
   \cmdmthargelm{#1}[#2]}
```

`\cmdmthoargsymelm` ... to do!

- `\cmdmthoargsymelm{cmdName}`;
  `\cmdNameSym[sub][sub][arg]` = $\texttt{cmdName}_{sub}^{sub}(arg)$
  `\cmdNameElm[sub][sub][arg]` = $cmdName_{sub}^{sub}(arg)$
- `\cmdmthoargsymelm{cmdName}[NewName]`;
  `\cmdNameSym[sub][sub][arg]` = $\texttt{NewName}_{sub}^{sub}(arg)$
  `\cmdNameElm[sub][sub][arg]` = $NewName_{sub}^{sub}(arg)$

```
\newcommandx{\cmdmthoargsymelm}[2][2=]
  {\cmdmthoargsym{#1}[#2]%
   \cmdmthoargelm{#1}[#2]}
```

`\cmdmthparsymelm` ... to do!

- `\cmdmthparsymelm{cmdName}`;
  `\cmdNameSym[sub][sub][ext1]{par}[ext2]` = $\texttt{cmdName}_{sub}^{sub}ext1[par]ext2$
  `\cmdNameElm[sub][sub][ext1]{par}[ext2]` = $cmdName_{sub}^{sub}ext1[par]ext2$
- `\cmdmthparsymelm{cmdName}[NewName]`;
  `\cmdNameSym[sub][sub][ext1]{par}[ext2]` = $\texttt{NewName}_{sub}^{sub}ext1[par]ext2$
  `\cmdNameElm[sub][sub][ext1]{par}[ext2]` = $NewName_{sub}^{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparsymelm}[2][2=]
  {\cmdmthparsym{#1}[#2]%
   \cmdmthparelm{#1}[#2]}
```

`\cmdmthoparsymelm` ... to do!

- `\cmdmthoparsymelm{cmdName}`;
  `\cmdNameSym[sub][sub][par]` = $\texttt{cmdName}_{sub}^{sub}[par]$
  `\cmdNameElm[sub][sub][par]` = $cmdName_{sub}^{sub}[par]$
- `\cmdmthoparsymelm{cmdName}[NewName]`;
  `\cmdNameSym[sub][sub][par]` = $\texttt{NewName}_{sub}^{sub}[par]$
  `\cmdNameElm[sub][sub][par]` = $NewName_{sub}^{sub}[par]$

```
\newcommandx{\cmdmthoparsymelm}[2][2=]
  {\cmdmthoparsym{#1}[#2]%
   \cmdmthoparelm{#1}[#2]}

%%*************************************************************************%%
```

`\mthluop, ...` ... to do!

- \mthluop{\oplus}[sub][sup][Ext] = $\oplus_{sub}^{sup} Ext$
- \mthlbop{\oplus}[sub][sup][Ext] = $\oplus_{sub}^{sup} Ext$

```
%% Style for \LaTex Operators
\cmdmth{luop}\newcommand{\mthstyluop}[1]{\textstyle\mathop{#1}}
\cmdmth{lbop}\newcommand{\mthstylbop}[1]{\textstyle\mathbin{#1}}
```

\cmdmthluop, ... to do!

- \cmdmthluop{cmdName};
  \cmdNameUOp[sub][sub][ext] = $cmdName_{sub}^{sub}\, ext$
- \cmdmthluop{cmdName}[\oplus];
  \cmdNameUOp[sub][sub][ext] = $\oplus_{sub}^{sub}\, ext$
- \cmdmthlbop{cmdName};
  \cmdNameBOp[sub][sub][ext] = $cmdName_{sub}^{sub} ext$
- \cmdmthlbop{cmdName}[\oplus];
  \cmdNameBOp[sub][sub][ext] = $\oplus_{sub}^{sub} ext$

```
\newcommandx{\cmdmthluop}[2][2=]
  {\usrmth{#1}{UOp}{luop}[#2]}
\newcommandx{\cmdmthlbop}[2][2=]
  {\usrmth{#1}{BOp}{lbop}[#2]}
```

\mthlrel ... to do!

- \mthlrel{\preceq}[sub][sup][Ext] = $\preceq_{sub}^{sup} Ext$

```
%% Style for \LaTex Relations
\cmdmth{lrel}\newcommand{\mthstylrel}{\mathrel}
```

\cmdmthlrel ... to do!

- \cmdmthlrel{cmdName};
  \cmdNameRel[sub][sub][ext] = $cmdName_{sub}^{sub}\, ext$
- \cmdmthlrel{cmdName}[\preceq];
  \cmdNameRel[sub][sub][ext] = $\preceq_{sub}^{sub}\, ext$

```
\newcommandx{\cmdmthlrel}[2][2=]
  {\usrmth{#1}{Rel}{lrel}[#2]}

%%*************************************************************************%%
```

\mthsnt, ... to do!

- \mthsnt{Name}[sub][sup][Ext] = $\mathsf{Name}_{sub}^{sup} Ext$
- \mthargsnt{Name}[sub][sup][Ext1]{Arg}[Ext2] = $\mathsf{Name}_{sub}^{sup} Ext1(Arg) Ext2$
- \mthparsnt{Name}[sub][sup][Ext1]{Par}[Ext2] = $\mathsf{Name}_{sub}^{sup} Ext1[Par] Ext2$

```
%% Style for Sentences
\cmdmthall{snt}\newcommand{\mthstysnt}{\mathsf}
```

\aSnt, ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, o, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω
A, B, Γ, Δ, E, E, Z, H, Θ, Θ, I, K, K, Λ, M, N, Ξ, O, Π, Π, P, P, Σ, Σ, T, ϒ, Φ, Φ, X, Ψ, Ω

```
\seqoflet{Snt}{mthsnt}
```

\cmdmthsnt ... to do!

- \cmdmthsnt{cmdName};
  \cmdNameSnt[sub][sub][ext] = $\mathsf{cmdName}_{sub}^{sub} ext$
- \cmdmthsnt{cmdName}[NewName];
  \cmdNameSnt[sub][sub][ext] = $\mathsf{NewName}_{sub}^{sub} ext$

```
\newcommandx{\cmdmthsnt}[2][2=]
  {\usrmth{#1}{Snt}{snt}[#2]}
```

\cmdmthargsnt ... to do!

- `\cmdmthargsnt{cmdName}`;
  `\cmdNameSnt[sub][sub][ext1]{arg}[ext2]` = $\mathsf{cmdName}^{sub}_{sub}ext1(arg)ext2$
- `\cmdmthargsnt{cmdName}[NewName]`;
  `\cmdNameSnt[sub][sub][ext1]{arg}[ext2]` = $\mathsf{NewName}^{sub}_{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargsnt}[2][2=]
  {\usrmth{#1}{Snt}{argsnt}[#2]}
```

`\cmdmthoargsnt` ... to do!

- `\cmdmthoargsnt{cmdName}`;
  `\cmdNameSnt[sub][sub][arg]` = $\mathsf{cmdName}^{sub}_{sub}(arg)$
- `\cmdmthoargsnt{cmdName}[NewName]`;
  `\cmdNameSnt[sub][sub][arg]` = $\mathsf{NewName}^{sub}_{sub}(arg)$

```
\newcommandx{\cmdmthoargsnt}[2][2=]
  {\usrmth{#1}{Snt}{oargsnt}[#2]}
```

`\cmdmthparsnt` ... to do!

- `\cmdmthparsnt{cmdName}`;
  `\cmdNameSnt[sub][sub][ext1]{par}[ext2]` = $\mathsf{cmdName}^{sub}_{sub}ext1[par]ext2$
- `\cmdmthparsnt{cmdName}[NewName]`;
  `\cmdNameSnt[sub][sub][ext1]{par}[ext2]` = $\mathsf{NewName}^{sub}_{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparsnt}[2][2=]
  {\usrmth{#1}{Snt}{parsnt}[#2]}
```

`\cmdmthoparsnt` ... to do!

- `\cmdmthoparsnt{cmdName}`;
  `\cmdNameSnt[sub][sub][par]` = $\mathsf{cmdName}^{sub}_{sub}[par]$
- `\cmdmthoparsnt{cmdName}[NewName]`;
  `\cmdNameSnt[sub][sub][par]` = $\mathsf{NewName}^{sub}_{sub}[par]$

```
\newcommandx{\cmdmthoparsnt}[2][2=]
  {\usrmth{#1}{Snt}{oparsnt}[#2]}
```

`\mthfrm, ...` ... to do!

- `\mthfrm{Name}[sub][sup][Ext]` = $Name^{sup}_{sub}Ext$
- `\mthargfrm{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $Name^{sup}_{sub}Ext1(Arg)Ext2$
- `\mthparfrm{Name}[sub][sup][Ext1]{Par}[Ext2]` = $Name^{sup}_{sub}Ext1[Par]Ext2$

```
%% Style for Formulae
\cmdmthall{frm}\newcommand{\mthstyfrm}{\mathit}
```

`\aFrm, ...` ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
α, β, γ, δ, ϵ, ε, ζ, η, θ, ϑ, ι, κ, $\varkappa$, λ, μ, ν, ξ, o, π, ϖ, ρ, ϱ, σ, ς, τ, υ, ϕ, φ, χ, ψ, ω
A, B, Γ, Δ, E, E, Z, H, Θ, Θ, I, K, K, Λ, M, N, Ξ, O, Π, Π, P, P, Σ, Σ, T, Υ, Φ, Φ, X, Ψ, Ω

```
\seqoflet{Frm}{mthfrm}
```

`\cmdmthfrm` ... to do!

- `\cmdmthfrm{cmdName}`;
  `\cmdNameFrm[sub][sub][ext]` = $cmdName^{sub}_{sub}ext$
- `\cmdmthfrm{cmdName}[NewName]`;
  `\cmdNameFrm[sub][sub][ext]` = $NewName^{sub}_{sub}ext$

```
\newcommandx{\cmdmthfrm}[2][2=]
  {\usrmth{#1}{Frm}{frm}[#2]}
```

`\cmdmthargfrm` ... to do!

- `\cmdmthargfrm{cmdName}`;
  `\cmdNameFrm[sub][sub][ext1]{arg}[ext2]` = $cmdName^{sub}_{sub}ext1(arg)ext2$
- `\cmdmthargfrm{cmdName}[NewName]`;
  `\cmdNameFrm[sub][sub][ext1]{arg}[ext2]` = $NewName^{sub}_{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargfrm}[2][2=]
  {\usrmth{#1}{Frm}{argfrm}[#2]}
```

`\cmdmthoargfrm` ... to do!

- `\cmdmthoargfrm{cmdName};`
  `\cmdNameFrm[sub][sub][arg]` = $cmdName^{sub}_{sub}(arg)$
- `\cmdmthoargfrm{cmdName}[NewName];`
  `\cmdNameFrm[sub][sub][arg]` = $NewName^{sub}_{sub}(arg)$

```
\newcommandx{\cmdmthoargfrm}[2][2=]
  {\usrmth{#1}{Frm}{oargfrm}[#2]}
```

`\cmdmthparfrm` ... to do!

- `\cmdmthparfrm{cmdName};`
  `\cmdNameFrm[sub][sub][ext1]{par}[ext2]` = $cmdName^{sub}_{sub}ext1[par]ext2$
- `\cmdmthparfrm{cmdName}[NewName];`
  `\cmdNameFrm[sub][sub][ext1]{par}[ext2]` = $NewName^{sub}_{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparfrm}[2][2=]
  {\usrmth{#1}{Frm}{parfrm}[#2]}
```

`\cmdmthoparfrm` ... to do!

- `\cmdmthoparfrm{cmdName};`
  `\cmdNameFrm[sub][sub][par]` = $cmdName^{sub}_{sub}[par]$
- `\cmdmthoparfrm{cmdName}[NewName];`
  `\cmdNameFrm[sub][sub][par]` = $NewName^{sub}_{sub}[par]$

```
\newcommandx{\cmdmthoparfrm}[2][2=]
  {\usrmth{#1}{Frm}{oparfrm}[#2]}

%%*************************************************************************%%
```

`\mthmat, ...` ... to do!

- `\mthmat{Name}[sub][sup][Ext]` = $\mathsf{Name}^{sup}_{sub}Ext$
- `\mthargmat{Name}[sub][sup][Ext1]{Arg}[Ext2]` = $\mathsf{Name}^{sup}_{sub}Ext1(Arg)Ext2$
- `\mthparmat{Name}[sub][sup][Ext1]{Par}[Ext2]` = $\mathsf{Name}^{sup}_{sub}Ext1[Par]Ext2$

```
%% Style for Matrices
\cmdmthall{mat}\newcommand{\mthstymat}[1]{\boldsymbol{\mathsf{#1}}}
```

`\aMat, ...` ... to do!

a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
$\boldsymbol{\alpha}$, $\boldsymbol{\beta}$, $\boldsymbol{\gamma}$, $\boldsymbol{\delta}$, $\boldsymbol{\epsilon}$, $\boldsymbol{\varepsilon}$, $\boldsymbol{\zeta}$, $\boldsymbol{\eta}$, $\boldsymbol{\theta}$, $\boldsymbol{\vartheta}$, $\boldsymbol{\iota}$, $\boldsymbol{\kappa}$, $\boldsymbol{\varkappa}$, $\boldsymbol{\lambda}$, $\boldsymbol{\mu}$, $\boldsymbol{\nu}$, $\boldsymbol{\xi}$, o, $\boldsymbol{\pi}$, $\boldsymbol{\varpi}$, $\boldsymbol{\rho}$, $\boldsymbol{\varrho}$, $\boldsymbol{\sigma}$, $\boldsymbol{\varsigma}$, $\boldsymbol{\tau}$, $\boldsymbol{\upsilon}$, $\boldsymbol{\phi}$, $\boldsymbol{\varphi}$, $\boldsymbol{\chi}$, $\boldsymbol{\psi}$, $\boldsymbol{\omega}$
A, B, $\mathsf{\Gamma}$, $\mathsf{\Delta}$, E, E, Z, H, $\mathsf{\Theta}$, $\boldsymbol{\Theta}$, I, K, K, $\mathsf{\Lambda}$, M, N, $\mathsf{\Xi}$, O, $\mathsf{\Pi}$, $\boldsymbol{\Pi}$, P, P, $\mathsf{\Sigma}$, $\boldsymbol{\Sigma}$, T, $\mathsf{\Upsilon}$, $\mathsf{\Phi}$, $\boldsymbol{\Phi}$, X, $\mathsf{\Psi}$, $\mathsf{\Omega}$

```
\seqoflet{Mat}{mthmat}
```

`\cmdmthmat` ... to do!

- `\cmdmthmat{cmdName};`
  `\cmdNameMat[sub][sub][ext]` = $\mathsf{cmdName}^{sub}_{sub}ext$
- `\cmdmthmat{cmdName}[NewName];`
  `\cmdNameMat[sub][sub][ext]` = $\mathsf{NewName}^{sub}_{sub}ext$

```
\newcommandx{\cmdmthmat}[2][2=]
  {\usrmth{#1}{Mat}{mat}[#2]}
```

`\cmdmthargmat` ... to do!

- `\cmdmthargmat{cmdName};`
  `\cmdNameMat[sub][sub][ext1]{arg}[ext2]` = $\mathsf{cmdName}^{sub}_{sub}ext1(arg)ext2$
- `\cmdmthargmat{cmdName}[NewName];`
  `\cmdNameMat[sub][sub][ext1]{arg}[ext2]` = $\mathsf{NewName}^{sub}_{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargmat}[2][2=]
  {\usrmth{#1}{Mat}{argmat}[#2]}
```

\cmdmthoargmat ... to do!

- \cmdmthoargmat{cmdName};
  \cmdNameMat[sub][sub][arg] = $\mathbf{cmdName}^{sub}_{sub}(arg)$
- \cmdmthoargmat{cmdName}[NewName];
  \cmdNameMat[sub][sub][arg] = $\mathbf{NewName}^{sub}_{sub}(arg)$

```
\newcommandx{\cmdmthoargmat}[2][2=]
  {\usrmth{#1}{Mat}{oargmat}[#2]}
```

\cmdmthparmat ... to do!

- \cmdmthparmat{cmdName};
  \cmdNameMat[sub][sub][ext1]{par}[ext2] = $\mathbf{cmdName}^{sub}_{sub}ext1[par]ext2$
- \cmdmthparmat{cmdName}[NewName];
  \cmdNameMat[sub][sub][ext1]{par}[ext2] = $\mathbf{NewName}^{sub}_{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparmat}[2][2=]
  {\usrmth{#1}{Mat}{parmat}[#2]}
```

\cmdmthoparmat ... to do!

- \cmdmthoparmat{cmdName};
  \cmdNameMat[sub][sub][par] = $\mathbf{cmdName}^{sub}_{sub}[par]$
- \cmdmthoparmat{cmdName}[NewName];
  \cmdNameMat[sub][sub][par] = $\mathbf{NewName}^{sub}_{sub}[par]$

```
\newcommandx{\cmdmthoparmat}[2][2=]
  {\usrmth{#1}{Mat}{oparmat}[#2]}
```

\mthvec, ... to do!

- \mthvec{Name}[sub][sup][Ext] = $\boldsymbol{Name}^{sup}_{sub}Ext$
- \mthargvec{Name}[sub][sup][Ext1]{Arg}[Ext2] = $\boldsymbol{Name}^{sup}_{sub}Ext1(Arg)Ext2$
- \mthparvec{Name}[sub][sup][Ext1]{Par}[Ext2] = $\boldsymbol{Name}^{sup}_{sub}Ext1[Par]Ext2$

```
%% Style for Vectors
\cmdmthall{vec}\newcommand{\mthstyvec}[1]{\boldsymbol{\mathit{#1}}}
```

\aVec, ... to do!
$\boldsymbol{a}$, $\boldsymbol{b}$, $\boldsymbol{c}$, $\boldsymbol{d}$, $\boldsymbol{e}$, $\boldsymbol{f}$, $\boldsymbol{g}$, $\boldsymbol{h}$, $\boldsymbol{i}$, $\boldsymbol{j}$, $\boldsymbol{k}$, $\boldsymbol{l}$, $\boldsymbol{m}$, $\boldsymbol{n}$, $\boldsymbol{o}$, $\boldsymbol{p}$, $\boldsymbol{q}$, $\boldsymbol{r}$, $\boldsymbol{s}$, $\boldsymbol{t}$, $\boldsymbol{u}$, $\boldsymbol{v}$, $\boldsymbol{w}$, $\boldsymbol{x}$, $\boldsymbol{y}$, $\boldsymbol{z}$
$\boldsymbol{A}$, $\boldsymbol{B}$, $\boldsymbol{C}$, $\boldsymbol{D}$, $\boldsymbol{E}$, $\boldsymbol{F}$, $\boldsymbol{G}$, $\boldsymbol{H}$, $\boldsymbol{I}$, $\boldsymbol{J}$, $\boldsymbol{K}$, $\boldsymbol{L}$, $\boldsymbol{M}$, $\boldsymbol{N}$, $\boldsymbol{O}$, $\boldsymbol{P}$, $\boldsymbol{Q}$, $\boldsymbol{R}$, $\boldsymbol{S}$, $\boldsymbol{T}$, $\boldsymbol{U}$, $\boldsymbol{V}$, $\boldsymbol{W}$, $\boldsymbol{X}$, $\boldsymbol{Y}$, $\boldsymbol{Z}$
$\boldsymbol{\alpha}$, $\boldsymbol{\beta}$, $\boldsymbol{\gamma}$, $\boldsymbol{\delta}$, $\boldsymbol{\epsilon}$, $\boldsymbol{\varepsilon}$, $\boldsymbol{\zeta}$, $\boldsymbol{\eta}$, $\boldsymbol{\theta}$, $\boldsymbol{\vartheta}$, $\boldsymbol{\iota}$, $\boldsymbol{\kappa}$, $\boldsymbol{\varkappa}$, $\boldsymbol{\lambda}$, $\boldsymbol{\mu}$, $\boldsymbol{\nu}$, $\boldsymbol{\xi}$, $\boldsymbol{o}$, $\boldsymbol{\pi}$, $\boldsymbol{\varpi}$, $\boldsymbol{\rho}$, $\boldsymbol{\varrho}$, $\boldsymbol{\sigma}$, $\boldsymbol{\varsigma}$, $\boldsymbol{\tau}$, $\boldsymbol{\upsilon}$, $\boldsymbol{\phi}$, $\boldsymbol{\varphi}$, $\boldsymbol{\chi}$, $\boldsymbol{\psi}$, $\boldsymbol{\omega}$
$\boldsymbol{A}$, $\boldsymbol{B}$, $\boldsymbol{\Gamma}$, $\boldsymbol{\Delta}$, $\boldsymbol{E}$, $\boldsymbol{E}$, $\boldsymbol{Z}$, $\boldsymbol{H}$, $\boldsymbol{\Theta}$, $\boldsymbol{\Theta}$, $\boldsymbol{I}$, $\boldsymbol{K}$, $\boldsymbol{K}$, $\boldsymbol{\Lambda}$, $\boldsymbol{M}$, $\boldsymbol{N}$, $\boldsymbol{\Xi}$, $\boldsymbol{O}$, $\boldsymbol{\Pi}$, $\boldsymbol{\Pi}$, $\boldsymbol{P}$, $\boldsymbol{P}$, $\boldsymbol{\Sigma}$, $\boldsymbol{\Sigma}$, $\boldsymbol{T}$, $\boldsymbol{\Upsilon}$, $\boldsymbol{\Phi}$, $\boldsymbol{\Phi}$, $\boldsymbol{X}$, $\boldsymbol{\Psi}$, $\boldsymbol{\Omega}$

```
\seqoflet{Vec}{mthvec}
```

\cmdmthvec ... to do!

- \cmdmthvec{cmdName};
  \cmdNameVec[sub][sub][ext] = $\boldsymbol{cmdName}^{sub}_{sub}ext$
- \cmdmthvec{cmdName}[NewName];
  \cmdNameVec[sub][sub][ext] = $\boldsymbol{NewName}^{sub}_{sub}ext$

```
\newcommandx{\cmdmthvec}[2][2=]
  {\usrmth{#1}{Vec}{vec}[#2]}
```

\cmdmthargvec ... to do!

- \cmdmthargvec{cmdName};
  \cmdNameVec[sub][sub][ext1]{arg}[ext2] = $\boldsymbol{cmdName}^{sub}_{sub}ext1(arg)ext2$
- \cmdmthargvec{cmdName}[NewName];
  \cmdNameVec[sub][sub][ext1]{arg}[ext2] = $\boldsymbol{NewName}^{sub}_{sub}ext1(arg)ext2$

```
\newcommandx{\cmdmthargvec}[2][2=]
  {\usrmth{#1}{Vec}{argvec}[#2]}
```

\cmdmthoargvec ... to do!

- \cmdmthoargvec{cmdName};
  \cmdNameVec[sub][sub][arg] = $\boldsymbol{cmdName}^{sub}_{sub}(arg)$

- `\cmdmthoargvec{cmdName}[NewName]`;
  `\cmdNameVec[sub][sub][arg]` = $\boldsymbol{NewName}_{sub}^{sub}(arg)$

```
\newcommandx{\cmdmthoargvec}[2][2=]
  {\usrmth{#1}{Vec}{oargvec}[#2]}
```

`\cmdmthparvec` ... to do!

- `\cmdmthparvec{cmdName}`;
  `\cmdNameVec[sub][sub][ext1]{par}[ext2]` = $\boldsymbol{cmdName}_{sub}^{sub}ext1[par]ext2$
- `\cmdmthparvec{cmdName}[NewName]`;
  `\cmdNameVec[sub][sub][ext1]{par}[ext2]` = $\boldsymbol{NewName}_{sub}^{sub}ext1[par]ext2$

```
\newcommandx{\cmdmthparvec}[2][2=]
  {\usrmth{#1}{Vec}{parvec}[#2]}
```

`\cmdmthoparvec` ... to do!

- `\cmdmthoparvec{cmdName}`;
  `\cmdNameVec[sub][sub][par]` = $\boldsymbol{cmdName}_{sub}^{sub}[par]$
- `\cmdmthoparvec{cmdName}[NewName]`;
  `\cmdNameVec[sub][sub][par]` = $\boldsymbol{NewName}_{sub}^{sub}[par]$

```
\newcommandx{\cmdmthoparvec}[2][2=]
  {\usrmth{#1}{Vec}{oparvec}[#2]}
```

```
\fi
%%********************************************************************************%

%%********************************************************************************%
%%** Elementary Macros for Text **************************************************%
%%********************************************************************************%
\iftext@
```

```
%%** Latin Abbreviations ********************************************************%
```

`\adhoc`

- `\adhoc` = *ad hoc*

```
\cmdtxtabr{adhoc}[ad hoc]
```

`\afortiori`

- `\afortiori` = *a fortiori*

```
\cmdtxtabr{afortiori}[a fortiori]
```

`\apriori`

- `\apriori` = *a priori*

```
\cmdtxtabr{apriori}[a priori]
```

`\aposteriori`

- `\aposteriori` = *a posteriori*

```
\cmdtxtabr{aposteriori}[a posteriori]
```

`\cf`

- `\cf` = *cf.*

```
\cmdtxtabr{cf}[cf.]
```

`\dedicto`

- `\dedicto` = *de dicto*

```
\cmdtxtabr{dedicto}[de dicto]
```

`\defacto`

- `\defacto` = *de facto*

```
\cmdtxtabr{defacto}[de facto]
```

`\dere`

- `\dere` = *de re*

```
\cmdtxtabr{dere}[de re]
```

`\divideetimpera`

- `\divideetimpera` = *divide et impera*

```
\cmdtxtabr{divideetimpera}[divide et impera]
```

`\eg`

- `\eg` = *e.g.*

```
\cmdtxtabr{eg}[e.g.]
```

\ergo • \ergo = *ergo*

```
\cmdtxtabr{ergo}
```

\errata • \errata = *errata*

```
\cmdtxtabr{errata}
```

\erratum • \erratum = *erratum*

```
\cmdtxtabr{erratum}
```

\etal • \etal = *et al.*

```
\cmdtxtabr{etal}[et al.]
```

\etc • \etc = *etc.*

```
\cmdtxtabr{etc}[etc.]
```

\ie • \ie = *i.e.*

```
\cmdtxtabr{ie}[i.e.]
```

\mutatismutandis • \mutatismutandis = *mutatis mutandis*

```
\cmdtxtabr{mutatismutandis}[mutatis mutandis]
```

\percontra • \percontra = *per contra*

```
\cmdtxtabr{percontra}[per contra]
```

\primafacie • \primafacie = *prima facie*

```
\cmdtxtabr{primafacie}[prima facie]
```

\viceversa • \viceversa = *vice versa*

```
\cmdtxtabr{viceversa}[vice versa]
```

\vs • \vs = *vs.*

```
\cmdtxtabr{vs}[vs.]
```

\viz • \viz = *viz.*

```
\cmdtxtabr{viz}[viz.]
```

```
%%*****************************************************************************%%
```

\Afortiori • \Afortiori = *A fortiori*

```
\cmdtxtabr{Afortiori}[A fortiori]
```

\Apriori • \Apriori = *A priori*

```
\cmdtxtabr{Apriori}[A priori]
```

\Aposteriori • \Aposteriori = *A posteriori*

```
\cmdtxtabr{Aposteriori}[A posteriori]
```

\Dedicto • \Dedicto = *De dicto*

```
\cmdtxtabr{Dedicto}[De dicto]
```

\Defacto • \Defacto = *De facto*

```
\cmdtxtabr{Defacto}[De facto]
```

\Dere • \Dere = *De re*

```
\cmdtxtabr{Dere}[De re]
```

\Divideetimpera • \Divideetimpera = *Divide et impera*

```
\cmdtxtabr{Divideetimpera}[Divide et impera]
```

\Eg • \Eg = *E.g.*

```
732 \cmdtxtabr{Eg}[E.g.]
```

\Errata • \Errata = *Errata*

```
733 \cmdtxtabr{Errata}
```

\Erratum • \Erratum = *Erratum*

```
734 \cmdtxtabr{Erratum}
```

\Mutatismutandis • \Mutatismutandis = *Mutatis mutandis*

```
735 \cmdtxtabr{Mutatismutandis}[Mutatis mutandis]
```

\Percontra • \Percontra = *Per contra*

```
736 \cmdtxtabr{Percontra}[Per contra]
```

\Primafacie • \Primafacie = *Prima facie*

```
737 \cmdtxtabr{Primafacie}[Prima facie]
```

\Viceversa • \Viceversa = *Vice versa*

```
738 \cmdtxtabr{Viceversa}[Vice versa]
```

```
739 %%** Italian Abbreviations ************************************************%%
```

...

```
740 %%*************************************************************************%%
```

...

```
741 %%** French Abbreviations **************************************************%%
```

\naif • \naif = *naïf*

```
742 \cmdtxtabr{naif}[na\"{i}f]
```

\naive • \naive = *naïve*

```
743 \cmdtxtabr{naive}[na\"{i}ve]
```

\role • \role = *rôle*

```
744 \cmdtxtabr{role}[r\^{o}le]
```

```
745 %%*************************************************************************%%
```

\Role • \Role = *Rôle*

```
746 \cmdtxtabr{Role}[R\^{o}le]
```

```
747 %%** English Abbreviations **************************************************%%
```

\aka • \aka = *a.k.a.*

```
748 \cmdtxtabr{aka}[a.k.a.]
```

\contd • \contd = *contd.*

```
749 \cmdtxtabr{contd}[contd.]
```

\iff • \iff = *iff*

```
750 \cmdtxtabr{iff}
```

\stx • \stx = *s.t.*

```
751 \cmdtxtabr{stx}[s.t.]
```

\resp • \resp = *resp.*

```
752 \cmdtxtabr{resp}[resp.]
```

\wrt • \wrt = *w.r.t.*

```
\cmdtxtabr{wrt}[w.r.t.]
```

\wlogx • \wlogx = *w.l.o.g.*

```
\cmdtxtabr{wlogx}[w.l.o.g.]

%%*****************************************************************************%%
```

\Contd • \Contd = *Contd.*

```
\cmdtxtabr{Contd}[Contd.]
```

\Wlogx • \Wlogx = *W.l.o.g.*

```
\cmdtxtabr{Wlogx}[W.l.o.g.]

\fi
%%*****************************************************************************%%
%%*****************************************************************************%%
%%** Elementary Macros for Math ************************************************%%
%%*****************************************************************************%%
\ifmath@
%%** General Notation *********************************************************%%
```

\defeq, \seteq ...

```
\DeclareRobustCommand{\defeq}
  {\@ifstar%
    {\mthlbop{\stackrel{\text{\textup{def}}}{=}}%
    {\mthlbop{\triangleq}}}
\DeclareRobustCommand{\seteq}
  {\@ifstar{\mthlbop{:=}}{\mthlbop{:=}}}

%%*****************************************************************************%%
```

\implies, ...

```
\DeclareRobustCommand{\implies}
  {\mthlrel{\Rightarrow}}
\DeclareRobustCommand{\notimplies}
  {\mthlrel{\not\Rightarrow}}
```

\implied, ...

```
\DeclareRobustCommand{\implied}
  {\mthlrel{\Leftarrow}}
\DeclareRobustCommand{\notimplied}
  {\mthlrel{\not\Leftarrow}}
```

\coimplies, ...

```
\DeclareRobustCommand{\coimplies}
  {\mthlrel{\Leftrightarrow}}
\DeclareRobustCommand{\notcoimplies}
  {\mthlrel{\not\!\Leftrightarrow}}

%%*****************************************************************************%%
```

\cmodels, ...

```
\DeclareRobustCommand{\cmodels}
  {\mthlrel{\models}}
\DeclareRobustCommand{\notcmodels}
  {\mthlrel{\not\models}}
```

\cequiv, ...

```
\DeclareRobustCommand{\cequiv}
  {\mthlrel{\equiv}}
\DeclareRobustCommand{\notcequiv}
  {\mthlrel{\not\equiv}}
```

```
%%****************************************************************************%%
```

\dual, \adj, ...

```
\DeclareRobustCommand{\dual}[1]
  {\mth{\overline{#1}}}
\DeclareRobustCommand{\adj}[1]
  {\mth{\mathring{#1}}}
\DeclareRobustCommand{\der}[1]
  {\mth{\widehat{#1}}}
\DeclareRobustCommand{\trn}[1]
  {\mth{\widetilde{#1}}}
```

\vec ...

```
\DeclareRobustCommand{\vec}
  {\@ifstar{\@svec}{\@vec}}
\DeclareRobustCommand{\@vec}[1]
  {\mth{\mathaccent"017E{#1}}}
\DeclareRobustCommand{\@svec}[1]
  {\mth{\overline{#1}}}
```

```
%%****************************************************************************%%
```

\enumeration, ...

```
\varcmd{enumeration}{\mth}{}{,}{}{}
\varcmd{enumerationx}{\mth}{}{;}{}{}
```

\sequence, ...

```
\varcmd{sequence}{\mth}{\left[}{,}{\right]}{}
\varcmd{sequencel}{\mth}{\left[}{,}{\right.}{}
\varcmd{sequencer}{\mth}{\left.}{,}{\right]}{}
\varcmd{sequencex}{\mth}{\left[}{;}{\right]}{}
\varcmd{sequencexl}{\mth}{\left[}{;}{\right.}{}
\varcmd{sequencexr}{\mth}{\left.}{;}{\right]}{}
```

\tuple, ...

```
\varcmd{tuple}{\mth}{\left\langle}{,}{\right\rangle}{}
\varcmd{tuplel}{\mth}{\left\langle}{,}{\right.}{}
\varcmd{tupler}{\mth}{\left.}{,}{\right\rangle}{}
\varcmd{tuplex}{\mth}{\left\langle}{;}{\right\rangle}{}
\varcmd{tuplexl}{\mth}{\left\langle}{;}{\right.}{}
\varcmd{tuplexr}{\mth}{\left.}{;}{\right\rangle}{}
```

```
%%** Sets ********************************************************************%%
```

\set, ...

```
\DeclareRobustCommand{\set}
  {\@ifstar{\@set}{\@set[\left][\middle][\right]}}
\DeclareRobustCommandx{\@set}[5][1=, 2=, 3=]
  {\mth{\argmid{#1\lbrace}{\argsep{#4}{\,#2\vert\,}{#5}}{#3\rbrace}}}
\DeclareRobustCommand{\setl}
  {\@ifstar{\@setl}{\@setl[\left][\right]}}
\DeclareRobustCommandx{\@setl}[3][1=, 2=]
  {\mth{\argmid{#1\lbrace}{#3}{\,#2\vert\!}}}
\DeclareRobustCommand{\setr}
  {\@ifstar{\@setr}{\@setr[\left.][\right]}}
\DeclareRobustCommandx{\@setr}[3][1=, 2=]
  {\mth{\argmid{#1}{#3}{#2\rbrace}}}
```

\card ...

```
\DeclareRobustCommand{\card}
  {\@ifstar{\@card}{\@card[\left][\right]}}
\DeclareRobustCommandx{\@card}[3][1=, 2=]
  {\mth{\argmid{#1\lvert}{#3}{#2\rvert}}}
```

```
          \pow  ...
                840 \DeclareRobustCommand{\pow}[1]
                841   {\mth{2^{\defval{#1}{\cdot}}}}

        \denot  ...
                842 \DeclareRobustCommand{\denot}
                843   {\@ifstar{\@denot}{\@denot[\left][\right]}}
                844 \DeclareRobustCommandx{\@denot}[3][1=, 2=]
                845   {\mth{\argmid{#1\llbracket}{#3}{#2\rrbracket}}}

                846 %%** Relations ********************************************************************%%

     \emptyrel  ...
                847 \DeclareRobustCommand{\emptyrel}
                848   {\mth{\varnothing}}

                849 %%***********************************************************************************%%

\dom, \cod, ...  ...
                850 \DeclareRobustCommand{\dom}
                851   {\mthargfun{dom}}
                852 \DeclareRobustCommand{\cod}
                853   {\mthargfun{cod}}
                854 \DeclareRobustCommand{\rng}
                855   {\mthargfun{rng}}
                856 \DeclareRobustCommand{\img}
                857   {\mthargfun{img}}

                858 %%***********************************************************************************%%

          \prj  ...
                859 \DeclareRobustCommand{\prj}
                860   {\mthargfun{prj}}

          \rst  ...
                861 \DeclareRobustCommand{\rst}
                862   {\mthlbop{\upharpoonright}}

          \cmp  ...
                863 \DeclareRobustCommand{\cmp}
                864   {\mthlbop{\circ}}

                865 %%** Functions ********************************************************************%%

     \emptyfun  ...
                866 \DeclareRobustCommand{\emptyfun}
                867   {\mth{\varnothing}}

                868 %%***********************************************************************************%%

 \pto, \pmapsto  ...
                869 \DeclareMathOperator{\pto}
                870   {\ensuremath{\rightharpoonup}}
                871 \DeclareMathOperator{\pmapsto}
                872   {\ensuremath{\mathrel{\raisebox{0.5ex}{\footnotesize${\llcorner}$}%
                873     \kern-1.5ex\rightharpoonup}}}

                874 %%***********************************************************************************%%
```

```
\fix, \ifp, ...  ...
                  \DeclareRobustCommand{\fix}
                    {\mthfun{fix}}
                  \DeclareRobustCommand{\ifp}
                    {\mthfun{ifp}}
                  \DeclareRobustCommand{\lfp}
                    {\mthfun{lfp}}
                  \DeclareRobustCommand{\gfp}
                    {\mthfun{gfp}}

                  %%*****************************************************************************%%

\Aomega, \AOmega  ...
                  \DeclareRobustCommand{\Aomega}
                    {\mthargset{\omega}}
                  \DeclareRobustCommand{\AOmega}
                    {\mthargset{\Omega}}

\Atheta, \ATheta  ...
                  \DeclareRobustCommand{\Atheta}
                    {\mthargset{\theta}}
                  \DeclareRobustCommand{\ATheta}
                    {\mthargset{\Theta}}

 \Aomicron, ...   ...
                  \DeclareRobustCommand{\Aomicron}
                    {\mthargset{\omicron}}
                  \DeclareRobustCommand{\AOmicron}
                    {\mthargset{\Omicron}}

                  %%** Numbers ******************************************************************%%

         \SetB    ...
                  \DeclareRobustCommand{\SetB}
                    {\mthset[mathbb]{B}}

         \SetF    ...
                  \DeclareRobustCommand{\SetF}
                    {\mthset[mathbb]{F}}

     \SetN, ...   ...
                  \DeclareRobustCommand{\SetN}
                    {\mthset[mathbb]{N}}
                  \DeclareRobustCommand{\SetNI}[1][]
                    {\SetN[\infty #1]}

     \SetZ, ...   ...
                  \DeclareRobustCommand{\SetZ}
                    {\mthset[mathbb]{Z}}
                  \DeclareRobustCommand{\SetZI}[1][]
                    {\SetZ[\pm\infty #1]}
                  \DeclareRobustCommand{\SetZPI}[1][]
                    {\SetZ[+\infty #1]}
                  \DeclareRobustCommand{\SetZNI}[1][]
                    {\SetZ[-\infty #1]}

     \SetQ, ...   ...
                  \DeclareRobustCommand{\SetQ}
                    {\mthset[mathbb]{Q}}
                  \DeclareRobustCommand{\SetQI}[1][]
                    {\SetQ[\pm\infty #1]}
                  \DeclareRobustCommand{\SetQPI}[1][]
                    {\SetQ[+\infty #1]}
                  \DeclareRobustCommand{\SetQNI}[1][]
                    {\SetQ[-\infty #1]}
```

\SetR, ... …

```
\DeclareRobustCommand{\SetR}
  {\mthset[mathbb]{R}}
\DeclareRobustCommand{\SetRI}[1][]
  {\SetR[\pm\infty #1]}
\DeclareRobustCommand{\SetRPI}[1][]
  {\SetR[+\infty #1]}
\DeclareRobustCommand{\SetRNI}[1][]
  {\SetR[-\infty #1]}
```

\SetC, ... …

```
\DeclareRobustCommand{\SetC}
  {\mthset[mathbb]{C}}
\DeclareRobustCommand{\SetCI}[1][]
  {\SetC[\infty #1]}

%%**************************************************************************%%
```

\num, ... …

```
\DeclareRobustCommand{\num}[1]
  {\mth{[#1]}}
\DeclareRobustCommand{\numcc}[2]
  {\mth{[\argsep{#1}{,}{#2}]}}
\DeclareRobustCommand{\numco}[2]
  {\mth{[\argsep{#1}{,}{#2})}}
\DeclareRobustCommand{\numoc}[2]
  {\mth{(\argsep{#1}{,}{#2}]}}
\DeclareRobustCommand{\numoo}[2]
  {\mth{(\argsep{#1}{,}{#2})}}

%%**************************************************************************%%
```

\floor, \ceil …

```
\DeclareRobustCommand{\floor}
  {\@ifstar{\@floor}{\@floor[\left][\right]}}
\DeclareRobustCommandx{\@floor}[3][1=, 2=]
  {\mth{\argmid{#1\lfloor}{#3}{#2\rfloor}}}
\DeclareRobustCommand{\ceil}
  {\@ifstar{\@ceil}{\@ceil[\left][\right]}}
\DeclareRobustCommandx{\@ceil}[3][1=, 2=]
  {\mth{\argmid{#1\lceil}{#3}{#2\rceil}}}

%%**************************************************************************%%
```

\arg …

```
\DeclareRobustCommand{\arg}
  {\mthfun{arg}}
```

\evn, \odd …

```
\DeclareRobustCommand{\evn}
  {\mthfun{evn}}
\DeclareRobustCommand{\odd}
  {\mthfun{odd}}
```

\bst, ... …

```
\DeclareRobustCommand{\bst}
  {\mthfun{bst}}
\DeclareRobustCommand{\argbst}
  {\mthfun{arg bst}}
```

\min, \max, ... …

```
\DeclareRobustCommand{\min}
  {\mthfun{min}}
```

```
\DeclareRobustCommand{\max}
  {\mthfun{max}}
\DeclareRobustCommand{\argmin}
  {\mthfun{arg min}}
\DeclareRobustCommand{\argmax}
  {\mthfun{arg max}}
```

`\inf, \sup` ...

```
\DeclareRobustCommand{\inf}
  {\mthfun{inf}}
\DeclareRobustCommand{\sup}
  {\mthfun{sup}}

%%** Sequences ********************************************************%%
```

`\emptyseq` ...

```
\DeclareRobustCommand{\emptyseq}
  {\mth{\varepsilon}}
```

`\fst, \lst` ...

```
\DeclareRobustCommand{\fst}
  {\mthargfun{fst}}
\DeclareRobustCommand{\lst}
  {\mthargfun{lst}}

\fi
%%*************************************************************************%%
%%*************************************************************************%%
%%** Macros for Computational-Complexity Classes ************************%%
%%*************************************************************************%%
\ifcom@
```

`\defcomcls` ... to do!

- `\defcomcls{CompClass}`;

`\CompClass[sub][sup][ext]` = $\textsc{CompClass}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoCompClass[sub][sup][ext]` = $\textsc{CoCompClass}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CompClassE[sub][sup][ext]` = $\textsc{CompClass-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoCompClassE[sub][sup][ext]` = $\textsc{CoCompClass-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CompClassH[sub][sup][ext]` = $\textsc{CompClass-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoCompClassH[sub][sup][ext]` = $\textsc{CoCompClass-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CompClassC[sub][sup][ext]` = $\textsc{CompClass-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoCompClassC[sub][sup][ext]` = $\textsc{CoCompClass-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

`\NCompClass[sub][sup][ext]` = $\textsc{NCompClass}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoNCompClass[sub][sup][ext]` = $\textsc{CoNCompClass}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\NCompClassE[sub][sup][ext]` = $\textsc{NCompClass-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoNCompClassE[sub][sup][ext]` = $\textsc{CoNCompClass-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\NCompClassH[sub][sup][ext]` = $\textsc{NCompClass-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoNCompClassH[sub][sup][ext]` = $\textsc{CoNCompClass-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\NCompClassC[sub][sup][ext]` = $\textsc{NCompClass-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoNCompClassC[sub][sup][ext]` = $\textsc{CoNCompClass-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

`\UCompClass[sub][sup][ext]` = $\textsc{UCompClass}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoUCompClass[sub][sup][ext]` = $\textsc{CoUCompClass}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\UCompClassE[sub][sup][ext]` = $\textsc{UCompClass-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoUCompClassE[sub][sup][ext]` = $\textsc{CoUCompClass-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\UCompClassH[sub][sup][ext]` = $\textsc{UCompClass-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoUCompClassH[sub][sup][ext]` = $\textsc{CoUCompClass-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\UCompClassC[sub][sup][ext]` = $\textsc{UCompClass-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoUCompClassC[sub][sup][ext]` = $\textsc{CoUCompClass-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

`\ACompClass[sub][sup][ext]` = $\textsc{ACompClass}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
`\CoACompClass[sub][sup][ext]` = $\textsc{CoACompClass}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

`\ACompClassE[sub][sup][ext]` = ACompClass-easy$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoACompClassE[sub][sup][ext]` = CoACompClass-easy$^{\text{SUP}}_{\text{SUB}}$EXT
`\ACompClassH[sub][sup][ext]` = ACompClass-hard$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoACompClassH[sub][sup][ext]` = CoACompClass-hard$^{\text{SUP}}_{\text{SUB}}$EXT
`\ACompClassC[sub][sup][ext]` = ACompClass-complete$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoACompClassC[sub][sup][ext]` = CoACompClass-complete$^{\text{SUP}}_{\text{SUB}}$EXT

- `\defcomcls{CompClass}[NewClass]`;

`\CompClass[sub][sup][ext]` = NewClass$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoCompClass[sub][sup][ext]` = CoNewClass$^{\text{SUP}}_{\text{SUB}}$EXT
`\CompClassE[sub][sup][ext]` = NewClass-easy$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoCompClassE[sub][sup][ext]` = CoNewClass-easy$^{\text{SUP}}_{\text{SUB}}$EXT
`\CompClassH[sub][sup][ext]` = NewClass-hard$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoCompClassH[sub][sup][ext]` = CoNewClass-hard$^{\text{SUP}}_{\text{SUB}}$EXT
`\CompClassC[sub][sup][ext]` = NewClass-complete$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoCompClassC[sub][sup][ext]` = CoNewClass-complete$^{\text{SUP}}_{\text{SUB}}$EXT

`\NCompClass[sub][sup][ext]` = NNewClass$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoNCompClass[sub][sup][ext]` = CoNNewClass$^{\text{SUP}}_{\text{SUB}}$EXT
`\NCompClassE[sub][sup][ext]` = NNewClass-easy$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoNCompClassE[sub][sup][ext]` = CoNNewClass-easy$^{\text{SUP}}_{\text{SUB}}$EXT
`\NCompClassH[sub][sup][ext]` = NNewClass-hard$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoNCompClassH[sub][sup][ext]` = CoNNewClass-hard$^{\text{SUP}}_{\text{SUB}}$EXT
`\NCompClassC[sub][sup][ext]` = NNewClass-complete$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoNCompClassC[sub][sup][ext]` = CoNNewClass-complete$^{\text{SUP}}_{\text{SUB}}$EXT

`\UCompClass[sub][sup][ext]` = UNewClass$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoUCompClass[sub][sup][ext]` = CoUNewClass$^{\text{SUP}}_{\text{SUB}}$EXT
`\UCompClassE[sub][sup][ext]` = UNewClass-easy$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoUCompClassE[sub][sup][ext]` = CoUNewClass-easy$^{\text{SUP}}_{\text{SUB}}$EXT
`\UCompClassH[sub][sup][ext]` = UNewClass-hard$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoUCompClassH[sub][sup][ext]` = CoUNewClass-hard$^{\text{SUP}}_{\text{SUB}}$EXT
`\UCompClassC[sub][sup][ext]` = UNewClass-complete$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoUCompClassC[sub][sup][ext]` = CoUNewClass-complete$^{\text{SUP}}_{\text{SUB}}$EXT

`\ACompClass[sub][sup][ext]` = ANewClass$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoACompClass[sub][sup][ext]` = CoANewClass$^{\text{SUP}}_{\text{SUB}}$EXT
`\ACompClassE[sub][sup][ext]` = ANewClass-easy$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoACompClassE[sub][sup][ext]` = CoANewClass-easy$^{\text{SUP}}_{\text{SUB}}$EXT
`\ACompClassH[sub][sup][ext]` = ANewClass-hard$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoACompClassH[sub][sup][ext]` = CoANewClass-hard$^{\text{SUP}}_{\text{SUB}}$EXT
`\ACompClassC[sub][sup][ext]` = ANewClass-complete$^{\text{SUP}}_{\text{SUB}}$EXT
`\CoACompClassC[sub][sup][ext]` = CoANewClass-complete$^{\text{SUP}}_{\text{SUB}}$EXT

```
\newcommandx{\defcomcls}[2][2=]
  {\defcomclssem{#1}{\defval{#2}{#1}}%
  \defcomclssem{#1}{\defval{#2}{#1}}[Co]}
\newcommandx{\defcomclssem}[3][3=]
  {\defcomclsred{#3#1}{#2}[#3]%
  \defcomclsred{#3N#1}{#2}[#3N]%
  \defcomclsred{#3U#1}{#2}[#3U]%
  \defcomclsred{#3A#1}{#2}[#3A]}
\newcommandx{\defcomclsred}[3][3=]
  {\defcomclscmd{#1}{#2}[#3]%
  \defcomclscmd{#1E}{#2}[#3][-easy]%
  \defcomclscmd{#1H}{#2}[#3][-hard]%
  \defcomclscmd{#1C}{#2}[#3][-complete]}%
\newcommandx{\defcomclscmd}[4][3=, 4=]
  {\csdef{#1}{\txtcom{#3#2#4}}}
```

`\defcomhrc` ... to do!

- `\defcomhrc{CompHierarchy}`;

`CompHierarchy[sub][sup][ext]` = CompHierarchy$^{\text{SUP}}_{\text{SUB}}$EXT

- `\defcomhrc{CompHierarchy}[NewHierarchy]`;

  `CompHierarchy[sub][sup][ext]` = NewHierarchy$^{\text{SUP}}_{\text{SUB}}$EXT

```
\newcommandx{\defcomhrc}[2][2=]
  {\csdef{#1}{\txtcom{\defval{#2}{#1}}}}
```

```
%%*****************************************************************************%%
```

`\Easy, \Hard, ...`

```
\cmdtxtcom{Easy}
\cmdtxtcom{Hard}
\cmdtxtcom{Complete}
```

```
%%*****************************************************************************%%
```

`\Time, ...`

- `\Time[sub][sup][ext]` = Time$^{\text{SUP}}_{\text{SUB}}$EXT
  `\TimeE[sub][sup][ext]` = Time-easy$^{\text{SUP}}_{\text{SUB}}$EXT
  `\TimeH[sub][sup][ext]` = Time-hard$^{\text{SUP}}_{\text{SUB}}$EXT
  `\TimeC[sub][sup][ext]` = Time-complete$^{\text{SUP}}_{\text{SUB}}$EXT
- `\NTime[sub][sup][ext]` = NTime$^{\text{SUP}}_{\text{SUB}}$EXT
  `\NTimeE[sub][sup][ext]` = NTime-easy$^{\text{SUP}}_{\text{SUB}}$EXT
  `\NTimeH[sub][sup][ext]` = NTime-hard$^{\text{SUP}}_{\text{SUB}}$EXT
  `\NTimeC[sub][sup][ext]` = NTime-complete$^{\text{SUP}}_{\text{SUB}}$EXT
- `\UTime[sub][sup][ext]` = UTime$^{\text{SUP}}_{\text{SUB}}$EXT
  `\UTimeE[sub][sup][ext]` = UTime-easy$^{\text{SUP}}_{\text{SUB}}$EXT
  `\UTimeH[sub][sup][ext]` = UTime-hard$^{\text{SUP}}_{\text{SUB}}$EXT
  `\UTimeC[sub][sup][ext]` = UTime-complete$^{\text{SUP}}_{\text{SUB}}$EXT
- `\ATime[sub][sup][ext]` = ATime$^{\text{SUP}}_{\text{SUB}}$EXT
  `\ATimeE[sub][sup][ext]` = ATime-easy$^{\text{SUP}}_{\text{SUB}}$EXT
  `\ATimeH[sub][sup][ext]` = ATime-hard$^{\text{SUP}}_{\text{SUB}}$EXT
  `\ATimeC[sub][sup][ext]` = ATime-complete$^{\text{SUP}}_{\text{SUB}}$EXT

```
\defcomcls{Time}
```

`\Space, ...`

- `\Space[sub][sup][ext]` = Space$^{\text{SUP}}_{\text{SUB}}$EXT
  `\SpaceE[sub][sup][ext]` = Space-easy$^{\text{SUP}}_{\text{SUB}}$EXT
  `\SpaceH[sub][sup][ext]` = Space-hard$^{\text{SUP}}_{\text{SUB}}$EXT
  `\SpaceC[sub][sup][ext]` = Space-complete$^{\text{SUP}}_{\text{SUB}}$EXT
- `\NSpace[sub][sup][ext]` = NSpace$^{\text{SUP}}_{\text{SUB}}$EXT
  `\NSpaceE[sub][sup][ext]` = NSpace-easy$^{\text{SUP}}_{\text{SUB}}$EXT
  `\NSpaceH[sub][sup][ext]` = NSpace-hard$^{\text{SUP}}_{\text{SUB}}$EXT
  `\NSpaceC[sub][sup][ext]` = NSpace-complete$^{\text{SUP}}_{\text{SUB}}$EXT
- `\USpace[sub][sup][ext]` = USpace$^{\text{SUP}}_{\text{SUB}}$EXT
  `\USpaceE[sub][sup][ext]` = USpace-easy$^{\text{SUP}}_{\text{SUB}}$EXT
  `\USpaceH[sub][sup][ext]` = USpace-hard$^{\text{SUP}}_{\text{SUB}}$EXT
  `\USpaceC[sub][sup][ext]` = USpace-complete$^{\text{SUP}}_{\text{SUB}}$EXT
- `\ASpace[sub][sup][ext]` = ASpace$^{\text{SUP}}_{\text{SUB}}$EXT
  `\ASpaceE[sub][sup][ext]` = ASpace-easy$^{\text{SUP}}_{\text{SUB}}$EXT
  `\ASpaceH[sub][sup][ext]` = ASpace-hard$^{\text{SUP}}_{\text{SUB}}$EXT
  `\ASpaceC[sub][sup][ext]` = ASpace-complete$^{\text{SUP}}_{\text{SUB}}$EXT

```
\defcomcls{Space}
```

`\LogTime, ...`

- `\LogTime[sub][sup][ext]` = LogTime$^{\text{SUP}}_{\text{SUB}}$EXT
  `\LogTimeE[sub][sup][ext]` = LogTime-easy$^{\text{SUP}}_{\text{SUB}}$EXT
  `\LogTimeH[sub][sup][ext]` = LogTime-hard$^{\text{SUP}}_{\text{SUB}}$EXT
  `\LogTimeC[sub][sup][ext]` = LogTime-complete$^{\text{SUP}}_{\text{SUB}}$EXT
- `\NLogTime[sub][sup][ext]` = NLogTime$^{\text{SUP}}_{\text{SUB}}$EXT
  `\NLogTimeE[sub][sup][ext]` = NLogTime-easy$^{\text{SUP}}_{\text{SUB}}$EXT
  `\NLogTimeH[sub][sup][ext]` = NLogTime-hard$^{\text{SUP}}_{\text{SUB}}$EXT
  `\NLogTimeC[sub][sup][ext]` = NLogTime-complete$^{\text{SUP}}_{\text{SUB}}$EXT

- `\ULogTime[sub][sup][ext]` = $\text{ULogTime}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ULogTimeE[sub][sup][ext]` = $\text{ULogTime-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ULogTimeH[sub][sup][ext]` = $\text{ULogTime-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ULogTimeC[sub][sup][ext]` = $\text{ULogTime-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
- `\ALogTime[sub][sup][ext]` = $\text{ALogTime}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ALogTimeE[sub][sup][ext]` = $\text{ALogTime-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ALogTimeH[sub][sup][ext]` = $\text{ALogTime-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ALogTimeC[sub][sup][ext]` = $\text{ALogTime-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

1013 `\defcomcls{LogTime}`

`\LogSpace, ...`

- `\LogSpace[sub][sup][ext]` = $\text{LogSpace}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\LogSpaceE[sub][sup][ext]` = $\text{LogSpace-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\LogSpaceH[sub][sup][ext]` = $\text{LogSpace-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\LogSpaceC[sub][sup][ext]` = $\text{LogSpace-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
- `\NLogSpace[sub][sup][ext]` = $\text{NLogSpace}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NLogSpaceE[sub][sup][ext]` = $\text{NLogSpace-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NLogSpaceH[sub][sup][ext]` = $\text{NLogSpace-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NLogSpaceC[sub][sup][ext]` = $\text{NLogSpace-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
- `\ULogSpace[sub][sup][ext]` = $\text{ULogSpace}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ULogSpaceE[sub][sup][ext]` = $\text{ULogSpace-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ULogSpaceH[sub][sup][ext]` = $\text{ULogSpace-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ULogSpaceC[sub][sup][ext]` = $\text{ULogSpace-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
- `\ALogSpace[sub][sup][ext]` = $\text{ALogSpace}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ALogSpaceE[sub][sup][ext]` = $\text{ALogSpace-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ALogSpaceH[sub][sup][ext]` = $\text{ALogSpace-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\ALogSpaceC[sub][sup][ext]` = $\text{ALogSpace-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

1014 `\defcomcls{LogSpace}`

`\PTime, ...`

- `\PTime[sub][sup][ext]` = $\text{PTime}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\PTimeE[sub][sup][ext]` = $\text{PTime-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\PTimeH[sub][sup][ext]` = $\text{PTime-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\PTimeC[sub][sup][ext]` = $\text{PTime-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
- `\NPTime[sub][sup][ext]` = $\text{NPTime}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NPTimeE[sub][sup][ext]` = $\text{NPTime-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NPTimeH[sub][sup][ext]` = $\text{NPTime-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NPTimeC[sub][sup][ext]` = $\text{NPTime-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
- `\UPTime[sub][sup][ext]` = $\text{UPTime}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UPTimeE[sub][sup][ext]` = $\text{UPTime-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UPTimeH[sub][sup][ext]` = $\text{UPTime-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UPTimeC[sub][sup][ext]` = $\text{UPTime-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
- `\APTime[sub][sup][ext]` = $\text{APTime}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\APTimeE[sub][sup][ext]` = $\text{APTime-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\APTimeH[sub][sup][ext]` = $\text{APTime-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\APTimeC[sub][sup][ext]` = $\text{APTime-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

1015 `\defcomcls{PTime}`

`\PSpace, ...`

- `\PSpace[sub][sup][ext]` = $\text{PSpace}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\PSpaceE[sub][sup][ext]` = $\text{PSpace-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\PSpaceH[sub][sup][ext]` = $\text{PSpace-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\PSpaceC[sub][sup][ext]` = $\text{PSpace-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
- `\NPSpace[sub][sup][ext]` = $\text{NPSpace}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NPSpaceE[sub][sup][ext]` = $\text{NPSpace-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NPSpaceH[sub][sup][ext]` = $\text{NPSpace-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\NPSpaceC[sub][sup][ext]` = $\text{NPSpace-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
- `\UPSpace[sub][sup][ext]` = $\text{UPSpace}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UPSpaceE[sub][sup][ext]` = $\text{UPSpace-easy}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UPSpaceH[sub][sup][ext]` = $\text{UPSpace-hard}^{\text{SUP}}_{\text{SUB}}\text{EXT}$
  `\UPSpaceC[sub][sup][ext]` = $\text{UPSpace-complete}^{\text{SUP}}_{\text{SUB}}\text{EXT}$

- `\APSpace[sub][sup][ext]` = $\mathrm{APSPACE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\APSpaceE[sub][sup][ext]` = $\mathrm{APSPACE\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\APSpaceH[sub][sup][ext]` = $\mathrm{APSPACE\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\APSpaceC[sub][sup][ext]` = $\mathrm{APSPACE\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$

1016 `\defcomcls{PSpace}`

`\QPTime, ...`

- `\QPTime[sub][sup][ext]` = $\mathrm{QPTIME}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\QPTimeE[sub][sup][ext]` = $\mathrm{QPTIME\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\QPTimeH[sub][sup][ext]` = $\mathrm{QPTIME\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\QPTimeC[sub][sup][ext]` = $\mathrm{QPTIME\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
- `\NQPTime[sub][sup][ext]` = $\mathrm{NQPTIME}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\NQPTimeE[sub][sup][ext]` = $\mathrm{NQPTIME\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\NQPTimeH[sub][sup][ext]` = $\mathrm{NQPTIME\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\NQPTimeC[sub][sup][ext]` = $\mathrm{NQPTIME\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
- `\UQPTime[sub][sup][ext]` = $\mathrm{UQPTIME}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\UQPTimeE[sub][sup][ext]` = $\mathrm{UQPTIME\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\UQPTimeH[sub][sup][ext]` = $\mathrm{UQPTIME\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\UQPTimeC[sub][sup][ext]` = $\mathrm{UQPTIME\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
- `\AQPTime[sub][sup][ext]` = $\mathrm{AQPTIME}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\AQPTimeE[sub][sup][ext]` = $\mathrm{AQPTIME\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\AQPTimeH[sub][sup][ext]` = $\mathrm{AQPTIME\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\AQPTimeC[sub][sup][ext]` = $\mathrm{AQPTIME\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$

1017 `\defcomcls{QPTime}`

`\QPSpace, ...`

- `\QPSpace[sub][sup][ext]` = $\mathrm{QPSPACE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\QPSpaceE[sub][sup][ext]` = $\mathrm{QPSPACE\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\QPSpaceH[sub][sup][ext]` = $\mathrm{QPSPACE\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\QPSpaceC[sub][sup][ext]` = $\mathrm{QPSPACE\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
- `\NQPSpace[sub][sup][ext]` = $\mathrm{NQPSPACE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\NQPSpaceE[sub][sup][ext]` = $\mathrm{NQPSPACE\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\NQPSpaceH[sub][sup][ext]` = $\mathrm{NQPSPACE\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\NQPSpaceC[sub][sup][ext]` = $\mathrm{NQPSPACE\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
- `\UQPSpace[sub][sup][ext]` = $\mathrm{UQPSPACE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\UQPSpaceE[sub][sup][ext]` = $\mathrm{UQPSPACE\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\UQPSpaceH[sub][sup][ext]` = $\mathrm{UQPSPACE\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\UQPSpaceC[sub][sup][ext]` = $\mathrm{UQPSPACE\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
- `\AQPSpace[sub][sup][ext]` = $\mathrm{AQPSPACE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\AQPSpaceE[sub][sup][ext]` = $\mathrm{AQPSPACE\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\AQPSpaceH[sub][sup][ext]` = $\mathrm{AQPSPACE\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\AQPSpaceC[sub][sup][ext]` = $\mathrm{AQPSPACE\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$

1018 `\defcomcls{QPSpace}`

`\ExpTime, ...`

- `\ExpTime[sub][sup][ext]` = $\mathrm{EXPTIME}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\ExpTimeE[sub][sup][ext]` = $\mathrm{EXPTIME\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\ExpTimeH[sub][sup][ext]` = $\mathrm{EXPTIME\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\ExpTimeC[sub][sup][ext]` = $\mathrm{EXPTIME\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
- `\NExpTime[sub][sup][ext]` = $\mathrm{NEXPTIME}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\NExpTimeE[sub][sup][ext]` = $\mathrm{NEXPTIME\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\NExpTimeH[sub][sup][ext]` = $\mathrm{NEXPTIME\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\NExpTimeC[sub][sup][ext]` = $\mathrm{NEXPTIME\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
- `\UExpTime[sub][sup][ext]` = $\mathrm{UEXPTIME}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\UExpTimeE[sub][sup][ext]` = $\mathrm{UEXPTIME\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\UExpTimeH[sub][sup][ext]` = $\mathrm{UEXPTIME\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\UExpTimeC[sub][sup][ext]` = $\mathrm{UEXPTIME\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
- `\AExpTime[sub][sup][ext]` = $\mathrm{AEXPTIME}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\AExpTimeE[sub][sup][ext]` = $\mathrm{AEXPTIME\text{-}EASY}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\AExpTimeH[sub][sup][ext]` = $\mathrm{AEXPTIME\text{-}HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$
  `\AExpTimeC[sub][sup][ext]` = $\mathrm{AEXPTIME\text{-}COMPLETE}_{\mathrm{SUB}}^{\mathrm{SUP}}\mathrm{EXT}$

1019 `\defcomcls{ExpTime}`

\ExpSpace, ...

- \ExpSpace[sub][sup][ext] = $\textsc{ExpSpace}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \ExpSpaceE[sub][sup][ext] = $\textsc{ExpSpace-easy}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \ExpSpaceH[sub][sup][ext] = $\textsc{ExpSpace-hard}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \ExpSpaceC[sub][sup][ext] = $\textsc{ExpSpace-complete}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
- \NExpSpace[sub][sup][ext] = $\textsc{NExpSpace}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \NExpSpaceE[sub][sup][ext] = $\textsc{NExpSpace-easy}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \NExpSpaceH[sub][sup][ext] = $\textsc{NExpSpace-hard}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \NExpSpaceC[sub][sup][ext] = $\textsc{NExpSpace-complete}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
- \UExpSpace[sub][sup][ext] = $\textsc{UExpSpace}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \UExpSpaceE[sub][sup][ext] = $\textsc{UExpSpace-easy}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \UExpSpaceH[sub][sup][ext] = $\textsc{UExpSpace-hard}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \UExpSpaceC[sub][sup][ext] = $\textsc{UExpSpace-complete}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
- \AExpSpace[sub][sup][ext] = $\textsc{AExpSpace}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \AExpSpaceE[sub][sup][ext] = $\textsc{AExpSpace-easy}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \AExpSpaceH[sub][sup][ext] = $\textsc{AExpSpace-hard}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$
  \AExpSpaceC[sub][sup][ext] = $\textsc{AExpSpace-complete}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$

```
\defcomcls{ExpSpace}

%%*****************************************************************************%%
```

\PH

- \PH[sub][sup][ext] = $\textsc{PH}^{\textsc{sup}}_{\textsc{sub}}\textsc{ext}$

```
\defcomhrc{PH}
```

...

```
\fi
%%*****************************************************************************%%
%%*****************************************************************************%%
%%** Macros for Games *********************************************************%%
%%*****************************************************************************%%
\ifgam@
%%** Logic Games **************************************************************%%
```

\SATG, ...

```
%% Satisfiability Games
\cmdtxtoparname{SATG}[Sat]

%% Validity Games
\cmdtxtoparname{VALG}[Val]

%% Evaluation Games
\cmdtxtoparname{EVLG}[Evl]

%% Synthesis Games
\cmdtxtoparname{SYNG}[Syn]

%% Model-Checking Games
\cmdtxtoparname{MCG}[MC]

%% Ehrenfeucht-Fraisse Games
\cmdtxtoparname{EFG}[EF]

%%** Syntax *******************************************************************%%
```

\PlrSym, \OppSym ...

```
\newcommand{\plrsym}{E}
\cmdmthsym{Plr}[\plrsym]
\newcommand{\oppsym}{A}
\cmdmthsym{Opp}[\oppsym]
```

\ArenaName, ...

```
\newcommand{\arenaname}{A}
\usrmthlatupp{Arena}{Name}{name}[\arenaname]
```

```
    \PosSet, ...  ...
1054 \newcommand{\possym}{v}
1055 \newcommand{\posset}{Ps}
1056 \cmdmthsetext{Pos}[\posset][\possym]
1057 \cmdmthsymelm{ipos}[\possym_{I}]
1058 \cmdmthsymelm{fpos}[\possym_{F}]
1059 \cmdmthset{PPos}[\posset_{\PlrSym}]
1060 \cmdmthsymelm{ppos}[\possym_{\PlrSym}]
1061 \cmdmthset{OPos}[\posset_{\OppSym}]
1062 \cmdmthsymelm{opos}[\possym_{\OppSym}]

        \PlrFun  ...
1063 \newcommand{\plrfun}{pl}
1064 \cmdmthfun{plr}[\plrfun]

        \MovRel  ...
1065 \newcommand{\movrel}{Mv}
1066 \cmdmthrel{Mov}[\movrel]

  \GameName, ...  ...
1067 \newcommand{\gamename}{\Game}
1068 \usrmthlatupp{Game}{Name}{name}[\gamename]

        \WinSet  ...
1069 \newcommand{\winset}{Wn}
1070 \cmdmthset{Win}[\winset]

 \ObsSet, \obsFun  ...
1071 \newcommand{\obsset}{Ob}
1072 \cmdmthset{Obs}[\obsset]
1073 \cmdmthfun{obs}

1074 %%** Semantics *********************************************************%%

 \PthSet, \pthFun  ...
1075 \newcommand{\pthsym}{\pi}
1076 \newcommand{\pthset}{Pth}
1077 \cmdmthsetext{Pth}[\pthset][\pthsym]
1078 \cmdmthfun{pth}

    \HstSet, ...  ...
1079 \newcommand{\hstsym}{\rho}
1080 \newcommand{\hstset}{Hst}
1081 \cmdmthsetext{Hst}[\hstset][\hstsym]
1082 \cmdmthset{PHst}[\hstset_{\PlrSym}]
1083 \cmdmthsymelm{phst}[\hstsym_{\PlrSym}]
1084 \cmdmthset{OHst}[\hstset_{\OppSym}]
1085 \cmdmthsymelm{ohst}[\hstsym_{\OppSym}]
1086 \cmdmthfun{hst}

\PlaySet,\playFun  ...
1087 \newcommand{\playsym}{\pi}
1088 \newcommand{\playset}{Play}
1089 \cmdmthsetext{Play}[\playset][\playsym]
1090 \cmdmthfun{play}

    \StrSet, ...  ...
1091 \newcommand{\strsym}{\sigma}
1092 \newcommand{\strset}{Str}
1093 \cmdmthsetext{Str}[\strset][\strsym]
1094 \cmdmthset{PStr}[\strset_{\PlrSym}]
1095 \cmdmthsymelm{pstr}[\strsym_{\PlrSym}]
1096 \cmdmthset{OStr}[\strset_{\OppSym}]
1097 \cmdmthsymelm{ostr}[\strsym_{\OppSym}]
```

```
\PrfSet, \prfFun  ...
1098 \newcommand{\prfsym}{\xi}
1099 \newcommand{\prfset}{Prf}
1100 \cmdmthsetext{Prf}[\prfset][\prfsym]

\preFun, \sucFun  ...
1101 \newcommand{\prefun}{pre}
1102 \cmdmthoargfun{pre}[\prefun]
1103 \newcommand{\sucfun}{suc}
1104 \cmdmthoargfun{suc}[\sucfun]

\entFun, \escFun  ...
1105 \newcommand{\entfun}{ent}
1106 \cmdmthoargfun{ent}[\entfun]
1107 \newcommand{\escfun}{esc}
1108 \cmdmthoargfun{esc}[\escfun]

\intFun, \outFun  ...
1109 \newcommand{\intfun}{int}
1110 \cmdmthoargfun{int}[\intfun]
1111 \newcommand{\outfun}{out}
1112 \cmdmthoargfun{out}[\outfun]

\atrFun, \rchFun  ...
1113 \newcommand{\atrfun}{atr}
1114 \cmdmthoargfun{atr}[\atrfun]
1115 \newcommand{\rchfun}{rch}
1116 \cmdmthoargfun{rch}[\rchfun]

        \liftFun  ...
1117 \newcommand{\liftfun}{lift}
1118 \cmdmthoargfun{lift}[\liftfun]

         \solFun  ...
1119 \newcommand{\solfun}{sol}
1120 \cmdmthoargfun{sol}[\solfun]

1121 %%** Qualitative Games on Graph *********************************************%%

        \BG, ...  ...
1122 %% Buchi Games
1123 \cmdtxtoparname{BG}
1124
1125 %% Co-Buchi Games
1126 \cmdtxtoparname{CG}
1127
1128 %% Parity Games
1129 \cmdtxtoparname{PG}
1130
1131 %% Rabin Games
1132 \cmdtxtoparname{RG}
1133
1134 %% Streett Games
1135 \cmdtxtoparname{SG}
1136
1137 %% Muller Games
1138 \cmdtxtoparname{MG}

1139 %%** Syntax ************************************************************%%

\EvnSym, \OddSym  ...
1140 \newcommand{\evnsym}{0}
1141 \cmdmthsym{Evn}[\evnsym]
1142 \newcommand{\oddsym}{1}
1143 \cmdmthsym{Odd}[\oddsym]
```

```
\PrtSet, \prtFun  ...
                  \newcommand{\prtsym}{p}
                  \newcommand{\prtset}{Pr}
                  \cmdmthsetext{Prt}[\prtset][\prtsym]
                  \cmdmthfun{prt}[pr]

                  %%** Semantics *****************************************************************%%

                     ...

                  %%** Quantitative Games on Graph ***********************************************%%

       \EG, ...   ...
                  %% Energy Games
                  \cmdtxtoparname{EG}

                  %% Mean-Payoff Games
                  \cmdtxtoparname{MPG}

                  %% Discounted-Payoff Games
                  \cmdtxtoparname{DPG}

                  %%** Syntax **********************************************************************%%

\MaxSym, \MinSym  ...
                  \newcommand{\maxsym}{\oplus}
                  \cmdmthsym{Max}[\maxsym]
                  \newcommand{\minsym}{\boxminus}
                  \cmdmthsym{Min}[\minsym]

\WghSet, \wghFun  ...
                  \newcommand{\wghsym}{w}
                  \newcommand{\wghset}{Wg}
                  \cmdmthsetext{Wgh}[\wghset][\wghsym]
                  \cmdmthfun{wgh}[wg]

                  %%** Semantics *****************************************************************%%

                     ...

                  \fi
                  %%*****************************************************************************%%

                  %%*****************************************************************************%%
                  %%** Macros for Logics ********************************************************%%
                  %%*****************************************************************************%%
                  \iflog@

                  %%** Propositional Logics ****************************************************%%

  \BF, \QBF, ...  ...
                  % Boolean Formulae
                  \cmdtxtoparname{BF}

                  % Quantified Boolean Formulae
                  \DeclareRobustCommand{\QBF}
                    {{\txtname{Q}}\BF}
                  \DeclareRobustCommand{\EBF}
                    {\ensuremath{\exists}\BF}
                  \DeclareRobustCommand{\UBF}
                    {\ensuremath{\forall}\BF}

                  %%** Syntax **********************************************************************%%

    \LogSig, ...  ...
                  \newcommand{\logsig}{L}
                  \usrmthlatupp{Log}{Sig}{sig}[\logsig]
```

```
      \Tt, \Ff  ...
1188 \newcommand{\ttsym}{\top}
1189 \usrmth{Tt}{}{sym}[\ttsym]
1190 \newcommand{\ffsym}{\bot}
1191 \usrmth{Ff}{}{sym}[\ffsym]

  \LNeg, \LNot  ...
1192 \newcommand{\lnegsym}{\neg}
1193 \usrmth{LNeg}{}{luop}[\lnegsym]
1194 \newcommand{\lnotsym}{\sim}
1195 \usrmth{LNot}{}{luop}[\lnotsym]

  \LCon, \LDis  ...
1196 \newcommand{\lconsym}{\land}
1197 \usrmth{LCon}{}{lbop}[\lconsym]
1198 \newcommand{\ldissym}{\lor}
1199 \usrmth{LDis}{}{lbop}[\ldissym]

  \LImp, \LCoi  ...
1200 \newcommand{\limpsym}{\rightarrow}
1201 \usrmth{LImp}{}{lbop}[\limpsym]
1202 \newcommand{\lcoisym}{\leftrightarrow}
1203 \usrmth{LCoi}{}{lbop}[\lcoisym]

  \LExs, \LAll  ...
1204 \newcommand{\lexssym}{\exists}
1205 \usrmth{LExs}{}{luop}[\lexssym]
1206 \newcommand{\lallsym}{\forall}
1207 \usrmth{LAll}{}{luop}[\lallsym]

   \APSet, ...  ...
1208 \newcommand{\apsym}{p}
1209 \newcommand{\apset}{AP}
1210 \cmdmthsetext{AP}[\apset][\apsym]
1211 \cmdmthfun{ap}\usrmth{ap}{}{argfun}

        \sub  ...
1212 \usrmth{sub}{}{argfun}

\Cnt, \Qnt, \Sym  ...
1213 \usrmth{Cnt}{}{sym}[C]
1214 \usrmth{Qnt}{}{sym}[Q]
1215 \usrmth{Sym}{}{sym}[\odot]

    \QAE, \QEA  ...
1216 \usrmth{QAE}{}{sym}[\forall\exists]
1217 \usrmth{QEA}{}{sym}[\exists\forall]

  \QntSet, ...  ...
1218 \newcommand{\qntsym}{\wp}
1219 \newcommand{\qntset}{Qn}
1220 \cmdmthsetext{Qnt}[\qntset][\qntsym]

 \free, \bound  ...
1221 \usrmth{free}{}{argfun}
1222 \usrmth{bound}{}{argfun}

    \dep, \alt  ...
1223 \usrmth{dep}{}{argfun}
1224 \usrmth{alt}{}{argfun}
```

\cnf, \dnf, ...

```
\cmdtxtabr{cnf}
\cmdtxtabr{dnf}
\cmdtxtabr{pnf}
\cmdtxtabr{nnf}

%%** Semantics ********************************************************************%%
```

\LogStr, ...

```
\newcommand{\logstr}{L}
\usrmthlatupp{Log}{Str}{str}[\logstr]
```

\ValSet, ...

```
\newcommand{\valsym}{\xi}
\newcommand{\valset}{Val}
\cmdmthsetext{Val}[\valset][\valsym]
```

\AsgSet, ...

```
\newcommand{\asgsym}{\chi}
\newcommand{\asgset}{Asg}
\cmdmthsetext{Asg}[\asgset][\asgsym]

%%** First-Order Logics I *********************************************************%%
```

\FOL, ...

```
% First-Order Logic
\cmdtxtoparname{FOL}[Fol]
\cmdtxtoparname{FO}[FO]

% Monadic First-Order Logic
\DeclareRobustCommand{\MFOL}
  {{\txtname{M}}\FOL}
\DeclareRobustCommand{\MFO}
  {{\txtname{M}}\FO}

%%** Syntax ************************************************************************%%
```

\VarSig, ...

```
\newcommand{\varsig}{V}
\usrmthlatupp{Var}{Sig}{sig}[\varsig]
\newcommand{\varsym}{x}
\newcommand{\varset}{Vr}
\cmdmthsetext{Var}[\varset][\varsym]
\usrmth{var}{}{argfun}[vr]
\cmdmthfun{dim}[dm]\usrmth{dim}{}{argfun}[dm]
```

\ConSig, ...

```
\newcommand{\consig}{C}
\usrmthlatupp{Con}{Sig}{sig}[\consig]
\newcommand{\consym}{c}
\newcommand{\conset}{Cn}
\cmdmthsetext{Con}[\conset][\consym]
\usrmth{con}{}{argfun}[cn]
```

\FunSig, ...

```
\newcommand{\funsig}{F}
\usrmthlatupp{Fun}{Sig}{sig}[\funsig]
\newcommand{\funsym}{f}
\newcommand{\funset}{Fn}
\cmdmthsetext{Fun}[\funset][\funsym]
\usrmth{fun}{}{argfun}[fn]
\cmdmthfun{art}[ar]\usrmth{art}{}{argfun}[ar]
```

```
\TerSig, ...  ...
1269 \newcommand{\tersig}{T}
1270 \usrmthlatupp{Ter}{Sig}{sig}[\tersig]
1271 \newcommand{\tersym}{t}
1272 \newcommand{\terset}{Tr}
1273 \cmdmthsetext{Ter}[\terset][\tersym]
1274 \usrmth{ter}{}{argfun}

\RelSig, ...  ...
1275 \newcommand{\relsig}{R}
1276 \usrmthlatupp{Rel}{Sig}{sig}[\relsig]
1277 \newcommand{\relsym}{r}
1278 \newcommand{\relset}{Rl}
1279 \cmdmthsetext{Rel}[\relset][\relsym]
1280 \usrmth{rel}{}{argfun}[rl]

       \skm  ...
1281 \usrmth{skm}{}{argfun}

1282 %%** Semantics ********************************************************%%

\ConStr, ...  ...
1283 \newcommand{\constr}{C}
1284 \usrmthlatupp{Con}{Str}{str}[\constr]

\FunStr, ...  ...
1285 \newcommand{\funstr}{F}
1286 \usrmthlatupp{Fun}{Str}{str}[\funstr]

\TerStr, ...  ...
1287 \newcommand{\terstr}{T}
1288 \usrmthlatupp{Ter}{Str}{str}[\terstr]

\RelStr, ...  ...
1289 \newcommand{\relstr}{R}
1290 \usrmthlatupp{Rel}{Str}{str}[\relstr]

1291 %%** First-Order Logics II ********************************************%%

\DF, \IF, ...  ...
1292 % Dependence-Friendly Logic
1293 \cmdtxtoparname{DF}
1294
1295 % Independence-Friendly Logic
1296 \cmdtxtoparname{IF}
1297
1298 % Dependence/Independence-Friendly Logic
1299 \cmdtxtoparname{DIF}
1300
1301 % Dependence Logic
1302 \cmdtxtoparname{DL}
1303
1304 % Team Logic
1305 \cmdtxtoparname{TL}
1306
1307 % Alternating Dependence-Friendly Logic
1308 \cmdtxtoparname{ADF}
1309
1310 % Alternating Independence-Friendly Logic
1311 \cmdtxtoparname{AIF}
1312
1313 % Alternating Dependence/Independence-Friendly Logic
1314 \cmdtxtoparname{ADIF}
```

```
                    ...
                1315 %%** Syntax ******************************************************************%%

\LEExs, \LAAll  ...
                1316 \newcommand{\leexssym}{\Sigma}
                1317 \usrmth{LEExs}{}{luop}[\leexssym]
                1318 \newcommand{\laallsym}{\Pi}
                1319 \usrmth{LAAll}{}{luop}[\laallsym]

                1320 %%** Semantics ******************************************************************%%

                    ...
                1321 %%** Second-Order Logics I *********************************************************%%

     \SOL, ...  ...
                1322 % Second-Order Logic
                1323 \cmdtxtoparname{SOL}[Sol]
                1324 \cmdtxtoparname{SO}
                1325
                1326 % Weak Second-Order Logic
                1327 \DeclareRobustCommand{\WSOL}
                1328   {{\txtname{W}}\SOL}
                1329 \DeclareRobustCommand{\WSO}
                1330   {{\txtname{W}}\SO}
                1331
                1332 % coWeak Second-Order Logic
                1333 \DeclareRobustCommand{\coWSOL}
                1334   {{\txtname{coW}}\SOL}
                1335 \DeclareRobustCommand{\coWSO}
                1336   {{\txtname{coW}}\SO}
                1337
                1338 % Monadic Second-Order Logic
                1339 \DeclareRobustCommand{\MSOL}
                1340   {{\txtname{M}}\SOL}
                1341 \DeclareRobustCommand{\MSO}
                1342   {{\txtname{M}}\SO}
                1343
                1344 % Weak Monadic Second-Order Logic
                1345 \DeclareRobustCommand{\WMSOL}
                1346   {{\txtname{W}}\MSOL}
                1347 \DeclareRobustCommand{\WMSO}
                1348   {{\txtname{W}}\MSO}
                1349
                1350 % coWeak Monadic Second-Order Logic
                1351 \DeclareRobustCommand{\coWMSOL}
                1352   {{\txtname{coW}}\MSOL}
                1353 \DeclareRobustCommand{\coWMSO}
                1354   {{\txtname{coW}}\MSO}

                1355 %%** Syntax ******************************************************************%%

 \FVarSet, ...  ...
                1356 \newcommand{\fvarsym}{x}
                1357 \newcommand{\fvarset}{FVr}
                1358 \cmdmthsetext{FVar}[\fvarset][\fvarsym]

 \SVarSet, ...  ...
                1359 \newcommand{\svarsym}{X}
                1360 \newcommand{\svarset}{SVr}
                1361 \cmdmthsetext{SVar}[\svarset][\svarsym]

                1362 %%** Semantics ******************************************************************%%
```

```
...
%%** Second-Order Logics II ************************************************%%

\TL, \PL, ...  ...
% Tree Logic
\cmdtxtoparname{TL}

% Weak Tree Logic
\DeclareRobustCommand{\WTL}
  {{\txtname{W}}\TL}

% coWeak Tree Logic
\DeclareRobustCommand{\coWTL}
  {{\txtname{coW}}\TL}

% Monadic Tree Logic
\DeclareRobustCommand{\MTL}
  {{\txtname{M}}\TL}

% Weak Monadic Tree Logic
\DeclareRobustCommand{\WMTL}
  {{\txtname{W}}\MTL}

% coWeak Monadic Tree Logic
\DeclareRobustCommand{\coWMTL}
  {{\txtname{coW}}\MTL}

% Path Logic
\cmdtxtoparname{PL}

% Weak Path Logic
\DeclareRobustCommand{\WPL}
  {{\txtname{W}}\PL}

% coWeak Path Logic
\DeclareRobustCommand{\coWPL}
  {{\txtname{coW}}\PL}

% Monadic Path Logic
\DeclareRobustCommand{\MPL}
  {{\txtname{M}}\PL}

% Weak Monadic Path Logic
\DeclareRobustCommand{\WMPL}
  {{\txtname{W}}\MPL}

% coWeak Monadic Path Logic
\DeclareRobustCommand{\coWMPL}
  {{\txtname{coW}}\MPL}

%%** Syntax ******************************************************************%%

...
%%** Semantics ***************************************************************%%

...
%%** Modal Logics I ***********************************************************%%

\ML, \GML, ...  ...
% Modal Logic
\cmdtxtoparname{ML}

% Graded Modal Logic
```

```
\DeclareRobustCommand{\GML}
  {{\txtname{G}}\ML}

% Quantified Modal Logic
\DeclareRobustCommand{\QML}
  {{\txtname{Q}}\ML}
\DeclareRobustCommand{\EML}
  {\ensuremath{\exists}\ML}
\DeclareRobustCommand{\UML}
  {\ensuremath{\forall}\ML}

%%** Syntax ************************************************************%%

          \Opr  ...
\usrmth{Opr}{}{sym}[Op]

    \DMod, \BMod  ...
\usrmth{DMod}{}{sym}[\Diamond]
\usrmth{BMod}{}{sym}[\Box]

      \Exs, \All  ...
\DeclareRobustCommand{\Exs}[1]
  {\mth{\defval{\argmid{\langle}{#1}{\rangle}}{\DMod}}}
\DeclareRobustCommand{\All}[1]
  {\mth{\defval{\argmid{\left[}{#1}{\right]}}{\BMod}}}

%%** Semantics *********************************************************%%

    \KrpStr, ...  ...
\newcommand{\krpstr}{K}
\usrmthlatupp{Krp}{Str}{str}[\krpstr]

    \WrlSet, ...  ...
\newcommand{\wrlsym}{w}
\newcommand{\wrlset}{W}
\cmdmthsetext{Wrl}[\wrlset][\wrlsym]
\cmdmthsymelm{iwrl}[\wrlsym_{I}]

\AccRel, \TrnRel  ...
\newcommand{\accsym}{R}
\cmdmthrel{Acc}[\accsym]
\cmdmthrel{Trn}[\accsym]

        \labFun  ...
\newcommand{\labsym}{\lambda}
\cmdmthfun{lab}[\labsym]

\PthSet, \pthFun  ...
\providecommand{\pthsym}{\pi}
\providecommand{\pthset}{Pth}
\cmdmthsetext{Pth}[\pthset][\pthsym]
\cmdmthfun{pth}

%%** Modal Logics II ***************************************************%%

  \MC, \GMC, ...  ...
% Mu Calculus
\cmdtxtoparname{MC}[\ensuremath{\mu}-Calculus]

% Graded Mu Calculus
\DeclareRobustCommand{\GMC}
  {{\txtname{G}}\MC}
```

```
% Quantified Mu Calculus
\DeclareRobustCommand{\QMC}
  {{\txtname{Q}}\MC}
\DeclareRobustCommand{\EMC}
  {\ensuremath{\exists}\MC}
\DeclareRobustCommand{\UMC}
  {\ensuremath{\forall}\MC}

% Alternation-Free Mu Calculus
\DeclareRobustCommand{\AFMC}
  {{\txtname{AF}}\MC}

% Alternation-Free Graded Mu Calculus
\DeclareRobustCommand{\AFGMC}
  {{\txtname{AF}}\GMC}

% Quantified Alternation-Free Mu Calculus
\DeclareRobustCommand{\QAFMC}
  {{\txtname{Q}}\AFMC}
\DeclareRobustCommand{\EAFMC}
  {\ensuremath{\exists}\AFMC}
\DeclareRobustCommand{\UAFMC}
  {\ensuremath{\forall}\AFMC}

%%** Syntax ************************************************************%%
```

...

```
%%** Semantics ********************************************************%%
```

...

```
%%** Temporal Logics I ************************************************%%
```

\PTL, \LTL, ...

```
% Propositional Temporal Logic
\cmdtxtoparname{PTL}

% Quantified Propositional Temporal Logic
\DeclareRobustCommand{\QPTL}
  {{\txtname{Q}}\PTL}
\DeclareRobustCommand{\EPTL}
  {\ensuremath{\exists}\PTL}
\DeclareRobustCommand{\UPTL}
  {\ensuremath{\forall}\PTL}

% Linear Temporal Logic
\cmdtxtoparname{LTL}

% Quantified Linear Temporal Logic
\DeclareRobustCommand{\QLTL}
  {{\txtname{Q}}\LTL}
\DeclareRobustCommand{\ELTL}
  {\ensuremath{\exists}\LTL}
\DeclareRobustCommand{\ULTL}
  {\ensuremath{\forall}\LTL}

%%** Syntax ************************************************************%%
```

\X, ...

```
\usrmth{X}{}{sym}[X\,]
\usrmth{F}{}{sym}[F\,]
\usrmth{G}{}{sym}[G\,]
\usrmth{U}{}{sym}[\,U\,]
\usrmth{R}{}{sym}[\,R\,]
```

\Y, ...

```
\usrmth{Y}{}{sym}[G\,]
\usrmth{P}{}{sym}[P\,]\let\SavePilcrow\P
\usrmth{H}{}{sym}[H\,]\let\SaveDoubleAcute\H
\usrmth{S}{}{sym}[\,S\,]\let\SaveSectionSymbol\S
\usrmth{B}{}{sym}[\,B\,]

%%** Semantics ************************************************************%%
```

...

```
%%** Temporal Logics II ***************************************************%%
```

\PDL, \CTL, ...

```

% Propositional Dynamic Logic
\cmdtxtoparname{PDL}

% Computation Tree Logic
\cmdtxtoparname{CTL}

% Weak Computation Tree Logic
\DeclareRobustCommand{\WCTL}
  {{\txtname{W}}\CTL}

% Quantified Computation Tree Logic
\DeclareRobustCommand{\QCTL}
  {{\txtname{Q}}\CTL}
\DeclareRobustCommand{\ECTL}
  {\ensuremath{\exists}\CTL}
\DeclareRobustCommand{\UCTL}
  {\ensuremath{\forall}\CTL}

% Improved Computation Tree Logic
\cmdtxtoparname{CTLP}[CTL$^{+}$]

% Weak Improved Computation Tree Logic
\DeclareRobustCommand{\WCTLP}
  {{\txtname{W}}\CTLP}

% Quantified Improved Computation Tree Logic
\DeclareRobustCommand{\QCTLP}
  {{\txtname{Q}}\CTLP}
\DeclareRobustCommand{\ECTLP}
  {\ensuremath{\exists}\CTLP}
\DeclareRobustCommand{\UCTLP}
  {\ensuremath{\forall}\CTLP}

% Full Computation Tree Logic
\cmdtxtoparname{CTLS}[CTL*]

% Weak Full Computation Tree Logic
\DeclareRobustCommand{\WCTLS}
  {{\txtname{W}}\CTLS}

% Quantified Full Computation Tree Logic
\DeclareRobustCommand{\QCTLS}
  {{\txtname{Q}}\CTLS}
\DeclareRobustCommand{\ECTLS}
  {\ensuremath{\exists}\CTLS}
\DeclareRobustCommand{\UCTLS}
  {\ensuremath{\forall}\CTLS}

%%** Syntax ****************************************************************%%
```

\E, \A ...

```
\usrmth{E}{}{sym}
\usrmth{A}{}{sym}

%%** Semantics ****************************************************************%%
```

...

```
%%** Strategic Logics I *******************************************************%%
```

\ATL, ...

```
% Alternating Temporal Logic
\cmdtxtoparname{ATL}

% Weak Alternating Tree Logic
\DeclareRobustCommand{\WATL}
  {{\txtname{W}}\ATL}

% Quantified Alternating Temporal Logic
\DeclareRobustCommand{\QATL}
  {{\txtname{Q}}\ATL}
\DeclareRobustCommand{\EATL}
  {\ensuremath{\exists}\ATL}
\DeclareRobustCommand{\UATL}
  {\ensuremath{\forall}\ATL}

% Improved Alternating Temporal Logic
\cmdtxtoparname{ATLP}[ATL$^{+}$]

% Weak Improved Alternating Tree Logic
\DeclareRobustCommand{\WATLP}
  {{\txtname{W}}\ATLP}

% Quantified Improved Alternating Temporal Logic
\DeclareRobustCommand{\QATLP}
  {{\txtname{Q}}\ATLP}
\DeclareRobustCommand{\EATLP}
  {\ensuremath{\exists}\ATLP}
\DeclareRobustCommand{\UATLP}
  {\ensuremath{\forall}\ATLP}

% Full Alternating Temporal Logic
\cmdtxtoparname{ATLS}[ATL*]

% Weak Full Alternating Tree Logic
\DeclareRobustCommand{\WATLS}
  {{\txtname{W}}\ATLS}

% Quantified Full Alternating Temporal Logic
\DeclareRobustCommand{\QATLS}
  {{\txtname{Q}}\ATLS}
\DeclareRobustCommand{\EATLS}
  {\ensuremath{\exists}\ATLS}
\DeclareRobustCommand{\UATLS}
  {\ensuremath{\forall}\ATLS}

%%** Syntax ********************************************************************%%
```

\EExs, \AAll ...

```
\DeclareRobustCommand{\EExs}[1]
  {\mth{\argmid{\langle\!\langle}{\defval{#1}{\emptyset}}{\rangle\!\rangle}}}
\DeclareRobustCommand{\AAll}[1]
  {\mth{\argmid{\left[\left[}{\defval{#1}{\emptyset}}{\right]\right]}}}

%%** Semantics ****************************************************************%%
```

```
        \CGS  ...
              \cmdtxtname{CGS}

  \CGSStr, ...  ...
              \newcommand{\cgsstr}{G}
              \usrmthlatupp{CGS}{Str}{str}[\cgsstr]

  \AgnSet, ...  ...
              \newcommand{\agnsym}{a}
              \newcommand{\agnset}{Ag}
              \cmdmthsetext{Agn}[\agnset][\agnsym]

  \PosSet, ...  ...
              \providecommand{\possym}{v}
              \providecommand{\posset}{Ps}
              \cmdmthsetext{Pos}[\posset][\possym]
              \cmdmthsymelm{ipos}[\possym_{I}]
              \cmdmthsymelm{fpos}[\possym_{F}]
              \cmdmthset{PPos}[\posset_{\PlrSym}]
              \cmdmthsymelm{ppos}[\possym_{\PlrSym}]
              \cmdmthset{OPos}[\posset_{\OppSym}]
              \cmdmthsymelm{opos}[\possym_{\OppSym}]

  \SttSet, ...  ...
              \newcommand{\sttsym}{s}
              \newcommand{\sttset}{St}
              \cmdmthsetext{Stt}[\sttset][\sttsym]
              \cmdmthset{ISt}[\sttset_{I}]
              \cmdmthsymelm{istt}[\sttsym_{I}]
              \cmdmthset{FStt}[\sttset_{F}]
              \cmdmthsymelm{fstt}[\sttsym_{F}]

  \ActSet, ...  ...
              \newcommand{\actsym}{c}
              \newcommand{\actset}{Ac}
              \cmdmthsetext{Act}[\actset][\actsym]

  \DecSet, ...  ...
              \newcommand{\decsym}{d}
              \newcommand{\decset}{Dc}
              \cmdmthsetext{Dec}[\decset][\decsym]

       \movFun  ...
              \newcommand{\movsym}{\tau}
              \cmdmthfun{mov}[\movsym]

  \HstSet, ...  ...
              \providecommand{\hstsym}{\rho}
              \providecommand{\hstset}{Hst}
              \cmdmthsetext{Hst}[\hstset][\hstsym]
              \cmdmthset{PHst}[\hstset_{\PlrSym}]
              \cmdmthsymelm{phst}[\hstsym_{\PlrSym}]
              \cmdmthset{OHst}[\hstset_{\OppSym}]
              \cmdmthsymelm{ohst}[\hstsym_{\OppSym}]
              \cmdmthfun{hst}

\PlaySet,\playFun  ...
              \providecommand{\playsym}{\pi}
              \providecommand{\playset}{Play}
              \cmdmthsetext{Play}[\playset][\playsym]
              \cmdmthfun{play}
```

\StrSet, ...

```
\providecommand{\strsym}{\sigma}
\providecommand{\strset}{Str}
\cmdmthsetext{Str}[\strset][\strsym]
\cmdmthset{PStr}[\strset_{\PlrSym}]
\cmdmthsymelm{pstr}[\strsym_{\PlrSym}]
\cmdmthset{OStr}[\strset_{\OppSym}]
\cmdmthsymelm{ostr}[\strsym_{\OppSym}]
```

\PrfSet, \prfFun ...

```
\providecommand{\prfsym}{\xi}
\providecommand{\prfset}{Prf}
\cmdmthsetext{Prf}[\prfset][\prfsym]

%%** Strategic Logics II ****************************************************%%
```

\SL, ...

```
% Strategy Logic
\cmdtxtoparname{SL}

\DeclareRobustCommand{\ESL}
  {\ensuremath{\exists}\SL}
\DeclareRobustCommand{\USL}
  {\ensuremath{\forall}\SL}

\DeclareRobustCommand{\FSL}
  {{\txtname{F}}\SL}

\DeclareRobustCommand{\EFSL}
  {\ensuremath{\exists}\FSL}
\DeclareRobustCommand{\UFSL}
  {\ensuremath{\forall}\FSL}

% One-Goal Strategy Logic
\DeclareRobustCommandx{\OGSL}[3][1=, 2=, 3=]
  {\SL[#1][#2][1g\arglef{,}{#3}]}

\DeclareRobustCommand{\EOGSL}
  {\ensuremath{\exists}\OGSL}
\DeclareRobustCommand{\UOGSL}
  {\ensuremath{\forall}\OGSL}

\DeclareRobustCommand{\FOGSL}
  {{\txtname{F}}\OGSL}

\DeclareRobustCommand{\EFOGSL}
  {\ensuremath{\exists}\FOGSL}
\DeclareRobustCommand{\UFOGSL}
  {\ensuremath{\forall}\FOGSL}

% Conjunctive-Goal Strategy Logic
\DeclareRobustCommandx{\CGSL}[3][1=, 2=, 3=]
  {\SL[#1][#2][cg\arglef{,}{#3}]}

\DeclareRobustCommand{\ECGSL}
  {\ensuremath{\exists}\CGSL}
\DeclareRobustCommand{\UCGSL}
  {\ensuremath{\forall}\CGSL}

\DeclareRobustCommand{\FCGSL}
  {{\txtname{F}}\xGSL}

\DeclareRobustCommand{\EFCGSL}
```

```
  {\ensuremath{\exists}\FCGSL}
\DeclareRobustCommand{\UFCGSL}
  {\ensuremath{\forall}\FCGSL}

% Disjunctive-Goal Strategy Logic
\DeclareRobustCommandx{\DGSL}[3][1=, 2=, 3=]
  {\SL[#1][#2][dg\arglef{,}{#3}]}

\DeclareRobustCommand{\EDGSL}
  {\ensuremath{\exists}\DGSL}
\DeclareRobustCommand{\UDGSL}
  {\ensuremath{\forall}\DGSL}

\DeclareRobustCommand{\FDGSL}
  {{\txtname{F}}\xGSL}

\DeclareRobustCommand{\EFDGSL}
  {\ensuremath{\exists}\FDGSL}
\DeclareRobustCommand{\UFDGSL}
  {\ensuremath{\forall}\FDGSL}

% Alternating-Goal Strategy Logic
\DeclareRobustCommandx{\AGSL}[3][1=, 2=, 3=]
  {\SL[#1][#2][ag\arglef{,}{#3}]}

\DeclareRobustCommand{\EAGSL}
  {\ensuremath{\exists}\AGSL}
\DeclareRobustCommand{\UAGSL}
  {\ensuremath{\forall}\AGSL}

\DeclareRobustCommand{\FAGSL}
  {{\txtname{F}}\xGSL}

\DeclareRobustCommand{\EFAGSL}
  {\ensuremath{\exists}\FAGSL}
\DeclareRobustCommand{\UFAGSL}
  {\ensuremath{\forall}\FAGSL}

% Extended-Goal Strategy Logic
\DeclareRobustCommandx{\EGSL}[3][1=, 2=, 3=]
  {\SL[#1][#2][eg\arglef{,}{#3}]}

\DeclareRobustCommand{\EEGSL}
  {\ensuremath{\exists}\EGSL}
\DeclareRobustCommand{\UEGSL}
  {\ensuremath{\forall}\EGSL}

\DeclareRobustCommand{\FEGSL}
  {{\txtname{F}}\xGSL}

\DeclareRobustCommand{\EFEGSL}
  {\ensuremath{\exists}\FEGSL}
\DeclareRobustCommand{\UFEGSL}
  {\ensuremath{\forall}\FEGSL}

% Boolean-Goal Strategy Logic
\DeclareRobustCommandx{\BGSL}[3][1=, 2=, 3=]
  {\SL[#1][#2][bg\arglef{,}{#3}]}

\DeclareRobustCommand{\EBGSL}
  {\ensuremath{\exists}\BGSL}
\DeclareRobustCommand{\UBGSL}
  {\ensuremath{\forall}\BGSL}
```

```
1784
1785 \DeclareRobustCommand{\FBGSL}
1786   {{\txtname{F}}\xGSL}
1787
1788 \DeclareRobustCommand{\EFBGSL}
1789   {\ensuremath{\exists}\FBGSL}
1790 \DeclareRobustCommand{\UFBGSL}
1791   {\ensuremath{\forall}\FBGSL}
1792
1793 % Nested-Goal Strategy Logic
1794 \DeclareRobustCommandx{\NGSL}[3][1=, 2=, 3=]
1795   {\SL[#1][#2][ng\arglef{,}{#3}]}
1796
1797 \DeclareRobustCommand{\ENGSL}
1798   {\ensuremath{\exists}\NGSL}
1799 \DeclareRobustCommand{\UNGSL}
1800   {\ensuremath{\forall}\NGSL}
1801
1802 \DeclareRobustCommand{\FNGSL}
1803   {{\txtname{F}}\xGSL}
1804
1805 \DeclareRobustCommand{\EFNGSL}
1806   {\ensuremath{\exists}\FNGSL}
1807 \DeclareRobustCommand{\UFNGSL}
1808   {\ensuremath{\forall}\FNGSL}
1809
1810 % Undefined-Goal Strategy Logic
1811 \DeclareRobustCommandx{\XGSL}[3][1=, 2=, 3=]
1812   {\SL[#1][#2][xg\arglef{,}{#3}]}
1813
1814 \DeclareRobustCommand{\EXGSL}
1815   {\ensuremath{\exists}\XGSL}
1816 \DeclareRobustCommand{\UXGSL}
1817   {\ensuremath{\forall}\XGSL}
1818
1819 \DeclareRobustCommand{\FXGSL}
1820   {{\txtname{F}}\xGSL}
1821
1822 \DeclareRobustCommand{\EFXGSL}
1823   {\ensuremath{\exists}\FXGSL}
1824 \DeclareRobustCommand{\UFXGSL}
1825   {\ensuremath{\forall}\FXGSL}

1826 %%** Syntax ************************************************************%%

\BndSet, ...  ...
1827 \newcommand{\bndsym}{\flat}
1828 \newcommand{\bndset}{Bn}
1829 \cmdmthsetext{Bnd}[\bndset][\bndsym]
1830 \usrmth{bnd}{}{argfun}

    \psn  ...
1831 \usrmth{psn}{}{argfun}

1832 %%** Semantics *********************************************************%%

 \nxtFun  ...
1833 \newcommand{\nxtfun}{nxt}
1834 \cmdmthfun{nxt}[\nxtfun]

1835 \fi
1836 %%*********************************************************************%%
```

```
%%*****************************************************************************%%
%%** Macros for Automata *******************************************************%%
%%*****************************************************************************%%
\ifaut@
%%** Finite Word Automata *****************************************************%%
```

\DFA, ...

```
\cmdtxtoparname{DFA}\cmdtxtoparname{NFA}\cmdtxtoparname{UFA}\cmdtxtoparname{AFA}

\cmdtxtoparname{DWA}\cmdtxtoparname{NWA}\cmdtxtoparname{UWA}\cmdtxtoparname{AWA}

\cmdtxtoparname{DFW}\cmdtxtoparname{NFW}\cmdtxtoparname{UFW}\cmdtxtoparname{AFW}
\cmdtxtoparname{DBW}\cmdtxtoparname{NBW}\cmdtxtoparname{UBW}\cmdtxtoparname{ABW}
\cmdtxtoparname{DCW}\cmdtxtoparname{NCW}\cmdtxtoparname{UCW}\cmdtxtoparname{ACW}
\cmdtxtoparname{DPW}\cmdtxtoparname{NPW}\cmdtxtoparname{UPW}\cmdtxtoparname{APW}
\cmdtxtoparname{DRW}\cmdtxtoparname{NRW}\cmdtxtoparname{URW}\cmdtxtoparname{ARW}
\cmdtxtoparname{DSW}\cmdtxtoparname{NSW}\cmdtxtoparname{USW}\cmdtxtoparname{ASW}
\cmdtxtoparname{DMW}\cmdtxtoparname{NMW}\cmdtxtoparname{UMW}\cmdtxtoparname{AMW}
```

\GFG, \PD, ...

```
\cmdtxtoparname{GFG}

\cmdtxtoparname{PD}

%% ...
```

```
%%** Syntax *****************************************************************%%
```

\AutName, ...

```
\newcommand{\autname}{A}
\usrmthlatupp{Aut}{Name}{name}[\autname]
\newcommand{\autset}{Aut}
\cmdmthset{Aut}[\autset]
```

\WAutSet ...

```
\newcommand{\wautset}{WAut}
\cmdmthset{WAut}[\wautset]
```

\SttSet, ...

```
\def\sttsym{q}
\def\sttset{Q}
\cmdmthsetext{Stt}[\sttset][\sttsym]
\cmdmthset{IStt}[\sttset_{I}]
\cmdmthsymelm{istt}[\sttsym_{I}]
\cmdmthset{FStt}[\sttset_{F}]
\cmdmthsymelm{fstt}[\sttsym_{F}]
```

\SymSet, ...

```
\newcommand{\symsym}{\sigma}
\newcommand{\symset}{\Sigma}
\cmdmthsetext{Sym}[\symset][\symsym]
```

\trnFun ...

```
\newcommand{\trnsym}{\delta}
\cmdmthfun{trn}[\trnsym]
```

```
%%** Semantics ***************************************************************%%
```

\LangFun ...

```
\newcommand{\langfun}{L}
\cmdmthfun{Lang}[\langfun]
```

```
\WrdSet, ...  ...
1880 \newcommand{\wrdsym}{w}
1881 \newcommand{\wrdset}{Wr}
1882 \cmdmthsetext{Wrd}[\wrdset][\wrdsym]

1883 %%** Finite Tree Automata ****************************************************%%

   \DTA, ...  ...
1884 \cmdtxtoparname{DTA}\cmdtxtoparname{NTA}\cmdtxtoparname{UTA}\cmdtxtoparname{ATA}
1885
1886 \cmdtxtoparname{DFT}\cmdtxtoparname{NFT}\cmdtxtoparname{UFT}\cmdtxtoparname{AFT}
1887 \cmdtxtoparname{DBT}\cmdtxtoparname{NBT}\cmdtxtoparname{UBT}\cmdtxtoparname{ABT}
1888 \cmdtxtoparname{DCT}\cmdtxtoparname{NCT}\cmdtxtoparname{UCT}\cmdtxtoparname{ACT}
1889 \cmdtxtoparname{DPT}\cmdtxtoparname{NPT}\cmdtxtoparname{UPT}\cmdtxtoparname{APT}
1890 \cmdtxtoparname{DRT}\cmdtxtoparname{NRT}\cmdtxtoparname{URT}\cmdtxtoparname{ART}
1891 \cmdtxtoparname{DST}\cmdtxtoparname{NST}\cmdtxtoparname{UST}\cmdtxtoparname{AST}
1892 \cmdtxtoparname{DMT}\cmdtxtoparname{NMT}\cmdtxtoparname{UMT}\cmdtxtoparname{AMT}

1893 %%** Syntax ********************************************************************%%

    \TAutSet  ...
1894 \newcommand{\tautset}{TAut}
1895 \cmdmthset{TAut}[\tautset]

 \DirSet, ...  ...
1896 \newcommand{\dirsym}{d}
1897 \newcommand{\dirset}{\Lambda}
1898 \cmdmthsetext{Dir}[\dirset][\dirsym]

1899 %%** Semantics ****************************************************************%%

\TreeSet, ...  ...
1900 \newcommand{\treesym}{T}
1901 \newcommand{\treeset}{Tr}
1902 \cmdmthsetext{Tree}[\treeset][\treesym]

     \wotFun  ...
1903 \newcommand{\wotfun}{wot}
1904 \cmdmthfun{wot}[\wotfun]

1905 \fi
1906 %%*************************************************************************%%
1907 %%*************************************************************************%%
1908 %%** Format Tricks *********************************************************%%
1909 %%*************************************************************************%%
1910 \iffrm@

         ...  ...
1911 %%...

1912 \fi
1913 %%*************************************************************************%%
1914 %%*************************************************************************%%
1915 %%** Figure Tricks *********************************************************%%
1916 %%*************************************************************************%%
1917 \iffig@

1918 \RequirePackage{tikz}
1919 \usetikzlibrary{arrows,graphs,matrix,patterns,shapes}

1920 \tikzstyle{every node} =
1921   [draw = none, fill = none, black, thin]
1922 \tikzstyle{every edge} +=
1923   [black, thick]
```

```
\tikzstyle{noall} =
  [draw = none, fill = none]
\tikzstyle{nodraw} =
  [draw = none, fill = white]
\tikzstyle{nofill} =
  [draw = black, fill = none]
```

```
\ifwrpfig@
  % Wrapfig Package
  \RequirePackage{wrapfig}
\fi
```

```
\fi
%%****************************************************************************%%
```

```
%%****************************************************************************%%
%%** Table Tricks ************************************************************%%
%%****************************************************************************%%
\iftab@
```

... ...

```
%%...
```

```
\fi
%%****************************************************************************%%
```

```
%%****************************************************************************%%
%%** Algorithm Tricks ********************************************************%%
%%****************************************************************************%%
\ifalg@
```

```
\RequirePackage[ruled,vlined]{algorithm2e}
\setlength{\algomargin}{1.25em}
\DontPrintSemicolon
\SetInd{0.25em}{0.5em}
```

\Signature ...

```
\SetKw{Signature}{signature}
```

\Macro, ...

```
\SetKwFor{Macro}{macro}{}{}
\SetKwFor{Function}{function}{}{}
\SetKwFor{Procedure}{procedure}{}{}
```

\Let ...

```
\SetKwFor{Let}{let}{in}{}
```

\True, \False ...

```
\SetKw{True}{true}
\SetKw{False}{false}
```

\From, ...

```
\SetKw{From}{from}
\SetKw{To}{to}
\SetKw{DownTo}{downto}
```

\GoTo, ...

```
\SetKw{GoTo}{goto}
\SetKw{Break}{break}
\SetKw{Continue}{continue}
```

\MIf, ...

```
\SetKwIF{MIf}{MElseIf}{MElse}{\#if}{\#then}{\#else \#if}{\#else}{\#endif}
```

\nlr ...

```
\DeclareRobustCommand{\nlr}[1]
  {\addtocounter{AlgoLine}{1}%
  \nlset{\arabic{AlgoLine}-\addtocounter{AlgoLine}{#1}\arabic{AlgoLine}}}
\fi
%%*****************************************************************************%%
\endinput
⟨/package⟩
```

2 Change History

v0.0
General: First public release 1
v0.1
General: Algorithm tricks 1
v0.10
General: Small refinements 1
v0.11
General: Few additions and corrections 1
v0.12
General: New starred variants 1
v0.2
General: Changes in auxiliary tricks 1
v0.3
General: Few problems solved 1
v0.4
General: Refactoring, corrections, and extensions 1
v0.5
General: Figure tricks 1
v0.6
General: Small refinements 1
v0.7
General: Refinements, corrections, and extensions 1
v0.8
General: Few refinements and corrections . . . 1
v0.9
General: Small addition to ‘Algorithm tricks’ 1

3 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\! 352, 360, 783, 831, 1618
\" 742, 743
\# 1964
\, . . . 827, 831, 1507, 1508, 1509, 1510, 1511, 1512, 1513, 1514, 1515, 1516
\... . . . . 1911, 1940
\@card 837, 838
\@ceil 950, 951
\@denot 843, 844
\@floor 946, 947
\@for 256, 260
\@ifstar 766, 770, 803, 825, 829, 833, 837, 843, 946, 950
\@set 825, 826
\@setl 829, 830
\@setr 833, 834
\@svec 803, 806
\@vec 803, 804
\^ 744, 746

A

\AccRel,␣\TrnRel 1441
\accsym 1441, 1442, 1443
\ACls,␣... 505
\actset 1645, 1646
\ActSet,␣... 1644
\actsym 1644, 1646
\addtocounter 1966, 1967
\adhoc 702
\aElm,␣... 602
\AFam,␣... 492
\AFGMC 1471
\AFMC . . . 1467, 1476, 1478, 1480
\Afortiori 725
\afortiori 703
\aFrm,␣... 657
\aFun,␣... 576
\agnset 1626, 1627
\AgnSet,␣... 1625
\agnsym 1625, 1627
\AGSL 1743, 1747, 1749
\aka 748
\alg@false 121, 123
\alg@true 122
\algomargin 1948
\allowbreak . 238, 240, 242, 244
\Alpha,␣... 224
\aMat,␣... 671
\amsdef@false 17
\amsdef@true 16
\amsthm@false 21
\amsthm@true 20
\AName,␣... 479
\Aomega,␣\AOmega 884
\AOmicron 894
\Aomicron,␣... 892
\Aposteriori 727
\aposteriori 705
\Apriori 726
\apriori 704
\apset 1209, 1210
\APSet,␣... 1208
\apsym 1208, 1210
\arabic 1967
\aRel,␣... 563
\arenaname 1052, 1053
\ArenaName,␣... 1052
\arg 954
\argbst 962
\arglef . 237, 244, 352, 360, 1693, 1710, 1727, 1744, 1761, 1778, 1795, 1812
\argmax 970
\argmid 241, 297, 305, 352, 360, 827, 831, 835, 839, 845, 948, 952, 1431, 1433, 1618, 1620
\argmin 968
\argrig 239
\argsep 243, 248, 827, 937, 939, 941, 943
\aSet,␣... 544
\asgset 1236, 1237
\AsgSet,␣... 1235
\asgsym 1235, 1237
\aSig,␣... 518
\aSnt,␣... 644
\aStr,␣... 531
\aSym,␣... 589
\Atheta,␣\ATheta 888
\ATL,␣... 1572
\ATLP . . . 1592, 1596, 1598, 1600
\ATLS . . . 1607, 1611, 1613, 1615
\atrfun 1113, 1114
\atrFun,␣\rchFun 1113
\aut@false 56, 62, 93, 95
\aut@true 94
\autname 1859, 1860
\AutName,␣... 1859
\autset 1861, 1862
\aux@false 11, 13
\aux@true 12
\aVec,␣... 684

B

\BF,␣\QBF,␣... 1175
\bfseries 423
\BG,␣... 1122
\bgroup 251
\BGSL 1777, 1781, 1783
\BMod 1433

\bndset 1828, 1829
\BndSet,␣... 1827
\bndsym 1827, 1829
\boldsymbol 670, 683
\bot 1190
\Box 1429
\boxminus 1161
\bst,␣... 960

C

\card 836
\caselower 556
\cdot 841
\cequiv,␣... 789
\cf 706
\CGS 1622
\CGSL 1709, 1713, 1715
\cgsstr 1623, 1624
\CGSStr,␣... 1623
\chgbar@false 44
\chgbar@true 45
\chi 1235
\circ 864
\cmdmth 383, 394, 631, 632, 638
\cmdmthall 393, 478, 491, 504, 517, 530, 543, 562, 575, 588, 601, 643, 656, 670, 683
\cmdmtharg 385, 394
\cmdmthargcls 508
\cmdmthargelm 605, 619
\cmdmthargfam 495
\cmdmthargfrm 660
\cmdmthargfun 579
\cmdmthargmat 674
\cmdmthargname 482
\cmdmthargrel 566
\cmdmthargset 547
\cmdmthargsig 521
\cmdmthargsnt 647
\cmdmthargstr 534
\cmdmthargsym 592, 618
\cmdmthargsymelm 617
\cmdmthargvec 687
\cmdmthcls 506
\cmdmthelm 603, 616
\cmdmthfam 493
\cmdmthfrm 658
\cmdmthfun 577, 1064, 1073, 1078, 1086, 1090, 1147, 1166, 1211, 1255, 1268, 1445, 1449, 1651, 1659, 1663, 1834, 1876, 1879, 1904
\cmdmthlbop 635
\cmdmthlrel 639
\cmdmthluop,␣... 633
\cmdmthmat 672
\cmdmthname 480
\cmdmthoarg 387, 394
\cmdmthoargcls 510
\cmdmthoargelm 607, 622
\cmdmthoargfam 497
\cmdmthoargfrm 662
\cmdmthoargfun 581, 1102, 1104, 1106, 1108, 1110, 1112, 1114, 1116, 1118, 1120
\cmdmthoargmat 676
\cmdmthoargname 484
\cmdmthoargrel 568
\cmdmthoargset 549
\cmdmthoargsig 523
\cmdmthoargsnt 649
\cmdmthoargstr 536
\cmdmthoargsym 594, 621
\cmdmthoargsymelm 620
\cmdmthoargvec 689
\cmdmthopar 391, 394
\cmdmthoparcls 514
\cmdmthoparelm 611, 628
\cmdmthoparfam 501
\cmdmthoparfrm 666
\cmdmthoparfun 585
\cmdmthoparmat 680
\cmdmthoparname 488
\cmdmthoparrel 572
\cmdmthoparset 553
\cmdmthoparsig 527
\cmdmthoparsnt 653
\cmdmthoparstr 540
\cmdmthoparsym 598, 627
\cmdmthoparsymelm 626
\cmdmthoparvec 693
\cmdmthpar 389, 394
\cmdmthparcls 512
\cmdmthparelm 609, 625
\cmdmthparfam 499
\cmdmthparfrm 664
\cmdmthparfun 583
\cmdmthparmat 678
\cmdmthparname 486
\cmdmthparrel 570
\cmdmthparset 551
\cmdmthparsig 525
\cmdmthparsnt 651
\cmdmthparstr 538
\cmdmthparsym 596, 624
\cmdmthparsymelm 623
\cmdmthparvec 691
\cmdmthrel 564, 1066, 1442, 1443
\cmdmthset . . 545, 556, 1059, 1061, 1070, 1072, 1082, 1084, 1094, 1096, 1633, 1635, 1640, 1642, 1655, 1657, 1667, 1669, 1862, 1864, 1868, 1870, 1895
\cmdmthsetext 555, 1056, 1077, 1081, 1089, 1093, 1100, 1146, 1165, 1210, 1220, 1234, 1237, 1253, 1260, 1266, 1273, 1279, 1358, 1361, 1439, 1448, 1627, 1630, 1639, 1646, 1649, 1654, 1662, 1666, 1673, 1829, 1867, 1874, 1882, 1898, 1902
\cmdmthsig 519
\cmdmthsnt 645
\cmdmthstr 532
\cmdmthsym 590, 615, 1049, 1051, 1141, 1143, 1160, 1162
\cmdmthsymelm . . 614, 1057, 1058, 1060, 1062, 1083, 1085, 1095, 1097, 1440, 1631, 1632, 1634, 1636, 1641, 1643, 1656, 1658, 1668, 1670, 1869, 1871
\cmdmthvec 685
\cmdtxt 328, 339
\cmdtxtabr 436, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 742, 743, 744, 746, 748, 749, 750, 751, 752, 753, 754, 756, 757, 1225, 1226, 1227, 1228
\cmdtxtall 338, 423, 435, 448, 460
\cmdtxtarg 330, 339
\cmdtxtargabr 438
\cmdtxtargcom 463
\cmdtxtargdef 426
\cmdtxtargname 451
\cmdtxtcom 461, 1007, 1008, 1009
\cmdtxtdef 424
\cmdtxtname 449, 1622
\cmdtxtoarg 332, 339
\cmdtxtoargabr 440
\cmdtxtoargcom 465
\cmdtxtoargdef 428
\cmdtxtoargname 453
\cmdtxtopar 336, 339
\cmdtxtoparabr 444
\cmdtxtoparcom 469
\cmdtxtopardef 432
\cmdtxtoparname 457, 1031, 1034, 1037, 1040, 1043, 1046, 1123, 1126, 1129, 1132, 1135, 1138, 1151, 1154, 1157, 1176, 1240, 1241, 1293, 1296, 1299, 1302, 1305, 1308, 1311, 1314, 1323, 1324, 1365, 1388, 1413, 1452, 1486, 1497, 1521, 1524, 1539, 1554, 1573, 1588, 1603, 1676, 1842, 1844, 1846, 1847, 1848, 1849, 1850, 1851, 1852, 1853, 1855, 1884, 1886, 1887, 1888, 1889, 1890, 1891, 1892
\cmdtxtpar 334, 339
\cmdtxtparabr 442
\cmdtxtparcom 467
\cmdtxtpardef 430

\cmdtxtparname 455
\cmodels,␣... 785
\cmp 863
\cnf,␣\dnf,␣... 1225
\Cnt,␣\Qnt,␣\Sym 1213
\coimplies,␣... 780
\com@false 56, 77, 79
\com@true 78
\conset 1259, 1260
\consig 1256, 1257
\ConSig,␣... 1256
\constr 1283, 1284
\ConStr,␣... 1283
\consym 1258, 1260
\Contd 756
\contd 749
\coWMPL 1407
\coWMSO 1353
\coWMSOL 1351
\coWMTL 1384
\coWPL 1395
\coWSO 1335
\coWSOL 1333
\coWTL 1372
\crv@false 40
\crv@true 41
\csdef . . 223, 224, 225, 226, 227, 329, 331, 333, 335, 337, 342, 384, 386, 388, 390, 392, 397, 1003, 1005
\csedef 257, 261
\csname 247, 248, 249, 250, 251, 252, 253, 258, 262, 329, 331, 333, 335, 337, 342, 348, 397
\CTLP . . . 1543, 1547, 1549, 1551
\CTLS . . . 1558, 1562, 1564, 1566
\CurrentOption 126

D

\DeclareMathAlphabet 215, 216, 217, 218
\DeclareMathOperator 869, 871
\DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126
\DeclareRobustCommand 765, 769, 772, 774, 776, 778, 780, 782, 785, 787, 789, 791, 794, 796, 798, 800, 802, 804, 806, 824, 828, 832, 836, 840, 842, 847, 850, 852, 854, 856, 859, 861, 863, 866, 875, 877, 879, 881, 884, 886, 888, 890, 892, 894, 897, 899, 901, 903, 905, 907, 909, 911, 913, 915, 917, 919, 921, 923, 925, 927, 929, 931, 934, 936, 938, 940, 942, 945, 949, 954, 956, 958, 960, 962, 964, 966, 968, 970, 972, 974, 977, 979, 981, 1179, 1181, 1183, 1244, 1246, 1327, 1329, 1333, 1335, 1339, 1341, 1345, 1347, 1351, 1353, 1368, 1372, 1376, 1380, 1384, 1391, 1395, 1399, 1403, 1407, 1416, 1420, 1422, 1424, 1430, 1432, 1455, 1459, 1461, 1463, 1467, 1471, 1475, 1477, 1479, 1489, 1491, 1493, 1500, 1502, 1504, 1527, 1531, 1533, 1535, 1542, 1546, 1548, 1550, 1557, 1561, 1563, 1565, 1576, 1580, 1582, 1584, 1591, 1595, 1597, 1599, 1606, 1610, 1612, 1614, 1617, 1619, 1678, 1680, 1683, 1686, 1688, 1695, 1697, 1700, 1703, 1705, 1712, 1714, 1717, 1720, 1722, 1729, 1731, 1734, 1737, 1739, 1746, 1748, 1751, 1754, 1756, 1763, 1765, 1768, 1771, 1773, 1780, 1782, 1785, 1788, 1790, 1797, 1799, 1802, 1805, 1807, 1814, 1816, 1819, 1822, 1824, 1965
\DeclareRobustCommandx 826, 830, 834, 838, 844, 947, 951, 1692, 1709, 1726, 1743, 1760, 1777, 1794, 1811
\decset 1648, 1649
\DecSet,␣... 1647
\decsym 1647, 1649
\Dedicto 728
\dedicto 707
\def 1865, 1866
\Defacto 729
\defacto 708
\defcomcls . 989, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020
\defcomclscmd 998, 999, 1000, 1001, 1002
\defcomclsred 993, 994, 995, 996, 997
\defcomclssem . . 990, 991, 992
\defcomhrc 1004, 1022
\defeq,␣\seteq 765
\defval . 234, 295, 299, 303, 307, 311, 342, 350, 354, 358, 362, 366, 397, 558, 560, 841, 990, 991, 1005, 1431, 1433, 1618, 1620
\delta 1875
\denot 842
\dep,␣\alt 1223
\der 798
\Dere 730
\dere 709
\DF,␣\IF,␣... 1292
\DFA,␣... 1842
\DGSL 1726, 1730, 1732
\Diamond 1428
\dirset 1897, 1898
\DirSet,␣... 1896
\dirsym 1896, 1898
\Divideetimpera 731
\divideetimpera 710
\DMod 1431
\DMod,␣\BMod 1428
\do 256, 260
\dom,␣\cod,␣... 850
\DontPrintSemicolon 1949
\DTA,␣... 1884
\dual,␣\adj,␣... 794

E

\E,␣\A 1568
\EAFMC 1477
\EAGSL 1746
\Easy,␣\Hard,␣... 1007
\EATL 1582
\EATLP 1597
\EATLS 1612
\EBF 1181
\EBGSL 1780
\ECGSL 1712
\ECTL 1533
\ECTLP 1548
\ECTLS 1563
\EDGSL 1729
\EEGSL 1763
\EExs,␣\AAll 1617
\EFAGSL 1754
\EFBGSL 1788
\EFCGSL 1720
\EFDGSL 1737
\EFEGSL 1771
\EFNGSL 1805
\EFOGSL 1703
\EFSL 1686
\EFXGSL 1822
\Eg 732
\eg 711
\EG,␣... 1150
\EGSL 1760, 1764, 1766
\else . . 187, 201, 233, 235, 244
\ELTL 1502
\em 423, 435
\EMC 1461
\EML 1422
\empchk 232, 238, 240, 242, 313, 368, 558, 560
\emptyfun 866
\emptyrel 847
\emptyseq 977
\emptyset 1618, 1620
\endcsname 247, 248, 249, 250, 251, 252,

253, 258, 262, 329, 331, 333, 335, 337, 342, 348, 397
\endinput 1970
\ENGSL 1797
\enmtls@false 29
\enmtls@true 28
\ensuremath 313, 348, 870, 872, 1182, 1184, 1423, 1425, 1452, 1462, 1464, 1478, 1480, 1492, 1494, 1503, 1505, 1534, 1536, 1549, 1551, 1564, 1566, 1583, 1585, 1598, 1600, 1613, 1615, 1679, 1681, 1687, 1689, 1696, 1698, 1704, 1706, 1713, 1715, 1721, 1723, 1730, 1732, 1738, 1740, 1747, 1749, 1755, 1757, 1764, 1766, 1772, 1774, 1781, 1783, 1789, 1791, 1798, 1800, 1806, 1808, 1815, 1817, 1823, 1825
\entfun 1105, 1106
\entFun,␣\escFun 1105
\enumeration,␣... 809
\EOGSL 1695
\EPTL 1491
\equiv 790, 792
\ergo 712
\Errata 733
\errata 713
\Erratum 734
\erratum 714
\escfun 1107, 1108
\ESL 1678
\etal 715
\etc 716
\evn,␣\odd 956
\evnsym 1140, 1141
\EvnSym,␣\OddSym 1140
\ExecuteOptions 128
\EXGSL 1814
\exists 1182, 1204, 1216, 1217, 1423, 1462, 1478, 1492, 1503, 1534, 1549, 1564, 1583, 1598, 1613, 1679, 1687, 1696, 1704, 1713, 1721, 1730, 1738, 1747, 1755, 1764, 1772, 1781, 1789, 1798, 1806, 1815, 1823
\expandafter 247, 249, 252, 257, 261
\ExpSpace,␣... 1020
\ExpTime,␣... 1019
\Exs,␣\All 1430

F

\FAGSL 1751, 1755, 1757
\FBGSL 1785, 1789, 1791
\FCGSL 1717, 1721, 1723
\FDGSL 1734, 1738, 1740
\FEGSL 1768, 1772, 1774
\ffsym 1190, 1191
\fi 145, 150, 155, 160, 175, 180, 195, 203, 204, 208, 210, 233, 235, 244, 471, 695, 758, 983, 1023, 1168, 1835, 1905, 1912, 1933, 1934, 1941, 1968
\fig@false 105, 107
\fig@true 106
\fix,␣\ifp,␣... 875
\flat 1827
\floor,␣\ceil 945
\FNGSL 1802, 1806, 1808
\fnttls@false 37
\fnttls@true 36
\FO 1247
\FOGSL 1700, 1704, 1706
\FOL,␣... 1239
\footnotesize 872
\forall 1184, 1206, 1216, 1217, 1425, 1464, 1480, 1494, 1505, 1536, 1551, 1566, 1585, 1600, 1615, 1681, 1689, 1698, 1706, 1715, 1723, 1732, 1740, 1749, 1757, 1766, 1774, 1783, 1791, 1800, 1808, 1817, 1825
\free,␣\bound 1221
\frm@false 99, 101
\frm@true 100
\From,␣... 1958
\FSL 1683, 1687, 1689
\fst,␣\lst 979
\funset 1265, 1266
\funsig 1262, 1263
\FunSig,␣... 1262
\funstr 1285, 1286
\FunStr,␣... 1285
\funsym 1264, 1266
\fvarset 1357, 1358
\FVarSet,␣... 1356
\fvarsym 1356, 1358
\FXGSL 1819, 1823, 1825

G

\gam@false 56, 62, 83, 85
\gam@true 84
\Game 1067
\gamename 1067, 1068
\GameName,␣... 1067
\GFG,␣\PD,␣... 1853
\gfp 881
\GoTo,␣... 1961

H

\H 1514
\hstset 1080, 1081, 1082, 1084, 1653, 1654, 1655, 1657
\HstSet,␣... . . . . 1079, 1652
\hstsym 1079, 1081, 1083, 1085, 1652, 1654, 1656, 1658
\hypersetup 165
\hypref@false 33
\hypref@true 32

I

\ie 717
\if 233, 235, 244
\if@twocolumn 132, 199
\ifalg@ 121, 1946
\ifamsdef@ 16, 139
\ifamsthm@ 20, 147
\ifaut@ 93, 1840
\ifaux@ 11, 137
\ifchgbar@ 44, 192
\ifcom@ 77, 988
\ifcrv@ 40, 182
\ifcsdef 132
\ifdef 215, 216, 217, 218
\ifenmtls@ 28, 157
\iff 750
\iffig@ 105, 1917
\iffnttls@ 36, 177
\iffrm@ 99, 1910
\ifgam@ 83, 1028
\ifhypref@ 32, 162
\iflinnum@ 48, 197
\iflog@ 88, 1173
\ifmath@ 71, 763
\ifmthgen@ 59, 476
\iftab@ 115, 1939
\iftext@ 66, 700
\ifthmtls@ 24, 152
\iftxtgen@ 53, 421
\ifwrpfig@ 110, 1930
\img 856
\implied,␣... 776
\implies,␣... 772
\inf,␣\sup 972
\infty 904, 908, 910, 912, 916, 918, 920, 924, 926, 928, 932
\interdisplaylinepenalty 144
\intfun 1109, 1110
\intFun,␣\outFun 1109
\itr 256, 257, 258, 260, 261, 262

K

\kern 873
\krpstr 1435, 1436
\KrpStr,␣... 1435

L

\laallsym 1318, 1319
\labFun 1444
\labsym 1444, 1445
\lallsym 1206, 1207
\Lambda 1897
\lambda 1444
\land 1196
\LangFun 1878
\langfun 1878, 1879
\langle 817, 818, 820, 821, 1431, 1618
\LaTex 630, 637
\lbrace 827, 831

\lceil 952
\lcoisym 1202, 1203
\LCon,␣\LDis 1196
\lconsym 1196, 1197
\ldissym 1198, 1199
\LEExs,␣\LAAll 1316
\leexssym 1316, 1317
\left 352, 360, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 825, 829, 833, 837, 843, 946, 950, 1433, 1620
\Leftarrow 777, 779
\Leftrightarrow 781, 783
\leftrightarrow 1202
\Let 1955
\let 1513, 1514, 1515
\LExs,␣\LAll 1204
\lexssym 1204, 1205
\lfloor 948
\lfp 879
\liftFun 1117
\liftfun 1117, 1118
\LImp,␣\LCoi 1200
\limpsym 1200, 1201
\linenumbers 200, 202
\linnum@false 48
\linnum@true 49
\llbracket 845
\llcorner 872
\LNeg,␣\LNot 1192
\lnegsym 1192, 1193
\lnotsym 1194, 1195
\log@false 56, 62, 88, 90
\log@true 89
\logsig 1186, 1187
\LogSig,␣... 1186
\LogSpace,␣... 1014
\logstr 1230, 1231
\LogStr,␣... 1230
\LogTime,␣... 1013
\lor 1198
\lowercase 558, 560
\lvert 839

M

\Macro,␣... 1952
\math@false 62, 71, 73
\math@true 72
\mathaccent 805
\mathbbo 215
\mathbin 632
\mathcal 478
\matheus 216, 504
\mathfrak 530
\mathit 562, 656, 683
\mathnormal 601
\mathop 631
\mathpzc 217, 517
\mathrel 638, 872
\mathring 797
\mathrm 543
\mathscr 218, 491
\mathsf 575, 643, 670
\mathtt 588
\maxsym 1159, 1160
\MaxSym,␣\MinSym 1159
\MC,␣\GMC,␣... 1451
\mdseries 326, 448, 460
\MFO 1246
\MFOL 1244
\middle 825
\MIf,␣... 1964
\min,␣\max,␣... 964
\minsym 1161, 1162
\ML,␣\GML,␣... 1412
\models 786, 788
\movFun 1650
\MovRel 1065
\movrel 1065, 1066
\movsym 1650, 1651
\MPL 1399, 1404, 1408
\MSO 1341, 1348, 1354
\MSOL 1339, 1346, 1352
\mth 370, 795, 797, 799, 801, 805, 807, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 827, 831, 835, 839, 841, 845, 848, 867, 935, 937, 939, 941, 943, 948, 952, 978, 1431, 1433, 1618, 1620
\mtharg 372
\mthargfun 851, 853, 855, 857, 860, 980, 982
\mthargset 885, 887, 889, 891, 893, 895
\mthcls,␣... 503
\mthelm,␣... 600
\mthfam,␣... 490
\mthfrm,␣... 655
\mthfun . 876, 878, 880, 882, 955, 957, 959, 961, 963, 965, 967, 969, 971, 973, 975
\mthfun,␣... 574
\mthgen@false 59, 62
\mthgen@true . 60, 72, 84, 89, 94
\mthlbop 767, 768, 770, 862, 864
\mthlrel 637, 773, 775, 777, 779, 781, 783, 786, 788, 790, 792
\mthluop,␣... 630
\mthmat,␣... 669
\mthname,␣... 477
\mthoarg 374
\mthopar 378
\mthpar 376
\mthrel,␣... 561
\mthset 898, 900, 902, 906, 914, 922, 930
\mthset,␣... 542
\mthsig,␣... 516
\mthsnt,␣... 642
\mthstr,␣... 529
\mthsty 371, 373, 375, 377, 379, 380
\mthstycls 504
\mthstyelm 601
\mthstyfam 491
\mthstyfrm 656
\mthstyfun 575
\mthstylbop 632
\mthstylrel 638
\mthstyluop 631
\mthstymat 670
\mthstyname 478
\mthstyrel 562
\mthstyset 543
\mthstysig 517
\mthstysnt 643
\mthstystr 530
\mthstysym 588
\mthstyvec 683
\mthsubsup 348, 367
\mthsym,␣... 587
\mthvec,␣... 682
\MTL 1376, 1381, 1385
\mu 1452
\Mutatismutandis 735
\mutatismutandis 718

N

\naif 742
\naive 743
\neg 1192
\newcommandx 292, 294, 296, 298, 300, 302, 304, 306, 308, 310, 341, 347, 349, 351, 353, 355, 357, 359, 361, 363, 365, 396, 399, 401, 403, 405, 407, 409, 411, 413, 415, 424, 426, 428, 430, 432, 436, 438, 440, 442, 444, 449, 451, 453, 455, 457, 461, 463, 465, 467, 469, 480, 482, 484, 486, 488, 493, 495, 497, 499, 501, 506, 508, 510, 512, 514, 519, 521, 523, 525, 527, 532, 534, 536, 538, 540, 545, 547, 549, 551, 553, 555, 564, 566, 568, 570, 572, 577, 579, 581, 583, 585, 590, 592, 594, 596, 598, 603, 605, 607, 609, 611, 614, 617, 620, 623, 626, 633, 635, 639, 645, 647, 649, 651, 653, 658, 660, 662, 664, 666, 672, 674, 676, 678, 680, 685, 687, 689, 691, 693, 989, 992, 997, 1002, 1004
\newif 11, 16, 20, 24, 28, 32, 36, 40, 44, 48, 53, 59, 66, 71, 77, 83, 88, 93, 99, 105, 110, 115, 121, 132
\newmth 347, 350, 352, 360
\newmtharg 351, 354, 356
\newmthargsty . . 353, 373, 386

\newmthoarg 355, 358
\newmthoargsty . 357, 375, 388
\newmthopar 363, 366
\newmthoparsty . 365, 379, 392
\newmthpar 359, 362, 364
\newmthparsty . . 361, 377, 390
\newmthsty 349, 371, 384
\newtxt 292, 295, 297, 305
\newtxtarg 296, 299, 301
\newtxtargsty . . . 298, 318, 331
\newtxtoarg 300, 303
\newtxtoargsty . 302, 320, 333
\newtxtopar 308, 311
\newtxtoparsty . 310, 324, 337
\newtxtpar 304, 307, 309
\newtxtparsty . . 306, 322, 335
\newtxtsty 294, 316, 329
\NGSL 1794, 1798, 1800
\nlr 1965
\nlset 1967
\noexpand 258, 262
\normalfont 423, 448, 460
\not . . . 775, 779, 783, 788, 792
\notcequiv 791
\notcmodels 787
\notcoimplies 782
\notimplied 778
\notimplies 774
\num,␣... 934
\numcc 936
\numco 938
\numoc 940
\numoo 942
\nxtFun 1833
\nxtfun 1833, 1834

O

\obsset 1071, 1072
\ObsSet,␣\obsFun 1071
\oddsym 1142, 1143
\odot 1215
\OGSL . . . 1692, 1696, 1698, 1701
\Omega 887
\omega 885
\Omicron 895
\omicron 223, 893
\oplus 1159
\OppSym 1061, 1062, 1084, 1085, 1096, 1097, 1635, 1636, 1657, 1658, 1669, 1670
\oppsym 1050, 1051
\Opr 1427
\outfun 1111, 1112
\overline 795, 807

P

\P 1513
\PackageWarning 126
\PDL,␣\CTL,␣... 1519
\Percontra 736
\percontra 719
\PH 1022
\Pi 1318
\pi 1075, 1087, 1446, 1660
\playset 1088, 1089, 1661, 1662
\PlaySet,\playFun . 1087, 1660
\playsym 1087, 1089, 1660, 1662
\PlrFun 1063
\plrfun 1063, 1064
\PlrSym 1059, 1060, 1082, 1083, 1094, 1095, 1633, 1634, 1655, 1656, 1667, 1668
\plrsym 1048, 1049
\PlrSym,␣\OppSym 1048
\pm 908, 916, 924
\posset 1055, 1056, 1059, 1061, 1629, 1630, 1633, 1635
\PosSet,␣... . . . . 1054, 1628
\possym 1054, 1056, 1057, 1058, 1060, 1062, 1628, 1630, 1631, 1632, 1634, 1636
\pow 840
\prefun 1101, 1102
\preFun,␣\sucFun 1101
\prfset . 1099, 1100, 1672, 1673
\PrfSet,␣\prfFun . . 1098, 1671
\prfsym . 1098, 1100, 1671, 1673
\Primafacie 737
\primafacie 720
\prj 859
\ProcessOptions 130
\providecommand 1446, 1447, 1628, 1629, 1652, 1653, 1660, 1661, 1664, 1665, 1671, 1672
\prtset 1145, 1146
\PrtSet,␣\prtFun 1144
\prtsym 1144, 1146
\psn 1831
\PSpace,␣... 1016
\pthset . 1076, 1077, 1447, 1448
\PthSet,␣\pthFun . . 1075, 1446
\pthsym . 1075, 1077, 1446, 1448
\PTime,␣... 1015
\PTL,␣\LTL,␣... 1485
\pto,␣\pmapsto 869

Q

\QAE,␣\QEA 1216
\QAFMC 1475
\QATL 1580
\QATLP 1595
\QATLS 1610
\QCTL 1531
\QCTLP 1546
\QCTLS 1561
\QLTL 1500
\QMC 1459
\QML 1420
\qntset 1219, 1220
\QntSet,␣... 1218
\qntsym 1218, 1220
\QPSpace,␣... 1018
\QPTime,␣... 1017
\QPTL 1489

R

\raisebox 872
\rangle 817, 819, 820, 822, 1431, 1618
\rbrace 827, 835
\rceil 952
\rchfun 1115, 1116
\relax 130
\relset 1278, 1279
\relsig 1275, 1276
\RelSig,␣... 1275
\relstr 1289, 1290
\RelStr,␣... 1289
\relsym 1277, 1279
\RequirePackage 3, 5, 6, 7, 141, 142, 143, 149, 154, 159, 164, 179, 194, 200, 202, 1918, 1932, 1947
\resp 752
\rfloor 948
\rho 1079, 1652
\right 352, 360, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 825, 829, 833, 837, 843, 946, 950, 1433, 1620
\Rightarrow 773, 775
\rightarrow 1200
\rightharpoonup 870, 873
\rmfamily 326, 460
\rng 854
\Role 746
\role 744
\rrbracket 845
\rst 861
\rvert 839

S

\S 1515
\SATG,␣... 1030
\SaveDoubleAcute 1514
\SavePilcrow 1513
\SaveSectionSymbol 1515
\scshape 448, 460
\seqofcmd 259, 272, 276
\seqofgrklet 279, 410
\seqofgrklow 271, 280, 283, 406, 518, 531
\seqofgrkupp 275, 280, 285, 408
\seqoflatlet 268, 404, 518, 531
\seqoflatlow 264, 269, 283, 400
\seqoflatupp 266, 269, 285, 402, 479, 492, 505
\seqoflet 286, 416, 544, 563, 576, 589, 602, 644, 657, 671, 684
\seqoflow 282, 287, 412
\seqoftag 255, 265, 267
\seqofupp 284, 287, 414
\sequence,␣... 811
\set,␣... 824
\SetB 897

\SetC,␣... 929
\SetCI 931
\SetF 899
\SetInd 1950
\SetKw 1951, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963
\SetKwFor 1952, 1953, 1954, 1955
\SetKwIF 1964
\setl 828
\setlength 1948
\SetN,␣... 901
\SetNI 903
\SetQ,␣... 913
\SetQI 915
\SetQNI 919
\SetQPI 917
\setr 832
\SetR,␣... 921
\SetRI 923
\SetRNI 927
\SetRPI 925
\SetZ,␣... 905
\SetZI 907
\SetZNI 911
\SetZPI 909
\sffamily 448
\Sigma 1316, 1873
\sigma 1091, 1664, 1872
\Signature 1951
\sim 1194
\skm 1281
\SL,␣... 1675
\SO 1330, 1336, 1342
\SOL,␣... 1322
\solFun 1119
\solfun 1119, 1120
\Space,␣... 1012
\stackrel 767
\strset 1092, 1093, 1094, 1096, 1665, 1666, 1667, 1669
\StrSet,␣... 1091, 1664
\strsym 1091, 1093, 1095, 1097, 1664, 1666, 1668, 1670
\sttset 1638, 1639, 1640, 1642, 1866, 1867, 1868, 1870
\SttSet,␣... 1637, 1865
\sttsym 1637, 1639, 1641, 1643, 1865, 1867, 1869, 1871
\stx 751
\sub 1212
\sucfun 1103, 1104
\svarset 1360, 1361
\SVarSet,␣... 1359
\svarsym 1359, 1361
\symset 1873, 1874
\SymSet,␣... 1872
\symsym 1872, 1874

T

\tab@false 115, 117
\tab@true 116
\tau 1650
\TAutSet 1894
\tautset 1894, 1895
\terset 1272, 1273
\tersig 1269, 1270
\TerSig,␣... 1269
\terstr 1287, 1288
\TerStr,␣... 1287
\tersym 1271, 1273
\text 293, 313, 767
\text@false 56, 66, 68
\text@true 67
\textstyle 631, 632
\textup 767
\thestring 557, 558, 559, 560
\Theta 891
\theta 889
\thmtls@false 25
\thmtls@true 24
\tikzstyle 1920, 1922, 1924, 1926, 1928
\Time,␣... 1011
\TL,␣\PL,␣... 1364
\top 1188
\treeset 1901, 1902
\TreeSet,␣... 1900
\treesym 1900, 1902
\triangleq 768
\trn 800
\trnFun 1875
\trnsym 1875, 1876
\True,␣\False 1956
\Tt,␣\Ff 1188
\ttsym 1188, 1189
\tuple,␣... 817
\txt 315
\txtabr,␣... 434
\txtarg 317
\txtcom 1003, 1005
\txtcom,␣... 459
\txtdef,␣... 422
\txtgen@false 53, 56
\txtgen@true ... 54, 67, 78, 84, 89, 94
\txtname 1180, 1245, 1247, 1328, 1330, 1334, 1336, 1340, 1342, 1346, 1348, 1352, 1354, 1369, 1373, 1377, 1381, 1385, 1392, 1396, 1400, 1404, 1408, 1417, 1421, 1456, 1460, 1468, 1472, 1476, 1490, 1501, 1528, 1532, 1543, 1547, 1558, 1562, 1577, 1581, 1592, 1596, 1607, 1611, 1684, 1701, 1718, 1735, 1752, 1769, 1786, 1803, 1820
\txtname,␣... 447
\txtoarg 319
\txtopar 323
\txtpar 321
\txtsty 316, 318, 320, 322, 324, 325
\txtstyabr 435
\txtstycom 460
\txtstydef 423
\txtstyname 448
\txtsubsup 293, 312

U

\UAFMC 1479
\UAGSL 1748
\UATL 1584
\UATLP 1599
\UATLS 1614
\UBF 1183
\UBGSL 1782
\UCGSL 1714
\UCTL 1535
\UCTLP 1550
\UCTLS 1565
\UDGSL 1731
\UEGSL 1765
\UFAGSL 1756
\UFBGSL 1790
\UFCGSL 1722
\UFDGSL 1739
\UFEGSL 1773
\UFNGSL 1807
\UFOGSL 1705
\UFSL 1688
\UFXGSL 1824
\ULTL 1504
\UMC 1463
\UML 1424
\UNGSL 1799
\UOGSL 1697
\upharpoonright 862
\upshape 326
\UPTL 1493
\usetikzlibrary 1919
\USL 1680
\usrmth 396, 400, 402, 404, 406, 408, 410, 412, 414, 416, 481, 483, 485, 487, 489, 494, 496, 498, 500, 502, 507, 509, 511, 513, 515, 520, 522, 524, 526, 528, 533, 535, 537, 539, 541, 546, 548, 550, 552, 554, 565, 567, 569, 571, 573, 578, 580, 582, 584, 586, 591, 593, 595, 597, 599, 604, 606, 608, 610, 612, 634, 636, 640, 646, 648, 650, 652, 654, 659, 661, 663, 665, 667, 673, 675, 677, 679, 681, 686, 688, 690, 692, 694, 1189, 1191, 1193, 1195, 1197, 1199, 1201, 1203, 1205, 1207, 1211, 1212, 1213, 1214, 1215, 1216,

1217, 1221, 1222, 1223, 1224, 1254, 1255, 1261, 1267, 1268, 1274, 1280, 1281, 1317, 1319, 1427, 1428, 1429, 1507, 1508, 1509, 1510, 1511, 1512, 1513, 1514, 1515, 1516, 1568, 1569, 1830, 1831
\usrmthgrklet 409
\usrmthgrklow 405
\usrmthgrkupp 407
\usrmthlatlet 403
\usrmthlatlow 399
\usrmthlatupp 401, 1053, 1068, 1187, 1231, 1250, 1257, 1263, 1270, 1276, 1284, 1286, 1288, 1290, 1436, 1624, 1860
\usrmthlet 415, 557, 559
\usrmthlow 411
\usrmthupp 413
\usrtxt 341, 425, 427, 429, 431, 433, 437, 439, 441, 443, 445, 450, 452, 454, 456, 458, 462, 464, 466, 468, 470
\UXGSL 1816

V

\valset 1233, 1234
\ValSet,␣... 1232
\valsym 1232, 1234
\varcmd . 246, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822
\varepsilon 978
\varnothing 848, 867
\varset 1252, 1253
\varsig 1249, 1250
\VarSig,␣... 1249
\varsym 1251, 1253
\vec 802
\vert 827, 831
\Viceversa 738
\viceversa 721
\viz 723
\vs 722

W

\WATL 1576
\WATLP 1591
\WATLS 1606
\WAutSet 1863
\wautset 1863, 1864
\WCTL 1527
\WCTLP 1542
\WCTLS 1557
\wghset 1164, 1165
\WghSet,␣\wghFun 1163
\wghsym 1163, 1165
\widehat 799
\widetilde 801
\WinSet 1069
\winset 1069, 1070
\Wlogx 757
\wlogx 754
\WMPL 1403
\WMSO 1347
\WMSOL 1345
\WMTL 1380
\wotFun 1903
\wotfun 1903, 1904
\wp 1218
\WPL 1391
\wrdset 1881, 1882
\WrdSet,␣... 1880
\wrdsym 1880, 1882
\wrlset 1438, 1439
\WrlSet,␣... 1437
\wrlsym 1437, 1439, 1440
\wrpfig@false 111
\wrpfig@true 110
\wrt 753
\WSO 1329
\WSOL 1327
\WTL 1368

X

\X,␣... 1507
\XGSL 1811, 1815, 1817
\xGSL 1718, 1735, 1752, 1769, 1786, 1803, 1820
\xi 1098, 1232, 1671
\xspace 293

Y

\Y,␣... 1512