# fmocdmac — FM's OCD LATEX Macro\*

# Fabio Mogavero fm@fabiomogavero.com

Released 2023/07/29

#### Abstract

This package contains almost all the latex macros I heavily use in my tcs research activity and, in particular, in the writing of conference and journal articles. As few of my co-authors have kindly pointed out, and probably many have thought, they are somehow a clear expression of an underlying ocd-like behavior... hence the name!

# 1 Implementation & Usage

 $1 \langle *package \rangle$ 

## Required external packages:

```
2
3 \RequirePackage{etoolbox}
4
5 \RequirePackage{xargs}
6 \RequirePackage{xspace}
7 \RequirePackage{stringstrings}
```

### Package options:

```
10 %% Auxiliary packages
11 \newif\ifaux@ \aux@false
12 \DeclareOption{aux}{\aux@true}
13 \DeclareOption{noaux}{\aux@false}
15 %% AMS defaults
16 \newif\ifamsdef@ \amsdef@true
17 \DeclareOption{noamsdef}{\amsdef@false}
19 %% AMS theorem tools
20 \newif\ifamsthm@ \amsthm@true
21 \DeclareOption{noamsthm}{\amsthm@false}
23 %% Extended Theorem tools
24 \newif\ifthmtls@ \thmtls@true
25 \DeclareOption{nothmtls}{\thmtls@false}
27 %% Enumeration tools
28 \newif\ifenmtls@ \enmtls@true
29 \DeclareOption{noenmtls}{\enmtls@false}
31 %% Hyper reference
32 \newif\ifhypref@ \hypref@true
33 \DeclareOption{nohypref}{\hypref@false}
```

<sup>\*</sup>This document describes version v0.20 of the fmocdmac package, last revised 2023/07/29.

```
35 %% Font tools
36 \newif\iffnttls@ \fnttls@true
37 \DeclareOption{nofnttls}{\fnttls@false}
39 %% Camera-ready version
40 \newif\ifcrv@ \crv@false
41 \DeclareOption{crv}{\crv@true}
43 %% Change bars
44 \newif\ifchgbar@ \chgbar@false
45 \DeclareOption{chgbar}{\chgbar@true}
47 %% Line numbers
48 \newif\iflinnum@ \linnum@false
49 \DeclareOption{linnum}{\linnum@true}
51
52 %% Text macro generation
53 \newif\iftxtgen@ \txtgen@false
54 \DeclareOption{txtgen}{\txtgen@true}
55 \DeclareOption{notxtgen}
    {\txtgen@false\txt@false\com@false\gam@false\log@false\aut@false}
57
58 %% Math macro generation
59 \newif\ifmthgen@ \mthgen@false
60 \DeclareOption{mthgen}{\mthgen@true}
61 \label{lem:continuous} 61 \label{lem:continuous} \\
    {\mthgen@false\mth@false\gam@false\log@false\aut@false}
63
65 %% Elementary macros for text
66 \newif\iftxt@ \txt@false
67 \DeclareOption{txt}{\txt@true\txtgen@true}
68 \label{lem:continuity} $$ \operatorname{DeclareOption}_{notxt}_{\text{txt@false}} $$
69
70 %% Elementary macros for math
71 \newif\ifmth@ \mth@false
72 \DeclareOption{mth}{\mth@true\mthgen@true}
73 \DeclareOption{nomth}{\mth@false}
76 %% Macros for computational-complexity classes
77 \newif\ifcom@ \com@false
78 \DeclareOption{com}{\com@true\txtgen@true}
79 \DeclareOption{nocom}{\com@false}
82 \%\% Macros for games
83 \newif\ifgam@ \gam@false
84 \DeclareOption{gam}{\gam@true\txtgen@true\mthgen@true}
85 \DeclareOption{nogam}{\gam@false}
87 %% Macros for logics
88 \newif\iflog@ \log@false
89 \DeclareOption{log}{\log@true\txtgen@true\mthgen@true}
90 \DeclareOption{nolog}{\log@false}
91
92 %% Macros for automata
93 \newif\ifaut@ \aut@false
94 \DeclareOption{aut}{\aut@true\txtgen@true\mthgen@true}
95 \DeclareOption{noaut}{\aut@false}
97
```

```
98 %% Format-related tricks
          99 \newif\iffrm@ \frm@false
          100 \DeclareOption{frm}{\frm@true}
          101 \DeclareOption{nofrm}{\frm@false}
          102
          103
          104 %% Figure-related tricks
          105 \newif\iffig@ \fig@false
          106 \DeclareOption{fig}{\fig@true}
          107 \DeclareOption{nofig}{\fig@false}
          108
          109 %% Wrapfig package
          110 \newif\ifwrpfig@ \wrpfig@true
          111 \DeclareOption{nowrpfig}{\wrpfig@false}
          112
          113
          114 %% Table-related tricks
          115 \newif\iftab@ \tab@false
          116 \DeclareOption{tab}{\tab@true}
          117 \DeclareOption{notab}{\tab@false}
          118
          119
          120 %% Algorithm-related tricks
          121 \newif\ifalg@ \alg@false
          122 \DeclareOption{alg}{\alg@true}
          123 \DeclareOption{noalg}{\alg@false}
          124
         Option-processing code:
          126 \DeclareOption*{\PackageWarning{fmocdmac}{Unknown~'\CurrentOption'}}%
          128 \ExecuteOptions{aux,txtgen,mthgen,txt,mth,com,gam,log,aut}%
          130 \ProcessOptions\relax%
          132 \ifcsdef{if@twocolumn}{}{\newif\if@twocolumn}
         Package main body:
          \omicron Auxiliary Greek lowercase letter: ... to do!
          138 \csdef{omicron}{o}
\Alpha, ... Auxiliary Greek uppercase letters: ... to do!
          139 \csdef{Alpha}{A} \csdef{Beta}{B} \csdef{Epsilon}{E} \csdef{varEpsilon}{E}
          140 \csdef{Zeta}{Z} \csdef{Eta}{H} \csdef{Iota}{I} \csdef{Kappa}{K}
          141 \csdef{varKappa}{K} \csdef{Mu}{M} \csdef{Nu}{N} \csdef{Omicron}{O}
          142 \end{P} \csdef{Rho}{P} \csdef{Tau}{T} \csdef{Chi}{X}
          \empths Emptiness check: \empchk{\langle A\rangle} {\langle B\rangle} evaluates to the empty string, if Argument \langle A \rangle is empty,
         and to Argument \langle B \rangle, otherwise.
            • \empchk{}{B} = ""
            • \empchk{A}{B} = "B"
```

```
147 \newcommand{\empchk}[2]
                {\left\{ if & 1 \right\} }
\defval Default value: \defval{\langle A \rangle}{\langle B \rangle} evaluates to Argument \langle B \rangle, if Argument \langle A \rangle is empty, and to
          Argument \langle A \rangle itself, otherwise.
              • \defval{}{B} = "B"
              • \defval{A}{B} = "A"
           149 \newcommand{\defval}[2]
                 {\left\{\frac{4}{2}\right\}}
           \ Left extension: \ arglef \{\langle A \rangle\} evaluates to the concatenation \langle AB \rangle of the two arguments, if
          Argument \langle B \rangle is non-empty, and to the empty string, otherwise.
              • \arglef{A}{} = ""
              • \arglef{A}{B} = "AB"
           152 \newcommand{\arglef}[2]
                {\empchk{#2}{#1#2}}
\argrig Right extension: \argrig{\langle A\rangle}{\langle B\rangle} evaluates to the concatenation \langle AB \rangle of the two arguments,
          if Argument \langle A \rangle is non-empty, and to the empty string, otherwise.
              • \argrig{}{B} = ""
              • \argrig{A}{B} = "AB"
           154 \newcommand{\argrig}[2]
                {\empchk{#1}{#1#2}}
         Middle extension: \argmid{\langle A \rangle}{\langle A \rangle}{\langle C \rangle} evaluates to the concatenation \langle ABC \rangle of the three
          arguments, if Argument \langle B \rangle is non-empty, and to the empty string, otherwise.
              • \argmid{A}{}{C} = ""
              • \argmid{A}{B}{C} = "ABC"
           156 \newcommand{\argmid}[3]
                {\empchk{#2}{#1#2#3}}
          Separators: \argsep\{\langle A \rangle\}\{\langle B \rangle\}\{\langle C \rangle\} evaluates to Argument \langle C \rangle, if Argument \langle A \rangle is empty, to
\argsep
          Argument \langle A \rangle, if Argument \langle C \rangle is empty, and to the concatenation \langle ABC \rangle, otherwise.
              • \argsep{}{B}{C} = "C"
              • \argsep{A}{B}{} = "A"
              • \argsep{A}{}{C} = "AC"
              • \argsep{A}{B}{C} = "ABC"
           158 \newcommand{\argsep}[3]
                 {\if&#1&#3\else#1\arglef{#2}{#3}\fi}
           Variadic commands: \forall A \in \{\langle A \rangle\} \{\langle B \rangle\} \{\langle C \rangle\} \{\langle E \rangle\} \{\langle E \rangle\} \{\langle F \rangle\} \dots \text{ to do!}
           161 \newcommand{\varcmd}[6]
                 {\expandafter\newcommand\csname gobble#1arg\endcsname[2]
           162
                    {\csname check#1arg\endcsname{\argsep{##1}{#4}{\empchk{##2}{{##2}}}}}
           163
           164
                 \expandafter\newcommand\csname check#larg\endcsname[1]
           165
                    {\csname @ifnextchar\endcsname%
           166
                      \bgroup{\csname gobble#1arg\endcsname{##1}}{#2{##1#5}#6}}%
           167
                 \expandafter\newcommand\csname#1\endcsname[1]
                    {\csname check#larg\endcsname{#3##1}}}
           168
```

```
\seqoftag Sequence of tags: \seqoftag\{\langle A \rangle\}\{\langle B \rangle\}\{\langle C \rangle\} ... to do!
               170 \newcommand{\seqoftag}[3]
                    {\c {\c of or \itr : = {#1} \do%}}
                      {\expandafter\csedef{\itr#2}%
               172
                        {\noexpand\csname #3\endcsname{\itr}}}
               173
   \seqofcmd Sequence of commands: \seqofcmd{\langle A\rangle}{\langle B\rangle}{\langle C\rangle} \text{... to do!}
               174 \newcommand{\seqofcmd}[3]
                    {\@for\itr:={#1}\do%
                      {\expandafter\csedef{\itr#2}%
               176
                        {\noexpand\csname #3\endcsname{\csname \itr\endcsname}}}}
               177
               \seqoflatlow Sequence of Latin lowercase letters: \seqoflatlow\{\langle A \rangle\}\{\langle B \rangle\} ... to do!
               179 \newcommand{\seqoflatlow}
                    {\seqoftag{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w,x,y,z}}
\seqoflatupp Sequence of Latin uppercase letters: \seqoflatupp\{\langle A \rangle\}\{\langle B \rangle\} ... to do!
               181 \newcommand{\seqoflatupp}
                    {\seqoftag{A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,R,S,T,U,V,W,X,Y,Z}}
\sequence of Latin letters: \sequence \{A\} \{\Bar{B}\} \... to do!
               183 \newcommand{\seqoflatlet}[2]
                    {\seqoflatlow{#1}{#2}\seqoflatupp{#1}{#2}}
               \seqofgrklow Sequence of Greek lowercase letters: \seqofgrklow\{\langle A \rangle\}\{\langle B \rangle\} ... to do!
               186 \newcommand{\seqofgrklow}
                    {\seqofcmd{alpha,beta,gamma,delta,epsilon,varepsilon,zeta,eta,theta,vartheta,%
                    iota,kappa,varkappa,lambda,mu,nu,xi,omicron,pi,varpi,rho,varrho,sigma,%
               189
                    varsigma,tau,upsilon,phi,varphi,chi,psi,omega}}
              Sequence of Greek uppercase letters: \ensuremath{\mathsf{Valighter}} \{A\} \} \{\langle B \rangle \} \dots \text{ to do!}
\seqofgrkupp
               190 \newcommand{\seqofgrkupp}
                    {\seqofcmd{Alpha,Beta,Gamma,Delta,Epsilon,varEpsilon,Zeta,Eta,Theta,varTheta,%
               192
                    Iota, Kappa, varKappa, Lambda, Mu, Nu, Xi, Omicron, Pi, varPi, Rho, varRho, Sigma, %
                    varSigma,Tau,Upsilon,Phi,varPhi,Chi,Psi,Omega}}
\seqofgrklet Sequence of Greek letters: \seqofgrklet\{\langle A \rangle\}\{\langle B \rangle\} ... to do!
               194 \newcommand{\seqofgrklet}[2]
                    \label{lower} $$\{ \simeq fgrklow{#1}{#2}\simeq fgrkupp{#1}{#2} \}$
               Sequence of lowercase letters: \seqoflow{\langle A \rangle}{\langle B \rangle} ... to do!
               197 \newcommand{\seqoflow}[2]
                   {\seqoflatlow{#1}{#2}\seqofgrklow{#1}{#2}}
              Sequence of uppercase letters: \seqofupp{\langle A \rangle}{\langle B \rangle} ... to do!
   \seqofupp
               199 \newcommand{\seqofupp}[2]
                   {\seqoflatupp{#1}{#2}\seqofgrkupp{#1}{#2}}
   \seqoflet Sequence of all letters: \seqoflet\{\langle A \rangle\}\{\langle B \rangle\} ... to do!
               201 \newcommand{\seqoflet}[2]
                   {\seqoflow{#1}{#2}\seqofupp{#1}{#2}}
```

```
207 \ifaux@
208
209 \ightharpoonup 209 \ightharpoonup 209 \ightharpoonup 209 \grapher 209 \graphe
210 % AMS Packages
            \RequirePackage{mathtools}
             \RequirePackage{amssymb}
            \RequirePackage{stmaryrd}
         \interdisplaylinepenalty=2500
215\fi
216
217 \ifamsthm@
218 % AMS Theorem Tools
219
           \RequirePackage{amsthm}
220 \fi
221
222 \ifthmtls@
223 % Extended Theorem Tools
             \RequirePackage{thmtools, thm-restate}
225 \fi
226
227 \ifenmtls@
228 % Enumeration Tools
           \RequirePackage{paralist}
230 \fi
231
232 \ifhypref@
233 % Hyper References
             \RequirePackage{hyperref}
             \hypersetup {
                                                      = {},
236
                 pdfsubject
                 pdfkeywords
                                                   = {},
237
                 pdfproducer = {},
238
                  pdfcreator
                                                     = {},
239
                  pdfpagemode = {UseNone},
240
                  pdfstartview = {FitH},
241
242
                 urlcolor
                                                     = {blue},
243
                  colorlinks
244 }
245 \fi
246
247 \iffnttls@
248 % Font Tools
249 \RequirePackage[final]{microtype}
250\fi
251
252 \ifcrv@
253 % Camera-Ready Version
254
255
            %%...
257 \ensuremath{\setminus} else
           % Draft Version
258
259
            %%...
260
261
262
             \ifchgbar@
263
                  % Change Bars
                   \RequirePackage{changebar}
264
265
266
```

```
\iflinnum@
                    267
                               % Line Numbers
                    268
                    269
                               \if@twocolumn
                                  \RequirePackage[switch, columnwise, mathlines]{lineno}\linenumbers
                    270
                    271
                                   \RequirePackage[columnwise, mathlines]{lineno}\linenumbers
                    272
                               \fi
                    273
                            \fi
                    274
                    275
                    276
                            %%...
                    278 \fi
                    279
                    280 \fi
                    \mathbbo Bbo Math Font: ... to do!
                    \matheus Eus Math Font: ... to do!
                    286 \left\{ \mathbb{U}_{matheus} \right\} \\
   \mathpzc Pzc Math Font: ... to do!
                    287 \left( \mathbf{T1}_{pzc}_{m}_{it} \right)
   \mathscr Scr Math Font: ... to do!
                    288 \left\{ \mathbf{Mathscr} {} \right\} \\
                    \newtxt ... to do!
                        • \mbox{\ensuremath{\text{Name}}[sub][sup][Ext]} = \mbox{\ensuremath{\text{Name}}} \mbox{\ensuremath{\text{Ext}}}"
                        • \newtxt[\sffamily]{Name}[sub][sup][Ext] = "Name_sup Ext"
                        • \newtxt[\ttfamily]{Name}[sub][sup][Ext] = "Name_sub_Ext"
                         \bullet \mathtt{\t Name}^{\sup}_{\mathrm{sub}}[\mathtt{Ext}] = \mathtt{\t Name}^{\sup}_{\mathrm{sub}} \mathtt{Ext}" 
                        • \newtxt*[\sffamily]{Name}[sub][sup][Ext] = "Name_sub_Ext"
                        293 \newcommand{\newtxt}
                          {\@ifstar{\@snewtxt}{\@newtxt}}
                    295 \newcommandx{\@newtxt}[5][1=, 3=, 4=, 5=]
                           {\text{#1#2\txtsubsup[#1]{#3}{#4}#5}\xspace}
                    297 \newcommandx{\@snewtxt}[5][1=, 3=, 4=, 5=]
                          {#1#2\txtsubsup[#1]{#3}{#4}#5\normalfont\xspace}
\newtxtsty ... to do!
                        \bullet \ \texttt{Name} \ \texttt{[sub]} \ \texttt{[sup]} \ \texttt{[Ext]} = "Name \ \texttt{sup} \ \texttt{Ext}"
                        • \newtxtsty{\rmfamily}[\sffamily]{Name}[sub][sup][Ext] = "Name_sup_Ext"
                         \bullet \verb| \newtxtsty{\mfamily}[\ttfamily]{Name}[sub][sup][Ext] = "Name_{sub}^{sup}Ext" \\
                        • \mbox{\mbox{$Name}_{sub}[Sub][Ext] = "Name_{sub}^{sup}Ext"} = "Name_{sub}^{sup}Ext"}
                        • \newtxtsty*{\rmfamily}[\sffamily]{Name}[sub][sup][Ext] = "Name_sub_Ext"
                        • \mbox{\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$\mbox{$}\mbox{$}\mbox{$\mbox{$}\mbox{$}\mbox{$}\mbox{$\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{$}\mbox{
```

```
299 \newcommand{\newtxtsty}
                                                                            300 {\@ifstar{\@snewtxtsty}{\@newtxtsty}}
                                                                            301 \newcommandx{\@newtxtsty}[2][2=]
                                                                           302 {\newtxt[\defval{#2}{#1}]}
                                                                           303 \newcommandx{\@snewtxtsty}[2][2=]
                                                                           304 {\newtxt*[\defval{#2}{#1}]}
                  \newtxtarg ... to do!
                                                                                      \bullet \ \texttt{Name}_{sub}^{sup}[\texttt{Ext1}] \ \texttt{Arg}[\texttt{Ext2}] = \texttt{``Name}_{sub}^{sup} \texttt{Ext1}(\texttt{Arg}) \texttt{Ext2}''
                                                                                       • \newtxtarg[\sffamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name_sub_Ext1(Arg)Ext2"
                                                                                       \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \
                                                                                        \bullet \texttt{ \newtxtarg*[\nmfamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name^{\sup}_{\sup} Ext1(Arg) Ext2" } 
                                                                                       • \newtxtarg*[\sffamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name_sub_Ext1(Arg)Ext2"
                                                                                       \bullet \mathtt{Name}^{\sup}_{\mathrm{Sub}}[\mathrm{Sub}][\mathrm{Ext1}] \\ \{\mathrm{Arg}^{\max}_{\mathrm{Sub}}] \\ = \mathtt{Name}^{\sup}_{\mathrm{Sub}} \\ \mathrm{Ext1}(\mathrm{Arg}) \\ \mathrm{Ext2} \\ = \mathtt{Ext1}(\mathrm{Arg}) \\ \mathrm{Ext2} \\ = \mathtt{Ext2}(\mathrm{Ext2}) \\ = \mathtt{Ext1}(\mathrm{Ext2}) \\ = \mathtt{Ext2}(\mathrm{Ext2}) \\ = \mathtt{Ext1}(\mathrm{Ext2}) \\ = \mathtt{Ext2}(\mathrm{Ext2}) 
                                                                            305 \newcommand{\newtxtarg}
                                                                                             {\@ifstar{\@snewtxtarg}{\@newtxtarg}}
                                                                            307 \newcommandx{\@newtxtarg}[7][1=, 3=, 4=, 5=, 7=]
                                                                            308 {\newtxt[#1]{#2}[#3][#4][\argmid{#5(}{#6}{)#7}]}
                                                                            309 \newcommandx{\@snewtxtarg}[7][1=, 3=, 4=, 5=, 7=]
                                                                           310 {\newtxt*[#1]{#2}[#3][#4][\argmid{#5(}{#6}{)#7}]}
     \newtxtargsty ... to do!
                                                                                       \bullet \mathtt{Name}^{\sup}_{\sup} [\mathtt{Ext1}] \{\mathtt{Arg}\} [\mathtt{Ext2}] = \mathtt{``Name}^{\sup}_{\sup} [\mathtt{Ext1}] \{\mathtt{Arg}\} [\mathtt{Ext2}] = \mathtt{``Name}^{\sup}_{\sup} [\mathtt{Ext1}] (\mathtt{Arg}) [\mathtt{Ext2}] = \mathtt{``Name}^{\sup}_{\sup} [\mathtt{Ex
                                                                                       • \newtxtargsty{\rmfamily}[\sffamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name*ub Ext1(Arg)Ext2"
                                                                                       \bullet \texttt{ \newtxtargsty{\nmfamily}[\nme][sub][sub][sup][Ext1]{Arg}[Ext2] = \texttt{``Name}^{sup}_{sub} \texttt{Ext1(Arg)Ext2''} } \\
                                                                                        \bullet \texttt{ \newtxtargsty*{\nmfamily}{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name^{\sup}_{\sup} Ext1(Arg) Ext2" } 
                                                                                        \bullet \texttt{\newtxtargsty*{\normaliv}[\sffamily]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name^{sup}_{sub}Ext1(Arg)Ext2" } \\
                                                                                       • \newtxtargsty*{\rmfamily}[\ttfamily]{\Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name_sup}Ext1(Arg)Ext2"
                                                                           311 \newcommand{\newtxtargsty}
                                                                           312 {\@ifstar{\@snewtxtargsty}{\@newtxtargsty}}
                                                                            313 \newcommandx{\@newtxtargsty}[2][2=]
                                                                                             {\newtxtarg[\defval{#2}{#1}]}
                                                                            315 \newcommandx{\@snewtxtargsty}[2][2=]
                                                                                              {\newtxtarg*[\defval{#2}{#1}]}
             \newtxtoarg ... to do!
                                                                                      • \newtxtoarg[\rmfamily]{Name}[sub][sup][Arg] = "Name_{sub}^{sup}(Arg)"
                                                                                       • \newtxtoarg[\sffamily]{Name}[sub][sup][Arg] = "Name_sup(Arg)"
                                                                                       • \newtxtoarg[\ttfamily]{Name}[sub][sup][Arg] = "Name_sub_(Arg)"
                                                                                       • \newtxtoarg*[\mbox{\sc Name}] {\newtxtoarg*[\mbox{\sc Name}] [\mbox{\sc Sup}] [\mbox{\sc Arg}]} = \norm{\sc Name} {\norm{\sc Name} \norm{\sc Sup} \norm{\sc Name} (\mbox{\sc Arg})}
                                                                                       • \newtxtoarg*[\sffamily]{Name}[sub][sup][Arg] = "Name_sub_(Arg)"
                                                                                       • \newtxtoarg*[\ttfamily]{Name}[sub][sup][Arg] = "Name_sub_(Arg)"
                                                                           317 \newcommand{\newtxtoarg}
                                                                           318 {\@ifstar{\@snewtxtoarg}{\@newtxtoarg}}
                                                                            319 \newcommandx{\Onewtxtoarg}[5][1=, 3=, 4=, 5=]
                                                                            320 {\newtxtarg[#1]{#2}[#3][#4][]{#5}[]}
                                                                           321 \newcommandx{\@snewtxtoarg}[5][1=, 3=, 4=, 5=]
                                                                                                 {\newtxtarg*[#1]{#2}[#3][#4][]{#5}[]}
\newtxtoargsty ... to do!
                                                                                      • \mbox{\ensuremath{\mbox{Name}}[sub][sup][Arg] = "Name}_{sub}^{sup}(Arg)"}
                                                                                      • \newtxtoargsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Arg] = "Name_sub_(Arg)"
                                                                                       \bullet \ \texttt{\normalights} \ [sub] \ [sup] \ [Arg] = "Name^{\sup}_{sub} (Arg)"
                                                                                       • \newtxtoargsty*{\rmfamily}[\sffamily]{Name}[sub][sup][Arg] = "Name_sub_(Arg)"
```

```
• \new txtoargsty*{\mbox{\lambda}[\ttfamily]{Name}[sub][sup][Arg] = "Name_{sub}^{sup}(Arg)"}
                                                  323 \newcommand{\newtxtoargsty}
                                                  324 {\@ifstar{\@snewtxtoargsty}{\@newtxtoargsty}}
                                                  325 \newcommandx{\@newtxtoargsty}[2][2=]
                                                  326 {\newtxtoarg[\defval{#2}{#1}]}
                                                  327 \newcommandx{\@snewtxtoargsty}[2][2=]
                                                  328 {\newtxtoarg*[\defval{#2}{#1}]}
           \newtxtpar ... to do!
                                                          \bullet \texttt{ \newtxtpar[\nmfamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name^{\sup}_{sub}Ext1[Par]Ext2" } 
                                                         • \newtxtpar[\sffamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name_sub_Ext1[Par]Ext2"
                                                         • \newtxtpar[\ttfamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name_sup_Ext1[Par]Ext2"
                                                          \bullet \texttt{\newtxtpar*[\nmfamily]{Name}[sub][sup][Ext1]{Par}[Ext2]} = "Name^{\sup}_{\sup} Ext1[Par] Ext2" 
                                                         • \newtxtpar*[\sffamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name_sub_Ext1[Par]Ext2"
                                                         • \newtxtpar*[\ttfamily]{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name sup Ext1[Par]Ext2"
                                                  329 \newcommand{\newtxtpar}
                                                  330 {\@ifstar{\@snewtxtpar}{\@newtxtpar}}
                                                  331 \newcommandx{\@newtxtpar}[7][1=, 3=, 4=, 5=, 7=]
                                                  332 {\newtxt[#1]{#2}[#3][#4][\argmid{#5[}{#6}{]#7}]}
                                                  333 \newcommandx{\@snewtxtpar}[7][1=, 3=, 4=, 5=, 7=]
                                                  334 {\newtxt*[#1]{#2}[#3][#4][\argmid{#5[}{#6}{]#7}]}
  \newtxtparsty ... to do!
                                                          \bullet \texttt{ \newtxtparsty{\nmfamily}{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name^{\sup}_{sub} Ext1[Par] Ext2" } 
                                                         • \newtxtparsty{\rmfamily}[\sffamily]{\Name}[sub][sup][Ext1]{\Par}[Ext2] = "Name*sub*Ext1[Par]Ext2"
                                                         • \newtxtparsty{\rmfamily}[\ttfamily]{\Name}[sub][sup][Ext1]{\Par}[Ext2] = "Name_sub_Ext1[Par]Ext2"
                                                         • \mbox{\newtxtparsty*{\nmfamily}{Name}[sub][sup][Ext1]{Par}[Ext2] = \mbox{\newtxtparsty*{\nmfamily}{Ext1[Par]Ext2"}}
                                                         • \newtxtparsty*{\rmfamily}[\sffamily]{\Name}[sub][sup][Ext1]{\Par}[Ext2] = "\Name_sup_Ext1[\Par]Ext2"
                                                          \bullet \mathtt{Name}_{sub}^{sup}[\mathtt{Name}_{sub}^{sup}][\mathtt{Ext1}] \\ + \mathtt{Par}_{sub}^{sup}[\mathtt{Ext2}] \\ = \mathtt{Name}_{sub}^{sup}[\mathtt{Ext1}_{sub}^{sup}][\mathtt{Ext2}] \\ + \mathtt{Name}_{sub}^{sup}[\mathtt{Ext2}] \\ + \mathtt{Name}_{sub}^{sup}[\mathtt{Ext2}][\mathtt{Ext2}] \\ + \mathtt{Name}_{sub}^{sup}[\mathtt{Ext2}][\mathtt{Ext2}] \\ + \mathtt{Name}_{sub}^{sup}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}] \\ + \mathtt{Name}_{sub}^{sup}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}] \\ + \mathtt{Name}_{sub}^{sup}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}] \\ + \mathtt{Name}_{sub}^{sup}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}[\mathtt{Ext2}][\mathtt{Ext2}][\mathtt{Ext2}
                                                  335 \newcommand{\newtxtparsty}
                                                  336 {\@ifstar{\@snewtxtparsty}{\@newtxtparsty}}
                                                  337 \newcommandx{\@newtxtparsty}[2][2=]
                                                  338 {\text{wetxtpar}[\defval{#2}{#1}]}
                                                  339 \newcommandx{\@snewtxtparsty}[2][2=]
                                                 340 {\newtxtpar*[\defval{#2}{#1}]}
         \newtxtopar ... to do!
                                                         • \mbox{\ensuremath{\texttt{Name}}[sub][sup][Par]} = \mbox{\ensuremath{\texttt{Name}}} \mbox{\ensuremath{\texttt{Sup}}[Par]}"
                                                         • \newtxtopar[\sffamily]{Name}[sub][sup][Par] = "Name_sub_[Par]"
                                                         \bullet \ \texttt{\ \ } [Sub] \ [sup] \ [Par] = "Name_{sub}^{sup} \ [Par]"
                                                         • \mbox{\ensuremath{\texttt{Name}}[sub][sup][Par]} = \mbox{\ensuremath{\texttt{Name}}} \mbox{\ensuremath{\texttt{Sup}}[Par]}"
                                                         \bullet \ \texttt{\newtxtopar*[\normalfootnote{Annelson}[Sub][Sub][Par]} = \texttt{\normalfootnote{Annelson}[Par]}"
                                                         • \mbox{\tabular} {\rm Name} [sub] [sup] [Par] = "Name_{sub}^{sup} [Par]"
                                                  341 \newcommand{\newtxtopar}
                                                  342 {\@ifstar{\@snewtxtopar}{\@newtxtopar}}
                                                  343 \newcommandx{\@newtxtopar}[5][1=, 3=, 4=, 5=]
                                                  344 {\newtxtpar[#1]{#2}[#3][#4][]{#5}[]}
                                                  345 \newcommandx{\constraint}[5][1=, 3=, 4=, 5=]
                                                 346 {\newtxtpar*[#1]{#2}[#3][#4][]{#5}[]}
\newtxtoparsty ... to do!
                                                         \bullet \ \texttt{\newtxtoparsty}\{\texttt{\normaliy}}\{\texttt{\normaliy}}\{\texttt{\normaliy}}[\texttt{\normalize}] = \texttt{\normalize}[\texttt{\normalize}]
                                                         • \newtxtoparsty{\rmfamily}[\sffamily]{Name}[sub][sup][Par] = "Name_sub[Par]"
                                                         • \newtxtoparsty{\rmfamily}[\ttfamily]{Name}[sub][sup][Par] = "Name_sub_[Par]"
                                                         • \mbox{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\newtxtoparsty*{\new
```

```
 \bullet \verb| \newtxtoparsty*{\mbox{\newtxtoparsty}[\sdfamily]{\mbox{\newtxtoparsty}[\par] = "Name}_{sub}^{sup}[\par]" } 
                 • \newtxtoparsty*{\rmfamily}[\ttfamily]{Name}[sub][sup][Par] = "Name_sup_[Par]"
              347 \newcommand{\newtxtoparsty}
              348 {\@ifstar{\@snewtxtoparsty}{\@newtxtoparsty}}
              349 \newcommandx{\@newtxtoparsty}[2][2=]
              350 {\newtxtopar[\defval{#2}{#1}]}
              351 \newcommandx{\@snewtxtoparsty}[2][2=]
                   {\newtxtopar*[\defval{#2}{#1}]}
\txtsubsup ... to do!
                 • \txtsubsup[\sffamily]{Aa}{Bb} = "Bb" Aa
                 • \txtsubsup[\ttfamily]{Aa}{Bb} = ^{\text{"Bb"}}_{Aa}
              353 \newcommand{\txtsubsup}[3][]
                   {\ensuremath{\empchk{\#2}_{_{\text{text}{\#1}\#2}}}\empchk{\#3}{^{\text{text}{\#1}\#3}}}}
       \txt ... to do!
                 • \text{txt{Name}}[\text{sub}][\text{sup}][\text{Ext}] = \text{"Name}_{\text{sub}}^{\text{sup}}\text{Ext"}
                 • \text{txt[\scshape]{Name}[sub][sup][Ext]} = \text{"Name}_{\text{SUB}}^{\text{SUP}} \text{Ext"}
                 • \txt[\bfseries]{Name}[sub][sup][Ext] = "Name_sup_Ext"
                 • \txt*{Name}[sub][sup][Ext] = "Name_sub_Ext"
                 • \text{txt*[\scshape]} \{\text{Name}\} [\text{sub}] [\text{Ext}] = \text{"Name}_{\text{SUB}}^{\text{SUP}} Ext"
                 • \txt*[\bfseries]{Name}[sub][sup][Ext] = "Name_sub_Ext"
              356 \newcommand{\txt}
                    {\@ifstar{\newtxtsty*{\txtsty}}{\newtxtsty{\txtsty}}}
   \txtarg ... to do!
                 • \text{txtarg{Name}}[\text{sub}][\text{sup}][\text{Ext1}]{\text{Arg}}[\text{Ext2}] = \text{"Name}_{\text{sub}}^{\text{sup}}\text{Ext1}(\text{Arg})\text{Ext2}"
                 • \txtarg[\schape]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "Name_{SUB}^{SUP}Ext1(Arg)Ext2"
                 • \text{txtarg*{Name}[sub][sup][Ext1]{Arg}[Ext2]} = \text{"Name}_{\text{sub}}^{\text{sup}}\text{Ext1(Arg)Ext2"}
                 • \txtarg*[\scshape]{Name}[sub][sup][Ext1]{Arg}[Ext2] = "NAMESUBEXT1(ARG)EXT2"
                 • \txtarg*[\bfseries] {Name} [sub] [sup] [Ext1] {Arg} [Ext2] = "Name sub Ext1(Arg) Ext2"
              358 \newcommand{\txtarg}
                   {\@ifstar{\newtxtargsty*{\txtsty}}{\newtxtargsty{\txtsty}}}
  \txtoarg ... to do!
                 • \txtoarg{Name}[sub][sup][Arg] = "Name<sub>sub</sub>(Arg)"
                 • \txtoarg[\scshape]{Name}[sub][sup][Arg] = "NAME_SUB(ARG)"
                 • \t = \t Name [Name] [Sub] [Sup] [Arg] = "Name <math>\t = \t Name [Arg]"
                 • \txtoarg*{Name}[sub][sup][Arg] = "Name<sup>sup</sup><sub>sub</sub>(Arg)"
                 • \txtoarg*[\scshape]{Name}[sub][sup][Arg] = "NAME_SUB(ARG)"
                 • \txtoarg*[\bfseries]{Name}[sub][sup][Arg] = "Name^{sup}_{sub}(Arg)"
              360 \newcommand{\txtoarg}
                   {\@ifstar{\newtxtoargsty*{\txtsty}}{\newtxtoargsty{\txtsty}}}
   \txtpar ... to do!
                 • \txtpar{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name_sub_Ext1[Par]Ext2"
                 • \txtpar[\scshape] {Name} [sub] [sup] [Ext1] {Par} [Ext2] = "NAME_SUP_EXT1 [PAR] EXT2"
                 • \txtpar[\bfseries] {Name} [sub] [sub] [Ext1] {Par} [Ext2] = "Name_sub_Ext1[Par]Ext2"
                 • \txtpar*{Name}[sub][sup][Ext1]{Par}[Ext2] = "Name_{\text{sub}}^{\text{sup}}Ext1[Par]Ext2"
```

• \txtpar\*[\scshape]{Name}[sub][sup][Ext1]{Par}[Ext2] = "NAME\_SUP EXT1[PAR]EXT2"

```
362 \newcommand{\txtpar}
                                                   363 {\@ifstar{\newtxtparsty*{\txtsty}}{\newtxtparsty{\txtsty}}}
          \txtopar ... to do!
                                                            • \text{txtopar{Name}[sub][sup][Par]} = \text{"Name}_{\text{sub}}^{\text{sup}}[Par]"
                                                            • \txtopar[\scshape]{Name}[sub][sup][Par] = "NAME_SUB[PAR]"
                                                             • \t vopar[\b series] {Name} [sub] [sup] [Par] = "Name _{sub}^{sup} [Par]"
                                                             • \text{txtopar}*{\text{Name}}[\text{sub}][\text{sup}][\text{Par}] = \text{"Name}_{\text{sub}}^{\text{sup}}[\text{Par}]"
                                                            • \txtopar*[\scshape]{Name}[sub][sup][Par] = "NAME_SUB[PAR]"
                                                             • \text{txtopar*[\bfseries]}\{\text{Name}\}[\text{sub}][\text{sup}][\text{Par}] = \text{"Name}_{\text{sub}}^{\text{sup}}[\text{Par}]"
                                                    364 \newcommand{\txtopar}
                                                                   {\@ifstar{\newtxtoparsty*{\txtsty}}{\newtxtoparsty{\txtsty}}}
              \txtsty ... to do!
                                                   366 \newcommand{\txtsty}
                                                                   {\mdseries\upshape\rmfamily}
                                                   \cmdtxt ... to do!
                                                             • \cmdtxt{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                                                                    \verb|\txtNewCmd*{Name}|[sub][sup][Ext]| = \verb|\txtNewCmd*{Sup}|[sup]|[Ext]| = \verb|\txtNewCmd*{Sup}|[sup]|[Ext]| = \verb|\txtNewCmd*{Sup}|[sup]|[sup]|[ext]| = \verb|\txtNewCmd*{Sup}|[sup]|[sup]|[ext]| = \verb|\txtNewCmd*{Sup}|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[sup]|[s
                                                    369 \newcommand{\cmdtxt}[1]
                                                                    {\csdef{txt#1}%
                                                    370
                                                   371
                                                                               {\@ifstar%
                                                                                       {\newtxtsty*{\csname txtsty#1\endcsname}}%
                                                    372
                                                   373
                                                                                       {\newtxtsty{\csname txtsty#1\endcsname}}}}
   \cmdtxtarg ... to do!
                                                             • \cmdtxtarg{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                                                                    \verb|\txtargNewCmd{Name}[sub][sup][Ext1]{Arg}[Ext2] = \verb|\NAME|_{SUB}^{SUB}Ext1(Arg)Ext2|
                                                                   \verb|\txtargNewCmd*{Name}| [sub] [sup] [Ext1] {Arg} [Ext2] = \verb|\txtargNewEmd*{Name}| 
                                                    374 \newcommand{\cmdtxtarg}[1]
                                                                   {\csdef{txtarg#1}%
                                                                               {\@ifstar%
                                                   376
                                                   377
                                                                                       {\newtxtargsty*{\csname txtsty#1\endcsname}}%
                                                   378
                                                                                       {\newtxtargsty{\csname txtsty#1\endcsname}}}}
\cmdtxtoarg ... to do!
                                                             \cmdtxtoarg{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                                                                    \verb|\txtoargNewCmd{Name}[sub][sup][Arg] = \verb|\Name|_{SUB}^{SUP}(Arg)
                                                                    \t \ [sub] [sup] [Arg] = NAME_SUB (ARG)
                                                   379 \newcommand{\cmdtxtoarg}[1]
                                                                   {\csdef{txtoarg#1}%
                                                                               {\@ifstar%
                                                    381
                                                                                       {\newtxtoargsty*{\csname txtsty#1\endcsname}}%
                                                   382
                                                                                      {\newtxtoargsty{\csname txtsty#1\endcsname}}}}
                                                   383
   \cmdtxtpar ... to do!
                                                             • \cmdtxtpar{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                                                                    \verb|\txtparNewCmd*{Name}| [sub] [sup] [Ext1] {Par} [Ext2] = \verb|\txtparNewEsub| [sub] [sup] [Ext1] {Par} [Ext2] = \verb|\txtparNewEsub| [sub] [s
                                                    384 \newcommand{\cmdtxtpar}[1]
                                                                       {\csdef{txtpar#1}%
                                                    385
                                                                               {\@ifstar%
                                                    386
                                                                                       {\newtxtparsty*{\csname txtsty#1\endcsname}}%
                                                    387
                                                    388
                                                                                       {\newtxtparsty{\csname txtsty#1\endcsname}}}}
```

```
\cmdtxtopar ... to do!
              • \cmdtxtopar{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
                \text{txtoparNewCmd}\{\text{Name}\}[\text{sub}][\text{sup}][\text{Par}] = \text{Name}_{\text{SUB}}^{\text{SUP}}[\text{Par}]
                \t \sum_{SUP} [Sup] [Par] = NAME_{SUB}^{SUP} [PAR]
            389 \newcommand{\cmdtxtopar}[1]
                {\csdef{txtopar#1}%
            390
                  {\@ifstar%
            391
            392
                    {\newtxtoparsty*{\csname txtsty#1\endcsname}}%
            393
                    {\newtxtoparsty{\csname txtsty#1\endcsname}}}}
\cmdtxtall ... to do!
              • \cmdtxtall{NewCmd}; \newcommand{txtstyNewCmd}{\scshape\ttfamily};
               \verb|\txtNewCmd{Name}[sub][sup][Ext] = \verb|\Name|^{SUP}_{SUB}Ext|
               \texttt{\txtargNewCmd}\{\texttt{Name}\}[\texttt{sub}][\texttt{sup}][\texttt{Ext1}]\{\texttt{Arg}\}[\texttt{Ext2}] = \texttt{Name}^{\texttt{SUP}}_{\texttt{SUB}}\texttt{Ext1}(\texttt{Arg})\texttt{Ext2}
                \verb|\txtoargNewCmd{Name}[sub][sup][Arg] = \verb|\Name|_{SUB}^{SUP}(Arg)
                \verb|\txtoparNewCmd{Name}[sub][sup][Par] = \verb|\Name|_{SUB}^{SUP}[Par]|
            394 \newcommand{\cmdtxtall}[1]
                {\cmdtxt{#1}\cmdtxtarg{#1}\cmdtxtoarg{#1}\cmdtxtpar{#1}\cmdtxtopar{#1}}
            \usrtxt ... to do!
              • \usrtxt{cmdName}{Suf}{}:
               \c MameSuf = cmdName
                \c MameSuf* = cmdName
                \usrtxt{cmdName}{Suf}{arg};
                \cmdNameSuf{Arg} = cmdName(Arg)
                \cmdNameSuf*{Arg} = cmdName(Arg)
                \usrtxt{cmdName}{Suf}{par};
               \cmdNameSuf{Par} = cmdName[Par]
                \cmdNameSuf*{Par} = cmdName[Par]
              \usrtxt{cmdName}{Suf}{}[newName];
                \c Name Suf = new Name
                \cmdNameSuf* = newName
                \usrtxt{cmdName}{Suf}{arg}[newName];
                \cmdNameSuf{Arg} = newName(Arg)
                \c MameSuf*{Arg} = newName(Arg)
                \usrtxt{cmdName}{Suf}{par}[newName];
                \cmdNameSuf{Par} = newName[Par]
                \c MameSuf*{Par} = newName[Par]
            397 \newcommandx{\usrtxt}[4][4=]
            398
                {\csdef{#1#2}{%}}
            399
                  \@ifstar%
                    {\csname txt#3\endcsname*{\defval{#4}{#1}}}%
            400
                    {\csname txt#3\endcsname{\defval{#4}{#1}}}}
            401
            \newmth ... to do!
              • \newmth[mathsf] {Name} [sub] [sup] [Ext] = "Name_{sub}^{sup} Ext"
              • \newmth*[mathrm] {Name} [sub] [sup] [Ext] = "Name_{sub}^{sup}Ext"
              • \newmth*[mathtt] {Name} [sub] [sup] [Ext] = "Name_{sub}^{sup}Ext"
```

```
{\@ifstar{\@snewmth}{\@newmth}}
                                                                                                                                                                                               408 \newcommandx{\@newmth}[5][1=, 3=, 4=, 5=]
                                                                                                                                                                                               409 \qquad \{\texttt{\csname} \#1 \texttt{\csname} \#2\} \texttt{\mbox{\mbox{$\#4$}} \#5} \}
                                                                                                                                                                                               410 \newcommandx{\@snewmth}[5][1=, 3=, 4=, 5=]
                                                                                                                                                                                                                                         {\ensuremath{\csname#1\endcsname #2\mthsubsup{#3}{#4}#5}}
                                    \newmthsty ... to do!
                                                                                                                                                                                                                           • \newmthsty{mathrm}{Name}[sub][sup][Ext] = "Name_{sub}^{sup}Ext"
                                                                                                                                                                                                                             • \newmthsty{mathrm}[mathsf]{Name}[sub][sup][Ext] = "Name_{sub}^{sup}Ext"
                                                                                                                                                                                                                             • \newmthsty{mathrm} [mathtt] {Name} [sub] [sup] [Ext] = "Name_{sub}^{sup}Ext"
                                                                                                                                                                                                                             • \newmthsty*{mathrm} [mathsf] {Name} [sub] [sup] [Ext] = "Name_{sub}^{sup}Ext"
                                                                                                                                                                                                                              \bullet \ \texttt{\  \  } \\ \texttt{\  \  \  } \\ \texttt{\  \  } \\ \texttt{\  \  \  } \\ \texttt{\  \  \  } \\ \texttt{\  \  \  \  \ } \\ \texttt{\  \  \  \  } \\ \texttt{\  \  \  \  } \\ \texttt{\  \  \  \  } \\ \texttt{\  \  \  \  } \\ \texttt{\  \  \  \  } \\ \texttt{\  \  \  \  } \\ \texttt{\  \  \  \  \  } \\ \texttt{\  \  \  \  } \\ \texttt{\  \  \  \  \  } \\ \texttt{\  \  \  \  \  } \\ \texttt{\  \  \  \  } \\ \texttt{\  \  \  \  \  \  } \\ \texttt{\  \  \
                                                                                                                                                                                               412 \newcommand{\newmthsty}
                                                                                                                                                                                               413 {\@ifstar{\@snewmthsty}{\@newmthsty}}
                                                                                                                                                                                               414 \newcommandx{\@newmthsty}[2][2=]
                                                                                                                                                                                                415 {\newmth[\defval{#2}{#1}]}
                                                                                                                                                                                               416 \newcommandx{\@snewmthsty}[2][2=]
                                                                                                                                                                                               417 {\newmth*[\defval{#2}{#1}]}
                                    \newmtharg ... to do!
                                                                                                                                                                                                                           • \newmtharg[mathrm] {Name} [sub] [sup] [Ext1] {Arg^{Ex^{2}}} [Ext2] = "Name_{sub}^{sup} Ext1 (Arg^{Ex^{Ex}}) Ext2"
                                                                                                                                                                                                                            \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                                                                                                                                                                                            \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ 
                                                                                                                                                                                                                              \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ 
                                                                                                                                                                                                                              \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                                                                                                                                                                418 \newcommand{\newmtharg}
                                                                                                                                                                                                                                             {\@ifstar{\@snewmtharg}{\@newmtharg}}
                                                                                                                                                                                               420 \newcommandx{\Onewmtharg}[7][1=, 3=, 4=, 5=, 7=]
                                                                                                                                                                                                                                                            {\mathbb{41}}  [\argmid{#5\!\left(}{#6}{\right)\arglef{\!}{#7}}]}
                                                                                                                                                                                               422 \newcommandx{\@snewmtharg}[7][1=, 3=, 4=, 5=, 7=]
                                                                                                                                                                                                                                               {\newmth[#1]{#2}[#3][#4][\argmid{#5(}{#6}{)#7}]}
\newmthargsty ... to do!
                                                                                                                                                                                                                            \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ 
                                                                                                                                                                                                                            \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ 
                                                                                                                                                                                                                            \bullet \verb| \newmthargsty{mathrm}[mathtt]{Name}[sub][sup][Ext1]{Arg^{Ex^{}}}[Ext2] = "Name_{sub}^{sup}Ext1\Big(Arg^{Ex^{Ex}}\Big)Ext2" + (Arg^{Ex^{Ex}})[Ext2] + (Arg^{Ex})[Ext2] + (Arg^{Ex})[E
                                                                                                                                                                                                                              \bullet \texttt{\newmthargsty*\{mathrm\}\{Name\}[sub][sup][Ext1]\{Arg^{\{Ex^{\{Ex\}\}\}}[Ext2]} = "Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2" \} } \\
                                                                                                                                                                                                                              \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ 
                                                                                                                                                                                                                              \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                                                                                                                                                               424 \newcommand{\newmthargsty}
                                                                                                                                                                                               425 {\@ifstar{\@snewmthargsty}{\@newmthargsty}}
                                                                                                                                                                                               426 \newcommandx{\@newmthargsty}[2][2=]
                                                                                                                                                                                               427 {\newmtharg[\defval{#2}{#1}]}
                                                                                                                                                                                               428 \newcommandx{\@snewmthargsty}[2][2=]
                                                                                                                                                                                                                                                   {\newmtharg*[\defval{#2}{#1}]}
                         \newmthoarg ... to do!
                                                                                                                                                                                                                             • \newmthoarg[mathrm] {Name} [sub] [sup] [Arg^{Ex^{Ex}}] = "Name_{sub}^{sup} (Arg^{Ex^{Ex}})"
```

406 \newcommand{\newmth}

```
• \newmthoarg[mathsf]{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup}(Arg^{Ex^{Ex}})"
                                                                                                                                                                                                          \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                                                                                                                                                                                            \label{lem:lemmaths} $$\operatorname{Imathsf}_{\operatorname{Sub}}[\sup] [\operatorname{Arg}_{\operatorname{Ex}}] = \operatorname{Imame}_{\operatorname{sub}}^{\sup} (\operatorname{Arg}_{\operatorname{Ex}})" = \operatorname{Imame}_{\operatorname{Ex}}^{\sup} (\operatorname{Arg}_{\operatorname{Ex}})" 
                                                                                                                                                                                                         430 \newcommand{\newmthoarg}
                                                                                                                                                                                                                               {\@ifstar{\@snewmthoarg}{\@newmthoarg}}
                                                                                                                                                                              432 \newcommandx{\@newmthoarg}[5][1=, 3=, 4=, 5=]
                                                                                                                                                                                                                               {\newmtharg[#1]{#2}[#3][#4][]{#5}[]}
                                                                                                                                                                              434 \newcommandx{\@snewmthoarg}[5][1=, 3=, 4=, 5=]
                                                                                                                                                                                                                               {\newmtharg*[#1]{#2}[#3][#4][]{#5}[]}
\newmthoargsty ... to do!
                                                                                                                                                                                                         • \newmthoargsty{mathrm}{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup} (Arg^{Ex^{Ex}})"
                                                                                                                                                                                                          \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                                                                                                                                                                         \bullet \ \texttt{\  \  } [\texttt{mathtt}] \texttt{\  \  } [\texttt{Sub}] \texttt{\  \  } [\texttt{Ex}^{Ex}] = \texttt{\  \  } [\texttt{\  \  } ] = \texttt{\  \  } [\texttt{\  \  } ] 
                                                                                                                                                                                                         • \newmthoargsty*{mathrm}{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup}(Arg^{Ex^{Ex}})"
                                                                                                                                                                                                         \label{lem:lemm} $$\operatorname{mathrm}[\operatorname{mathtt}]_{\mathrm{Name}}[\sup] [\operatorname{Arg}^{\mathrm{Ex}^{\mathrm{Ex}}}] = \operatorname{"Name}_{\sup}^{\sup} (\operatorname{Arg}^{\operatorname{Ex}^{Ex}}) \operatorname{"Name}_{\sup}^{\operatorname{Ex}^{Ex}}) \operatorname{"Name}_{\sup}^{\operatorname{Ex}^{Ex}}) \operatorname{"Name}_{\sup}^{\operatorname{Ex}^{Ex}}) \operatorname{"Name}_{\sup}^{\operatorname{Ex}^{Ex}} (\operatorname{"Name}^{\operatorname{Ex}^{Ex}}) \operatorname{"Name}_{\sup}^{\operatorname{Ex}^{Ex}}) \operatorname{"Name}_{\sup}^{\operatorname{Ex}^{Ex}}) \operatorname{"Name}_{\sup}^{\operatorname{Ex}^{Ex}}) \operatorname{"Name}_{\sup}^{\operatorname{Ex}^{Ex}})
                                                                                                                                                                                436 \newcommand{\newmthoargsty}
                                                                                                                                                                                                                                      {\@ifstar{\@snewmthoargsty}{\@newmthoargsty}}
                                                                                                                                                                              438 \newcommandx{\@newmthoargsty}[2][2=]
                                                                                                                                                                                                                                    {\newmthoarg[\defval{#2}{#1}]}
                                                                                                                                                                              440 \newcommandx{\@snewmthoargsty}[2][2=]
                                                                                                                                                                                                                                    {\newmthoarg*[\defval{#2}{#1}]}
                                        \newmthpar ... to do!
                                                                                                                                                                                                         • \newmthpar[mathrm] {Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = "Name_{sub}^{sup} Ext1 | Par^{Ex^{Ex}}| Ext2"
                                                                                                                                                                                                          \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                                                                                                                                                                         \bullet \ \texttt{\newmthpar[mathtt]{Name}[sub][sub][Ext1]{Par^{Ex^*}[Ex^*]}} \ [\texttt{Ext2}] = \texttt{``Name}_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \texttt{'`Name}_{sub}^{sup} Ext2 \texttt{'`Name}_{sub}^{sub} Ext2 \texttt{'`Name}_{sub}^{sub} Ext2 \texttt{'`Name}_{sub}^{sub} Ext2 \texttt{'`Name}_{sub}^{sub} Ext2 \texttt{'`Name}_{sub}^{sub} Ext2 \texttt{'``Name}_{sub}^{sub} Ext2 \texttt{'``Name}_{sub}^{sub} Ext2 \texttt{'``Name}_{sub}^{sub} Ext2 \texttt{'``Name}_{sub}^{sub} Ext2 \texttt{'```Name}_{sub}^{sub} Ext2 \texttt{'```Name}_{sub}^{sub} Ext2 \texttt{'```Name}_{sub}^{sub} Ext2 \texttt{'```Name}_{sub}^{sub} Ext2 \texttt{'```Name}_{sub}^{sub} Ext2 \texttt{'```Name}_{sub}^{sub} Ext2 \texttt{'````Name}_{sub}^{sub} Ext2 \texttt{'````Name}_{sub}^{sub} E
                                                                                                                                                                                                         • \newmthpar*[mathrm] {Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = "Name _{sub}^{sup} Ext1[Par^{Ex^{Ex}}] Ext2"
                                                                                                                                                                                                          \bullet \texttt{\newmthpar*[mathsf]{Name}[sub][sup][Ext1]{Par^{Ex^{}}}} [Ext2] = \texttt{\normalfont{Name}} Ext1[Par^{Ex^{Ex}}] Ext2 \texttt{\normalfont{Name}} Ext1[Par^{Ex^{Ex}}] Ext2 \texttt{\normalfont{Name}} Ext2 \texttt{\normalf
                                                                                                                                                                                                         • \newmthpar*[mathtt]{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = "Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2"
                                                                                                                                                                              442 \newcommand{\newmthpar}
                                                                                                                                                                                                                                      {\@ifstar{\@snewmthpar}{\@newmthpar}}
                                                                                                                                                                              444 \newcommandx{\@newmthpar}[7][1=, 3=, 4=, 5=, 7=]
                                                                                                                                                                                                                                      {\newmth[#1]{#2}[#3][#4][\argmid{#5\!\left[}{#6}{\right]\arglef{\!}{#7}}]}
                                                                                                                                                                              446 \newcommandx{\@snewmthpar}[7][1=, 3=, 4=, 5=, 7=]
                                                                                                                                                                                                                                    {\newmth[#1]{#2}[#3][#4][\argmid{#5[}{#6}{]#7}]}
        \newmthparsty ... to do!
                                                                                                                                                                                                          \bullet \mathtt{Name}_{sub}^{sup}[\mathtt{Sub}][\mathtt{Sup}][\mathtt{Ext1}] \\ \{\mathtt{Par}^{\{\mathtt{Ex}^{\}}\}}[\mathtt{Ext2}] = \mathtt{``Name}_{sub}^{sup}Ext1 \\ \left[\mathtt{Par}^{\mathtt{Ex}^{Ex}}\right] \\ Ext2 \\ \mathtt{``Att2} \\ \mathtt{``Name}_{sub}^{sup}Ext1 \\ \mathtt{``Att2} \\ \mathtt{``Name}_{sub}^{sup}Ext1 \\ \mathtt{``Att2} \\ \mathtt{``Att2
                                                                                                                                                                                                         • \newmthparsty{mathrm}[mathsf]{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}][Ext2] = "Name _{sub}^{sup}Ext1|Par^{Ex^{Ex}}|Ext2"
                                                                                                                                                                                                        • \newmthparsty*{mathrm}{Name}[sub][sup] [Ext1]{Par^{Ex^{Ex}}}[Ext2] = "Name_{cub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2"
```

• \newmthparsty\*{mathrm} [mathsf] {Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = "Name  $_{sub}^{sup} Ext1 [Par^{Ex^{Ex}}] Ext2$ "
• \newmthparsty\*{mathrm} [mathtt] {Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = "Name  $_{sub}^{sup} Ext1 [Par^{Ex^{Ex}}] Ext2$ "

```
448 \newcommand{\newmthparsty}
                                                                                                {\@ifstar{\@snewmthparsty}{\@newmthparsty}}
                                                                               450 \newcommandx{\@newmthparsty}[2][2=]
                                                                                                 {\text{newmthpar}[\det \{\#2\}, \#1\}]}
                                                                               452 \newcommandx{\@snewmthparsty}[2][2=]
                                                                                                    {\newmthpar*[\defval{#2}{#1}]}
              \newmthopar ... to do!
                                                                                          • \newmthopar[mathrm] {Name} [sub] [sup] [Par^{Ex^{Ex}}] = "Name_{sub}^{sup} [Par^{Ex^{Ex}}]"
                                                                                           \bullet \ \texttt{\ \ } \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ } \ \texttt{\ \ \ } \ \texttt{\ \ } \ \texttt{\ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ } \ \texttt{\ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ } \ \texttt{\ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ }} \ \texttt{\ \ \ }} \ \texttt{\ \ \ } \ \texttt{\ \ }} \ \texttt{\ \ }} \ \texttt{\ \ }} \ \texttt{\ }} \ \texttt{\ \ } \texttt{\ \ }} \ \texttt{\ \ }
                                                                                          \verb|\newmthopar*[mathrm]{Name}[sub][sup][Par^{Ex^{*}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]" = "Name_{sub}^{sup}[Par^{Ex}]" = "N
                                                                                                    \label{lem:lemmathsf} $$\operatorname{Name}[\sup][\sup][\operatorname{Par}^{Ex^*}] = \operatorname{Name}^{\sup}_{\sup}[\operatorname{Par}^{Ex^{Ex}}]"$
                                                                                                   \label{lem:lemman} $$\operatorname{mathtt}_{\mathrm{Sub}}[\sup][\operatorname{Par}_{\mathrm{Ex}}^{\mathrm{Ex}}] = \operatorname{Name}_{\mathrm{Sub}}^{\sup}[\operatorname{Par}_{\mathrm{Ex}}^{\mathrm{Ex}}]"$
                                                                               454 \newcommand{\newmthopar}
                                                                                                       {\@ifstar{\@snewmthopar}{\@newmthopar}}
                                                                               456 \mbox{\ensuremath{\mbox{0newmthopar}}[5][1=, 3=, 4=, 5=]}
                                                                                                       {\newmthpar[#1]{#2}[#3][#4][]{#5}[]}
                                                                               458 \mbox{newcommandx} \{0 \mbox{snewmthopar} [5] [1=, 3=, 4=, 5=]
                                                                                                       {\newmthpar*[#1]{#2}[#3][#4][]{#5}[]}
\newmthoparsty ... to do!
                                                                                           • \newmthoparsty{mathrm}{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                                           \bullet \ \texttt{\ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ } \ \texttt{\ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ } \ \texttt{\ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ } \ \texttt{\ \ \ } \ \texttt{\ \ } \ \texttt{\ \ } \ \texttt{\ \ } \ \texttt{\ \ \ \ \ } \ \texttt{\ \ \ } \ \texttt{\ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ \ } \ \texttt{\ \ \ } \ \texttt{\ \ \
                                                                                          • \newmthoparsty*{mathrm}{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                                            \bullet \verb| \newmthoparsty*{mathrm}[mathsf]{Name}[sub][sup][Par^{Ex^{Ex}}]] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]" 
                                                                                            \bullet \verb| \newmthoparsty*{mathrm}[mathtt]{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]" 
                                                                               460 \newcommand{\newmthoparsty}
                                                                                                  {\@ifstar{\@snewmthoparsty}{\@newmthoparsty}}
                                                                               462 \newcommandx{\@newmthoparsty}[2][2=]
                                                                                                     {\newmthopar[\defval{#2}{#1}]}
                                                                               464 \newcommandx{\@snewmthoparsty}[2][2=]
                                                                                                       {\newmthopar*[\defval{#2}{#1}]}
                  \mthsubsup ... to do!
                                                                               466 \newcommand{\mthsubsup}[2]
                                                                                                      {\empchk{#1}{_{#1}}\empchk{#2}{^{#2}}}
                                                                               \mth ... to do!
                                                                                          • \mathbb{Sup}[Sup][Ext] = "Name^{sup}_{sub}Ext"
                                                                                           • \mathbf{Name}_{sub}^{sup}[\mathbf{Ext}] = \mathbf{Name}_{sub}^{sup}Ext
                                                                                           • \mathcal{E}_{sub}[Sub][Sup][Ext] = \mathcal{E}_{sub}[Sub][Sup][Ext]
                                                                                           • \mth*{Name}[sub][sup][Ext] = "Name_{sub}^{sup}Ext"
                                                                                           • \mathfrak{m}th*[\mathtt{mathtt}]{\mathtt{Name}}[\mathtt{sub}][\mathtt{sup}][\mathtt{Ext}] = \mathtt{Name}^{sup}_{sub}Ext
                                                                               469 \newcommand{\mth}
                                                                                               {\@ifstar{\newmthsty*{\mthsty}}{\newmthsty{\mthsty}}}
                                 \mtharg ... to do!
```

```
• \mtharg[mathbf] {Name} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}}} [Ext2] = "Name_{sub}^{sup} Ext1 (Arg^{Ex^{Ex}}) Ext2"
                                                                                    • \mtharg[mathtt] {Name} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}}} [Ext2] = "Name_{sub}^{sup} Ext1 (Arg^{Ex^{Ex}}) Ext2"
                                                                                    • \mtharg*{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = "Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2"
                                                                                    \bullet \ \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \  } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\  }} \texttt{\ \ 
                                                                                    • \mtharg*[mathtt] {Name} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}}} [Ext2] = "Name _{sub}^{sup} Ext1(Arg^{Ex^{Ex}})Ext2"
                                                                    471 \newcommand{\mtharg}
                                                                                                {\@ifstar{\newmthargsty*{\mthsty}}{\newmthargsty{\mthsty}}}
\mthoarg ... to do!
                                                                                   • \mthoarg{Name} [sub] [sup] [Arg^{Ex^{Ex}}] = "Name_{sub}^{sup} (Arg^{Ex^{Ex}})"
                                                                                   • \mthoarg[mathbf] {Name} [sub] [sup] [Arg^{Ex^{Ex}}] = "Name_{sub}^{sup} (Arg^{Ex^{Ex}})"
                                                                                    • \mthoarg[mathtt]{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup}(Arg^{Ex^{Ex}})"
                                                                                    • \mthoarg*{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{cub}^{sup}(Arq^{Ex^{Ex}})"
                                                                                    • \mthoarg*[mathbf]{Name}[sub][sup][Arg^{Ex^{Ex}}] = "Name_{sub}^{sup}(Arg^{Ex^{Ex}})"
                                                                                    \bullet \  \, \texttt{\  \, } \texttt{\
                                                                   473 \newcommand{\mthoarg}
                                                                                                     {\@ifstar{\newmthoargsty*{\mthsty}}}{\newmthoargsty{\mthsty}}}
      \mthpar ... to do!
                                                                                   • \mthpar{Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = "Name_{sub}^{sup} Ext1 [Par^{Ex^{Ex}}] Ext2"
                                                                                    \bullet \texttt{ \normalfont{Mame}[sub][sub][Ext1]{Par^{Ex^{\{Ex\}}\}}[Ext2]} = "Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2" 
                                                                                    475 \newcommand{\mthpar}
                                                                                                  {\@ifstar{\newmthparsty*{\mthsty}}}{\newmthparsty{\mthsty}}}
\mthopar ... to do!
                                                                                   • \mthopar{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                                    • \mthopar[mathbf] {Name} [sub] [sup] [Par^{Ex^{Ex}}] = "Name_{sub}^{sup} | Par^{Ex^{Ex}}|"
                                                                                   \bullet \  \, \texttt{\bar{Ex^{Ex}}} = \texttt{\bar{Name}} \\ [sub] \\ [sub] \\ [par^{\{Ex^{\{Ex\}}\}}] = \texttt{\bar{Name}} \\ [sub] \\ [par^{Ex^{Ex}}] \\ [par^{Ex}] \\ [par^{Ex^{Ex}}] \\ [par^{Ex}] \\ [par^{Ex}
                                                                                    • \mthopar*{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                                    • \mthopar*[mathbf]{Name}[sub][sup][Par^{Ex^{Ex}}] = "Name_{sub}^{sup}[Par^{Ex^{Ex}}]"
                                                                                     \bullet \texttt{ \  \  } \texttt{ \  \  \  } \texttt{ \  \  \  } \texttt{ \  \  } 
                                                                    477 \newcommand{\mthopar}
                                                                                                    {\@ifstar{\newmthoparsty*{\mthsty}}}{\newmthoparsty{\mthsty}}}
      \mthsty ... to do!
                                                                   479 \newcommand{\mthsty}
                                                                   481 %%*****
      \cmdmth ... to do!
```

• \mtharg{Name} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}} [Ext2] = "Name\_{sub}^{sup} Ext1 (Arg^{Ex^{Ex}}) Ext2" = "Name\_{sub}^{sub} Ext1 (Arg^{Ex}) Ext2" = "Name\_{sub}^{sub} Ext1 (Arg^{Ex

```
• \cmdmth{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                                                                                       \mbox{\tt Name} [	ext{\tt Sub}] [	ext{\tt Sup}] [	ext{\tt Ext}] = \mbox{\tt Name}_{sub}^{sup} Ext
                                                                                                                                       \mbox{\tt mthNewCmd*{\tt Name}[sub][sup][Ext]} = \mbox{\tt Name}^{sup}_{sub}Ext
                                                                                                     482 \mbox{newcommand{\cmdmth}[1]}
                                                                                                                               {\csdef{mth#1}%
                                                                                                                                                            {\@ifstar{\newmthsty*{mthsty#1}}}{\newmthsty{mthsty#1}}}}
                                                                                                     484
     \cmdmtharg ... to do!
                                                                                                                       • \cmdmtharg{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                                                                                     \verb|\mathargNewCmd{Name}[sub][sup][Ext1]{Arg^{Ex^{*}}}[Ext2] = \verb|\mathargNewCmd{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = |\mathargNewCmd{Name}[sub][sup][ext1][ext1][ext2] = |\mathargNewCmd{Name}[sub][sup][ext1][ext2][ext2] = |\mathargNewCmd{Name}[sub][ext1][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ext2][ex
                                                                                                                                    \verb| That is a constant of the constant of the
                                                                                                      485 \newcommand{\cmdmtharg}[1]
                                                                                                                                           {\csdef{mtharg#1}%
                                                                                                                                                            {\@ifstar{\newmthargsty*{mthsty#1}}}{\newmthargsty{mthsty#1}}}
                                                                                                     487
\cmdmthoarg ... to do!
                                                                                                                       • \cmdmthoarg{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                                                                                    488 \newcommand{\cmdmthoarg}[1]
                                                                                                                                       {\csdef{mthoarg#1}%
                                                                                                     490
                                                                                                                                                            {\@ifstar{\newmthoargsty*{mthsty#1}}}{\newmthoargsty{mthsty#1}}}}
     \cmdmthpar ... to do!
                                                                                                                       • \cmdmthpar{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                                                                                    \verb| \mathbf{Name} [\mathbf{Sub}] [\mathbf{Sup}] [\mathbf{Ext1}] \{ \mathbf{Par}^{\{\mathbf{Ex}^{\}}\}} [\mathbf{Ext2}] = \mathbf{Name}_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \Big] = \mathbf{Name}_{sub}^{sup} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \Big] = \mathbf{Name}_{sub}^{sup} Ext1 \Big[ \mathbf{Par}^{(\mathbf{Ex}^{+})} (\mathbf{Par}^{(\mathbf{Ex}^{+})}) ] = \mathbf{Name}_{sub}^{sub} Ext1 \Big[ \mathbf{Par}^{
                                                                                                                                    \verb| mthparNewCmd*{Name}[sub][sup][Ext1]{Par^{Ex^{-}}{Ex}}] Ext2] = \verb| Name| sub| Ext1[Par^{Ex^{-}}] Ext2
                                                                                                     491 \newcommand{\cmdmthpar}[1]
                                                                                                                                    {\csdef{mthpar#1}%
                                                                                                                                                            {\tt \{\c ifstar{\new mthparsty*\{mthsty\#1\}}} {\tt \{\new mthparsty\{mthsty\#1\}\}}}
                                                                                                     493
\c to do!
                                                                                                                        • \cmdmthopar{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                                                                                    494 \newcommand{\cmdmthopar}[1]
                                                                                                                                         {\csdef{mthopar#1}%
                                                                                                                                                            {\@ifstar{\newmthoparsty*{mthsty#1}}}\newmthoparsty{mthsty#1}}}
                                                                                                     496
     \cmdmthall ... to do!
                                                                                                                        • \cmdmthall{NewCmd}; \newcommand{mthstyNewCmd}{\mathtt};
                                                                                                                                       \verb|\mbox| \verb| Sub| [sup] [Ext] = \verb|\mbox| \verb| Same | sub| |
                                                                                                                                    \mathsf{N} = 
                                                                                                                                    \verb| mthparNewCmd{Name}[sub][sup][Ext1]{Par^{Ex^{}}}[Ext2] = \verb| Name|^{sup}_{sub}Ext1 \Big| Par^{Ex^{Ex}} \Big| Ext2 \Big| Ext2 \Big| = ext2 \Big| Ex
                                                                                                                                    497 \newcommand{\cmdmthall}[1]
                                                                                                                                          {\cmdmth{#1}\cmdmtharg{#1}\cmdmthoarg{#1}\cmdmthpar{#1}\cmdmthopar{#1}}
```

```
\usrmth ... to do!
                                                                                                               • \usrmth{cmdName}{Suf}{};
                                                                                                                          \column{4}{c} 
                                                                                                                           \column{4}{c} {\tt mdNameSuf*} = cmdName
                                                                                                                           \usrmth{cmdName}{Suf}{arg};
                                                                                                                          \label{eq:cmdName} $$ \operatorname{Arg}^{Ex^{Ex}}$ = cmdName \Big(Arg^{Ex^{Ex}}\Big) $$
                                                                                                                          \verb|\cmdNameSuf*{Arg^{Ex^{Ex}}}| = cmdName(Arg^{Ex^{Ex}})|
                                                                                                                          \usrmth{cmdName}{Suf}{par};
                                                                                                                         \verb|\cmdNameSuf{Par^{Ex^{Ex}}}| = cmdName \Big[ Par^{Ex^{Ex}} \Big]
                                                                                                                          \verb|\cmdNameSuf*{Par^{Ex^{Ex}}}| = cmdName[Par^{Ex^{Ex}}]|
                                                                                                                 \usrmth{cmdName}{Suf}{}[newName];
                                                                                                                           \colonerright 
                                                                                                                           \c NameSuf* = newName
                                                                                                                          \usrmth{cmdName}{Suf}{arg}[newName];
                                                                                                                          \label{eq:cmdName} $$ \operatorname{Lex}{ = newName(Arg^{Ex^{Ex}}) } = newName(Arg^{Ex^{Ex}}) $$
                                                                                                                          \verb|\cmdNameSuf*{Arg^{Ex^{Ex}}}| = newName(Arg^{Ex^{Ex}})|
                                                                                                                          \usrmth{cmdName}{Suf}{par}[newName];
                                                                                                                          \verb|\cmdNameSuf{Par^{Ex^{Ex}}}| = newName \Big[ Par^{Ex^{Ex}} \Big]
                                                                                                                         \verb|\cmdNameSuf*{Par^{Ex^{Ex}}}| = newName[Par^{Ex^{Ex}}]|
                                                                                                 500 \newcommandx{\usrmth}[4][4=]
                                                                                                                             {\csdef{#1#2}{\%}}
                                                                                                 502
                                                                                                                                            \@ifstar%
                                                                                                                                                        {\csname mth#3\endcsname*{\defval{#4}{#1}}}%
                                                                                                503
                                                                                                                                                        {\c mth #3\end sname {\defval {#4}{#1}}}}
                                                                                                504
                                                                                                \usrmthlatlow ... to do!
                                                                                                506 \newcommandx{\usrmthlatlow}[4][4=]
                                                                                                                           {\usrmth{#1}{#2}{#3}[#4]\seqoflatlow{#1#2}{mth#3}}
\usrmthlatupp ... to do!
                                                                                                508 \newcommandx{\usrmthlatupp}[4][4=]
                                                                                                                         {\ \{\ x\} = \{
\usrmthlatlet ... to do!
                                                                                                510 \newcommandx{\usrmthlatlet}[4][4=]
                                                                                               511 {\usrmth{#1}{#2}{#3}[#4]\seqoflatlet{#1#2}{mth#3}}
\usrmthgrklow ... to do!
                                                                                                 512 \newcommandx{\usrmthgrklow}[4][4=]
                                                                                                                     {\usrmth{#1}{#2}{#3}[#4]\seqofgrklow{#1#2}{mth#3}}
\usrmthgrkupp ... to do!
                                                                                                514 \newcommandx{\usrmthgrkupp}[4][4=]
                                                                                                                       {\ \{\ x\} = \{
\usrmthgrklet ... to do!
                                                                                                516 \newcommandx{\usrmthgrklet}[4][4=]
                                                                                                                          {\usrmth{#1}{#2}{#3}[#4]\seqofgrklet{#1#2}{mth#3}}
                  \usrmthlow ... to do!
                                                                                               518 \newcommandx{\usrmthlow}[4][4=]
                                                                                                                             \usrmthupp ... to do!
                                                                                               520 \verb| newcommandx{\usrmthupp}[4][4=]
                                                                                                                       {\usrmth{#1}{#2}{#3}[#4]\seqofupp{#1#2}{mth#3}}
```

```
\usrmthlet ... to do!
                                522 \newcommandx{\usrmthlet}[4][4=]
                                523 {\usrmth{#1}{#2}{#3}[#4]\seqoflet{#1#2}{mth#3}}
                                528 \iftxtgen@
   \txtdef, ... to do!
                                     ullet \txtdef{Name}[sub][sup][Ext] = Name_{sub}^{sup}Ext
                                     ullet \txtargdef{Name}[sub][sup][Ext1]{Arg}[Ext2] = Name_{sub}^{sup}Ext1(Arg)Ext2
                                      \qquad \qquad \texttt{(Sub) [sup] [Ext1] \{Par\} [Ext2]} = Name_{sub}^{sup} Ext1[Par] Ext2 
                                 529 %% Style for Definitions
                                \cmdtxtdef ... to do!
                                     • \cmdtxtdef{cmdName};
                                        \colon colon col
                                     • \cmdtxtdef{cmdName}[newName];
                                        \verb|\cmdName[sub][sub][ext]| = newName_{sub}^{sub}ext
                                 531 \newcommandx{\cmdtxtdef}[2][2=]
                                532 {\usrtxt{#1}{}{def}[#2]}
 \cmdtxtargdef ... to do!
                                     • \cmdtxtargdef{cmdName};
                                        \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                                     • \cmdtxtargdef{cmdName}[newName];
                                        \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = newName_{sub}^{sub}ext1(arg)ext2
                                533 \newcommandx{\cmdtxtargdef}[2][2=]
                                534 {\usrtxt{#1}{}{argdef}[#2]}
\cmdtxtoargdef ... to do!
                                     \cmdtxtoargdef{cmdName};
                                        \colon = cmdName[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                                     • \cmdtxtoargdef{cmdName}[newName];
                                        \colon = [sub][sub][arg] = newName_{sub}^{sub}(arg)
                                 535 \newcommandx{\cmdtxtoargdef}[2][2=]
                                536 {\usrtxt{#1}{}{oargdef}[#2]}
 \cmdtxtpardef ... to do!
                                     • \cmdtxtpardef{cmdName};
                                        \verb|\cmdName[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2
                                     \cmdtxtpardef{cmdName}[newName];
                                        \verb|\cmdName[sub][sub][ext1][par][ext2] = newName_{sub}^{sub}ext1[par]ext2
                                 537 \newcommandx{\cmdtxtpardef}[2][2=]
                                        {\usrtxt{#1}{}{pardef}[#2]}
\cmdtxtopardef ... to do!
                                     \cmdtxtopardef{cmdName};
                                        \cmdName[sub][sub][par] = cmdName_{sub}^{sub}[par]
                                     \cmdtxtopardef{cmdName}[newName];
                                        \colon = newName[sub][sub][par] = newName_{sub}^{sub}[par]
                                539 \newcommandx{\cmdtxtopardef}[2][2=]
                                540 {\usrtxt{#1}{}{opardef}[#2]}
   \txtabr, ... to do!
```

```
ullet \txtabr{Name} [sub] [sup] [Ext] = Name_{
m sub}^{
m sup} Ext
                                         • \txtargabr{Name} [sub] [sup] [Ext1] {Arg} [Ext2] = Name_{\mathrm{sub}}^{\mathrm{sup}} Ext1(Arg) Ext2
                                         • \txtparabr{Name}[sub][sup][Ext1]\{Par\}[Ext2] = Name_{sub}^{sup}Ext1[Par]Ext2
                                    541 %% Style for Abbreviations
                                    542 \mbox{ \cmdtxtall{abr}\newcommand{\txtstyabr}{\cm}}
        \cmdtxtabr ... to do!
                                         • \cmdtxtabr{cmdName};
                                             \colon colon col
                                         \cmdtxtabr{cmdName} [newName];
                                             \verb|\cmdName[sub][sub][ext]| = newName_{\rm sub}^{\rm sub}ext
                                    543 \newcommandx{\cmdtxtabr}[2][2=]
                                    544 {\usrtxt{#1}{}{abr}[#2]}
  \cmdtxtargabr ... to do!
                                         • \cmdtxtargabr{cmdName};
                                             \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                                         • \cmdtxtargabr{cmdName}[newName];
                                             \cmdName[sub][sub][ext1]{arg}[ext2] = newName_{\text{sub}}^{\text{sub}}ext1(arg)ext2
                                    545 \mbox{\cmdtxtargabr}[2][2=]
                                   546 {\usrtxt{#1}{}{argabr}[#2]}
\cmdtxtoargabr ... to do!
                                         • \cmdtxtoargabr{cmdName};
                                             \colon dName[sub][sub][arg] = cmdName^{sub}_{sub}(arg)
                                         \cmdtxtoargabr{cmdName} [newName];
                                             \cmdName[sub][sub][arg] = newName_{sub}^{sub}(arg)
                                    547 \newcommandx{\cmdtxtoargabr}[2][2=]
                                   548 {\usrtxt{#1}{}{oargabr}[#2]}
  \cmdtxtparabr ... to do!
                                         \cmdtxtparabr{cmdName};
                                             \cmdName[sub][sub][ext1][par][ext2] = cmdName[sub]ext1[par]ext2
                                         • \cmdtxtparabr{cmdName}[newName];
                                             \colon dName[sub][sub][ext1][par][ext2] = newName_{sub}^{sub}ext1/par/ext2
                                    549 \newcommandx{\cmdtxtparabr}[2][2=]
                                    550 {\usrtxt{#1}{}{parabr}[#2]}
\cmdtxtoparabr ... to do!
                                         • \cmdtxtoparabr{cmdName};
                                             \cmdName[sub][sub][par] = cmdName_{sub}^{sub}/par
                                         • \cmdtxtoparabr{cmdName}[newName];
                                             \cmdName[sub][sub][par] = newName_{sub}^{sub}/par
                                    551 \newcommandx{\cmdtxtoparabr}[2][2=]
                                    552 {\usrtxt{#1}{}{oparabr}[#2]}
                                   \txtname, ... to do!
                                         • \text{txtname}\{\text{Name}\}[\text{sub}][\text{Ext}] = \text{Name}^{\text{SUP}}_{\text{SUB}}Ext
                                         • \txtargname{Name}[sub][sup][Ext1]{Arg}[Ext2] = Name_{SUB}^{SUP}Ext1(Arg)Ext2
                                          \qquad \qquad \text{$$ \text{txtparname}[Sub][sub][Ext1]$ [Par][Ext2] = NAME_{SUB}^{SUP}EXT1[PAR]EXT2$ } 
                                    554 %% Style for Names
                                    555 \cmdtxtall{name}\newcommand{\txtstyname}{\normalfont\mdseries\scshape\sffamily}
      \cmdtxtname ... to do!
```

```
\cmdtxtname{cmdName};
                                                                      \cmdName[sub][sub][ext] = CMDNAME_{SUB}^{SUB}EXT
                                                                  \cmdtxtname{cmdName}[newName];
                                                                      556 \newcommandx{\cmdtxtname}[2][2=]
                                                         557 {\usrtxt{#1}{}{name}[#2]}
   \cmdtxtargname ... to do!
                                                                 \cmdtxtargname{cmdName};
                                                                      \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = CMDNAME_{SUB}^{SUB}EXT1(ARG)EXT2
                                                                 • \cmdtxtargname{cmdName}[newName];
                                                                      558 \newcommandx{\cmdtxtargname}[2][2=]
                                                                     {\usrtxt{#1}{}{argname}[#2]}
                                                    ... to do!
\cmdtxtoargname
                                                                 • \cmdtxtoargname{cmdName};
                                                                       \colon = CMDNAME_{SUB}^{SUB}(ARG)
                                                                 • \cmdtxtoargname{cmdName}[newName];
                                                                      \colon 
                                                         560 \newcommandx{\cmdtxtoargname}[2][2=]
                                                                      {\usrtxt{#1}{}{oargname}[#2]}
   \cmdtxtparname ... to do!
                                                                 \cmdtxtparname{cmdName};
                                                                      \verb|\cmdName[sub][sub][ext1]{par}[ext2] = CMDNAME_{SUB}^{SUB}EXT1[PAR]EXT2|
                                                                 • \cmdtxtparname{cmdName}[newName];
                                                                      \verb|\cmdName[sub][sub][ext1]{par}[ext2] = \verb|\cmdName[sub][sub][ext1][PAR] = NEWNAME_{SUB}^{SUB} = NEWNAME_{SUB}^{SUB}^{SUB} = NEWNAME_{SUB}^{SUB} = NEWNAME_{SUB}^{SUB} = NEWNAME_{SUB}^{SUB} = NEWNAME_{SUB}^{SUB} = NEWNAME_{SUB}^{SUB} = NEWNAM
                                                         562 \newcommandx{\cmdtxtparname}[2][2=]
                                                                     {\usrtxt{#1}{}{parname}[#2]}
\cmdtxtoparname ... to do!
                                                                 \cmdtxtoparname{cmdName};
                                                                      \label{eq:cmdName} $$ \operatorname{[sub][par]} = \operatorname{CMDNAME}^{\operatorname{SUB}}_{\operatorname{SUB}}[\operatorname{PAR}] $$
                                                                 • \cmdtxtoparname{cmdName}[newName];
                                                                      \colon = NEWNAME_{SUB}^{SUB}[PAR]
                                                         564 \mbox{ } (2] [2=]
                                                        565 {\usrtxt{#1}{}{oparname}[#2]}
         \txtcom, ... to do!
                                                                 • \text{txtcom{Name}}[\text{sub}][\text{sup}][\text{Ext}] = \text{Name}_{\text{SUB}}^{\text{SUP}} \text{Ext}
                                                                 • \text{txtargcom{Name}[sub][sup][Ext1]{Arg}[Ext2]} = \text{Name}_{\text{Sub}}^{\text{SUP}} \text{Ext1}(\text{Arg}) \text{Ext2}
                                                                 • \txtparcom{Name}[sub][sup][Ext1]{Par}[Ext2] = NAME_SUB_EXT1[PAR]EXT2
                                                         566 %% Style for Complexities
                                                        567 \cmdtxtall{com}\newcommand{\txtstycom}{\normalfont\mbox{mdseries}\cshape\rmfamily}
                \cmdtxtcom ... to do!
                                                                 \cmdtxtcom{cmdName};
                                                                      \verb|\cmdName[sub][sub][ext]| = \texttt{CMDNAME}^{SUB}_{SUB} \texttt{EXT}
                                                                 • \cmdtxtcom{cmdName}[newName];
                                                                      568 \newcommandx{\cmdtxtcom}[2][2=]
                                                         569 {\usrtxt{#1}{}{com}[#2]}
      \cmdtxtargcom ... to do!
                                                                 \cmdtxtargcom{cmdName};
                                                                      \label{lem:cmdName} $$ \operatorname{[sub][sub][ext1]}_{arg}[ext2] = \operatorname{CMDNAME}_{SUB}^{SUB} \operatorname{EXT1}(\operatorname{ARG}) \operatorname{EXT2} $$
```

```
\cmdtxtargcom{cmdName} [newName];
                                            \verb|\cmdName[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName[sub][sub][ext1](ARG)EXT2|
                                   570 \newcommandx{\cmdtxtargcom}[2][2=]
                                            {\usrtxt{#1}{}{argcom}[#2]}
\cmdtxtoargcom ... to do!
                                        \cmdtxtoargcom{cmdName};
                                            \verb|\cmdName[sub][sub][arg]| = CMDNAME_{SUB}^{SUB}(ARG)
                                        • \cmdtxtoargcom{cmdName}[newName];
                                            \colon = NEWNAME_{SUB}^{SUB}(ARG)
                                   572 \newcommandx{\cmdtxtoargcom}[2][2=]
                                            {\usrtxt{#1}{}{oargcom}[#2]}
  \cmdtxtparcom ... to do!
                                        \cmdtxtparcom{cmdName};
                                            \verb|\cmdName[sub][sub][ext1]{par}[ext2] = CMDNAME_{SUB}^{SUB}EXT1[PAR]EXT2|
                                        \cmdtxtparcom{cmdName} [newName];
                                            \verb|\cmdName[sub][sub][ext1]{par}[ext2] = \verb|\newName[sub][sub][ext1]{par}[ext2]
                                   574 \newcommandx{\cmdtxtparcom}[2][2=]
                                   575 {\usrtxt{#1}{}{parcom}[#2]}
\cmdtxtoparcom ... to do!
                                        • \cmdtxtoparcom{cmdName};
                                            \colon = CMDNAME_{SUB}^{SUB}[PAR]
                                        \cmdtxtoparcom{cmdName}[newName];
                                            \colon = NEWNAME_{SUB}^{SUB}[PAR]
                                   576 \newcommandx{\cmdtxtoparcom}[2][2=]
                                           {\usrtxt{#1}{}{oparcom}[#2]}
                                   578 \fi
                                   583 \ifmthgen@
  \mthname, ... to do!
                                        ullet \mthname{NAME}[sub][sup][Ext] = \mathcal{NAME}^{sup}_{sub}Ext
                                        • \mthargname*{NAME}[sub][sup][Ext1]{Arg^{Ex^{}}}[Ext2] = \mathcal{NAME}^{sup}_{sub}Ext1(Arg^{Ex^{Ex}})Ext2
                                         \bullet \ \texttt{\normalfont{MME}[sub][sub][Ext1][Par^{Ex^{*}}]} \ [\texttt{Ext2}] \ = \ \mathcal{NAME}^{sup}_{sub} Ext1 \ \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub}_{sub} Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext2 \\ = \ \mathcal{NAME}^{sub}_{sub} Ext2 \\ = \ \mathcal{NAME}^{sub}_
                                        584 %% Style for Names
                                   585 \cmdmthall{name}\newcommand{\mthstyname}{\mathcal}
      \AName, ...
                                 \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}, \mathcal{E}, \mathcal{F}, \mathcal{G}, \mathcal{H}, \mathcal{I}, \mathcal{J}, \mathcal{K}, \mathcal{L}, \mathcal{M}, \mathcal{N}, \mathcal{O}, \mathcal{P}, \mathcal{Q}, \mathcal{R}, \mathcal{S}, \mathcal{T}, \mathcal{U}, \mathcal{V}, \mathcal{W}, \mathcal{X}, \mathcal{Y}, \mathcal{Z}
                                   586 \seqoflatupp{Name}{mthname}
      \cmdmthname ... to do!
                                        • \cmdmthname{CMDNAME};
                                            \CMDNAMEName[sub][sub][ext] = \mathcal{CMDNAME}_{sub}^{sub}ext
                                        • \cmdmthname{cmdName}[NEWNAME];
                                            \cmdNameName[sub][sub][ext] = \mathcal{NEWNAME}_{sub}^{sub}ext
                                   587 \newcommandx{\cmdmthname}[2][2=]
                                   588 {\usrmth{#1}{Name}{name}[#2]}
```

```
\cmdmthargname ... to do!
                                             • \cmdmthargname{CMDNAME};
                                                 \CMDNAMEName[sub][sub][ext1]{arg}[ext2] = \mathcal{CMDNAME}_{sub}^{sub}ext1(arg)ext2
                                            • \cmdmthargname{cmdName}[NEWNAME];
                                                 \cmdNameName[sub][sub][ext1]{arg}[ext2] = \mathcal{NEWNAME}_{sub}^{sub}ext1(arg)ext2
                                       589 \newcommandx{\cmdmthargname}[2][2=]
                                                {\usrmth{#1}{Name}{argname}[#2]}
\cmdmthoargname ... to do!
                                            • \cmdmthoargname{CMDNAME};
                                                \CMDNAMEName[sub][sub][arg] = \mathcal{CMDNAME}_{sub}^{sub}(arg)
                                             • \cmdmthoargname{cmdName}[NEWNAME];
                                                \cmdNameName[sub][sub][arg] = \mathcal{NEWNAME}^{sub}_{sub}(arg)
                                       591 \newcommandx{\cmdmthoargname}[2][2=]
                                                {\usrmth{#1}{Name}{oargname}[#2]}
  \cmdmthparname ... to do!
                                             \cmdmthparname{CMDNAME};
                                                \verb|\CMDNAMEName[sub][sub][ext1]{par}[ext2] = \mathcal{CMDNAME}_{sub}^{sub}ext1[par]ext2
                                             • \cmdmthparname{cmdName}[NEWNAME];
                                                 \verb|\cmdNameName[sub][sub][ext1]{par}[ext2] = \mathcal{NEWNAME}_{sub}^{sub}ext1[par]ext2
                                       593 \newcommandx{\cmdmthparname}[2][2=]
                                                {\usrmth{#1}{Name}{parname}[#2]}
\cmdmthoparname
                                   ... to do!
                                            • \cmdmthoparname{CMDNAME};
                                                \CMDNAMEName[sub][sub][par] = \mathcal{CMDNAME}_{sub}^{sub}[par]
                                             • \cmdmthoparname{cmdName}[NEWNAME];
                                                \cmdNameName[sub][sub][par] = \mathcal{NEWNAME}_{sub}^{sub}[par]
                                       595 \mbox{ } \mbox{cmdmthoparname} \mbox{ } \m
                                                {\usrmth{#1}{Name}{oparname}[#2]}
      \mthfam, ... to do!
                                            • \mthfam{NAME}[sub][sup][Ext] = \mathcal{N}\mathcal{AME}^{sup}_{sub}Ext
                                            • \mthargfam{NAME} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}} [Ext2] = \mathcal{NAME}_{sub}^{sup} Ext1 \Big( Arg^{Ex^{Ex}} \Big) Ext2
                                             • \mthparfam{NAME} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = \mathcal{N}\mathcal{A}\mathcal{M}\mathcal{E}^{sup}_{sub}Ext1 \Big[Par^{Ex^{Ex}}\Big]Ext2
                                             597 %% Style for Families
                                       598 \cmdmthall{fam}\newcommand{\mthstyfam}{\mathscr}
                                     \mathscr{A}, \mathscr{B}, \mathscr{C}, \mathscr{D}, \mathscr{E}, \mathscr{F}, \mathscr{G}, \mathscr{H}, \mathscr{I}, \mathscr{J}, \mathscr{K}, \mathscr{L}, \mathscr{M}, \mathscr{N}, \mathscr{O}, \mathscr{P}, \mathscr{Q}, \mathscr{R}, \mathscr{S}, \mathscr{T}, \mathscr{U}, \mathscr{V}, \mathscr{W}, \mathscr{X}, \mathscr{Y}, \mathscr{Z}
                                       599 \seqoflatupp{Fam}{mthfam}
           \cmdmthfam ... to do!
                                             \cmdmthfam{CMDNAME};
                                                 \CMDNAMEFam[sub][sub][ext] = \mathscr{CMDNAMEFam}[sub][sub][ext] = \mathscr{CMDNAMEFam}[sub]
                                             • \cmdmthfam{cmdName}[NEWNAME]:
                                                 \cmdNameFam[sub][sub][ext] = \mathcal{NEWNAME}_{sub}^{sub}ext
                                       600 \newcommandx{\cmdmthfam}[2][2=]
                                                {\usrmth{#1}{Fam}{fam}[#2]}
    \cmdmthargfam ... to do!
```

```
\cmdmthargfam{CMDNAME};
                        • \cmdmthargfam{cmdName}[NEWNAME];
                        \label{lem:cmdNameFam} $$ \operatorname{[sub][sub][ext1]} = \mathcal{NEWNAME}_{sub}^{sub} ext1(arg)ext2 $$
                   602 \newcommandx{\cmdmthargfam}[2][2=]
                   603 {\usrmth{#1}{Fam}{argfam}[#2]}
\cmdmthoargfam ... to do!
                      \cmdmthoargfam{CMDNAME};
                        • \cmdmthoargfam{cmdFam}[NEWNAME];
                        \verb|\cmdFamFam[sub][sub][arg]| = \mathscr{NEWNAME}^{sub}_{sub}(arg)
                   604 \newcommandx{\cmdmthoargfam}[2][2=]
                   605 {\usrmth{#1}{Fam}{oargfam}[#2]}
 \cmdmthparfam ... to do!
                      • \cmdmthparfam{CMDNAME};
                        \CMDNAMEFam[sub][sub][ext1]{par}[ext2] = \mathscr{CMDNAMEF}am[sub][sub][ext1][par]ext2
                      • \cmdmthparfam{cmdName}[NEWNAME];
                        \verb|\cmdNameFam[sub][sub][ext1]{par}[ext2] = \mathscr{NEWNMME}^{sub}_{sub}ext1[par]ext2
                   606 \newcommandx{\cmdmthparfam}[2][2=]
                        {\usrmth{#1}{Fam}{parfam}[#2]}
\cmdmthoparfam ... to do!
                      • \cmdmthoparfam{CMDNAME};
                        \CMDNAMEFam[sub][sub][par] = \mathscr{CMDNAMEFam}[sub][par]
                      • \cmdmthoparfam{cmdFam}[NEWNAME];
                        \verb|\cmdFamFam[sub][sub][par]| = \mathcal{NEWNAME}_{sub}^{sub}[par]|
                   608 \newcommandx{\cmdmthoparfam}[2][2=]
                        {\usrmth{#1}{Fam}{oparfam}[#2]}
  \mthcls, ... to do!
                      • \mthcls{NAME}[sub][sup][Ext] = \mathcal{NAME}_{sub}^{sup}Ext
                      • \mthargcls{NAME}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = \mathcal{NAME}_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                      • \mthparcls{NAME}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = \mathcal{NAME}_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                      • \mthparcls*{NAME}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = \mathcal{NAME}_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                   610 %% Style for Classes
                   611 \cmdmthall{cls}\newcommand{\mthstycls}{\matheus}
    \ACls, ... to do!
                  \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}, \mathcal{E}, \mathcal{F}, \mathcal{G}, \mathcal{H}, \mathcal{I}, \mathcal{J}, \mathcal{K}, \mathcal{L}, \mathcal{M}, \mathcal{N}, \mathcal{O}, \mathcal{P}, \mathcal{Q}, \mathcal{R}, \mathcal{S}, \mathcal{T}, \mathcal{U}, \mathcal{V}, \mathcal{W}, \mathcal{X}, \mathcal{Y}, \mathcal{Z}
                   612 \seqoflatupp{Cls}{mthcls}
    \cmdmthcls ... to do!
                      \cmdmthcls{CMDNAME};
                        \CMDNAMECls[sub][sub][ext] = \mathcal{CMDNAME}_{sub}^{sub}ext
                      • \cmdmthcls{cmdName}[NEWNAME];
                        \verb|\cmdNameCls[sub][sub][ext]| = NEWNAME_{sub}^{sub}ext
                   613 \newcommandx{\cmdmthcls}[2][2=]
                   614 {\usrmth{#1}{Cls}{cls}[#2]}
 \cmdmthargcls ... to do!
                      \cmdmthargcls{CMDNAME};
                        \verb|\CMDNAMECls[sub][sub][ext1]{arg}[ext2] = \verb|\CMDNAME|^{sub}_{sub}ext1(arg)ext2
```

```
\cmdmthargcls{cmdName}[NEWNAME];
                                                                                       \verb|\cmdNameCls[sub][sub][ext1]{arg}[ext2] = NEWNAME_{sub}^{sub}ext1(arg)ext2
                                                                     615 \newcommandx{\cmdmthargcls}[2][2=]
                                                                                    {\usrmth{#1}{Cls}{argcls}[#2]}
\cmdmthoargcls ... to do!
                                                                               \cmdmthoargcls{CMDNAME};
                                                                                       \CMDNAMECls[sub][sub][arg] = \mathcal{CMDNAME}_{sub}^{sub}(arg)
                                                                               • \cmdmthoargcls{cmdCls}[NEWNAME];
                                                                                      \cmdClsCls[sub][sub] [arg] = NEWNAME_{sub}^{sub}(arg)
                                                                     617 \newcommandx{\cmdmthoargcls}[2][2=]
                                                                     618 {\usrmth{#1}{Cls}{oargcls}[#2]}
   \cmdmthparcls ... to do!
                                                                               • \cmdmthparcls{CMDNAME};
                                                                                      \CMDNAMECls[sub][sub][ext1]{par}[ext2] = \mathcal{CMDNAME}_{sub}^{sub}ext1[par]ext2
                                                                               • \cmdmthparcls{cmdName}[NEWNAME];
                                                                                      \cmdNameCls[sub][sub][ext1]{par}[ext2] = NEWNAME_{sub}^{sub}ext1[par]ext2
                                                                      619 \newcommandx{\cmdmthparcls}[2][2=]
                                                                     620 {\usrmth{#1}{Cls}{parcls}[#2]}
\cmdmthoparcls ... to do!
                                                                               • \cmdmthoparcls{CMDNAME};
                                                                                      \CMDNAMECls[sub][sub][par] = \mathcal{CMDNAME}_{sub}^{sub}[par]
                                                                               • \cmdmthoparcls{cmdCls}[NEWNAME];
                                                                                      \cmdClsCls[sub] [sub] [par] = \mathcal{NEWNAME}_{sub}^{sub}[par]
                                                                     621 \newcommandx{\cmdmthoparcls}[2][2=]
                                                                    622 {\usrmth{#1}{Cls}{oparcls}[#2]}
       \mthsig, ... to do!
                                                                               • \mthsig{Name}[sub][sup][Ext] = \mathcal{N}ame_{sub}^{sup}Ext
                                                                               • \mthargsig{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                               • \mthargsig*{Name}[sub][sup][Ext1]{Arg^{Ex^{2}}}[Ext2] = \Re e^{sup}_{sub}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                               \bullet \  \  \, \texttt{ \mthparsig}\{\texttt{Name}\}[\texttt{sub}][\texttt{sup}][\texttt{Ext1}]\{\texttt{Par}^{\{\texttt{Ex}^{}\}}\}[\texttt{Ext2}] \\ = \mathcal{N} ame_{sub}^{sup}Ext1\Big[Par^{Ex^{Ex}}\Big]Ext2\Big] \\ = \mathcal{N} ame_{sub}^{sup}Ext1\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex^{Ex}}\Big]Ext2\Big[Par^{Ex}}\Big]Ext2\Big[Par^{Ex}\Big]Ext2\Big[Par^{Ex}\Big]Ext2\Big[Par^{Ex}}\Big]Ext2\Big[Par^{Ex}\Big]Ext2\Big[Par^{Ex}\Big]Ext2\Big[Par^{Ex}\Big]Ext2\Big
                                                                               \bullet \  \  \, \texttt{\bare} = \texttt{\bare} =
                                                                      623 %% Style for Signatures
                                                                     624 \cmdmthall{sig}\newcommand{\mthstysig}{\mathpzc}
                \aSig, ... to do!
                                                                  a,\; b,\; c,\; d,\; e,\; f,\; g,\; h,\; i,\; j,\; k,\; l,\; m,\; n,\; o,\; p,\; q,\; r,\; s,\; t,\; u,\; v,\; w,\; \chi,\; y,\; z
                                                                  \mathcal{A},~\mathcal{B},~\mathcal{C},~\mathcal{D},~\mathcal{E},~\mathcal{F},~\mathcal{G},~\mathcal{H},~I,~\mathcal{I},~\mathcal{K},~\mathcal{L},~\mathcal{M},~\mathcal{N},~\mathcal{O},~\mathcal{P},~\mathcal{Q},~\mathcal{R},~\mathcal{S},~\mathcal{T},~\mathcal{U},~\mathcal{V},~\mathcal{W},~\mathcal{X},~\mathcal{Y},~\mathcal{Z}
                                                                  \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                                                                     625 \seqoflatlet{Sig}{mthsig}\seqofgrklow{Sig}{mthsig}
                \cmdmthsig ... to do!
                                                                               • \cmdmthsig{cmdName};
                                                                                      \colon dNameSig[sub][sub][ext] = cmdName_{sub}^{sub}ext
                                                                               • \cmdmthsig{cmdName}[NewName];
                                                                                      \verb|\cmdNameSig[sub][sub][ext]| = NewName_{sub}^{sub}ext
                                                                     626 \newcommandx{\cmdmthsig}[2][2=]
                                                                    627 {\usrmth{#1}{Sig}{sig}[#2]}
   \cmdmthargsig ... to do!
                                                                               • \cmdmthargsig{cmdName};
                                                                                      \verb|\cmdNameSig[sub][sub][ext1]{arg}[ext2] = \textit{cmdName}_{sub}^{sub}ext1(arg)ext2
```

```
• \cmdmthargsig{cmdName}[NewName];
                                                                               \verb|\cmdNameSig[sub][sub][ext1]{arg}[ext2] = \textit{NewName}_{sub}^{sub}ext1(arg)ext2
                                                               628 \newcommandx{\cmdmthargsig}[2][2=]
                                                                               {\usrmth{#1}{Sig}{argsig}[#2]}
\cmdmthoargsig ... to do!
                                                                         \cmdmthoargsig{cmdName};
                                                                               \colon = cmdNameSig[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                                                                         • \cmdmthoargsig{cmdSig}[NewName];
                                                                               \colored{cmdSigSig[sub][sub][arg]} = \mathcal{N}ew\mathcal{N}ame_{sub}^{sub}(arg)
                                                               630 \newcommandx{\cmdmthoargsig}[2][2=]
                                                                              {\usrmth{#1}{Sig}{oargsig}[#2]}
   \cmdmthparsig ... to do!
                                                                        • \cmdmthparsig{cmdName};
                                                                               \label{lem:cmdNameSig} $$ \operatorname{[sub][sub][ext1][par][ext2]} = cmd \operatorname{Name}_{sub}^{sub} ext1[par] ext2 $$
                                                                         • \cmdmthparsig{cmdName}[NewName];
                                                                               \cmdNameSig[sub][sub][ext1]\{par\}[ext2] = NewName_{sub}^{sub}ext1[par]ext2
                                                                632 \newcommandx{\cmdmthparsig}[2][2=]
                                                               633 {\usrmth{#1}{Sig}{parsig}[#2]}
\cmdmthoparsig ... to do!
                                                                        • \cmdmthoparsig{cmdName};
                                                                               \colon dNameSig[sub][sub][par] = cmdName_{sub}^{sub}[par]
                                                                         • \cmdmthoparsig{cmdSig}[NewName];
                                                                               \colored{cmdSigSig[sub][sub][par]} = \mathcal{N}ew\mathcal{N}ame_{sub}^{sub}[par]
                                                               634 \newcommandx{\cmdmthoparsig}[2][2=]
                                                               635 {\usrmth{#1}{Sig}{oparsig}[#2]}
       \mthstr, ... to do!
                                                                        • \mthstr{Name} [sub] [sup] [Ext] = \mathfrak{Name}_{sub}^{sup} Ext
                                                                        • \mthargstr{Name} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}} [Ext2] = \mathfrak{Name}_{sub}^{sup} Ext1 \Big( Arg^{Ex^{Ex}} \Big) Ext2
                                                                         • \mthargstr*{Name}[sub][sup][Ext1]{Arg^{Ex^{}}}[Ext2] = \mathfrak{Name}_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                        \bullet \  \  \, \texttt{ \mthparstr{Name}[sub][sup][Ext1]{Par^{Ex^{}}}} [Ext2] = \mathfrak{Name}^{sup}_{sub} Ext1 \Big[ Par^{Ex^{Ex}} \Big] Ext2 \\ = \mathfrak{Name}^{sup}_{sub} Ext2 \\ = \mathfrak{Name}^{sub}_{sub} Ext2 \\ = \mathfrak{Name}^{sub}_{sub}_{sub} Ext2 \\ = \mathfrak{Name}^{sub}_{sub} Ext2 \\ = \mathfrak{Name}^{sub}_{s
                                                                        \bullet \  \  \, \texttt{\bare}[sub][sup][Ext1] \{ Par^{Ex^{-}}[Ext2] = \mathfrak{Name}_{sub}^{sup} Ext1[Par^{Ex^{Ex}}] Ext2] = \mathfrak{Name}_{sub}^{sup} Ext1[Par^{Ex^{Ex}}] Ext2 = \mathfrak{Name}_{sub}^{sup} Ext2[Par^{Ex^{Ex}}] Ext
                                                                636 %% Style for Structures
                                                               637 \cmdmthall{str}\newcommand{\mthstystr}{\mathfrak}
               \aStr, ... to do!
                                                            a, b, c, d, e, f, g, h, i, j, f, l, m, n, o, p, q, r, s, f, u, v, w, r, h, g
                                                            \mathfrak{A},\,\mathfrak{B},\,\mathfrak{C},\,\mathfrak{D},\,\mathfrak{E},\,\mathfrak{F},\,\mathfrak{G},\,\mathfrak{H},\,\mathfrak{I},\,\mathfrak{I},\,\mathfrak{K},\,\mathfrak{L},\,\mathfrak{M},\,\mathfrak{N},\,\mathfrak{D},\,\mathfrak{P},\,\mathfrak{Q},\,\mathfrak{R},\,\mathfrak{S},\,\mathfrak{T},\,\mathfrak{U},\,\mathfrak{V},\,\mathfrak{W},\,\mathfrak{X},\,\mathfrak{Y},\,\mathfrak{J}
                                                            \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, \mathfrak{o}, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                                                               638 \seqoflatlet{Str}{mthstr}\seqofgrklow{Str}{mthstr}
               \cmdmthstr ... to do!
                                                                        • \cmdmthstr{cmdName};
                                                                               \cmdNameStr[sub][sub][ext] = cmdMamesubext
                                                                         • \cmdmthstr{cmdName}[NewName];
                                                                               \colon d NameStr[sub][sub][ext] = \mathfrak{NewName}_{sub}^{sub}ext
                                                               639 \newcommandx{\cmdmthstr}[2][2=]
                                                               640 {\usrmth{#1}{Str}{str}[#2]}
   \cmdmthargstr ... to do!
                                                                        • \cmdmthargstr{cmdName};
                                                                               \verb|\cmdNameStr[sub][sub][ext1]{arg}[ext2] = \verb|\cmdMames|^{sub}_{sub}ext1(arg)ext2
```

```
• \cmdmthargstr{cmdName} [NewName];
                                                                                          \verb|\cmdNameStr[sub][sub][ext1]{arg}[ext2] = \mathfrak{NewName}_{sub}^{sub}ext1(arg)ext2
                                                                       641 \newcommandx{\cmdmthargstr}[2][2=]
                                                                                         {\usrmth{#1}{Str}{argstr}[#2]}
\cmdmthoargstr ... to do!
                                                                                  • \cmdmthoargstr{cmdName};
                                                                                         \verb|\cmdNameStr[sub][sub][arg]| = cmd \mathfrak{Name}_{sub}^{sub}(arg)
                                                                                  • \cmdmthoargstr{cmdStr}[NewName];
                                                                                         643 \newcommandx{\cmdmthoargstr}[2][2=]
                                                                       644 {\usrmth{#1}{Str}{oargstr}[#2]}
    \cmdmthparstr ... to do!
                                                                                  • \cmdmthparstr{cmdName};
                                                                                         \verb|\cmdNameStr[sub][sub][ext1]{par}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1[par]ext2|
                                                                                  • \cmdmthparstr{cmdName} [NewName];
                                                                                         \verb|\cmdNameStr[sub][sub][ext1]{par}[ext2] = \mathfrak{NewName}_{sub}^{sub}ext1[par]ext2
                                                                       645 \newcommandx{\cmdmthparstr}[2][2=]
                                                                       646 {\usrmth{#1}{Str}{parstr}[#2]}
\cmdmthoparstr ... to do!
                                                                                  • \cmdmthoparstr{cmdName};
                                                                                         \verb|\cmdNameStr[sub][sub][par]| = \mathfrak{cmdMame}_{sub}^{sub}[par]|
                                                                                  • \cmdmthoparstr{cmdStr}[NewName];
                                                                                         647 \newcommandx{\cmdmthoparstr}[2][2=]
                                                                                         {\usrmth{#1}{Str}{oparstr}[#2]}
        \mthset, ... to do!
                                                                                  • \mthset{Name}[sub][sup][Ext] = Name_{sub}^{sup}Ext
                                                                                  • \mthargset{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                                  \bullet \ \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\  }} \texttt{\ \ }} \texttt{\  }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ }} \texttt{\ \ } \texttt{\ \ }} \texttt
                                                                                  \bullet \  \, \texttt{\name} \  \, \texttt{\name
                                                                                  \bullet \  \  \, \texttt{ Name } \texttt{[sub] [sup] [Ext1] } \{\texttt{Par^{Ex^{Ex}}}\} \texttt{[Ext2]} = \texttt{Name}^{sup}_{sub} Ext1 [Par^{Ex^{Ex}}] Ext2
                                                                       649 %% Style for Sets
                                                                       650 \cmdmthall{set}\newcommand{\mthstyset}{\mathrm}
                 \aSet, ... to do!
                                                                   a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                                                                    A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                                                                    \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                                                                    A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega
                                                                       651 \seqoflet{Set}{mthset}
                 \cmdmthset ... to do!
                                                                                  \cmdmthset{cmdName};
                                                                                         \colon cond Name Set [sub] [sub] [ext] = cmd Name <math>_{sub}^{sub} ext
                                                                                  • \cmdmthset{cmdName}[NewName];
                                                                                         \cmdNameSet[sub][sub][ext] = NewName_{sub}^{sub}ext
                                                                       652 \newcommandx{\cmdmthset}[2][2=]
                                                                       653 {\usrmth{#1}{Set}{set}[#2]}
    \cmdmthargset ... to do!
                                                                                  \cmdmthargset{cmdName};
                                                                                         \verb|\cmdNameSet[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
```

```
• \cmdmthargset{cmdName}[NewName];
                                               \verb|\cmdNameSet[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                                     654 \newcommandx{\cmdmthargset}[2][2=]
                                               {\usrmth{#1}{Set}{argset}[#2]}
\cmdmthoargset ... to do!
                                           \cmdmthoargset{cmdName};
                                               \verb|\cmdNameSet[sub][sub][arg]| = cmdName_{sub}^{sub}(arg)
                                           • \cmdmthoargset{cmdSet}[NewName];
                                               \colon = NewName_{sub}^{sub}(arg)
                                     656 \newcommandx{\cmdmthoargset}[2][2=]
                                               {\usrmth{#1}{Set}{oargset}[#2]}
  \cmdmthparset ... to do!
                                           \cmdmthparset{cmdName};
                                               \label{lem:lemma:emdName} $$\operatorname{sub}[\operatorname{sub}][\operatorname{sub}][\operatorname{ext1}] = \operatorname{cmdName}_{\operatorname{sub}}^{\operatorname{sub}} ext1[par]ext2$
                                           • \cmdmthparset{cmdName}[NewName];
                                               \colored Name Set [sub] [sub] [ext1] {par} [ext2] = New Name _{sub}^{sub} ext1 [par] ext2
                                      658 \newcommandx{\cmdmthparset}[2][2=]
                                              {\usrmth{#1}{Set}{parset}[#2]}
\cmdmthoparset ... to do!
                                           • \cmdmthoparset{cmdName};
                                               \colon dNameSet[sub][sub][par] = cmdName_{sub}^{sub}[par]
                                           • \cmdmthoparset{cmdSet}[NewName];
                                               \verb|\cmdSetSet[sub][sub][par]| = NewName_{sub}^{sub}[par]|
                                      660 \newcommandx{\cmdmthoparset}[2][2=]
                                             {\usrmth{#1}{Set}{oparset}[#2]}
  \cmdmthsetext ... to do!
                                     662 \newcommandx{\cmdmthsetext}[3][2=, 3=]
                                     663 {\cmdmthset{#1}[#2]\caselower[q]{#1}%
                                              \usrmthlet{\thestring}{Sym}{sym}
                                                      [\defval{#3}{\defval{\empchk{#2}}{\lowercase{#2}}}{\thestring}}]%
                                      665
                                     666
                                                \usrmthlet{\thestring}{Elm}{elm}
                                     667
                                                      [\defval{#3}{\defval{\empchk{#2}}{\lowercase{#2}}}{\thestring}}]
    \mthrel, ... to do!
                                           • \mthrel{Name}[sub][sup][Ext] = Name_{sub}^{sup}Ext
                                           • \mthargrel{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name^{sup}_{sub}Ext1(Arg^{Ex^{Ex}})Ext2
                                           • \mthargrel*{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                           • \mthparrel{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2
                                           \bullet \  \  \, \texttt{\bare} = Name_{sub}^{sup}[\texttt{Ext1}] \\ \{\texttt{Par}^{\texttt{\ex}}(\texttt{Ex})\}\}[\texttt{Ext2}] \\ = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2] \\ = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{Ex^{Ex}}]Ext2[Par^{E
                                      668 %% Style for Relations
                                     669 \mbox{ \cmdmthall{rel}\newcommand{\mbox{\mbox{\cmthstyrel}}{\mbox{\cmdmthit}}}
        \aRel, ... to do!
                                   a,\ b,\ c,\ d,\ e,\ f,\ g,\ h,\ i,\ j,\ k,\ l,\ m,\ n,\ o,\ p,\ q,\ r,\ s,\ t,\ u,\ v,\ w,\ x,\ y,\ z
                                   A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, L, T, U, V, W, X, Y, Z
                                   \alpha,\,\beta,\,\gamma,\,\delta,\,\epsilon,\,\varepsilon,\,\zeta,\,\eta,\,\theta,\,\vartheta,\,\iota,\,\kappa,\,\varkappa,\,\lambda,\,\mu,\,\nu,\,\xi,\,o,\,\pi,\,\varpi,\,\rho,\,\varrho,\,\sigma,\,\varsigma,\,\tau,\,\upsilon,\,\phi,\,\varphi,\,\chi,\,\psi,\,\omega
                                   A,\,B,\,\Gamma,\,\Delta,\,E,\,E,\,Z,\,H,\,\Theta,\,\Theta,\,I,\,K,\,K,\,\Lambda,\,M,\,N,\,\Xi,\,O,\,\Pi,\,\Pi,\,P,\,P,\,\Sigma,\,\Sigma,\,T,\,\Upsilon,\,\Phi,\,\Phi,\,X,\,\Psi,\,\Omega
                                     670 \seqoflet{Rel}{mthrel}
        \cmdmthrel ... to do!
                                           • \cmdmthrel{cmdName};
                                               \verb|\cmdNameRel[sub][sub][ext]| = cmdName_{sub}^{sub}ext
```

```
• \cmdmthrel{cmdName}[NewName];
                                                                                                              \colon dNameRel[sub][sub][ext] = NewName_{sub}^{sub}ext
                                                                                        671 \newcommandx{\cmdmthrel}[2][2=]
                                                                                                            {\usrmth{#1}{Rel}{rel}[#2]}
     \cmdmthargrel ... to do!
                                                                                                    • \cmdmthargrel{cmdName};
                                                                                                             \cmdNameRel[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                                                                                                    • \cmdmthargrel{cmdName}[NewName];
                                                                                                             \cmdNameRel[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                                                                                        673 \newcommandx{\cmdmthargrel}[2][2=]
                                                                                        674 {\usrmth{#1}{Rel}{argrel}[#2]}
\cmdmthoargrel ... to do!
                                                                                                    • \cmdmthoargrel{cmdName};
                                                                                                             \cmdNameRel[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                                                                                                     • \cmdmthoargrel{cmdRel}[NewName];
                                                                                                             \colone{line} 
                                                                                        675 \newcommandx{\cmdmthoargrel}[2][2=]
                                                                                        676 {\usrmth{#1}{Rel}{oargrel}[#2]}
     \cmdmthparrel ... to do!
                                                                                                    • \cmdmthparrel{cmdName};
                                                                                                             \cmdNameRel[sub][sub][ext1]\{par\}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2
                                                                                                     • \cmdmthparrel{cmdName}[NewName];
                                                                                                             \verb|\cmdNameRel[sub][sub][ext1]{par}[ext2] = NewName_{sub}^{sub}ext1[par]ext2|
                                                                                        677 \newcommandx{\cmdmthparrel}[2][2=]
                                                                                                             {\usrmth{#1}{Rel}{parrel}[#2]}
\cmdmthoparrel ... to do!
                                                                                                    • \cmdmthoparrel{cmdName};
                                                                                                             \cmdNameRel[sub][sub][par] = cmdName_{sub}^{sub}[par]
                                                                                                     • \cmdmthoparrel{cmdRel}[NewName];
                                                                                                             \colone{local} \col
                                                                                        679 \newcommandx{\cmdmthoparrel}[2][2=]
                                                                                                             {\usrmth{#1}{Rel}{oparrel}[#2]}
          \mthfun, ... to do!
                                                                                                    • \mathbb{N} [sub] [sup] [Ext] = \mathbb{N} = \mathbb{N}
                                                                                                     • \mthargfun{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                                                     • \mthargfun*{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                                                    \bullet \  \, \texttt{\bar{Name}[sub][sup][Ext1][Par^{Ex^{*}}]} \  \, \texttt{\bar{Ext2}} = \  \, \texttt{\bar{Name}} \  \, \texttt{\bar{Ext1}[Par^{Ex^{Ex}}]} \  \, \texttt{\bar{Ext2}} = \  \, \texttt{\bar{Ext2}[Par^{Ex^{Ex}}]} \  \, \texttt{\bar{Ext2}[Par^{Ex^{Ex}}]}} \  \, \texttt{\bar{Ext2}[Par^{Ex^{Ex}}]} \  \, \texttt{\bar{Ext2}[Par^{Ex^{Ex}
                                                                                                     • \mthparfun*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                                                                                        681 %% Style for Functions
                                                                                       682 \mbox{ \mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{}\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{}\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{}\box{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbo
                    \aFun, ... to do!
                                                                                   a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                                                                                   A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                                                                                   \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                                                                                   A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega
                                                                                        683 \seqoflet{Fun}{mthfun}
                    \cmdmthfun ... to do!
                                                                                                     \cmdmthfun{cmdName};
                                                                                                             \verb|\cmdNameFun[sub][sub][ext]| = \verb|\cmdName|^{sub}_{sub} ext|
```

```
• \cmdmthfun{cmdName} [NewName];
                         \cmdNameFun[sub][sub][ext] = NewName_{sub}^{sub}ext
                    684 \newcommandx{\cmdmthfun}[2][2=]
                         {\usrmth{#1}{Fun}{fun}[#2]}
 \cmdmthargfun ... to do!
                       • \cmdmthargfun{cmdName};
                         \cmdNameFun[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                       • \cmdmthargfun{cmdName}[NewName];
                         \cmdNameFun[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                    686 \newcommandx{\cmdmthargfun}[2][2=]
                         {\usrmth{#1}{Fun}{argfun}[#2]}
\cmdmthoargfun ... to do!
                       • \cmdmthoargfun{cmdName};
                         \colon = cmdNameFun[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                       • \cmdmthoargfun{cmdFun}[NewName];
                         \verb|\cmdFunFun[sub][sub][arg]| = \verb|NewName|_{sub}^{sub}(arg)
                    688 \newcommandx{\cmdmthoargfun}[2][2=]
                         {\usrmth{#1}{Fun}{oargfun}[#2]}
 \cmdmthparfun ... to do!
                       • \cmdmthparfun{cmdName};
                         \cmdNameFun[sub][sub][ext1][par][ext2] = cmdName_{sub}^{sub}ext1[par]ext2
                       • \cmdmthparfun{cmdName}[NewName];
                         690 \newcommandx{\cmdmthparfun}[2][2=]
                         {\usrmth{#1}{Fun}{parfun}[#2]}
\cmdmthoparfun ... to do!
                       • \cmdmthoparfun{cmdName};
                         \cmdNameFun[sub][sub][par] = cmdName_{sub}^{sub}[par]
                       • \cmdmthoparfun{cmdFun}[NewName];
                         \cmb{cmdFunFun[sub][sub][par]} = NewName_{sub}^{sub}[par]
                    692 \newcommandx{\cmdmthoparfun}[2][2=]
                         {\usrmth{#1}{Fun}{oparfun}[#2]}
  \mthsym, ... to do!
                       • \mathbb{E}_{sub}[Sub][Sup][Ext] = \mathbb{E}_{sub}Ext
                       • \mthargsym{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                       \bullet \  \, \texttt{\bar{Ext1}[Ext1]} = \mathtt{Name}_{sub}^{sup}Ext1\Big[Par^{Ex^{Ex}}\}\\ \texttt{\bar{Ext2}} = \mathtt{Name}_{sub}^{sup}Ext1\Big[Par^{Ex^{Ex}}\Big]Ext2\\ \texttt{\bar{Ext2}} = \mathtt{\bar{Ext2}}
                       • \mthparsym*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                    694 %% Style for Symbols
                    695 \cmdmthall{sym}\newcommand{\mthstysym}{\mathtt}
    \asym, ... to do!
                   a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                   A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                   \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                   A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega
                    696 \seqoflet{Sym}{mthsym}
    \cmdmthsym ... to do!
                       \cmdmthsym{cmdName};
                         \cmdNameSym[sub][sub][ext] = cmdName_{sub}^{sub}ext
```

```
• \cmdmthsym{cmdName}[NewName];
                                                                      \colon d NameSym[sub][sub][ext] = NewName_{sub}^{sub}ext
                                                        697 \newcommandx{\cmdmthsym}[2][2=]
                                                                      {\usrmth{#1}{Sym}{sym}[#2]}
   \cmdmthargsym ... to do!
                                                                • \cmdmthargsym{cmdName};
                                                                      \verb|\cmdNameSym[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1(arg)ext2
                                                                • \cmdmthargsym{cmdName}[NewName];
                                                                      \c MameSym[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                                                        699 \newcommandx{\cmdmthargsym}[2][2=]
                                                                      {\usrmth{#1}{Sym}{argsym}[#2]}
\cmdmthoargsym ... to do!
                                                                • \cmdmthoargsym{cmdName};
                                                                      • \cmdmthoargsym{cmdSym}[NewName];
                                                                      \colon 
                                                        701 \newcommandx{\cmdmthoargsym}[2][2=]
                                                                    {\usrmth{#1}{Sym}{oargsym}[#2]}
   \cmdmthparsym ... to do!
                                                                \cmdmthparsym{cmdName};
                                                                      \cmdNameSym[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2
                                                                • \cmdmthparsym{cmdName}[NewName];
                                                                      \verb|\cmdNameSym[sub][sub][ext1]{par}[ext2] = \verb|\cmdNamesub| ext1[par]ext2|
                                                        703 \newcommandx{\cmdmthparsym}[2][2=]
                                                                      {\usrmth{#1}{Sym}{parsym}[#2]}
\cmdmthoparsym ... to do!
                                                                • \cmdmthoparsym{cmdName};
                                                                      • \cmdmthoparsym{cmdSym}[NewName];
                                                                      \cmdSymSym[sub][sub][par] = NewName_{sub}^{sub}[par]
                                                        705 \newcommandx{\cmdmthoparsym}[2][2=]
                                                                      {\usrmth{#1}{Sym}{oparsym}[#2]}
      \mthelm, ... to do!
                                                                • \mthelm{Name}[sub][sup][Ext] = Name_{sub}^{sup}Ext
                                                                • \mthargelm{Name} [sub] [sup] [Ext1] {Arg^{Ex^{Ex}}} [Ext2] = Name_{sub}^{sup} Ext1 (Arg^{Ex^{Ex}}) Ext2
                                                                • \mthargelm*{Name}[sub][sup][Ext1]{Arg^{Ex^{-}}{Ex}}}[Ext2] = Name^{sup}_{sub}Ext1(Arg^{Ex^{-}Ex})Ext2
                                                                \bullet \  \, \texttt{\bar{Name}[sub][sub][Ext1][Par^{Ex^{*}}]} \  \, [\texttt{Ext2}] = Name_{sub}^{sup} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \left\lceil Par^{Ex^{Ex}} \right\rceil Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext1 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub}^{sub} Ext2 \  \, [\texttt{Ext2}] = Name_{sub}^{sub} Ext2 \  \, [\texttt{Ex
                                                                • \mthparelm*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                                                        707 %% Style for Elements
                                                        708 \cmdmthall{elm}\newcommand{\mthstyelm}{\mathnormal}
             \aElm, ... to do!
                                                     a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                                                     A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                                                     \alpha, \beta, \gamma, \delta, \epsilon, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \varkappa, \lambda, \mu, \nu, \xi, o, \pi, \varpi, \rho, \varrho, \sigma, \varsigma, \tau, \upsilon, \phi, \varphi, \chi, \psi, \omega
                                                     A,\,B,\,\Gamma,\,\Delta,\,E,\,E,\,Z,\,H,\,\Theta,\,\Theta,\,I,\,K,\,K,\,\Lambda,\,M,\,N,\,\Xi,\,O,\,\Pi,\,\Pi,\,P,\,P,\,\Sigma,\,\Sigma,\,T,\,\Upsilon,\,\Phi,\,\Phi,\,X,\,\Psi,\,\Omega
                                                        709 \seqoflet{Elm}{mthelm}
             \cmdmthelm ... to do!
                                                                \cmdmthelm{cmdName};
                                                                      \verb|\cmdNameElm[sub][sub][ext]| = cmdName_{sub}^{sub}ext
```

```
• \cmdmthelm{cmdName}[NewName];
                           \verb|\cmdNameElm[sub][sub][ext]| = NewName^{sub}_{sub}ext
                     710 \newcommandx{\cmdmthelm}[2][2=]
                          {\usrmth{#1}{Elm}{elm}[#2]}
   \cmdmthargelm ... to do!
                        \cmdmthargelm{cmdName};
                           \verb|\cmdNameElm[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                        • \cmdmthargelm{cmdName}[NewName];
                           \verb|\cmdNameElm[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                     712 \newcommandx{\cmdmthargelm}[2][2=]
                          {\usrmth{#1}{Elm}{argelm}[#2]}
  \cmdmthoargelm ... to do!
                        \cmdmthoargelm{cmdName};
                          \colon = cmdNameElm[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                        • \cmdmthoargelm{cmdElm}[NewName];
                           \colon = NewName_{sub}^{sub}(arg) = NewName_{sub}^{sub}(arg)
                      714 \newcommandx{\cmdmthoargelm}[2][2=]
                     715 {\usrmth{#1}{Elm}{oargelm}[#2]}
   \cmdmthparelm ... to do!
                        • \cmdmthparelm{cmdName};
                          \verb|\cmdNameElm[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2|
                        • \cmdmthparelm{cmdName}[NewName];
                          \verb|\cmdNameElm[sub][sub][ext1]{par}[ext2] = NewName_{sub}^{sub}ext1[par]ext2
                     716 \newcommandx{\cmdmthparelm}[2][2=]
                          {\usrmth{#1}{Elm}{parelm}[#2]}
  \cmdmthoparelm ... to do!
                        • \cmdmthoparelm{cmdName};
                           \verb|\cmdNameElm[sub][sub][par]| = cmdName_{sub}^{sub}[par]|
                        • \cmdmthoparelm{cmdElm}[NewName];
                           \cmdElmElm[sub] [sub] [par] = NewName_{sub}^{sub}[par]
                      718 \newcommandx{\cmdmthoparelm}[2][2=]
                          {\usrmth{#1}{Elm}{oparelm}[#2]}
   \cmdmthsymelm ... to do!
                        • \cmdmthsymelm{cmdName};
                           \verb|\cmdNameSym[sub][sub][ext]| = \verb|\cmdName|_{sub}^{sub} ext|
                           \cmdNameElm[sub][sub][ext] = cmdName_{sub}^{sub}ext
                        • \cmdmthsymelm{cmdName}[NewName];
                           \verb|\cmdNameSym[sub][sub][ext]| = \verb|NewName|_{sub}^{sub}ext|
                           \colonerge{cmdNameElm[sub][sub][ext]} = NewName^{sub}_{sub}ext
                      721 \newcommandx{\cmdmthsymelm}[2][2=]
                            {\cmdmthsym{#1}[#2]%
                     723
                           \cmdmthelm{#1}[#2]}
\cmdmthargsymelm ... to do!
                        • \cmdmthargsymelm{cmdName};
                           \verb|\cmdNameSym[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName||_{sub}^{sub} ext1(arg) ext2
                           \verb|\cmdNameElm[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                        • \cmdmthargsymelm{cmdName}[NewName];
                           \verb|\cmdNameSym[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1(arg)ext2
                           \verb|\cmdNameElm[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
```

```
724 \newcommandx{\cmdmthargsymelm}[2][2=]
                                                                                {\cmdmthargsym{#1}[#2]%
                                                               726
                                                                                \cmdmthargelm{#1}[#2]}
\cmdmthoargsymelm ... to do!
                                                                       \cmdmthoargsymelm{cmdName};
                                                                             \cmbox{\cmdNameSym[sub][sub][arg]} = cmdName_{sub}^{sub}(arg)
                                                                             \colonerge{cmdNameElm[sub][sub][arg]} = cmdName^{sub}_{sub}(arg)
                                                                       • \cmdmthoargsymelm{cmdName}[NewName];
                                                                             \colon = \
                                                                             \colon = NewName_{sub}^{sub}[arg] = NewName_{sub}^{sub}(arg)
                                                               727 \newcommandx{\cmdmthoargsymelm}[2][2=]
                                                                               {\cmdmthoargsym{#1}[#2]%
                                                                                \cmdmthoargelm{#1}[#2]}
  \cmdmthparsymelm ... to do!
                                                                      \cmdmthparsymelm{cmdName};
                                                                             \verb|\cmdNameSym[sub][sub][ext1]{par}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1[par]ext2|
                                                                             \colone{local} \col
                                                                       • \cmdmthparsymelm{cmdName}[NewName];
                                                                             \verb|\cmdNameSym[sub][sub][ext1]{par}[ext2] = \verb|\cmdNames|^{sub}_{sub}ext1[par]ext2
                                                                             \colonerge{cmdNameElm[sub][sub][ext1]{par}[ext2]} = NewName^{sub}_{sub}ext1[par]ext2
                                                               730 \newcommandx{\cmdmthparsymelm}[2][2=]
                                                                               {\cmdmthparsym{#1}[#2]%
                                                                               \cmdmthparelm{#1}[#2]}
                                                               732
\colone{thoparsymelm} ... to do!
                                                                      \cmdmthoparsymelm{cmdName};
                                                                             \cmbox{\cmdNameSym[sub][sub][par]} = cmdName_{sub}^{sub}[par]
                                                                             \colonerge{cmdNameSub[par]} = cmdName_{sub}^{sub[par]}
                                                                       • \cmdmthoparsymelm{cmdName}[NewName];
                                                                             \verb|\cmdNameSym[sub][sub][par]| = \verb|\NewName|_{sub}^{sub}[par]|
                                                                             \verb|\cmdNameElm[sub][sub][par]| = NewName_{sub}^{sub}[par]|
                                                               733 \newcommandx{\cmdmthoparsymelm}[2][2=]
                                                                               {\cmdmthoparsym{#1}[#2]%
                                                                                \cmdmthoparelm{#1}[#2]}
            \mthluop, ... to do!
                                                                       \bullet \ \texttt{\bar{luop{\oplus}[sub][sup][Ext]}} = \oplus_{sub}^{sup} Ext ]
                                                                       • \mthlbop{\oplus}[sub][sup][Ext] = \bigoplus_{sub}^{sup}Ext
                                                               737 %% Style for \LaTex Operators
                                                               738 \cmdmth{luop}\newcommand{\mthstyluop}[1]{\textstyle\mathop{#1}}
                                                               739 \mbox{mth{lbop}\newcommand{mthstylbop}[1]{\texttextstyle}mathbin{#1}}
   \cmdmthluop, ... to do!
                                                                      • \cmdmthluop{cmdName};
                                                                             \colone{cmdNameUOp[sub][sub][ext]} = cmdName^{sub}_{sub} ext
                                                                       • \cmdmthluop{cmdName}[\oplus];
                                                                             \colon = 0
                                                                       • \cmdmthlbop{cmdName};
                                                                             \colon dNameBOp[sub][sub][ext] = cmdName_{sub}^{sub}ext
                                                                       • \cmdmthlbop{cmdName}[\oplus];
                                                                             \colon = 0 [sub] [sub] [ext] = \oplus_{sub}^{sub} ext
                                                               740 \newcommandx{\cmdmthluop}[2][2=]
                                                                               {\usrmth{#1}{UOp}{luop}[#2]}
                                                               742 \newcommandx{\cmdmthlbop}[2][2=]
                                                                             {\usrmth{#1}{BOp}{1bop}[#2]}
```

```
\mthlrel ... to do!
                                                                     • \mthlrel{\preceq}[sub][sup][Ext] = \leq_{sub}^{sup} Ext
                                                            744 %% Style for \LaTex Relations
                                                            745 \cmdmth{lrel}\newcommand{\mthstylrel}{\mathrel}
           \cmdmthlrel ... to do!
                                                                     • \cmdmthlrel{cmdName};
                                                                            \cmdNameRel[sub][sub][ext] = cmdName_{sub}^{sub} ext
                                                                     • \cmdmthlrel{cmdName}[\preceq];
                                                                            \verb|\cmdNameRel[sub][sub][ext]| = \preceq_{sub}^{sub} ext
                                                             746 \newcommandx{\cmdmthlrel}[2][2=]
                                                             747 {\usrmth{#1}{Rel}{lrel}[#2]}
                                                             \mthsnt, ... to do!
                                                                     • \mthsnt{Name} [sub] [sup] [Ext] = Name_{sub}^{sup}Ext
                                                                     \bullet \  \  \, \texttt{Name}[sub][sup][Ext1] \{ \texttt{Arg} \  \  \, \texttt{Ex} \} \} [Ext2] = \mathsf{Name}^{sup}_{sub} Ext1 \Big( Arg^{Ex^{Ex}} \Big) Ext2 \Big) = \mathsf{Name}^{sup}_{sub} Ext2 \Big( Arg^{Ex^{Ex}} \Big) \Big( Arg^{Ex} \Big) \Big( Arg^{E
                                                                      • \mthargsnt*{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                                     \bullet \  \, \texttt{\bar{Name}[sub][sub][Ext1][Par^{Ex^{Ex}}]} \  \, [\texttt{Ext2}] = \  \, \texttt{\bar{Name}} \  \, Ext1 \  \, \Big[ Par^{Ex^{Ex}} \Big] \  \, Ext2 \
                                                                      • \mthparsnt*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Par^{Ex^{Ex}}
                                                             749 %% Style for Sentences
                                                             750 \mbox{\mbox{\mbox{$\sim$}}}\mbox{\mbox{\mbox{$\sim$}}}\
              \aSnt, ... to do!
                                                         a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
                                                          A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                                                          \alpha,\,\beta,\,\gamma,\,\delta,\,\epsilon,\,\varepsilon,\,\zeta,\,\eta,\,\theta,\,\vartheta,\,\iota,\,\kappa,\,\varkappa,\,\lambda,\,\mu,\,\nu,\,\xi,\,\mathsf{o},\,\pi,\,\varpi,\,\rho,\,\varrho,\,\sigma,\,\varsigma,\,\tau,\,\upsilon,\,\phi,\,\varphi,\,\chi,\,\psi,\,\omega
                                                         \mathsf{A},\,\mathsf{B},\,\mathsf{\Gamma},\,\Delta,\,\mathsf{E},\,\mathsf{E},\,\mathsf{Z},\,\mathsf{H},\,\Theta,\,\varTheta,\,\mathsf{I},\,\mathsf{K},\,\mathsf{K},\,\mathsf{\Lambda},\,\mathsf{M},\,\mathsf{N},\,\Xi,\,\mathsf{O},\,\mathsf{\Pi},\,\varPi,\,\mathsf{P},\,\mathsf{P},\,\Sigma,\,\varSigma,\,\mathsf{T},\,\Upsilon,\,\Phi,\,\varPhi,\,\mathsf{X},\,\Psi,\,\Omega
                                                             751 \seqoflet{Snt}{mthsnt}
              \cmdmthsnt ... to do!
                                                                      \cmdmthsnt{cmdName};
                                                                            \cmdNameSnt[sub][sub][ext] = cmdName_{sub}^{sub}ext
                                                                     • \cmdmthsnt{cmdName}[NewName];
                                                                            \colon = NewName_{sub}^{sub}[sub][ext] = NewName_{sub}^{sub}ext
                                                             752 \newcommandx{\cmdmthsnt}[2][2=]
                                                             753 {\usrmth{#1}{Snt}{snt}[#2]}
   \cmdmthargsnt ... to do!
                                                                      \cmdmthargsnt{cmdName};
                                                                            \cmdNameSnt[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                                                                     • \cmdmthargsnt{cmdName}[NewName];
                                                                            \cmdNameSnt[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                                                             754 \newcommandx{\cmdmthargsnt}[2][2=]
                                                             755 {\usrmth{#1}{Snt}{argsnt}[#2]}
\cmdmthoargsnt ... to do!
                                                                      \cmdmthoargsnt{cmdName};
                                                                            \colon = cmdNameSnt[sub][sub][arg] = cmdName<math>_{sub}^{sub}(arg)
                                                                      • \cmdmthoargsnt{cmdName}[NewName];
                                                                            \colon = NewName_{sub}^{sub}(arg) = NewName_{sub}^{sub}(arg)
                                                             756 \mbox{newcommandx{\cmdmthoargsnt}[2][2=]}
                                                             757 {\usrmth{#1}{Snt}{oargsnt}[#2]}
   \cmdmthparsnt ... to do!
```

```
\cmdmthparsnt{cmdName};
                                              \verb|\cmdNameSnt[sub][sub][ext1]{par}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1[par]ext2|
                                           • \cmdmthparsnt{cmdName}[NewName];
                                              \verb|\cmdNameSnt[sub][sub][ext1]{par}[ext2] = \verb|\NewName|^{sub}_{sub}ext1[par]ext2|
                                     758 \newcommandx{\cmdmthparsnt}[2][2=]
                                              {\usrmth{#1}{Snt}{parsnt}[#2]}
\cmdmthoparsnt ... to do!
                                          • \cmdmthoparsnt{cmdName};
                                              \verb|\cmdNameSnt[sub][sub][par]| = \verb|\cmdNameSnt[sub][par]|
                                           • \cmdmthoparsnt{cmdName}[NewName];
                                               \colon = NewNameSub[par] = NewName_{sub}^{sub}[par]
                                     760 \newcommandx{\cmdmthoparsnt}[2][2=]
                                              {\usrmth{#1}{Snt}{oparsnt}[#2]}
    \mthfrm, ... to do!
                                          \bullet \ \  \  \, \texttt{Name} \texttt{[sub][sup][Ext]} = Name_{sub}^{sup}Ext
                                           • \mthargfrm{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                           \bullet \  \, \texttt{\normalfrm*{Name}[sub][sup][Ext1]{Arg^{Ex^{-}{Ex}}}} \  \, [\texttt{Ext2}] = Name_{sub}^{sup} Ext1(Arg^{Ex^{-Ex}}) Ext2 = Name_{sub}^{sub} Ext1(Arg^{Ex^{-Ex}}) Ext2(Arg^{Ex^{-Ex}}) Ext2(Arg^{Ex^{-Ex}}) Ext2(Arg^{Ex^{-Ex}}) Ext2(Arg^{Ex^{-Ex}}) Ext2(Arg^{Ex^{-Ex}}) Ext2(Arg^{Ex^{-Ex}}) E
                                           • \mthparfrm{Name} [sub] [sup] [Ext1] {Par^{Ex^{Ex}}} [Ext2] = Name_{sub}^{sup} Ext1 [Par^{Ex^{Ex}}] Ext2
                                           \bullet \  \  \, \texttt{\bare}[sub][sub][sup][Ext1][Par^{Ex^*}]Ext2] = Name^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2] = Name^{sup}_{sub}Ext1[Par^{Ex^{Ex}}]Ext2
                                     762 %% Style for Formulae
                                     763 \cmdmthall{frm}\newcommand{\mthstyfrm}{\mathit}
        \aFrm, ... to do!
                                   a,\;b,\;c,\;d,\;e,\;f,\;g,\;h,\;i,\;j,\;k,\;l,\;m,\;n,\;o,\;p,\;q,\;r,\;s,\;t,\;u,\;v,\;w,\;x,\;y,\;z
                                   A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                                   \alpha,\,\beta,\,\gamma,\,\delta,\,\epsilon,\,\varepsilon,\,\zeta,\,\eta,\,\theta,\,\vartheta,\,\iota,\,\kappa,\,\varkappa,\,\lambda,\,\mu,\,\nu,\,\xi,\,o,\,\pi,\,\varpi,\,\rho,\,\varrho,\,\sigma,\,\varsigma,\,\tau,\,\upsilon,\,\phi,\,\varphi,\,\chi,\,\psi,\,\omega
                                   A,~B,~\Gamma,~\Delta,~E,~E,~Z,~H,~\Theta,~\Theta,~I,~K,~K,~\Lambda,~M,~N,~\Xi,~O,~\Pi,~\Pi,~P,~P,~\Sigma,~\Sigma,~T,~\Upsilon,~\Phi,~\Phi,~X,~\Psi,~\Omega
                                     764 \seqoflet{Frm}{mthfrm}
        \cmdmthfrm ... to do!
                                          • \cmdmthfrm{cmdName};
                                              \cmdNameFrm[sub][sub][ext] = cmdName_{sub}^{sub}ext
                                           • \cmdmthfrm{cmdName}[NewName];
                                              \verb|\cmdNameFrm[sub][sub][ext]| = NewName_{sub}^{sub}ext
                                     765 \newcommandx{\cmdmthfrm}[2][2=]
                                              {\usrmth{#1}{Frm}{frm}[#2]}
  \cmdmthargfrm ... to do!
                                          • \cmdmthargfrm{cmdName};
                                              \cmdNameFrm[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2
                                           • \cmdmthargfrm{cmdName}[NewName];
                                              \cmdNameFrm[sub][sub][ext1]{arg}[ext2] = NewName_{sub}^{sub}ext1(arg)ext2
                                     767 \newcommandx{\cmdmthargfrm}[2][2=]
                                             {\usrmth{#1}{Frm}{argfrm}[#2]}
\cmdmthoargfrm ... to do!
                                          • \cmdmthoargfrm{cmdName};
                                              \colon dNameFrm[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                                           • \cmdmthoargfrm{cmdName}[NewName];
                                              \colon = NewName_{sub}^{sub}(arg) = NewName_{sub}^{sub}(arg)
                                     769 \newcommandx{\cmdmthoargfrm}[2][2=]
                                     770 {\usrmth{#1}{Frm}{oargfrm}[#2]}
  \cmdmthparfrm ... to do!
```

```
\cmdmthparfrm{cmdName};
                        \verb|\cmdNameFrm[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2|
                      • \cmdmthparfrm{cmdName}[NewName];
                        771 \newcommandx{\cmdmthparfrm}[2][2=]
                   772 {\usrmth{#1}{Frm}{parfrm}[#2]}
\cmdmthoparfrm ... to do!
                      • \cmdmthoparfrm{cmdName};
                        \verb|\cmdNameFrm[sub][sub][par]| = cmdName_{sub}^{sub}[par]|
                      • \cmdmthoparfrm{cmdName}[NewName];
                        \colon dNameFrm[sub][sub][par] = NewName^{sub}_{sub}[par]
                   773 \newcommandx{\cmdmthoparfrm}[2][2=]
                       {\usrmth{#1}{Frm}{oparfrm}[#2]}
                   \mthmat, ... to do!
                      • \mthmat{Name}[sub][sup][Ext] = \mathbf{Name}_{sub}^{sup}Ext
                      • \mthargmat{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                      • \mthparmat{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                      • \mthparmat*{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                   776 %% Style for Matrices
                   777 \mbox{mthall{mat}\newcommand{\mathbf \{mthstymat}[1]{\boldsymbol{\mathbf \{\#1\}}}}
    \aMat, ... to do!
                  a,\,b,\,c,\,d,\,e,\,f,\,g,\,h,\,i,\,j,\,k,\,l,\,m,\,n,\,o,\,p,\,q,\,r,\,s,\,t,\,u,\,v,\,w,\,x,\,y,\,z
                  A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                  \alpha,\,\beta,\,\gamma,\,\delta,\,\epsilon,\,\varepsilon,\,\zeta,\,\eta,\,\theta,\,\vartheta,\,\iota,\,\kappa,\,\varkappa,\,\lambda,\,\mu,\,\nu,\,\xi,\,\mathbf{o},\,\pi,\,\varpi,\,\rho,\,\varrho,\,\sigma,\,\varsigma,\,\tau,\,\upsilon,\,\phi,\,\varphi,\,\chi,\,\psi,\,\omega
                  A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega
                   778 \seqoflet{Mat}{mthmat}
    \cmdmthmat ... to do!
                      • \cmdmthmat{cmdName};
                        \cmdNameMat[sub][sub][ext] = cmdName_{sub}^{sub}ext
                      • \cmdmthmat{cmdName}[NewName];
                        \cmbox{\cmdNameMat[sub][sub][ext]} = \mathbf{NewName}^{sub}_{sub}ext
                   779 \newcommandx{\cmdmthmat}[2][2=]
                        {\usrmth{#1}{Mat}{mat}[#2]}
 \cmdmthargmat ... to do!
                      • \cmdmthargmat{cmdName};
                        \verb|\cmdNameMat[sub][sub][ext1]{arg}[ext2] = \mathbf{cmdName}_{sub}^{sub}ext1(arg)ext2
                      • \cmdmthargmat{cmdName}[NewName];
                        \verb|\cmdNameMat[sub][sub][ext1]{arg}[ext2] = \verb|\cmdName|^{sub}_{sub}ext1(arg)ext2
                   781 \newcommandx{\cmdmthargmat}[2][2=]
                   782 {\usrmth{#1}{Mat}{argmat}[#2]}
\cmdmthoargmat ... to do!
                      • \cmdmthoargmat{cmdName};
                        \cmdNameMat[sub][sub][arg] = cmdName_{sub}^{sub}(arg)
                      • \cmdmthoargmat{cmdName}[NewName];
                        \c New Name Mat[sub][sub][arg] = New Name <math>_{sub}^{sub}(arg)
                   783 \newcommandx{\cmdmthoargmat}[2][2=]
                   784 {\usrmth{#1}{Mat}{oargmat}[#2]}
```

```
\cmdmthparmat ... to do!
                                                               • \cmdmthparmat{cmdName};
                                                                     \cmdNameMat[sub][sub][ext1]{par}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2
                                                               • \cmdmthparmat{cmdName}[NewName];
                                                                    \c NewName Sub [sub] [sub] [ext1] [par] [ext2] = NewName Sub ext1[par] ext2
                                                       785 \newcommandx{\cmdmthparmat}[2][2=]
                                                                    {\usrmth{#1}{Mat}{parmat}[#2]}
\cmdmthoparmat ... to do!
                                                               • \cmdmthoparmat{cmdName};
                                                                    \cmdNameMat[sub][sub][par] = cmdName_{sub}^{sub}[par]
                                                               • \cmdmthoparmat{cmdName}[NewName];
                                                                    \verb|\cmdNameMat[sub][sub][par]| = \verb|NewName| sub| [par]|
                                                       787 \newcommandx{\cmdmthoparmat}[2][2=]
                                                                   {\usrmth{#1}{Mat}{oparmat}[#2]}
      \mthvec, ... to do!
                                                               ullet \mthvec{Name}[sub][sup][Ext] = Name_{sub}^{sup}Ext
                                                               • \mthargvec{Name}[sub][sup][Ext1]{Arg^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1(Arg^{Ex^{Ex}})Ext2
                                                               • \mthargvec*{Name}[sub][sup][Ext1]{Arg^{Ex^{2}}}[Ext2] = Name^{sup}_{sub}Ext1(Arg^{Ex^{Ex}})Ext2
                                                               • \mthparvec{Name}[sub][sup][Ext1]{Par^{Ex^{Ex}}}[Ext2] = Name_{sub}^{sup}Ext1[Par^{Ex^{Ex}}]Ext2
                                                               \bullet \  \, \texttt{\colored}[sub][sub][Ext1] \{ Par^{\{Ex^{\{Ex\}}\}} [Ext2] = Name^{\sup}_{\sup} Ext1 [Par^{Ex^{Ex}}] Ext2 \} = Name^{\sup}_{\sup} Ext1 [Par^{Ex^{Ex}}] Ext2 \} = Name^{\sup}_{\sup} Ext1 [Par^{Ex^{Ex}}] Ext2 = Name^{\sup}_{\sup} Ext2 = 
                                                       789 %% Style for Vectors
                                                       790 \cmdmthall{vec}\newcommand{\mthstyvec}[1]{\boldsymbol{\mathit{#1}}}
             \aVec, ... to do!
                                                    a,\,b,\,c,\,d,\,e,\,f,\,g,\,h,\,i,\,j,\,k,\,l,\,m,\,n,\,o,\,p,\,q,\,r,\,s,\,t,\,u,\,v,\,w,\,x,\,y,\,z
                                                    A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
                                                    \alpha,\,\beta,\,\gamma,\,\delta,\,\epsilon,\,\varepsilon,\,\zeta,\,\eta,\,\theta,\,\vartheta,\,\iota,\,\kappa,\,\varkappa,\,\lambda,\,\mu,\,\nu,\,\xi,\,o,\,\pi,\,\varpi,\,\rho,\,\varrho,\,\sigma,\,\varsigma,\,\tau,\,\upsilon,\,\phi,\,\varphi,\,\chi,\,\psi,\,\omega
                                                    A, B, \Gamma, \Delta, E, E, Z, H, \Theta, \Theta, I, K, K, \Lambda, M, N, \Xi, O, \Pi, \Pi, P, P, \Sigma, \Sigma, T, \Upsilon, \Phi, \Phi, X, \Psi, \Omega
                                                       791 \seqoflet{Vec}{mthvec}
             \cmdmthvec ... to do!
                                                               • \cmdmthvec{cmdName};
                                                                    \colon colon col
                                                               • \cmdmthvec{cmdName} [NewName];
                                                                    \verb|\cmdNameVec[sub][sub][ext]| = NewName^{sub}_{sub}ext
                                                       792 \newcommandx{\cmdmthvec}[2][2=]
                                                       793 {\usrmth{#1}{Vec}{vec}[#2]}
   \cmdmthargvec ... to do!
                                                               \cmdmthargvec{cmdName};
                                                                    \verb|\cmdNameVec[sub][sub][ext1]{arg}[ext2] = cmdName_{sub}^{sub}ext1(arg)ext2|
                                                               • \cmdmthargvec{cmdName}[NewName];
                                                                    \verb|\cmdNameVec[sub][sub][ext1]{arg}[ext2] = NewName^{sub}_{sub}ext1(arg)ext2
                                                       794 \newcommandx{\cmdmthargvec}[2][2=]
                                                       795 {\usrmth{#1}{Vec}{argvec}[#2]}
\cmdmthoargvec ... to do!
                                                               • \cmdmthoargvec{cmdName};
                                                                    \verb|\cmdNameVec[sub][sub][arg]| = cmdName^{sub}_{sub}(arg)
                                                               • \cmdmthoargvec{cmdName}[NewName];
                                                                    \cmdNameVec[sub][sub] [arg] = NewName_{sub}^{sub}(arg)
                                                       796 \newcommandx{\cmdmthoargvec}[2][2=]
                                                       797 {\usrmth{#1}{Vec}{oargvec}[#2]}
```

```
\cmdmthparvec ... to do!
                • \cmdmthparvec{cmdName};
                  \cmdNameVec[sub][sub][ext1]\{par\}[ext2] = cmdName_{sub}^{sub}ext1[par]ext2
                • \cmdmthparvec{cmdName}[NewName];
                  \verb|\cmdNameVec[sub][sub][ext1]{par}[ext2] = NewName^{sub}_{sub}ext1[par]ext2
              798 \newcommandx{\cmdmthparvec}[2][2=]
                 {\usrmth{#1}{Vec}{parvec}[#2]}
\c to do!
                \cmdmthoparvec{cmdName};
                  \verb|\cmdNameVec[sub][par]| = cmdName^{sub}_{sub}[par]|
                • \cmdmthoparvec{cmdName}[NewName];
                  \cmdNameVec[sub][sub][par] = NewName_{sub}^{sub}[par]
              800 \newcommandx{\cmdmthoparvec}[2][2=]
                  {\usrmth{#1}{Vec}{oparvec}[#2]}
              802\fi
              807 \iftxt@
              \adhoc
                • \adhoc = ad\ hoc
              809 \cmdtxtabr{adhoc}[ad hoc]
                • \arrange a fortiori
    \afortiori
              810 \cmdtxtabr{afortiori}[a fortiori]
                • \apriori = a priori
     \apriori
              811 \cmdtxtabr{apriori}[a priori]
  \aposteriori
                • \aposteriori = a posteriori
              812 \cmdtxtabr{aposteriori}[a posteriori]
                • \backslash cf = cf.
         \cf
              813 \cmdtxtabr{cf}[cf.]
                • \dedicto = de dicto
     \dedicto
              814 \cmdtxtabr{dedicto}[de dicto]
                • \defacto = de\ facto
     \defacto
              815 \cmdtxtabr{defacto}[de facto]
                • \forall ere = de re
        \dere
              816 \cmdtxtabr{dere}[de re]
\divideetimpera
                ullet \divideetimpera = divide\ et\ impera
              817 \cmdtxtabr{divideetimpera} [divide et impera]
                • \backslash eg = e.g.
         \eg
              818 \cmdtxtabr{eg}[e.g.]
                • \ergo = ergo
        \ergo
              819 \cmdtxtabr{ergo}
                • \errata = errata
      \errata
              820 \cmdtxtabr{errata}
```

```
\erratum
                        • \erratum = erratum
                     821 \cmdtxtabr{erratum}
                        • \ensuremath{\backslash} \mathtt{etal} = et \ al.
            \etal
                     822 \cmdtxtabr{etal}[et al.]
             \etc
                        • \ensuremath{\backslash} \mathsf{etc} = \mathit{etc}.
                     823 \cmdtxtabr{etc}[etc.]
               \ie
                        • \forallie = i.e.
                     824 \cmdtxtabr{ie}[i.e.]
                        \bullet \mutatismutandis = mutatis mutandis
\mutatismutandis
                     825 \cmdtxtabr{mutatismutandis} [mutatis mutandis]
                         \bullet \ \backslash \mathtt{percontra} = \mathit{per} \ \mathit{contra} \\
      \percontra
                     826 \cmdtxtabr{percontra}[per contra]
                        • \primafacie = prima facie
     \primafacie
                     827 \cmdtxtabr{primafacie}[prima facie]
                        \viceversa
                     828 \cmdtxtabr{viceversa}[vice versa]
               \vs
                        • \vert vs = vs.
                     829 \cmdtxtabr{vs}[vs.]
             \viz
                        • \viz = viz.
                     830 \cmdtxtabr{viz}[viz.]
                     \Afortiori
                        • \land Afortiori = A \ fortiori
                     832 \cmdtxtabr{Afortiori}[A fortiori]
                        • \Apriori = A \ priori
         \Apriori
                     833 \cmdtxtabr{Apriori}[A priori]
    \Aposteriori
                        • \Aposteriori = A posteriori
                     834 \cmdtxtabr{Aposteriori}[A posteriori]
         \Dedicto
                        • \Dedicto = De \ dicto
                     835 \cmdtxtabr{Dedicto}[De dicto]
         \Defacto
                        • \ensuremath{\texttt{Defacto}} = De\ facto
                     836 \cmdtxtabr{Defacto}[De facto]
            \Dere
                        • \Dere = De re
                     837 \cmdtxtabr{Dere}[De re]
                         \bullet \ \ \verb+\Divideetimpera = Divide \ et \ impera
\Divideetimpera
                     838 \cmdtxtabr{Divideetimpera}[Divide et impera]
               \Eg
                        • \backslash Eg = E.g.
                     839 \cmdtxtabr{Eg}[E.g.]
          \Errata
                        • \ensuremath{\backslash} \texttt{Errata} = Errata
                     840 \cmdtxtabr{Errata}
```

```
\Erratum
                • \Erratum = Erratum
              841 \cmdtxtabr{Erratum}
                ullet \Mutatismutandis = Mutatis\ mutandis
\Mutatismutandis
              842 \cmdtxtabr{Mutatismutandis} [Mutatis mutandis]
    \Percontra
                • \ensuremath{\backslash} \mathtt{Percontra} = Per\ contra
              843 \cmdtxtabr{Percontra} [Per contra]
    \Primafacie
                • \Primafacie = Prima facie
              844 \cmdtxtabr{Primafacie}[Prima facie]
    \Viceversa
                • \forall iceversa = Vice \ versa
              845 \cmdtxtabr{Viceversa}[Vice versa]
              \naif
                • \n naif = naif
              849 \cmdtxtabr{naif}[na\"{i}f]
        \naive
                • \ne naive = na\"{i}ve
              850 \cmdtxtabr{naive}[na\"{i}ve]
                • \role = r\hat{o}le
        \role
              851 \cmdtxtabr{role}[r\^{o}le]
              \Role
                • \label{Role} \operatorname{Role} = R \hat{o} l e
              853 \cmdtxtabr{Role}[R\^{o}le]
              • \arrowvert aka = a.k.a.
         \aka
              855 \cmdtxtabr{aka}[a.k.a.]
        \contd
                • \contd = contd.
              856 \cmdtxtabr{contd}[contd.]
         \iff
                • \iff = iff
              857 \cmdtxtabr{iff}
         \iht
                • \ iht = i.h.t.
              858 \cmdtxtabr{iht}[i.h.t.]
         \stx
                • \ stx = s.t.
              859 \cmdtxtabr{stx}[s.t.]
                • \resp = resp.
        \resp
              860 \cmdtxtabr{resp}[resp.]
                \wrt
               861 \cmdtxtabr{wrt}[w.r.t.]
```

```
\wlogx
                                 • \wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\wordsymbol{\w
                             862 \cmdtxtabr{wlogx}[w.l.o.g.]
                             \Contd
                                 • \c Contd = Contd.
                             864 \cmdtxtabr{Contd}[Contd.]
              \Wlogx
                                 • \Wlogx = W.l.o.g.
                             865 \cmdtxtabr{Wlogx}[W.l.o.g.]
                             871 \ifmth@
                             \defeq, \seteq ...
                             873 \DeclareRobustCommand{\defeq}
                             874 {\@ifstar%
                                         {\bf \{\text{\textup{def}}\}{=}\}}\%
                                         {\mthlbop{\triangleq}}}
                             877 \DeclareRobustCommand{\seteq}
                                    {\@ifstar{\mthlbop{\Coloneqq}}}{\mthlbop{\coloneqq}}}
                             \limp, ... ...
                             880 \DeclareRobustCommand{\limp}
                             881 {\mthlbop{\rightarrow}}
    \lcoimp, ... ...
                             882 \DeclareRobustCommand{\lcoimp}
                             883 {\mthlbop{\leftrightarrow}}
                             \implies, ... ...
                             885 \DeclareRobustCommand{\implies}
                             886 {\mthlrel{\Rightarrow}}
                             887 \DeclareRobustCommand{\notimplies}
                             888 {\mthlrel{\not\Rightarrow}}
   \implied, ... ...
                             889 \DeclareRobustCommand{\implied}
                             890 {\mthlrel{\Leftarrow}}
                             891 \DeclareRobustCommand{\notimplied}
                             892 {\mthlrel{\not\Leftarrow}}
\coimplies, ... ...
                             893 \DeclareRobustCommand{\coimplies}
                             894 {\mthlrel{\Leftrightarrow}}
                             895 \DeclareRobustCommand{\notcoimplies}
                             896 {\mthlrel{\not\!\Leftrightarrow}}
                             \cmodels, ... ...
                             898 \DeclareRobustCommand{\cmodels}
                             899 {\mthlrel{\models}}
                             900 \DeclareRobustCommand{\notcmodels}
                             901 {\mthlrel{\not\models}}
```

```
\cequiv, ... ...
                                    902 \DeclareRobustCommand{\cequiv}
                                    903 {\mthlrel{\equiv}}
                                    904 \DeclareRobustCommand{\notcequiv}
                                           {\mthlrel{\not\equiv}}
                                    \denot ...
                                    907 \DeclareRobustCommand{\denot}
                                             {\@ifstar{\@sdenot}{\@denot}}
                                    909 \DeclareRobustCommand{\Qdenot}[1]
                                    910 {\mth{\argmid{\left\llbracket}{#1}{\right\rrbracket}}}
                                    911 \DeclareRobustCommand{\@sdenot}[1]
                                            {\mth*{\argmid{\llbracket}{#1}{\rrbracket}}}
                                    \dual, \adj, ... ...
                                    914 \DeclareRobustCommand{\dual}[1]
                                    915 {\mth{\overline{#1}}}
                                    916 \DeclareRobustCommand{\adj}[1]
                                    917 {\mth{\mathring{#1}}}
                                    918 \DeclareRobustCommand{\der}[1]
                                    919 {\mth{\widehat{#1}}}
                                    920 \DeclareRobustCommand{\trn}[1]
                                    921 {\mth{\widetilde{#1}}}
                       \vec ...
                                    922 \DeclareRobustCommand{\vec}
                                    923 {\@ifstar{\@svec}{\@vec}}
                                    924 \DeclareRobustCommand{\@vec}[1]
                                    925 {\mth{\mathaccent"017E{#1}}}
                                    926 \DeclareRobustCommand{\@svec}[1]
                                    927 {\mth{\overline{#1}}}
                                    \enumeration, ... ...
                                    929 \ \ensuremath{\mth*}{}{,}{}{}
                                    930 \varcmd{enumerationx}{\mth*}{}{;}{}}
     \sequence, ... ...
                                    931 \DeclareRobustCommand{\sequence}
                                             {\@ifstar{\@ssequence}{\@sequence}}
                                     933 \varcmd{@sequence}{\mth}{\left[}{,}{\right]}{}
                                     934 \varcmd{@ssequence}{\mth*}{[}{,}{]}{}
                                    935 \DeclareRobustCommand{\sequencel}
                                             {\@ifstar{\@ssequencel}{\@sequencel}}
                                    937 \varcmd{@sequencel}{\mth}{\left[}{,}{\right.}{}
                                    938 \varcmd{@ssequencel}{\mth*}{[]{,}{}}
                                    939 \DeclareRobustCommand{\sequencer}
                                            {\@ifstar{\@ssequencer}{\@sequencer}}
                                    941 \color= 12.3 \color= 12.3
                                    942 \operatorname{(0ssequencer){\{\hth*\}{\}},\}{]}}{}
                                    943 \DeclareRobustCommand{\sequencex}
                                    944 {\@ifstar{\@ssequencex}{\@sequencex}}
                                    945 \operatorname{(0sequencex}{\mathbf{()}}{\mathbf{()}}{\mathbf{()}}
                                    946 \varcmd{@ssequencex}{\mth*}{[]{;}{]}{}
                                    947 \DeclareRobustCommand{\sequencex1}
                                    948 {\@ifstar{\@ssequencexl}{\@sequencexl}}
                                    949 \varcmd{@sequencexl}{\mth}{\left[}{;}{\right.}{}
                                    950 \\ \varcmd{@ssequencex1}{\mth*}{[}{;}{}}
```

```
951 \DeclareRobustCommand{\sequencexr}
             952 {\@ifstar{\@ssequencexr}{\@sequencexr}}
             953 \varcmd{@sequencexr}{\mth}{\left.}{;}{\right]}{}
             954 \operatorname{(0ssequencexr}{\{\t^*\}\{\},\}\{]\}\{\}
\tuple, ... ...
             955 \DeclareRobustCommand{\tuple}
             956 {\@ifstar{\@stuple}{\@tuple}}
             957 \varcmd{@tuple}{\mth}{\left\langle}{,}{\right\rangle}{}
             958 \varcmd{@stuple}{\mth*}{\langle}{,}{\rangle}{}
             959 \DeclareRobustCommand{\tuplel}
             960 {\@ifstar{\@stuplel}{\@tuplel}}
             961 \varcmd{@tuplel}{\mth}{\left\langle}{,}{\right.}{}
             962 \varcmd{@stuplel}{\mth*}{\langle}{,}{}}
             963 \DeclareRobustCommand{\tupler}
                 {\@ifstar{\@stupler}{\@tupler}}
             965 \varcmd{@tupler}{\mth}{\left.}{,}{\right\rangle}{}
             966 \varcmd{@stupler}{\mth*}{}{,}{\rangle}{}
             967 \DeclareRobustCommand{\tuplex}
                 {\@ifstar{\@stuplex}{\@tuplex}}
             969 \varcmd{@tuplex}{\mth}{\left\langle}{;}{\right\rangle}{}
             970 \varcmd{@stuplex}{\mth*}{\langle}{;}{\rangle}{}
             971 \DeclareRobustCommand{\tuplex1}
                 {\@ifstar{\@stuplexl}{\@tuplexl}}
             973 \varcmd{@tuplexl}{\mth}{\left\langle}{;}{\right.}{}
             974 \varcmd{@stuplexl}{\mth*}{\langle}{;}{}{}
             975 \DeclareRobustCommand{\tuplexr}
             976 {\@ifstar{\@stuplexr}{\@tuplexr}}
             977 \varcmd{@tuplexr}{\mth}{\left.}{;}{\right\rangle}{}
             978 \texttt{\cmd{@stuplexr}{\mth*}{}{;}{\cmd{e}}{}}
             \set. ... ...
             980 \DeclareRobustCommand{\set}
                 {\@ifstar{\@sset{\vert}}{\@set{\vert}}}
             982 \DeclareRobustCommand{\setx}
                 {\@ifstar{\@sset{:}}{\@set{.\!:}}}
             984 \DeclareRobustCommand{\@set}[3]
             986 \DeclareRobustCommand{\@sset}[3]
             987 {\mathbf {\mathbf {\mathbf {\lambda rgmid{ \underline {\lambda rgsep{#2}{\, #1\, }{#3}}{\ rbrace}}}}
             988 \DeclareRobustCommand{\set1}
             989 {\@ifstar{\@ssetl{\vert}}{\@setl{\vert}}}
             990 \DeclareRobustCommand{\setlx}
             991 {\@ifstar{\@ssetl{:}}{\@setl{.\!\!\!:}}}
             992 \DeclareRobustCommand{\@set1}[2]
             993 {\mth{\argmid{\left\lbrace}{#2}{\,\right#1\!}}}
             994 \DeclareRobustCommand{\@sset1}[2]
             995 {\mth*{\argmid{\lbrace}{#2}{\,#1\!}}}
             996 \DeclareRobustCommand{\setr}
                 {\@ifstar{\@ssetr}{\@setr}}
             998 \DeclareRobustCommand{\setrx}
                 {\@ifstar{\@ssetr}{\@setr}}
            1000 \DeclareRobustCommand{\@setr}[1]
                 {\mth{\argmid{\left.}{#1}{\right\rbrace}}}
            1002 \DeclareRobustCommand{\@ssetr}[1]
                 {\mth*{\argmid{}{#1}{\rbrace}}}
     \card ...
            1004 \DeclareRobustCommand{\card}
                 {\@ifstar{\@scard}{\@card}}
            1006 \DeclareRobustCommand{\@card}[1]
                 {\mth{\argmid{\left\lvert}{#1}{\right\rvert}}}
```

```
1008 \DeclareRobustCommand{\@scard}[1]
                                  1009
                                            {\mth*{\argmid{\lvert}{#1}{\rvert}}}
                       woa/
                                  1010 \DeclareRobustCommand{\pow}[1]
                                             {\mth{2^{\defval{#1}{\cdot}}}}
                                  \emptyrel
                                  1013 \DeclareRobustCommand{\emptyrel}
                                           {\mth{\varnothing}}
                                  1014
                                  \dom, \cod, ... ...
                                 1016 \usrmth{dom}{}{argfun}
                                  1017 \usrmth{cod}{}{argfun}
                                  1018 \usrmth{rng}{}{argfun}
                                  1019 \usrmth{img}{}{argfun}
                                  \prj ...
                                  1021 \DeclareRobustCommand{\prj}
                                  1022 {\mthlbop{\downarrow}}
                      \rst ...
                                  1023 \verb|\DeclareRobustCommand{\rst}|
                                  1024 {\mthlbop{\upharpoonright}}
                       \cmp ...
                                  1025 \DeclareRobustCommand{\cmp}
                                           {\mthlbop{\circ}}
                                  \emptyfun
                                  1028 \DeclareRobustCommand{\emptyfun}
                                           {\mth{\varnothing}}
                                  \pto, \pmapsto
                                  1031 \DeclareMathOperator{\pto}
                                           {\ensuremath{\rightharpoonup}}
                                  1033 \DeclareMathOperator{\pmapsto}
                                           {\ensuremath{\mathrel{\raisebox{0.5ex}{\footnotesize${\llcorner}$}%
                                  1034
                                                 \kern-1.5ex\rightharpoonup}}}
                                  1035
                                  \fix, \ifp, ...
                                  1037 \mbox{\sc hir}{fix}{fun}
                                  1038 \usrmth{ifp}{}{fun}
                                  1039 \mbox{ \norm}{1039} \mbox{\norm}{1039} \mbox
                                  1040 \mbox{ \norm} \{gfp\}{} \{fun\}
                                  \Aomega, \AOmega
                                  1042 \usrmth{Aomega}{}{argset}[\omega]
                                  1043 \usrmth{AOmega}{}{argset}[\Omega]
```

```
\Atheta, \ATheta ...
                1044 \mbox{ \normalfill} \{argset\} [\mbox{\normalfill} \}
                1045 \verb| \argset| [\Theta] 
 \Aomicron, ...
                1046 \usrmth{Aomicron}{}{argset}[\omicron]
                1047 \usrmth{AOmicron}{}{argset}[\Omicron]
                \SetB ...
                1049 \DeclareRobustCommand{\SetB}
                1050 {\mthset[mathbb]{B}}
          \SetF ...
                1051 \DeclareRobustCommand{\SetF}
                1052 {\mthset[mathbb]{F}}
     \SetN, ... ...
                1053 \DeclareRobustCommand{\SetN}
                    {\mthset[mathbb]{N}}
                1055 \DeclareRobustCommand{\SetNI}[1][]
                1056 {\SetN[\infty #1]}
     \SetZ, ... ...
                1057 \DeclareRobustCommand{\SetZ}
                1058 {\mthset[mathbb]{Z}}
                1059 \DeclareRobustCommand{\SetZI}[1][]
                1060 {\SetZ[\pm\infty #1]}
                1061 \DeclareRobustCommand{\SetZPI}[1][]
                1062 {\SetZ[+\infty #1]}
                1063 \DeclareRobustCommand{\SetZNI}[1][]
                1064 {\SetZ[-\infty #1]}
     \SetQ, ... ...
                1065 \DeclareRobustCommand{\SetQ}
                1066 {\mthset[mathbb]{Q}}
                1067 \DeclareRobustCommand{\SetQI}[1][]
                1068 {\SetQ[\pm\infty #1]}
                1069 \DeclareRobustCommand{\SetQPI}[1][]
                1070 {\SetQ[+\infty #1]}
                1071 \DeclareRobustCommand{\SetQNI}[1][]
                1072 {\SetQ[-\infty #1]}
     \SetR, ... ...
                1073 \DeclareRobustCommand{\SetR}
                1074 {\mthset[mathbb]{R}}
                1075 \DeclareRobustCommand{\SetRI}[1][]
                1076 {\SetR[\pm\infty #1]}
                1077 \DeclareRobustCommand{\SetRPI}[1][]
                1078 {\SetR[+\infty #1]}
                1079 \DeclareRobustCommand{\SetRNI}[1][]
                1080 {\SetR[-\infty #1]}
     \SetC, ...
                1081 \DeclareRobustCommand{\SetC}
                1082 {\mthset[mathbb]{C}}
                1083 \DeclareRobustCommand{\SetCI}[1][]
                1084 {\SetC[\infty #1]}
```

```
\num, ... ...
                1086 \DeclareRobustCommand{\num}[1]
                1087 {\mth{[#1]}}
                1088 \DeclareRobustCommand{\numcc}[2]
                1089 {\mth{[\argsep{#1}{,}{#2}]}}
                1090 \DeclareRobustCommand{\numco}[2]
                     {\mth{[\argsep{#1}{,}{#2})}}
                1091
                1092 \DeclareRobustCommand{\numoc}[2]
                     {\mth{(\argsep{#1}{,}{#2}]}}
                1094 \DeclareRobustCommand{\numoo}[2]
                     {\mth{(\argsep{#1}{,}{#2})}}
                \abs, \norm
                1097 \DeclareRobustCommand{\abs}
                1098 {\@ifstar{\@sabs}{\@abs}}
                1099 \DeclareRobustCommand{\@abs}[1]
                     {\mth{\argmid{\left\lvert}{#1}{\right\rvert}}}
                1101 \DeclareRobustCommand{\@sabs}[1]
                     {\mth*{\argmid{\lvert}{#1}{\rvert}}}
                1103 \DeclareRobustCommand{\norm}
                1104 {\@ifstar{\@snorm}{\@norm}}
                1105 \DeclareRobustCommand{\@norm}[1]
                    {\mth{\argmid{\left\lVert}{#1}{\right\rVert}}}
                1107 \DeclareRobustCommand{\@snorm}[1]
                     {\mth*{\argmid{\lVert}{#1}{\rVert}}}
                1108
  \floor, \ceil ...
                1109 \DeclareRobustCommand{\floor}
                1110 {\@ifstar{\@sfloor}{\@floor}}
                1111 \DeclareRobustCommand{\@floor}[1]
                1112 {\mth{\argmid{\left\lfloor}{#1}{\right\rfloor}}}
                1113 \DeclareRobustCommand{\@sfloor}[1]
                     {\mth*{\argmid{\lfloor}{#1}{\rfloor}}}
                1115 \DeclareRobustCommand{\ceil}
                1116 {\@ifstar{\@sceil}{\@ceil}}
                1117 \DeclareRobustCommand{\@ceil}[1]
                1119 \DeclareRobustCommand{\@sceil}[1]
                     {\mth*{\argmid{\lceil}{#1}{\rceil}}}
                \arg ...
                1122 \operatorname{lgrmth} \{arg\} \{ \} \{ fun \}
    \evn, \odd ...
                1123 \usrmth{evn}{}{fun}
                1124 \operatorname{lusrmth} \{ odd \} \{ \} \{ fun \}
     \bst, ... ...
                1125 \operatorname{lgmth}{bst}{fun}
                1126 \usrmth{argbst}{}{fun}[arg\,bst]
\min, \max, ... ...
                1127 \operatorname{lusrmth\{min}{\{\}\{fun\}}
                1128 \operatorname{max}{}{fun}
                1129 \usrmth{argmin}{}{fun}[arg\,min]
                1130 \usrmth{argmax}{}{fun}[arg\,max]
    \inf, \sup ...
                1131 \mbox{ \nf}{fun}
                1132 \mbox{ } \mbox{usrmth} \mbox{sup}{}{fun}
```

```
\emptyseq
             1134 \DeclareRobustCommand{\emptyseq}
             1135 {\mth{\varepsilon}}
        \len ...
             1136 \DeclareRobustCommand{\len}
                  {\@ifstar{\@slen}{\@len}}
             1138 \DeclareRobustCommandx{\@len}[3][1=, 2=]
             1139 {\mth{\argmid{#1\lvert}{#3}{#2\rvert}}}
             1140 \DeclareRobustCommand{\@len}[1]
                  {\mth{\argmid{\left\lvert}{#1}{\right\rvert}}}
             1142 \DeclareRobustCommand{\@slen}[1]
             \fst, \lst ...
             1144 \usrmth{fst}{}{argfun}
             1145 \usrmth{lst}{}{argfun}
             1146 \fi
             1151 \ifcom@
  \defcomcls ... to do!
                • \defcomcls{CompClass};
                  \CompClass[sub][sup][arg] = COMPCLASS_{SUB}^{SUP}(ARG)
                 • \defcomcls{CompClass}[NewClass];
                  \CompClass[sub][sup][arg] = NEWCLASS_{SUB}^{SUP}(ARG)
             1152 \newcommandx{\defcomcls}[2][2=]
                  {\csdef{#1}{\txtoargcom{\defval{#2}{#1}}}}
\defcomclsgrp ... to do!
                 \defcomclsgrp{CompClass};
                  \CompClass[sub][sup][arg] = COMPCLASS_{SUB}^{SUP}(ARG)
                  \CoCompClass[sub][sup][arg] = CoCompCLASS_{SUB}^{SUP}(ARG)
                  \CompClassE[sub][sup][arg] = COMPCLASS-EASY_{SUB}^{SUP}(ARG)
                  \verb|\CoCompClassE[sub][sup][arg]| = \operatorname{CoCoMPCLASS-EASY}^{SUP}_{SUB}(ARG)
                  \verb|\CompClassH[sub][sup][arg]| = CompClass-Hard_{SUB}^{SUP}(ARG)
                  \CoCompClassH[sub][sup][arg] = CoCompClass-Hard_{SUB}^{SUP}(ARG)
                  \CompClassC[sub][sup][arg] = COMPCLASS-COMPLETE_{SUB}^{SUP}(ARG)
                  \verb|\CoCompClassC[sub][sup][arg]| = CoCompClass-Complete_{SUB}^{SUP}(ARG)
                  \verb|\DCompClass[sub][sup][arg]| = DCompClass[sup](ARG)
                  \verb|\CoDCompClass[sub][sup][arg]| = CoDCompClass_{SUB}^{SUP}(ARG)
                  \label{eq:decompClassE} $$ \D{\compClassE[sub][sup][arg]} = D{\ccompClass-Easy}^{SUP}_{SUB}(ARG) 
                  \verb|\CoDCompClassE[sub][sup][arg]| = CoDCompClass-Easy^{SUP}_{SUB}(ARG)
                  \D{CompClassH[sub][sup][arg]} = D{CompClass-Hard}_{SUB}^{SUP}(ARG)
                  \CodCompClassH[sub][sup][arg] = CodCompClass-Hard_{SUB}^{SUP}(Arg)
                  \label{eq:decompClassC} $$\D{\compClassC[sub][sup][arg]} = DCOMPCLASS-COMPLETE_{SUB}^{SUP}(ARG)
                  \verb|\CoDCompClassC[sub][sup][arg]| = CoDCompClass-Complete_{SUB}^{SUP}(ARG)
                  \NCompClass[sub][sup][arg] = NCompCLASS_{SUB}^{SUP}(ARG)
                  \ConCompClass[sub][sup][arg] = ConCompClass[sub](ARG)
                  \NCompClassE[sub][sup][arg] = NCOMPCLASS-EASY_{SUB}^{SUP}(ARG)
```

```
\ConCompClassE[sub][sup][arg] = ConCompClass-Easy_{SUB}^{SUP}(ARG)
  \NCompClassH[sub][sup][arg] = NCOMPCLASS-HARD_{SUB}^{SUP}(ARG)
  \verb|\CoNCompClassH[sub][sup][arg]| = CoNCOMPCLASS-HARD_{SUB}^{SUP}(ARG)
  \NCompClassC[sub][sup][arg] = NCompClass-CompLete_{Sub}^{SUP}(ARG)
  \ConCompClassC[sub][sup][arg] = ConCompClass-Complete_{SUB}^{SUP}(ARG)
  \verb|\UCompClass[sub][sup][arg]| = UCompClass[sup](arg)
  \verb|\CoUCompClass[sub][sup][arg]| = CoUCompClass[sup](arg)
  \UCompClassE[sub][sup][arg] = UCompClass-Easy_{SUB}^{SUP}(ARG)
  \verb|\CoUCompClassE[sub][sup][arg]| = CoUCOMPCLASS-EASY_{SUB}^{SUP}(ARG)
  \label{eq:ucompclassh} $$\U{\compclassh}[sub][sup][arg] = UCOMPCLASS-HARD_{SUB}^{SUP}(ARG)$
  \verb|\CoUCompClassH[sub][sup][arg]| = CoUCompClass-Hard_{SUB}^{SUP}(ARG)
  \label{eq:UCompClassC} $$\UCompClassC[sub][sup][arg] = UComPClass-CompLete_{SUB}^{SUP}(ARG)$
  \CoulompClassC[sub][sup][arg] = CoUCOMPCLASS-COMPLETE_{SUB}^{SUP}(ARG)
  \Lambda CompClass[sub][sup][arg] = ACOMPCLASS_{SUB}^{SUP}(ARG)
  \CoACompClass[sub][sup][arg] = CoACompClass_{SUB}^{SUP}(ARG)
  \triangle CompClassE[sub][sup][arg] = ACOMPCLASS-EASY_{SUB}^{SUP}(ARG)
  \CoACompClassE[sub][sup][arg] = CoACompClass-Easy_{SUB}^{SUP}(ARG)
  \Lambda CompClassH[sub][sup][arg] = ACOMPCLASS-HARD_{SUB}^{SUP}(ARG)
  \CoACompClassH[sub][sup][arg] = CoACompClass-Hard_{SUB}^{SUP}(ARG)
  \verb|\ACompClassC[sub][sup][arg]| = ACompClass-complete_{SUB}^{SUP}(ARG)
  \CoACompClassC[sub][sup][arg] = CoACompClass-CompLete_{Sub}^{SUP}(ARG)
\defcomclsgrp{CompClass} [NewClass];
  \CompClass[sub][sup][arg] = NewClass_{SUB}^{SUP}(ARG)
  \CoCompClass[sub][sup][arg] = CoNewClass_{SUB}^{SUP}(ARG)
  \CompClassE[sub][sup][arg] = NewClass-Easy_{SUB}^{SUP}(ARG)
  \verb|\CoCompClassE[sub][sup][arg]| = CoNewClass-easy_{Sub}^{SUP}(ARG)
  \verb|\CompClassH[sub][sup][arg]| = NewClass-Hard_{SUB}^{SUP}(ARG)
  \CoCompClassH[sub][sup][arg] = CoNewClass-Hard_{SUB}^{SUP}(ARG)
  \label{local_complex_complex_complex} $$\operatorname{CompClassC[sub][sup][arg]} = \operatorname{NewClass-complexE}_{SUB}^{SUP}(ARG)
  \verb|\CoCompClassC[sub][sup][arg]| = CoNewClass-complete_{Sub}^{SUP}(ARG)
  \verb|\DCompClass[sub][sup][arg]| = DNEWCLASS_{SUB}^{SUP}(ARG)
  \CoDCompClass[sub][sup][arg] = CoDNewClass_{SUB}^{SUP}(ARG)
  \verb|\DCompClassE[sub][sup][arg]| = DNewClass-easy_{SUB}^{SUP}(ARG)
  \verb|\CoDCompClassE[sub][sup][arg]| = CoDNewClass-easy_{Sub}^{SUP}(ARG)
  \verb|\DCompClassH[sub][sup][arg]| = DNEWCLASS-HARD_{SUB}^{SUP}(ARG)
  \CoDCompClassH[sub][sup][arg] = CoDNewClass-Hard_{SUB}^{SUP}(Arg)
  \DCompClassC[sub][sup][arg] = DNEWCLASS-COMPLETE_{SUB}^{SUP}(ARG)
  \CoDCompClassC[sub][sup][arg] = CoDNewClass-Complete_{SUB}^{SUP}(ARG)
  \verb|\NCompClass[sub][sup][arg]| = NNEWCLASS_{SUB}^{SUP}(ARG)
  \ConCompClass[sub][sup][arg] = ConNewClass_{Sub}^{SUP}(ARG)
  \label{eq:ncompClassE} $$\N\compClassE[sub][sup][arg] = NNEWCLASS-EASY_{SUB}^{SUP}(ARG)$
  \ConCompClassE[sub][sup][arg] = ConNewClass-Easy_{SUB}^{SUP}(ARG)
  \label{eq:ncompClassH} $$\NEWCLASS-HARD_{SUB}^{SUP}(ARG)$ = NNEWCLASS-HARD_{SUB}^{SUP}(ARG)$
  \verb|\CoNCompClassH[sub][sup][arg]| = \operatorname{CoNNewClass-Hard}_{SUB}^{SUP}(\operatorname{Arg})
  \NCompClassC[sub][sup][arg] = NNEWCLASS-COMPLETE_{SUB}^{SUP}(ARG)
  \verb|\ConCompClassC[sub][sup][arg]| = ConNewClass-Complete_{Sub}^{Sup}(ARG)
  \verb|\UCompClass[sub][sup][arg]| = UNEWCLASS^{SUP}_{SUB}(ARG)
  \CoUCompClass[sub][sup][arg] = CoUNEWCLASS_{SUB}^{SUP}(ARG)
  \UCompClassE[sub][sup][arg] = UNEWCLASS-EASY_{SUB}^{SUP}(ARG)
  \verb|\CoUCompClassE[sub][sup][arg]| = CoUNEwClass-Easy_{SUB}^{SUP}(ARG)
  \verb|\UCompClassH[sub][sup][arg]| = UNEWCLASS-HARD_{SUB}^{SUP}(ARG)
  \verb|\CoUCompClassH[sub][sup][arg]| = CoUNEWCLASS-HARD_{SUB}^{SUP}(ARG)
  \verb|\UCompClassC[sub][sup][arg]| = UNEWCLASS-COMPLETE_{SUB}^{SUP}(ARG)
  \Coulomb Class C[sub][sup][arg] = Council New Class-Complete E_{Sub}^{Sup}(Arg)
  \verb|\ACompClass[sub][sup][arg]| = ANEWCLASS_{SUB}^{SUP}(ARG)
  \CoACompClass[sub][sup][arg] = CoANewClass_{SUB}^{SUP}(ARG)
  \ACompClassE[sub][sup][arg] = ANEWCLASS-EASY_{SUB}^{SUP}(ARG)
```

```
\CoACompClassE[sub][sup][arg] = CoANEWCLASS-EASY_{SUB}^{SUP}(ARG)
                           \verb|\ACompClassH[sub][sup][arg]| = ANEWCLASS-HARD_{SUB}^{SUP}(ARG)
                           \CoACompClassH[sub][sup][arg] = CoANEWCLASS-HARD_{SUB}^{SUP}(ARG)
                           \label{eq:acceleration} $$ \Delta CompClassC[sub][sup][arg] = ANEWCLASS-COMPLETE_{SUB}^{SUP}(ARG) $$
                           \CoACompClassC[sub][sup][arg] = CoANewClass-Complete_{SUB}^{SUP}(ARG)
                     1154 \newcommandx{\defcomclsgrp}[2][2=]
                            {\defcomclsgrpsem{#1}{\defval{#2}{#1}}}%
                            \defcomclsgrpsem{#1}{\defval{#2}{#1}}[Co]}
                     1157 \newcommandx{\defcomclsgrpsem}[3][3=]
                           {\defcomclsgrpred{#3#1}{#2}[#3]%
                            \defcomclsgrpred{#3D#1}{#2}[#3D]%
                     1159
                           \defcomclsgrpred{#3N#1}{#2}[#3N]%
                     1160
                            \defcomclsgrpred{#3U#1}{#2}[#3U]%
                     1161
                           \defcomclsgrpred{#3A#1}{#2}[#3A]}
                     1162
                     1163 \newcommandx{\defcomclsgrpred}[3][3=]
                           {\defcomclsgrpcmd{#1}{#2}[#3]%
                     1164
                     1165
                            \defcomclsgrpcmd{#1E}{#2}[#3][-easy]%
                            \defcomclsgrpcmd{#1H}{#2}[#3][-hard]%
                     1167
                            \defcomclsgrpcmd{#1C}{#2}[#3][-complete]}%
                     1168 \newcommandx{\defcomclsgrpcmd}[4][3=, 4=]
                            {\csdef{#1}{\txtoargcom{#3#2#4}}}
       \defcomhrc ... to do!
                         • \defcomhrc{CompHierarchy};
                           CompHierarchy[sub][sup][par] = COMPHIERARCHY<sup>SUP</sup><sub>SUB</sub>[PAR]
                         • \defcomhrc{CompHierarchy} [NewHierarchy];
                           CompHierarchy[sub][sup][par] = NEWHIERARCHY<sup>SUP</sup><sub>SUB</sub>[PAR]
                     1170 \newcommandx{\defcomhrc}[2][2=]
                           {\csdef{#1}{\txtoparcom{\defval{#2}{#1}}}}
                     \Easy, \Hard, ...
                     1173 \cmdtxtcom{Easy}
                     1174 \cmdtxtcom{Hard}
                     1175 \cmdtxtcom{Complete}
                     • \FPT[sub][sup][arg] = FPT_{SUB}^{SUP}(ARG)
              \FPT
                     1177 \defcomcls{FPT}
                     • Time[sub][sup][arg] = TIME_{SUB}^{SUP}(ARG)
       \Time, ...
                           TimeE[sub][sup][arg] = TIME-EASY_{SUB}^{SUP}(ARG)
                           \mathsf{TimeH[sub][sup][arg]} = \mathsf{TIME}\text{-}\mathsf{HARD}^{\mathsf{SUP}}_{\mathsf{SUB}}(\mathsf{ARG})
                           TimeC[sub][sup][arg] = TIME-COMPLETE_{SUB}^{SUP}(ARG)
                         \bullet \ \ \texttt{\baseline}[\mathtt{sub}] \ [\mathtt{sup}] \ [\mathtt{arg}] \ = \ \mathrm{DTIME}^{SUP}_{SUB}(\mathtt{ARG})
                           \label{eq:def:DTimeE[sub] sup of the definition} $$\operatorname{DTIME-EASY}^{SUP}_{SUB}(ARG)$$
                           \verb|\DTimeH[sub][sup][arg]| = DTIME-HARD_{SUB}^{SUP}(ARG)
                           \texttt{\DTimeC[sub][sup][arg]} = \mathrm{DTIME\text{-}COMPLETE}^{SUP}_{SUB}(\mathrm{ARG})
                         • \NTime[sub][sup][arg] = NTIME_{SUB}^{SUP}(ARG)
                           \verb|\NTimeE[sub][sup][arg]| = NTIME-EASY_{SUB}^{SUP}(ARG)
                           \NTimeH[sub][sup][arg] = NTIME-HARD_{SUB}^{SUP}(ARG)
                           \label{eq:ntimeC} $$\operatorname{ImeC[sub][sup][arg]} = \operatorname{NTIME-COMPLETE}^{SUP}_{SUB}(ARG)$
```

```
\verb|\UTimeE[sub][sup][arg]| = UTIME-EASY_{SUB}^{SUP}(ARG)
                           \UTimeH[sub][sup][arg] = UTIME-HARD_{SUB}^{SUP}(ARG)
                           \label{eq:utimeC} $$\operatorname{UTIME-COMPLETE}^{SUP}_{SUB}(ARG)$$
                        • ATime[sub][sup][arg] = ATIME_{SUB}^{SUP}(ARG)
                           \verb|\ATimeE[sub][sup][arg]| = ATIME\text{-}EASY^{SUP}_{SUB}(ARG)
                           \Delta TimeH[sub][sup][arg] = ATIME-HARD_{SUB}^{SUP}(ARG)
                           \Delta TimeC[sub][sup][arg] = ATIME-COMPLETE_{SUB}^{SUP}(ARG)
                    1179 \defcomclsgrp{Time}
                        • Space[sub][sup][arg] = SPACE_{SUB}^{SUP}(ARG)
   \Space, ...
                           \SpaceE[sub][sup][arg] = SPACE-EASY_{SUB}^{SUP}(ARG)
                           \SpaceH[sub][sup][arg] = SPACE-HARD_{SUB}^{SUP}(ARG)
                           \SpaceC[sub][sup][arg] = SPACE-COMPLETE_{SUP}^{SUP}(ARG)
                        • \DSpace[sub][sup] [arg] = DSPACE_{SUB}^{SUP}(ARG)
                           \texttt{\DSpaceE[sub][sup][arg]} = \mathrm{DSPACE\text{-}EASY}^{SUP}_{SUB}(\mathrm{ARG})
                           \verb|\DSpaceH[sub][sup][arg]| = DSPACE-HARD_{SUB}^{SUP}(ARG)
                           \DSpaceC[sub][sup][arg] = DSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                        • NSpace[sub][sup][arg] = NSPACE_{SUB}^{SUP}(ARG)
                           \verb|\NSpaceE[sub][sup][arg]| = NSPACE-EASY_{SUB}^{SUP}(ARG)
                           \verb|\NSpaceH[sub][sup][arg]| = NSPACE-HARD_{SUB}^{SUP}(ARG)
                           \NSpaceC[sub][sup][arg] = NSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                        • USpace[sub][sup][arg] = USPACE_{SUB}^{SUP}(ARG)
                           \USpaceE[sub][sup][arg] = USPACE-EASY_{SUB}^{SUP}(ARG)
                           \verb|\USpaceH[sub][sup][arg]| = USPACE-HARD_{SUB}^{SUP}(ARG)
                           \USpaceC[sub][sup][arg] = USPACE-COMPLETE_{SUB}^{SUP}(ARG)
                        • ASpace[sub][sup][arg] = ASPACE_{SUB}^{SUP}(ARG)
                           \verb|ASpaceE[sub][sup][arg]| = ASPACE-EASY_{SUB}^{SÚP}(ARG)
                           \verb|\ASpaceH[sub][sup][arg]| = ASPACE-HARD_{SUB}^{SUP}(ARG)
                           ASpaceC[sub][sup][arg] = ASPACE-COMPLETE_{SUB}^{SUP}(ARG)
                    1180 \defcomclsgrp{Space}
 \LogTime, ...
                        \bullet \ \ \texttt{LogTime[sub][sup][arg]} = \texttt{LogTime}^{\texttt{SUP}}_{\texttt{SUB}}(\texttt{ARG})
                           \lceil LogTimeE[sub][sup][arg] = LogTime-Easy_{SUB}^{SUP}(ARG)
                           LogTimeH[sub][sup][arg] = LogTime-Hard_{SUB}^{SUP}(Arg)
                           \verb|\LogTimeC[sub][sup][arg]| = LogTime-Complete_{SUB}^{SUP}(ARG)
                        • \DLogTime[sub][sup][arg] = DLogTime_{SUB}^{SUP}(ARG)
                           \DLogTimeE[sub][sup][arg] = DLogTime-EASY_{SUB}^{SUP}(ARG)
                           \DLogTimeH[sub][sup][arg] = DLogTime-HARD_{SUB}^{SUP}(ARG)
                           \DLogTimeC[sub][sup][arg] = DLogTime-COMPLETE_{SUB}^{SUP}(ARG)
                        • \NLogTime[sub][sup][arg] = NLogTime_{SUB}^{SUP}(ARG)
                           \NLogTimeE[sub][sup][arg] = NLogTime-EASY_{SUB}^{SUP}(ARG)
                           \NLogTimeH[sub][sup][arg] = NLogTime-HARD_{SUB}^{SUP}(ARG)
                           \NLogTimeC[sub][sup][arg] = NLogTime-COMPLETE_{SUB}^{SUP}(ARG)
                        • \ULogTime[sub][sup][arg] = ULogTIME_{SUB}^{SUP}(ARG)
                           \ULogTimeE[sub][sup][arg] = ULogTime-EASY_{SUB}^{SUP}(ARG)
                           \ULogTimeH[sub][sup][arg] = ULogTime-HARD_{SUB}^{SUP}(ARG)
                           \ULogTimeC[sub][sup][arg] = ULogTime-Complete_{SUB}^{SUP}(ARG)
                        \bullet \ \ \texttt{\ } \texttt{LogTime[sub][sup][arg]} = \texttt{ALogTime}^{SUP}_{SUB}(\texttt{ARG})
                           \verb|\ALogTimeE[sub][sup][arg]| = ALOGTIME-EASY_{SUB}^{SUP}(ARG)
                           \ALogTimeH[sub][sup][arg] = ALogTime-HARD_{SUB}^{SUP}(ARG)
                           ALogTimeC[sub][sup][arg] = ALogTime-Complete_{SUB}^{SUP}(ARG)
                    1181 \defcomclsgrp{LogTime}
                        \bullet \ \ \texttt{LogSpace[sub][sup][arg]} = \mathrm{LogSpace}^{SUP}_{SUB}(ARG)
\LogSpace, ...
                           LogSpaceE[sub][sup][arg] = LogSpace-Easy_{SUB}^{SUP}(ARG)
                           \LogSpaceH[sub][sup][arg] = LogSpace-Hard_{SUB}^{SUP}(Arg)
                           \verb|\LogSpaceC[sub][sup][arg]| = \operatorname{LOGSPACE-COMPLETE}^{SUP}_{SUB}(ARG)
```

•  $\UTime[sub][sup][arg] = UTIME_{SUB}^{SUP}(ARG)$ 

```
\verb|\DLogSpaceE[sub][sup][arg]| = DLogSpace-easy_{SUB}^{SUP}(ARG)
                         \verb|\DLogSpaceH[sub][sup][arg]| = DLogSpace-Hard_{SUB}^{SUP}(ARG)
                         \DLogSpaceC[sub][sup][arg] = DLogSpace-Complete_{SUB}^{SUP}(ARG)
                      • \NLogSpace[sub][sup][arg] = NLogSpace[sub](ARG)
                         \label{eq:nlogSpaceEsub} $$ \NLogSpaceE[sub][sup][arg] = NLogSpace-EASY_{SUB}^{SUP}(ARG) $$
                         \verb|\NLogSpaceH[sub][sup][arg]| = NLogSpace-Hard_{SUB}^{SUP}(ARG)
                         \verb|\NLogSpaceC[sub][sup][arg]| = NLogSpace-Complete_{Sup}^{SUP}(ARG)
                      • \ULogSpace[sub][sup][arg] = ULogSpace_Sup(ARG)
                         \ULogSpaceE[sub][sup][arg] = ULogSpace-Easy_{SUB}^{SUP}(ARG)
                         \ULogSpaceH[sub][sup][arg] = ULogSpace-Hard_{SUB}^{SUP}(Arg)
                         \label{eq:ULogSpaceCsub} $$ \ULogSpaceC[sub] [sup] [arg] = ULogSpace-Complete_{SUB}^{SUP}(ARG) $$
                      • ALogSpace[sub][sup][arg] = ALogSpace_{SUB}^{SUP}(ARG)
                         ALogSpaceE[sub][sup][arg] = ALogSpace-Easy_{SUB}^{SUP}(ARG)
                         \verb|\ALogSpaceH[sub][sup][arg]| = ALogSpace-Hard_{SUB}^{SUP}(ARG)
                         ALogSpaceC[sub][sup][arg] = ALogSpace-Complete_{SUB}^{SUP}(ARG)
                  1182 \defcomclsgrp{LogSpace}
                      • \P [sub] [sup] [arg] = \Pr [MESUB (ARG)
 \PTime, ...
                         \P \PTimeE[sub] [sup] [arg] = PTIME-EASY<sup>SUP</sup><sub>SUB</sub>(ARG)
                         \label{eq:ptimeH} $$ \Pr[\sup] [arg] = \Pr[\operatorname{HARD}^{SUP}_{SUB}(\operatorname{ARG}) $$
                         \P [sub] [sup] [arg] = PTIME-COMPLETE_{SUB}^{SUP} (ARG)
                      • \DPTime[sub][sup][arg] = DPTIME_{SUB}^{SUP}(ARG)
                         \verb|\DPTimeE[sub][sup][arg]| = \mathrm{DPTIME\text{-}EASY}^{SUP}_{SUB}(\mathrm{ARG})
                         \label{eq:def:DPTimeH} $$ \operatorname{DPTIME-HARD}_{SUB}^{SUP}(ARG) = \operatorname{DPTIME-HARD}_{SUB}^{SUP}(ARG) 
                         \DPTimeC[sub][sup][arg] = DPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                      \NPTimeE[sub][sup][arg] = NPTIME-EASY_{SUB}^{SUP}(ARG)
                         \NPTimeH[sub][sup][arg] = NPTIME-HARD_{SUB}^{SUP}(ARG)
                         \NPTimeC[sub][sup][arg] = NPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                      • \UPTime[sub][sup][arg] = UPTIME_{SUB}^{SUP}(ARG)
                         \UPTimeE[sub][sup][arg] = UPTIME-EASY_{SUB}^{SUP}(ARG)
                         \label{eq:uptimeH} $$ \UPTimeH[sub][sup][arg] = UPTIME-HARD_{SUB}^{SUP}(ARG) $$
                         \verb|\UPTimeC[sub][sup][arg]| = \mathrm{UPTIME\text{-}COMPLETE}^{SUP}_{SUB}(ARG)
                      • APTime[sub][sup][arg] = APTIME_{SUB}^{SUP}(ARG)
                         \texttt{\APTimeE[sub][sup][arg]} = \operatorname{APTIME-EASY}^{SUP}_{SUB}(\operatorname{ARG})
                         \Delta PTimeH[sub][sup][arg] = APTIME-HARD_{SUB}^{SUP}(ARG)
                         \triangle PTimeC[sub][sup][arg] = APTIME-COMPLETE_{SUB}^{SUP}(ARG)
                  1183 \defcomclsgrp{PTime}
                      • \PSpace[sub][sup][arg] = PSPACE_{SUB}^{SUP}(ARG)
\PSpace, ...
                         \label{eq:pspace} $$ \PSpace[sub][sup][arg] = PSpace-Easy_{SUB}^{SUP}(ARG) 
                         \verb|\PSpaceH[sub][sup][arg]| = PSPACE-HARD_{SUB}^{SUP}(ARG)
                         \PSpaceC[sub][sup][arg] = PSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                      • \DPSpace[sub][sup][arg] = DPSPACE_{SUB}^{SUP}(ARG)
                         \DPSpaceE[sub][sup][arg] = DPSpace-EASY_{SUB}^{SUP}(ARG)
                         \DPSpaceH[sub][sup][arg] = DPSPACE-HARD_{SUB}^{SUP}(ARG)
                         \DPSpaceC[sub][sup][arg] = DPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                      • \NPSpace[sub][sup][arg] = NPSPACE_{SUB}^{SUP}(ARG)
                         \label{eq:npspace} $$\PSPACE-EASY_{SUB}^{SUP}(ARG) = NPSPACE-EASY_{SUB}^{SUP}(ARG)$
                         \label{eq:NPSpaceH} $$ \NPSpaceH[sub] [sup] [arg] = NPSpace-Hard_{SUB}^{SUP}(ARG) $$
                         \label{eq:npspaceC} $$ \NPSpaceC[sub][sup][arg] = NPSPACE-COMPLETE_{SUB}^{SUP}(ARG) $$
                      • \UPSpace[sub][sup][arg] = UPSPACE_{SUB}^{SUP}(ARG)
                         \verb|\UPSpaceE[sub][sup][arg]| = UPSpace-easy_{sub}^{SUP}(ARG)
                         \verb|\UPSpaceH[sub][sup][arg]| = UPSPACE-HARD_{SUB}^{SUP}(ARG)
                         \UPSpaceC[sub][sup][arg] = UPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                      • APSpace[sub][sup][arg] = APSPACE_{SUB}^{SUP}(ARG)
                         \verb|\APSpaceE[sub][sup][arg]| = APSpace-easy_{SUB}^{SUP}(ARG)
                         \APSpaceH[sub][sup][arg] = APSPACE-HARD_{SUB}^{SUP}(ARG)
                         \APSpaceC[sub][sup][arg] = APSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                  1184 \defcomclsgrp{PSpace}
```

•  $DLogSpace[sub][sup][arg] = DLogSpace_{SUB}^{SUP}(ARG)$ 

```
\QPTime, ...
                       • \QPTime[sub][sup][arg] = QPTIME_{SUB}^{SUP}(ARG)
                          \verb|\QPTimeE[sub][sup][arg]| = \mathrm{QPTIME\text{-}EASY}^{SUP}_{SUB}(\mathrm{ARG})
                          \verb|QPTimeH[sub][sup][arg]| = \mathrm{QPTIME-HARD}_{\mathrm{SUB}}^{\mathrm{SUP}}(\mathrm{ARG})
                          \QPTimeC[sub][sup][arg] = QPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                       \label{eq:def-DQPTIME-EASY} $$ \DQPTIME-EASY_{SUB}^{SUP}(ARG) $$
                          \verb|\DQPTimeH[sub][sup][arg]| = DQPTIME-HARD_{SUB}^{SUP}(ARG)
                          \verb|\DQPTimeC[sub][sup][arg]| = \mathrm{DQPTIME\text{-}COMPLETE}^{SUP}_{SUB}(ARG)
                       \label{eq:NQPTimeEsub} $$ \NQPTimeE[sub][sup][arg] = NQPTIME-EASY_{SUB}^{SUP}(ARG) $$
                          \verb|\NQPTimeH[sub][sup][arg]| = NQPTIME-HARD_{SUB}^{SUP}(ARG)
                          \NQPTimeC[sub][sup][arg] = NQPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                       • \UQPTime[sub][sup][arg] = UQPTIME_{SUB}^{SUP}(ARG)
                          \verb|VQPTimeE[sub][sup][arg]| = UQPTIME-EASY_{SUB}^{SUP}(ARG)
                          \verb|VQPTimeH[sub][sup][arg]| = \mathrm{UQPTIME-HARD}^{SUP}_{SUB}(\mathrm{ARG})
                          \UQPTimeC[sub][sup][arg] = UQPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                       \bullet \ \ \texttt{\AQPTime[sub][sup][arg]} = \mathrm{AQPTIME}^{SUP}_{SUB}(\mathrm{ARG})
                          \verb|\AQPTimeE[sub][sup][arg]| = AQPTIME-EASY_{SUB}^{SUP}(ARG)
                          \verb|\AQPTimeH[sub][sup][arg]| = \mathrm{AQPTIME-HARD}^{SUP}_{SUB}(\mathrm{ARG})
                          \AQPTimeC[sub][sup][arg] = AQPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                   1185 \defcomclsgrp{QPTime}
                       • \QPSpace[sub][sup][arg] = QPSpace_{SUB}(ARG)
\QPSpace, ...
                          \label{eq:QPSpaceEsub} $$ \QPSPACE-EASY_{SUB}^{SUP}(ARG) $$
                          \label{eq:QPSpaceH} $$ \QPSpaceH[sub] [sup] [arg] = QPSpace-HARD_{SUB}^{SUP}(ARG) $$
                          \QPSpaceC[sub][sup][arg] = QPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                       • \DQPSpace[sub][sup][arg] = DQPSPACE_{SUB}^{SUP}(ARG)
                          \verb|\DQPSpaceE[sub][sup][arg]| = \mathrm{DQPSpace-EASY}^{SUP}_{SUB}(\mathrm{ARG})
                          \verb|\DQPSpaceH[sub][sup][arg]| = DQPSPACE-HARD_{SUB}^{SUP}(ARG)
                          \DQPSpaceC[sub][sup][arg] = DQPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                       • \NQPSpace[sub][sup][arg] = NQPSPACE_{SUB}^{SUP}(ARG)
                          \verb|NQPSpaceE[sub][sup][arg]| = NQPSPACE-EASY_{SUB}^{SUP}(ARG)
                          \verb|\NQPSpaceH[sub][sup][arg]| = NQPSPACE-HARD_{SUB}^{SUP}(ARG)
                          \NQPSpaceC[sub][sup][arg] = NQPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                       \verb|VQPSpaceE[sub][sup][arg]| = UQPSPACE-EASY_{SUB}^{SUP}(ARG)
                          \verb|VQPSpaceH[sub][sup][arg]| = UQPSPACE-HARD_{SUB}^{SUP}(ARG)
                          \UQPSpaceC[sub][sup][arg] = UQPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                       • AQPSpace[sub][sup][arg] = AQPSPACE_{SUB}^{SUP}(ARG)
                          \texttt{AQPSpaceE[sub][sup][arg]} = AQPSPACE-EASY_{SUB}^{SUP}(ARG)
                          \triangle QPSpaceH[sub][sup][arg] = AQPSPACE-HARD_{SUB}^{SUP}(ARG)
                          \AQPSpaceC[sub][sup][arg] = AQPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                   1186 \defcomclsgrp{QPSpace}
                       • \ensuremath{\mathsf{ExpTime}}[\mathtt{sub}][\mathtt{sup}][\mathtt{arg}] = \mathsf{ExpTime}^{\mathtt{SUP}}_{\mathtt{SUB}}(\mathtt{ARG})
\ExpTime, ...
                          \ExpTimeE[sub][sup][arg] = EXPTIME-EASY_{SUB}^{SUP}(ARG)
                          \texttt{ExpTimeH[sub][sup][arg]} = \text{EXPTIME-HARD}_{\text{SUB}}^{\text{SUP}}(\text{ARG})
                          \texttt{\complete}[sub][sup][arg] = EXPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                       • \DExpTime[sub][sup][arg] = DEXPTIME_{SUB}^{SUP}(ARG)
                          \label{eq:decomposition} $$ \DEXPTIME-EASY_{SUB}^{SUP}(ARG) = DEXPTIME-EASY_{SUB}^{SUP}(ARG) $$
                          \verb|\DExpTimeH[sub][sup][arg]| = \mathrm{DEXpTime-HARD}^{\mathrm{SUP}}_{\mathrm{SUB}}(\mathrm{ARG})
                          \DExpTimeC[sub][sup][arg] = DEXPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                       • \NExpTime[sub][sup][arg] = NEXPTIME_{SUB}^{SUP}(ARG)
                          \verb|\NExpTimeE[sub][sup][arg]| = NEXPTIME-EASY_{SUB}^{SUP}(ARG)
                          \NExpTimeH[sub][sup][arg] = NEXPTIME-HARD_{SUB}^{SUP}(ARG)
                          \NExpTimeC[sub][sup][arg] = NEXPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                       • \UExpTime[sub][sup][arg] = UEXPTIME_{SUB}^{SUP}(ARG)
                          \verb|\UExpTimeE[sub][sup][arg]| = UEXPTIME-EASY_{SUB}^{SUP}(ARG)
                          \UExpTimeH[sub][sup][arg] = UEXPTIME-HARD_{SUB}^{SUP}(ARG)
                          \UExpTimeC[sub][sup][arg] = UEXPTIME-COMPLETE_{SUB}^{SUP}(ARG)
```

```
• \triangle [sup] [arg] = \triangle AEXPTIME [SUP] (ARG)
                      \verb|\AExpTimeE[sub][sup][arg]| = AEXPTIME-EASY_{SUB}^{SUP}(ARG)
                      \verb|\AExpTimeH[sub][sup][arg]| = AEXPTIME-HARD_{SUB}^{SUP}(ARG)
                      \AExpTimeC[sub][sup][arg] = AEXPTIME-COMPLETE_{SUB}^{SUP}(ARG)
                1187 \defcomclsgrp{ExpTime}
\ExpSpace, ...
                    • \ExpSpace[sub][sup][arg] = EXPSPACE_{SUB}^{SUP}(ARG)
                      \ExpSpaceE[sub][sup][arg] = ExpSpace-Easy_{SUB}^{SUP}(ARG)
                      \ExpSpaceH[sub][sup][arg] = ExpSpace-Hard_{SUB}^{SUP}(ARG)
                      \ExpSpaceC[sub][sup][arg] = ExpSpace-Complete_{SUB}^{SUP}(ARG)
                    • \DExpSpace[sub][sup][arg] = DExpSpace[sub](ARG)
                      \label{eq:decomposition} $$\DExpSpaceE[sub][sup] [arg] = DExpSpace-Easy_{SUB}^{SUP}(ARG)$
                      \DExpSpaceH[sub][sup][arg] = DExpSpace-Hard_{SUB}^{SUP}(Arg)
                      \DExpSpaceC[sub][sup][arg] = DExpSpace-Complete_{Sub}^{SUP}(Arg)
                    • \NExpSpace[sub][sup][arg] = NExpSpace_{SUB}^{SUP}(ARG)
                      \verb|NExpSpaceE[sub][sup][arg]| = NEXPSPACE-EASY_{SUB}^{SUP}(ARG)
                      \verb|NExpSpaceH[sub][sup][arg]| = NExpSpace-Hard_{SUB}^{SUP}(ARG)
                      \NExpSpaceC[sub][sup][arg] = NEXPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                    \verb|\UExpSpaceE[sub][sup][arg]| = UEXPSPACE-EASY_{SUB}^{SUP}(ARG)
                      \UExpSpaceH[sub][sup][arg] = UExpSpace-Hard_{SUB}^{SUP}(ARG)
                      \verb|\UExpSpaceC[sub][sup][arg]| = UEXPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                    • \AExpSpace[sub][sup][arg] = AExpSpace_Sup(ARG)
                      \Delta ExpSpaceE[sub][sup][arg] = AExpSpace-Easy_{SUB}^{SUP}(ARG)
                      \label{eq:alphaeq} $$ \Delta ExpSpaceH[sub][sup][arg] = AExpSpace-Hard_{SUB}^{SUP}(ARG) $$
                      \triangle ExpSpaceC[sub][sup][arg] = AEXPSPACE-COMPLETE_{SUB}^{SUP}(ARG)
                1188 \defcomclsgrp{ExpSpace}
                 \PH
                    • \PH[sub][sup][par] = PH_{SUB}^{SUP}[PAR]
                1190 \defcomhrc{PH}
                    • \WH[sub][sup][par] = W_{SUB}^{SUP}[PAR]
           \WH
                1191 \defcomhrc{WH}[W]
                    • AH[sub][sup][par] = A_{SUB}^{SUP}[PAR]
           \AH
                1192 \defcomhrc{AH}[A]
    \DLH, \DBH
                    ullet \DLH[sub] [sup] [par] =\Delta_{	ext{SUB}}^{	ext{SUP}}[	ext{PAR}]
                    ullet \DBH[sub][sup][par] = oldsymbol{\Delta}_{	ext{SUB}}^{	ext{SUP}}[	ext{PAR}]
                1193 \defcomhrc{DLH}[{\mth{\Delta}}]
                1194 \defcomhrc{DBH}[{\mth[mathbf]{\Delta}}]
                    \bullet \ \ \texttt{\baselineskip}[\mathtt{sub}][\mathtt{par}] = \Sigma^{\mathtt{SUP}}_{\mathtt{SUB}}[\mathtt{PAR}]
    \ELH, \EBH
                    ullet \EBH[sub][sup][par] = oldsymbol{\Sigma}^{	ext{SUP}}_{	ext{SUB}}[	ext{PAR}]
                1195 \defcomhrc{ELH}[{\mth{\Sigma}}]
                1196 \defcomhrc{EBH}[{\mth[mathbf]{\Sigma}}]
    \ULH, \UBH
                    • \ULH[sub][sup][par] = \Pi_{SUB}^{SUP}[PAR]
                    • \UBH[sub][sup][par] = \Pi_{\text{SUB}}^{\text{SUP}}[PAR]
                 1197 \defcomhrc{ULH}[{\mth{\Pi}}]
                1198 \defcomhrc{UBH}[{\mth[mathbf]{\Pi}}]
                1199 \fi
                1204 \ifgam@
```

```
\SATG, ... ...
                                         1206 %% Satisfiability Games
                                         1207 \cmdtxtoparname{SATG}[Sat]
                                         1208
                                         1209 %% Validity Games
                                          1210 \cmdtxtoparname{VALG}[Val]
                                          1212 %% Evaluation Games
                                          1213 \cmdtxtoparname{EVLG}[Evl]
                                          1215 %% Synthesis Games
                                          1216 \cmdtxtoparname{SYNG}[Syn]
                                          1217
                                          1218 %% Model-Checking Games
                                          1219 \cmdtxtoparname{MCG} [MC]
                                          1221 %% Ehrenfeucht-Fraisse Games
                                          1222 \cmdtxtoparname{EFG}[EF]
                                          \PlrSym, \OppSym
                                          1224 \mbox{ } \mbox{newcommand{\plrsym}{E}}
                                         1225 \cmdmthsym{Plr}[\plrsym]
                                          1226 \mbox{ \newcommand{\oppsym}{A}}
                                         1227 \cmdmthsym{Opp}[\oppsym]
  \ArenaName, ...
                                          1228 \newcommand{\arenaname}{A}
                                          1229 \usrmthlatupp{Arena}{Name}{name} [\arenaname]
         \PosSet, ... ...
                                         1230 \mbox{ } \mbox{newcommand{\possym}{v}}
                                         1231 \newcommand{\posset}{Ps}
                                          1232 \cmdmthsetext{Pos}[\posset][\possym]
                                         1233 \cmdmthsymelm{ipos}[\possym_{I}]
                                          1234 \cmdmthsymelm{fpos}[\possym_{F}]
                                          1235 \cmdmthset{PPos}[\posset_{\PlrSym}]
                                          1236 \verb|\cmdmthsymelm{ppos}[\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\possym_{\
                                          1237 \cmdmthset{OPos}[\posset_{\OppSym}]
                                          1238 \cmdmthsymelm{opos}[\possym_{\OppSym}]
                    \PlrFun
                                          1239 \newcommand{\plrfun}{pl}
                                         1240 \cmdmthfun{plr}[\plrfun]
                    \MovRel
                                         1241 \newcommand{\movrel}{Mv}
                                         1242 \cmdmthrel{Mov}[\movrel]
    \GameName, ...
                                          1243 \mbox{ \newcommand{\gamename}{\Game}}
                                         1244 \verb|\usrmth|| atupp{Game}{\{name\}[\lceil name\}]|} 
                    \WinSet ...
                                          1245 \mbox{ } \mbox{newcommand{\winset}{Wn}}
                                         1246 \cmdmthset{Win}[\winset]
\ObsSet, \obsFun ...
                                          1247 \newcommand{\obsset}{Ob}
                                          1248 \cmdmthset{Obs}[\obsset]
                                          1249 \cmdmthfun{obs}
```

```
\PthSet, \pthFun
                   1251 \newcommand{\pthsym}{\pi}
                   1252 \mbox{ \newcommand{\pthset}{Pth}}
                   1253 \cmdmthsetext{Pth}[\pthset][\pthsym]
                   1254 \cmdmthfun{pth}
    \HstSet, ... ...
                   1255 \mbox{ \newcommand{\hstsym}{\rho}}
                   1256 \mbox{ } \mbox{\mbox{hstset}}{Hst}
                   1257 \cmdmthsetext{Hst} [\hstset] [\hstsym]
                   1258 \cmdmthset{PHst}[\hstset_{\PlrSym}]
                   1259 \mbox{ \cmdmthsymelm{phst}[\hstsym_{\PlrSym}]}
                   1260 \cmdmthset{OHst}[\hstset_{\OppSym}]
                   1261 \cmdmthsymelm{ohst}[\hstsym_{\OppSym}]
                   1262 \cmdmthfun{hst}
\PlaySet,\playFun
                   1263 \newcommand{\playsym}{\pi}
                   1264 \newcommand{\playset}{Play}
                   1265 \cmdmthsetext{Play}[\playset][\playsym]
                   1266 \cmdmthfun{play}
    \StrSet, ... ...
                   1267 \newcommand{\strsym}{\sigma}
                   1268 \newcommand{\strset}{Str}
                   1269 \cmdmthsetext{Str}[\strset][\strsym]
                   1270 \cmdmthset{PStr}[\strset_{\PlrSym}]
                   1271 \cmdmthsymelm{pstr}[\strsym_{\PlrSym}]
                   1272 \cmdmthset{OStr}[\strset_{\OppSym}]
                   1273 \cmdmthsymelm{ostr}[\strsym_{\OppSym}]
\PrfSet, \prfFun
                   1274 \newcommand{\prfsym}{\xi}
                   1275 \newcommand{\prfset}{Prf}
                   1276 \cmdmthsetext{Prf}[\prfset][\prfsym]
\preFun, \sucFun
                   1277 \newcommand{\prefun}{pre}
                   1278 \cmdmthoargfun{pre}[\prefun]
                   1279 \newcommand{\sucfun}{suc}
                   1280 \cmdmthoargfun{suc}[\sucfun]
\entFun, \escFun ...
                   1281 \neq 0 \newcommand{\entfun}{ent}
                   1282 \cmdmthoargfun{ent}[\entfun]
                   1283 \newcommand{\escfun}{esc}
                   1284 \mbox{ \cmdmthoargfun{esc}[\escfun]}
\intFun, \outFun
                   1285 \newcommand{\left\{ \inf \right\}}
                   1286 \cmdmthoargfun{int}[\intfun]
                   1287 \newcommand{\outfun}{out}
                   1288 \cmdmthoargfun{out}[\outfun]
\atrFun, \rchFun
                   1289 \mbox{ } \mbox{atrfun}{atr}
                   1290 \cmdmthoargfun{atr}[\atrfun]
```

1291 \newcommand{\rchfun}{rch}
1292 \cmdmthoargfun{rch}[\rchfun]

```
\liftFun ...
             1293 \mbox{ liftfun}{lift}
             1294 \cmdmthoargfun{lift}[\liftfun]
      \solFun
             1295 \newcommand{\solfun}{sol}
             1296 \cmdmthoargfun{sol}[\solfun]
             \BG, ... ...
             1298 %% Buchi Games
             1299 \cmdtxtoparname{BG}
             1300
             1301 %% Co-Buchi Games
             1302 \cmdtxtoparname{CG}
             1303
             1304 %% Parity Games
             1305 \cmdtxtoparname{PG}
             1307 %% Rabin Games
             1308 \cmdtxtoparname{RG}
             1309
             1310 %% Streett Games
             1311 \cmdtxtoparname{SG}
             1313 %% Muller Games
             1314 \cmdtxtoparname{MG}
             \EvnSym, \OddSym ...
             1316 \newcommand{\evnsym}{0}
             1317 \cmdmthsym{Evn}[\evnsym]
             1318 \newcommand{\oddsym}{1}
             1319 \cmdmthsym{Odd}[\oddsym]
\PrtSet, \prtFun ...
             1320 \newcommand{\prtsym}{p}
             1321 \newcommand{\prtset}{Pr}
             1322 \cmdmthsetext{Prt}[\prtset][\prtsym]
             1323 \cmdmthfun{prt}[pr]
             \EG, ... ...
             1326 %% Energy Games
             1327 \cmdtxtoparname{EG}
             1328
             1329 %% Mean-Payoff Games
             1330 \cmdtxtoparname{MPG}
             1332 %% Discounted-Payoff Games
             1333 \cmdtxtoparname{DPG}
             \MaxSym, \MinSym
             1335 \newcommand{\maxsym}{\oplus}
             1336 \cmdmthsym{Max}[\maxsym]
             1337 \newcommand{\minsym}{\boxminus}
             1338 \cmdmthsym{Min}[\minsym]
```

```
\WghSet, \wghFun
             1339 \newcommand{\wghsym}{w}
             1340 \mbox{ \newcommand{\wghset}{Wg}}
             1341 \cmdmthsetext{Wgh} [\wghset] [\wghsym]
             1342 \cmdmthfun{wgh} [wg]
             1344 \fi
             1349 \iflog@
             \BF, \QBF, ... ...
             1351 % Boolean Formulae
             1352 \cmdtxtoparname{BF}
             1354 % Quantified Boolean Formulae
             1355 \DeclareRobustCommand{\QBF}
             1356 \quad \{\{\text{txtname}\{Q\}\}\}\}
             1357 \DeclareRobustCommand{\EBF}
             1358 {\ensuremath{\exists}\BF}
             1359 \DeclareRobustCommand{\UBF}
                {\ensuremath{\forall}\BF}
             \LogSig, ...
             1362 \mbox{ newcommand{\logsig}{L}}
             1363 \usrmthlatupp{Log}{Sig}{sig}[\logsig]
     \Tt, \Ff ...
             1364 \mbox{ \newcommand{\ttsym}{\top}}
             1365 \usrmth{Tt}{}{sym}[\ttsym]
             1366 \mbox{ \newcommand{\ffsym}{\bot}}
             1367 \usrmth{Ff}{}{sym}[\ffsym]
  \LNeg, \LNot
             1368 \newcommand{\lnegsym}{\neg}
             1369 \usrmth{LNeg}{}{luop}[\lnegsym]
             1370 \newcommand{\lnotsym}{\sim}
             1371 \usrmth{LNot}{}{luop}[\lnotsym]
  \LCon, \LDis ...
             1372 \newcommand{\lconsym}{\land}
             1373 \usrmth{LCon}{}{lbop}[\lconsym]
             1374 \newcommand{\ldissym}{\lor}
             1375 \usrmth{LDis}{}{lbop}[\ldissym]
  \LImp, \LCoi ...
             1376 \newcommand{\limpsym}{\rightarrow}
             1377 \usrmth{LImp}{}{lbop}[\limpsym]
             1378 \newcommand{\lcoisym}{\leftrightarrow}
             1379 \usrmth{LCoi}{}{lbop}[\lcoisym]
  \LExs, \LAll ...
             1380 \newcommand{\lexssym}{\exists}
             1381 \usrmth{LExs}{}{luop}[\lexssym]
             1382 \newcommand{\lallsym}{\forall}
             1383 \usrmth{LAll}{}{luop}[\lallsym]
```

```
\APSet, ... ...
                 1384 \newcommand{\apsym}{p}
                 1385 \newcommand{\apset}{AP}
                 1386 \verb|\cmdmthsetext{AP}| [\verb|\apset|] [\verb|\apsym|]
                 1387 \mbox{cmdmthfun{ap}\usrmth{ap}{}} \
           \sub
                 1388 \usrmth{sub}{}{argfun}
\Cnt, \Qnt, \Sym ...
                 1389 \usrmth{Cnt}{}{sym}[C]
                 1390 \usrmth{Qnt}{}{sym}[Q]
                 1391 \usrmth{Sym}{}{sym}[\odot]
     \QAE, \QEA ...
                 1392 \usrmth{QAE}{}{sym}[\forall\exists]
                 1393 \usrmth{QEA}{}{sym}[\exists\forall]
   \QntSet, ... ...
                 1394 \newcommand{\qntsym}{\wp}
                 1395 \mbox{ } \mbox{newcommand{\qntset}{Qn}}
                 1396 \cmdmthsetext{Qnt}[\qntset][\qntsym]
  \free, \bound
                 1397 \usrmth{free}{}{argfun}
                 1398 \ \mbox{usrmth} \{bound\} \{\} \{argfun\}
     \dep, \alt
                 1399 \usrmth{dep}{}{argfun}
                 1400 \usrmth{alt}{}{argfun}
\cnf, \dnf, ... ...
                 1401 \cmdtxtabr{cnf}
                 1402 \cmdtxtabr{dnf}
                 1403 \cmdtxtabr{pnf}
                 1404 \cmdtxtabr{nnf}
                 \LogStr, ... ...
                 1406 \mbox{ } \mbox{logstr}{L}
                 1407 \usrmthlatupp{Log}{Str}{str}[\logstr]
   \ValSet, ... ...
                 1408 \newcommand{\valsym}{\xi}
                 1409 \newcommand{\valset}{Val}
                 1410 \cmdmthsetext{Val}[\valset][\valsym]
   \AsgSet, ... ...
                 1411 \newcommand{\asgsym}{\chi}
                 1412 \newcommand{\asgset}{Asg}
                 1413 \cmdmthsetext{Asg}[\asgset][\asgsym]
                 \FOL, ...
                 1415 % First-Order Logic
                 1416 \cmdtxtoparname{FOL}[Fol]
                 1417 \cmdtxtoparname{F0}[F0]
                 1419 % Monadic First-Order Logic
                 1420 \DeclareRobustCommand{\MFOL}
                      {{\txtname{M}}\FOL}
                 1422 \DeclareRobustCommand{\MFO}
                 1423 \{\{\text{txtname}\{M\}\}\}\
```

```
\VarSig, ... ...
                                                  1425 \newcommand{\varsig}{V}
                                                  1426 \usrmthlatupp{Var}{Sig}{sig}[\varsig]
                                                  1427 \rightarrow \{x\}
                                                  1428 \mbox{ } \mbox
                                                  1429 \cmdmthsetext{Var}[\varset][\varsym]
                                                  1430 \usrmth{var}{}{argfun}[vr]
                                                  1431 \cmdmthfun{dim}[dm]\usrmth{dim}{}{argfun}[dm]
\ConSig, ... ...
                                                 1432 \newcommand{\consig}{C}
                                                  1433 \usrmthlatupp{Con}{Sig}{sig}[\consig]
                                                  1434 \newcommand{\consym}{c}
                                                  1435 \mbox{ } \mbox{conset}{Cn}
                                                  1436 \cmdmthsetext{Con}[\conset][\consym]
                                                  1437 \usrmth{con}{}{argfun}[cn]
\FunSig, ... ...
                                                  1438 \newcommand{\funsig}{F}
                                                  1439 \usrmthlatupp{Fun}{Sig}{sig}[\funsig]
                                                  1440 \mbox{ } \mbox{newcommand{\hrunsym}{f}}
                                                  1441 \newcommand{\{funset\}\{Fn\}}
                                                  1442 \cmdmthsetext{Fun} [\funset] [\funsym]
                                                  1443 \usrmth{fun}{}{argfun}[fn]
                                                  1444 \cmdmthfun{art}[ar]\usrmth{art}{}{argfun}[ar]
\TerSig, ... ...
                                                  1445 \newcommand{\tersig}{T}
                                                  1446 \usrmthlatupp{Ter}{Sig}{sig}[\tersig]
                                                  1447 \newcommand{\tersym}{t}
                                                  1448 \newcommand{\terset}{Tr}
                                                  1449 \cmdmthsetext{Ter}[\terset][\tersym]
                                                  1450 \usrmth{ter}{}{argfun}
\RelSig, ... ...
                                                  1451 \neq \{relsig\} \{R\}
                                                  1452 \usrmthlatupp{Rel}{Sig}{sig}[\relsig]
                                                  1453 \neq 1453 
                                                  1454 \mbox{relset}{R1}
                                                  1455 \cmdmthsetext{Rel}[\relset][\relsym]
                                                  1456 \verb|\usrmth{rel}{{}} argfun{[r1]}
                            \skm ...
                                                 1457 \usrmth{skm}{}{argfun}
                                                  \ConStr, ... ...
                                                  1459 \newcommand{\constr}{C}
                                                  1460 \usrmthlatupp{Con}{Str}{str}[\constr]
\FunStr, ... ...
                                                  1461 \newcommand{\funstr}{F}
                                                  1462 \mbox{ } \{Str} \{str} [\mbox{ } \{str}] 
\TerStr, ... ...
                                                  1463 \newcommand{\terstr}{T}
                                                  1464 \verb|\usrmth|| 1464
\RelStr, ... ...
                                                  1465 \mbox{ } \mbox{newcommand{\relstr}{R}}
                                                  1466 \usrmthlatupp{Rel}{Str}{str}[\relstr]
```

```
\DF, \IF, ... ...
             1468 % Dependence-Friendly Logic
             1469 \cmdtxtoparname{DF}
             1471 % Independence-Friendly Logic
             1472 \cmdtxtoparname{IF}
             1474 % Dependence/Independence-Friendly Logic
             1475 \cmdtxtoparname{DIF}
             1477 % Dependence Logic
             1478 \cmdtxtoparname{DL}
             1480 % Team Logic
             1481 \cmdtxtoparname{TL}
             1483 % Alternating Dependence-Friendly Logic
             1484 \cmdtxtoparname{ADF}
             1485
             1486\ \% Alternating Independence-Friendly Logic
             1487 \cmdtxtoparname{AIF}
             1489\ \% Alternating Dependence/Independence-Friendly Logic
             1490 \cmdtxtoparname{ADIF}
             \LEExs, \LAA11
             1492 \mbox{leexssym}{\Sigma}
             1493 \usrmth{LEExs}{}{luop}[\leexssym]
             1494 \newcommand{\laallsym}{\Pi}
             1495 \usrmth{LAA11}{}{luop}[\laallsym]
             \SOL, ...
             1498 % Second-Order Logic
             1499 \cmdtxtoparname{SOL}[Sol]
             1500 \cmdtxtoparname{SO}
             1501
             1502 % Weak Second-Order Logic
             1503 \DeclareRobustCommand{\WSOL}
                 {{\txtname{W}}\SOL}
             1505 \DeclareRobustCommand{\WSO}
             1506
                 {{\txtname{W}}\SO}
             1507
             1508 % coWeak Second-Order Logic
             1509 \DeclareRobustCommand{\coWSOL}
             1510 {{\txtname{coW}}\SOL}
             1511 \DeclareRobustCommand{\coWSO}
                 {{\txtname{coW}}\SO}
             1512
             1514 % Monadic Second-Order Logic
             1515 \DeclareRobustCommand{\MSOL}
             1516 \{\{\text{txtname}\{M\}\}\}\
             1517 \DeclareRobustCommand{\MSO}
             1518 {{\txtname{M}}\SO}
```

```
1520 % Weak Monadic Second-Order Logic
             1521 \DeclareRobustCommand{\WMSOL}
             1522 \{\{\text{w}}\}\MSOL\}
             1523 \DeclareRobustCommand{\WMSO}
                 {{\txtname{W}}\MSO}
             1524
             1525
             1526 % coWeak Monadic Second-Order Logic
             1527 \DeclareRobustCommand{\coWMSOL}
                 {{\txtname{coW}}\MSOL}
             1529 \DeclareRobustCommand{\coWMSO}
                 {{\txtname{coW}}\MSO}
             \FVarSet, ... ...
             1532 \newcommand{\fvarsym}{x}
             1533 \newcommand{\fvarset}{FVr}
             1534 \cmdmthsetext{FVar}[\fvarset][\fvarsym]
\SVarSet, ... ...
             1535 \newcommand{\svarsym}{X}
             1536 \newcommand{\svarset}{SVr}
             1537 \cmdmthsetext{SVar}[\svarset][\svarsym]
             \TL, \PL, ...
             1540 % Tree Logic
             1541 \cmdtxtoparname{TL}
             1543 % Weak Tree Logic
             1544 \DeclareRobustCommand{\WTL}
                  {{\txtname{W}}\TL}
             1545
             1547 % coWeak Tree Logic
             1548 \DeclareRobustCommand{\coWTL}
             1549
                  {{\txtname{coW}}\TL}
             1551 % Monadic Tree Logic
             1552 \DeclareRobustCommand{\MTL}
                  {\{\text{txtname}\{M\}}\TL\}
             1553
             1554
             1555\ \% Weak Monadic Tree Logic
             1556 \DeclareRobustCommand{\WMTL}
                  {{\txtname{W}}\MTL}
             1557
             1558
             1559 % coWeak Monadic Tree Logic
             1560 \DeclareRobustCommand{\coWMTL}
                  {{\txtname{coW}}\MTL}
             1562
             1563 % Path Logic
             1564 \cmdtxtoparname{PL}
             1565
             1566 % Weak Path Logic
             1567 \DeclareRobustCommand{\WPL}
                  {\{\text{txtname}\{W\}}\PL\}
             1570 % coWeak Path Logic
             1571 \DeclareRobustCommand{\coWPL}
             1572 \{\{\text{txtname}\{\text{coW}\}\}\}
```

1519

```
1573
            1574 % Monadic Path Logic
            1575 \DeclareRobustCommand{\MPL}
            1576
                {\{\text{txtname}\{M\}}\PL\}
            1577
            1578 % Weak Monadic Path Logic
            1579 \DeclareRobustCommand{\WMPL}
                {{\txtname{W}}\MPL}
            1581
            1582 % coWeak Monadic Path Logic
            1583 \DeclareRobustCommand{\coWMPL}
                {{\txtname{coW}}\MPL}
            \ML, \GML, ... ...
            1588 % Modal Logic
            1589 \cmdtxtoparname{ML}
            1591 % Graded Modal Logic
            1592 \DeclareRobustCommand{\GML}
                {\{\text{txtname}\{G\}\}\}\ML}
            1595 % Quantified Modal Logic
            1596 \DeclareRobustCommand{\QML}
                {\{\text{txtname}\{Q\}\}\}ML\}}
            1598 \DeclareRobustCommand{\EML}
                {\ensuremath{\exists}\ML}
            1600 \DeclareRobustCommand{\UML}
            1601 {\ensuremath{\forall}\ML}
            \Opr ...
            1603 \usrmth{Opr}{}{sym}[Op]
 \DMod, \BMod
            1604 \usrmth{DMod}{}{sym}[\Diamond]
            1605 \usrmth{BMod}{}{sym}[\Box]
   \Exs, \All ...
            1606 \DeclareRobustCommand{\Exs}
            1607
                {\@ifstar{\@sexs}{\@exs}}
            1608 \DeclareRobustCommand{\@sexs}[1]
                {\mth{\DMod}[#1]}
            1610 \DeclareRobustCommand{\@exs}[1]
                {\mth{\defval{\argmid{\langle}{#1}{\rangle}}}{\DMod}}}
            1612 \verb|\DeclareRobustCommand{\All}|
            1613 {\c}^{\c}
            1614 \DeclareRobustCommand{\@sall}[1]
            1615 {\mth{\BMod}[#1]}
            1616 \verb|\DeclareRobustCommand{\@all}[1]
                {\mth{\defval{\argmid{\left[}{#1}{\right]}}{\BMod}}}
            \KrpStr, ... ...
            1619 \newcommand{\krpstr}{K}
            1620 \usrmthlatupp{Krp}{Str}{str}[\krpstr]
```

```
\WrlSet, ... ...
               1621 \newcommand{\wrlsym}{w}
               1622 \newcommand{\wrlset}{W}
               1623 \cmdmthsetext{Wrl}[\wrlset][\wrlsym]
               1624 \cmdmthsymelm{iwrl}[\wrlsym_{I}]
\AccRel, \TrnRel
               1625 \mbox{ } \mbox{newcommand} \mbox{\accsym}{R}
               1626 \cmdmthrel{Acc}[\accsym]
               1627 \cmdmthrel{Trn}[\accsym]
       \labFun
               1628 \newcommand{\labsym}{\lambda}
               1629 \cmdmthfun{lab}[\labsym]
\PthSet, \pthFun
               1630 \providecommand{\pthsym}{\pi}
               1631 \providecommand{\pthset}{Pth}
               1632 \cmdmthsetext{Pth} [\pthset] [\pthsym]
               1633 \cmdmthfun{pth}
               \MC, \GMC, ...
               1635 % Mu Calculus
               1636 \verb|\cmdtxtoparname{MC}| [\verb|\cmath{mu}-Calculus|]|
               1638 % Graded Mu Calculus
               1639 \DeclareRobustCommand{\GMC}
               1640
                    {{\txtname{G}}\MC}
               1641
               1642 % Quantified Mu Calculus
               1643 \DeclareRobustCommand{\QMC}
                   {\{\text{txtname}\{Q\}\}\setminus MC\}}
               1645 \DeclareRobustCommand{\EMC}
                   {\ensuremath{\exists}\MC}
               1647 \DeclareRobustCommand{\UMC}
                   {\ensuremath{\forall}\MC}
               1648
               1649
               1650 % Alternation-Free Mu Calculus
               1651 \DeclareRobustCommand{\AFMC}
               1652
                    {{\txtname{AF}}\MC}
               1653
               1654 % Alternation-Free Graded Mu Calculus
               1655 \DeclareRobustCommand{\AFGMC}
               1656
                    {{\txtname{AF}}\GMC}
               1657
               1658 % Quantified Alternation-Free Mu Calculus
               1659 \DeclareRobustCommand{\QAFMC}
                   {{\txtname{Q}}\AFMC}
               1661 \DeclareRobustCommand{\EAFMC}
                   {\ensuremath{\exists}\AFMC}
               1663 \DeclareRobustCommand{\UAFMC}
                    {\ensuremath{\forall}\AFMC}
               1664
               1665
```

```
\PTL, \LTL, ... ...
               1669 % Propositional Temporal Logic
               1670 \cmdtxtoparname{PTL}
               1672 % Quantified Propositional Temporal Logic
               1673 \DeclareRobustCommand{\QPTL}
                   {\{\text{txtname}\{Q\}}\
               1675 \DeclareRobustCommand{\EPTL}
                   {\ensuremath{\exists}\PTL}
               1677 \DeclareRobustCommand{\UPTL}
                    {\ensuremath{\forall}\PTL}
               1680 % Linear Temporal Logic
               1681 \cmdtxtoparname{LTL}
               1682
               1683\ \% Quantified Linear Temporal Logic
               1684 \DeclareRobustCommand{\QLTL}
               1685 \{\{\text{txtname}\{Q\}\}\}\
               1686 \DeclareRobustCommand{\ELTL}
               1687 {\ensuremath{\exists}\LTL}
               1688 \DeclareRobustCommand{\ULTL}
                   {\ensuremath{\forall}\LTL}
               \X, ... ...
               1691 \usrmth{X}{}{sym}[X\,]
               1692 \usrmth{F}{}{sym}[F\,]
               1693 \usrmth{G}{}{sym}[G\,]
               1694 \operatorname{U}{{\sym}[\,U\,]}
               1695 \usrmth{R}{}{sym}[\,R\,]
       \Y, ... ...
               1696 \usrmth{Y}{}{sym}[G\,]
               1697 \usrmth{P}{}{sym}[P\,]\left(\usrmth{P}\)
               1698 \verb|\usrmth{H}{{}}| flh,] \le \Coulomble Acute H
               1699 \usrmth{S}{}{sym}[\,S\,]\let\SaveSectionSymbol\S
               1700 \usrmth{B}{}{sym}[\,B\,]
               \PDL, \CTL, ... ...
               1704 % Propositional Dynamic Logic
               1705 \cmdtxtoparname{PDL}
               1707 % Computation Tree Logic
               1708 \cmdtxtoparname{CTL}
               1710 % Weak Computation Tree Logic
               1711 \DeclareRobustCommand{\WCTL}
               1712 \{\{\text{w}}\ \CTL\
               1714 % Quantified Computation Tree Logic
               1715 \DeclareRobustCommand{\QCTL}
                   {\{\text{txtname}\{Q\}\}\CTL\}}
               1717 \DeclareRobustCommand{\ECTL}
               1718 {\ensuremath{\exists}\CTL}
               1719 \DeclareRobustCommand{\UCTL}
               1720 {\ensuremath{\forall}\CTL}
```

```
1722 % Improved Computation Tree Logic
          1723 \cmdtxtoparname{CTLP}[CTL$^{+}$]
          1725 % Weak Improved Computation Tree Logic
         1726 \DeclareRobustCommand{\WCTLP}
              {{\txtname{W}}\CTLP}
         1729 % Quantified Improved Computation Tree Logic
          1730 \DeclareRobustCommand{\QCTLP}
               {{\txtname{Q}}\CTLP}
          1732 \DeclareRobustCommand{\ECTLP}
              {\ensuremath{\exists}\CTLP}
          1734 \DeclareRobustCommand{\UCTLP}
              {\ensuremath{\forall}\CTLP}
          1735
          1737 % Full Computation Tree Logic
          1738 \cmdtxtoparname{CTLS}[CTL*]
          1739
          1740 % Weak Full Computation Tree Logic
          1741 \DeclareRobustCommand{\WCTLS}
               {{\txtname{W}}\CTLS}
          1743
         1744 % Quantified Full Computation Tree Logic
         1745 \DeclareRobustCommand{\QCTLS}
         1746 {\{\text{txtname}\{Q\}\}\}\
         1747 \DeclareRobustCommand{\ECTLS}
         1748 {\ensuremath{\exists}\CTLS}
          1749 \DeclareRobustCommand{\UCTLS}
              {\ensuremath{\forall}\CTLS}
          \E, \A ...
          1752 \operatorname{LSrmth}{E}{sym}
          1753 \usrmth{A}{}{sym}
          \ATL, ...
         1756 % Alternating Temporal Logic
         1757 \cmdtxtoparname{ATL}
         1758
         1759\;\text{\%} Weak Alternating Tree Logic
         1760 \DeclareRobustCommand{\WATL}
         1761
               {{\txtname{W}}\ATL}
         1762
          1763 % Quantified Alternating Temporal Logic
          1764 \DeclareRobustCommand{\QATL}
               {\{\text{txtname}\{Q\}\}\setminus ATL\}}
          1766 \DeclareRobustCommand{\EATL}
              {\ensuremath{\exists}\ATL}
          1768 \DeclareRobustCommand{\UATL}
               {\ensuremath{\forall}\ATL}
          1769
          1770
          1771 % Improved Alternating Temporal Logic
          1772 \cmdtxtoparname{ATLP}[ATL$^{+}$]
          1774 % Weak Improved Alternating Tree Logic
          1775 \DeclareRobustCommand{\WATLP}
              {\{\text{txtname}\{W\}}\ATLP\}
```

1721

```
1778 % Quantified Improved Alternating Temporal Logic
             1779 \DeclareRobustCommand{\QATLP}
             1780 \{\{\text{txtname}\{Q\}\}\}\ATLP}
             1781 \DeclareRobustCommand{\EATLP}
             1782 {\ensuremath{\exists}\ATLP}
             1783 \DeclareRobustCommand{\UATLP}
                  {\ensuremath{\forall}\ATLP}
             1785
             1786 % Full Alternating Temporal Logic
             1787 \cmdtxtoparname{ATLS}[ATL*]
             1789 % Weak Full Alternating Tree Logic
             1790 \DeclareRobustCommand{\WATLS}
             1791
                  {{\txtname{W}}\ATLS}
             1792
             1793 % Quantified Full Alternating Temporal Logic
             1794 \DeclareRobustCommand{\QATLS}
                  {{\txtname{Q}}\ATLS}
             1796 \DeclareRobustCommand{\EATLS}
             1797 {\ensuremath{\exists}\ATLS}
             1798 \DeclareRobustCommand{\UATLS}
                  {\ensuremath{\forall}\ATLS}
             \EExs, \AAll
             1801 \DeclareRobustCommand{\EExs}[1]
             1802 {\mth{\argmid{\langle\!\langle}{\defval{#1}{\emptyset}}{\rangle\!\rangle}}}
             1803 \DeclareRobustCommand{\AAll}[1]
                  {\mth{\argmid{\left[\left[}{\defval{#1}{\emptyset}}{\right]\right]}}}
             \CGS ...
             1806 \cmdtxtname{CGS}
\CGSStr, ...
             1807 \mbox{ \newcommand{\cgsstr}{G}}
             1808 \usrmthlatupp{CGS}{Str}{str}[\cgsstr]
\AgnSet, ... ...
             1809 \newcommand{\agnsym}{a}
             1810 \newcommand{\agnset}{Ag}
             1811 \cmdmthsetext{Agn}[\agnset][\agnsym]
\PosSet, ... ...
             1812 \providecommand{\possym}{v}
             1813 \providecommand{\posset}{Ps}
             1814 \cmdmthsetext{Pos}[\posset][\possym]
             1815 \cmdmthsymelm{ipos}[\possym_{I}]
             1816 \cmdmthsymelm{fpos}[\possym_{F}]
             1817 \cmdmthset{PPos} [\posset_{\PlrSym}]
             1818 \cmdmthsymelm{ppos}[\possym_{\PlrSym}]
             1819 \cmdmthset{OPos} [\posset_{\OppSym}]
             1820 \cmdmthsymelm{opos}[\possym_{\OppSym}]
\SttSet, ...
             1821 \newcommand{\sttsym}{s}
             1822 \mbox{ newcommand{\sttset}{St}}
             1823 \cmdmthsetext{Stt}[\sttset][\sttsym]
             1824 \cmdmthset{IStt}[\sttset_{I}]
             1825 \cmdmthsymelm{istt}[\sttsym_{I}]
             1826 \cmdmthset{FStt}[\sttset_{F}]
             1827 \cmdmthsymelm{fstt}[\sttsym_{F}]
```

1777

```
\ActSet, ... ...
                   1828 \mbox{ }\mbox{\c} \
                   1829 \mbox{ \newcommand{\actset}{Ac}}
                   1830 \verb|\cmdmthsetext{Act}| [\verb|\actset|] [\verb|\actsym|]
    \DecSet, ... ...
                   1831 \newcommand{\decsym}{d}
                   1832 \mbox{ \newcommand{\decset}{Dc}}
                   1833 \cmdmthsetext{Dec}[\decset][\decsym]
          \mbox{movFun}
                   1834 \newcommand{\movsym}{\tau}
                   1835 \cmdmthfun{mov}[\movsym]
    \HstSet, ...
                   1836 \providecommand{\hstsym}{\rho}
                   1837 \providecommand{\hstset}{Hst}
                   1838 \cmdmthsetext{Hst}[\hstset][\hstsym]
                   1839 \cmdmthset{PHst}[\hstset_{\PlrSym}]
                   1840 \mbox{ } [\mbox{hstsym}_{\mbox{\line}}]
                   1841 \cmdmthset{OHst}[\hstset_{\OppSym}]
                   1842 \mbox{ \cmdmthsymelm{ohst}[\hstsym_{\corr}]}
                   1843 \cmdmthfun{hst}
\PlaySet,\playFun
                   1844 \providecommand{\playsym}{\pi}
                   1845 \providecommand{\playset}{Play}
                   1846 \cmdmthsetext{Play}[\playset][\playsym]
                   1847 \cmdmthfun{play}
    \StrSet, ...
                   1848 \providecommand{\strsym}{\sigma}
                   1849 \verb|\providecommand{\strset}{Str}
                   1850 \cmdmthsetext{Str}[\strset][\strsym]
                   1851 \cmdmthset{PStr}[\strset_{\PlrSym}]
                   1852 \verb|\cmdmthsymelm{pstr}[\strsym_{\prox m}]|
                   1853 \cmdmthset{OStr}[\strset_{\OppSym}]
                   1854 \cmdmthsymelm{ostr}[\strsym_{\OppSym}]
\PrfSet, \prfFun
                   1855 \providecommand{\prfsym}{\xi}
                   1856 \providecommand{\prfset}{Prf}
                   1857 \cmdmthsetext{Prf}[\prfset][\prfsym]
                   \SL, ... ...
                   1859 % Strategy Logic
                   1860 \cmdtxtoparname{SL}
                   1861
                   1862 \DeclareRobustCommand{\ESL}
                        {\ensuremath{\exists}\SL}
                   1864 \DeclareRobustCommand{\USL}
                   1865
                         {\ensuremath{\forall}\SL}
                   1866
                   1867 \DeclareRobustCommand{\FSL}
                        {\{\text{txtname}\{F\}\}\SL\}}
                   1868
                   1869
                   1870 \DeclareRobustCommand{\EFSL}
                         {\ensuremath{\exists}\FSL}
                   1872 \DeclareRobustCommand{\UFSL}
                         {\ensuremath{\forall}\FSL}
                   1874
```

```
1875 % One-Goal Strategy Logic
1876 \DeclareRobustCommandx{\OGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][1g\arglef{,}{#3}]}
1878
1879 \DeclareRobustCommand{\EOGSL}
      {\ensuremath{\exists}\OGSL}
1880
1881 \DeclareRobustCommand{\UOGSL}
      {\ensuremath{\forall}\OGSL}
1882
1883
1884 \DeclareRobustCommand{\FOGSL}
      {{\txtname{F}}\OGSL}
1887 \DeclareRobustCommand{\EFOGSL}
      {\ensuremath{\exists}\FOGSL}
1889 \DeclareRobustCommand{\UFOGSL}
      {\ensuremath{\forall}\FOGSL}
1891
1892 % Conjunctive-Goal Strategy Logic
1893 \DeclareRobustCommandx{\CGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][cg\arglef{,}{#3}]}
1895
1896 \DeclareRobustCommand{\ECGSL}
      {\ensuremath{\exists}\CGSL}
1898 \DeclareRobustCommand{\UCGSL}
      {\ensuremath{\forall}\CGSL}
1899
1900
1901 \DeclareRobustCommand{\FCGSL}
      {\{ \text{xtname}\{F\} \} xGSL \}}
1902
1903
1904 \DeclareRobustCommand{\EFCGSL}
      {\ensuremath{\exists}\FCGSL}
1906 \DeclareRobustCommand{\UFCGSL}
1907
      {\ensuremath{\forall}\FCGSL}
1909\ \% Disjunctive-Goal Strategy Logic
1910 \DeclareRobustCommandx{\DGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][dg\arglef{,}{#3}]}
1911
1912
1913 \DeclareRobustCommand{\EDGSL}
      {\ensuremath{\exists}\DGSL}
1914
1915 \DeclareRobustCommand{\UDGSL}
      {\ensuremath{\forall}\DGSL}
1918 \DeclareRobustCommand{\FDGSL}
1919
      {\{\text{xtname}\{F\}\}\times GSL\}}
1920
1921 \DeclareRobustCommand{\EFDGSL}
     {\ensuremath{\exists}\FDGSL}
1923 \DeclareRobustCommand{\UFDGSL}
      {\ensuremath{\forall}\FDGSL}
1926 % Alternating-Goal Strategy Logic
1927 \DeclareRobustCommandx{\AGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][ag\arglef{,}{#3}]}
1929
1930 \DeclareRobustCommand{\EAGSL}
      {\ensuremath{\exists}\AGSL}
1932 \DeclareRobustCommand{\UAGSL}
      {\ensuremath{\forall}\AGSL}
1933
1934
1935 \DeclareRobustCommand{\FAGSL}
      {\{ \text{xtname}\{F\} \} xGSL \}}
1936
1937
```

```
1938 \DeclareRobustCommand{\EFAGSL}
     {\ensuremath{\exists}\FAGSL}
1940 \DeclareRobustCommand{\UFAGSL}
1941
      {\ensuremath{\forall}\FAGSL}
1942
1943 % Extended-Goal Strategy Logic
1944 \DeclareRobustCommandx{\EGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][eg\arglef{,}{#3}]}
1946
1947 \DeclareRobustCommand{\EEGSL}
      {\ensuremath{\exists}\EGSL}
1949 \DeclareRobustCommand{\UEGSL}
      {\ensuremath{\forall}\EGSL}
1951
1952 \DeclareRobustCommand{\FEGSL}
      {\{\text{xtname}\{F\}\}\}\}
1953
1954
1955 \DeclareRobustCommand{\EFEGSL}
      {\ensuremath{\exists}\FEGSL}
1957 \DeclareRobustCommand{\UFEGSL}
      {\ensuremath{\forall}\FEGSL}
1960 % Boolean-Goal Strategy Logic
1961 \DeclareRobustCommandx{\BGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][bg\arglef{,}{#3}]}
1962
1963
1964 \DeclareRobustCommand{\EBGSL}
      {\ensuremath{\exists}\BGSL}
1965
1966 \DeclareRobustCommand{\UBGSL}
      {\ensuremath{\forall}\BGSL}
1968
1969 \DeclareRobustCommand{\FBGSL}
1970
      {\{\text{xtname}\{F\}\}\times GSL\}}
1971
1972 \verb|\DeclareRobustCommand{\EFBGSL}|
      {\ensuremath{\exists}\FBGSL}
1974 \DeclareRobustCommand{\UFBGSL}
      {\ensuremath{\forall}\FBGSL}
1976
1977 % Nested-Goal Strategy Logic
1978 \DeclareRobustCommandx{\NGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][ng\arglef{,}{#3}]}
1981 \DeclareRobustCommand{\ENGSL}
     {\ensuremath{\exists}\NGSL}
1983 \DeclareRobustCommand{\UNGSL}
1984
      {\ensuremath{\forall}\NGSL}
1985
1986 \DeclareRobustCommand{\FNGSL}
      {\{ \text{xtname}\{F\} \} \times GSL \}}
1987
1988
1989 \DeclareRobustCommand{\EFNGSL}
      {\ensuremath{\exists}\FNGSL}
1991 \DeclareRobustCommand{\UFNGSL}
1992
      {\ensuremath{\forall}\FNGSL}
1993
1994 % Undefined-Goal Strategy Logic
1995 \DeclareRobustCommandx{\XGSL}[3][1=, 2=, 3=]
      {\SL[#1][#2][xg\arglef{,}{#3}]}
1996
1997
1998 \DeclareRobustCommand{\EXGSL}
      {\ensuremath{\exists}\XGSL}
2000 \DeclareRobustCommand{\UXGSL}
```

```
2001
                                                                                      {\ensuremath{\forall}\XGSL}
                                                             2002
                                                             2003 \DeclareRobustCommand{\FXGSL}
                                                             2004
                                                                                    {\{\text{xtname}\{F\}\}\times GSL\}}
                                                            2005
                                                             2006 \DeclareRobustCommand{\EFXGSL}
                                                                                 {\ensuremath{\exists}\FXGSL}
                                                             2008 \DeclareRobustCommand{\UFXGSL}
                                                                                  {\ensuremath{\forall}\FXGSL}
                                                            \BndSet, ...
                                                            2011 \newcommand{\bndsym}{\flat}
                                                            2012 \newcommand{\bndset}{Bn}
                                                            2013 \cmdmthsetext{Bnd} [\bndset] [\bndsym]
                                                            2014 \usrmth{bnd}{}{argfun}
                                    \psn ...
                                                            2015 \usrmth{psn}{}{argfun}
                                                             \nxtFun ...
                                                             2017 \newcommand{\nxtfun}{nxt}
                                                             2018 \cmdmthfun{nxt} [\nxtfun]
                                                             2019 \fi
                                                             2024 \ifaut@
                                                             \DFA, ... ...
                                                             2026 \verb|\cmdtxtoparname{DFA}\cmdtxtoparname{UFA}\cmdtxtoparname{AFA}|
                                                             2027
                                                             2028 \cmdtxtoparname{DWA}\cmdtxtoparname{AWA}
                                                             2030 \verb|\cmdtxtoparname{DFW}\cmdtxtoparname{UFW}\cmdtxtoparname{AFW}| \\
                                                             2031 \cmdtxtoparname{DWW}\cmdtxtoparname{AWW}
                                                             2032 \verb|\cmdtxtoparname{NBW}| cmdtxtoparname{WBW}| cmdtxtoparname{ABW}| cmdtxtoparname{ABW}|
                                                             2033 \verb|\cmdtxtoparname{DCW}| cmdtxtoparname{UCW}| cmdtxtoparname{ACW}| cmdtxtoparname{ACW}|
                                                             2034 \verb|\cmdtxtoparname{DPW}\cmdtxtoparname{MPW}| cmdtxtoparname{APW}| cmdtxtoparname{APW}| cmdtxtoparname{MPW}| 
                                                             2035 \verb|\cmdtxtoparname{DRW}\cmdtxtoparname{ARW}| $$ \cmdtxtoparname{ARW}$ $$ $$ \cmdtxtoparname{ARW}$ $$ \cmdtxtoparname{ARW}$ $$ \cmdtxtoparname{ARW}$ $$ \cmdtxtoparname{ARW}$ $$ \cmdtxtoparname{ARW}$ $$ $$ \cmdtxtoparname{ARW}$ $$ \cmdtxtopar
                                                             2036 \cmdtxtoparname{DSW}\cmdtxtoparname{ASW}
                                                            2037 \verb|\cmdtxtoparname{NMW}\cmdtxtoparname{UMW}\cmdtxtoparname{AMW}| \\
                \GFG, ... ...
                                                            2038 \cmdtxtoparname{GFG}
                                                            2040 \cmdtxtoparname{PD}
                                                            2041 \cmdtxtoparname{PN}
                                                             2043 \cmdtxtoparname{LD}
                                                             2044 \cmdtxtoparname{LN}
                                                            \AutName, ... ...
                                                             2046 \mbox{ \newcommand{\autname}{A}}
                                                             2047 \usrmthlatupp{Aut}{Name}{name}[\autname]
                                                             2048 \mbox{ \newcommand{\autset}{Aut}}
                                                             2049 \cmdmthset{Aut}[\autset]
```

```
\WAutSet ...
                                                                                  2050 \mbox{ \newcommand{\wautset}{WAut}}
                                                                                  2051 \verb|\cmdmthset{WAut}[\wautset]|
     \SttSet, ...
                                                                                  2052 \ensuremath{\mbox{def\sttsym}\{q\}}
                                                                                  2053 \def\sttset{Q}
                                                                                  2054 \mbox{ \cmdmthsetext{Stt}[\sttset][\sttsym]}
                                                                                   2055 \cmdmthset{IStt}[\sttset_{I}]
                                                                                   2056 \mbox{ }\mbox{cmdmthsymelm{istt}[\sttsym_{I}]}
                                                                                   2057 \cmdmthset{FStt}[\sttset_{F}]
                                                                                   2058 \mbox{ \cmdmthsymelm{fstt}[\sttsym_{F}]}
     \SymSet, ... ...
                                                                                  2059 \newcommand{\symsym}{\sigma}
                                                                                   2060 \newcommand{\symset}{\Sigma}
                                                                                   2061 \cmdmthsetext{Sym}[\symset][\symsym]
                                \trnFun ...
                                                                                   2062 \newcommand{\trnsym}{\delta}
                                                                                   2063 \cmdmthfun{trn}[\trnsym]
                                                                                   \LangFun ...
                                                                                   2065 \mbox{newcommand{\langfun}{L}}
                                                                                   2066 \cmdmthfun{Lang}[\langfun]
     \WrdSet, ... ...
                                                                                  2067 \newcommand{\wrdsym}{w}
                                                                                  2068 \mbox{ \newcommand{\wrdset}{Wr}}
                                                                                  2069 \cmdmthsetext{Wrd}[\wrdset][\wrdsym]
                                                                                  \DTA, ... ...
                                                                                  2071 \verb|\cmdtxtoparname{DTA}\cmdtxtoparname{ATA}| cmdtxtoparname{ATA} | cmdtxtoparname{ATA}| cmdtxtoparname{ATA}|
                                                                                  2073 \verb|\cmdtxtoparname{DFT}\cmdtxtoparname{AFT}| \\
                                                                                   2074 \verb|\cmdtxtoparname{DWT}\cmdtxtoparname{AWT}| cmdtxtoparname{AWT}| 
                                                                                   2075 \verb|\cmdtxtoparname{DBT}\cmdtxtoparname{ABT}| \\
                                                                                  2076 \verb|\cmdtxtoparname{DCT}\cmdtxtoparname{ACT}| \\
                                                                                  2077 \verb|\cmdtxtoparname{UPT}\cmdtxtoparname{MPT}| cmdtxtoparname{MPT} | cmdtxtoparname{MPT}| cmdtxtoparname{MPT}|
                                                                                   2078 \verb|\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{LRT}\cmdtxtoparname{L
                                                                                   2079 \verb|\cmdtxtoparname{UST}\cmdtxtoparname{AST}| and the constraints of the constraints
                                                                                   2080 \verb|\cmdtxtoparname{DMT}\cmdtxtoparname{MMT}\cmdtxtoparname{UMT}\cmdtxtoparname{AMT}|
                                                                                   \TAutSet ...
                                                                                   2082 \newcommand{\tautset}{TAut}
                                                                                  2083 \cmdmthset{TAut}[\tautset]
     \DirSet, ... ...
                                                                                  2084 \mbox{ \newcommand{\dirsym}{d}}
                                                                                   2085 \newcommand{\dirset}{\Lambda}
                                                                                   2086 \cmdmthsetext{Dir}[\dirset][\dirsym]
                                                                                   \TreeSet, ... ...
                                                                                  2088 \newcommand{\treesym}{T}
                                                                                  2089 \newcommand{\treeset}{Tr}
                                                                                   2090 \cmdmthsetext{Tree} [\treeset] [\treesym]
```

```
\wotFun ...
    2091 \newcommand{\wotfun}{wot}
    2092 \cmdmthfun{wot}[\wotfun]
    2093 \fi
    2098 \iffrm@
    2099 %%...
    2100 \fi
    2105 \iffig@
    2106 \RequirePackage{tikz}
    2107 \usetikzlibrary{arrows,graphs,matrix,patterns,shapes}
    2108 \tikzstyle{every node} =
      [draw = none, fill = none, black, thin]
    2110 \tikzstyle{every edge} +=
    2111 [black, thick]
    2112 \tikzstyle{noall} =
    2113 [draw = none, fill = none]
    2114 \tikzstyle{nodraw} =
    2115 [draw = none, fill = white]
    2116 \tikzstyle{nofill} =
    2117 [draw = black, fill = none]
    2118 \ifwrpfig@
    2119 % Wrapfig Package
    2121 \fi
    2122 \fi
    2127 \iftab@
  2128 %%...
    2134 \ifalg@
    2135 \RequirePackage[ruled,vlined]{algorithm2e}
    2136 \DontPrintSemicolon
    2137 \SetInd{0.25em}{0.5em}
    2138 \setlength{\algomargin}{1.25em}
\Signature
    2139 \SetKw{Signature}{signature}
```

```
\Macro, ... ...
              2140 \SetKwFor{Macro}{macro}{}}
              2141 \texttt{\SetKwFor{Function}{function}{}}{}
              2142 \verb|\SetKwFor{Procedure}{procedure}{}{} 
        \Let ...
              2143 \For{Let}{let}{in}{}
\True, \False ...
              2144 \SetKw{True}{true}
              2145 \SetKw{False}{false}
  \From, ... ...
              2146 \SetKw{From}{from}
              2147 \text{ } \text{SetKw{To}{to}}
              2148 \SetKw{DownTo}{downto}
  \GoTo, ... ...
              2149 \SetKw{GoTo}{goto}
              2150 \SetKw{Break}{break}
              2151 \SetKw{Continue}{continue}
   \MIf, ... ...
              2152 \texttt{\MElseIf}{\texttt{MElse}{\wif}{\welse \wif}{\welse}{\welse} $$
        \nlr ...
              2153 \DeclareRobustCommand{\nlr}[1]
              2154 {\addtocounter{AlgoLine}{1}%
               2155 \quad \verb|\arabic{AlgoLine}-\addtocounter{AlgoLine}{\#1}\arabic{AlgoLine}| \} 
              2158 \endinput
              2159 (/package)
```

## 2 Change History

v0.0	v0.19
General: First public release 1	General: Additional starred variants 1
v0.1	v0.2
General: Algorithm tricks 1	General: Changes in 'Auxiliary tricks' 1
v0.10	v0.20
General: Small refinements $\dots \dots 1$	General: New binary operators
v0.11	v0.3
General: Few additions and corrections $\dots$ 1	General: Few problems solved 1
v0.12	v0.4
General: New starred variants 1	General: Refactoring, corrections, and
v0.13	extensions
General: Further starred variants 1	v0.5
v0.14	General: Figure tricks
General: Few additions and corrections 1	v0.6
v0.15	General: Small refinements 1
General: Refactoring of dtx sources 1	v0.7
v0.16	General: Refinements, corrections, and
General: Small refinements and few additions 1	extensions
v0.17	v0.8
General: Few additions $\dots \dots \dots$	General: Few refinements and corrections 1
v0.18	v0.9
General: Few new starred variants 1	General: Small addition to 'Algorithm tricks' 1

## 3 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

```
983, 989, 991, 997, 999,
          Symbols
                                                            \@sequence ......
   ........ 421, 445, 896,
                                    1005, 1098, 1104, 1110,
                                                            \@sequencel ......
      983, 991, 993, 995, 1802
                                    1116, 1137, 1607, 1613
                                                            \@sequencer ......
                                                                                     940
   ..... 849, 850
                              \@len ..... 1137, 1138, 1140
                                                            \@sequencex ......
                                                                                     944
                                                            \@sequencexl ......
                              \@newmth \dots 407, 408
   ..... 2152
\#
                                                            \@sequencexr ......
   . 985, 987, 993, 995, 1126,
                              \@newmtharg ..... 419, 420
      1129, 1130, 1691, 1692,
                              \c0newmthargsty .... 425, 426
                                                            \@set ..... 981, 983, 984
      1693, 1694, 1695, 1696,
                              \c0newmthoarg .... 431, 432
                                                            \@setl ..... 989, 991, 992
                                                            \@setr ..... 997, 999, 1000
      1697, 1698, 1699, 1700
                              \c0newmthoargsty .... 437, 438
\... <u>2099, 2128</u>
                              \cOnewmthopar ..... 455, 456
                                                            \@sexs ..... 1607, 1608
\@abs ..... 1098, 1099
                              \c0newmthoparsty .... 461, 462
                                                            \@sfloor ..... 1110, 1113
\@all ..... 1613, 1616
                              \@newmthpar .... 443, 444
                                                            \@slen ..... 1137, 1142
\@card ..... 1005, 1006
                              \ensuremath{\mbox{\tt Qnewmthparsty}} .... 449, 450
                                                            \@snewmth .... 407, 410
                              \Onewmthsty .... 413, 414
                                                            \@snewmtharg .... 419, 422
\@ceil ..... 1116, 1117
                              \@newtxt ..... 294, 295
                                                            \@snewmthargsty .... 425, 428
\@denot ..... 908, 909
                              \@newtxtarg ..... 306, 307
                                                            \@snewmthoarg .... 431, 434
\@exs ..... 1607, 1610
                              \c0newtxtargsty .... 312, 313
                                                            \@snewmthoargsty . . . . 437, 440
\@floor ..... 1110, 1111
                              \@newtxtoarg ..... 318, 319
                                                            \@snewmthopar \dots 455, 458
\@for ..... 171, 175
                              \conewtxtoargsty .... 324, 325
                                                            \@snewmthoparsty .... 461, 464
\@ifstar 294, 300, 306, 312,
                                                            \@snewmthpar ..... 443, 446
                              \ensuremath{\mbox{Qnewtxtopar}} ..... 342, 343
      318, 324, 330, 336, 342,
                                                            \Osnewmthparsty .... 449, 452
                              \c0newtxtoparsty ... 348, 349
      348, 357, 359, 361, 363,
                                                            \@snewmthsty .... 413, 416
                              \@newtxtpar ..... 330, 331
      365, 371, 376, 381, 386,
                              \c0newtxtparsty ..... 336, 337
                                                            \@snewtxt ..... 294, 297
      391, 399, 407, 413, 419,
                              \conewtxtsty ..... 300, 301
                                                            \@snewtxtarg ..... 306, 309
      425, 431, 437, 443, 449,
                              \@norm ..... 1104, 1105
                                                            \@snewtxtargsty .... 312, 315
      455, 461, 470, 472, 474,
                                                            \cosnewtxtoarg ..... 318, 321
                                                 1098, 1101
      476, 478, 484, 487, 490,
                              \@sabs .....
                              \@sall .....
                                                            \cosnewtxtoargsty .... 324, 327
      493, 496, 502, 874, 878,
                                                 1613, 1614
      908, 923, 932, 936, 940,
                              \@scard ..... 1005, 1008
                                                            \c0snewtxtopar ..... 342, 345
      944, 948, 952, 956, 960,
                              \@sceil ..... 1116, 1119
                                                            \@snewtxtoparsty .... 348, 351
      964, 968, 972, 976, 981,
                              \@sdenot ..... 908, 911
                                                            \@snewtxtpar ..... 330, 333
```

\@snewtxtparsty 336, 339	\Aposteriori <u>834</u>	$\mathbf{C}$
\@snewtxtsty 300, 303	\aposteriori 812	\card 1004
\@snorm 1104, 1107	\Apriori 833	\caselower 663
\@ssequence 932	\apriori	\cdot 1011
\@ssequencel 936	\apset 1385, 1386	\cequiv, <u>902</u>
\@ssequencer 940	\APSet, <u>1384</u>	\cf <u>813</u>
\@ssequencex 944	\apsym 1384, 1386	\CGS <u>1806</u>
\@ssequencexl 948	\arabic 2155	\CGSL 1893, 1897, 1899
\@ssequencexr 952	\aRel, <sub>□</sub> <u>670</u>	\cgsstr 1807, 1808
\@sset 981, 983, 986	\arenaname 1228, 1229	\CGSStr, <u>1807</u>
\@ssetl 989, 991, 994	\ArenaName,	\chgbar@false 44
\@ssetr 997, 999, 1002	\arg	\chgbar@true 45
\@stuple 956	\arglef . <u>152,</u> 159, 421, 445,	\chi 1411
\@stuplel	1877, 1894, 1911, 1928, 1945, 1962, 1979, 1996	\circ 1026
\@stupler 964 \@stuplex 968	1945, 1962, 1979, 1996	\cmdmth 482, 498, 738, 739, 745
\@stuplex 908 \@stuplex1 972	\argmid . <u>156,</u> 308, 310, 332, 334, 421, 423, 445, 447,	\cmdmthall <u>497</u> , 585, 598, 611,
\@stuplexr 976	910, 912, 985, 987, 993,	624, 637, 650, 669, 682,
\@svec 923, 926	995, 1001, 1003, 1007,	695, 708, 750, 763, 777, 790
\@tuple 956	1009, 1100, 1102, 1106,	\cmdmtharg <u>485</u> , 498 \cmdmthargcls 615
\@tuple1 960	1108, 1112, 1114, 1118,	<u> </u>
\@tupler 964	1120, 1139, 1141, 1143,	\cmdmthargelm <u>712</u> , 726 \cmdmthargfam 602
\@tuplex 968	1611, 1617, 1802, 1804	\cmdmthargfam $\dots \dots \dots$
\@tuplex1 972	\argrig <u>154</u>	\cmdmthargfun 686
\@tuplexr 976	\argsep $158, 163, 985,$	\cmdmthargmat 781
\@vec 923, 924	987, 1089, 1091, 1093, 1095	\cmdmthargname 589
\^ 851, 853	\aSet, <sub>□</sub> <u>651</u>	\cmdmthargrel 673
	\asgset 1412, 1413	\cmdmthargset 654
Α	\AsgSet, <u>1411</u>	\cmdmthargsig 628
\abs,_\norm <u>1097</u>	\asgsym 1411, 1413	\cmdmthargsnt 754
\AccRel,_\TrnRel <u>1625</u>	\aSig, <u>625</u>	$\column{2}{c}$ $\column{2}{c$
\accsym 1625, 1626, 1627	\aSnt, <u>751</u>	\cmdmthargsym $\dots \frac{699}{725}$
\ACls, <u>612</u> \actset <u>1829</u> , 1830	\aStr, <u>638</u>	\cmdmthargsymelm 724
\ActSet,	\aSym, <u>696</u>	\cmdmthargvec <u>794</u>
\actsym 1828, 1830	\Atheta,_\ATheta <u>1044</u> \ATL, 1756	\cmdmthcls <u>613</u>
\addtocounter 2154, 2155	\ATLP 1776, 1780, 1782, 1784	\cmdmthelm <u>710</u> , 723
\adhoc 809	\ATLS 1791, 1795, 1797, 1799	$\verb \cmdmthfam  \dots \dots \dots \underline{600}$
\aElm, 709	\atrfun 1289, 1290	\cmdmthfrm
\AFam, <sub>□</sub> <u>599</u>	\atrFun, \rchFun 1289	\cmdmthfun
\AFGMC 1655	\aut@false 56, 62, 93, 95	<u>684</u> , 1240, 1249, 1254,
\AFMC 1651, 1660, 1662, 1664	\aut@true 94	1262, 1266, 1323, 1342,
\Afortiori <u>832</u>	\autname 2046, 2047	1387, 1431, 1444, 1629,
\afortiori <u>810</u>	\AutName, <u>2046</u>	1633, 1835, 1843, 1847,
\aFrm,	\autset 2048, 2049	2018, 2063, 2066, 2092
\aFun, <u>683</u>	\aux@false 11, 13	\cmdmthlbop
\agnset 1810, 1811	\aux@true	\cmdmthluop, \( \triangle \)
\AgnSet,	\aVec, <u>791</u>	\cmdmthmat
\agnsym 1809, 1811 \AGSL 1927, 1931, 1933	В	\cmdmthname 587
\AH 1927, 1931, 1935	\BF,⊔\QBF,⊔ 1351	\cmdmthoarg 488, 498
\aka	\bfseries 530	\cmdmthoargcls 617
\alg@false 121, 123	\BG, <sub>□</sub>	\cmdmthoargelm <u>714</u> , <u>729</u>
\alg@true 122	\bgroup 166	\cmdmthoargfam <u>604</u>
\algomargin 2138	\BGSL 1961, 1965, 1967	\cmdmthoargfrm $\dots   769$
\Alpha, <u>139</u>	\BMod 1615, 1617	\cmdmthoargfun
\aMat,	\bndset 2012, 2013	$\dots \underline{688}, 1278, 1280,$
\amsdef@false 17	\BndSet,	1282, 1284, 1286, 1288,
\amsdef@true 16	\bndsym 2011, 2013	1290, 1292, 1294, 1296
\amsthm@false 21	\boldsymbol 777, 790	\cmdmthoargmat 783
\amsthm@true 20	\bot 1366	\cmdmthoargname $\dots \dots \underline{591}$
\AName,	\Box 1605	\cmdmthoargrel $\dots \qquad \underline{675}$
\Aomega,_\AOmega <u>1042</u>	\boxminus	\cmdmthoargset 656
\Aomicron,	\bst, <sub>□</sub> 1125	\cmdmthoargsig 630

\cmdmthoargsnt $756$	1815, 1816, 1818, 1820,	\Coloneqq 878
\cmdmthoargstr <u>643</u>	1825, 1827, 1840, 1842,	\coloneqq 878
\cmdmthoargsym <u>701</u> , <u>728</u>	1852, 1854, 2056, 2058	\com@false 56, 77, 79
\cmdmthoargsymelm 727	\cmdmthvec 792	\com@true
\cmdmthoargvec 796	\cmdtxt 369, 395	\conset 1435, 1436
\cmdmthopar <u>494</u> , 498	\cmdtxtabr	\consig
\cmdmthoparcls $\underline{621}$	$\underline{543}$ , 809, 810, 811, 812,	\ConSig, <u>1432</u>
\cmdmthoparelm $\underline{718}$ , $735$	813, 814, 815, 816, 817,	\constr 1459, 1460
\cmdmthoparfam <u>608</u>	818, 819, 820, 821, 822,	\ConStr,
\cmdmthoparfrm 773	823, 824, 825, 826, 827,	\consym 1434, 1436
\cmdmthoparfun 692	828, 829, 830, 832, 833,	\Contd <u>864</u>
	834, 835, 836, 837, 838,	\contd 856
	839, 840, 841, 842, 843,	\coWMPL 1583
\cmdmthoparname $\dots \dots 595$		
\cmdmthoparrel $\underline{679}$	844, 845, 849, 850, 851,	\coWMSO
\cmdmthoparset $\underline{660}$	853, 855, 856, 857, 858,	\coWMSOL 1527
\cmdmthoparsig <u>634</u>	859, 860, 861, 862, 864,	\coWMTL 1560
\cmdmthoparsnt 760	865, 1401, 1402, 1403, 1404	\coWPL 1571
\cmdmthoparstr 647	\cmdtxtall <u>394, 530, 542, 555, 567</u>	\coWSO 1511
<del>-</del>	\cmdtxtarg 374, 395	\coWSOL 1509
\cmdmthoparsym <u>705, 734</u>	\cmdtxtargabr 545	\coWTL 1548
\cmdmthoparsymelm $733$		\crv@false 40
\cmdmthoparvec $800$	\cmdtxtargcom <u>570</u>	
\cmdmthpar 491, 498	\cmdtxtargdef $\dots \dots 533$	\crv@true 41
\cmdmthparcls 619	\cmdtxtargname <u>558</u>	\csdef 138, 139, 140, 141, 142,
\cmdmthparelm <u>716</u> , 732	\cmdtxtcom <u>568</u> , 1173, 1174, 1175	370, 375, 380, 385, 390,
_	\cmdtxtdef 531	398, 483, 486, 489, 492,
\cmdmthparfam <u>606</u>	\cmdtxtname <u>556</u> , 1806	495, 501, 1153, 1169, 1171
\cmdmthparfrm <u>771</u>		\csedef 172, 176
\cmdmthparfun $\underline{690}$	\cmdtxtoarg <u>379</u> , 395	\csname . 162, 163, 164, 165,
$\column{2}{cmdmthparmat}$	\cmdtxtoargabr $547$	166, 167, 168, 173, 177,
\cmdmthparname $593$	\cmdtxtoargcom $\dots 572$	
\cmdmthparrel <u>677</u>	\cmdtxtoargdef <u>535</u>	372, 373, 377, 378, 382,
\cmdmthparset 658	\cmdtxtoargname 560	383, 387, 388, 392, 393,
\cmdmthparsig 632	\cmdtxtopar <u>389</u> , <u>395</u>	400, 401, 409, 411, 503, 504
		\CTLP 1727, 1731, 1733, 1735
\cmdmthparsnt <u>758</u>	\cmdtxtoparabr $551$	
\cmdmthparsnt	$\label{eq:cmdtxtoparabr} \begin{tabular}{lll} $$ \cmdtxtoparcom & & \underline{551} \\ \cmdtxtoparcom & & \underline{576} \\ \end{tabular}$	\CTLS 1742, 1746, 1748, 1750
\cmdmthparsnt <u>758</u>	\cmdtxtoparabr $551$	
\cmdmthparsnt	\cmdtxtoparabr	\CTLS 1742, 1746, 1748, 1750
$\begin{array}{llllllllllllllllllllllllllllllllllll$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 D \DeclareMathAlphabet
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 D \DeclareMathAlphabet 285, 286, 287, 288
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13,
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13,
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37,
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78,
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94,
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107,
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873,
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887,
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898,
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887,
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126 \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898,
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920,
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935,
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955,
\cmdmthparsnt	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955, 959, 963, 967, 971, 975,
\cmdmthparsnt	\cmdtxtoparabr	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955, 959, 963, 967, 971, 975, 980, 982, 984, 986, 988,
\cmdmthparsnt	\cmdtxtoparabr	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  \[ \textbf{D}\] \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955, 959, 963, 967, 971, 975, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998,
\cmdmthparsnt	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  \[ \textbf{D}\] \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955, 959, 963, 967, 971, 975, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998, 1000, 1002, 1004, 1006,
\cmdmthparsnt	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955, 959, 963, 967, 971, 975, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998, 1000, 1002, 1004, 1006, 1008, 1010, 1013, 1021,
\cmdmthparsnt	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  \[ \textbf{D}\] \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955, 959, 963, 967, 971, 975, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998, 1000, 1002, 1004, 1006,
\cmdmthparsnt	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955, 959, 963, 967, 971, 975, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998, 1000, 1002, 1004, 1006, 1008, 1010, 1013, 1021,
\cmdmthparsnt	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  \[ \textbf{D}\] \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955, 959, 963, 967, 971, 975, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998, 1000, 1002, 1004, 1006, 1008, 1010, 1013, 1021, 1023, 1025, 1028, 1049,
\cmdmthparsnt	\cmdtxtoparabr \ 551 \cmdtxtoparcom \ 576 \cmdtxtoparcom \ 539 \cmdtxtoparname \ \ 539 \cmdtxtoparname \ 1213, 1216, 1219, 1222, 1299, 1302, 1305, 1308, 1311, 1314, 1327, 1330, 1333, 1352, 1416, 1417, 1469, 1472, 1475, 1478, 1481, 1484, 1487, 1490, 1499, 1500, 1541, 1564, 1589, 1636, 1670, 1681, 1705, 1708, 1723, 1738, 1757, 1772, 1787, 1860, 2026, 2028, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2040, 2041, 2043, 2044, 2071, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080 \cmdtxtpar \ 2078, 2079, 2080 \cmdtxtparabr \ 537 \cmdtxtparcom \ 574 \cmdtxtparrame \ 562 \cmdtxtparname \ 562 \cmdtxtparname \ 562 \cmdtxtparname \ 562 \cmd\ 1025 \cmf, \dmf, \	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955, 959, 963, 967, 971, 975, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998, 1000, 1002, 1004, 1006, 1008, 1010, 1013, 1021, 1023, 1025, 1028, 1049, 1051, 1053, 1055, 1057, 1059, 1061, 1063, 1065,
\cmdmthparsnt	\cmdtxtoparabr \	\CTLS 1742, 1746, 1748, 1750 \CurrentOption 126  D \DeclareMathAlphabet 285, 286, 287, 288 \DeclareMathOperator 1031, 1033 \DeclareOption 12, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 54, 55, 60, 61, 67, 68, 72, 73, 78, 79, 84, 85, 89, 90, 94, 95, 100, 101, 106, 107, 111, 116, 117, 122, 123, 126 \DeclareRobustCommand 873, 877, 880, 882, 885, 887, 889, 891, 893, 895, 898, 900, 902, 904, 907, 909, 911, 914, 916, 918, 920, 922, 924, 926, 931, 935, 939, 943, 947, 951, 955, 959, 963, 967, 971, 975, 980, 982, 984, 986, 988, 990, 992, 994, 996, 998, 1000, 1002, 1004, 1006, 1008, 1010, 1013, 1021, 1023, 1025, 1028, 1049, 1051, 1053, 1055, 1057,

1000 1000 1000 1000	140,000,004	1105
1083, 1086, 1088, 1090,	\defval $\underline{149}$ , $302$ , $304$ ,	\ELH, _\EBH <u>1195</u>
1092, 1094, 1097, 1099,	314, 316, 326, 328, 338,	\else 148, 150, 159, 257, 271
1101, 1103, 1105, 1107,	340, 350, 352, 400, 401,	\ELTL 1686
1109, 1111, 1113, 1115,	415, 417, 427, 429, 439,	\em 530, 542
1117, 1119, 1134, 1136,	441, 451, 453, 463, 465,	\EMC 1645
1140, 1142, 1355, 1357,	503, 504, 665, 667, 1011,	\EML 1598
1359, 1420, 1422, 1503,	1153, 1155, 1156, 1171,	
		\empchk <u>147</u> , 153, 155,
1505, 1509, 1511, 1515,	1611, 1617, 1802, 1804	157, 163, 354, 467, 665, 667
1517, 1521, 1523, 1527,	\Delta 1193, 1194	\emptyfun <u>1028</u>
1529, 1544, 1548, 1552,	\delta 2062	\emptyrel <u>1013</u>
1556, 1560, 1567, 1571,	\denot <u>907</u>	\emptyseq 1134
1575, 1579, 1583, 1592,	\dep,_\alt <u>1399</u>	\emptyset 1802, 1804
1596, 1598, 1600, 1606,	\der 918	\endcsname 162, 163, 164, 165,
1608, 1610, 1612, 1614,	\Dere 837	166, 167, 168, 173, 177,
1616, 1639, 1643, 1645,	\dere 816	
1647, 1651, 1655, 1659,	\DF,_\\IF,_\	372, 373, 377, 378, 382,
1661, 1663, 1673, 1675,	\DFA, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	383, 387, 388, 392, 393,
1677, 1684, 1686, 1688,	\DGSL 1910, 1914, 1916	400, 401, 409, 411, 503, 504
		\endinput 2158
1711, 1715, 1717, 1719,	\Diamond 1604	\ENGSL 1981
1726, 1730, 1732, 1734,	\dirset 2085, 2086	\enmtls@false 29
1741, 1745, 1747, 1749,	\DirSet, <u>2084</u>	\enmtls@true 28
1760, 1764, 1766, 1768,	\dirsym 2084, 2086	\ensuremath 354, 409,
1775, 1779, 1781, 1783,	\Divideetimpera 838	411, 1032, 1034, 1358,
1790, 1794, 1796, 1798,	\divideetimpera 817	
1801, 1803, 1862, 1864,	\DLH,_\DBH <u>1193</u>	1360, 1599, 1601, 1636,
1867, 1870, 1872, 1879,	\DMod 1609, 1611	1646, 1648, 1662, 1664,
1881, 1884, 1887, 1889,	\DMod,_\BMod 1604	1676, 1678, 1687, 1689,
		1718, 1720, 1733, 1735,
1896, 1898, 1901, 1904,	\do 171, 175	1748, 1750, 1767, 1769,
1906, 1913, 1915, 1918,	\dom,\cod, <u>1016</u>	1782, 1784, 1797, 1799,
1921, 1923, 1930, 1932,	\DontPrintSemicolon 2136	1863, 1865, 1871, 1873,
1935, 1938, 1940, 1947,	\downarrow 1022	1880, 1882, 1888, 1890,
1949, 1952, 1955, 1957,	\DTA, <u>2071</u>	
1964, 1966, 1969, 1972,	\dual, _\adj, <u>914</u>	1897, 1899, 1905, 1907, 1914, 1916, 1922, 1924
1964, 1966, 1969, 1972, 1974, 1981, 1983, 1986,	\dual,_\adj, <u>914</u>	1914,1916,1922,1924,
	\dual,_\\adj, <u>914</u> E	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941,
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000,	-	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958,
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153	E	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975,
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153 \DeclareRobustCommandx	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992,
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153 \DeclareRobustCommandx	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153 \DeclareRobustCommandx	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfum
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153 \DeclareRobustCommandx 	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153 \DeclareRobustCommandx	E \E, \ \ A	$\begin{array}{c} 1914,1916,1922,1924,\\ 1931,1933,1939,1941,\\ 1948,1950,1956,1958,\\ 1965,1967,1973,1975,\\ 1982,1984,1990,1992,\\ 1999,2001,2007,2009\\ \verb \entfun  \dots \dots 1281,1282\\ \verb \entfun,$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \text{DeclareRobustCommandx} \tau \tau \tau \tau \tau \tau \tau \tau	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{c} 1914,1916,1922,1924,\\ 1931,1933,1939,1941,\\ 1948,1950,1956,1958,\\ 1965,1967,1973,1975,\\ 1982,1984,1990,1992,\\ 1999,2001,2007,2009\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153 \DeclareRobustCommandx	E \\E,_\A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{c} 1914,1916,1922,1924,\\ 1931,1933,1939,1941,\\ 1948,1950,1956,1958,\\ 1965,1967,1973,1975,\\ 1982,1984,1990,1992,\\ 1999,2001,2007,2009\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \DeclareRobustCommandx	E \\E,_\\A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{c} 1914, 1916, 1922, 1924, \\ 1931, 1933, 1939, 1941, \\ 1948, 1950, 1956, 1958, \\ 1965, 1967, 1973, 1975, \\ 1982, 1984, 1990, 1992, \\ 1999, 2001, 2007, 2009 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \DeclareRobustCommandx 1138, 1876, 1893, 1910, 1927, 1944, 1961, 1978, 1995 \decset	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{c} 1914,1916,1922,1924,\\ 1931,1933,1939,1941,\\ 1948,1950,1956,1958,\\ 1965,1967,1973,1975,\\ 1982,1984,1990,1992,\\ 1999,2001,2007,2009\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \DeclareRobustCommandx 1138, 1876, 1893, 1910, 1927, 1944, 1961, 1978, 1995 \decset	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \DeclareRobustCommandx	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \DeclareRobustCommandx	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \DeclareRobustCommandx	E \\E, \ \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \DeclareRobustCommandx	E \\E, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \DeclareRobustCommandx	E \\E, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \DeclareRobustCommandx 1138, 1876, 1893, 1910, 1927, 1944, 1961, 1978, 1995 \decset 1832, 1833 \DecSet, 1831, 1833 \Dedicto 835 \dedicto 164f 2052, 2053 \Defacto 836 \defacto 836 \defcomcls 1152, 1177 \defcomclsgrp	E \\E, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \text{DeclareRobustCommandx} \to \text{1138}, \text{1876, 1893, 1910, 1927}, \text{1944, 1961, 1978, 1995} \text{\decset} \tag{1832}, 1833 \text{\DecSet}, \to \text{1831, 1833} \text{\decsym} \tag{1831, 1833} \text{\defcoto} \text{\text{835}} \text{\defcoto} \text{\text{835}} \text{\defcoto} \text{\text{836}} \text{\defcoto} \text{\text{836}} \text{\defcomcls} \text{\text{1152, 1177}} \text{\defcomclsgrp} \text{\text{\text{1154, 1179, 1180,}}	E \\E,_\\A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \text{DeclareRobustCommandx} \to \text{1138}, \text{1876, 1893, 1910, 1927}, \text{1944, 1961, 1978, 1995} \text{\decset} \tag{1832}, 1833 \text{\DecSet}, \to \text{1831, 1833} \text{\decsym} \tag{1831, 1833} \text{\deficto} \tag{835} \text{\deficto} \tag{814} \text{\def} \tag{2052, 2053} \text{\defcomcls} \tag{1152, 1177} \text{\defcomclsgrp} \tag{1154, 1179, 1180}, \text{1181, 1182, 1183, 1184}	E \\E,_\A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfun
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \text{DeclareRobustCommandx} \to \text{1138}, 1876, 1893, 1910, 1927, 1944, 1961, 1978, 1995 \text{decset} \tag{1832}, 1833 \text{DecSet}, \to \text{1831}, 1833 \text{DecSet}, \to \text{1831}, 1833 \text{Dedicto} \text{835} \text{dedicto} \text{1831}, 1833 \text{Dedicto} \text{2052}, 2053 \text{Defacto} \text{836} \text{def comcls} \text{1152}, 1177 \text{def comclsgrp} \text{1154}, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188	E \\E,_\\A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfum
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \text{DeclareRobustCommandx} \to \text{1138}, 1876, 1893, 1910, 1927, 1944, 1961, 1978, 1995 \text{decset} \tag{1832}, 1833 \text{DecSet}, \to \text{1831}, 1833 \text{DecSet}, \to \text{1831}, 1833 \text{Dedicto} \text{835} \text{dedicto} \text{835} \text{dedicto} \text{814} \text{def} \text{2052}, 2053 \text{Defacto} \text{836} \text{defcomcls} \text{1152}, 1177 \text{defcomclsgrp} \text{1154}, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188 \text{defcomclsgrpcmd} \text{1164},	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfum
$\begin{array}{c} 1974,\ 1981,\ 1983,\ 1986,\\ 1989,\ 1991,\ 1998,\ 2000,\\ 2003,\ 2006,\ 2008,\ 2153\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfum
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \DeclareRobustCommandx	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfum
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \text{DeclareRobustCommandx} \to \text{1138}, 1876, 1893, 1910, 1927, 1944, 1961, 1978, 1995 \text{decset} \text{1832}, 1833 \text{DecSet},\to \text{1831}, 1833 \text{Dedicto} \text{835} \text{dedicto} \text{814} \text{def} \text{2052}, 2053 \text{Defacto} \text{836} \text{defcomcls} \text{1152}, 1177 \text{defcomclsgrp} \text{1152}, 1177 \text{defcomclsgrpcmd} \text{1183}, 1184, 1185, 1186, 1187, 1188 \text{defcomclsgrpred} \text{1166}, 1167, 1168 \text{defcomclsgrpred} \text{1158}, 1159, 1160, 1161, 1162, 1163	E \\E,_\\A	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfum
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \textstyle="block" DeclareRobustCommandx" by 1984, 1991, 1927, 1944, 1961, 1978, 1995 \textstyle="block" decset by 1981, 1832, 1833, 1834, 1833, 1834, 1833, 1834, 1833, 1834, 1833, 1834, 1833, 1834, 1833, 1834, 1833, 1834, 1835, 1835, 1835, 1835, 1836, 1837, 1188, 1836, 1187, 1188, 1186, 1187, 1188, 1186, 1167, 1168, 1165, 1166, 1167, 1168, 1160, 1161, 1162, 1163, 1160, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1166, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1167, 1168, 1166, 1167, 1168, 1166, 1167, 1168, 1166, 1161, 1162, 1163, 1166, 1167, 1168, 1168,	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfum
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \text{DeclareRobustCommandx} \to \text{1138}, 1876, 1893, 1910, 1927, 1944, 1961, 1978, 1995 \text{decset} \text{1832}, 1833 \text{DecSet},\to \text{1831}, 1833 \text{Dedicto} \text{835} \text{dedicto} \text{814} \text{def} \text{2052}, 2053 \text{Defacto} \text{836} \text{defcomcls} \text{1152}, 1177 \text{defcomclsgrp} \text{1152}, 1177 \text{defcomclsgrpcmd} \text{1183}, 1184, 1185, 1186, 1187, 1188 \text{defcomclsgrpred} \text{1166}, 1167, 1168 \text{defcomclsgrpred} \text{1158}, 1159, 1160, 1161, 1162, 1163	E \\E,_\\A	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfum
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \textstyle="block" DeclareRobustCommandx" by 1984, 1991, 1927, 1944, 1961, 1978, 1995 \textstyle="block" decset by 1981, 1832, 1833, 1834, 1833, 1834, 1833, 1834, 1833, 1834, 1833, 1834, 1833, 1834, 1833, 1834, 1833, 1834, 1835, 1835, 1835, 1835, 1836, 1837, 1188, 1836, 1187, 1188, 1186, 1187, 1188, 1186, 1167, 1168, 1165, 1166, 1167, 1168, 1160, 1161, 1162, 1163, 1160, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1166, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1161, 1162, 1163, 1164, 1166, 1167, 1168, 1166, 1167, 1168, 1166, 1167, 1168, 1166, 1161, 1162, 1163, 1166, 1167, 1168, 1168,	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfum 1281, 1282 \entFun, □\escFum 1281 \enumeration, □ 929 \EOGSL 1879 \EPTL 1675 \equiv 903, 905 \ergo 819 \Errata 840 \errata 820 \Erratum 841 \erratum 821 \escfun 1283, 1284 \ESL 1862 \etal 822 \etc 823 \evn, □\odd 1123 \evnsym \odd Sym 1316, 1317 \Evnsym, □\OddSym 1316 \ExecuteOptions 128 \EXGSL 1998
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \text{DeclareRobustCommandx} 1138, 1876, 1893, 1910, 1927, 1944, 1961, 1978, 1995 \text{decset} 1832, 1833 \text{DecSet}, 1831, 1833 \text{Dedicto} 1831, 1833 \text{Dedicto} 1831, 1833 \text{Dedicto} 1844 \text{def} 2052, 2053 \text{Defacto} 1856 \text{def comcls } 1152, 1177 \text{def comclsgrp} 1154, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188 \text{def comclsgrp cmd} 1164, 1165, 1166, 1167, 1168 \text{def comclsgrp cmd} 1160, 1161, 1162, 1163 \text{def comclsgrp sem} 1155, 1156, 1157 \text{def comhrc} 1170, 1190,	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfun
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \textstyle="block" block" block" block between twenty-light-	E \\E, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfun
1974, 1981, 1983, 1986, 1989, 1991, 1998, 2000, 2003, 2006, 2008, 2153  \text{DeclareRobustCommandx} 1138, 1876, 1893, 1910, 1927, 1944, 1961, 1978, 1995 \text{decset} 1832, 1833 \text{DecSet}, 1831, 1833 \text{Dedicto} 1831, 1833 \text{Dedicto} 1831, 1833 \text{Dedicto} 1844 \text{def} 2052, 2053 \text{Defacto} 1856 \text{def comcls } 1152, 1177 \text{def comclsgrp} 1154, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188 \text{def comclsgrp cmd} 1164, 1165, 1166, 1167, 1168 \text{def comclsgrp cmd} 1160, 1161, 1162, 1163 \text{def comclsgrp sem} 1155, 1156, 1157 \text{def comhrc} 1170, 1190,	E \\E, \ \ A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1914, 1916, 1922, 1924, 1931, 1933, 1939, 1941, 1948, 1950, 1956, 1958, 1965, 1967, 1973, 1975, 1982, 1984, 1990, 1992, 1999, 2001, 2007, 2009 \entfun

1880, 1888, 1897, 1905,		\krpstr 1619, 1620
1914, 1922, 1931, 1939,		\KrpStr, <u>1619</u>
1948, 1956, 1965, 1973,	\gamename 1243, 1244	-
1982, 1990, 1999, 2007	\GameName,	L
\expandafter	\GFG,	\laallsym 1494, 1495
162, 164, 167, 172, 176	\GoTo,	\labFun
\ExpSpace,	***	\labsym 1628, 1629
\ExpTime,	H	\lallsym 1382, 1383
\Exs, <sub>□</sub> \All <u>1606</u>	\H 1698 \hstset	\Lambda 2085 \lambda 1628
${f F}$	·	\land
_	1256, 1257, 1258, 1260,	-
\FAGSL 1935, 1939, 1941	1837, 1838, 1839, 1841	\LangFun
\FBGSL 1969, 1973, 1975 \FCGSL 1901, 1905, 1907	\HstSet, <u>1255</u> , <u>1836</u> \hstsym	\langle
\FDGSL 1901, 1909, 1907	1255, 1257, 1259, 1261,	957, 958, 961, 962, 969,
\FEGSL 1916, 1922, 1924 \FEGSL 1952, 1956, 1958	1836, 1838, 1840, 1842	970, 973, 974, 1611, 1802
\ffsym 1366, 1367	\hypersetup 235	\LaTex 737, 744
\fi . 148, 150, 159, 215, 220,	\hypref@false	\lbrace 985, 987, 993, 995
225, 230, 245, 250, 265,	\hypref@true 32	\lceil 1118, 1120
273, 274, 278, 280, 578,	Anyprerectue 32	\lcoimp, 882
802, 866, 1146, 1199,	I	\lcoisym 1378, 1379
1344, 2019, 2093, 2100,	\ie 824	\LCon,_\LDis 1372
2121, 2122, 2129, 2156	\if	\lconsym 1372, 1373
\fig@false 105, 107	\if@twocolumn 132, 269	\ldissym 1374, 1375
\fig@true 106	\ifalg@ 121, 2134	\LEExs,_\LAA11 1492
\fix,_\\ifp, 1037	\ifamsdef@ 16, 209	\leexssym 1492, 1493
\flat 2011	\ifamsthm@ 20, 217	\left 421, 445, 910,
\floor,_\ceil 1109	\ifaut@ 93, 2024	933, 937, 941, 945, 949,
\FNGSL 1986, 1990, 1992	\ifaux@ 11, 207	953, 957, 961, 965, 969,
\fnttls@false 37	\ifchgbar@ 44, 262	973, 977, 985, 993, 1001,
\fnttls@true 36	\ifcom@ 77, 1151	1007, 1100, 1106, 1112,
\F0 1423	\ifcrv@ 40, 252	1118, 1141, 1617, 1804
\FOGSL 1884, 1888, 1890	\ifcsdef 132	\Leftarrow 890, 892
\FOL, <sub>□</sub>	\ifdef 285, 286, 287, 288	\Leftrightarrow 894, 896
\footnotesize 1034	\ifenmtls@ 28, 227	\leftrightarrow 883, 1378
\forall 1360,	\iff <u>857</u>	\len <u>1136</u>
1382, 1392, 1393, 1601,	\iffig@ 105, 2105	\Let <u>2143</u>
1648, 1664, 1678, 1689,	\iffnttls@ 36, 247	\let 1697, 1698, 1699
1720, 1735, 1750, 1769,	\iffrm@ 99, 2098	\LExs,_\LA11 <u>1380</u>
1784, 1799, 1865, 1873,	\ifgam@ 83, 1204	\lexssym 1380, 1381
1882, 1890, 1899, 1907,	\ifhypref@ 32, 232	\lfloor 1112, 1114
1916, 1924, 1933, 1941,	\iflinnum@ 48, 267	\liftFun <u>1293</u>
1950, 1958, 1967, 1975,	\iflog@ 88, 1349	\liftfun 1293, 1294
1984, 1992, 2001, 2009	\ifmth@ 71, 871	\limp, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
\FPT <u>1177</u>	\ifmthgen@ 59, 583	\LImp, ⊔\LCoi <u>1376</u>
\free,_\\bound <u>1397</u>	\iftab@ 115, 2127	\limpsym 1376, 1377
\frm@false 99, 101	\ifthmtls0 24, 222	\linenumbers 270, 272
\frm@true 100	\iftxt@ 66, 807	\linnum@false 48
\From, <u>2146</u>	\iftxtgen0 53, 528	\linnum@true 49
\FSL 1867, 1871, 1873	\ifwrpfig@ 110, 2118	\llbracket 910, 912
\fst,_\lst <u>1144</u>	\iht	\llcorner
\funset 1441, 1442	\implied, 889	_
\funsig 1438, 1439	\implies, \\ 885	\lnegsym 1368, 1369 \lnotsym 1370, 1371
\FunSig,	\inf,_\\sup 1131	\log@false 56, 62, 88, 90
\FunStr,	\infty 1056, 1060, 1062, 1064, 1068, 1070, 1072,	\log@true 89
\funsym 1440, 1442	1076, 1078, 1080, 1084	\logsig 1362, 1363
\funsym \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\interdisplaylinepenalty 214	\LogSig,
\FVarSet,	\intfun 1285, 1286	\LogSpace,
	,	
\ivarsym 1532. 1534	\intFun, \outFun 1285	\logstr 1406, 1407
\fvarsym 1532, 1534 \FXGSL 2003, 2007, 2009	\intFun, \( \text{\cond}\)\outFun \( \co	\logstr 1406, 1407 \LogStr, 1406
\fvarsym 1532, 1534 \fxGSL 2003, 2007, 2009	\intFun, \u00ed\text{outFun} \cdot \	\LogStr,
\fxgsl 2003, 2007, 2009	\itr 171, 172, 173, 175, 176, 177  K	\LogStr,
\fxgsl 2003, 2007, 2009	\itr 171, 172, 173, 175, 176, 177	\LogStr,

1100 1100	\	FOR FOR FOO F 40 F 45
\luncert	\mthfrm, \ \frac{762}{2}	535, 537, 539, 543, 545,
\luncert 1007, 1009, 1100,	\mthfun, \ldots \ \frac{681}{2}	547, 549, 551, 556, 558,
1102, 1139, 1141, 1143	\mthgen@false 59, 62	560, 562, 564, 568, 570,
Nπ	\mthgen@true . 60, 72, 84, 89, 94	572, 574, 576, 587, 589,
M	\mthlbop 875, 876, 878,	591, 593, 595, 600, 602,
\Macro, \( \ldots \) \( \ldots	881, 883, 1022, 1024, 1026	604, 606, 608, 613, 615,
\mathaccent 925	\mthlrel	617, 619, 621, 626, 628,
\mathbbo	<u>744</u> , 886, 888, 890, 892,	630, 632, 634, 639, 641,
\mathbin	894, 896, 899, 901, 903, 905	643, 645, 647, 652, 654,
\mathcal 585	\mthluop, \. \. \. \. \. \. \. \. \. \. \. \.	656, 658, 660, 662, 671,
\matheus 286, 611 \mathfrak 637	\mthmat, \. \. \. \. \. \. \. \. \. \. \. \.	673, 675, 677, 679, 684,
\mathfrak 637 \mathit 669, 763, 790	\mthname, \ldots \ \frac{584}{473}	686, 688, 690, 692, 697,
\mathrormal 708	\mthoarg	699, 701, 703, 705, 710,
mathcal{mathc	\mthopar 477	712, 714, 716, 718, 721,
\mathpzc 287, 624	\mthpar 475	724, 727, 730, 733, 740,
\mathrel 745, 1034	\mthrel, 668	742, 746, 752, 754, 756,
\mathring	\mthset 1050, 1052, 1054, 1058, 1066, 1074, 1082	758, 760, 765, 767, 769, 771, 773, 779, 781, 783,
\mathrm 650	\mthset, \ldots \ \ 649	785, 787, 792, 794, 796,
\mathscr 288, 598	\mthsig,	798, 800, 1152, 1154,
\mathsf 682, 750, 777	\mthsnt,	1157, 1163, 1168, 1170
\mathtt	\mthstr, 636	\newif 11, 16, 20, 24, 28, 32,
\maxsym 1335, 1336	\mthsty	36, 40, 44, 48, 53, 59,
\MaxSym,_\\MinSym <u>1335</u>	470, 472, 474, 476, 478, 479	66, 71, 77, 83, 88, 93,
\MC, _\GMC,	\mthstycls 611	99, 105, 110, 115, 121, 132
\mdseries 367, 555, 567	\mthstyelm 708	\newmth 406,
\MFO 1422	\mthstyfam 598	415, 417, 421, 423, 445, 447
\MFOL 1420	\mthstyfrm 763	\newmtharg 418, 427, 429, 433, 435
\middle 985	\mthstyfun 682	\newmthargsty 424, 472, 487
\MIf,	\mthstylbop	\newmthoarg \cdots \frac{430}{439}, 441
\min,_\max, \frac{1127}{1127}	\mthstylrel 745	\newmthoargsty . 436, 474, 490
\minsym 1337, 1338	\mthstyluop 738	\newmthopar \\ \delta 55, 141, 165
\ML,_\GML, <u>1588</u>	\mthstymat 777	\newmthoparsty . 460, 478, 496
\models 899, 901	\mthstyname 585	\newmthpar \(\frac{442}{451}\), \(453\), \(457\), \(459\)
\movFun <u>1834</u>	\mthstyrel 669	\newmthparsty 448, 476, 493
\MovRel <u>1241</u>	\mthstyset 650	\newmthsty \frac{412}{470}, 484
\movrel 1241, 1242	\mthstysig 624	\newtxt 293,
\movsym 1834, 1835	\mthstysnt 750	302, 304, 308, 310, 332, 334
\MPL 1575, 1580, 1584	\mthstystr 637	\newtxtarg 305, 314, 316, 320, 322
\MSO 1517, 1524, 1530	\mthstysym 695	\newtxtargsty \(\frac{311}{359}\), \(377\), \(378\)
\MSOL 1515, 1522, 1528	\mthstyvec 790	\newtxtoarg 317, 326, 328
\mth $\underline{469}$ , 910, 912, 915,	\mthsubsup $409, 411, \underline{466}$	\newtxtoargsty \(\frac{323}{361}, \frac{382}{383}\)
917, 919, 921, 925, 927,	\mthsym, <u>694</u>	\newtxtopar 341, 350, 352
929, 930, 933, 934, 937,	\mthvec, <u>789</u>	\newtxtoparsty \(\frac{347}{365}, \frac{365}{392}, \frac{393}{393}\)
938, 941, 942, 945, 946,	\MTL 1552, 1557, 1561	\newtxtpar <u>329</u> , 338, 340, 344, 346
949, 950, 953, 954, 957,	\mu	\newtxtparsty \(\frac{335}{363}\), \(\frac{363}{387}\), \(\frac{388}{388}\)
958, 961, 962, 965, 966,	\Mutatismutandis 842	\newtxtsty 299, 357, 372, 373
969, 970, 973, 974, 977,	\mutatismutandis $825$	\NGSL 1978, 1982, 1984
978, 985, 987, 993, 995,	<b>™</b> T	\nlr 2153
1001, 1003, 1007, 1009,	N	\nlset 2155
1011, 1014, 1029, 1087,	\naif 849 \naive 850	\noexpand 173, 177
1089, 1091, 1093, 1095,	\neg 1368	\normalfont . 298, 530, 555, 567
1100, 1102, 1106, 1108,	•	\not 888, 892, 896, 901, 905
1112, 1114, 1118, 1120, 1135, 1139, 1141, 1143,	\newcommandx 295, 297, 301, 303, 307, 309, 313, 315,	\notcequiv 904
1193, 1194, 1195, 1196,	319, 321, 325, 327, 331,	\notcmodels 900
1197, 1198, 1609, 1611,	333, 337, 339, 343, 345,	\notcoimplies 895
1615, 1617, 1802, 1804	349, 351, 397, 408, 410,	\notimplied 891
\mth@false 62, 71, 73	414, 416, 420, 422, 426,	\notimplies 887
\mth@true 72	428, 432, 434, 438, 440,	\num, <u>1086</u>
\mtharg 471	444, 446, 450, 452, 456,	\numcc 1088
\mthcls, \( \tau \cdot	458, 462, 464, 500, 506,	\numco 1090
\mthelm,	508, 510, 512, 514, 516,	\numoc 1092
\mthfam, <u>597</u>	518, 520, 522, 531, 533,	\numoo 1094

\nxtFun <u>2017</u>	1836, 1837, 1844, 1845,	\rmfamily 367, 567
\nxtfun 2017, 2018	1848, 1849, 1855, 1856	\Role <u>853</u>
0	\prtset 1321, 1322	\role
O \obgat 1247 1248	\PrtSet, \_\prtFun <u>1320</u>	\rrbracket 910, 912
\obsset 1247, 1248 \ObsSet,_\obsFun 1247	\prtsym 1320, 1322 \psn 2015	\rst <u>1023</u> \rVert <u>1106</u> , <u>1108</u>
\oddsym 1318, 1319	\PSpace, 1184	\rvert 1007, 1009, 1100,
\odot 1391	\pthset . 1252, 1253, 1631, 1632	1102, 1139, 1141, 1143
\OGSL 1876, 1880, 1882, 1885	\PthSet,_\pthFun <u>1251</u> , <u>1630</u>	1102, 1100, 1111, 1110
\Omega <u>1043</u>	\pthsym . 1251, 1253, 1630, 1632	${f S}$
\omega 1042	\PTime,	\S 1699
\Omicron 1047	\PTL,_\LTL, <u>1669</u>	\SATG, <u>1206</u>
\omicron <u>138</u> , 1046	\pto, _\pmapsto <u>1031</u>	\SaveDoubleAcute 1698
\oplus 1335		\SavePilcrow 1697
\OppSym	Q	\SaveSectionSymbol 1699
1237, 1238, 1260, 1261, 1272, 1273, 1819, 1820,	\QAE, □\QEA	\scshape 555, 567 \seqofcmd <u>174, 187, 191</u>
1841, 1842, 1853, 1854	\QATL 1764	\seqofgrklet 194, 517
\oppsym 1226, 1227	\QATLP 1779	\seqofgrklow
\Opr <u>1603</u>	\QATLS 1794	<u>186, 195, 198, 513, 625, 638</u>
\outfun 1287, \overline{1288}	\QCTL 1715	\seqofgrkupp <u>190, 195, 200, 515</u>
\overline 915, 927	\QCTLP 1730	\seqoflatlet $183, 511, 625, 638$
	\QCTLS 1745	\seqoflatlow $179, 184, 198, 507$
P	\QLTL 1684	$\slash$ seqoflatupp $\frac{181}{}$ ,
\P	\QMC 1643	184, 200, 509, 586, 599, 612
\PackageWarning 126	\QML 1596	\seqoflet
\PDL,_\\CTL,_\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		<u>201</u> , 523, 651, 670, 683,
\Percontra 843 \\ \percontra 826	\QntSet,	$696, 709, 751, 764, 778, 791$ \seqoflow $197, 202, 519$
\PH 1190	\QPSpace,	\seqoftag \frac{137}{170}, 180, 182
\Pi 1197, 1198, 1494	\QPTime,	\seqofupp \frac{199}{292}, 202, 521
\pi 1251, 1263, 1630, 1844	\QPTL 1673	\sequence, \ldots \frac{331}{200}
\playset 1264, 1265, 1845, 1846		\sequencel 935
(p=uj=0), 1=00, 1010, 1010		(Sequencer
\PlaySet,\playFun . <u>1263</u> , <u>1844</u>	$\mathbf R$	\sequencer 939
\PlaySet,\playFun . <u>1263</u> , <u>1844</u> \playsym <u>1263</u> , <u>1265</u> , <u>1844</u> , <u>1846</u>	\raisebox 1034	<del>-</del>
\PlaySet,\playFun . <u>1263</u> , <u>1844</u> \playsym <u>1263</u> , <u>1265</u> , <u>1844</u> , <u>1846</u> \PlrFun <u>1239</u>	\ransebox 1034 \rangle	\sequencer       939         \sequencex       943         \sequencexl       947
\PlaySet,\playFun . \frac{1263}{1844}, \land \PlaySym \frac{1263}{1265}, \frac{1844}{1846}, \land \PlrFun \frac{1239}{1239}, \land \PlrFun \frac{1239}{1240}	\rangle	\sequencer       939         \sequencex       943         \sequencexl       947         \sequencexr       951
\PlaySet,\playFun . \frac{1263}{1844}, \land \PlaySym \frac{1263}{1265}, \frac{1844}{1846}, \land \PlrFun \frac{1239}{1239}, \land \PlrSym \frac{1239}{1240}	\rangle	\sequencer       939         \sequencex       943         \sequencexl       947         \sequencexr       951         \set, □       980
\PlaySet,\playFun . \frac{1263}{1844}, \land \PlaySym \frac{1263}{1265}, \frac{1844}{1846}, \land \PlrFun \frac{1239}{1239}, \land \PlrSym \frac{1235}{1236}, \frac{1258}{1258}, \frac{1259}{1259}, \land \PlrSym \frac{1235}{1236}, \frac{1258}{1258}, \frac{1259}{1259}, \land \PlrSym \frac{1235}{1236}, \frac{1258}{1258}, \frac{1259}{1259}, \land \PlrSym \frac{1235}{1236}, \frac{1258}{1259}, \frac{1259}{1259}, \land \PlrSym \frac{1235}{1236}, \frac{1258}{1258}, \frac{1259}{1259}, \land \Process{1258}	\rangle	\sequencer       939         \sequencex       943         \sequencexl       947         \sequencexr       951         \set,       980         \SetB       1049
\PlaySet,\playFun . \(\frac{1263}{1844}\) \playsym \(1263\), \(1265\), \(1844\), \(1846\) \PlrFun \qquad . \(\frac{1239}{1239}\), \plrfun \qquad . \(1235\), \(1235\), \(1235\), \(1258\), \(1259\), \(1270\), \(1271\), \(1817\), \(1818\),	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\sequencer       939         \sequencex       943         \sequencexl       947         \sequencexr       951         \set,       980         \SetB       1049         \SetC,       1081
\PlaySet,\playFun . \(\frac{1263}{1844}\) \playsym \(1263\), \(1265\), \(1844\), \(1846\) \PlrFun \qquad . \(\frac{1239}{1239}\), \(1235\), \(1235\), \(1235\), \(1235\), \(1258\), \(1258\), \(1270\), \(1271\), \(1817\), \(1818\), \(1839\), \(1840\), \(1851\), \(1852\)	\rangle	\sequencer       939         \sequencex       943         \sequencexl       947         \sequencexr       951         \set,       980         \SetB       1049         \SetCI       1081         \SetCI       1083
\PlaySet,\playFun . \( \frac{1263}{1844}, \\ 1846 \\ PlrFun \qquad \text{1263}, \\ 1265, \\ 1844, \\ 1846 \\ 1846 \\ 1846 \\ 1846 \\ 1846 \\ 1846 \\ 1846 \\ 1847 \\ 1846 \\ 1847 \\ 1847 \\ 1847 \\ 1847 \\ 1848 \\ 1847 \\ 1848 \\ 1848 \\ 1848 \\ 1848 \\ 1848 \\ 1840 \\ 1851 \\ 1852 \\ 1848 \\ 1858 \\ 1859 \\ 1840 \\ 1854 \\ 1852 \\ 1858 \\ 1859 \\ 1868 \\ 1858 \\ 1	\rangle	\sequencer       939         \sequencex       943         \sequencexl       947         \sequencexr       951         \set,       980         \SetB       1049         \SetC,       1081         \SetCI       1083         \SetF       1051
\PlaySet,\playFun . \( \frac{1263}{1265}, \frac{1844}{1846} \\ \PlrFun \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qqquad \qqquad \qqqqq \qqqqqq	\rangle	\sequencer       939         \sequencex       943         \sequencexl       947         \sequencexr       951         \set,       980         \SetB       1049         \SetCI       1081         \SetCI       1083
\PlaySet,\playFun . \( \frac{1263}{1844}, \\ 1846 \\ PlrFun \qquad \text{1263}, \\ 1263, \\ 1265, \\ 1844, \\ 1846 \\ 1846 \\ 1846 \\ 1846 \\ 1846 \\ 1847 \\ 1846 \\ 1847 \\ 1847 \\ 1847 \\ 1847 \\ 1848 \\ 1847 \\ 1848 \\ 1848 \\ 1848 \\ 1848 \\ 1848 \\ 1840 \\ 1851 \\ 1852 \\ 1847 \\ 1847 \\ 1848 \\ 1858 \\ 1840 \\ 1854 \\ 1852 \\ 1858 \\	\rangle	\sequencer       939         \sequencex       943         \sequencexl       947         \sequencexr       951         \set,       980         \SetB       1049         \SetC,       1081         \SetCI       1083         \SetF       1051         \SetInd       2137
\PlaySet,\playFun . \frac{1263}, \frac{1844}{1846} \\ \PlrFun \frac{1239}{1239} \\ \PlrFym	\rangle	\sequencer       939         \sequencex       943         \sequencex1       947         \sequencexr       951         \set,       980         \SetB       1049         \SetC,       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\rangle	\sequencer       939         \sequencex       943         \sequencex1       947         \sequencexr       951         \set, □       980         \SetB       1049         \SetC, □       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151         \SetKwFor       2140, 2141, 2142, 2143
\PlaySet,\playFun . 1263, 1844 \playsym 1263, 1265, 1844, 1846 \PlrFun 1239, 1240 \PlrSym	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\sequencer       939         \sequencex       943         \sequencexl       947         \sequencexr       951         \set, □       980         \SetB       1049         \SetC, □       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151         \SetKwFor       2140, 2141, 2142, 2143         \SetKwIF       2152
\PlaySet,\playFun . \frac{1263}{1844}, \land \PlaySym 1263, 1265, 1844, 1846} \PlrFun \frac{1239}{1239}, 1240 \PlrSym	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\sequencer 939 \sequencex 943 \sequencex 943 \sequencex 947 \sequencexr 951 \set, □ 980 \SetB 1049 \SetC, □ 1081 \SetCI 1083 \SetF 1051 \SetInd 2137 \SetKw 2139,  2144, 2145, 2146, 2147,  2148, 2149, 2150, 2151 \SetKwFor 2140, 2141, 2142, 2143 \SetKwIF 2152 \setI 988
\PlaySet,\playFun . \frac{1263}{1844}, \text{1846} \\ \PlaySym 1263, 1265, 1844, 1846} \\ \PlrFun\frac{1239}{1239}, 1240 \\ \PlrSym \\ 1235, 1236, 1258, 1259, 1270, 1271, 1817, 1818, 1839, 1840, 1851, 1852 \\ \PlrSym 1224, 1225 \\ \PlrSym 1060, 1068, 1076 \\ \posset \\ 1231, 1232, 1235, 1237, 1813, 1814, 1817, 1819 \\ \PosSet,_\limes \\ 1230, 1232, 1233, 1234, \\ \end{array}	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\sequencer 939 \sequencex 943 \sequencex 943 \sequencexr 947 \sequencexr 951 \set,\( \) 980 \SetB 1049 \SetC,\( \) 1081 \SetCI 1083 \SetF 1051 \SetInd 2137 \SetKw 2139, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151 \SetKwFor 2140, 2141, 2142, 2143 \SetKwIF 2152 \set1 988 \setlength 2138
\PlaySet,\playFun . \frac{1263}{1844}, \text{1846} \\ \PlaySym 1263, 1265, 1844, 1846} \\ \PlrFun \frac{1239}{1239}, 1240 \\ \PlrSym \text{1239}, 1240 \\ \PlrSym \text{1235}, 1236, 1258, 1259, \text{1270}, 1271, 1817, 1818, \text{1839}, 1840, 1851, 1852 \\ \PlrSym 1224, 1225 \\ \PlrSym,_\OppSym \text{1224} \\ \pm 1060, 1068, 1076 \\ \posset \text{1231}, 1232, 1235, 1237, \text{1813}, 1814, 1817, 1819 \\ \PosSet,_\Delta \text{1230}, 1812 \\ \possym \text{1230}, 1232, 1233, 1234, \text{1236}, 1238, 1812, 1814, \text{1814}, \text{1816}	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\sequencer 939 \sequencex 943 \sequencex 943 \sequencex 947 \sequencexr 951 \set,\( \cdots \) 980 \SetB \ 1049 \SetCi \ 1081 \SetCi \ 1083 \SetF \ 1051 \SetInd \ 2137 \SetKw \ 2139, \( 2144, 2145, 2146, 2147, \( 2148, 2149, 2150, 2151 \SetKwFor 2140, 2141, 2142, 2143 \SetKwIF \ 2152 \set1 \ 988 \setlength \ 2138 \setlx \ 990
\PlaySet,\playFun . \ \ \frac{1263}{1844}, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\sequencer 939 \sequencex 943 \sequencex 943 \sequencex 947 \sequencexr 951 \set,\( \begin{array}{cccccccccccccccccccccccccccccccccccc
\PlaySet,\playFun . \frac{1263}{1844}, \playsym 1263, 1265, 1844, 1846} \PlrFun \frac{1239}{1239}, \playFun \frac{1239}{1240} \PlrSym	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\sequencer 939 \sequencex 943 \sequencex 943 \sequencex 947 \sequencexr 951 \set,\u. 980 \SetB \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
\PlaySet,\playFun . \( \frac{1263}{1265}, \frac{1844}{1846} \\ \playSym 1263, 1265, 1844, 1846} \\ \playFun \( \frac{1239}{1239} \\ \plrFun \\ \text{1235}, 1236, 1258, 1259, \\ 1270, 1271, 1817, 1818, \\ 1839, 1840, 1851, 1852 \\ \plrSym \\ 1224, 1225 \\ \plrSym \\ 1231, 1232, 1235, 1237, \\ \text{1813}, 1814, 1817, 1819 \\ \text{\text{Posset}} \\ \text{1230}, 1232, 1233, 1234, \\ \text{1236}, 1238, 1812, 1814, \\ 1815, 1816, 1818, 1820 \\ \text{\text{pow}} \\ \\ \text{1010} \\ \text{\text{prefun}} \\ \\ \\ \text{1010} \\ \\ \text{\text{prefun}} \\ \\ \\ \text{1010} \\ \\ \text{\text{prefun}} \\ \\ \\ \\ \text{1010} \\ \\ \text{\text{prefun}} \\ \\ \\ \\ \\ \text{1010} \\ \\ \\ \text{\text{prefun}} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	\raisebox	\sequencer 939 \sequencex 943 \sequencex 943 \sequencex 947 \sequencexr 951 \set,\( \begin{array}{cccccccccccccccccccccccccccccccccccc
\PlaySet,\playFun . \frac{1263}{1844}, \playsym 1263, 1265, 1844, 1846} \PlrFun \frac{1239}{1239}, \playFun \frac{1239}{1240} \PlrSym	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\sequencer       939         \sequencex       943         \sequencexr       947         \sequencexr       951         \set,\u.       980         \SetB       1049         \SetC,\u.       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151         \SetKwFor 2140, 2141, 2142, 2143       \SetKwIF       2152         \setl       988         \setlength       2138         \setlx       990         \SetN,\u.       1053         \SetNI       1055         \SetQ,\u.       1065
\PlaySet,\playFun . \( \frac{1263}{1265}, \frac{1844}{1846} \\ \playSym 1263, 1265, 1844, 1846} \\ \playFym \\ \playSym 1239, 1240} \\ \plrFym \\ \text{1235}, 1236, 1258, 1259, \\ 1270, 1271, 1817, 1818, \\ 1839, 1840, 1851, 1852 \\ \plrSym \\ \text{1225} \\ \plrSym \\ \text{1225} \\ \plrSym \\ \text{1224} \\ \pm \\ \text{1231}, 1232, 1235, 1237, \\ \text{1813}, 1814, 1817, 1819 \\ \text{\text{PosSet}} \\ \text{1230}, \frac{1232}{1233}, \frac{1234}{1236}, \\ \text{1236}, 1238, 1812, 1814, \\ \text{1815}, 1816, 1818, 1820 \\ \text{\text{pow}} \\ \text{1200} \\ \text{\text{\text{preFun}}} \\ \text{\text{\text{preFun}}} \\ \text{\text{\text{sucFun}}} \\ \text{\text{\text{1277}} \\ \text{\text{\text{preFun}}} \\ \text{\	\raisebox	\sequencer       939         \sequencex       943         \sequencexr       947         \sequencexr       951         \set,       980         \SetB       1049         \SetC,       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151         \SetKwFor       2140, 2141, 2142, 2143         \SetKwIF       2152         \set1       988         \setlength       2138         \setN,       1053         \SetN,       1065         \SetQ,_       1065         \SetQI       1067         \SetQPI       1069
\PlaySet,\playFun . \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\raisebox	\sequencer       939         \sequencex       943         \sequencexr       951         \set,\u.       980         \SetB       1049         \SetC,\u.       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151         \SetKwFor       2140, 2141, 2142, 2143         \SetKwIF       2152         \set1       988         \setlength       2138         \setN,\u.       1053         \SetN,\u.       1065         \SetQ,\u.       1065         \SetQI       1067         \SetQPI       1069         \setr       996
\PlaySet,\playFun . \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\raisebox	\sequencer       939         \sequencex       943         \sequencexr       951         \set,\u.       980         \SetB       1049         \SetC,\u.       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151         \SetKwFor       2140, 2141, 2142, 2143         \SetKwIF       2152         \set1       988         \setlength       2138         \set1x       990         \SetN,\u.       1053         \SetQ,\u.       1065         \SetQ,\u.       1067         \SetQNI       1071         \SetQPI       1069         \setr       996         \SetR,\u.       1073
\PlaySet,\playFun . \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\sequencer       939         \sequencex       943         \sequencexr       951         \set,       980         \SetB       1049         \SetC,       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151         \SetKwFor       2140, 2141, 2142, 2143         \SetKwIF       2152         \set1       988         \setlength       2138         \setNi       1053         \SetN,       1065         \SetQI       1067         \SetQNI       1071         \SetQPI       1069         \setr       996         \SetR,       1073         \SetRI       1075
\PlaySet,\playFun . \frac{1263}{1844}, \land{1846} \PlrFun	\raisebox	\sequencer       939         \sequencex       943         \sequencexr       951         \set,\u.       980         \SetB       1049         \SetC,\u.       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151         \SetKwFor       2140, 2141, 2142, 2143         \SetKwIF       2152         \set1       988         \setlength       2138         \setlx       990         \SetNi       1053         \SetQi       1065         \SetQi       1067         \SetQPI       1067         \SetQPI       1069         \setr       996         \SetRI       1073         \SetRII       1075         \SetRNI       1079
\PlaySet,\playFun . \frac{1263}{1844}, \lambda \ Playsym \ 1263, 1265, 1844, 1846 \ \PlrFun \frac{1239}{1239}, \lambda \ PlrFun \lambda \ PlrFym \lambda \ PlrSym \lambda \ 1235, 1236, 1258, 1259,  \ 1270, 1271, 1817, 1818,  \ 1839, 1840, 1851, 1852 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	$\begin{tabular}{lllllllllllllllllllllllllllllllllll$	\sequencer       939         \sequencex       943         \sequencexr       951         \set,\u.       980         \SetB       1049         \SetC,\u.       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151         \SetKwFor       2140, 2141, 2142, 2143         \SetKwIF       2152         \set1       988         \setlength       2138         \setlx       990         \SetNI       1053         \SetQI       1065         \SetQNI       1067         \SetQPI       1067         \SetQPI       1069         \setr       996         \SetRI       1073         \SetRII       1075         \SetRII       1079         \SetRPI       1077
\PlaySet,\playFun . \frac{1263}{1844}, \land{1846} \PlrFun	\raisebox	\sequencer       939         \sequencex       943         \sequencexr       951         \set,\u.       980         \SetB       1049         \SetC,\u.       1081         \SetCI       1083         \SetF       1051         \SetInd       2137         \SetKw       2139,         2144, 2145, 2146, 2147,       2148, 2149, 2150, 2151         \SetKwFor       2140, 2141, 2142, 2143         \SetKwIF       2152         \set1       988         \setlength       2138         \setlx       990         \SetNi       1053         \SetQi       1065         \SetQi       1067         \SetQPI       1067         \SetQPI       1069         \setr       996         \SetRI       1073         \SetRII       1075         \SetRNI       1079

\SetZ, <sub>□</sub> <u>1057</u>	\TL, □\PL, □	\UCGSL 1898
\SetZI 1059	\top 1364	\UCTL 1719
\SetZNI 1063	\treeset 2089, 2090	\UCTLP 1734
\SetZPI 1061	\TreeSet,	\UCTLS 1749
\sffamily 555	\treesym 2088, 2090	\UDGSL 1915
\Sigma 1195, 1196, 1492, 2060	\triangleq 876	\UEGSL
\sigma 1267, 1848, 2059	\trn 920	•
_	\trnFun 2062	\UFAGSL 1940
\Signature 2139		\UFBGSL 1974
\sim	\trnsym 2062, 2063	\UFCGSL 1906
\skm	\True, \  \False \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\UFDGSL 1923
\SL, <sub>□</sub>	\Tt,_\\Ff	\UFEGSL 1957
\SO 1506, 1512, 1518	\ttsym 1364, 1365	\UFNGSL 1991
\SOL, <sub>□</sub> 1498	\tuple, <u>955</u>	\UFOGSL 1889
\solFun <u>1295</u>	\tuplel 959	\UFSL 1872
\solfun 1295, 1296	\tupler 963	\UFXGSL
\Space, <u>1180</u>	\tuplex 967	
\stackrel 875	\tuplex1 971	\ULH, \UBH <u>1197</u>
\strset	\tuplexr 975	\ULTL 1688
1268, 1269, 1270, 1272,	\txt 356	\UMC 1647
1849, 1850, 1851, 1853	\txt@false 56, 66, 68	\UML 1600
\StrSet, \ldots, 1865, 1865, 1865, 1866, 1	\txt@true 67	\UNGSL 1983
\strsym	\txtabr, 541	\UOGSL 1881
•	\txtarg 358	\upharpoonright 1024
1267, 1269, 1271, 1273,	<u> </u>	\upshape 367
1848, 1850, 1852, 1854	\txtcom, <u>566</u>	\UPTL 1677
\sttset	\txtdef, <u>529</u>	
1822, 1823, 1824, 1826,	\txtgen@false 53, 56	\usetikzlibrary 2107
2053, 2054, 2055, 2057	\txtgen@true	\USL 1864
\SttSet, <u>1821</u> , <u>2052</u>	54, 67, 78, 84, 89, 94	\usrmth <u>500</u> , 507,
\sttsym	$\  \   \text{txtname}  \dots  1356,$	509, 511, 513, 515, 517,
1821, 1823, 1825, 1827,	1421, 1423, 1504, 1506,	519, 521, 523, 588, 590,
2052, 2054, 2056, 2058	1510, 1512, 1516, 1518,	592, 594, 596, 601, 603,
\stx <u>859</u>	1522, 1524, 1528, 1530,	605, 607, 609, 614, 616,
\sub <u>1388</u>	1545, 1549, 1553, 1557,	618, 620, 622, 627, 629,
\sucfun 1279, 1280	1561, 1568, 1572, 1576,	631, 633, 635, 640, 642,
\svarset 1536, 1537	1580, 1584, 1593, 1597,	644, 646, 648, 653, 655,
\SVarSet,	1640, 1644, 1652, 1656,	657, 659, 661, 672, 674,
\svarsym 1535, 1537	1660, 1674, 1685, 1712,	676, 678, 680, 685, 687,
\symset 2060, 2061	1716, 1727, 1731, 1742,	689, 691, 693, 698, 700,
\SymSet, <sub>□</sub> <u>2059</u>	1746, 1761, 1765, 1776,	702, 704, 706, 711, 713,
\symsym 2059, 2061	1780, 1791, 1795, 1868,	715, 717, 719, 741, 743,
	1885, 1902, 1919, 1936,	747, 753, 755, 757, 759,
${f T}$	1953, 1970, 1987, 2004	761, 766, 768, 770, 772,
\tab@false 115, 117	\txtname, <u>554</u>	774, 780, 782, 784, 786,
\tab@true 116	\txtoarg <u>360</u>	788, 793, 795, 797, 799,
\tau 1834	\txtoargcom 1153, 1169	801, 1016, 1017, 1018,
\TAutSet <u>2082</u>	\txtopar <u>364</u>	1019, 1037, 1038, 1039,
\tautset 2082, 2083	\txtoparcom 1171	1040, 1042, 1043, 1044,
\terset 1448, 1449	\txtpar <u>362</u>	1045, 1046, 1047, 1122,
\tersig 1445, 1446	\txtsty	1123, 1124, 1125, 1126,
\TerSig, 1445	357, 359, 361, 363, 365, <u>366</u>	1127, 1128, 1129, 1130,
\terstr 1463, 1464	\txtstyabr 542	1131, 1132, 1144, 1145,
\TerStr,	\txtstycom 567	1365, 1367, 1369, 1371,
\tersym 1447, 1449	\txtstydef 530	1373, 1375, 1377, 1379,
		1381, 1383, 1387, 1388,
\text 296, 354, 875 \textstyle 738, 739	\txtstyname	1389, 1390, 1391, 1392,
	\txtsubsup $296, 298, 353$	1393, 1397, 1398, 1399,
\textup 875	${f U}$	1400, 1430, 1431, 1437,
\thestring 664, 665, 666, 667	1000	1400, 1430, 1431, 1437, 1443, 1444, 1450, 1456,
\Theta 1045		
\theta 1044	\UAGSL	1457, 1493, 1495, 1603, 1604, 1605, 1601, 1602
\thmtls@false	\UATL	1604, 1605, 1691, 1692, 1603, 1604, 1605, 1606
\thmtls@true 24	\UATLP 1783	1693, 1694, 1695, 1696, 1697, 1698, 1699, 1700
\tikzstyle 2108,	\UATLS	1697, 1698, 1699, 1700,
2110, 2112, 2114, 2116	\UBF	1752, 1753, 2014, 2015
\Time, <sub>□</sub> 1179	\UBGSL 1966	\usrmthgrklet $516$

\usrmthgrklow <u>512</u>	\varset 1428, 1429	\WMPL 1579
\usrmthgrkupp $514$	\varsig 1425, 1426	\WMSO 1523
\usrmthlatlet <u>510</u>	\VarSig, <u>1425</u>	\WMSOL 1521
\usrmthlatlow <u>506</u>	$\forall \text{varsym}  \dots  1427,  \overline{1429}$	\WMTL 1556
\usrmthlatupp $508$ ,	\vec 922	\wotFun <u>2091</u>
1229, 1244, 1363, 1407,	\vert 981, 989	\wotfun 2091, 2092
1426, 1433, 1439, 1446,	\Viceversa 845	\wp 1394
1452, 1460, 1462, 1464,	\viceversa 828	\WPL 1567
1466, 1620, 1808, 2047	\viz	\wrdset 2068, 2069
\usrmthlet <u>522</u> , 664, 666	\vs 829	\WrdSet,
\usrmthlow <u>518</u>	<u> </u>	\wrdsym 2067, 2069
\usrmthupp $\underline{520}$	$\mathbf{W}$	\wrlset 1622, 1623
\usrtxt	\WATL 1760	\WrlSet, <sub>□</sub> <u>1621</u>
397, 532, 534, 536, 538,	\WATLP 1775	\wrlsym 1621, 1623, 1624
540, 544, 546, 548, 550,	\WATLS 1790	\wrpfig@false 111
552, 557, 559, 561, 563,	\WAutSet 2050	\wrpfig@true 110
565, 569, 571, 573, 575, 577	\wautset 2050, 2051	\wrt <u>861</u>
\UXGSL 2000	\WCTL 1711	\WSO 1505
	\WCTLP 1726	\WSOL 1503
$\mathbf{V}$	\WCTLS 1741	\WTL 1544
\valset 1409, 1410	•	
\ValSet, <u>1408</u>	\wghset 1340, 1341	$\mathbf{X}$
\valsym 1408, 1410	\WghSet, \wghFun <u>1339</u>	\X, <sub>\(\omega\)</sub>
$\forall x$	\wghsym 1339, 1341	\XGSL 1995, 1999, 2001
929, 930, 933, 934, 937,	\WH <u>1191</u>	\xGSL 1902, 1919, 1936,
938, 941, 942, 945, 946,	\widehat 919	1953, 1970, 1987, 2004
949, 950, 953, 954, 957,	\widetilde 921	\xi 1274, 1408, 1855
958, 961, 962, 965, 966,	\WinSet <u>1245</u>	\xspace 296, 298
969, 970, 973, 974, 977, 978	\winset 1245, 1246	
\varepsilon 1135	\Wlogx <u>865</u>	$\mathbf{Y}$
\varnothing 1014, 1029	\wlogx 862	\Y, <sub>□</sub> <u>1696</u>