




undefined e null


O tipo **undefined** é retornado caso a chave não seja encontrada






Qual é a diferença entre os tipos
undefined e **null**?

É possível consultar uma determinada
chave por meio do operador **in**





CAUTION

Não atribua para **undefined** ou **null** com a intenção de apagar uma propriedade

undefined_null_3.js — javascriptmasterclass

JS undefined_null_3.js

1

const book = {

2

title: "Clean Code",

3

author: "Robert C. Martin",

4

pages: 464,

5

language: "English",

6

available: true

7

};

8

book.available = undefined;

9

console.log(book);

10

console.log("available" in book);

11

TERMINAL

1: bash

rodrigobranas:javascriptmasterclass \$ node u

ndefined_null/undefined_null_3.js

{ title: 'Clean Code',

author: 'Robert C. Martin',


pages: 464,

language: 'English',

available: undefined }

true

rodrigobranas:javascriptmasterclass \$



As propriedades de um objeto podem ser apagadas por meio do operador **delete**

JS undefined_null_5.js x



TERMINAL



1: bash



```
1  const book = {
2    title: "Clean Code",
3    author: "Robert C. Martin",
4    pages: 464,
5    language: "English",
6    available: true
7  };
8  delete book.available;
9  console.log(book);
10 console.log("available" in book);
11
```

```
rodrigobranas:javascriptmasterclass $ node u
ndefined_null/undefined_null_5.js
{ title: 'Clean Code',
  author: 'Robert C. Martin',
  pages: 464,
  language: 'English' }
false
rodrigobranas:javascriptmasterclass $
```